



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2014

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene <http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 AND REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, Men	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, Women	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, Men	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, Women	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, Men	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, Women	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), Men	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), Women	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, Men	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, Women	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2014

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.
 Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2019. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,704	100.0	2,239	82.8	465	17.2	1,546	100.0	123,605	100.0	1,803	100.0
GENDER												
Men	2,125	78.6	1,777	79.4	348	74.8	1,092	70.6	88,591	71.7	1,254	69.6
Women	514	19.0	402	18.0	112	24.1	424	27.4	33,342	27.0	535	29.7
Transgender	65	2.4	60	2.7	5	1.1	30	1.9	1,672	1.4	14	0.8
RACE/ETHNICITY												
Black	1,157	42.8	943	42.1	214	46.0	781	50.5	54,322	43.9	895	49.6
Latino/Hispanic	898	33.2	746	33.3	152	32.7	488	31.6	40,338	32.6	600	33.3
White	495	18.3	419	18.7	76	16.3	207	13.4	25,511	20.6	286	15.9
Asian/Pacific Islander	120	4.4	102	4.6	18	3.9	47	3.0	2,514	2.0	16	0.9
Native American	8	0.3	8	0.4	0	0.0	4	0.3	297	0.2	3	0.2
Multiracial	26	1.0	21	0.9	5	1.1	19	1.2	295	0.2	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	328	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	6	0.2	6	0.3	0	0.0	2	0.1	160	0.1	0	0.0
13-19	105	3.9	102	4.6	3	0.6	19	1.2	873	0.7	0	0.0
20-29	933	34.5	854	38.1	79	17.0	281	18.2	11,050	8.9	45	2.5
30-39	712	26.3	593	26.5	119	25.6	365	23.6	18,569	15.0	116	6.4
40-49	493	18.2	372	16.6	121	26.0	417	27.0	31,865	25.8	321	17.8
50-59	312	11.5	216	9.6	96	20.6	328	21.2	39,006	31.6	679	37.7
60+	143	5.3	96	4.3	47	10.1	134	8.7	22,082	17.9	642	35.6
BOROUGH OF RESIDENCE												
Bronx	492	18.2	405	18.1	87	18.7	331	21.4	28,176	22.8	495	27.5
Brooklyn	721	26.7	573	25.6	148	31.8	386	25.0	28,811	23.3	421	23.3
Manhattan	614	22.7	508	22.7	106	22.8	281	18.2	31,471	25.5	314	17.4
Queens	449	16.6	374	16.7	75	16.1	188	12.2	17,443	14.1	165	9.2
Staten Island	57	2.1	43	1.9	14	3.0	41	2.7	2,277	1.8	58	3.2
Outside NYC	301	11.1	266	11.9	35	7.5	285	18.4	13,135	10.6	84	4.7
Unknown	70	2.6	70	3.1	0	0.0	34	2.2	2,292	1.9	266	14.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	246	9.1	199	8.9	47	10.1	114	7.4	11,925	9.6	99	5.5
Medium poverty (10 to <20% below FPL)	807	29.8	661	29.5	146	31.4	378	24.5	35,655	28.8	382	21.2
High poverty (20 to <30% below FPL)	669	24.7	546	24.4	123	26.5	357	23.1	28,069	22.7	391	21.7
Very high poverty (≥30% below FPL)	598	22.1	485	21.7	113	24.3	375	24.3	31,145	25.2	580	32.2
Area-based poverty level not available	384	14.2	348	15.5	36	7.7	322	20.8	16,811	13.6	351	19.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,602	59.2	1,384	61.8	218	46.9	644	41.7	48,473	39.2	382	21.2
Injection drug use history (IDU)	57	2.1	45	2.0	12	2.6	103	6.7	16,552	13.4	520	28.8
MSM-IDU	44	1.6	40	1.8	4	0.9	27	1.7	3,213	2.6	61	3.4
Heterosexual contact	502	18.6	382	17.1	120	25.8	381	24.6	24,451	19.8	355	19.7
Transgender people with sexual contact	57	2.1	53	2.4	4	0.9	25	1.6	1,391	1.1	11	0.6
Perinatal	6	0.2	6	0.3	0	0.0	21	1.4	2,597	2.1	17	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	203	0.2	6	0.3
Unknown	436	16.1	329	14.7	107	23.0	345	22.3	26,725	21.6	451	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.2.1. Men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,126	100.0	1,778	83.6	348	16.4	1,092	100.0	88,614	100.0	1,254	100.0
RACE/ETHNICITY												
Black	796	37.4	657	37.0	139	39.9	491	45.0	34,073	38.5	571	45.5
Latino/Hispanic	729	34.3	607	34.1	122	35.1	357	32.7	28,831	32.5	419	33.4
White	463	21.8	396	22.3	67	19.3	184	16.8	22,941	25.9	246	19.6
Asian/Pacific Islander	110	5.2	94	5.3	16	4.6	40	3.7	2,075	2.3	13	1.0
Native American	6	0.3	6	0.3	0	0.0	3	0.3	216	0.2	2	0.2
Multiracial	22	1.0	18	1.0	4	1.1	17	1.6	226	0.3	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	252	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	4	0.2	4	0.2	0	0.0	2	0.2	77	0.1	0	0.0
13-19	79	3.7	77	4.3	2	0.6	14	1.3	449	0.5	0	0.0
20-29	789	37.1	721	40.6	68	19.5	226	20.7	8,429	9.5	32	2.6
30-39	565	26.6	477	26.8	88	25.3	258	23.6	13,599	15.3	72	5.7
40-49	373	17.5	277	15.6	96	27.6	279	25.5	22,303	25.2	217	17.3
50-59	224	10.5	162	9.1	62	17.8	227	20.8	27,551	31.1	456	36.4
60+	92	4.3	60	3.4	32	9.2	86	7.9	16,206	18.3	477	38.0
BOROUGH OF RESIDENCE												
Bronx	344	16.2	282	15.9	62	17.8	203	18.6	17,172	19.4	324	25.8
Brooklyn	534	25.1	432	24.3	102	29.3	262	24.0	18,862	21.3	278	22.2
Manhattan	530	24.9	445	25.0	85	24.4	220	20.1	26,242	29.6	239	19.1
Queens	366	17.2	305	17.2	61	17.5	140	12.8	12,587	14.2	115	9.2
Staten Island	42	2.0	33	1.9	9	2.6	26	2.4	1,474	1.7	35	2.8
Outside NYC	254	11.9	225	12.7	29	8.3	213	19.5	10,639	12.0	64	5.1
Unknown	56	2.6	56	3.1	0	0.0	28	2.6	1,638	1.8	199	15.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	217	10.2	180	10.1	37	10.6	87	8.0	10,060	11.4	72	5.7
Medium poverty (10 to <20% below FPL)	639	30.1	529	29.8	110	31.6	270	24.7	26,095	29.4	279	22.2
High poverty (20 to <30% below FPL)	530	24.9	437	24.6	93	26.7	256	23.4	19,355	21.8	254	20.3
Very high poverty (≥30% below FPL)	420	19.8	342	19.2	78	22.4	235	21.5	19,741	22.3	386	30.8
Area-based poverty level not available	320	15.1	290	16.3	30	8.6	244	22.3	13,363	15.1	263	21.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,602	75.4	1,384	77.8	218	62.6	644	59.0	48,473	54.7	382	30.5
Injection drug use history (IDU)	28	1.3	18	1.0	10	2.9	56	5.1	10,806	12.2	353	28.1
MSM-IDU	44	2.1	40	2.2	4	1.1	27	2.5	3,213	3.6	61	4.9
Heterosexual contact	105	4.9	72	4.0	33	9.5	97	8.9	6,145	6.9	113	9.0
Transgender people with sexual contact	1	0.0	1	0.1	0	0.0	0	0.0	14	0.0	0	0.0
Perinatal	4	0.2	4	0.2	0	0.0	12	1.1	1,271	1.4	10	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	110	0.1	3	0.2
Unknown	342	16.1	259	14.6	83	23.9	256	23.4	18,582	21.0	332	26.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.2.2. Women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	578	100.0	461	79.8	117	20.2	454	100.0	34,991	100.0	549	100.0
RACE/ETHNICITY												
Black	361	62.5	286	62.0	75	64.1	290	63.9	20,249	57.9	324	59.0
Latino/Hispanic	169	29.2	139	30.2	30	25.6	131	28.9	11,507	32.9	181	33.0
White	32	5.5	23	5.0	9	7.7	23	5.1	2,570	7.3	40	7.3
Asian/Pacific Islander	10	1.7	8	1.7	2	1.7	7	1.5	439	1.3	3	0.5
Native American	2	0.3	2	0.4	0	0.0	1	0.2	81	0.2	1	0.2
Multiracial	4	0.7	3	0.7	1	0.9	2	0.4	69	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.3	2	0.4	0	0.0	0	0.0	83	0.2	0	0.0
13-19	26	4.5	25	5.4	1	0.9	5	1.1	424	1.2	0	0.0
20-29	144	24.9	133	28.9	11	9.4	55	12.1	2,621	7.5	13	2.4
30-39	147	25.4	116	25.2	31	26.5	107	23.6	4,970	14.2	44	8.0
40-49	120	20.8	95	20.6	25	21.4	138	30.4	9,562	27.3	104	18.9
50-59	88	15.2	54	11.7	34	29.1	101	22.2	11,455	32.7	223	40.6
60+	51	8.8	36	7.8	15	12.8	48	10.6	5,876	16.8	165	30.1
BOROUGH OF RESIDENCE												
Bronx	148	25.6	123	26.7	25	21.4	128	28.2	11,004	31.4	171	31.1
Brooklyn	187	32.4	141	30.6	46	39.3	124	27.3	9,949	28.4	143	26.0
Manhattan	84	14.5	63	13.7	21	17.9	61	13.4	5,229	14.9	75	13.7
Queens	83	14.4	69	15.0	14	12.0	48	10.6	4,856	13.9	50	9.1
Staten Island	15	2.6	10	2.2	5	4.3	15	3.3	803	2.3	23	4.2
Outside NYC	47	8.1	41	8.9	6	5.1	72	15.9	2,496	7.1	20	3.6
Unknown	14	2.4	14	3.0	0	0.0	6	1.3	654	1.9	67	12.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	29	5.0	19	4.1	10	8.5	27	5.9	1,865	5.3	27	4.9
Medium poverty (10 to <20% below FPL)	168	29.1	132	28.6	36	30.8	108	23.8	9,560	27.3	103	18.8
High poverty (20 to <30% below FPL)	139	24.0	109	23.6	30	25.6	101	22.2	8,714	24.9	137	25.0
Very high poverty (≥30% below FPL)	178	30.8	143	31.0	35	29.9	140	30.8	11,404	32.6	194	35.3
Area-based poverty level not available	64	11.1	58	12.6	6	5.1	78	17.2	3,448	9.9	88	16.0
TRANSMISSION RISK												
Injection drug use history (IDU)	29	5.0	27	5.9	2	1.7	47	10.4	5,746	16.4	167	30.4
Heterosexual contact	397	68.7	310	67.2	87	74.4	284	62.6	18,306	52.3	242	44.1
Transgender people with sexual contact	56	9.7	52	11.3	4	3.4	25	5.5	1,377	3.9	11	2.0
Perinatal	2	0.3	2	0.4	0	0.0	9	2.0	1,326	3.8	7	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	93	0.3	3	0.5
Unknown	94	16.3	70	15.2	24	20.5	89	19.6	8,143	23.3	119	21.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.1. Black men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	796	100.0	657	82.5	139	17.5	491	100.0	34,073	100.0	571	100.0
AGE GROUP (YEARS)												
0-12	4	0.5	4	0.6	0	0.0	2	0.4	48	0.1	0	0.0
13-19	40	5.0	39	5.9	1	0.7	8	1.6	271	0.8	0	0.0
20-29	317	39.8	288	43.8	29	20.9	114	23.2	4,162	12.2	19	3.3
30-39	176	22.1	145	22.1	31	22.3	111	22.6	5,107	15.0	28	4.9
40-49	109	13.7	74	11.3	35	25.2	119	24.2	7,709	22.6	86	15.1
50-59	99	12.4	73	11.1	26	18.7	97	19.8	10,323	30.3	199	34.9
60+	51	6.4	34	5.2	17	12.2	40	8.1	6,453	18.9	239	41.9
BOROUGH OF RESIDENCE												
Bronx	156	19.6	130	19.8	26	18.7	89	18.1	7,621	22.4	146	25.6
Brooklyn	301	37.8	246	37.4	55	39.6	153	31.2	10,689	31.4	171	29.9
Manhattan	131	16.5	100	15.2	31	22.3	77	15.7	6,933	20.3	99	17.3
Queens	93	11.7	77	11.7	16	11.5	48	9.8	4,231	12.4	52	9.1
Staten Island	13	1.6	12	1.8	1	0.7	8	1.6	514	1.5	12	2.1
Outside NYC	83	10.4	73	11.1	10	7.2	99	20.2	3,561	10.5	22	3.9
Unknown	19	2.4	19	2.9	0	0.0	17	3.5	524	1.5	69	12.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	57	7.2	45	6.8	12	8.6	28	5.7	1,889	5.5	22	3.9
Medium poverty (10 to <20% below FPL)	230	28.9	188	28.6	42	30.2	117	23.8	9,847	28.9	124	21.7
High poverty (20 to <30% below FPL)	220	27.6	180	27.4	40	28.8	122	24.8	8,604	25.3	135	23.6
Very high poverty (≥30% below FPL)	182	22.9	147	22.4	35	25.2	107	21.8	9,249	27.1	199	34.9
Area-based poverty level not available	107	13.4	97	14.8	10	7.2	117	23.8	4,484	13.2	91	15.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	519	65.2	444	67.6	75	54.0	263	53.6	14,898	43.7	155	27.1
Injection drug use history (IDU)	11	1.4	7	1.1	4	2.9	22	4.5	4,391	12.9	155	27.1
MSM-IDU	15	1.9	15	2.3	0	0.0	6	1.2	1,153	3.4	21	3.7
Heterosexual contact	65	8.2	44	6.7	21	15.1	62	12.6	3,354	9.8	69	12.1
Transgender people with sexual contact	1	0.1	1	0.2	0	0.0	0	0.0	11	0.0	0	0.0
Perinatal	4	0.5	4	0.6	0	0.0	6	1.2	713	2.1	4	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	34	0.1	1	0.2
Unknown	181	22.7	142	21.6	39	28.1	132	26.9	9,519	27.9	166	29.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.3.2. Black women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	361	100.0	286	79.2	75	20.8	290	100.0	20,249	100.0	324	100.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.3	0	0.0	0	0.0	51	0.3	0	0.0
13-19	19	5.3	18	6.3	1	1.3	3	1.0	265	1.3	0	0.0
20-29	84	23.3	76	26.6	8	10.7	39	13.4	1,555	7.7	7	2.2
30-39	90	24.9	69	24.1	21	28.0	74	25.5	3,036	15.0	25	7.7
40-49	81	22.4	66	23.1	15	20.0	82	28.3	5,641	27.9	60	18.5
50-59	50	13.9	30	10.5	20	26.7	59	20.3	6,450	31.9	136	42.0
60+	36	10.0	26	9.1	10	13.3	33	11.4	3,251	16.1	96	29.6
BOROUGH OF RESIDENCE												
Bronx	81	22.4	69	24.1	12	16.0	67	23.1	5,615	27.7	96	29.6
Brooklyn	139	38.5	105	36.7	34	45.3	94	32.4	6,926	34.2	105	32.4
Manhattan	53	14.7	37	12.9	16	21.3	37	12.8	2,838	14.0	38	11.7
Queens	45	12.5	37	12.9	8	10.7	32	11.0	2,764	13.7	23	7.1
Staten Island	7	1.9	7	2.4	0	0.0	8	2.8	375	1.9	13	4.0
Outside NYC	31	8.6	26	9.1	5	6.7	48	16.6	1,353	6.7	10	3.1
Unknown	5	1.4	5	1.7	0	0.0	4	1.4	378	1.9	39	12.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	20	5.5	15	5.2	5	6.7	21	7.2	1,036	5.1	10	3.1
Medium poverty (10 to <20% below FPL)	111	30.7	85	29.7	26	34.7	72	24.8	5,854	28.9	62	19.1
High poverty (20 to <30% below FPL)	87	24.1	70	24.5	17	22.7	68	23.4	5,174	25.6	89	27.5
Very high poverty (≥30% below FPL)	105	29.1	83	29.0	22	29.3	77	26.6	6,287	31.0	113	34.9
Area-based poverty level not available	38	10.5	33	11.5	5	6.7	52	17.9	1,898	9.4	50	15.4
TRANSMISSION RISK												
Injection drug use history (IDU)	11	3.0	9	3.1	2	2.7	23	7.9	2,714	13.4	80	24.7
Heterosexual contact	258	71.5	203	71.0	55	73.3	191	65.9	10,868	53.7	157	48.5
Transgender people with sexual contact	25	6.9	23	8.0	2	2.7	15	5.2	713	3.5	5	1.5
Perinatal	1	0.3	1	0.3	0	0.0	5	1.7	770	3.8	4	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	48	0.2	2	0.6
Unknown	66	18.3	50	17.5	16	21.3	56	19.3	5,136	25.4	76	23.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.3. Latino/Hispanic men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	729	100.0	607	83.3	122	16.7	357	100.0	28,831	100.0	419	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
13-19	34	4.7	33	5.4	1	0.8	5	1.4	146	0.5	0	0.0
20-29	277	38.0	249	41.0	28	23.0	84	23.5	2,749	9.5	9	2.1
30-39	211	28.9	182	30.0	29	23.8	88	24.6	4,796	16.6	30	7.2
40-49	127	17.4	93	15.3	34	27.9	85	23.8	7,811	27.1	78	18.6
50-59	64	8.8	41	6.8	23	18.9	73	20.4	8,673	30.1	164	39.1
60+	16	2.2	9	1.5	7	5.7	22	6.2	4,634	16.1	138	32.9
BOROUGH OF RESIDENCE												
Bronx	165	22.6	136	22.4	29	23.8	94	26.3	8,417	29.2	159	37.9
Brooklyn	110	15.1	84	13.8	26	21.3	63	17.6	4,698	16.3	76	18.1
Manhattan	161	22.1	134	22.1	27	22.1	68	19.0	7,162	24.8	66	15.8
Queens	165	22.6	133	21.9	32	26.2	65	18.2	5,242	18.2	33	7.9
Staten Island	15	2.1	13	2.1	2	1.6	9	2.5	427	1.5	11	2.6
Outside NYC	89	12.2	83	13.7	6	4.9	53	14.8	2,242	7.8	19	4.5
Unknown	24	3.3	24	4.0	0	0.0	5	1.4	643	2.2	55	13.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	45	6.2	40	6.6	5	4.1	16	4.5	1,988	6.9	9	2.1
Medium poverty (10 to <20% below FPL)	192	26.3	152	25.0	40	32.8	89	24.9	8,113	28.1	94	22.4
High poverty (20 to <30% below FPL)	192	26.3	157	25.9	35	28.7	87	24.4	6,829	23.7	78	18.6
Very high poverty (≥30% below FPL)	183	25.1	148	24.4	35	28.7	106	29.7	8,667	30.1	164	39.1
Area-based poverty level not available	117	16.0	110	18.1	7	5.7	59	16.5	3,234	11.2	74	17.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	580	79.6	500	82.4	80	65.6	216	60.5	14,304	49.6	90	21.5
Injection drug use history (IDU)	10	1.4	7	1.2	3	2.5	26	7.3	5,096	17.7	151	36.0
MSM-IDU	15	2.1	13	2.1	2	1.6	10	2.8	1,241	4.3	30	7.2
Heterosexual contact	28	3.8	20	3.3	8	6.6	28	7.8	2,069	7.2	35	8.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	1.7	462	1.6	5	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	1	0.2
Unknown	96	13.2	67	11.0	29	23.8	71	19.9	5,634	19.5	107	25.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.3.4. Latina/Hispanic women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	169	100.0	139	82.2	30	17.8	131	100.0	11,507	100.0	181	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	27	0.2	0	0.0
13-19	7	4.1	7	5.0	0	0.0	0	0.0	139	1.2	0	0.0
20-29	47	27.8	44	31.7	3	10.0	16	12.2	845	7.3	6	3.3
30-39	42	24.9	33	23.7	9	30.0	26	19.8	1,501	13.0	16	8.8
40-49	28	16.6	25	18.0	3	10.0	43	32.8	3,089	26.8	33	18.2
50-59	31	18.3	20	14.4	11	36.7	32	24.4	3,874	33.7	75	41.4
60+	14	8.3	10	7.2	4	13.3	14	10.7	2,032	17.7	51	28.2
BOROUGH OF RESIDENCE												
Bronx	62	36.7	49	35.3	13	43.3	59	45.0	4,945	43.0	71	39.2
Brooklyn	37	21.9	31	22.3	6	20.0	20	15.3	2,326	20.2	32	17.7
Manhattan	25	14.8	21	15.1	4	13.3	18	13.7	1,758	15.3	27	14.9
Queens	24	14.2	19	13.7	5	16.7	12	9.2	1,446	12.6	23	12.7
Staten Island	4	2.4	3	2.2	1	3.3	2	1.5	240	2.1	5	2.8
Outside NYC	8	4.7	7	5.0	1	3.3	18	13.7	594	5.2	5	2.8
Unknown	9	5.3	9	6.5	0	0.0	2	1.5	198	1.7	18	9.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	3.0	3	2.2	2	6.7	4	3.1	368	3.2	9	5.0
Medium poverty (10 to <20% below FPL)	44	26.0	34	24.5	10	33.3	23	17.6	2,667	23.2	34	18.8
High poverty (20 to <30% below FPL)	37	21.9	31	22.3	6	20.0	24	18.3	2,912	25.3	41	22.7
Very high poverty (≥30% below FPL)	65	38.5	54	38.8	11	36.7	60	45.8	4,698	40.8	74	40.9
Area-based poverty level not available	18	10.7	17	12.2	1	3.3	20	15.3	862	7.5	23	12.7
TRANSMISSION RISK												
Injection drug use history (IDU)	11	6.5	11	7.9	0	0.0	20	15.3	2,338	20.3	68	37.6
Heterosexual contact	109	64.5	87	62.6	22	73.3	76	58.0	5,898	51.3	73	40.3
Transgender people with sexual contact	28	16.6	26	18.7	2	6.7	9	6.9	528	4.6	4	2.2
Perinatal	0	0.0	0	0.0	0	0.0	2	1.5	472	4.1	3	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.6
Unknown	21	12.4	15	10.8	6	20.0	24	18.3	2,248	19.5	32	17.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.5. White men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	463	100.0	396	85.5	67	14.5	184	100.0	22,941	100.0	246	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	2	0.4	2	0.5	0	0.0	0	0.0	25	0.1	0	0.0
20-29	151	32.6	141	35.6	10	14.9	18	9.8	1,168	5.1	3	1.2
30-39	129	27.9	112	28.3	17	25.4	41	22.3	3,121	13.6	13	5.3
40-49	110	23.8	89	22.5	21	31.3	55	29.9	5,967	26.0	47	19.1
50-59	47	10.2	36	9.1	11	16.4	50	27.2	7,876	34.3	90	36.6
60+	24	5.2	16	4.0	8	11.9	20	10.9	4,781	20.8	93	37.8
BOROUGH OF RESIDENCE												
Bronx	19	4.1	13	3.3	6	9.0	15	8.2	921	4.0	16	6.5
Brooklyn	94	20.3	77	19.4	17	25.4	34	18.5	3,034	13.2	26	10.6
Manhattan	198	42.8	175	44.2	23	34.3	63	34.2	11,226	48.9	70	28.5
Queens	60	13.0	55	13.9	5	7.5	13	7.1	2,356	10.3	27	11.0
Staten Island	13	2.8	8	2.0	5	7.5	8	4.3	497	2.2	12	4.9
Outside NYC	66	14.3	55	13.9	11	16.4	45	24.5	4,533	19.8	23	9.3
Unknown	13	2.8	13	3.3	0	0.0	6	3.3	374	1.6	72	29.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	99	21.4	80	20.2	19	28.4	39	21.2	5,810	25.3	40	16.3
Medium poverty (10 to <20% below FPL)	162	35.0	142	35.9	20	29.9	47	25.5	7,130	31.1	55	22.4
High poverty (20 to <30% below FPL)	77	16.6	66	16.7	11	16.4	32	17.4	3,301	14.4	35	14.2
Very high poverty (≥30% below FPL)	45	9.7	39	9.8	6	9.0	14	7.6	1,532	6.7	21	8.5
Area-based poverty level not available	80	17.3	69	17.4	11	16.4	52	28.3	5,168	22.5	95	38.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	391	84.4	342	86.4	49	73.1	128	69.6	17,606	76.7	132	53.7
Injection drug use history (IDU)	3	0.6	1	0.3	2	3.0	5	2.7	1,235	5.4	45	18.3
MSM-IDU	13	2.8	11	2.8	2	3.0	11	6.0	763	3.3	10	4.1
Heterosexual contact	6	1.3	2	0.5	4	6.0	6	3.3	518	2.3	6	2.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	73	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	1	0.4
Unknown	50	10.8	40	10.1	10	14.9	34	18.5	2,698	11.8	51	20.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.3.6. White women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	23	71.9	9	28.1	23	100.0	2,570	100.0	40	100.0
AGE GROUP (YEARS)												
0-12	1	3.1	1	4.3	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	14	0.5	0	0.0
20-29	9	28.1	9	39.1	0	0.0	0	0.0	153	6.0	0	0.0
30-39	8	25.0	7	30.4	1	11.1	6	26.1	306	11.9	2	5.0
40-49	7	21.9	3	13.0	4	44.4	9	39.1	639	24.9	11	27.5
50-59	6	18.8	3	13.0	3	33.3	7	30.4	955	37.2	10	25.0
60+	1	3.1	0	0.0	1	11.1	1	4.3	500	19.5	17	42.5
BOROUGH OF RESIDENCE												
Bronx	5	15.6	5	21.7	0	0.0	2	8.7	346	13.5	4	10.0
Brooklyn	7	21.9	2	8.7	5	55.6	6	26.1	537	20.9	5	12.5
Manhattan	4	12.5	3	13.0	1	11.1	5	21.7	527	20.5	9	22.5
Queens	8	25.0	7	30.4	1	11.1	4	17.4	436	17.0	3	7.5
Staten Island	2	6.3	0	0.0	2	22.2	2	8.7	179	7.0	5	12.5
Outside NYC	6	18.8	6	26.1	0	0.0	4	17.4	495	19.3	5	12.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	50	1.9	9	22.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	9.4	1	4.3	2	22.2	1	4.3	420	16.3	8	20.0
Medium poverty (10 to <20% below FPL)	8	25.0	8	34.8	0	0.0	9	39.1	784	30.5	7	17.5
High poverty (20 to <30% below FPL)	7	21.9	2	8.7	5	55.6	7	30.4	472	18.4	5	12.5
Very high poverty (≥30% below FPL)	8	25.0	6	26.1	2	22.2	2	8.7	323	12.6	6	15.0
Area-based poverty level not available	6	18.8	6	26.1	0	0.0	4	17.4	571	22.2	14	35.0
TRANSMISSION RISK												
Injection drug use history (IDU)	5	15.6	5	21.7	0	0.0	3	13.0	654	25.4	19	47.5
Heterosexual contact	18	56.3	11	47.8	7	77.8	13	56.5	1,183	46.0	9	22.5
Transgender people with sexual contact	2	6.3	2	8.7	0	0.0	1	4.3	93	3.6	2	5.0
Perinatal	1	3.1	1	4.3	0	0.0	0	0.0	70	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	19	0.7	0	0.0
Unknown	6	18.8	4	17.4	2	22.2	6	26.1	551	21.4	10	25.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	110	100.0	94	85.5	16	14.5	40	100.0	2,075	100.0	13	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	2	1.8	2	2.1	0	0.0	0	0.0	2	0.1	0	0.0
20-29	33	30.0	33	35.1	0	0.0	4	10.0	252	12.1	1	7.7
30-39	40	36.4	30	31.9	10	62.5	16	40.0	466	22.5	1	7.7
40-49	21	19.1	16	17.0	5	31.3	13	32.5	642	30.9	4	30.8
50-59	13	11.8	12	12.8	1	6.3	4	10.0	483	23.3	3	23.1
60+	1	0.9	1	1.1	0	0.0	3	7.5	226	10.9	4	30.8
BOROUGH OF RESIDENCE												
Bronx	2	1.8	2	2.1	0	0.0	2	5.0	126	6.1	2	15.4
Brooklyn	24	21.8	21	22.3	3	18.8	8	20.0	342	16.5	4	30.8
Manhattan	31	28.2	28	29.8	3	18.8	8	20.0	665	32.0	2	15.4
Queens	42	38.2	34	36.2	8	50.0	14	35.0	652	31.4	3	23.1
Staten Island	1	0.9	0	0.0	1	6.3	1	2.5	21	1.0	0	0.0
Outside NYC	10	9.1	9	9.6	1	6.3	7	17.5	186	9.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	83	4.0	2	15.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	14	12.7	13	13.8	1	6.3	3	7.5	279	13.4	0	0.0
Medium poverty (10 to <20% below FPL)	46	41.8	38	40.4	8	50.0	16	40.0	809	39.0	6	46.2
High poverty (20 to <30% below FPL)	35	31.8	29	30.9	6	37.5	12	30.0	506	24.4	4	30.8
Very high poverty (≥30% below FPL)	5	4.5	5	5.3	0	0.0	2	5.0	192	9.3	1	7.7
Area-based poverty level not available	10	9.1	9	9.6	1	6.3	7	17.5	289	13.9	2	15.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	91	82.7	79	84.0	12	75.0	26	65.0	1,341	64.6	4	30.8
Injection drug use history (IDU)	3	2.7	2	2.1	1	6.3	1	2.5	51	2.5	2	15.4
MSM-IDU	1	0.9	1	1.1	0	0.0	0	0.0	40	1.9	0	0.0
Heterosexual contact	3	2.7	3	3.2	0	0.0	0	0.0	177	8.5	3	23.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	12	10.9	9	9.6	3	18.8	13	32.5	450	21.7	4	30.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	8	80.0	2	20.0	7	100.0	439	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	14.3	2	0.5	0	0.0
20-29	1	10.0	1	12.5	0	0.0	0	0.0	37	8.4	0	0.0
30-39	6	60.0	6	75.0	0	0.0	1	14.3	100	22.8	1	33.3
40-49	2	20.0	0	0.0	2	100.0	3	42.9	130	29.6	0	0.0
50-59	1	10.0	1	12.5	0	0.0	2	28.6	105	23.9	1	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	65	14.8	1	33.3
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	43	9.8	0	0.0
Brooklyn	3	30.0	2	25.0	1	50.0	3	42.9	97	22.1	0	0.0
Manhattan	1	10.0	1	12.5	0	0.0	1	14.3	64	14.6	1	33.3
Queens	4	40.0	4	50.0	0	0.0	0	0.0	171	39.0	1	33.3
Staten Island	1	10.0	0	0.0	1	50.0	1	14.3	4	0.9	0	0.0
Outside NYC	1	10.0	1	12.5	0	0.0	2	28.6	39	8.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	4.8	1	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	10.0	0	0.0	1	50.0	1	14.3	30	6.8	0	0.0
Medium poverty (10 to <20% below FPL)	3	30.0	3	37.5	0	0.0	2	28.6	190	43.3	0	0.0
High poverty (20 to <30% below FPL)	5	50.0	4	50.0	1	50.0	1	14.3	101	23.0	2	66.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	14.3	52	11.8	0	0.0
Area-based poverty level not available	1	10.0	1	12.5	0	0.0	2	28.6	66	15.0	1	33.3
TRANSMISSION RISK												
Injection drug use history (IDU)	1	10.0	1	12.5	0	0.0	1	14.3	20	4.6	0	0.0
Heterosexual contact	8	80.0	6	75.0	2	100.0	2	28.6	256	58.3	2	66.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	5.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	14.3	4	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	10.0	1	12.5	0	0.0	3	42.9	133	30.3	1	33.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.3.9. Native American men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	3	100.0	216	100.0	2	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	16.7	1	16.7	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	16.7	1	16.7	0	0.0	1	33.3	20	9.3	0	0.0
30-39	1	16.7	1	16.7	0	0.0	0	0.0	41	19.0	0	0.0
40-49	3	50.0	3	50.0	0	0.0	1	33.3	66	30.6	1	50.0
50-59	0	0.0	0	0.0	0	0.0	1	33.3	57	26.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	32	14.8	1	50.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	36	16.7	0	0.0
Brooklyn	1	16.7	1	16.7	0	0.0	2	66.7	49	22.7	0	0.0
Manhattan	2	33.3	2	33.3	0	0.0	0	0.0	51	23.6	1	50.0
Queens	2	33.3	2	33.3	0	0.0	0	0.0	48	22.2	0	0.0
Other/Unknown	1	16.7	1	16.7	0	0.0	1	33.3	32	14.8	1	50.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	15	6.9	0	0.0
Medium poverty (10 to <20% below FPL)	2	33.3	2	33.3	0	0.0	0	0.0	67	31.0	0	0.0
High poverty (20 to <30% below FPL)	3	50.0	3	50.0	0	0.0	1	33.3	53	24.5	1	50.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	33.3	50	23.1	0	0.0
Area-based poverty level not available	1	16.7	1	16.7	0	0.0	1	33.3	31	14.4	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	66.7	4	66.7	0	0.0	2	66.7	118	54.6	1	50.0
Injection drug use history (IDU)	1	16.7	1	16.7	0	0.0	1	33.3	16	7.4	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	3.7	0	0.0
Heterosexual contact	1	16.7	1	16.7	0	0.0	0	0.0	18	8.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	54	25.0	1	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.3.10. Native American women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	1	100.0	81	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	2.5	0	0.0
20-29	1	50.0	1	50.0	0	0.0	0	0.0	6	7.4	0	0.0
30-39	1	50.0	1	50.0	0	0.0	0	0.0	11	13.6	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	30	37.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	100.0	22	27.2	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	9	11.1	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	24	29.6	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	29	35.8	1	100.0
Manhattan	1	50.0	1	50.0	0	0.0	0	0.0	12	14.8	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	13.6	0	0.0
Other/Unknown	1	50.0	1	50.0	0	0.0	0	0.0	5	6.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	33	40.7	0	0.0
High poverty (20 to <30% below FPL)	1	50.0	1	50.0	0	0.0	0	0.0	21	25.9	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	23	28.4	1	100.0
Area-based poverty level not available	1	50.0	1	50.0	0	0.0	0	0.0	4	4.9	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	6	7.4	0	0.0
Heterosexual contact	1	50.0	1	50.0	0	0.0	1	100.0	51	63.0	1	100.0
Transgender people with sexual contact	1	50.0	1	50.0	0	0.0	0	0.0	6	7.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	17.3	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.4.1. Boys 0-12 Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	4	100.0	0	0.0	2	100.0	77	100.0	0	0.0
RACE/ETHNICITY												
Black	4	100.0	4	100.0	0	0.0	2	100.0	48	62.3	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	22	28.6	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	3.9	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	5.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	75.0	3	75.0	0	0.0	0	0.0	24	31.2	0	0.0
Brooklyn	1	25.0	1	25.0	0	0.0	1	50.0	16	20.8	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	11	14.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	1	50.0	13	16.9	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	5.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	10.4	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	5	6.5	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	18	23.4	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	14	18.2	0	0.0
Very high poverty (≥30% below FPL)	4	100.0	4	100.0	0	0.0	0	0.0	28	36.4	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	12	15.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	4	100.0	4	100.0	0	0.0	2	100.0	77	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.2. Girls 0-12 Years

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	0	0.0	83	100.0	0	0.0
RACE/ETHNICITY												
Black	1	50.0	1	50.0	0	0.0	0	0.0	51	61.4	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	27	32.5	0	0.0
White	1	50.0	1	50.0	0	0.0	0	0.0	3	3.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	100.0	2	100.0	0	0.0	0	0.0	27	32.5	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	21	25.3	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	12	14.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	10	12.0	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	3.6	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	4.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	7.2	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	7	8.4	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	16	19.3	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	24	28.9	0	0.0
Very high poverty (≥30% below FPL)	2	100.0	2	100.0	0	0.0	0	0.0	26	31.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	10	12.0	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0	0.0	0	0.0	82	98.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.3. Men 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,122	100.0	1,774	83.6	348	16.4	1,090	100.0	88,537	100.0	1,254	100.0
RACE/ETHNICITY												
Black	792	37.3	653	36.8	139	39.9	489	44.9	34,025	38.4	571	45.5
Latino/Hispanic	729	34.4	607	34.2	122	35.1	357	32.8	28,809	32.5	419	33.4
White	463	21.8	396	22.3	67	19.3	184	16.9	22,938	25.9	246	19.6
Asian/Pacific Islander	110	5.2	94	5.3	16	4.6	40	3.7	2,071	2.3	13	1.0
Native American	6	0.3	6	0.3	0	0.0	3	0.3	216	0.2	2	0.2
Multiracial	22	1.0	18	1.0	4	1.1	17	1.6	226	0.3	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	252	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	79	3.7	77	4.3	2	0.6	14	1.3	449	0.5	0	0.0
20-29	789	37.2	721	40.6	68	19.5	226	20.7	8,429	9.5	32	2.6
30-39	565	26.6	477	26.9	88	25.3	258	23.7	13,599	15.4	72	5.7
40-49	373	17.6	277	15.6	96	27.6	279	25.6	22,303	25.2	217	17.3
50-59	224	10.6	162	9.1	62	17.8	227	20.8	27,551	31.1	456	36.4
60+	92	4.3	60	3.4	32	9.2	86	7.9	16,206	18.3	477	38.0
BOROUGH OF RESIDENCE												
Bronx	341	16.1	279	15.7	62	17.8	203	18.6	17,148	19.4	324	25.8
Brooklyn	533	25.1	431	24.3	102	29.3	261	23.9	18,846	21.3	278	22.2
Manhattan	530	25.0	445	25.1	85	24.4	220	20.2	26,231	29.6	239	19.1
Queens	366	17.2	305	17.2	61	17.5	139	12.8	12,574	14.2	115	9.2
Staten Island	42	2.0	33	1.9	9	2.6	26	2.4	1,473	1.7	35	2.8
Outside NYC	254	12.0	225	12.7	29	8.3	213	19.5	10,635	12.0	64	5.1
Unknown	56	2.6	56	3.2	0	0.0	28	2.6	1,630	1.8	199	15.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	217	10.2	180	10.1	37	10.6	87	8.0	10,055	11.4	72	5.7
Medium poverty (10 to <20% below FPL)	639	30.1	529	29.8	110	31.6	269	24.7	26,077	29.5	279	22.2
High poverty (20 to <30% below FPL)	530	25.0	437	24.6	93	26.7	255	23.4	19,341	21.8	254	20.3
Very high poverty (≥30% below FPL)	416	19.6	338	19.1	78	22.4	235	21.6	19,713	22.3	386	30.8
Area-based poverty level not available	320	15.1	290	16.3	30	8.6	244	22.4	13,351	15.1	263	21.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,602	75.5	1,384	78.0	218	62.6	644	59.1	48,473	54.7	382	30.5
Injection drug use history (IDU)	28	1.3	18	1.0	10	2.9	56	5.1	10,806	12.2	353	28.1
MSM-IDU	44	2.1	40	2.3	4	1.1	27	2.5	3,213	3.6	61	4.9
Heterosexual contact	105	4.9	72	4.1	33	9.5	97	8.9	6,145	6.9	113	9.0
Transgender people with sexual contact	1	0.0	1	0.1	0	0.0	0	0.0	14	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	10	0.9	1,194	1.3	10	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	110	0.1	3	0.2
Unknown	342	16.1	259	14.6	83	23.9	256	23.5	18,582	21.0	332	26.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.4.4. Women 13+ Years (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	576	100.0	459	79.7	117	20.3	454	100.0	34,908	100.0	549	100.0
RACE/ETHNICITY												
Black	360	62.5	285	62.1	75	64.1	290	63.9	20,198	57.9	324	59.0
Latino/Hispanic	169	29.3	139	30.3	30	25.6	131	28.9	11,480	32.9	181	33.0
White	31	5.4	22	4.8	9	7.7	23	5.1	2,567	7.4	40	7.3
Asian/Pacific Islander	10	1.7	8	1.7	2	1.7	7	1.5	439	1.3	3	0.5
Native American	2	0.3	2	0.4	0	0.0	1	0.2	80	0.2	1	0.2
Multiracial	4	0.7	3	0.7	1	0.9	2	0.4	68	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	26	4.5	25	5.4	1	0.9	5	1.1	424	1.2	0	0.0
20-29	144	25.0	133	29.0	11	9.4	55	12.1	2,621	7.5	13	2.4
30-39	147	25.5	116	25.3	31	26.5	107	23.6	4,970	14.2	44	8.0
40-49	120	20.8	95	20.7	25	21.4	138	30.4	9,562	27.4	104	18.9
50-59	88	15.3	54	11.8	34	29.1	101	22.2	11,455	32.8	223	40.6
60+	51	8.9	36	7.8	15	12.8	48	10.6	5,876	16.8	165	30.1
BOROUGH OF RESIDENCE												
Bronx	146	25.3	121	26.4	25	21.4	128	28.2	10,977	31.4	171	31.1
Brooklyn	187	32.5	141	30.7	46	39.3	124	27.3	9,928	28.4	143	26.0
Manhattan	84	14.6	63	13.7	21	17.9	61	13.4	5,217	14.9	75	13.7
Queens	83	14.4	69	15.0	14	12.0	48	10.6	4,846	13.9	50	9.1
Staten Island	15	2.6	10	2.2	5	4.3	15	3.3	800	2.3	23	4.2
Outside NYC	47	8.2	41	8.9	6	5.1	72	15.9	2,492	7.1	20	3.6
Unknown	14	2.4	14	3.1	0	0.0	6	1.3	648	1.9	67	12.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	29	5.0	19	4.1	10	8.5	27	5.9	1,858	5.3	27	4.9
Medium poverty (10 to <20% below FPL)	168	29.2	132	28.8	36	30.8	108	23.8	9,544	27.3	103	18.8
High poverty (20 to <30% below FPL)	139	24.1	109	23.7	30	25.6	101	22.2	8,690	24.9	137	25.0
Very high poverty (≥30% below FPL)	176	30.6	141	30.7	35	29.9	140	30.8	11,378	32.6	194	35.3
Area-based poverty level not available	64	11.1	58	12.6	6	5.1	78	17.2	3,438	9.8	88	16.0
TRANSMISSION RISK												
Injection drug use history (IDU)	29	5.0	27	5.9	2	1.7	47	10.4	5,746	16.5	167	30.4
Heterosexual contact	397	68.9	310	67.5	87	74.4	284	62.6	18,306	52.4	242	44.1
Transgender people with sexual contact	56	9.7	52	11.3	4	3.4	25	5.5	1,377	3.9	11	2.0
Perinatal	0	0.0	0	0.0	0	0.0	9	2.0	1,244	3.6	7	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	93	0.3	3	0.5
Unknown	94	16.3	70	15.3	24	20.5	89	19.6	8,142	23.3	119	21.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.1. Bronx, men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	344	100.0	282	82.0	62	18.0	203	100.0	17,172	100.0	324	100.0
RACE/ETHNICITY												
Black	156	45.3	130	46.1	26	41.9	89	43.8	7,621	44.4	146	45.1
Latino/Hispanic	165	48.0	136	48.2	29	46.8	94	46.3	8,417	49.0	159	49.1
White	19	5.5	13	4.6	6	9.7	15	7.4	921	5.4	16	4.9
Asian/Pacific Islander	2	0.6	2	0.7	0	0.0	2	1.0	126	0.7	2	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	36	0.2	0	0.0
Multiracial	2	0.6	1	0.4	1	1.6	3	1.5	29	0.2	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.9	3	1.1	0	0.0	0	0.0	24	0.1	0	0.0
13-19	16	4.7	16	5.7	0	0.0	4	2.0	122	0.7	0	0.0
20-29	134	39.0	123	43.6	11	17.7	37	18.2	1,817	10.6	5	1.5
30-39	69	20.1	54	19.1	15	24.2	46	22.7	2,363	13.8	17	5.2
40-49	56	16.3	38	13.5	18	29.0	54	26.6	4,150	24.2	57	17.6
50-59	47	13.7	34	12.1	13	21.0	47	23.2	5,547	32.3	117	36.1
60+	19	5.5	14	5.0	5	8.1	15	7.4	3,149	18.3	128	39.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	0.6	1	0.4	1	1.6	1	0.5	28	0.2	1	0.3
Medium poverty (10 to <20% below FPL)	70	20.3	58	20.6	12	19.4	42	20.7	3,077	17.9	54	16.7
High poverty (20 to <30% below FPL)	44	12.8	37	13.1	7	11.3	23	11.3	1,773	10.3	24	7.4
Very high poverty (≥30% below FPL)	228	66.3	186	66.0	42	67.7	137	67.5	12,179	70.9	245	75.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	115	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	213	61.9	186	66.0	27	43.5	81	39.9	6,285	36.6	56	17.3
Injection drug use history (IDU)	7	2.0	7	2.5	0	0.0	15	7.4	3,412	19.9	128	39.5
MSM-IDU	2	0.6	2	0.7	0	0.0	5	2.5	787	4.6	16	4.9
Heterosexual contact	29	8.4	18	6.4	11	17.7	25	12.3	1,656	9.6	29	9.0
Transgender people with sexual contact	1	0.3	1	0.4	0	0.0	0	0.0	8	0.0	0	0.0
Perinatal	3	0.9	3	1.1	0	0.0	6	3.0	420	2.4	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	1	0.3
Unknown	89	25.9	65	23.0	24	38.7	71	35.0	4,584	26.7	92	28.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.5.2. Bronx, women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	148	100.0	123	83.1	25	16.9	128	100.0	11,004	100.0	171	100.0
RACE/ETHNICITY												
Black	81	54.7	69	56.1	12	48.0	67	52.3	5,615	51.0	96	56.1
Latino/Hispanic	62	41.9	49	39.8	13	52.0	59	46.1	4,945	44.9	71	41.5
White	5	3.4	5	4.1	0	0.0	2	1.6	346	3.1	4	2.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	43	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.4	2	1.6	0	0.0	0	0.0	27	0.2	0	0.0
13-19	3	2.0	3	2.4	0	0.0	0	0.0	128	1.2	0	0.0
20-29	31	20.9	27	22.0	4	16.0	16	12.5	821	7.5	5	2.9
30-39	41	27.7	35	28.5	6	24.0	28	21.9	1,628	14.8	15	8.8
40-49	31	20.9	25	20.3	6	24.0	41	32.0	3,088	28.1	29	17.0
50-59	24	16.2	18	14.6	6	24.0	29	22.7	3,619	32.9	83	48.5
60+	16	10.8	13	10.6	3	12.0	14	10.9	1,693	15.4	39	22.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Medium poverty (10 to <20% below FPL)	28	18.9	22	17.9	6	24.0	20	15.6	2,078	18.9	26	15.2
High poverty (20 to <30% below FPL)	5	3.4	4	3.3	1	4.0	14	10.9	1,187	10.8	20	11.7
Very high poverty (≥30% below FPL)	114	77.0	96	78.0	18	72.0	94	73.4	7,686	69.8	125	73.1
Area-based poverty level not available	1	0.7	1	0.8	0	0.0	0	0.0	38	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	10	6.8	10	8.1	0	0.0	21	16.4	2,028	18.4	61	35.7
Heterosexual contact	118	79.7	94	76.4	24	96.0	88	68.8	5,677	51.6	68	39.8
Transgender people with sexual contact	7	4.7	7	5.7	0	0.0	4	3.1	368	3.3	4	2.3
Perinatal	2	1.4	2	1.6	0	0.0	0	0.0	425	3.9	3	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
Unknown	11	7.4	10	8.1	1	4.0	15	11.7	2,486	22.6	35	20.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.3. Brooklyn, men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	534	100.0	432	80.9	102	19.1	262	100.0	18,862	100.0	278	100.0
RACE/ETHNICITY												
Black	301	56.4	246	56.9	55	53.9	153	58.4	10,689	56.7	171	61.5
Latino/Hispanic	110	20.6	84	19.4	26	25.5	63	24.0	4,698	24.9	76	27.3
White	94	17.6	77	17.8	17	16.7	34	13.0	3,034	16.1	26	9.4
Asian/Pacific Islander	24	4.5	21	4.9	3	2.9	8	3.1	342	1.8	4	1.4
Native American	1	0.2	1	0.2	0	0.0	2	0.8	49	0.3	0	0.0
Multiracial	4	0.7	3	0.7	1	1.0	2	0.8	26	0.1	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	1	0.4	16	0.1	0	0.0
13-19	26	4.9	24	5.6	2	2.0	5	1.9	135	0.7	0	0.0
20-29	194	36.3	177	41.0	17	16.7	48	18.3	1,958	10.4	6	2.2
30-39	135	25.3	116	26.9	19	18.6	48	18.3	3,096	16.4	7	2.5
40-49	93	17.4	64	14.8	29	28.4	75	28.6	4,639	24.6	53	19.1
50-59	57	10.7	35	8.1	22	21.6	60	22.9	5,586	29.6	113	40.6
60+	28	5.2	15	3.5	13	12.7	25	9.5	3,432	18.2	99	35.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	32	6.0	22	5.1	10	9.8	15	5.7	680	3.6	7	2.5
Medium poverty (10 to <20% below FPL)	169	31.6	140	32.4	29	28.4	69	26.3	6,525	34.6	83	29.9
High poverty (20 to <30% below FPL)	243	45.5	199	46.1	44	43.1	124	47.3	8,030	42.6	121	43.5
Very high poverty (≥30% below FPL)	90	16.9	71	16.4	19	18.6	54	20.6	3,458	18.3	67	24.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	169	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	368	68.9	311	72.0	57	55.9	142	54.2	9,111	48.3	65	23.4
Injection drug use history (IDU)	12	2.2	8	1.9	4	3.9	15	5.7	2,486	13.2	80	28.8
MSM-IDU	12	2.2	10	2.3	2	2.0	8	3.1	647	3.4	16	5.8
Heterosexual contact	35	6.6	24	5.6	11	10.8	26	9.9	1,623	8.6	28	10.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0	1	0.4	329	1.7	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	1	0.4
Unknown	106	19.9	78	18.1	28	27.5	70	26.7	4,642	24.6	87	31.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.5.4. Brooklyn, women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	187	100.0	141	75.4	46	24.6	124	100.0	9,949	100.0	143	100.0
RACE/ETHNICITY												
Black	139	74.3	105	74.5	34	73.9	94	75.8	6,926	69.6	105	73.4
Latino/Hispanic	37	19.8	31	22.0	6	13.0	20	16.1	2,326	23.4	32	22.4
White	7	3.7	2	1.4	5	10.9	6	4.8	537	5.4	5	3.5
Asian/Pacific Islander	3	1.6	2	1.4	1	2.2	3	2.4	97	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.8	29	0.3	1	0.7
Multiracial	1	0.5	1	0.7	0	0.0	0	0.0	13	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
13-19	12	6.4	12	8.5	0	0.0	2	1.6	121	1.2	0	0.0
20-29	43	23.0	40	28.4	3	6.5	15	12.1	668	6.7	4	2.8
30-39	49	26.2	35	24.8	14	30.4	31	25.0	1,441	14.5	13	9.1
40-49	37	19.8	31	22.0	6	13.0	31	25.0	2,688	27.0	29	20.3
50-59	31	16.6	15	10.6	16	34.8	30	24.2	3,251	32.7	53	37.1
60+	15	8.0	8	5.7	7	15.2	15	12.1	1,759	17.7	44	30.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	3.7	3	2.1	4	8.7	6	4.8	316	3.2	3	2.1
Medium poverty (10 to <20% below FPL)	67	35.8	50	35.5	17	37.0	46	37.1	3,268	32.8	40	28.0
High poverty (20 to <30% below FPL)	81	43.3	62	44.0	19	41.3	53	42.7	4,395	44.2	61	42.7
Very high poverty (≥30% below FPL)	31	16.6	25	17.7	6	13.0	19	15.3	1,905	19.1	39	27.3
Area-based poverty level not available	1	0.5	1	0.7	0	0.0	0	0.0	65	0.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	11	5.9	11	7.8	0	0.0	7	5.6	1,477	14.8	38	26.6
Heterosexual contact	130	69.5	95	67.4	35	76.1	81	65.3	5,420	54.5	68	47.6
Transgender people with sexual contact	9	4.8	8	5.7	1	2.2	7	5.6	287	2.9	1	0.7
Perinatal	0	0.0	0	0.0	0	0.0	3	2.4	354	3.6	3	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.3	0	0.0
Unknown	37	19.8	27	19.1	10	21.7	26	21.0	2,386	24.0	33	23.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.5.5. Manhattan, men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	530	100.0	445	84.0	85	16.0	220	100.0	26,242	100.0	239	100.0
RACE/ETHNICITY												
Black	131	24.7	100	22.5	31	36.5	77	35.0	6,933	26.4	99	41.4
Latino/Hispanic	161	30.4	134	30.1	27	31.8	68	30.9	7,162	27.3	66	27.6
White	198	37.4	175	39.3	23	27.1	63	28.6	11,226	42.8	70	29.3
Asian/Pacific Islander	31	5.8	28	6.3	3	3.5	8	3.6	665	2.5	2	0.8
Native American	2	0.4	2	0.4	0	0.0	0	0.0	51	0.2	1	0.4
Multiracial	7	1.3	6	1.3	1	1.2	4	1.8	60	0.2	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	145	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.0	0	0.0
13-19	6	1.1	6	1.3	0	0.0	0	0.0	46	0.2	0	0.0
20-29	188	35.5	167	37.5	21	24.7	36	16.4	1,631	6.2	4	1.7
30-39	145	27.4	124	27.9	21	24.7	54	24.5	3,778	14.4	18	7.5
40-49	111	20.9	87	19.6	24	28.2	57	25.9	6,884	26.2	37	15.5
50-59	56	10.6	44	9.9	12	14.1	54	24.5	8,436	32.1	75	31.4
60+	24	4.5	17	3.8	7	8.2	19	8.6	5,456	20.8	105	43.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	122	23.0	105	23.6	17	20.0	45	20.5	7,468	28.5	39	16.3
Medium poverty (10 to <20% below FPL)	157	29.6	131	29.4	26	30.6	62	28.2	7,645	29.1	67	28.0
High poverty (20 to <30% below FPL)	140	26.4	116	26.1	24	28.2	66	30.0	6,373	24.3	59	24.7
Very high poverty (≥30% below FPL)	102	19.2	85	19.1	17	20.0	44	20.0	4,104	15.6	74	31.0
Area-based poverty level not available	9	1.7	8	1.8	1	1.2	3	1.4	652	2.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	443	83.6	378	84.9	65	76.5	155	70.5	17,714	67.5	89	37.2
Injection drug use history (IDU)	3	0.6	1	0.2	2	2.4	8	3.6	2,253	8.6	60	25.1
MSM-IDU	16	3.0	15	3.4	1	1.2	4	1.8	878	3.3	12	5.0
Heterosexual contact	12	2.3	8	1.8	4	4.7	15	6.8	980	3.7	18	7.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	172	0.7	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
Unknown	56	10.6	43	9.7	13	15.3	38	17.3	4,227	16.1	59	24.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.5.6. Manhattan, women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	84	100.0	63	75.0	21	25.0	61	100.0	5,229	100.0	75	100.0
RACE/ETHNICITY												
Black	53	63.1	37	58.7	16	76.2	37	60.7	2,838	54.3	38	50.7
Latino/Hispanic	25	29.8	21	33.3	4	19.0	18	29.5	1,758	33.6	27	36.0
White	4	4.8	3	4.8	1	4.8	5	8.2	527	10.1	9	12.0
Asian/Pacific Islander	1	1.2	1	1.6	0	0.0	1	1.6	64	1.2	1	1.3
Native American	1	1.2	1	1.6	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
13-19	4	4.8	3	4.8	1	4.8	1	1.6	51	1.0	0	0.0
20-29	25	29.8	23	36.5	2	9.5	6	9.8	357	6.8	0	0.0
30-39	16	19.0	9	14.3	7	33.3	15	24.6	588	11.2	2	2.7
40-49	23	27.4	18	28.6	5	23.8	17	27.9	1,345	25.7	13	17.3
50-59	12	14.3	8	12.7	4	19.0	15	24.6	1,791	34.3	27	36.0
60+	4	4.8	2	3.2	2	9.5	7	11.5	1,085	20.7	33	44.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	6.0	5	7.9	0	0.0	3	4.9	609	11.6	15	20.0
Medium poverty (10 to <20% below FPL)	21	25.0	17	27.0	4	19.0	12	19.7	914	17.5	6	8.0
High poverty (20 to <30% below FPL)	25	29.8	19	30.2	6	28.6	19	31.1	1,776	34.0	24	32.0
Very high poverty (≥30% below FPL)	33	39.3	22	34.9	11	52.4	27	44.3	1,813	34.7	30	40.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	117	2.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	4	4.8	3	4.8	1	4.8	7	11.5	1,044	20.0	30	40.0
Heterosexual contact	50	59.5	37	58.7	13	61.9	38	62.3	2,432	46.5	29	38.7
Transgender people with sexual contact	17	20.2	15	23.8	2	9.5	5	8.2	245	4.7	3	4.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.6	192	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Unknown	13	15.5	8	12.7	5	23.8	10	16.4	1,300	24.9	13	17.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.5.7. Queens, men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	366	100.0	305	83.3	61	16.7	140	100.0	12,587	100.0	115	100.0
RACE/ETHNICITY												
Black	93	25.4	77	25.2	16	26.2	48	34.3	4,231	33.6	52	45.2
Latino/Hispanic	165	45.1	133	43.6	32	52.5	65	46.4	5,242	41.6	33	28.7
White	60	16.4	55	18.0	5	8.2	13	9.3	2,356	18.7	27	23.5
Asian/Pacific Islander	42	11.5	34	11.1	8	13.1	14	10.0	652	5.2	3	2.6
Native American	2	0.5	2	0.7	0	0.0	0	0.0	48	0.4	0	0.0
Multiracial	4	1.1	4	1.3	0	0.0	0	0.0	29	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.7	13	0.1	0	0.0
13-19	13	3.6	13	4.3	0	0.0	1	0.7	55	0.4	0	0.0
20-29	123	33.6	111	36.4	12	19.7	23	16.4	1,052	8.4	5	4.3
30-39	120	32.8	99	32.5	21	34.4	42	30.0	2,044	16.2	6	5.2
40-49	67	18.3	50	16.4	17	27.9	42	30.0	3,414	27.1	23	20.0
50-59	33	9.0	25	8.2	8	13.1	25	17.9	3,993	31.7	33	28.7
60+	10	2.7	7	2.3	3	4.9	6	4.3	2,016	16.0	48	41.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	37	10.1	33	10.8	4	6.6	13	9.3	1,468	11.7	17	14.8
Medium poverty (10 to <20% below FPL)	237	64.8	196	64.3	41	67.2	95	67.9	8,650	68.7	70	60.9
High poverty (20 to <30% below FPL)	91	24.9	75	24.6	16	26.2	32	22.9	2,333	18.5	28	24.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	0.3	1	0.3	0	0.0	0	0.0	136	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	301	82.2	255	83.6	46	75.4	88	62.9	6,551	52.0	48	41.7
Injection drug use history (IDU)	2	0.5	1	0.3	1	1.6	3	2.1	1,538	12.2	25	21.7
MSM-IDU	3	0.8	3	1.0	0	0.0	1	0.7	376	3.0	3	2.6
Heterosexual contact	20	5.5	14	4.6	6	9.8	18	12.9	1,140	9.1	14	12.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.4	182	1.4	3	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	40	10.9	32	10.5	8	13.1	28	20.0	2,778	22.1	22	19.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.5.8. Queens, women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	83	100.0	69	83.1	14	16.9	48	100.0	4,856	100.0	50	100.0
RACE/ETHNICITY												
Black	45	54.2	37	53.6	8	57.1	32	66.7	2,764	56.9	23	46.0
Latino/Hispanic	24	28.9	19	27.5	5	35.7	12	25.0	1,446	29.8	23	46.0
White	8	9.6	7	10.1	1	7.1	4	8.3	436	9.0	3	6.0
Asian/Pacific Islander	4	4.8	4	5.8	0	0.0	0	0.0	171	3.5	1	2.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	2	2.4	2	2.9	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	4	4.8	4	5.8	0	0.0	0	0.0	51	1.1	0	0.0
20-29	18	21.7	17	24.6	1	7.1	7	14.6	347	7.1	1	2.0
30-39	26	31.3	24	34.8	2	14.3	11	22.9	638	13.1	5	10.0
40-49	14	16.9	10	14.5	4	28.6	14	29.2	1,383	28.5	9	18.0
50-59	11	13.3	6	8.7	5	35.7	12	25.0	1,641	33.8	18	36.0
60+	10	12.0	8	11.6	2	14.3	4	8.3	786	16.2	17	34.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	13	15.7	10	14.5	3	21.4	12	25.0	731	15.1	5	10.0
Medium poverty (10 to <20% below FPL)	50	60.2	41	59.4	9	64.3	29	60.4	3,183	65.5	29	58.0
High poverty (20 to <30% below FPL)	19	22.9	17	24.6	2	14.3	7	14.6	867	17.9	15	30.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.2	1	1.4	0	0.0	0	0.0	75	1.5	1	2.0
TRANSMISSION RISK												
Injection drug use history (IDU)	1	1.2	1	1.4	0	0.0	3	6.3	707	14.6	10	20.0
Heterosexual contact	55	66.3	45	65.2	10	71.4	30	62.5	2,721	56.0	25	50.0
Transgender people with sexual contact	10	12.0	9	13.0	1	7.1	3	6.3	196	4.0	2	4.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.2	172	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	1	2.0
Unknown	17	20.5	14	20.3	3	21.4	10	20.8	1,042	21.5	12	24.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.9. Staten Island, men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	33	78.6	9	21.4	26	100.0	1,474	100.0	35	100.0
RACE/ETHNICITY												
Black	13	31.0	12	36.4	1	11.1	8	30.8	514	34.9	12	34.3
Latino/Hispanic	15	35.7	13	39.4	2	22.2	9	34.6	427	29.0	11	31.4
White	13	31.0	8	24.2	5	55.6	8	30.8	497	33.7	12	34.3
Asian/Pacific Islander	1	2.4	0	0.0	1	11.1	1	3.8	21	1.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.4	1	3.0	0	0.0	0	0.0	11	0.7	0	0.0
20-29	14	33.3	13	39.4	1	11.1	3	11.5	106	7.2	2	5.7
30-39	12	28.6	8	24.2	4	44.4	7	26.9	183	12.4	2	5.7
40-49	10	23.8	7	21.2	3	33.3	6	23.1	345	23.4	5	14.3
50-59	3	7.1	3	9.1	0	0.0	6	23.1	545	37.0	18	51.4
60+	2	4.8	1	3.0	1	11.1	4	15.4	283	19.2	8	22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	24	57.1	19	57.6	5	55.6	13	50.0	416	28.2	8	22.9
Medium poverty (10 to <20% below FPL)	6	14.3	4	12.1	2	22.2	2	7.7	198	13.4	5	14.3
High poverty (20 to <30% below FPL)	12	28.6	10	30.3	2	22.2	11	42.3	846	57.4	22	62.9
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	14	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	76.2	26	78.8	6	66.7	12	46.2	595	40.4	6	17.1
Injection drug use history (IDU)	1	2.4	0	0.0	1	11.1	6	23.1	281	19.1	11	31.4
MSM-IDU	2	4.8	2	6.1	0	0.0	0	0.0	74	5.0	6	17.1
Heterosexual contact	3	7.1	3	9.1	0	0.0	3	11.5	135	9.2	2	5.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	2.3	2	5.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	9.5	2	6.1	2	22.2	5	19.2	355	24.1	8	22.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.5.10. Staten Island, women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	10	66.7	5	33.3	15	100.0	803	100.0	23	100.0
RACE/ETHNICITY												
Black	7	46.7	7	70.0	0	0.0	8	53.3	375	46.7	13	56.5
Latino/Hispanic	4	26.7	3	30.0	1	20.0	2	13.3	240	29.9	5	21.7
White	2	13.3	0	0.0	2	40.0	2	13.3	179	22.3	5	21.7
Asian/Pacific Islander	1	6.7	0	0.0	1	20.0	1	6.7	4	0.5	0	0.0
Other/Unknown	1	6.7	0	0.0	1	20.0	2	13.3	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	1	6.7	1	10.0	0	0.0	1	6.7	11	1.4	0	0.0
20-29	1	6.7	1	10.0	0	0.0	3	20.0	44	5.5	0	0.0
30-39	3	20.0	3	30.0	0	0.0	1	6.7	115	14.3	1	4.3
40-49	6	40.0	3	30.0	3	60.0	7	46.7	221	27.5	4	17.4
50-59	3	20.0	1	10.0	2	40.0	2	13.3	285	35.5	9	39.1
60+	1	6.7	1	10.0	0	0.0	1	6.7	124	15.4	9	39.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	26.7	1	10.0	3	60.0	6	40.0	194	24.2	4	17.4
Medium poverty (10 to <20% below FPL)	2	13.3	2	20.0	0	0.0	1	6.7	117	14.6	2	8.7
High poverty (20 to <30% below FPL)	9	60.0	7	70.0	2	40.0	8	53.3	489	60.9	17	73.9
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	139	17.3	9	39.1
Heterosexual contact	10	66.7	7	70.0	3	60.0	7	46.7	437	54.4	10	43.5
Transgender people with sexual contact	1	6.7	1	10.0	0	0.0	1	6.7	22	2.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.7	33	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	4	26.7	2	20.0	2	40.0	6	40.0	167	20.8	4	17.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,602	100.0	1,384	86.4	218	13.6	644	100.0	48,473	100.0	382	100.0
RACE/ETHNICITY												
Black	519	32.4	444	32.1	75	34.4	263	40.8	14,898	30.7	155	40.6
Latino/Hispanic	580	36.2	500	36.1	80	36.7	216	33.5	14,304	29.5	90	23.6
White	391	24.4	342	24.7	49	22.5	128	19.9	17,606	36.3	132	34.6
Asian/Pacific Islander	91	5.7	79	5.7	12	5.5	26	4.0	1,341	2.8	4	1.0
Native American	4	0.2	4	0.3	0	0.0	2	0.3	118	0.2	1	0.3
Multiracial	17	1.1	15	1.1	2	0.9	9	1.4	175	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	71	4.4	69	5.0	2	0.9	9	1.4	136	0.3	0	0.0
20-29	704	43.9	649	46.9	55	25.2	184	28.6	6,575	13.6	12	3.1
30-39	448	28.0	378	27.3	70	32.1	186	28.9	10,188	21.0	37	9.7
40-49	254	15.9	195	14.1	59	27.1	155	24.1	13,206	27.2	97	25.4
50-59	100	6.2	76	5.5	24	11.0	85	13.2	12,374	25.5	128	33.5
60+	25	1.6	17	1.2	8	3.7	25	3.9	5,994	12.4	108	28.3
BOROUGH OF RESIDENCE												
Bronx	213	13.3	186	13.4	27	12.4	81	12.6	6,285	13.0	56	14.7
Brooklyn	368	23.0	311	22.5	57	26.1	142	22.0	9,111	18.8	65	17.0
Manhattan	443	27.7	378	27.3	65	29.8	155	24.1	17,714	36.5	89	23.3
Queens	301	18.8	255	18.4	46	21.1	88	13.7	6,551	13.5	48	12.6
Staten Island	32	2.0	26	1.9	6	2.8	12	1.9	595	1.2	6	1.6
Outside NYC	204	12.7	187	13.5	17	7.8	151	23.4	7,040	14.5	27	7.1
Unknown	41	2.6	41	3.0	0	0.0	15	2.3	1,177	2.4	91	23.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	177	11.0	152	11.0	25	11.5	56	8.7	7,197	14.8	28	7.3
Medium poverty (10 to <20% below FPL)	514	32.1	435	31.4	79	36.2	165	25.6	14,513	29.9	108	28.3
High poverty (20 to <30% below FPL)	380	23.7	325	23.5	55	25.2	143	22.2	10,246	21.1	58	15.2
Very high poverty (≥30% below FPL)	280	17.5	239	17.3	41	18.8	112	17.4	7,886	16.3	70	18.3
Area-based poverty level not available	251	15.7	233	16.8	18	8.3	168	26.1	8,631	17.8	118	30.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	18	64.3	10	35.7	56	100.0	10,806	100.0	353	100.0
RACE/ETHNICITY												
Black	11	39.3	7	38.9	4	40.0	22	39.3	4,391	40.6	155	43.9
Latino/Hispanic	10	35.7	7	38.9	3	30.0	26	46.4	5,096	47.2	151	42.8
White	3	10.7	1	5.6	2	20.0	5	8.9	1,235	11.4	45	12.7
Asian/Pacific Islander	3	10.7	2	11.1	1	10.0	1	1.8	51	0.5	2	0.6
Native American	1	3.6	1	5.6	0	0.0	1	1.8	16	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.8	11	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.6	1	5.6	0	0.0	0	0.0	1	0.0	0	0.0
20-29	4	14.3	4	22.2	0	0.0	1	1.8	35	0.3	0	0.0
30-39	5	17.9	3	16.7	2	20.0	4	7.1	307	2.8	5	1.4
40-49	10	35.7	4	22.2	6	60.0	13	23.2	1,536	14.2	34	9.6
50-59	5	17.9	5	27.8	0	0.0	26	46.4	4,617	42.7	148	41.9
60+	3	10.7	1	5.6	2	20.0	12	21.4	4,310	39.9	166	47.0
BOROUGH OF RESIDENCE												
Bronx	7	25.0	7	38.9	0	0.0	15	26.8	3,412	31.6	128	36.3
Brooklyn	12	42.9	8	44.4	4	40.0	15	26.8	2,486	23.0	80	22.7
Manhattan	3	10.7	1	5.6	2	20.0	8	14.3	2,253	20.8	60	17.0
Queens	2	7.1	1	5.6	1	10.0	3	5.4	1,538	14.2	25	7.1
Staten Island	1	3.6	0	0.0	1	10.0	6	10.7	281	2.6	11	3.1
Outside NYC	3	10.7	1	5.6	2	20.0	8	14.3	782	7.2	9	2.5
Unknown	0	0.0	0	0.0	0	0.0	1	1.8	54	0.5	40	11.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	7.1	1	5.6	1	10.0	5	8.9	571	5.3	20	5.7
Medium poverty (10 to <20% below FPL)	3	10.7	2	11.1	1	10.0	5	8.9	2,954	27.3	62	17.6
High poverty (20 to <30% below FPL)	10	35.7	6	33.3	4	40.0	21	37.5	2,446	22.6	79	22.4
Very high poverty (≥30% below FPL)	10	35.7	8	44.4	2	20.0	16	28.6	3,765	34.8	143	40.5
Area-based poverty level not available	3	10.7	1	5.6	2	20.0	9	16.1	1,070	9.9	49	13.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	27	93.1	2	6.9	47	100.0	5,746	100.0	167	100.0
RACE/ETHNICITY												
Black	11	37.9	9	33.3	2	100.0	23	48.9	2,714	47.2	80	47.9
Latino/Hispanic	11	37.9	11	40.7	0	0.0	20	42.6	2,338	40.7	68	40.7
White	5	17.2	5	18.5	0	0.0	3	6.4	654	11.4	19	11.4
Asian/Pacific Islander	1	3.4	1	3.7	0	0.0	1	2.1	20	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	1	3.4	1	3.7	0	0.0	0	0.0	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	6.9	2	7.4	0	0.0	1	2.1	3	0.1	0	0.0
20-29	7	24.1	7	25.9	0	0.0	2	4.3	64	1.1	2	1.2
30-39	6	20.7	5	18.5	1	50.0	4	8.5	331	5.8	4	2.4
40-49	9	31.0	9	33.3	0	0.0	18	38.3	1,320	23.0	32	19.2
50-59	3	10.3	2	7.4	1	50.0	18	38.3	2,652	46.2	85	50.9
60+	2	6.9	2	7.4	0	0.0	4	8.5	1,376	23.9	44	26.3
BOROUGH OF RESIDENCE												
Bronx	10	34.5	10	37.0	0	0.0	21	44.7	2,028	35.3	61	36.5
Brooklyn	11	37.9	11	40.7	0	0.0	7	14.9	1,477	25.7	38	22.8
Manhattan	4	13.8	3	11.1	1	50.0	7	14.9	1,044	18.2	30	18.0
Queens	1	3.4	1	3.7	0	0.0	3	6.4	707	12.3	10	6.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	139	2.4	9	5.4
Outside NYC	3	10.3	2	7.4	1	50.0	8	17.0	330	5.7	5	3.0
Unknown	0	0.0	0	0.0	0	0.0	1	2.1	21	0.4	14	8.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	1	2.1	283	4.9	13	7.8
Medium poverty (10 to <20% below FPL)	4	13.8	4	14.8	0	0.0	10	21.3	1,446	25.2	26	15.6
High poverty (20 to <30% below FPL)	6	20.7	6	22.2	0	0.0	8	17.0	1,398	24.3	38	22.8
Very high poverty (≥30% below FPL)	16	55.2	15	55.6	1	50.0	19	40.4	2,203	38.3	71	42.5
Area-based poverty level not available	3	10.3	2	7.4	1	50.0	9	19.1	416	7.2	19	11.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	40	90.9	4	9.1	27	100.0	3,213	100.0	61	100.0
RACE/ETHNICITY												
Black	15	34.1	15	37.5	0	0.0	6	22.2	1,153	35.9	21	34.4
Latino/Hispanic	15	34.1	13	32.5	2	50.0	10	37.0	1,241	38.6	30	49.2
White	13	29.5	11	27.5	2	50.0	11	40.7	763	23.7	10	16.4
Asian/Pacific Islander	1	2.3	1	2.5	0	0.0	0	0.0	40	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
20-29	15	34.1	13	32.5	2	50.0	9	33.3	256	8.0	1	1.6
30-39	17	38.6	16	40.0	1	25.0	7	25.9	508	15.8	4	6.6
40-49	3	6.8	3	7.5	0	0.0	2	7.4	870	27.1	9	14.8
50-59	7	15.9	7	17.5	0	0.0	7	25.9	1,044	32.5	25	41.0
60+	2	4.5	1	2.5	1	25.0	2	7.4	531	16.5	22	36.1
BOROUGH OF RESIDENCE												
Bronx	2	4.5	2	5.0	0	0.0	5	18.5	787	24.5	16	26.2
Brooklyn	12	27.3	10	25.0	2	50.0	8	29.6	647	20.1	16	26.2
Manhattan	16	36.4	15	37.5	1	25.0	4	14.8	878	27.3	12	19.7
Queens	3	6.8	3	7.5	0	0.0	1	3.7	376	11.7	3	4.9
Staten Island	2	4.5	2	5.0	0	0.0	0	0.0	74	2.3	6	9.8
Outside NYC	8	18.2	7	17.5	1	25.0	7	25.9	419	13.0	1	1.6
Unknown	1	2.3	1	2.5	0	0.0	2	7.4	32	1.0	7	11.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	18.2	7	17.5	1	25.0	2	7.4	265	8.2	3	4.9
Medium poverty (10 to <20% below FPL)	10	22.7	9	22.5	1	25.0	7	25.9	903	28.1	9	14.8
High poverty (20 to <30% below FPL)	14	31.8	14	35.0	0	0.0	4	14.8	697	21.7	18	29.5
Very high poverty (≥30% below FPL)	3	6.8	2	5.0	1	25.0	5	18.5	875	27.2	23	37.7
Area-based poverty level not available	9	20.5	8	20.0	1	25.0	9	33.3	473	14.7	8	13.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.6.5. Heterosexual contact, men

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	105	100.0	72	68.6	33	31.4	97	100.0	6,145	100.0	113	100.0
RACE/ETHNICITY												
Black	65	61.9	44	61.1	21	63.6	62	63.9	3,354	54.6	69	61.1
Latino/Hispanic	28	26.7	20	27.8	8	24.2	28	28.9	2,069	33.7	35	31.0
White	6	5.7	2	2.8	4	12.1	6	6.2	518	8.4	6	5.3
Asian/Pacific Islander	3	2.9	3	4.2	0	0.0	0	0.0	177	2.9	3	2.7
Native American	1	1.0	1	1.4	0	0.0	0	0.0	18	0.3	0	0.0
Multiracial	2	1.9	2	2.8	0	0.0	1	1.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.0	1	1.4	0	0.0	0	0.0	3	0.0	0	0.0
20-29	12	11.4	10	13.9	2	6.1	7	7.2	140	2.3	2	1.8
30-39	24	22.9	20	27.8	4	12.1	13	13.4	578	9.4	4	3.5
40-49	28	26.7	16	22.2	12	36.4	37	38.1	1,775	28.9	21	18.6
50-59	31	29.5	21	29.2	10	30.3	30	30.9	2,445	39.8	33	29.2
60+	9	8.6	4	5.6	5	15.2	10	10.3	1,204	19.6	53	46.9
BOROUGH OF RESIDENCE												
Bronx	29	27.6	18	25.0	11	33.3	25	25.8	1,656	26.9	29	25.7
Brooklyn	35	33.3	24	33.3	11	33.3	26	26.8	1,623	26.4	28	24.8
Manhattan	12	11.4	8	11.1	4	12.1	15	15.5	980	15.9	18	15.9
Queens	20	19.0	14	19.4	6	18.2	18	18.6	1,140	18.6	14	12.4
Staten Island	3	2.9	3	4.2	0	0.0	3	3.1	135	2.2	2	1.8
Outside NYC	5	4.8	4	5.6	1	3.0	8	8.2	548	8.9	6	5.3
Unknown	1	1.0	1	1.4	0	0.0	2	2.1	63	1.0	16	14.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	7.6	3	4.2	5	15.2	7	7.2	343	5.6	3	2.7
Medium poverty (10 to <20% below FPL)	21	20.0	13	18.1	8	24.2	27	27.8	1,800	29.3	23	20.4
High poverty (20 to <30% below FPL)	41	39.0	31	43.1	10	30.3	28	28.9	1,564	25.5	28	24.8
Very high poverty (≥30% below FPL)	29	27.6	20	27.8	9	27.3	25	25.8	1,793	29.2	37	32.7
Area-based poverty level not available	6	5.7	5	6.9	1	3.0	10	10.3	645	10.5	22	19.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.6. Heterosexual contact, women

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	397	100.0	310	78.1	87	21.9	284	100.0	18,306	100.0	242	100.0
RACE/ETHNICITY												
Black	258	65.0	203	65.5	55	63.2	191	67.3	10,868	59.4	157	64.9
Latino/Hispanic	109	27.5	87	28.1	22	25.3	76	26.8	5,898	32.2	73	30.2
White	18	4.5	11	3.5	7	8.0	13	4.6	1,183	6.5	9	3.7
Asian/Pacific Islander	8	2.0	6	1.9	2	2.3	2	0.7	256	1.4	2	0.8
Native American	1	0.3	1	0.3	0	0.0	1	0.4	51	0.3	1	0.4
Multiracial	3	0.8	2	0.6	1	1.1	1	0.4	40	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	14	3.5	13	4.2	1	1.1	1	0.4	50	0.3	0	0.0
20-29	86	21.7	79	25.5	7	8.0	27	9.5	1,086	5.9	2	0.8
30-39	110	27.7	87	28.1	23	26.4	75	26.4	3,034	16.6	25	10.3
40-49	88	22.2	66	21.3	22	25.3	85	29.9	5,361	29.3	45	18.6
50-59	62	15.6	39	12.6	23	26.4	65	22.9	5,891	32.2	97	40.1
60+	37	9.3	26	8.4	11	12.6	31	10.9	2,884	15.8	73	30.2
BOROUGH OF RESIDENCE												
Bronx	118	29.7	94	30.3	24	27.6	88	31.0	5,677	31.0	68	28.1
Brooklyn	130	32.7	95	30.6	35	40.2	81	28.5	5,420	29.6	68	28.1
Manhattan	50	12.6	37	11.9	13	14.9	38	13.4	2,432	13.3	29	12.0
Queens	55	13.9	45	14.5	10	11.5	30	10.6	2,721	14.9	25	10.3
Staten Island	10	2.5	7	2.3	3	3.4	7	2.5	437	2.4	10	4.1
Outside NYC	28	7.1	26	8.4	2	2.3	38	13.4	1,239	6.8	10	4.1
Unknown	6	1.5	6	1.9	0	0.0	2	0.7	380	2.1	32	13.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	19	4.8	12	3.9	7	8.0	16	5.6	973	5.3	10	4.1
Medium poverty (10 to <20% below FPL)	126	31.7	99	31.9	27	31.0	72	25.4	5,136	28.1	50	20.7
High poverty (20 to <30% below FPL)	92	23.2	71	22.9	21	24.1	66	23.2	4,633	25.3	62	25.6
Very high poverty (≥30% below FPL)	124	31.2	94	30.3	30	34.5	90	31.7	5,856	32.0	78	32.2
Area-based poverty level not available	36	9.1	34	11.0	2	2.3	40	14.1	1,708	9.3	42	17.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	53	93.0	4	7.0	25	100.0	1,391	100.0	11	100.0
GENDER												
Men	1	1.8	1	1.9	0	0.0	0	0.0	14	1.0	0	0.0
Women	56	98.2	52	98.1	4	100.0	25	100.0	1,377	99.0	11	100.0
RACE/ETHNICITY												
Black	26	45.6	24	45.3	2	50.0	15	60.0	724	52.0	5	45.5
Latino/Hispanic	28	49.1	26	49.1	2	50.0	9	36.0	529	38.0	4	36.4
White	2	3.5	2	3.8	0	0.0	1	4.0	95	6.8	2	18.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	1.8	0	0.0
Native American	1	1.8	1	1.9	0	0.0	0	0.0	6	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	7.0	4	7.5	0	0.0	0	0.0	18	1.3	0	0.0
20-29	38	66.7	35	66.0	3	75.0	16	64.0	445	32.0	2	18.2
30-39	13	22.8	12	22.6	1	25.0	7	28.0	453	32.6	3	27.3
40-49	1	1.8	1	1.9	0	0.0	1	4.0	306	22.0	3	27.3
50-59	1	1.8	1	1.9	0	0.0	1	4.0	133	9.6	3	27.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	36	2.6	0	0.0
BOROUGH OF RESIDENCE												
Bronx	8	14.0	8	15.1	0	0.0	4	16.0	376	27.0	4	36.4
Brooklyn	9	15.8	8	15.1	1	25.0	7	28.0	290	20.8	1	9.1
Manhattan	17	29.8	15	28.3	2	50.0	5	20.0	246	17.7	3	27.3
Queens	10	17.5	9	17.0	1	25.0	3	12.0	196	14.1	2	18.2
Staten Island	1	1.8	1	1.9	0	0.0	1	4.0	22	1.6	0	0.0
Outside NYC	8	14.0	8	15.1	0	0.0	5	20.0	193	13.9	0	0.0
Unknown	4	7.0	4	7.5	0	0.0	0	0.0	68	4.9	1	9.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	5.3	3	5.7	0	0.0	1	4.0	61	4.4	0	0.0
Medium poverty (10 to <20% below FPL)	17	29.8	15	28.3	2	50.0	4	16.0	356	25.6	4	36.4
High poverty (20 to <30% below FPL)	9	15.8	8	15.1	1	25.0	5	20.0	331	23.8	3	27.3
Very high poverty (≥30% below FPL)	16	28.1	15	28.3	1	25.0	10	40.0	373	26.8	3	27.3
Area-based poverty level not available	12	21.1	12	22.6	0	0.0	5	20.0	270	19.4	1	9.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	13	86.7	2	13.3	9	100.0	684	100.0	16	100.0
GENDER												
Men	9	60.0	8	61.5	1	50.0	7	77.8	462	67.5	13	81.3
Women	6	40.0	5	38.5	1	50.0	2	22.2	222	32.5	3	18.8
RACE/ETHNICITY												
Black	5	33.3	5	38.5	0	0.0	1	11.1	233	34.1	5	31.3
Latino/Hispanic	9	60.0	7	53.8	2	100.0	5	55.6	311	45.5	7	43.8
White	1	6.7	1	7.7	0	0.0	2	22.2	129	18.9	4	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	11.1	8	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	6.7	1	7.7	0	0.0	0	0.0	5	0.7	0	0.0
20-29	6	40.0	6	46.2	0	0.0	1	11.1	57	8.3	0	0.0
30-39	3	20.0	2	15.4	1	50.0	1	11.1	74	10.8	0	0.0
40-49	2	13.3	2	15.4	0	0.0	3	33.3	163	23.8	3	18.8
50-59	2	13.3	2	15.4	0	0.0	3	33.3	221	32.3	7	43.8
60+	1	6.7	0	0.0	1	50.0	1	11.1	164	24.0	6	37.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	46.7	6	46.2	1	50.0	4	44.4	244	35.7	4	25.0
Injection drug use history (IDU)	1	6.7	1	7.7	0	0.0	0	0.0	105	15.4	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	11.1	11	1.6	0	0.0
Heterosexual contact	5	33.3	4	30.8	1	50.0	2	22.2	152	22.2	1	6.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	13.3	2	15.4	0	0.0	2	22.2	155	22.7	6	37.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	53	100.0	44	83.0	9	17.0	33	100.0	2,531	100.0	42	100.0
GENDER												
Men	40	75.5	34	77.3	6	66.7	20	60.6	1,389	54.9	27	64.3
Women	13	24.5	10	22.7	3	33.3	13	39.4	1,142	45.1	15	35.7
RACE/ETHNICITY												
Black	40	75.5	33	75.0	7	77.8	26	78.8	1,602	63.3	18	42.9
Latino/Hispanic	9	17.0	8	18.2	1	11.1	5	15.2	757	29.9	23	54.8
White	4	7.5	3	6.8	1	11.1	2	6.1	130	5.1	1	2.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	24	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
13-19	2	3.8	2	4.5	0	0.0	0	0.0	43	1.7	0	0.0
20-29	17	32.1	16	36.4	1	11.1	5	15.2	247	9.8	0	0.0
30-39	11	20.8	10	22.7	1	11.1	7	21.2	361	14.3	7	16.7
40-49	8	15.1	6	13.6	2	22.2	9	27.3	663	26.2	7	16.7
50-59	9	17.0	4	9.1	5	55.6	11	33.3	781	30.9	16	38.1
60+	6	11.3	6	13.6	0	0.0	1	3.0	429	16.9	12	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	41.5	20	45.5	2	22.2	5	15.2	522	20.6	8	19.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	6.1	352	13.9	11	26.2
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.0	66	2.6	1	2.4
Heterosexual contact	16	30.2	12	27.3	4	44.4	14	42.4	772	30.5	9	21.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	26	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	100	4.0	1	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	15	28.3	12	27.3	3	33.3	11	33.3	689	27.2	12	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	101	100.0	81	80.2	20	19.8	66	100.0	5,413	100.0	80	100.0
GENDER												
Men	84	83.2	67	82.7	17	85.0	41	62.1	3,454	63.8	54	67.5
Women	17	16.8	14	17.3	3	15.0	25	37.9	1,959	36.2	26	32.5
RACE/ETHNICITY												
Black	40	39.6	33	40.7	7	35.0	26	39.4	2,369	43.8	40	50.0
Latino/Hispanic	52	51.5	42	51.9	10	50.0	33	50.0	2,721	50.3	34	42.5
White	7	6.9	5	6.2	2	10.0	4	6.1	267	4.9	4	5.0
Asian/Pacific Islander	1	1.0	1	1.2	0	0.0	1	1.5	31	0.6	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Multiracial	1	1.0	0	0.0	1	5.0	2	3.0	8	0.1	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	5	5.0	5	6.2	0	0.0	0	0.0	40	0.7	0	0.0
20-29	39	38.6	34	42.0	5	25.0	13	19.7	550	10.2	3	3.8
30-39	22	21.8	17	21.0	5	25.0	13	19.7	798	14.7	7	8.8
40-49	19	18.8	14	17.3	5	25.0	19	28.8	1,431	26.4	18	22.5
50-59	12	11.9	7	8.6	5	25.0	14	21.2	1,755	32.4	30	37.5
60+	4	4.0	4	4.9	0	0.0	7	10.6	833	15.4	22	27.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	52	51.5	47	58.0	5	25.0	17	25.8	1,435	26.5	11	13.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	7	10.6	971	17.9	23	28.8
MSM-IDU	1	1.0	1	1.2	0	0.0	0	0.0	154	2.8	5	6.3
Heterosexual contact	23	22.8	16	19.8	7	35.0	24	36.4	1,309	24.2	16	20.0
Transgender people with sexual contact	2	2.0	2	2.5	0	0.0	1	1.5	98	1.8	1	1.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	127	2.3	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	23	22.8	15	18.5	8	40.0	17	25.8	1,315	24.3	23	28.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	60	100.0	48	80.0	12	20.0	44	100.0	4,236	100.0	51	100.0
GENDER												
Men	43	71.7	33	68.8	10	83.3	30	68.2	2,579	60.9	34	66.7
Women	17	28.3	15	31.3	2	16.7	14	31.8	1,657	39.1	17	33.3
RACE/ETHNICITY												
Black	28	46.7	24	50.0	4	33.3	18	40.9	1,718	40.6	20	39.2
Latino/Hispanic	28	46.7	22	45.8	6	50.0	22	50.0	2,186	51.6	27	52.9
White	3	5.0	1	2.1	2	16.7	4	9.1	283	6.7	4	7.8
Asian/Pacific Islander	1	1.7	1	2.1	0	0.0	0	0.0	31	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	3	5.0	3	6.3	0	0.0	1	2.3	30	0.7	0	0.0
20-29	21	35.0	21	43.8	0	0.0	4	9.1	386	9.1	0	0.0
30-39	16	26.7	12	25.0	4	33.3	10	22.7	562	13.3	1	2.0
40-49	7	11.7	5	10.4	2	16.7	11	25.0	1,099	25.9	10	19.6
50-59	10	16.7	6	12.5	4	33.3	12	27.3	1,445	34.1	20	39.2
60+	3	5.0	1	2.1	2	16.7	6	13.6	709	16.7	20	39.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	56.7	29	60.4	5	41.7	14	31.8	1,013	23.9	5	9.8
Injection drug use history (IDU)	2	3.3	2	4.2	0	0.0	4	9.1	767	18.1	22	43.1
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.3	95	2.2	1	2.0
Heterosexual contact	15	25.0	11	22.9	4	33.3	15	34.1	1,092	25.8	10	19.6
Transgender people with sexual contact	3	5.0	3	6.3	0	0.0	0	0.0	42	1.0	1	2.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	152	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	6	10.0	3	6.3	3	25.0	9	20.5	1,062	25.1	12	23.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	103	100.0	88	85.4	15	14.6	65	100.0	5,583	100.0	107	100.0
GENDER												
Men	68	66.0	58	65.9	10	66.7	38	58.5	3,308	59.3	71	66.4
Women	35	34.0	30	34.1	5	33.3	27	41.5	2,275	40.7	36	33.6
RACE/ETHNICITY												
Black	44	42.7	38	43.2	6	40.0	26	40.0	2,606	46.7	56	52.3
Latino/Hispanic	56	54.4	47	53.4	9	60.0	37	56.9	2,761	49.5	47	43.9
White	2	1.9	2	2.3	0	0.0	1	1.5	155	2.8	3	2.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	34	0.6	1	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	1	1.0	1	1.1	0	0.0	1	1.5	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.9	2	2.3	0	0.0	0	0.0	12	0.2	0	0.0
13-19	2	1.9	2	2.3	0	0.0	2	3.1	53	0.9	0	0.0
20-29	34	33.0	31	35.2	3	20.0	11	16.9	540	9.7	2	1.9
30-39	26	25.2	22	25.0	4	26.7	12	18.5	784	14.0	9	8.4
40-49	18	17.5	14	15.9	4	26.7	24	36.9	1,429	25.6	15	14.0
50-59	13	12.6	12	13.6	1	6.7	10	15.4	1,798	32.2	45	42.1
60+	8	7.8	5	5.7	3	20.0	6	9.2	967	17.3	36	33.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	45	43.7	42	47.7	3	20.0	13	20.0	1,091	19.5	12	11.2
Injection drug use history (IDU)	6	5.8	6	6.8	0	0.0	10	15.4	1,153	20.7	44	41.1
MSM-IDU	1	1.0	1	1.1	0	0.0	0	0.0	167	3.0	0	0.0
Heterosexual contact	32	31.1	26	29.5	6	40.0	20	30.8	1,540	27.6	22	20.6
Transgender people with sexual contact	2	1.9	2	2.3	0	0.0	1	1.5	94	1.7	0	0.0
Perinatal	2	1.9	2	2.3	0	0.0	2	3.1	174	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	1	0.9
Unknown	15	14.6	9	10.2	6	40.0	19	29.2	1,358	24.3	28	26.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	73	78.5	20	21.5	68	100.0	5,848	100.0	122	100.0
GENDER												
Men	52	55.9	39	53.4	13	65.0	37	54.4	3,588	61.4	76	62.3
Women	41	44.1	34	46.6	7	35.0	31	45.6	2,260	38.6	46	37.7
RACE/ETHNICITY												
Black	56	60.2	44	60.3	12	60.0	42	61.8	3,039	52.0	72	59.0
Latino/Hispanic	34	36.6	27	37.0	7	35.0	24	35.3	2,589	44.3	49	40.2
White	3	3.2	2	2.7	1	5.0	2	2.9	171	2.9	1	0.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	1	1.4	0	0.0	0	0.0	13	0.2	0	0.0
13-19	2	2.2	2	2.7	0	0.0	1	1.5	44	0.8	0	0.0
20-29	27	29.0	24	32.9	3	15.0	10	14.7	474	8.1	2	1.6
30-39	19	20.4	16	21.9	3	15.0	15	22.1	829	14.2	3	2.5
40-49	21	22.6	13	17.8	8	40.0	19	27.9	1,483	25.4	21	17.2
50-59	14	15.1	10	13.7	4	20.0	19	27.9	1,908	32.6	51	41.8
60+	9	9.7	7	9.6	2	10.0	4	5.9	1,097	18.8	45	36.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	30	32.3	23	31.5	7	35.0	13	19.1	1,210	20.7	12	9.8
Injection drug use history (IDU)	3	3.2	3	4.1	0	0.0	7	10.3	1,219	20.8	50	41.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.5	173	3.0	6	4.9
Heterosexual contact	37	39.8	29	39.7	8	40.0	21	30.9	1,512	25.9	29	23.8
Transgender people with sexual contact	1	1.1	1	1.4	0	0.0	2	2.9	60	1.0	0	0.0
Perinatal	1	1.1	1	1.4	0	0.0	2	2.9	151	2.6	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	21	22.6	16	21.9	5	25.0	22	32.4	1,515	25.9	24	19.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	66	100.0	57	86.4	9	13.6	46	100.0	3,728	100.0	77	100.0
GENDER												
Men	48	72.7	43	75.4	5	55.6	30	65.2	2,277	61.1	49	63.6
Women	18	27.3	14	24.6	4	44.4	16	34.8	1,451	38.9	28	36.4
RACE/ETHNICITY												
Black	24	36.4	22	38.6	2	22.2	17	37.0	1,617	43.4	31	40.3
Latino/Hispanic	38	57.6	31	54.4	7	77.8	27	58.7	1,965	52.7	43	55.8
White	4	6.1	4	7.0	0	0.0	2	4.3	117	3.1	3	3.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	2	3.0	2	3.5	0	0.0	0	0.0	8	0.2	0	0.0
13-19	4	6.1	4	7.0	0	0.0	0	0.0	35	0.9	0	0.0
20-29	21	31.8	18	31.6	3	33.3	9	19.6	383	10.3	3	3.9
30-39	13	19.7	10	17.5	3	33.3	16	34.8	576	15.5	5	6.5
40-49	12	18.2	9	15.8	3	33.3	10	21.7	929	24.9	12	15.6
50-59	10	15.2	10	17.5	0	0.0	7	15.2	1,202	32.2	31	40.3
60+	4	6.1	4	7.0	0	0.0	4	8.7	595	16.0	26	33.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	34.8	19	33.3	4	44.4	15	32.6	757	20.3	4	5.2
Injection drug use history (IDU)	5	7.6	5	8.8	0	0.0	6	13.0	820	22.0	34	44.2
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.2	119	3.2	3	3.9
Heterosexual contact	18	27.3	13	22.8	5	55.6	17	37.0	947	25.4	10	13.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	53	1.4	2	2.6
Perinatal	2	3.0	2	3.5	0	0.0	1	2.2	127	3.4	2	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	18	27.3	18	31.6	0	0.0	6	13.0	901	24.2	22	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	15	83.3	3	16.7	7	100.0	887	100.0	6	100.0
GENDER												
Men	17	94.4	14	93.3	3	100.0	7	100.0	705	79.5	6	100.0
Women	1	5.6	1	6.7	0	0.0	0	0.0	182	20.5	0	0.0
RACE/ETHNICITY												
Black	1	5.6	1	6.7	0	0.0	0	0.0	137	15.4	1	16.7
Latino/Hispanic	5	27.8	5	33.3	0	0.0	2	28.6	394	44.4	4	66.7
White	11	61.1	9	60.0	2	66.7	4	57.1	340	38.3	1	16.7
Asian/Pacific Islander	1	5.6	0	0.0	1	33.3	1	14.3	15	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
20-29	4	22.2	4	26.7	0	0.0	0	0.0	82	9.2	0	0.0
30-39	9	50.0	7	46.7	2	66.7	3	42.9	194	21.9	0	0.0
40-49	5	27.8	4	26.7	1	33.3	2	28.6	266	30.0	1	16.7
50-59	0	0.0	0	0.0	0	0.0	2	28.6	235	26.5	5	83.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	107	12.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	88.9	13	86.7	3	100.0	5	71.4	468	52.8	1	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	116	13.1	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	23	2.6	1	16.7
Heterosexual contact	1	5.6	1	6.7	0	0.0	0	0.0	112	12.6	1	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	1	5.6	1	6.7	0	0.0	1	14.3	143	16.1	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	65	100.0	51	78.5	14	21.5	35	100.0	2,719	100.0	38	100.0
GENDER												
Men	56	86.2	44	86.3	12	85.7	27	77.1	2,073	76.2	28	73.7
Women	9	13.8	7	13.7	2	14.3	8	22.9	646	23.8	10	26.3
RACE/ETHNICITY												
Black	29	44.6	21	41.2	8	57.1	19	54.3	1,113	40.9	25	65.8
Latino/Hispanic	15	23.1	13	25.5	2	14.3	6	17.1	696	25.6	9	23.7
White	20	30.8	16	31.4	4	28.6	8	22.9	838	30.8	4	10.5
Asian/Pacific Islander	1	1.5	1	2.0	0	0.0	1	2.9	52	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.9	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.9	5	0.2	0	0.0
13-19	3	4.6	3	5.9	0	0.0	1	2.9	15	0.6	0	0.0
20-29	29	44.6	25	49.0	4	28.6	7	20.0	185	6.8	2	5.3
30-39	9	13.8	6	11.8	3	21.4	7	20.0	343	12.6	1	2.6
40-49	10	15.4	9	17.6	1	7.1	9	25.7	709	26.1	8	21.1
50-59	9	13.8	5	9.8	4	28.6	7	20.0	887	32.6	15	39.5
60+	5	7.7	3	5.9	2	14.3	3	8.6	575	21.1	12	31.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	44	67.7	35	68.6	9	64.3	19	54.3	1,317	48.4	13	34.2
Injection drug use history (IDU)	3	4.6	3	5.9	0	0.0	1	2.9	366	13.5	7	18.4
MSM-IDU	3	4.6	1	2.0	2	14.3	3	8.6	63	2.3	2	5.3
Heterosexual contact	6	9.2	4	7.8	2	14.3	3	8.6	420	15.4	7	18.4
Transgender people with sexual contact	1	1.5	1	2.0	0	0.0	1	2.9	8	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	5.7	45	1.7	1	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	8	12.3	7	13.7	1	7.1	6	17.1	497	18.3	8	21.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	164	100.0	140	85.4	24	14.6	87	100.0	7,474	100.0	124	100.0
GENDER												
Men	117	71.3	100	71.4	17	70.8	63	72.4	4,745	63.5	81	65.3
Women	47	28.7	40	28.6	7	29.2	24	27.6	2,729	36.5	43	34.7
RACE/ETHNICITY												
Black	124	75.6	106	75.7	18	75.0	71	81.6	5,842	78.2	98	79.0
Latino/Hispanic	25	15.2	20	14.3	5	20.8	12	13.8	1,088	14.6	22	17.7
White	12	7.3	11	7.9	1	4.2	3	3.4	453	6.1	4	3.2
Asian/Pacific Islander	3	1.8	3	2.1	0	0.0	0	0.0	53	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.1	21	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.7	0	0.0	0	0.0	11	0.1	0	0.0
13-19	11	6.7	10	7.1	1	4.2	2	2.3	74	1.0	0	0.0
20-29	60	36.6	53	37.9	7	29.2	22	25.3	689	9.2	2	1.6
30-39	43	26.2	37	26.4	6	25.0	16	18.4	1,232	16.5	8	6.5
40-49	26	15.9	22	15.7	4	16.7	23	26.4	1,922	25.7	23	18.5
50-59	17	10.4	12	8.6	5	20.8	18	20.7	2,244	30.0	53	42.7
60+	6	3.7	5	3.6	1	4.2	6	6.9	1,302	17.4	38	30.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	83	50.6	73	52.1	10	41.7	35	40.2	2,238	29.9	15	12.1
Injection drug use history (IDU)	3	1.8	3	2.1	0	0.0	6	6.9	1,011	13.5	34	27.4
MSM-IDU	1	0.6	1	0.7	0	0.0	2	2.3	182	2.4	5	4.0
Heterosexual contact	43	26.2	36	25.7	7	29.2	22	25.3	1,900	25.4	27	21.8
Transgender people with sexual contact	1	0.6	1	0.7	0	0.0	3	3.4	98	1.3	0	0.0
Perinatal	1	0.6	1	0.7	0	0.0	0	0.0	189	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	32	19.5	25	17.9	7	29.2	19	21.8	1,848	24.7	42	33.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	106	100.0	85	80.2	21	19.8	59	100.0	3,303	100.0	61	100.0
GENDER												
Men	76	71.7	64	75.3	12	57.1	38	64.4	1,864	56.4	42	68.9
Women	30	28.3	21	24.7	9	42.9	21	35.6	1,439	43.6	19	31.1
RACE/ETHNICITY												
Black	64	60.4	48	56.5	16	76.2	46	78.0	2,121	64.2	40	65.6
Latino/Hispanic	30	28.3	27	31.8	3	14.3	10	16.9	1,039	31.5	18	29.5
White	4	3.8	3	3.5	1	4.8	1	1.7	86	2.6	2	3.3
Asian/Pacific Islander	7	6.6	6	7.1	1	4.8	2	3.4	39	1.2	1	1.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	0.9	1	1.2	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	10	9.4	10	11.8	0	0.0	0	0.0	54	1.6	0	0.0
20-29	37	34.9	36	42.4	1	4.8	7	11.9	389	11.8	1	1.6
30-39	19	17.9	13	15.3	6	28.6	16	27.1	532	16.1	4	6.6
40-49	24	22.6	17	20.0	7	33.3	13	22.0	808	24.5	9	14.8
50-59	8	7.5	5	5.9	3	14.3	15	25.4	1,045	31.6	26	42.6
60+	8	7.5	4	4.7	4	19.0	8	13.6	469	14.2	21	34.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	50	47.2	45	52.9	5	23.8	17	28.8	763	23.1	9	14.8
Injection drug use history (IDU)	6	5.7	5	5.9	1	4.8	6	10.2	482	14.6	24	39.3
MSM-IDU	4	3.8	4	4.7	0	0.0	0	0.0	65	2.0	1	1.6
Heterosexual contact	22	20.8	14	16.5	8	38.1	18	30.5	1,035	31.3	18	29.5
Transgender people with sexual contact	3	2.8	2	2.4	1	4.8	1	1.7	47	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	102	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	21	19.8	15	17.6	6	28.6	16	27.1	804	24.3	9	14.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	10	76.9	3	23.1	5	100.0	823	100.0	6	100.0
GENDER												
Men	11	84.6	9	90.0	2	66.7	4	80.0	607	73.8	3	50.0
Women	2	15.4	1	10.0	1	33.3	1	20.0	216	26.2	3	50.0
RACE/ETHNICITY												
Black	2	15.4	1	10.0	1	33.3	1	20.0	148	18.0	1	16.7
Latino/Hispanic	6	46.2	4	40.0	2	66.7	3	60.0	465	56.5	5	83.3
White	2	15.4	2	20.0	0	0.0	1	20.0	157	19.1	0	0.0
Asian/Pacific Islander	3	23.1	3	30.0	0	0.0	0	0.0	50	6.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	20.0	55	6.7	0	0.0
30-39	5	38.5	5	50.0	0	0.0	0	0.0	124	15.1	0	0.0
40-49	2	15.4	1	10.0	1	33.3	1	20.0	247	30.0	1	16.7
50-59	5	38.5	3	30.0	2	66.7	3	60.0	253	30.7	1	16.7
60+	1	7.7	1	10.0	0	0.0	0	0.0	141	17.1	4	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	46.2	5	50.0	1	33.3	3	60.0	265	32.2	0	0.0
Injection drug use history (IDU)	1	7.7	1	10.0	0	0.0	0	0.0	158	19.2	2	33.3
MSM-IDU	1	7.7	1	10.0	0	0.0	0	0.0	43	5.2	0	0.0
Heterosexual contact	1	7.7	0	0.0	1	33.3	1	20.0	177	21.5	2	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	30.8	3	30.0	1	33.3	1	20.0	161	19.6	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	20	71.4	8	28.6	13	100.0	1,099	100.0	19	100.0
GENDER												
Men	25	89.3	17	85.0	8	100.0	12	92.3	806	73.3	17	89.5
Women	3	10.7	3	15.0	0	0.0	1	7.7	293	26.7	2	10.5
RACE/ETHNICITY												
Black	5	17.9	5	25.0	0	0.0	1	7.7	311	28.3	5	26.3
Latino/Hispanic	11	39.3	5	25.0	6	75.0	6	46.2	410	37.3	7	36.8
White	8	28.6	6	30.0	2	25.0	5	38.5	320	29.1	5	26.3
Asian/Pacific Islander	3	10.7	3	15.0	0	0.0	0	0.0	54	4.9	1	5.3
Native American	1	3.6	1	5.0	0	0.0	1	7.7	3	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	1	5.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.6	1	5.0	0	0.0	0	0.0	4	0.4	0	0.0
20-29	8	28.6	7	35.0	1	12.5	1	7.7	74	6.7	0	0.0
30-39	8	28.6	7	35.0	1	12.5	1	7.7	165	15.0	2	10.5
40-49	9	32.1	5	25.0	4	50.0	7	53.8	299	27.2	3	15.8
50-59	2	7.1	0	0.0	2	25.0	4	30.8	346	31.5	9	47.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	210	19.1	5	26.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	57.1	12	60.0	4	50.0	4	30.8	419	38.1	4	21.1
Injection drug use history (IDU)	2	7.1	1	5.0	1	12.5	3	23.1	182	16.6	8	42.1
MSM-IDU	0	0.0	0	0.0	0	0.0	1	7.7	27	2.5	0	0.0
Heterosexual contact	2	7.1	2	10.0	0	0.0	0	0.0	219	19.9	2	10.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	8	28.6	5	25.0	3	37.5	5	38.5	224	20.4	5	26.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	121	100.0	92	76.0	29	24.0	54	100.0	5,145	100.0	57	100.0
GENDER												
Men	78	64.5	61	66.3	17	58.6	35	64.8	3,261	63.4	38	66.7
Women	43	35.5	31	33.7	12	41.4	19	35.2	1,884	36.6	19	33.3
RACE/ETHNICITY												
Black	100	82.6	77	83.7	23	79.3	40	74.1	4,067	79.0	46	80.7
Latino/Hispanic	9	7.4	6	6.5	3	10.3	8	14.8	711	13.8	7	12.3
White	8	6.6	6	6.5	2	6.9	2	3.7	287	5.6	2	3.5
Asian/Pacific Islander	3	2.5	2	2.2	1	3.4	3	5.6	50	1.0	2	3.5
Other/Unknown	1	0.8	1	1.1	0	0.0	1	1.9	30	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	3.3	4	4.3	0	0.0	1	1.9	36	0.7	0	0.0
20-29	40	33.1	37	40.2	3	10.3	6	11.1	454	8.8	2	3.5
30-39	30	24.8	25	27.2	5	17.2	10	18.5	794	15.4	2	3.5
40-49	15	12.4	12	13.0	3	10.3	10	18.5	1,309	25.4	9	15.8
50-59	16	13.2	7	7.6	9	31.0	17	31.5	1,536	29.9	21	36.8
60+	16	13.2	7	7.6	9	31.0	10	18.5	1,011	19.7	23	40.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	50	41.3	42	45.7	8	27.6	16	29.6	1,490	29.0	11	19.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	518	10.1	14	24.6
MSM-IDU	1	0.8	1	1.1	0	0.0	0	0.0	94	1.8	1	1.8
Heterosexual contact	36	29.8	26	28.3	10	34.5	18	33.3	1,400	27.2	16	28.1
Transgender people with sexual contact	2	1.7	2	2.2	0	0.0	0	0.0	49	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.9	106	2.1	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	32	26.4	21	22.8	11	37.9	19	35.2	1,475	28.7	14	24.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	59	100.0	43	72.9	16	27.1	35	100.0	1,608	100.0	22	100.0
GENDER												
Men	39	66.1	31	72.1	8	50.0	16	45.7	865	53.8	14	63.6
Women	20	33.9	12	27.9	8	50.0	19	54.3	743	46.2	8	36.4
RACE/ETHNICITY												
Black	52	88.1	37	86.0	15	93.8	29	82.9	1,281	79.7	20	90.9
Latino/Hispanic	2	3.4	1	2.3	1	6.3	4	11.4	194	12.1	2	9.1
White	3	5.1	3	7.0	0	0.0	1	2.9	110	6.8	0	0.0
Asian/Pacific Islander	2	3.4	2	4.7	0	0.0	1	2.9	16	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.4	2	4.7	0	0.0	1	2.9	26	1.6	0	0.0
20-29	17	28.8	16	37.2	1	6.3	4	11.4	154	9.6	0	0.0
30-39	19	32.2	15	34.9	4	25.0	8	22.9	240	14.9	1	4.5
40-49	7	11.9	4	9.3	3	18.8	7	20.0	367	22.8	3	13.6
50-59	10	16.9	4	9.3	6	37.5	9	25.7	514	32.0	9	40.9
60+	4	6.8	2	4.7	2	12.5	6	17.1	307	19.1	9	40.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	39.0	21	48.8	2	12.5	4	11.4	305	19.0	4	18.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.9	147	9.1	4	18.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	14	0.9	0	0.0
Heterosexual contact	23	39.0	14	32.6	9	56.3	21	60.0	571	35.5	5	22.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	60	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	13	22.0	8	18.6	5	31.3	9	25.7	503	31.3	9	40.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	12	80.0	3	20.0	12	100.0	657	100.0	11	100.0
GENDER												
Men	13	86.7	11	91.7	2	66.7	8	66.7	486	74.0	7	63.6
Women	2	13.3	1	8.3	1	33.3	4	33.3	171	26.0	4	36.4
RACE/ETHNICITY												
Black	1	6.7	1	8.3	0	0.0	2	16.7	85	12.9	3	27.3
Latino/Hispanic	6	40.0	4	33.3	2	66.7	5	41.7	196	29.8	3	27.3
White	6	40.0	5	41.7	1	33.3	3	25.0	335	51.0	5	45.5
Asian/Pacific Islander	1	6.7	1	8.3	0	0.0	2	16.7	39	5.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	6.7	1	8.3	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	6.7	0	0.0	1	33.3	1	8.3	1	0.2	0	0.0
20-29	2	13.3	2	16.7	0	0.0	0	0.0	30	4.6	0	0.0
30-39	5	33.3	4	33.3	1	33.3	3	25.0	110	16.7	0	0.0
40-49	7	46.7	6	50.0	1	33.3	5	41.7	169	25.7	2	18.2
50-59	0	0.0	0	0.0	0	0.0	1	8.3	211	32.1	2	18.2
60+	0	0.0	0	0.0	0	0.0	2	16.7	135	20.5	7	63.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	86.7	11	91.7	2	66.7	7	58.3	276	42.0	1	9.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	101	15.4	4	36.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	2.9	2	18.2
Heterosexual contact	2	13.3	1	8.3	1	33.3	1	8.3	114	17.4	1	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	4	33.3	136	20.7	3	27.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	29	74.4	10	25.6	25	100.0	1,121	100.0	21	100.0
GENDER												
Men	27	69.2	21	72.4	6	60.0	16	64.0	703	62.7	10	47.6
Women	12	30.8	8	27.6	4	40.0	9	36.0	418	37.3	11	52.4
RACE/ETHNICITY												
Black	14	35.9	12	41.4	2	20.0	10	40.0	461	41.1	7	33.3
Latino/Hispanic	7	17.9	6	20.7	1	10.0	7	28.0	349	31.1	8	38.1
White	14	35.9	8	27.6	6	60.0	7	28.0	272	24.3	6	28.6
Asian/Pacific Islander	3	7.7	2	6.9	1	10.0	1	4.0	29	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	1	2.6	1	3.4	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.6	1	3.4	0	0.0	0	0.0	13	1.2	0	0.0
20-29	12	30.8	12	41.4	0	0.0	3	12.0	99	8.8	2	9.5
30-39	9	23.1	7	24.1	2	20.0	6	24.0	166	14.8	1	4.8
40-49	10	25.6	7	24.1	3	30.0	9	36.0	275	24.5	7	33.3
50-59	5	12.8	2	6.9	3	30.0	6	24.0	352	31.4	7	33.3
60+	2	5.1	0	0.0	2	20.0	1	4.0	215	19.2	4	19.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	33.3	11	37.9	2	20.0	6	24.0	303	27.0	0	0.0
Injection drug use history (IDU)	3	7.7	2	6.9	1	10.0	3	12.0	193	17.2	5	23.8
MSM-IDU	1	2.6	1	3.4	0	0.0	1	4.0	21	1.9	3	14.3
Heterosexual contact	9	23.1	5	17.2	4	40.0	6	24.0	293	26.1	5	23.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	4.0	10	0.9	1	4.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	2.6	1	4.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	13	33.3	10	34.5	3	30.0	8	32.0	268	23.9	6	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	92	100.0	75	81.5	17	18.5	54	100.0	3,741	100.0	56	100.0
GENDER												
Men	75	81.5	60	80.0	15	88.2	36	66.7	2,578	68.9	32	57.1
Women	17	18.5	15	20.0	2	11.8	18	33.3	1,163	31.1	24	42.9
RACE/ETHNICITY												
Black	47	51.1	41	54.7	6	35.3	28	51.9	1,918	51.3	30	53.6
Latino/Hispanic	31	33.7	24	32.0	7	41.2	20	37.0	1,423	38.0	23	41.1
White	13	14.1	10	13.3	3	17.6	5	9.3	340	9.1	2	3.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	41	1.1	0	0.0
Other/Unknown	1	1.1	0	0.0	1	5.9	1	1.9	19	0.5	1	1.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	5	5.4	5	6.7	0	0.0	1	1.9	28	0.7	0	0.0
20-29	28	30.4	25	33.3	3	17.6	12	22.2	405	10.8	1	1.8
30-39	27	29.3	24	32.0	3	17.6	9	16.7	611	16.3	1	1.8
40-49	15	16.3	8	10.7	7	41.2	20	37.0	909	24.3	16	28.6
50-59	16	17.4	12	16.0	4	23.5	8	14.8	1,136	30.4	18	32.1
60+	1	1.1	1	1.3	0	0.0	4	7.4	646	17.3	20	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	54	58.7	43	57.3	11	64.7	26	48.1	1,226	32.8	7	12.5
Injection drug use history (IDU)	5	5.4	4	5.3	1	5.9	1	1.9	625	16.7	15	26.8
MSM-IDU	1	1.1	1	1.3	0	0.0	1	1.9	93	2.5	1	1.8
Heterosexual contact	19	20.7	15	20.0	4	23.5	17	31.5	778	20.8	12	21.4
Transgender people with sexual contact	2	2.2	2	2.7	0	0.0	1	1.9	44	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	95	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	1.8
Unknown	11	12.0	10	13.3	1	5.9	8	14.8	877	23.4	20	35.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	90	100.0	78	86.7	12	13.3	41	100.0	4,400	100.0	31	100.0
GENDER												
Men	76	84.4	66	84.6	10	83.3	32	78.0	3,542	80.5	23	74.2
Women	14	15.6	12	15.4	2	16.7	9	22.0	858	19.5	8	25.8
RACE/ETHNICITY												
Black	26	28.9	20	25.6	6	50.0	13	31.7	1,475	33.5	17	54.8
Latino/Hispanic	41	45.6	35	44.9	6	50.0	22	53.7	1,915	43.5	9	29.0
White	20	22.2	20	25.6	0	0.0	6	14.6	919	20.9	3	9.7
Asian/Pacific Islander	1	1.1	1	1.3	0	0.0	0	0.0	57	1.3	1	3.2
Other/Unknown	2	2.2	2	2.6	0	0.0	0	0.0	34	0.8	1	3.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	2	2.2	2	2.6	0	0.0	0	0.0	19	0.4	0	0.0
20-29	35	38.9	30	38.5	5	41.7	7	17.1	387	8.8	1	3.2
30-39	25	27.8	20	25.6	5	41.7	13	31.7	720	16.4	5	16.1
40-49	17	18.9	17	21.8	0	0.0	8	19.5	1,212	27.5	11	35.5
50-59	9	10.0	8	10.3	1	8.3	10	24.4	1,261	28.7	9	29.0
60+	2	2.2	1	1.3	1	8.3	3	7.3	791	18.0	5	16.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	61	67.8	54	69.2	7	58.3	22	53.7	2,293	52.1	8	25.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.9	402	9.1	7	22.6
MSM-IDU	4	4.4	4	5.1	0	0.0	0	0.0	109	2.5	0	0.0
Heterosexual contact	13	14.4	12	15.4	1	8.3	8	19.5	629	14.3	3	9.7
Transgender people with sexual contact	1	1.1	1	1.3	0	0.0	0	0.0	36	0.8	2	6.5
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	72	1.6	1	3.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	11	12.2	7	9.0	4	33.3	8	19.5	853	19.4	10	32.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	114	100.0	91	79.8	23	20.2	50	100.0	4,639	100.0	51	100.0
GENDER												
Men	88	77.2	75	82.4	13	56.5	33	66.0	3,297	71.1	35	68.6
Women	26	22.8	16	17.6	10	43.5	17	34.0	1,342	28.9	16	31.4
RACE/ETHNICITY												
Black	72	63.2	52	57.1	20	87.0	38	76.0	3,010	64.9	38	74.5
Latino/Hispanic	28	24.6	25	27.5	3	13.0	9	18.0	947	20.4	12	23.5
White	13	11.4	13	14.3	0	0.0	2	4.0	599	12.9	1	2.0
Asian/Pacific Islander	1	0.9	1	1.1	0	0.0	0	0.0	54	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.0	16	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	3	2.6	2	2.2	1	4.3	1	2.0	27	0.6	0	0.0
20-29	51	44.7	47	51.6	4	17.4	10	20.0	417	9.0	1	2.0
30-39	24	21.1	19	20.9	5	21.7	12	24.0	764	16.5	3	5.9
40-49	14	12.3	11	12.1	3	13.0	7	14.0	1,252	27.0	4	7.8
50-59	13	11.4	8	8.8	5	21.7	10	20.0	1,353	29.2	21	41.2
60+	9	7.9	4	4.4	5	21.7	10	20.0	821	17.7	22	43.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	67	58.8	61	67.0	6	26.1	17	34.0	1,844	39.7	7	13.7
Injection drug use history (IDU)	2	1.8	1	1.1	1	4.3	1	2.0	608	13.1	18	35.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	118	2.5	2	3.9
Heterosexual contact	22	19.3	14	15.4	8	34.8	14	28.0	861	18.6	14	27.5
Transgender people with sexual contact	3	2.6	2	2.2	1	4.3	2	4.0	39	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	79	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	20	17.5	13	14.3	7	30.4	16	32.0	1,084	23.4	10	19.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	61	100.0	46	75.4	15	24.6	41	100.0	2,931	100.0	72	100.0
GENDER												
Men	47	77.0	35	76.1	12	80.0	27	65.9	2,011	68.6	55	76.4
Women	14	23.0	11	23.9	3	20.0	14	34.1	920	31.4	17	23.6
RACE/ETHNICITY												
Black	27	44.3	19	41.3	8	53.3	19	46.3	1,380	47.1	38	52.8
Latino/Hispanic	22	36.1	18	39.1	4	26.7	15	36.6	1,174	40.1	24	33.3
White	9	14.8	7	15.2	2	13.3	4	9.8	332	11.3	10	13.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.4	27	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Multiracial	3	4.9	2	4.3	1	6.7	2	4.9	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	3	4.9	3	6.5	0	0.0	0	0.0	18	0.6	0	0.0
20-29	25	41.0	19	41.3	6	40.0	9	22.0	259	8.8	1	1.4
30-39	8	13.1	8	17.4	0	0.0	8	19.5	382	13.0	2	2.8
40-49	13	21.3	7	15.2	6	40.0	15	36.6	745	25.4	7	9.7
50-59	8	13.1	6	13.0	2	13.3	6	14.6	891	30.4	23	31.9
60+	4	6.6	3	6.5	1	6.7	3	7.3	633	21.6	39	54.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	55.7	27	58.7	7	46.7	14	34.1	959	32.7	15	20.8
Injection drug use history (IDU)	3	4.9	2	4.3	1	6.7	3	7.3	589	20.1	23	31.9
MSM-IDU	1	1.6	0	0.0	1	6.7	1	2.4	77	2.6	4	5.6
Heterosexual contact	8	13.1	5	10.9	3	20.0	13	31.7	610	20.8	15	20.8
Transgender people with sexual contact	4	6.6	4	8.7	0	0.0	0	0.0	22	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	89	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	11	18.0	8	17.4	3	20.0	10	24.4	582	19.9	15	20.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Harlem: 10029, 10035.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	45	100.0	37	82.2	8	17.8	21	100.0	3,095	100.0	36	100.0
GENDER												
Men	42	93.3	35	94.6	7	87.5	18	85.7	2,653	85.7	29	80.6
Women	3	6.7	2	5.4	1	12.5	3	14.3	442	14.3	7	19.4
RACE/ETHNICITY												
Black	13	28.9	8	21.6	5	62.5	8	38.1	840	27.1	21	58.3
Latino/Hispanic	10	22.2	10	27.0	0	0.0	4	19.0	808	26.1	7	19.4
White	20	44.4	17	45.9	3	37.5	8	38.1	1,358	43.9	8	22.2
Asian/Pacific Islander	2	4.4	2	5.4	0	0.0	1	4.8	65	2.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
20-29	13	28.9	13	35.1	0	0.0	2	9.5	146	4.7	0	0.0
30-39	9	20.0	7	18.9	2	25.0	3	14.3	330	10.7	3	8.3
40-49	16	35.6	10	27.0	6	75.0	6	28.6	651	21.0	12	33.3
50-59	4	8.9	4	10.8	0	0.0	7	33.3	1,090	35.2	5	13.9
60+	3	6.7	3	8.1	0	0.0	3	14.3	870	28.1	16	44.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	41	91.1	34	91.9	7	87.5	15	71.4	1,812	58.5	11	30.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.8	316	10.2	9	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	89	2.9	1	2.8
Heterosexual contact	3	6.7	2	5.4	1	12.5	2	9.5	288	9.3	7	19.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	4.8	26	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	1	2.2	1	2.7	0	0.0	2	9.5	528	17.1	8	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	20	83.3	4	16.7	8	100.0	1,440	100.0	11	100.0
GENDER												
Men	23	95.8	19	95.0	4	100.0	7	87.5	1,245	86.5	9	81.8
Women	1	4.2	1	5.0	0	0.0	1	12.5	195	13.5	2	18.2
RACE/ETHNICITY												
Black	3	12.5	3	15.0	0	0.0	3	37.5	278	19.3	3	27.3
Latino/Hispanic	5	20.8	4	20.0	1	25.0	2	25.0	323	22.4	3	27.3
White	13	54.2	10	50.0	3	75.0	3	37.5	778	54.0	5	45.5
Asian/Pacific Islander	3	12.5	3	15.0	0	0.0	0	0.0	54	3.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	29.2	7	35.0	0	0.0	0	0.0	66	4.6	0	0.0
30-39	9	37.5	7	35.0	2	50.0	3	37.5	178	12.4	0	0.0
40-49	4	16.7	2	10.0	2	50.0	1	12.5	333	23.1	1	9.1
50-59	2	8.3	2	10.0	0	0.0	3	37.5	501	34.8	3	27.3
60+	2	8.3	2	10.0	0	0.0	1	12.5	360	25.0	7	63.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	83.3	16	80.0	4	100.0	6	75.0	891	61.9	4	36.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	104	7.2	4	36.4
MSM-IDU	1	4.2	1	5.0	0	0.0	1	12.5	35	2.4	0	0.0
Heterosexual contact	1	4.2	1	5.0	0	0.0	1	12.5	125	8.7	1	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	2	8.3	2	10.0	0	0.0	0	0.0	266	18.5	2	18.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	129	100.0	109	84.5	20	15.5	46	100.0	6,584	100.0	45	100.0
GENDER												
Men	117	90.7	99	90.8	18	90.0	41	89.1	6,145	93.3	39	86.7
Women	12	9.3	10	9.2	2	10.0	5	10.9	439	6.7	6	13.3
RACE/ETHNICITY												
Black	19	14.7	15	13.8	4	20.0	17	37.0	1,014	15.4	4	8.9
Latino/Hispanic	35	27.1	29	26.6	6	30.0	10	21.7	1,452	22.1	11	24.4
White	65	50.4	56	51.4	9	45.0	17	37.0	3,862	58.7	29	64.4
Asian/Pacific Islander	7	5.4	6	5.5	1	5.0	2	4.3	183	2.8	0	0.0
Other/Unknown	3	2.3	3	2.8	0	0.0	0	0.0	73	1.1	1	2.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
20-29	35	27.1	31	28.4	4	20.0	5	10.9	316	4.8	0	0.0
30-39	42	32.6	37	33.9	5	25.0	11	23.9	1,016	15.4	4	8.9
40-49	36	27.9	31	28.4	5	25.0	13	28.3	1,891	28.7	10	22.2
50-59	13	10.1	8	7.3	5	25.0	15	32.6	2,249	34.2	14	31.1
60+	3	2.3	2	1.8	1	5.0	2	4.3	1,103	16.8	17	37.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	107	82.9	91	83.5	16	80.0	35	76.1	4,934	74.9	26	57.8
Injection drug use history (IDU)	1	0.8	1	0.9	0	0.0	2	4.3	352	5.3	9	20.0
MSM-IDU	2	1.6	2	1.8	0	0.0	1	2.2	197	3.0	1	2.2
Heterosexual contact	7	5.4	5	4.6	2	10.0	5	10.9	257	3.9	1	2.2
Transgender people with sexual contact	5	3.9	4	3.7	1	5.0	2	4.3	51	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	7	5.4	6	5.5	1	5.0	1	2.2	771	11.7	8	17.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	35	79.5	9	20.5	19	100.0	1,978	100.0	14	100.0
GENDER												
Men	36	81.8	28	80.0	8	88.9	16	84.2	1,807	91.4	12	85.7
Women	8	18.2	7	20.0	1	11.1	3	15.8	171	8.6	2	14.3
RACE/ETHNICITY												
Black	9	20.5	7	20.0	2	22.2	3	15.8	384	19.4	2	14.3
Latino/Hispanic	12	27.3	10	28.6	2	22.2	3	15.8	466	23.6	2	14.3
White	19	43.2	15	42.9	4	44.4	10	52.6	1,045	52.8	10	71.4
Asian/Pacific Islander	4	9.1	3	8.6	1	11.1	2	10.5	66	3.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	5.3	17	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.3	1	2.9	0	0.0	0	0.0	3	0.2	0	0.0
20-29	13	29.5	11	31.4	2	22.2	2	10.5	75	3.8	0	0.0
30-39	11	25.0	8	22.9	3	33.3	5	26.3	235	11.9	0	0.0
40-49	11	25.0	8	22.9	3	33.3	6	31.6	494	25.0	0	0.0
50-59	7	15.9	6	17.1	1	11.1	5	26.3	654	33.1	5	35.7
60+	1	2.3	1	2.9	0	0.0	1	5.3	517	26.1	9	64.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	30	68.2	22	62.9	8	88.9	12	63.2	1,280	64.7	6	42.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.5	174	8.8	2	14.3
MSM-IDU	3	6.8	3	8.6	0	0.0	1	5.3	69	3.5	0	0.0
Heterosexual contact	4	9.1	3	8.6	1	11.1	1	5.3	128	6.5	2	14.3
Transgender people with sexual contact	4	9.1	4	11.4	0	0.0	0	0.0	13	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	3	6.8	3	8.6	0	0.0	3	15.8	301	15.2	4	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	21	87.5	3	12.5	14	100.0	1,942	100.0	7	100.0
GENDER												
Men	22	91.7	19	90.5	3	100.0	13	92.9	1,844	95.0	6	85.7
Women	2	8.3	2	9.5	0	0.0	1	7.1	98	5.0	1	14.3
RACE/ETHNICITY												
Black	2	8.3	2	9.5	0	0.0	2	14.3	377	19.4	0	0.0
Latino/Hispanic	5	20.8	4	19.0	1	33.3	3	21.4	397	20.4	4	57.1
White	14	58.3	12	57.1	2	66.7	9	64.3	1,103	56.8	3	42.9
Asian/Pacific Islander	3	12.5	3	14.3	0	0.0	0	0.0	51	2.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	1	4.2	1	4.8	0	0.0	1	7.1	85	4.4	0	0.0
30-39	13	54.2	12	57.1	1	33.3	3	21.4	218	11.2	1	14.3
40-49	5	20.8	4	19.0	1	33.3	6	42.9	522	26.9	0	0.0
50-59	4	16.7	3	14.3	1	33.3	4	28.6	664	34.2	3	42.9
60+	1	4.2	1	4.8	0	0.0	0	0.0	450	23.2	3	42.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	19	79.2	16	76.2	3	100.0	12	85.7	1,312	67.6	4	57.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	150	7.7	1	14.3
MSM-IDU	1	4.2	1	4.8	0	0.0	0	0.0	56	2.9	0	0.0
Heterosexual contact	1	4.2	1	4.8	0	0.0	1	7.1	61	3.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	29	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	12.5	3	14.3	0	0.0	1	7.1	330	17.0	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	62	100.0	54	87.1	8	12.9	28	100.0	3,113	100.0	42	100.0
GENDER												
Men	58	93.5	52	96.3	6	75.0	21	75.0	2,543	81.7	26	61.9
Women	4	6.5	2	3.7	2	25.0	7	25.0	570	18.3	16	38.1
RACE/ETHNICITY												
Black	6	9.7	5	9.3	1	12.5	8	28.6	609	19.6	14	33.3
Latino/Hispanic	21	33.9	16	29.6	5	62.5	11	39.3	1,086	34.9	18	42.9
White	23	37.1	22	40.7	1	12.5	6	21.4	1,254	40.3	9	21.4
Asian/Pacific Islander	10	16.1	9	16.7	1	12.5	3	10.7	133	4.3	1	2.4
Other/Unknown	2	3.2	2	3.7	0	0.0	0	0.0	31	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	1.6	1	1.9	0	0.0	0	0.0	10	0.3	0	0.0
20-29	26	41.9	25	46.3	1	12.5	4	14.3	190	6.1	0	0.0
30-39	13	21.0	10	18.5	3	37.5	7	25.0	354	11.4	2	4.8
40-49	11	17.7	9	16.7	2	25.0	8	28.6	753	24.2	2	4.8
50-59	8	12.9	7	13.0	1	12.5	7	25.0	1,104	35.5	18	42.9
60+	3	4.8	2	3.7	1	12.5	2	7.1	700	22.5	20	47.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	49	79.0	46	85.2	3	37.5	13	46.4	1,705	54.8	6	14.3
Injection drug use history (IDU)	1	1.6	0	0.0	1	12.5	3	10.7	425	13.7	16	38.1
MSM-IDU	3	4.8	3	5.6	0	0.0	0	0.0	96	3.1	4	9.5
Heterosexual contact	3	4.8	2	3.7	1	12.5	7	25.0	355	11.4	4	9.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	16	0.5	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	40	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	6	9.7	3	5.6	3	37.5	5	17.9	470	15.1	11	26.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	12	100.0	9	75.0	3	25.0	10	100.0	580	100.0	5	100.0
GENDER												
Men	12	100.0	9	100.0	3	100.0	9	90.0	503	86.7	5	100.0
Women	0	0.0	0	0.0	0	0.0	1	10.0	77	13.3	0	0.0
RACE/ETHNICITY												
Black	2	16.7	1	11.1	1	33.3	2	20.0	119	20.5	0	0.0
Latino/Hispanic	4	33.3	2	22.2	2	66.7	6	60.0	141	24.3	3	60.0
White	5	41.7	5	55.6	0	0.0	2	20.0	296	51.0	1	20.0
Asian/Pacific Islander	1	8.3	1	11.1	0	0.0	0	0.0	20	3.4	1	20.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	4	33.3	3	33.3	1	33.3	2	20.0	31	5.3	1	20.0
30-39	5	41.7	3	33.3	2	66.7	2	20.0	89	15.3	0	0.0
40-49	3	25.0	3	33.3	0	0.0	3	30.0	185	31.9	3	60.0
50-59	0	0.0	0	0.0	0	0.0	2	20.0	191	32.9	1	20.0
60+	0	0.0	0	0.0	0	0.0	1	10.0	83	14.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	10	83.3	7	77.8	3	100.0	7	70.0	360	62.1	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	40	6.9	1	20.0
MSM-IDU	1	8.3	1	11.1	0	0.0	0	0.0	18	3.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	10.0	52	9.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	8.3	1	11.1	0	0.0	1	10.0	101	17.4	2	40.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.
The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	65	100.0	52	80.0	13	20.0	23	100.0	1,966	100.0	12	100.0
GENDER												
Men	58	89.2	47	90.4	11	84.6	19	82.6	1,651	84.0	9	75.0
Women	7	10.8	5	9.6	2	15.4	4	17.4	315	16.0	3	25.0
RACE/ETHNICITY												
Black	9	13.8	6	11.5	3	23.1	5	21.7	334	17.0	3	25.0
Latino/Hispanic	29	44.6	22	42.3	7	53.8	12	52.2	793	40.3	7	58.3
White	22	33.8	20	38.5	2	15.4	5	21.7	741	37.7	2	16.7
Asian/Pacific Islander	5	7.7	4	7.7	1	7.7	1	4.3	83	4.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	19	29.2	17	32.7	2	15.4	2	8.7	137	7.0	0	0.0
30-39	26	40.0	22	42.3	4	30.8	12	52.2	409	20.8	2	16.7
40-49	13	20.0	8	15.4	5	38.5	6	26.1	597	30.4	2	16.7
50-59	5	7.7	3	5.8	2	15.4	3	13.0	581	29.6	5	41.7
60+	2	3.1	2	3.8	0	0.0	0	0.0	237	12.1	3	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	53	81.5	45	86.5	8	61.5	12	52.2	1,204	61.2	6	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.3	125	6.4	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	45	2.3	0	0.0
Heterosexual contact	7	10.8	4	7.7	3	23.1	6	26.1	247	12.6	3	25.0
Transgender people with sexual contact	2	3.1	1	1.9	1	7.7	1	4.3	22	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	3	4.6	2	3.8	1	7.7	3	13.0	307	15.6	3	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**
Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	141	100.0	114	80.9	27	19.1	57	100.0	5,761	100.0	30	100.0
GENDER												
Men	118	83.7	94	82.5	24	88.9	48	84.2	4,649	80.7	23	76.7
Women	23	16.3	20	17.5	3	11.1	9	15.8	1,112	19.3	7	23.3
RACE/ETHNICITY												
Black	13	9.2	10	8.8	3	11.1	15	26.3	1,648	28.6	10	33.3
Latino/Hispanic	93	66.0	75	65.8	18	66.7	31	54.4	3,159	54.8	17	56.7
White	14	9.9	13	11.4	1	3.7	3	5.3	648	11.2	2	6.7
Asian/Pacific Islander	21	14.9	16	14.0	5	18.5	8	14.0	278	4.8	1	3.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.8	4	0.1	0	0.0
13-19	6	4.3	6	5.3	0	0.0	0	0.0	19	0.3	0	0.0
20-29	42	29.8	36	31.6	6	22.2	11	19.3	432	7.5	2	6.7
30-39	59	41.8	47	41.2	12	44.4	22	38.6	979	17.0	2	6.7
40-49	24	17.0	18	15.8	6	22.2	13	22.8	1,726	30.0	5	16.7
50-59	7	5.0	5	4.4	2	7.4	7	12.3	1,808	31.4	7	23.3
60+	3	2.1	2	1.8	1	3.7	3	5.3	793	13.8	14	46.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	103	73.0	81	71.1	22	81.5	36	63.2	2,357	40.9	15	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	1.8	977	17.0	4	13.3
MSM-IDU	1	0.7	1	0.9	0	0.0	0	0.0	164	2.8	0	0.0
Heterosexual contact	21	14.9	18	15.8	3	11.1	9	15.8	942	16.4	7	23.3
Transgender people with sexual contact	5	3.5	5	4.4	0	0.0	1	1.8	108	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	66	1.1	1	3.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	11	7.8	9	7.9	2	7.4	9	15.8	1,142	19.8	3	10.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	15	100.0	0	0.0	6	100.0	637	100.0	16	100.0
GENDER												
Men	14	93.3	14	93.3	0	0.0	6	100.0	476	74.7	14	87.5
Women	1	6.7	1	6.7	0	0.0	0	0.0	161	25.3	2	12.5
RACE/ETHNICITY												
Black	1	6.7	1	6.7	0	0.0	0	0.0	99	15.5	5	31.3
Latino/Hispanic	7	46.7	7	46.7	0	0.0	3	50.0	242	38.0	2	12.5
White	1	6.7	1	6.7	0	0.0	2	33.3	189	29.7	9	56.3
Asian/Pacific Islander	5	33.3	5	33.3	0	0.0	1	16.7	95	14.9	0	0.0
Native American	1	6.7	1	6.7	0	0.0	0	0.0	6	0.9	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	4	26.7	4	26.7	0	0.0	2	33.3	42	6.6	0	0.0
30-39	3	20.0	3	20.0	0	0.0	0	0.0	78	12.2	0	0.0
40-49	4	26.7	4	26.7	0	0.0	3	50.0	158	24.8	4	25.0
50-59	4	26.7	4	26.7	0	0.0	1	16.7	236	37.0	5	31.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	122	19.2	7	43.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	80.0	12	80.0	0	0.0	3	50.0	271	42.5	7	43.8
Injection drug use history (IDU)	1	6.7	1	6.7	0	0.0	0	0.0	68	10.7	4	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	16.7	12	1.9	1	6.3
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	16.7	142	22.3	3	18.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	2	13.3	2	13.3	0	0.0	1	16.7	133	20.9	1	6.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	5	100.0	0	0.0	0	0.0	143	100.0	2	100.0
GENDER												
Men	5	100.0	5	100.0	0	0.0	0	0.0	114	79.7	2	100.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	29	20.3	0	0.0
RACE/ETHNICITY												
Black	1	20.0	1	20.0	0	0.0	0	0.0	32	22.4	1	50.0
Latino/Hispanic	2	40.0	2	40.0	0	0.0	0	0.0	29	20.3	0	0.0
White	1	20.0	1	20.0	0	0.0	0	0.0	70	49.0	1	50.0
Asian/Pacific Islander	1	20.0	1	20.0	0	0.0	0	0.0	11	7.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	20.0	1	20.0	0	0.0	0	0.0	2	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	7	4.9	0	0.0
30-39	3	60.0	3	60.0	0	0.0	0	0.0	15	10.5	0	0.0
40-49	1	20.0	1	20.0	0	0.0	0	0.0	38	26.6	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	47	32.9	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	34	23.8	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	60.0	3	60.0	0	0.0	0	0.0	65	45.5	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	11	7.7	1	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	26	18.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Unknown	2	40.0	2	40.0	0	0.0	0	0.0	32	22.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11364.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	36	100.0	28	77.8	8	22.2	17	100.0	1,201	100.0	8	100.0
GENDER												
Men	31	86.1	25	89.3	6	75.0	15	88.2	903	75.2	4	50.0
Women	5	13.9	3	10.7	2	25.0	2	11.8	298	24.8	4	50.0
RACE/ETHNICITY												
Black	2	5.6	1	3.6	1	12.5	1	5.9	161	13.4	0	0.0
Latino/Hispanic	18	50.0	14	50.0	4	50.0	11	64.7	562	46.8	5	62.5
White	13	36.1	10	35.7	3	37.5	5	29.4	416	34.6	3	37.5
Asian/Pacific Islander	2	5.6	2	7.1	0	0.0	0	0.0	51	4.2	0	0.0
Other/Unknown	1	2.8	1	3.6	0	0.0	0	0.0	11	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.8	1	3.6	0	0.0	0	0.0	8	0.7	0	0.0
20-29	12	33.3	12	42.9	0	0.0	1	5.9	85	7.1	0	0.0
30-39	6	16.7	6	21.4	0	0.0	0	0.0	163	13.6	1	12.5
40-49	11	30.6	7	25.0	4	50.0	8	47.1	346	28.8	2	25.0
50-59	4	11.1	2	7.1	2	25.0	6	35.3	389	32.4	4	50.0
60+	2	5.6	0	0.0	2	25.0	2	11.8	209	17.4	1	12.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	63.9	21	75.0	2	25.0	8	47.1	570	47.5	2	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	98	8.2	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	28	2.3	0	0.0
Heterosexual contact	5	13.9	2	7.1	3	37.5	3	17.6	248	20.6	3	37.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	8	22.2	5	17.9	3	37.5	5	29.4	211	17.6	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	5	71.4	2	28.6	5	100.0	265	100.0	5	100.0
GENDER												
Men	4	57.1	2	40.0	2	100.0	3	60.0	168	63.4	3	60.0
Women	3	42.9	3	60.0	0	0.0	2	40.0	97	36.6	2	40.0
RACE/ETHNICITY												
Black	4	57.1	3	60.0	1	50.0	4	80.0	123	46.4	2	40.0
Latino/Hispanic	2	28.6	1	20.0	1	50.0	1	20.0	72	27.2	1	20.0
White	0	0.0	0	0.0	0	0.0	0	0.0	50	18.9	2	40.0
Asian/Pacific Islander	1	14.3	1	20.0	0	0.0	0	0.0	18	6.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	14.3	1	20.0	0	0.0	0	0.0	4	1.5	0	0.0
20-29	2	28.6	1	20.0	1	50.0	2	40.0	20	7.5	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	24	9.1	1	20.0
40-49	1	14.3	1	20.0	0	0.0	1	20.0	63	23.8	1	20.0
50-59	3	42.9	2	40.0	1	50.0	2	40.0	96	36.2	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	58	21.9	3	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	28.6	1	20.0	1	50.0	1	20.0	76	28.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	25	9.4	1	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	1.1	0	0.0
Heterosexual contact	3	42.9	2	40.0	1	50.0	1	20.0	75	28.3	1	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	20.0	9	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	2	28.6	2	40.0	0	0.0	2	40.0	75	28.3	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	48	100.0	41	85.4	7	14.6	15	100.0	1,744	100.0	11	100.0
GENDER												
Men	43	89.6	36	87.8	7	100.0	13	86.7	1,222	70.1	8	72.7
Women	5	10.4	5	12.2	0	0.0	2	13.3	522	29.9	3	27.3
RACE/ETHNICITY												
Black	11	22.9	10	24.4	1	14.3	5	33.3	509	29.2	6	54.5
Latino/Hispanic	19	39.6	15	36.6	4	57.1	7	46.7	767	44.0	5	45.5
White	11	22.9	11	26.8	0	0.0	1	6.7	289	16.6	0	0.0
Asian/Pacific Islander	5	10.4	3	7.3	2	28.6	2	13.3	152	8.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	1.1	0	0.0
Multiracial	2	4.2	2	4.9	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.1	1	2.4	0	0.0	0	0.0	15	0.9	0	0.0
20-29	20	41.7	20	48.8	0	0.0	1	6.7	148	8.5	1	9.1
30-39	15	31.3	12	29.3	3	42.9	3	20.0	272	15.6	2	18.2
40-49	4	8.3	2	4.9	2	28.6	5	33.3	475	27.2	2	18.2
50-59	6	12.5	5	12.2	1	14.3	5	33.3	574	32.9	3	27.3
60+	2	4.2	1	2.4	1	14.3	1	6.7	257	14.7	3	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	34	70.8	30	73.2	4	57.1	6	40.0	655	37.6	2	18.2
Injection drug use history (IDU)	2	4.2	1	2.4	1	14.3	2	13.3	191	11.0	3	27.3
MSM-IDU	2	4.2	2	4.9	0	0.0	0	0.0	24	1.4	0	0.0
Heterosexual contact	6	12.5	6	14.6	0	0.0	5	33.3	425	24.4	2	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	1.0	1	9.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	44	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	8.3	2	4.9	2	28.6	2	13.3	387	22.2	3	27.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	58	84.1	11	15.9	38	100.0	3,081	100.0	46	100.0
GENDER												
Men	49	71.0	42	72.4	7	63.6	22	57.9	1,881	61.1	31	67.4
Women	20	29.0	16	27.6	4	36.4	16	42.1	1,200	38.9	15	32.6
RACE/ETHNICITY												
Black	53	76.8	43	74.1	10	90.9	31	81.6	2,268	73.6	29	63.0
Latino/Hispanic	9	13.0	8	13.8	1	9.1	5	13.2	558	18.1	14	30.4
White	0	0.0	0	0.0	0	0.0	0	0.0	152	4.9	1	2.2
Asian/Pacific Islander	5	7.2	5	8.6	0	0.0	2	5.3	80	2.6	2	4.3
Native American	1	1.4	1	1.7	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	1.4	1	1.7	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
13-19	6	8.7	6	10.3	0	0.0	1	2.6	26	0.8	0	0.0
20-29	24	34.8	21	36.2	3	27.3	5	13.2	291	9.4	3	6.5
30-39	16	23.2	13	22.4	3	27.3	11	28.9	385	12.5	1	2.2
40-49	9	13.0	7	12.1	2	18.2	9	23.7	740	24.0	13	28.3
50-59	8	11.6	6	10.3	2	18.2	8	21.1	1,036	33.6	12	26.1
60+	6	8.7	5	8.6	1	9.1	4	10.5	595	19.3	17	37.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	56.5	34	58.6	5	45.5	12	31.6	792	25.7	9	19.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	394	12.8	10	21.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	49	1.6	0	0.0
Heterosexual contact	17	24.6	13	22.4	4	36.4	14	36.8	916	29.7	11	23.9
Transgender people with sexual contact	1	1.4	1	1.7	0	0.0	0	0.0	19	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	94	3.1	2	4.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	12	17.4	10	17.2	2	18.2	11	28.9	809	26.3	14	30.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	29	93.5	2	6.5	15	100.0	1,280	100.0	13	100.0
GENDER												
Men	21	67.7	19	65.5	2	100.0	8	53.3	726	56.7	9	69.2
Women	10	32.3	10	34.5	0	0.0	7	46.7	554	43.3	4	30.8
RACE/ETHNICITY												
Black	23	74.2	21	72.4	2	100.0	12	80.0	992	77.5	11	84.6
Latino/Hispanic	3	9.7	3	10.3	0	0.0	2	13.3	153	12.0	0	0.0
White	2	6.5	2	6.9	0	0.0	1	6.7	94	7.3	2	15.4
Asian/Pacific Islander	1	3.2	1	3.4	0	0.0	0	0.0	34	2.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	2	6.5	2	6.9	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	0	0.0
20-29	8	25.8	7	24.1	1	50.0	4	26.7	123	9.6	0	0.0
30-39	11	35.5	11	37.9	0	0.0	2	13.3	186	14.5	2	15.4
40-49	8	25.8	7	24.1	1	50.0	8	53.3	308	24.1	0	0.0
50-59	2	6.5	2	6.9	0	0.0	1	6.7	412	32.2	7	53.8
60+	2	6.5	2	6.9	0	0.0	0	0.0	237	18.5	4	30.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	45.2	12	41.4	2	100.0	4	26.7	267	20.9	3	23.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	6.7	138	10.8	4	30.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	1.5	1	7.7
Heterosexual contact	9	29.0	9	31.0	0	0.0	5	33.3	399	31.2	3	23.1
Transgender people with sexual contact	1	3.2	1	3.4	0	0.0	0	0.0	6	0.5	1	7.7
Perinatal	0	0.0	0	0.0	0	0.0	1	6.7	49	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	7	22.6	7	24.1	0	0.0	4	26.7	394	30.8	1	7.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	25	83.3	5	16.7	12	100.0	1,154	100.0	21	100.0
GENDER												
Men	22	73.3	20	80.0	2	40.0	6	50.0	661	57.3	12	57.1
Women	8	26.7	5	20.0	3	60.0	6	50.0	493	42.7	9	42.9
RACE/ETHNICITY												
Black	20	66.7	17	68.0	3	60.0	7	58.3	737	63.9	7	33.3
Latino/Hispanic	6	20.0	4	16.0	2	40.0	5	41.7	283	24.5	5	23.8
White	4	13.3	4	16.0	0	0.0	0	0.0	114	9.9	8	38.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	1	4.8
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.3	1	4.0	0	0.0	0	0.0	17	1.5	0	0.0
20-29	9	30.0	9	36.0	0	0.0	2	16.7	102	8.8	0	0.0
30-39	7	23.3	6	24.0	1	20.0	3	25.0	151	13.1	0	0.0
40-49	6	20.0	5	20.0	1	20.0	3	25.0	287	24.9	3	14.3
50-59	5	16.7	2	8.0	3	60.0	4	33.3	383	33.2	7	33.3
60+	2	6.7	2	8.0	0	0.0	0	0.0	214	18.5	11	52.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	56.7	15	60.0	2	40.0	6	50.0	258	22.4	3	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	177	15.3	7	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	26	2.3	1	4.8
Heterosexual contact	7	23.3	5	20.0	2	40.0	4	33.3	398	34.5	6	28.6
Transgender people with sexual contact	1	3.3	1	4.0	0	0.0	1	8.3	9	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	35	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	4.8
Unknown	5	16.7	4	16.0	1	20.0	1	8.3	248	21.5	3	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY**

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	10	71.4	4	28.6	7	100.0	581	100.0	17	100.0
GENDER												
Men	10	71.4	7	70.0	3	75.0	6	85.7	351	60.4	8	47.1
Women	4	28.6	3	30.0	1	25.0	1	14.3	230	39.6	9	52.9
RACE/ETHNICITY												
Black	5	35.7	5	50.0	0	0.0	2	28.6	288	49.6	10	58.8
Latino/Hispanic	5	35.7	4	40.0	1	25.0	3	42.9	195	33.6	4	23.5
White	3	21.4	1	10.0	2	50.0	2	28.6	84	14.5	3	17.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other/Unknown	1	7.1	0	0.0	1	25.0	0	0.0	9	1.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	7.1	1	10.0	0	0.0	0	0.0	7	1.2	0	0.0
20-29	2	14.3	1	10.0	1	25.0	1	14.3	47	8.1	0	0.0
30-39	4	28.6	4	40.0	0	0.0	1	14.3	100	17.2	1	5.9
40-49	7	50.0	4	40.0	3	75.0	3	42.9	142	24.4	1	5.9
50-59	0	0.0	0	0.0	0	0.0	1	14.3	195	33.6	10	58.8
60+	0	0.0	0	0.0	0	0.0	1	14.3	89	15.3	5	29.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	50.0	5	50.0	2	50.0	4	57.1	139	23.9	1	5.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	116	20.0	6	35.3
MSM-IDU	1	7.1	1	10.0	0	0.0	0	0.0	17	2.9	1	5.9
Heterosexual contact	5	35.7	4	40.0	1	25.0	1	14.3	165	28.4	6	35.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	7.1	0	0.0	1	25.0	1	14.3	119	20.5	3	17.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	13	86.7	2	13.3	15	100.0	1,069	100.0	29	100.0
GENDER												
Men	8	53.3	7	53.8	1	50.0	7	46.7	693	64.8	19	65.5
Women	7	46.7	6	46.2	1	50.0	8	53.3	376	35.2	10	34.5
RACE/ETHNICITY												
Black	7	46.7	7	53.8	0	0.0	7	46.7	483	45.2	15	51.7
Latino/Hispanic	7	46.7	6	46.2	1	50.0	5	33.3	307	28.7	8	27.6
White	1	6.7	0	0.0	1	50.0	1	6.7	260	24.3	6	20.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	2	13.3	7	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	6.7	1	7.7	0	0.0	1	6.7	8	0.7	0	0.0
20-29	3	20.0	3	23.1	0	0.0	2	13.3	73	6.8	1	3.4
30-39	4	26.7	4	30.8	0	0.0	2	13.3	130	12.2	1	3.4
40-49	3	20.0	2	15.4	1	50.0	5	33.3	261	24.4	6	20.7
50-59	3	20.0	2	15.4	1	50.0	3	20.0	392	36.7	12	41.4
60+	1	6.7	1	7.7	0	0.0	2	13.3	204	19.1	9	31.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	40.0	5	38.5	1	50.0	2	13.3	295	27.6	5	17.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	13.3	190	17.8	8	27.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	43	4.0	4	13.8
Heterosexual contact	7	46.7	6	46.2	1	50.0	5	33.3	263	24.6	5	17.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	6.7	12	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.7	30	2.8	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	2	13.3	2	15.4	0	0.0	4	26.7	234	21.9	6	20.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	6	66.7	3	33.3	5	100.0	196	100.0	4	100.0
GENDER												
Men	8	88.9	6	100.0	2	66.7	3	60.0	137	69.9	2	50.0
Women	1	11.1	0	0.0	1	33.3	2	40.0	59	30.1	2	50.0
RACE/ETHNICITY												
Black	2	22.2	2	33.3	0	0.0	1	20.0	35	17.9	0	0.0
Latino/Hispanic	2	22.2	2	33.3	0	0.0	0	0.0	57	29.1	1	25.0
White	5	55.6	2	33.3	3	100.0	4	80.0	97	49.5	3	75.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	2.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	1.5	0	0.0
20-29	2	22.2	2	33.3	0	0.0	0	0.0	10	5.1	0	0.0
30-39	3	33.3	2	33.3	1	33.3	1	20.0	25	12.8	0	0.0
40-49	2	22.2	1	16.7	1	33.3	3	60.0	47	24.0	2	50.0
50-59	1	11.1	1	16.7	0	0.0	0	0.0	75	38.3	1	25.0
60+	1	11.1	0	0.0	1	33.3	1	20.0	36	18.4	1	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	55.6	4	66.7	1	33.3	1	20.0	68	34.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	32	16.3	2	50.0
MSM-IDU	1	11.1	1	16.7	0	0.0	0	0.0	5	2.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	40	20.4	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	3	33.3	1	16.7	2	66.7	4	80.0	44	22.4	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2014 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2014, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2014						AIDS DIAGNOSES, 2014		PLWH AS OF 12/31/2014		DEATHS, 2014	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	14	73.7	5	26.3	14	100.0	414	100.0	8	100.0
GENDER												
Men	16	84.2	13	92.9	3	60.0	10	71.4	279	67.4	6	75.0
Women	3	15.8	1	7.1	2	40.0	4	28.6	135	32.6	2	25.0
RACE/ETHNICITY												
Black	6	31.6	5	35.7	1	20.0	6	42.9	77	18.6	0	0.0
Latino/Hispanic	5	26.3	4	28.6	1	20.0	3	21.4	101	24.4	3	37.5
White	6	31.6	5	35.7	1	20.0	3	21.4	232	56.0	5	62.5
Asian/Pacific Islander	2	10.5	0	0.0	2	40.0	2	14.3	3	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
20-29	8	42.1	8	57.1	0	0.0	3	21.4	20	4.8	1	12.5
30-39	4	21.1	1	7.1	3	60.0	4	28.6	41	9.9	1	12.5
40-49	4	21.1	3	21.4	1	20.0	2	14.3	110	26.6	0	0.0
50-59	2	10.5	1	7.1	1	20.0	4	28.6	162	39.1	4	50.0
60+	1	5.3	1	7.1	0	0.0	1	7.1	75	18.1	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	73.7	12	85.7	2	40.0	5	35.7	93	22.5	0	0.0
Injection drug use history (IDU)	1	5.3	0	0.0	1	20.0	3	21.4	78	18.8	4	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.2	1	12.5
Heterosexual contact	1	5.3	0	0.0	1	20.0	4	28.6	103	24.9	0	0.0
Transgender people with sexual contact	1	5.3	1	7.1	0	0.0	0	0.0	3	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	3.1	1	12.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Unknown	2	10.5	1	7.1	1	20.0	2	14.3	113	27.3	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 18, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2014**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2014 NEW YORK CITY POPULATION ⁴
TOTAL	31.7	1.5	10.2	8,521,135
GENDER				
Men	52.4	2.2	9.9	4,058,312
Women	13.0	0.8	11.0	4,462,823
RACE/ETHNICITY				
Black	60.5	2.8	11.8	1,913,914
Latino/Hispanic	36.3	1.6	10.5	2,475,613
White	17.8	0.9	7.1	2,776,575
Asian/Pacific Islander	10.0	0.2	4.8	1,197,964
Native American	41.0*	1.5	7.2*	19,530
AGE GROUP (YEARS)				
0 - 12	0.5*	0.0	0.0*	1,323,089
13 - 19	15.8	0.1	0.0*	663,461
20 - 29	65.9	0.8	3.6	1,415,559
30 - 39	53.5	1.4	5.9	1,331,373
40 - 49	44.0	2.8	9.6	1,121,424
50 - 59	28.8	3.6	17.3	1,083,188
60+	9.0	1.4	30.3	1,583,041

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2014 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2018.

³Age-adjusted to the NYC Census 2010 population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2014
Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2014 NEW YORK CITY POPULATION ⁴
TOTAL	31.7	1.5	10.2	8,521,135
BRONX⁵	34.0	1.9	12.2	1,446,037
Crotona - Tremont	47.6	2.6	13.4	216,431
Fordham - Bronx Park	38.7	2.1	10.9	261,186
High Bridge - Morrisania	42.7	2.7	13.5	218,024
Hunts Point - Mott Haven	46.0	2.6	15.4	143,626
Kingsbridge - Riverdale	16.0	0.7	11.9	93,834
Northeast Bronx	26.0	1.2	12.0	203,951
Pelham - Throgs Neck	19.4	1.4	8.1	308,984
BROOKLYN⁵	27.4	1.1	9.9	2,626,644
Bedford Stuyvesant - Crown Heights	48.9	2.2	11.3	335,171
Bensonhurst - Bay Ridge	7.2	0.3	12.1	207,692
Borough Park	8.2	0.3	9.9	342,964
Canarsie - Flatlands	28.1	0.8	9.2	209,812
Coney Island - Sheepshead Bay	13.5	0.4	12.0	288,434
Downtown - Heights - Park Slope	25.7	1.1	8.5	252,449
East Flatbush - Flatbush	39.4	1.7	7.7	307,258
East New York	55.7	1.7	14.2	190,189
Greenpoint	13.2	0.6	3.2*	136,536
Sunset Park	9.9	0.6	5.6*	130,892
Williamsburg - Bushwick	40.8	1.7	10.4	225,248
MANHATTAN⁵	37.6	1.9	6.5	1,630,958
Central Harlem - Morningside Heights	63.0	2.6	8.1	180,988
Chelsea - Clinton	83.6	4.3	4.4	154,263
East Harlem	53.5	2.6	16.3	114,029
Gramercy Park - Murray Hill	33.8	1.5	3.8	130,002
Greenwich Village - Soho	28.6	2.3	1.8*	83,843
Lower Manhattan	20.2	1.0	2.8*	59,385
Union Square - Lower East Side	31.9	1.6	8.2	194,069
Upper East Side	10.8	0.6	4.7	222,221
Upper West Side	20.6	1.4	7.5	218,858
Washington Heights - Inwood	32.9	1.6	4.6	273,300
QUEENS⁵	19.2	0.7	7.3	2,338,993
Bayside - Little Neck	5.6*	0.2	7.9*	89,958
Flushing - Clearview	5.8	0.2	16.1	258,614
Fresh Meadows	6.9*	0.3	17.9*	101,344
Jamaica	21.6	1.0	11.0	319,684
Long Island City - Astoria	30.3	0.9	3.5*	214,495
Ridgewood - Forest Hills	14.0	0.5	3.9*	256,538
Rockaway	24.0	0.9	12.4	124,917
Southeast Queens	14.8	0.6	6.9	209,287
Southwest Queens	16.4	0.6	5.6	292,628
West Queens	29.9	1.2	4.9	471,528
STATEN ISLAND⁵	12.0	0.5	17.3	474,166
Port Richmond	20.9	0.9	19.1	66,951
South Beach - Tottenville	9.7	0.2	18.6*	195,662
Stapleton - St. George	12.2	0.9	17.9	123,343
Willowbrook	10.2*	0.2	12.6*	88,210

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2014 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2018.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.