

NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2016

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene https://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 AND REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY

Table 1.1	New York City (All)	T	5 " T N I
		Table 1.7.4	Pelham – Throgs Neck
T 11 404	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
		Table 1.8.11	Williamsburg – Bushwick
	By Age		•
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
		Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, Men	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, Women	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, Men	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, Women	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, Men	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, Women		Dec IIII F Not obligate and a code Conserva
Table 1.5.7	Queens, Men	Table 4 40 4	By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
	Dy Transmission Bick	Table 1.10.4 Table 1.10.5	Bayside – Little Neck Ridgewood – Forest Hills
Table 1.6.1	By Transmission Risk	Table 1.10.5	Fresh Meadows
Table 1.6.1	Men who have sex with men (MSM) Injection drug use history (IDU), Men	Table 1.10.6	Southwest Queens
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.7	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.8	Southeast Queens
Table 1.6.5	Heterosexual contact, Men	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual contact, Women	14516 1.10.10	Nockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
14510 1.0.7	Tranogoridor poopio with coxual contact	Table 1.11.1	Port Richmond
	By UHF Neighborhood: Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
Table 1.7.2	Northeast Bronx	Table 1.11.4	South Beach – Tottenville
Table 1.7.3	Fordham – Bronx Park		
_			

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2016

Table 2.1 Overall and by gender, age, and Table 2.2 Overall and by borough and UHF race/ethnicity neighborhood of residence

Table 1.1. New York City (All)

		HIV	DIAGNOS	SES, 2016			AIDS DIAGNOS	ES, 2016	PLWH AS 12/31/201	_	DEATHS,	, 2016
	Total HIV di		Withou		Concurr AIDS dia							
TOTAL	2,237	% 100.0	N 1,870	% 83.6	N 367	16.4	N 1,393	% 100.0	N 127,375	% 100.0	N 1,841	% 100.0
GENDER								_				
Men Women Transgender	1,706 455 76	76.3 20.3 3.4	1,441 356 73	77.1 19.0 3.9	265 99 3	72.2 27.0 0.8	1,013 355 25	72.7 25.5 1.8	91,905 33,483 1,987	72.2 26.3 1.6	1,312 514 15	71.3 27.9 0.8
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	933 793 339 145 6 21	41.7 35.4 15.2 6.5 0.3 0.9 0.0	762 678 296 113 4 17	40.7 36.3 15.8 6.0 0.2 0.9 0.0	171 115 43 32 2 4 0	46.6 31.3 11.7 8.7 0.5 1.1 0.0	669 475 184 52 4 9	48.0 34.1 13.2 3.7 0.3 0.6 0.0	55,491 41,818 26,108 2,871 309 458 320	43.6 32.8 20.5 2.3 0.2 0.4 0.3	876 635 294 24 5 7	47.6 34.5 16.0 1.3 0.3 0.4 0.0
AGE GROUP (YEARS)		0.4		2.4		0.0		0.0	400	0.4		
0-12 13-19 20-29 30-39 40-49 50-59 60+	2 83 805 595 381 255 116	0.1 3.7 36.0 26.6 17.0 11.4 5.2	2 80 733 497 271 206 81	0.1 4.3 39.2 26.6 14.5 11.0 4.3	0 3 72 98 110 49 35	0.0 0.8 19.6 26.7 30.0 13.4 9.5	3 22 254 332 349 282 151	0.2 1.6 18.2 23.8 25.1 20.2 10.8	122 602 11,154 19,701 28,069 40,772 26,955	0.1 0.5 8.8 15.5 22.0 32.0 21.2	0 1 46 115 246 672 761	0.0 0.1 2.5 6.2 13.4 36.5 41.3
BOROUGH OF RESIDENCE	400					25.0	222		00.440	00.4	470	0.5.0
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	489 566 423 400 78 211	21.9 25.3 18.9 17.9 3.5 9.4 3.1	395 464 362 324 62 193 70	21.1 24.8 19.4 17.3 3.3 10.3 3.7	94 102 61 76 16 18	25.6 27.8 16.6 20.7 4.4 4.9 0.0	338 332 235 208 36 224 20	24.3 23.8 16.9 14.9 2.6 16.1	29,410 29,348 32,088 18,051 2,377 13,799 2,302	23.1 23.0 25.2 14.2 1.9 10.8	476 383 288 183 50 79 382	25.9 20.8 15.6 9.9 2.7 4.3 20.7
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	184 736 559 472 286	8.2 32.9 25.0 21.1 12.8	154 613 454 382 267	8.2 32.8 24.3 20.4 14.3	30 123 105 90 19	8.2 33.5 28.6 24.5 5.2	78 413 322 329 251	5.6 29.6 23.1 23.6 18.0	11,149 42,374 28,854 27,562 17,436	8.8 33.3 22.7 21.6 13.7	100 416 380 482 463	5.4 22.6 20.6 26.2 25.1
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	1,261 33 36 415 71 2 0 419	56.4 1.5 1.6 18.6 3.2 0.1 0.0	1,109 25 32 322 68 2 0	59.3 1.3 1.7 17.2 3.6 0.1 0.0	152 8 4 93 3 0 0	41.4 2.2 1.1 25.3 0.8 0.0 0.0 29.2	565 102 31 300 25 31 0	40.6 7.3 2.2 21.5 1.8 2.2 0.0 24.3	52,366 15,582 3,373 24,929 1,683 2,614 205 26,623	41.1 12.2 2.6 19.6 1.3 2.1 0.2 20.9	418 521 59 349 9 18 4	22.7 28.3 3.2 19.0 0.5 1.0 0.2 25.1

Table 1.2.1. Men (includes transgender men)

		DIAGNOS	•	6 oncurrent wi	ith AIDS	AIDS DIAGNOSE	ES, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016	
	Total HIV di	agnoses	Withou			agnoses						
TOTAL	N 1,706	100.0	N 1,441	% 84.5	N 265	% 15.5	N 1.013	% 100.0	N 91,936	% 100.0	N 1,312	% 100.0
DA OF JETUNIOITY									,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,-	
RACE/ETHNICITY Black	632	37.0	517	35.9	115	43.4	445	43.9	35,008	38.1	578	44.1
Latino/Hispanic	616	36.1	535	37.1	81	30.6		34.6	30,163	32.8	450	34.3
White	306	17.9	268	18.6	38	14.3		16.0	23,542	25.6	253	19.3
Asian/Pacific Islander	127	7.4	101	7.0	26	9.8		4.2	2,390	2.6	22	1.7
Native American Multiracial	6 19	0.4 1.1	4 16	0.3 1.1	2 3	0.8 1.1	8 8	0.4 0.8	229 358	0.2 0.4	4 5	0.3 0.4
Unknown	0	0.0	0	0.0	0	0.0		0.0	246	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.1	66	0.1	0	0.0
13-19	64	3.8	61	4.2	3	1.1	12	1.2	332	0.4	0	0.0
20-29 30-39	693 457	40.6 26.8	629 387	43.7 26.9	64 70	24.2 26.4	193 251	19.1 24.8	8,552 14,951	9.3 16.3	36 82	2.7 6.3
40-49	274	16.1	36 <i>1</i> 197	13.7	70 77	20.4 29.1	255	24.6 25.2	19,741	21.5	62 154	11.7
50-59	149	8.7	116	8.0	33	12.5		19.2	28,740	31.3	463	35.3
60+	69	4.0	51	3.5	18	6.8		10.6	19,554	21.3	577	44.0
BOROUGH OF RESIDENCE												
Bronx	331	19.4	263	18.3	68	25.7		20.9	18,096	19.7	316	24.1
Brooklyn Manhattan	404 366	23.7 21.5	336 316	23.3 21.9	68 50	25.7 18.9		22.5 19.8	19,317 26,873	21.0 29.2	257 209	19.6 15.9
Queens	326	19.1	269	18.7	57	21.5		15.6	13,163	14.3	134	10.2
Staten Island	55	3.2	45	3.1	10	3.8		2.6	1,540	1.7	35	2.7
Outside NYC	168	9.8	156	10.8	12	4.5		17.0	11,187	12.2	60	4.6
Unknown	56	3.3	56	3.9	0	0.0	16	1.6	1,760	1.9	301	22.9
AREA-BASED POVERTY LEVEL	- 444	0.4	400	0.7	40			5.0	0.000	2.0	70	5.0
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL)	144 585	8.4 34.3	126 493	8.7 34.2	18 92	6.8 34.7		5.9 30.3	9,006 32,008	9.8 34.8	73 307	5.6 23.4
High poverty (20 to <30% below FPL)	420	24.6	346	24.0	74	27.9		22.5	19,724	21.5	259	19.7
Very high poverty (≥30% below FPL)	330	19.3	262	18.2	68	25.7		22.0	17,205	18.7	311	23.7
Area-based poverty level not available	227	13.3	202	14.9	13	4.9		19.2	13,993	15.2	362	23.7 27.6
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	1,261	73.9	1,109	77.0	152	57.4	565	55.8	52,366	57.0	418	31.9
Injection drug use history (IDU)	16	0.9	10	0.7	6	2.3		7.4	10,093	11.0	354	27.0
MSM-IDU	36	2.1	32	2.2	4	1.5		3.1	3,373	3.7	59	4.5
Heterosexual contact Transgender people with sexual contact	76 0	4.5 0.0	54 0	3.7 0.0	22 0	8.3 0.0		7.2 0.0	6,163 19	6.7 0.0	114 0	8.7 0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	1,286	1.4	6	0.5
Other	Ö	0.0	ő	0.0	ő	0.0		0.0	115	0.1	3	0.2
Unknown	317	18.6	236	16.4	81	30.6	260	25.7	18,521	20.1	358	27.3

Table 1.2.2. Women (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	ES, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
	Total HIV di		Withou	t AIDS		ith AIDS agnoses	N	0/	N	0/	N.	0/
TOTAL	N 531	% 100.0	N 429	% 80.8	N 102	% 19.2	N 380	% 100.0	N 35,439	% 100.0	N 529	% 100.0
RACE/ETHNICITY								_				
Black	301	56.7	245	57.1	56	54.9	224	58.9	20.483	57.8	298	56.3
Latino/Hispanic	177	33.3	143	33.3	34	33.3	124	32.6	11,655	32.9	185	35.0
White	33	6.2	28	6.5	5	4.9	22	5.8	2,566	7.2	41	7.8
Asian/Pacific Islander	18	3.4	12	2.8	6	5.9	9	2.4	481	1.4	2	0.4
Native American Multiracial	0 2	0.0 0.4	0 1	0.0 0.2	0	0.0 1.0	0	0.0 0.3	80 100	0.2 0.3	1 2	0.2 0.4
Unknown	0	0.4	0	0.2	0	0.0	0	0.0	74	0.3	0	0.4
A OF OPOUR (VEADO)												
AGE GROUP (YEARS) 0-12	2	0.4	2	0.5	0	0.0	2	0.5	56	0.2	0	0.0
13-19	19	3.6	19	4.4	ő	0.0	10	2.6	270	0.8	1	0.2
20-29	112	21.1	104	24.2	8	7.8	61	16.1	2,602	7.3	10	1.9
30-39	138	26.0	110	25.6	28	27.5	81	21.3	4,750	13.4	33	6.2
40-49	107	20.2	74	17.2	33	32.4	94	24.7	8,328	23.5	92	17.4
50-59	106	20.0	90	21.0	16	15.7	88	23.2	12,032	34.0	209	39.5
60+	47	8.9	30	7.0	17	16.7	44	11.6	7,401	20.9	184	34.8
BOROUGH OF RESIDENCE												
Bronx	158	29.8	132	30.8	26	25.5	126	33.2	11,314	31.9	160	30.2
Brooklyn Manhattan	162 57	30.5 10.7	128 46	29.8 10.7	34 11	33.3 10.8	104 34	27.4 8.9	10,031 5,215	28.3 14.7	126 79	23.8 14.9
Queens	74	13.9	55	12.8	19	18.6	50	13.2	4,888	13.8	49	9.3
Staten Island	23	4.3	17	4.0	6	5.9	10	2.6	837	2.4	15	2.8
Outside NYC	43	8.1	37	8.6	6	5.9	52	13.7	2,612	7.4	19	3.6
Unknown	14	2.6	14	3.3	0	0.0	4	1.1	542	1.5	81	15.3
AREA-BASED POVERTY LEVEL	_							_				
Low poverty (<10% below FPL)	40	7.5	28	6.5	12	11.8	18	4.7	2,143	6.0	27	5.1
Medium poverty (10 to <20% below FPL)	151	28.4	120	28.0	31	30.4	106	27.9	10,366	29.3	109	20.6
High poverty (20 to <30% below FPL)	139	26.2	108	25.2	31	30.4	94	24.7	9,130	25.8	121	22.9
Very high poverty (≥30% below FPL)	142	26.7	120	28.0	22	21.6	106	27.9	10,357	29.2	171	32.3
Area-based poverty level not available	59	11.1	53	12.4	6	5.9	56	14.7	3,443	9.7	101	19.1
TRANSMISSION RISK	_											
Injection drug use history (IDU)	17	3.2	15	3.5	2	2.0	27	7.1	5,489	15.5	167	31.6
Heterosexual contact	339	63.8	268	62.5	71	69.6	227	59.7	18,766	53.0	235	44.4
Transgender people with sexual contact	71	13.4	68	15.9	3	2.9	25	6.6	1,664	4.7	9	1.7
Perinatal	2	0.4	2	0.5	0	0.0	22	5.8	1,328	3.7	12	2.3
Other Unknown	0 102	0.0 19.2	0 76	0.0 17.7	0 26	0.0 25.5	0 79	0.0 20.8	90 8.102	0.3 22.9	1 105	0.2 19.8
UTINTOWIT	102	19.2	70	17.7	20	25.5	19	20.8	0,102	22.9	105	19.8

Table 1.3.1. Black men (includes transgender men)

		Total HIV diagnoses			oncurrent wi	-	AIDS DIAGNOSE	ES, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
			Withou			agnoses	N.	0/	N	0/	N.I.	0/
TOTAL	N 632	% 100.0	N 517	% 81.8	N 115	% 18.2	N 445	% 100.0	N 35,008	% 100.0	N 578	% 100.0
	302	10010	• • • • • • • • • • • • • • • • • • • •	0110	110	1012	-110	.00.0	00,000	10010	0.0	100.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 36 268 145 97 58 28	0.0 5.7 42.4 22.9 15.3 9.2 4.4	0 35 241 114 63 42 22	0.0 6.8 46.6 22.1 12.2 8.1 4.3	0 1 27 31 34 16 6	0.0 0.9 23.5 27.0 29.6 13.9 5.2	1 7 87 116 106 85 43	0.2 1.6 19.6 26.1 23.8 19.1 9.7	44 187 4,113 5,771 6,758 10,461 7,674	0.1 0.5 11.7 16.5 19.3 29.9 21.9	0 0 21 37 67 189 264	0.0 0.0 3.6 6.4 11.6 32.7 45.7
BOROUGH OF RESIDENCE								_				
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	147 226 92 70 21 61 15	23.3 35.8 14.6 11.1 3.3 9.7 2.4	107 192 69 60 16 58 15	20.7 37.1 13.3 11.6 3.1 11.2 2.9	40 34 23 10 5 3	34.8 29.6 20.0 8.7 4.3 2.6	101 130 75 48 15 70 6	22.7 29.2 16.9 10.8 3.4 15.7 1.3	8,119 10,759 7,037 4,265 545 3,765 518	23.2 30.7 20.1 12.2 1.6 10.8 1.5	140 152 68 54 15 23 126	24.2 26.3 11.8 9.3 2.6 4.0 21.8
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL)	42	6.6	37	7.2	5	4.3	15	3.4	2.094	6.0	23	4.0
Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	173 185	27.4 29.3	144 150	27.9 29.0	29 35	25.2 30.4	117 116	26.3 26.1	11,015 9,243	31.5 26.4	116 139	20.1 24.0
Very high poverty (≥30% below FPL)	154	24.4	112	21.7	42	36.5	117	26.3	7,992	22.8	150	26.0
Area-based poverty level not available	78	12.3	74	14.3	4	3.5	80	18.0	4,664	13.3	150	26.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	419 7 9 39 0 0	66.3 1.1 1.4 6.2 0.0 0.0	363 5 8 25 0 0	70.2 1.0 1.5 4.8 0.0 0.0	56 2 1 14 0 0	48.7 1.7 0.9 12.2 0.0 0.0	227 27 8 38 0 4	51.0 6.1 1.8 8.5 0.0 0.9 0.0	16,171 4,057 1,182 3,339 14 720 35	46.2 11.6 3.4 9.5 0.0 2.1 0.1	145 150 29 72 0 4	25.1 26.0 5.0 12.5 0.0 0.7 0.2
Unknown	158	25.0	116	22.4	42	36.5		31.7	9,490	27.1	177	30.6

Table 1.3.2. Black women (includes transgender women)

		HIV	DIAGNO	OSES, 20	16		AIDS DIAGNOSE	ES, 2016	PLWH AS 12/31/20		DEATHS	, 2016
					oncurrent w							
		diagnoses		it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	301	100.0	245	81.4	56	18.6	224	100.0	20,483	100.0	298	100.0
AGE GROUP (YEARS)	_							_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	0.1	0	0.0
13-19	10	3.3	10	4.1	0	0.0	4	1.8	162	0.8	1	0.3
20-29	58	19.3	53	21.6	5	8.9	36	16.1	1,531	7.5	7	2.3
30-39	86	28.6	68	27.8	18	32.1	48	21.4	2,877	14.0	20	6.7
40-49	60	19.9	43	17.6	17	30.4	61	27.2	4,967	24.2	59	19.8
50-59	70	23.3	60	24.5	10	17.9	49	21.9	6,833	33.4	108	36.2
60+	17	5.6	11	4.5	6	10.7	26	11.6	4,087	20.0	103	34.6
BOROUGH OF RESIDENCE	_							_		_		
Bronx	87	28.9	71	29.0	16	28.6	62	27.7	5,820	28.4	79	26.5
Brooklyn	122	40.5	98	40.0	24	42.9	80	35.7	6,987	34.1	82	27.5
Manhattan	25	8.3	22	9.0	3	5.4	18	8.0	2,844	13.9	40	13.4
Queens	27	9.0	21	8.6	6	10.7	22	9.8	2,728	13.3	31	10.4
Staten Island	13	4.3	10	4.1	3	5.4	6	2.7	401	2.0	7	2.3
Outside NYC	21	7.0	17	6.9	4	7.1	35	15.6	1,425	7.0	10	3.4
Unknown	6	2.0	6	2.4	0	0.0	1	0.4	278	1.4	49	16.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	22	7.3	17	6.9	5	8.9	9	4.0	1,249	6.1	12	4.0
Medium poverty (10 to <20% below FPL)	92		72	29.4	20	35.7	64	28.6	6,179	30.2	65	21.8
High poverty (20 to <30% below FPL)	80	26.6	64	26.1	16	28.6	62	27.7	5,595	27.3	75	25.2
Very high poverty (≥30% below FPL)	79	26.2	68	27.8	11	19.6	53	23.7	5,595	27.3	87	29.2
1												
Area-based poverty level not available	28	9.3	24	9.8	4	7.1	36	16.1	1,865	9.1	59	19.8
TRANSMISSION RISK	_											
Injection drug use history (IDU)	7	2.3	6	2.4	1	1.8	15	6.7	2,593	12.7	80	26.8
Heterosexual contact	186	61.8	150	61.2	36	64.3	132	58.9	11,116	54.3	141	47.3
Transgender people with sexual contact	32	10.6	31	12.7	1	1.8	13	5.8	845	4.1	4	1.3
Perinatal	0	0.0	0	0.0	0	0.0	9	4.0	767	3.7	9	3.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	0	0.0
Unknown	76	25.2	58	23.7	18	32.1	55	24.6	5,115	25.0	64	21.5

Table 1.3.3. Latino/Hispanic men (includes transgender men)

	Total HIV di	HIV I Total HIV diagnoses N %		OSES, 20 C t AIDS	oncurrent wi		AIDS DIAGNOSE	ES, 2016	PLWH AS 12/31/20 ⁴		DEATHS,	, 2016
			N	LAIDS %	N N	agnoses %	N	%	N	%	N	%
TOTAL	616	100.0	535	86.9	81	13.1	351	100.0	30,163	100.0	450	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
13-19	21	3.4	19	3.6	2	2.5	3	0.9	112	0.4	0	0.0
20-29 30-39	258 184	41.9	238	44.5 29.9	20	24.7 29.6	74 89	21.1	2,895	9.6 17.5	8 31	1.8 6.9
40-49	91	29.9 14.8	160 67	29.9 12.5	24 24	29.6	92	25.4 26.2	5,271 7,007	23.2	55	12.2
50-59	47	7.6	40	7.5	24 7	8.6	57	16.2	9,151	30.3	178	39.6
60+	15	2.4	11	2.1	4	4.9	36	10.2	5,711	18.9	178	39.6
	10	2.4	- 11	2.1	7	7.0	30	10.5	5,711	10.5	170	33.0
BOROUGH OF RESIDENCE								_				
Bronx	162	26.3	136	25.4	26	32.1	101	28.8	8,725	28.9	161	35.8
Brooklyn	81	13.1	67	12.5	14	17.3	58	16.5	4,802	15.9	70	15.6
Manhattan	130	21.1	120	22.4	10	12.3	62	17.7	7,485	24.8	68	15.1
Queens	159	25.8	135	25.2	24	29.6	70	19.9	5,567	18.5	49	10.9
Staten Island	15	2.4	13	2.4	2	2.5	6	1.7	440	1.5	10	2.2
Outside NYC	49	8.0	44	8.2	5	6.2	49	14.0	2,406	8.0	13	2.9
Unknown	20	3.2	20	3.7	0	0.0	5	1.4	738	2.4	79	17.6
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	38	6.2	36	6.7	2	2.5	13	3.7	1.942	6.4	18	4.0
Medium poverty (10 to <20% below FPL)	221	35.9	192	35.9	29	35.8	112	31.9	10,162	33.7	109	24.2
High poverty (20 to <30% below FPL)	138	22.4	115	21.5	23	28.4	79	22.5	6,633	22.0	86	19.1
Very high poverty (≥30% below FPL)	150	24.4	128	23.9	22	27.2	92	26.2	7,950	26.4	145	32.2
	69	11.2	64	12.0	5	6.2	55	15.7	3,476	11.5	92	20.4
Area-based poverty level not available	69	11.2	04	12.0	5	6.2	55	15.7	3,476	11.5	92	20.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	473	76.8	426	79.6	47	58.0	189	53.8	15,885	52.7	109	24.2
Injection drug use history (IDÙ)	5	0.8	3	0.6	2	2.5	29	8.3	4,796	15.9	159	35.3
MSM-IDU , , ,	14	2.3	12	2.2	2	2.5	17	4.8	1,285	4.3	20	4.4
Heterosexual contact	30	4.9	23	4.3	7	8.6	32	9.1	2,088	6.9	34	7.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	0.9	462	1.5	2	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	28	0.1		0.2
Unknown	94	15.3	71	13.3	23	28.4	81	23.1	5,616	18.6	125	27.8

Table 1.3.4. Latina/Hispanic women (includes transgender women)

		HIV I Total HIV diagnoses		OSES, 20		''I AIDO	AIDS DIAGNOSI	ES, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
	Total UIV d	ioanoooo	Withou		oncurrent w							
	N	ayrioses %	N	11 AIDS %	N N	iagnoses %	N	%	N	%	N	%
TOTAL	177	100.0	143	80.8	34	19.2		100.0	11,655	100.0	185	100.0
AGE GROUP (YEARS)	_							_				
0-12	1	0.6	1	0.7	0	0.0	1	0.8	23	0.2	0	0.0
13-19	6	3.4	6	4.2	0	0.0	5	4.0	91	0.8	0	0.0
20-29	44	24.9	41	28.7	3	8.8	23	18.5	853	7.3	3	1.6
30-39	39	22.0	32	22.4	7	20.6	27	21.8	1,439	12.3	11	5.9
40-49	36	20.3	24	16.8	12	35.3	25	20.2	2,631	22.6	27	14.6
50-59	27	15.3	24	16.8	3	8.8	28	22.6	4,056	34.8	81	43.8
60+	24	13.6	15	10.5	9	26.5	15	12.1	2,562	22.0	63	34.1
BOROUGH OF RESIDENCE												
Bronx	69	39.0	59	41.3	10	29.4	59	47.6	5,036	43.2	71	38.4
Brooklyn	25	14.1	19	13.3	6	17.6	15	12.1	2,324	19.9	38	20.5
Manhattan	25	14.1	17	11.9	8	23.5	15	12.1	1,755	15.1	30	16.2
Queens	32	18.1	25	17.5	7	20.6	18	14.5	1,493	12.8	7	3.8
Staten Island	6	3.4	3	2.1	3	8.8	4	3.2	240	2.1	7	3.8
Outside NYC	13	7.3	13	9.1	0	0.0	11	8.9	616	5.3	5	2.7
Unknown	7	4.0	7	4.9	0	0.0	2	1.6	191	1.6	27	14.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	6.2	6	4.2	5	14.7	6	4.8	405	3.5	9	4.9
Medium poverty (10 to <20% below FPL)	41	23.2	33	23.1	8	23.5	31	25.0	3,026	26.0	28	15.1
High poverty (20 to <30% below FPL)	45	25.4	34	23.8	11	32.4	26	21.0	2,963	25.4	41	22.2
Very high poverty (≥30% below FPL)	60	33.9	50	35.0	10	29.4	48	38.7	4,393	37.7	75	40.5
Area-based poverty level not available	20	11.3	20	14.0	0	0.0	13	10.5	868	7.4	32	17.3
TRANSMISSION RISK								_				
Injection drug use history (IDU)	8	4.5	7	4.9	1	2.9	6	4.8	2,230	19.1	70	37.8
Heterosexual contact	118	66.7	91	63.6	27	79.4	82	66.1	6,053	51.9	77	41.6
Transgender people with sexual contact	30	16.9	28	19.6	2	5.9	11	8.9	651	5.6	4	2.2
Perinatal	1	0.6	1	0.7	0	0.0	11	8.9	470	4.0	3	2.2 1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Unknown	20	11.3	16	11.2	4	11.8	14	11.3	2,228	19.1	31	16.8

Table 1.3.5. White men (includes transgender men)

	Total HIV dia		DIAGNO Withou		oncurrent wit	_	AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
	N	agnoses %	N	LAIDS %	N uia	ignoses %	N	%	N	%	N	%
TOTAL	306	100.0	268	87.6	38	12.4	162	100.0	23,542	100.0	253	100.0
AGE GROUP (YEARS)												
0-12 13-19	0	0.0	0	0.0 1.1	0	0.0	0 1	0.0	3 24	0.0	0	0.0
20-29	3 115	1.0 37.6	3 109	40.7	0 6	0.0	15	0.6 9.3	24 1,105	0.1 4.7	0 5	0.0
30-39	81	26.5	74	27.6	7	15.8 18.4	35	21.6	3,214	13.7	12	2.0 4.7
40-49	57	18.6	44	16.4	13	34.2	43	26.5	5,144	21.9	25	9.9
50-59	29	9.5	22	8.2	7	18.4	44	27.2	8,312	35.3	91	36.0
60+	21	6.9	16	6.0	5	13.2	24	14.8	5,740	24.4	120	47.4
		0.0		0.0		.0.2			0,0		0	
BOROUGH OF RESIDENCE												
Bronx	11	3.6	11	4.1	0	0.0	6	3.7	985	4.2	13	5.1
Brooklyn	64	20.9	51	19.0	13	34.2	29	17.9	3,229	13.7	33	13.0
Manhattan	113	36.9	100	37.3	13	34.2	56	34.6	11,345	48.2	66	26.1
Queens	41	13.4	34	12.7	7	18.4	18	11.1	2,444	10.4	20	7.9
Staten Island	16	5.2	13	4.9	3	7.9	5	3.1	515	2.2	9	3.6
Outside NYC	45	14.7	43	16.0	2	5.3	43	26.5	4,650	19.8	23	9.1
Unknown	16	5.2	16	6.0	0	0.0	5	3.1	374	1.6	89	35.2
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	48	15.7	38	14.2	10	26.3	30	18.5	4.577	19.4	31	12.3
Medium poverty (10 to <20% below FPL)	123	40.2	107	39.9	16	42.1	50	30.9	9,435	40.1	68	26.9
High poverty (20 to <30% below FPL)	58	19.0	49	18.3	9	23.7	24	14.8	3,217	13.7	28	11.1
Very high poverty (≥30% below FPL)	15	4.9	14	5.2	1	2.6	8	4.9	1,032	4.4	14	5.5
Area-based poverty level not available	62	20.3	60	22.4	2	5.3	50	30.9	5,281	22.4	112	44.3
Area-based poverty level flot available	02	20.3	00	22.4	2	5.5	50	30.9	5,261	22.4	112	44.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	251	82.0	225	84.0	26	68.4	111	68.5	18,275	77.6	149	58.9
Injection drug use history (IDÙ)	3	1.0	2	0.7	1	2.6	14	8.6	1,149	4.9	42	16.6
MSM-IDU	11	3.6	10	3.7	1	2.6	6	3.7	831	3.5	9	3.6
Heterosexual contact	3	1.0	2	0.7	1	2.6	3	1.9	516	2.2	5	2.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.2	79	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	1	0.4
Unknown	38	12.4	29	10.8	9	23.7	26	16.0	2,644	11.2	47	18.6

Table 1.3.6. White women (includes transgender women)

		HIV	DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
					oncurrent wit	th AIDS						
	Total HIV o		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	33	100.0	28	84.8	5	15.2	22	100.0	2,566	100.0	41	100.0
AGE GROUP (YEARS)	_							_				
0-12	1	3.0	1	3.6	0	0.0		4.5	5	0.2	0	0.0
13-19	2	6.1	2	7.1	0	0.0		4.5	15	0.6	0	0.0
20-29	8	24.2	8	28.6	0	0.0	2	9.1	148	5.8	0	0.0
30-39	8	24.2	5	17.9	3	60.0		22.7	294	11.5	2	4.9
40-49	4	12.1	3	10.7	1	20.0		18.2	527	20.5	5	12.2
50-59	5	15.2	5	17.9	0	0.0		31.8	946	36.9	17	41.5
60+	5	15.2	4	14.3	1	20.0	2	9.1	631	24.6	17	41.5
BOROUGH OF RESIDENCE												
Bronx	2	6.1	2	7.1	0	0.0		13.6	356	13.9	9	22.0
Brooklyn	8	24.2	5	17.9	3	60.0	8	36.4	540	21.0	6	14.6
Manhattan	7	21.2	7	25.0	0	0.0	1	4.5	511	19.9	8	19.5
Queens	2	6.1	2	7.1	0	0.0	3	13.6	428	16.7	8	19.5
Staten Island	4	12.1	4	14.3	0	0.0	0	0.0	184	7.2	1	2.4
Outside NYC	9	27.3	7	25.0	2	40.0	6	27.3	503	19.6	4	9.8
Unknown	1	3.0	1	3.6	0	0.0	1	4.5	44	1.7	5	12.2
AREA-BASED POVERTY LEVEL	_							_				
Low poverty (<10% below FPL)	5	15.2	5	17.9	0	0.0	0	0.0	426	16.6	4	9.8
Medium poverty (10 to <20% below FPL)	7	21.2	6	21.4	1	20.0	9	40.9	863	33.6	14	34.1
High poverty (20 to <30% below FPL)	8	24.2	6	21.4	2	40.0	4	18.2	418	16.3	5	12.2
Very high poverty (≥30% below FPL)	2	6.1	2	7.1	0	0.0	2	9.1	281	11.0	8	19.5
							_					
Area-based poverty level not available	11	33.3	9	32.1	2	40.0	/	31.8	578	22.5	10	24.4
TRANSMISSION RISK												
Injection drug use history (IDU)	2	6.1	2	7.1	0	0.0		27.3	620	24.2	17	41.5
Heterosexual contact	20	60.6	17	60.7	3	60.0		22.7	1,197	46.6	14	34.1
Transgender people with sexual contact	6	18.2	6	21.4	0	0.0		4.5	110	4.3	1	2.4
Perinatal	1	3.0	1	3.6	0	0.0		9.1	75	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	17	0.7	1	2.4
Unknown	4	12.1	2	7.1	2	40.0	8	36.4	547	21.3	8	19.5

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

		HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSES	6, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
	T	,	14774		Concurrent with							
	Total HIV di	agnoses %	Withou N	it AIDS %	diag N	gnoses %	N	%	N	%	N	%
TOTAL	127	100.0	101	79.5	26	20.5		100.0	2,390	100.0	22	100.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 38 40 27 15 5	0.0 1.6 29.9 31.5 21.3 11.8 3.9	0 2 31 33 21 12 2	0.0 2.0 30.7 32.7 20.8 11.9 2.0	0 0 7 7 6 3 3	0.0 0.0 26.9 26.9 23.1 11.5	0 13 10 9 7	0.0 0.0 30.2 23.3 20.9 16.3 9.3	3 4 321 533 660 584 285	0.1 0.2 13.4 22.3 27.6 24.4 11.9	0 0 2 2 6 3 9	0.0 0.0 9.1 9.1 27.3 13.6 40.9
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	8 27 25 55 1 6 5	6.3 21.3 19.7 43.3 0.8 4.7 3.9	7 21 22 40 1 5	6.9 20.8 21.8 39.6 1.0 5.0	1 6 3 15 0 1	3.8 23.1 11.5 57.7 0.0 3.8 0.0	10 7 20 0 4	4.7 23.3 16.3 46.5 0.0 9.3 0.0	152 399 713 769 22 224 111	6.4 16.7 29.8 32.2 0.9 9.4 4.6	1 2 4 11 0 1 3	4.5 9.1 18.2 50.0 0.0 4.5 13.6
AREA-BASED POVERTY LEVEL	44	44.0	40	40.0		0.0	0	4.7	200	40.0		4.5
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	14 64 30 8 11	11.0 50.4 23.6 6.3 8.7	13 47 24 7 10	12.9 46.5 23.8 6.9 9.9	1 17 6 1	3.8 65.4 23.1 3.8 3.8	26 8 3	4.7 60.5 18.6 7.0 9.3	308 1,119 478 129 356	12.9 46.8 20.0 5.4 14.9	1 13 4 0 4	4.5 59.1 18.2 0.0 18.2
TRANSMISSION RISK	000	75.0	70	77.0	40	00.0		07.4	4.004	07.4	10	5.1.5
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	96 1 1 3 0 0 0	75.6 0.8 0.8 2.4 0.0 0.0 0.0 20.5	78 0 1 3 0 0 0	77.2 0.0 1.0 3.0 0.0 0.0 0.0	18 1 0 0 0 0 0	69.2 3.8 0.0 0.0 0.0 0.0 0.0 26.9	4 0 0 0 0 0	67.4 9.3 0.0 0.0 0.0 0.0 0.0 23.3	1,604 56 46 185 0 13 4	67.1 2.3 1.9 7.7 0.0 0.5 0.2 20.2	12 0 0 3 0 0 0	54.5 0.0 0.0 13.6 0.0 0.0 0.0 31.8

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

		HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
	Total HIV o	lioanosos	Withou		Concurrent win							
	N	aynoses %	N	% AIDS	N Ula	agnoses %	N	%	N	%	N	%
TOTAL	18	100.0	12	66.7	6	33.3		100.0	481	100.0	2	100.0
										10010		
AGE GROUP (YEARS)								0.0				
0-12	0	0.0	0 1	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	1	5.6	•	8.3	0	0.0		0.0	•	0.2	0	0.0
20-29	2	11.1	2	16.7	0	0.0		0.0	33	6.9	0	0.0
30-39 40-49	4	22.2	4	33.3 33.3	0	0.0		11.1	107	22.2	0	0.0
	7	38.9	4		3	50.0		44.4	138	28.7	0	0.0
50-59	3	16.7	1	8.3	2	33.3		33.3	119	24.7	1	50.0
60+	1	5.6	0	0.0	1	16.7	1	11.1	83	17.3	1	50.0
BOROUGH OF RESIDENCE	_											
Bronx	0	0.0	0	0.0	0	0.0	2	22.2	43	8.9	0	0.0
Brooklyn	6	33.3	5	41.7	1	16.7	1	11.1	108	22.5	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	64	13.3	1	50.0
Queens	12	66.7	7	58.3	5	83.3	6	66.7	197	41.0	1	50.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	1.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	43	8.9	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	4.4	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	5.6	0	0.0	1	16.7	2	22.2	47	9.8	1	50.0
Medium poverty (10 to <20% below FPL)	10	55.6	8	66.7	2	33.3		22.2	227	47.2	1	50.0
High poverty (20 to <30% below FPL)	6	33.3	4	33.3	2	33.3		22.2	90	18.7	0	0.0
	4											
Very high poverty (≥30% below FPL)	1	5.6	0	0.0	1	16.7	3	33.3	47	9.8	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	70	14.6	0	0.0
TRANSMISSION RISK	_											
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	20	4.2	0	0.0
Heterosexual contact	13	72.2	9	75.0	4	66.7	7	77.8	289	60.1	0	0.0
Transgender people with sexual contact	3	16.7	3	25.0	0	0.0	0	0.0	33	6.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	4	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	11.1	0	0.0	2	33.3		22.2	134	27.9	2	100.0

Table 1.3.9. Native American men (includes transgender men)

		HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
					Concurrent wi							
	Total HIV di	•	Withou			agnoses		0.4		0/		0.1
TOTAL	N 6	% 100.0	N 4	% 66.7	N 2	% 33.3	N 4	% 100.0	N 229	% 100.0	N 4	% 100.0
IOTAL		100.0	-	00.7		33.3		100.0	223	100.0	7	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	1	16.7	1	25.0	0	0.0		0.0	1	0.4	0	0.0
20-29 30-39	2 2	33.3 33.3	1	25.0 25.0	1 1	50.0 50.0		25.0 25.0	17 44	7.4 19.2	0 0	0.0
40-49	1	33.3 16.7	1	25.0 25.0	0	0.0		50.0	62	27.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0		0.0	68	29.7	0	0.0
60+	0	0.0	0	0.0	ő	0.0		0.0	37	16.2	4	100.0
		0.0	, in the second	0.0		0.0	,	0.0	0.		•	
BOROUGH OF RESIDENCE												
Bronx	2	33.3	2	50.0	0	0.0		0.0	49	21.4	0	0.0
Brooklyn	1	16.7	0	0.0	1	50.0	1	25.0	47	20.5	0	0.0
Manhattan	1	16.7	1	25.0	0 1	0.0	0 2	0.0	53	23.1	3	75.0
Queens Other/Unknown	1	16.7 16.7	0	0.0 25.0	0	50.0 0.0	_	50.0 25.0	48 32	21.0 14.0	0 1	0.0 25.0
Other/Othknown	'	10.7	'	25.0	U	0.0	'	25.0	32	14.0	'	25.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	16.7	1	25.0	0	0.0	0	0.0	12	5.2	0	0.0
Medium poverty (10 to <20% below FPL)	1	16.7	0	0.0	1	50.0		50.0	88	38.4	0	0.0
High poverty (20 to <30% below FPL)	2	33.3	1	25.0	1	50.0	1	25.0	52	22.7	2	50.0
Very high poverty (≥30% below FPL)	1	16.7	1	25.0	0	0.0	0	0.0	46	20.1	1	25.0
Area-based poverty level not available	1	16.7	1	25.0	0	0.0	1	25.0	31	13.5	1	25.0
' '												
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	83.3	3	75.0	2	100.0		100.0	129	56.3	1	25.0
Injection drug use history (IDU) MSM-IDU	0	0.0	0	0.0	0	0.0		0.0	14	6.1	1	25.0
MSM-IDU Heterosexual contact	0	0.0 16.7	0	0.0 25.0	0	0.0		0.0 0.0	10 20	4.4 8.7	1 0	25.0 0.0
Transgender people with sexual contact	0	0.0	0	25.0	0	0.0		0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	ő	0.0		0.0	2	0.9	0	0.0
Unknown	Ö	0.0	ő	0.0	ő	0.0		0.0	54	23.6	1	25.0

Table 1.3.10. Native American women (includes transgender women)

		HIV	DIAGNO	SES, 2	016	AIDS DIAGNOS	ES, 2016	PLWH AS 12/31/20		DEATHS	, 2016
	Total HIV dia	ignoses %	Without N		Concurrent with AIDS diagnose N %		%	N	%	N	%
TOTAL	0	0.0	0	0.0	0 0.		0.0	80	100.0	1	100.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0 0. 0 0. 0 0. 0 0. 0 0. 0 0. 0 0.	0 0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0 0.0	1 0 9 8 25 27 10	1.3 0.0 11.3 10.0 31.3 33.8 12.5	0 0 0 0 1 0	0.0 0.0 0.0 0.0 100.0 0.0
Bronx Brooklyn Manhattan Queens Other/Unknown	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0 0. 0 0. 0 0. 0 0. 0 0.	0 0 0 0	0.0 0.0 0.0 0.0 0.0	24 28 10 11 7	30.0 35.0 12.5 13.8 8.8	0 0 0 1 0	0.0 0.0 0.0 100.0 0.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	0 0 0 0	0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0 0. 0 0. 0 0. 0 0. 0 0.	0 0 0 0	0.0 0.0 0.0 0.0 0.0	3 28 24 21 4	3.8 35.0 30.0 26.3 5.0	0 1 0 0	0.0 100.0 0.0 0.0
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0. 0 0. 0 0. 0 0. 0 0. 0 0.	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	6 49 7 3 0 15	7.5 61.3 8.8 3.8 0.0 18.8	0 1 0 0 0	0.0 100.0 0.0 0.0 0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2016 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2016, NEW YORK CITY Table 1.4.1. Boys 0-12 Years

TOTAL			HIV	DIAGNO	SES, 2	016	AIDS DIAGNO	SES, 2016	PLWH AS 12/31/20		DEATHS,	2016
TOTAL 0						Concurrent with AIDS	3					
TOTAL		Total HIV dia		Without	t AIDS	diagnose						
RAGE/ETHNICITY Black												%
Black	TOTAL	0	0.0	0	0.0	0 0.0	1	100.0	66	100.0	0	0.0
Latino/Hispanic Description	RACE/ETHNICITY											
White	Black	0	0.0	0	0.0	0 0.0	1	100.0		66.7	0	0.0
White	Latino/Hispanic	0	0.0	0	0.0	0 0.0	0	0.0	16	24.2	0	0.0
Asian/Pacific Islander 0 0.0 0 0		0	0.0	0	0.0		0	0.0		4.5	0	0.0
Native American	Asian/Pacific Islander	0	0.0	0	0.0		0	0.0		4.5	0	0.0
Multiracial 0 0.0	Native American	0	0.0	0	0.0	0 0.0	0	0.0		0.0	0	0.0
Bronk	Multiracial	0	0.0	0							0	0.0
Bronk	BOROLIGH OF RESIDENCE							_				
Brooklyn 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 14 21.2 0 0.0		0	0.0	0	0.0	0 0.0	1	100.0	17	25.8	0	0.0
Queens 0 0.0 0 0.0 0 0.0 0 0.0 12 18.2 0 0.0 Staten Island 0 0.0 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.0</td></td<>												0.0
Queens 0 0.0 0 0.0 0 0.0 0 0.0 12 18.2 0 0.0 Staten Island 0 0.0 <td< td=""><td></td><td>_</td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.0</td></td<>		_		_								0.0
Staten Island		_							12			0.0
Outside NYC Unknown 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0		_										0.0
Unknown		J										0.0
Low poverty (<10% below FPL) 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0		_							8			0.0
Low poverty (<10% below FPL) 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0	AREA RASED BOVERTY LEVEL											
Medium poverty (10 to <20% below FPL)		0	0.0	0	0.0	0 00	0	0.0	1	6.1	0	0.0
High poverty (20 to <30% below FPL) 0 0.0 0 0.0 0 0.0 0 0.0 15 22.7 0 0.0 Very high poverty (≥30% below FPL) 0 0.0 0 0.0 0 0.0 1 100.0 19 28.8 0 0.0 Area-based poverty level not available 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 10 15.2 0 0.0 TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0		_										0.0
Very high poverty (≥30% below FPL) 0 0.0 0 0.0 1 100.0 19 28.8 0 0.0 Area-based poverty level not available 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 TRANSMISSION RISK Men who have sex with men (MSM) 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	High poverty (20 to <20% below FPL)											0.0
Area-based poverty level not available 0 0.0 0.0 0 0.0 0 0.0 0 0.0 10 15.2 0 0.0 TRANSMISSION RISK Men who have sex with men (MSM) 0 0.0				U								- 1
TRANSMISSION RISK Men who have sex with men (MSM) 0 0.0	Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0 0.0	1	100.0	19	28.8	0	0.0
Men who have sex with men (MSM) 0 0.0 <td>Area-based poverty level not available</td> <td>0</td> <td>0.0</td> <td>0</td> <td>0.0</td> <td>0 0.0</td> <td>0</td> <td>0.0</td> <td>10</td> <td>15.2</td> <td>0</td> <td>0.0</td>	Area-based poverty level not available	0	0.0	0	0.0	0 0.0	0	0.0	10	15.2	0	0.0
Injection drug use history (IDÙ)	TRANSMISSION RISK							_				
Injection drug use history (IDÙ)	Men who have sex with men (MSM)	0	0.0	0	0.0	0 0.0	0	0.0	0	0.0	0	0.0
MSM-IDU 0 0.0 0				0								0.0
Heterosexual contact 0 0.0 0 0 0.0 0 0 0.0 0 0.0 0		0										0.0
Transgender people with sexual contact 0 0.0 0 0 0.0 0 0 0.0 0 0<		0										0.0
Perinatal 0 0.0 0 0.0 0 0.0 1 100.0 64 97.0 0 0.0 Other 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0		0										0.0
Other 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0		0		•							-	0.0
Ulakpown		0		_								0.0
	Unknown	0	0.0	0	0.0			0.0	2	3.0	0	0.0

Table 1.4.2. Girls 0-12 Years

		HIV	DIAGN	OSES, 201	6		AIDS DIAGNOS	ES, 2016	PLWH AS 12/31/20		DEATHS,	2016
				С	oncurrent wi	ith AIDS			12/51/20	,,,,		
	Total HIV o	liagnoses	With	out AIDS	dia	agnoses						
	N	%	N	%	N	%	N	%	N	%		%
TOTAL	2	100.0	2	100.0	0	0.0	2	100.0	56	100.0	0	0.0
RACE/ETHNICITY								_				
Black	0	0.0	0	0.0	0	0.0	0	0.0	26	46.4	0	0.0
Latino/Hispanic	1	50.0	1	50.0	0	0.0	1	50.0	23	41.1	0	0.0
White	1	50.0	1	50.0	0	0.0	1	50.0	5	8.9		0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0
BOROUGH OF RESIDENCE	_											
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	14	25.0		0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	14	25.0		0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	7	12.5		0.0
Queens	1	50.0	1	50.0	0	0.0	1	50.0	4	7.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3 7	5.4	0	0.0
Outside NYC	1	50.0	1	50.0	0	0.0	1	50.0		12.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	12.5	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	5.4	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	13	23.2		0.0
High poverty (20 to <30% below FPL)	1	50.0	1	50.0	0	0.0	0	0.0	13	23.2	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	13	23.2	0	0.0
Area-based poverty level not available	1	50.0	1	50.0	0	0.0	1	50.0	14	25.0		0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	o o	0.0	ő	0.0	ő	0.0	0	0.0	ő	0.0		0.0
Transgender people with sexual contact	o o	0.0	0	0.0	ő	0.0	0	0.0	ő	0.0		0.0
Perinatal	2	100.0	2	100.0	ő	0.0	2	100.0	54	96.4	ő	0.0
Other	0	0.0	0	0.0	ő	0.0	0	0.0	0	0.0	ő	0.0
Unknown	0	0.0	0	0.0	ő	0.0	0	0.0	2	3.6		0.0

Table 1.4.3. Men 13+ Years (includes transgender men)

		HIV	DIAGNOS	SES, 2016	5		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
	Total HIV d	iagnoses %	Withou N		oncurrent wi dia N	ith AIDS agnoses %	3	%	N	%	N	%
TOTAL	1,706	100.0	1,441	84.5	265	15.5		100.0	91,870	100.0	1,312	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	632 616 306 127 6 19	37.0 36.1 17.9 7.4 0.4 1.1 0.0	517 535 268 101 4 16 0	35.9 37.1 18.6 7.0 0.3 1.1	115 81 38 26 2 3 0	43.4 30.6 14.3 9.8 0.8 1.1	351 162 43 4 8	43.9 34.7 16.0 4.2 0.4 0.8 0.0	34,964 30,147 23,539 2,387 229 358 246	38.1 32.8 25.6 2.6 0.2 0.4 0.3	578 450 253 22 4 5	44.1 34.3 19.3 1.7 0.3 0.4 0.0
AGE GROUP (YEARS)												
13-19 20-29 30-39 40-49 50-59 60+	64 693 457 274 149 69	3.8 40.6 26.8 16.1 8.7 4.0	61 629 387 197 116 51	4.2 43.7 26.9 13.7 8.0 3.5	3 64 70 77 33 18	1.1 24.2 26.4 29.1 12.5 6.8	193 251 255 194	1.2 19.1 24.8 25.2 19.2 10.6	332 8,552 14,951 19,741 28,740 19,554	0.4 9.3 16.3 21.5 31.3 21.3	0 36 82 154 463 577	0.0 2.7 6.3 11.7 35.3 44.0
BOROUGH OF RESIDENCE	_											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	331 404 366 326 55 168	19.4 23.7 21.5 19.1 3.2 9.8 3.3	263 336 316 269 45 156 56	18.3 23.3 21.9 18.7 3.1 10.8 3.9	68 68 50 57 10 12 0	25.7 25.7 18.9 21.5 3.8 4.5	201 158 26 172	20.8 22.5 19.9 15.6 2.6 17.0	18,079 19,303 26,861 13,151 1,539 11,185 1,752	19.7 21.0 29.2 14.3 1.7 12.2 1.9	316 257 209 134 35 60 301	24.1 19.6 15.9 10.2 2.7 4.6 22.9
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	144 585 420 330 227	8.4 34.3 24.6 19.3 13.3	126 493 346 262 214	8.7 34.2 24.0 18.2 14.9	18 92 74 68 13	6.8 34.7 27.9 25.7 4.9	307 228 222	5.9 30.3 22.5 21.9 19.3	9,002 31,990 19,709 17,186 13,983	9.8 34.8 21.5 18.7 15.2	73 307 259 311 362	5.6 23.4 19.7 23.7 27.6
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	1,261 16 36 76 0 0	73.9 0.9 2.1 4.5 0.0 0.0 0.0	1,109 10 32 54 0 0	77.0 0.7 2.2 3.7 0.0 0.0 0.0	152 6 4 22 0 0 0	57.4 2.3 1.5 8.3 0.0 0.0 30.6	75 31 73 0 8 0	55.8 7.4 3.1 7.2 0.0 0.8 0.0 25.7	52,366 10,093 3,373 6,163 19 1,222 115 18,519	57.0 11.0 3.7 6.7 0.0 1.3 0.1 20.2	418 354 59 114 0 6 3 358	31.9 27.0 4.5 8.7 0.0 0.5 0.2 27.3

Table 1.4.4. Women 13+ Years (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	ES, 2016	PLWH AS 12/31/20		DEATHS	, 2016
	Total HIV di	agnoses	Withou		oncurrent wi	ith AIDS agnoses						
	N	% was a second	N	%	N	% « « « « « « « « « « « « « « « « « « «	N	%	N	%	N	%
TOTAL	529	100.0	427	80.7	102	19.3	378	100.0	35,383	100.0	529	100.0
RACE/ETHNICITY												
Black	301	56.9	245	57.4	56	54.9	224	59.3	20,457	57.8	298	56.3
Latino/Hispanic	176	33.3	142	33.3	34	33.3	123	32.5	11,632	32.9	185	35.0
White	32	6.0	27	6.3	5	4.9	21	5.6	2,561	7.2	41	7.8
Asian/Pacific Islander	18	3.4	12	2.8	6	5.9	9	2.4	481	1.4	2	0.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	79	0.2	1	0.2
Multiracial	2	0.4	1	0.2	1	1.0	1	0.3	99	0.3	2	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	74	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	19	3.6	19	4.4	0	0.0	10	2.6	270	0.8	1	0.2
20-29	112	21.2	104	24.4	8	7.8	61	16.1	2,602	7.4	10	1.9
30-39	138	26.1	110	25.8	28	27.5	81	21.4	4,750	13.4	33	6.2
40-49	107	20.2	74	17.3	33	32.4	94	24.9	8,328	23.5	92	17.4
50-59	106	20.0	90 30	21.1	16	15.7	88	23.3	12,032	34.0	209	39.5
60+	47	8.9	30	7.0	17	16.7	44	11.6	7,401	20.9	184	34.8
BOROUGH OF RESIDENCE												
Bronx	158	29.9	132	30.9	26	25.5	126	33.3	11,300	31.9	160	30.2
Brooklyn	162	30.6	128	30.0	34	33.3	104	27.5	10,017	28.3	126	23.8
Manhattan	57	10.8	46	10.8	11	10.8	34	9.0	5,208	14.7	79	14.9
Queens Staten Island	73 23	13.8 4.3	54 17	12.6 4.0	19 6	18.6 5.9	49 10	13.0 2.6	4,884 834	13.8 2.4	49 15	9.3 2.8
Outside NYC	42	4.3 7.9	36	8.4	6	5.9 5.9	51	13.5	2,605	7.4	19	2.0 3.6
Unknown	14	2.6	14	3.3	0	0.0	4	1.1	535	1.5	81	15.3
				0.0		0.0	•				٥.	
AREA-BASED POVERTY LEVEL	- 10				- 10	- ,, ,	10	4.0	0.440			
Low poverty (<10% below FPL)	40	7.6	28	6.6	12	11.8	18	4.8	2,140	6.0	27	5.1
Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	151 138	28.5 26.1	120 107	28.1 25.1	31 31	30.4 30.4	105 94	27.8 24.9	10,353 9,117	29.3 25.8	109 121	20.6 22.9
									·			
Very high poverty (≥30% below FPL)	142	26.8	120	28.1	22	21.6	106	28.0	10,344	29.2	171	32.3
Area-based poverty level not available	58	11.0	52	12.2	6	5.9	55	14.6	3,429	9.7	101	19.1
TRANSMISSION RISK												
Injection drug use history (IDU)	17	3.2	15	3.5	2	2.0	27	7.1	5,489	15.5	167	31.6
Heterosexual contact	339	64.1	268	62.8	71	69.6		60.1	18,766	53.0	235	44.4
Transgender people with sexual contact	71	13.4	68	15.9	3	2.9	25	6.6	1,664	4.7	9	1.7
Perinatal	0	0.0	0	0.0	0	0.0	20	5.3	1,274	3.6	12	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	90	0.3	1	0.2
Unknown	102	19.3	76	17.8	26	25.5	79	20.9	8,100	22.9	105	19.8

Table 1.5.1. Bronx, men (includes transgender men)

	Total HIV dia		DIAGNO Withou		oncurrent wi		AIDS DIAGNOSI	ES, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
	N	agnoses %	N	LAIDS %	N N	agnoses %	N	%	N	%	N	%
TOTAL	331	100.0	263	79.5	68	20.5		100.0	18,096	100.0	316	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	147 162 11 8 2 1	44.4 48.9 3.3 2.4 0.6 0.3 0.0	107 136 11 7 2 0	40.7 51.7 4.2 2.7 0.8 0.0 0.0	40 26 0 1 0 1 0	58.8 38.2 0.0 1.5 0.0 1.5 0.0	101 101 6 2 0 2	47.6 47.6 2.8 0.9 0.0 0.9 0.0	8,119 8,725 985 152 49 42 24	44.9 48.2 5.4 0.8 0.3 0.2 0.1	140 161 13 1 0 1	44.3 50.9 4.1 0.3 0.0 0.3 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 12 133 77 61 37	0.0 3.6 40.2 23.3 18.4 11.2 3.3	0 11 117 55 40 31 9	0.0 4.2 44.5 20.9 15.2 11.8 3.4	0 1 16 22 21 6 2	0.0 1.5 23.5 32.4 30.9 8.8 2.9	1 3 38 58 52 36 24	0.5 1.4 17.9 27.4 24.5 17.0 11.3	17 88 1,845 2,764 3,670 5,839 3,873	0.1 0.5 10.2 15.3 20.3 32.3 21.4	0 0 6 17 36 123 134	0.0 0.0 1.9 5.4 11.4 38.9 42.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	0 61 37 233	0.0 18.4 11.2	0 47 34	0.0 17.9 12.9	0 14 3	0.0 20.6 4.4 75.0	0 40 21 151	0.0 18.9 9.9 71.2	25 3,276 1,882	0.1 18.1 10.4 70.8	0 57 24 235	0.0 18.0 7.6
Very high poverty (≥30% below FPL) Area-based poverty level not available	233	70.4 0.0	182 0	69.2 0.0	51 0	0.0	0	0.0	12,811 102	0.6	235	74.4 0.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	197 8 6 26 0 0	59.5 2.4 1.8 7.9 0.0 0.0	168 4 6 18 0 0	63.9 1.5 2.3 6.8 0.0 0.0	29 4 0 8 0 0	42.6 5.9 0.0 11.8 0.0 0.0	84 20 5 20 0 2	39.6 9.4 2.4 9.4 0.0 0.9 0.0	7,207 3,213 840 1,724 10 412 21	39.8 17.8 4.6 9.5 0.1 2.3 0.1	48 124 13 31 0 2	15.2 39.2 4.1 9.8 0.0 0.6 0.3
Unknown	94	28.4	67	25.5	27	39.7	81	38.2	4,669	25.8	97	30.7

Table 1.5.2. Bronx, women (includes transgender women)

		HIV		OSES, 20	16		AIDS DIAGNOS	ES, 2016	PLWH AS 12/31/20		DEATHS	, 2016
					oncurrent w	vith AIDS						
		V diagnoses		ut AIDS		iagnoses						
		N %	N	%	N	%	N	%	N	%	N	%
TOTAL	15	8 100.0	132	83.5	26	16.5	126	100.0	11,314	100.0	160	100.0
RACE/ETHNICITY	_											
Black		7 55.1	71	53.8	16	61.5	62	49.2	5,820	51.4	79	49.4
Latino/Hispanic		9 43.7	59	44.7	10	38.5	59	46.8	5,036	44.5	71	44.4
White		2 1.3	2	1.5	0	0.0	3	2.4	356	3.1	9	5.6
Asian/Pacific Islander		0.0	0	0.0	0	0.0	2	1.6	43	0.4	0	0.0
Native American		0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
Multiracial		0.0	0	0.0	0	0.0	0	0.0	19	0.2	1	0.6
Unknown		0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
AGE GROUP (YEARS)	_											
0-12		0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19		0 6.3	10	7.6	0	0.0	4	3.2	81	0.7	0	0.0
20-29	3	2 20.3	29	22.0	3	11.5	24	19.0	809	7.2	2	1.3
30-39	3	4 21.5	24	18.2	10	38.5	28	22.2	1,580	14.0	6	3.8
40-49	3	2 20.3	26	19.7	6	23.1	26	20.6	2,757	24.4	31	19.4
50-59	3	7 23.4	33	25.0	4	15.4	28	22.2	3,886	34.3	71	44.4
60+	1	3 8.2	10	7.6	3	11.5	16	12.7	2,187	19.3	50	31.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)		0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Medium poverty (10 to <20% below FPL)		7 17.1	20	15.2	7	26.9	27	21.4	2,084	18.4	33	20.6
High poverty (20 to <30% below FPL)	2	1 13.3	16	12.1	5	19.2	10	7.9	1,216	10.7	11	6.9
Very high poverty (≥30% below FPL)	11	0 69.6	96	72.7	14	53.8	89	70.6	7,963	70.4	116	72.5
1												
Area-based poverty level not available		0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)		4 2.5	4	3.0	0	0.0	11	8.7	1,971	17.4	55	34.4
Heterosexual contact	11		95	72.0	22	84.6	83	65.9	5,976	52.8	74	46.3
Transgender people with sexual contact		0 12.7	19	14.4	1	3.8	6	4.8	470	4.2	1	0.6
Perinatal		0.0	0	0.0	0	0.0	11	8.7	426	3.8	3	1.9
Other		0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
Unknown	1	7 10.8	14	10.6	3	11.5	15	11.9	2,453	21.7	27	16.9

Table 1.5.3. Brooklyn, men (includes transgender men)

	HIV		DIAGNO	OSES, 20 ²	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
	Total IIIV di		14/:4/		oncurrent w							
	Total HIV di	agnoses %	Withou N	K AIDS %	N an	agnoses %	N	%	N	%	N	%
TOTAL	404	100.0	336	83.2	68	16.8	228	100.0	19,317	100.0	257	100.0
RACE/ETHNICITY	_											
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	226 81 64 27 1 5	55.9 20.0 15.8 6.7 0.2 1.2 0.0	192 67 51 21 0 5	57.1 19.9 15.2 6.3 0.0 1.5 0.0	34 14 13 6 1 0	50.0 20.6 19.1 8.8 1.5 0.0 0.0	130 58 29 10 1 0	57.0 25.4 12.7 4.4 0.4 0.0 0.0	10,759 4,802 3,229 399 47 58 23	55.7 24.9 16.7 2.1 0.2 0.3 0.1	152 70 33 2 0 0	59.1 27.2 12.8 0.8 0.0 0.0
AGE GROUP (YEARS)								_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 21 177 105 48 37 16	0.0 5.2 43.8 26.0 11.9 9.2 4.0	0 21 157 90 32 25 11	0.0 6.3 46.7 26.8 9.5 7.4 3.3	0 0 20 15 16 12 5	0.0 0.0 29.4 22.1 23.5 17.6 7.4	0 3 43 52 53 46 31	0.0 1.3 18.9 22.8 23.2 20.2 13.6	14 89 1,936 3,395 4,127 5,651 4,105	0.1 0.5 10.0 17.6 21.4 29.3 21.3	0 0 8 21 22 90 116	0.0 0.0 3.1 8.2 8.6 35.0 45.1
AREA-BASED POVERTY LEVEL		0.0		0.4		0.0		0.0	000	0.5		0.0
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	8 146 197 53 0	2.0 36.1 48.8 13.1 0.0	8 123 162 43 0	2.4 36.6 48.2 12.8 0.0	0 23 35 10 0	0.0 33.8 51.5 14.7 0.0	6 85 101 35 1	2.6 37.3 44.3 15.4 0.4	683 8,059 8,120 2,297 158	3.5 41.7 42.0 11.9 0.8	6 87 124 40 0	2.3 33.9 48.2 15.6 0.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	287 6 5 16 0 0	71.0 1.5 1.2 4.0 0.0 0.0 0.0 22.3	249 5 4 11 0 0 0	74.1 1.5 1.2 3.3 0.0 0.0 0.0	38 1 1 5 0 0 0 23	55.9 1.5 1.5 7.4 0.0 0.0 0.0 33.8	110 26 5 18 0 4 0 65	48.2 11.4 2.2 7.9 0.0 1.8 0.0 28.5	9,887 2,311 635 1,613 3 326 23 4,519	51.2 12.0 3.3 8.4 0.0 1.7 0.1 23.4	73 64 14 26 0 0 0	28.4 24.9 5.4 10.1 0.0 0.0 31.1

Table 1.5.4. Brooklyn, women (includes transgender women)

		HIV		OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
					oncurrent w	ith AIDS						
	Total HIV of					agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	162	100.0	128	79.0	34	21.0	104	100.0	10,031	100.0	126	100.0
RACE/ETHNICITY						_						
Black	122	75.3	98	76.6	24	70.6	80	76.9	6,987	69.7	82	65.1
Latino/Hispanic	25	15.4	19	14.8	6	17.6	15	14.4	2,324	23.2	38	30.2
White	8	4.9	5	3.9	3	8.8	8	7.7	540	5.4	6	4.8
Asian/Pacific Islander	6	3.7	5	3.9	1	2.9	1	1.0	108	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	28	0.3	0	0.0
Multiracial	1	0.6	1	0.8	0	0.0	0	0.0	23	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	5	3.1	5	3.9	0	0.0	2	1.9	66	0.7	0	0.0
20-29	32	19.8	30	23.4	2	5.9	15	14.4	676	6.7	5	4.0
30-39	44	27.2	33	25.8	11	32.4	19	18.3	1,352	13.5	13	10.3
40-49	25	15.4	17	13.3	8	23.5	26	25.0	2,349	23.4	20	15.9
50-59	40	24.7	33	25.8	7	20.6	26	25.0	3,336	33.3	44	34.9
60+	16	9.9	10	7.8	6	17.6	16	15.4	2,238	22.3	44	34.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	3.1	5	3.9	0	0.0	0	0.0	328	3.3	3	2.4
Medium poverty (10 to <20% below FPL)	64	39.5	52	40.6	12	35.3	41	39.4	3.798	37.9	43	34.1
High poverty (20 to <30% below FPL)	68	42.0	53	41.4	15	44.1	49	47.1	4,353	43.4	49	38.9
1					7	20.6			· ·		31	
Very high poverty (≥30% below FPL)	25	15.4	18	14.1	-		14	13.5	1,488	14.8		24.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	64	0.6	0	0.0
TRANSMISSION RISK	_											
Injection drug use history (IDU)	7	4.3	6	4.7	1	2.9	10	9.6	1,410	14.1	36	28.6
Heterosexual contact	100	61.7	79	61.7	21	61.8	56	53.8	5,522	55.0	54	42.9
Transgender people with sexual contact	15	9.3	14	10.9	1	2.9	3	2.9	351	3.5	6	4.8
Perinatal	0	0.0	0	0.0	0	0.0	3	2.9	351	3.5	6	4.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.2	0	0.0
Unknown	40	24.7	29	22.7	11	32.4	32	30.8	2,372	23.6	24	19.0

Table 1.5.5. Manhattan, men (includes transgender men)

	Total HIV dia		DIAGNO Withou		Concurrent wi	-	AIDS DIAGNOSE	ES, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
	N	% agrioses	N	(AIDS %	N N	agnoses %	N	%	N	%	N	%
TOTAL	366	100.0	316	86.3	50	13.7	201	100.0	26,873	100.0	209	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	92 130 113 25 1 5	25.1 35.5 30.9 6.8 0.3 1.4 0.0	69 120 100 22 1 4	21.8 38.0 31.6 7.0 0.3 1.3 0.0	23 10 13 3 0 1	46.0 20.0 26.0 6.0 0.0 2.0 0.0	75 62 56 7 0 1	37.3 30.8 27.9 3.5 0.0 0.5	7,037 7,485 11,345 713 53 96 144	26.2 27.9 42.2 2.7 0.2 0.4 0.5	68 68 66 4 3 0	32.5 32.5 31.6 1.9 1.4 0.0 0.0
AGE GROUP (YEARS)								0.0				
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 11 132 115 64 27 17	0.0 3.0 36.1 31.4 17.5 7.4 4.6	0 9 124 99 48 22 14	0.0 2.8 39.2 31.3 15.2 7.0 4.4	0 2 8 16 16 5 3	0.0 4.0 16.0 32.0 32.0 10.0 6.0	0 1 26 54 53 50 17	0.0 0.5 12.9 26.9 26.4 24.9 8.5	12 37 1,617 4,008 5,986 8,838 6,375	0.0 0.1 6.0 14.9 22.3 32.9 23.7	0 7 12 15 71 104	0.0 0.0 3.3 5.7 7.2 34.0 49.8
AREA-BASED POVERTY LEVEL		45.0	- 10	4		40.0	^=	10.1	5.040	24.0		10.0
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	58 136 126	15.8 37.2 34.4	49 127 101	15.5 40.2 32.0	9 9 25 7	18.0 18.0 50.0	27 62 70	13.4 30.8 34.8	5,816 10,672 7,649	21.6 39.7 28.5	34 73 65	16.3 34.9 31.1
Very high poverty (≥30% below FPL) Area-based poverty level not available	44	12.0 0.5	37 2	11.7 0.6	0	14.0 0.0	37 5	18.4 2.5	2,097 639	7.8 2.4	36 1	17.2 0.5
TRANSMISSION RISK								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	301 1 10 8 0 0	82.2 0.3 2.7 2.2 0.0 0.0 0.0	266 1 8 6 0 0	84.2 0.3 2.5 1.9 0.0 0.0	35 0 2 2 0 0	70.0 0.0 4.0 4.0 0.0 0.0	132 9 9 9 0 1	65.7 4.5 4.5 4.5 0.0 0.5 0.0	18,550 2,095 963 952 2 194 18	69.0 7.8 3.6 3.5 0.0 0.7 0.1	102 48 9 14 0 0	48.8 23.0 4.3 6.7 0.0 0.0 0.0
Unknown	46	12.6	35	11.1	11	22.0	41	20.4	4,099	15.3	36	17.2

Table 1.5.6. Manhattan, women (includes transgender women)

		HIV	DIAGNO	OSES, 20	16		AIDS DIAGNOSE	ES, 2016	PLWH A: 12/31/2		DEATHS	5, 2016
					Concurrent wit							
	Total HIV o		Withou			agnoses	N	%	N	0/	N	0/
TOTAL	N 57	% 100.0	N 46	% 80.7	N 11	% 19.3		100.0	5,215	% 100.0	79	% 100.0
TOTAL	31	100.0	70	00.7		13.3	34	100.0	3,213	100.0	13	100.0
RACE/ETHNICITY												
Black	25	43.9	22	47.8	3	27.3	18	52.9	2,844	54.5	40	50.6
Latino/Hispanic	25	43.9	17	37.0	8	72.7	15	44.1	1,755	33.7	30	38.0
White	7	12.3	7	15.2	0	0.0	1	2.9	511	9.8	8	10.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0		0.0	64	1.2	1	1.3
Native American	0	0.0	0	0.0	0	0.0		0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0		0.0	13	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	2	3.5	2	4.3	Ō	0.0		0.0	34	0.7	Ō	0.0
20-29	19	33.3	16	34.8	3	27.3	7	20.6	365	7.0	1	1.3
30-39	11	19.3	10	21.7	1	9.1	7	20.6	560	10.7	3	3.8
40-49	12	21.1	7	15.2	5	45.5	11	32.4	1,122	21.5	16	20.3
50-59	5	8.8	5	10.9	0	0.0	4	11.8	1,860	35.7	29	36.7
60+	8	14.0	6	13.0	2	18.2	5	14.7	1,267	24.3	30	38.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	21.1	10	21.7	2	18.2	4	11.8	550	10.5	8	10.1
Medium poverty (10 to <20% below FPL)	13	22.8	9	19.6	4	36.4	8	23.5	1,213	23.3	11	13.9
High poverty (20 to <30% below FPL)	24	42.1	20	43.5	4	36.4	19	55.9	2,431	46.6	36	45.6
,							-		1			1
Very high poverty (≥30% below FPL)	7	12.3	6	13.0	1	9.1	3	8.8	906	17.4	24	30.4
Area-based poverty level not available	1	1.8	1	2.2	0	0.0	0	0.0	115	2.2	0	0.0
TRANSMISSION RISK								_				
Injection drug use history (IDU)	2	3.5	2	4.3	0	0.0	2	5.9	1,000	19.2	23	29.1
Heterosexual contact	35	61.4	27	58.7	8	72.7	23	67.6	2,439	46.8	35	44.3
Transgender people with sexual contact	10	17.5	9	19.6	1	9.1	3	8.8	298	5.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	188	3.6	1	1.3
Other	0	0.0	0	0.0	0	0.0	Ō	0.0	15	0.3	1	1.3
Unknown	10	17.5	8	17.4	2	18.2		17.6	1,275	24.4	19	24.1

Table 1.5.7. Queens, men (includes transgender men)

	Total HIV diagnoses		DIAGNO Withou		oncurrent w	-	AIDS DIAGNOS	ES, 2016	PLWH AS 12/31/20		DEATHS	, 2016
	N	agnoses %	N	l AIDS %	N N	agnoses %	N	%	N	%	N	%
TOTAL	326	100.0	269	82.5	57	17.5		100.0	13,163	100.0	134	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	70 159 41 55 1 0	21.5 48.8 12.6 16.9 0.3 0.0	60 135 34 40 0 0	22.3 50.2 12.6 14.9 0.0 0.0	10 24 7 15 1 0	17.5 42.1 12.3 26.3 1.8 0.0	48 70 18 20 2 0	30.4 44.3 11.4 12.7 1.3 0.0 0.0	4,265 5,567 2,444 769 48 41 29	32.4 42.3 18.6 5.8 0.4 0.3 0.2	54 49 20 11 0 0	40.3 36.6 14.9 8.2 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 6 120 95 64 29	0.0 1.8 36.8 29.1 19.6 8.9 3.7	0 6 106 82 46 23 6	0.0 2.2 39.4 30.5 17.1 8.6 2.2	0 0 14 13 18 6 6	0.0 0.0 24.6 22.8 31.6 10.5	0 0 30 41 45 24 18	0.0 0.0 19.0 25.9 28.5 15.2 11.4	12 35 1,075 2,200 3,157 4,195 2,489	0.1 0.3 8.2 16.7 24.0 31.9 18.9	0 0 3 6 27 49 49	0.0 0.0 2.2 4.5 20.1 36.6 36.6
AREA-BASED POVERTY LEVEL		40.0	- 10			40.0	22	40.0	0.040	45.0	0.5	40.
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	53 232 41 0 0	16.3 71.2 12.6 0.0 0.0	46 189 34 0 0	17.1 70.3 12.6 0.0 0.0	7 43 7 0 0	12.3 75.4 12.3 0.0 0.0	22 114 22 0 0	13.9 72.2 13.9 0.0 0.0	2,048 9,677 1,303 0 135	15.6 73.5 9.9 0.0 1.0	25 83 26 0	18.7 61.9 19.4 0.0 0.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	254 0 5 19 0 0 0	77.9 0.0 1.5 5.8 0.0 0.0 0.0	218 0 4 14 0 0 0	81.0 0.0 1.5 5.2 0.0 0.0 0.0	36 0 1 5 0 0	63.2 0.0 1.8 8.8 0.0 0.0 0.0 26.3	97 6 2 15 0 0 0	61.4 3.8 1.3 9.5 0.0 0.0 0.0 24.1	7,215 1,417 404 1,131 0 187 22 2,787	54.8 10.8 3.1 8.6 0.0 1.4 0.2 21.2	45 28 7 16 0 0 1 37	33.6 20.9 5.2 11.9 0.0 0.0 0.7 27.6

Table 1.5.8. Queens, women (includes transgender women)

		HIV	DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
					oncurrent with	-						
	Total HIV d			ıt AIDS		noses		0/	N.	0/	N.I.	0/
TOTAL	N 74	% 100.0	N 55	% 74.3	N 19	% 25.7	N 50	% 100.0	N 4,888	% 100.0	N 49	% 100.0
		100.0		1					.,		•••	
RACE/ETHNICITY												
Black	27	36.5	21	38.2	6	31.6		44.0	2,728	55.8	31	63.3
Latino/Hispanic	32	43.2	25	45.5	7	36.8		36.0	1,493	30.5	7	14.3
White	2	2.7	2	3.6	0	0.0	3	6.0	428	8.8	8	16.3
Asian/Pacific Islander	12	16.2	7	12.7	5	26.3		12.0	197	4.0	1	2.0
Native American	0	0.0	0	0.0	0	0.0		0.0	11	0.2	1	2.0
Multiracial	1	1.4	0	0.0	1	5.3		2.0	17	0.3	1	2.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)								_				
0-12	1	1.4	1	1.8	0	0.0	1	2.0	4	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	37	0.8	1	2.0
20-29	9	12.2	9	16.4	0	0.0		6.0	322	6.6	0	0.0
30-39	25	33.8	22	40.0	3	15.8	15	30.0	630	12.9	3	6.1
40-49	22	29.7	13	23.6	9	47.4	15	30.0	1,181	24.2	8	16.3
50-59	13	17.6	9	16.4	4	21.1	13	26.0	1,684	34.5	18	36.7
60+	4	5.4	1	1.8	3	15.8		6.0	1,030	21.1	19	38.8
AREA DAGED BOVERTVI EVEL												
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL)	12	17.6	7	12.7	6	31.6	10	20.0	1,053	21.5	13	26.5
Medium poverty (10 to <20% below FPL)	13 42	56.8	34	61.8	8	42.1	30	60.0	3,072	62.8	20	40.8
High poverty (20 to <30% below FPL)	18	24.3	13	23.6	5	26.3		20.0	3,072 691	14.1	20 15	30.6
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.4	1	1.8	0	0.0	0	0.0	72	1.5	1	2.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	2.7	1	1.8	1	5.3	3	6.0	633	13.0	17	34.7
Heterosexual contact	44	59.5	32	58.2	12	63.2		58.0	2,800	57.3	21	42.9
Transgender people with sexual contact	11	14.9	11	20.0	0	0.0		10.0	216	4.4	0	0.0
Perinatal	1	1.4	1	1.8	Ö	0.0		2.0	181	3.7	1	2.0
Other	Ö	0.0	Ó	0.0	Ö	0.0	0	0.0	18	0.4	Ö	0.0
Unknown	16	21.6	10	18.2	6	31.6		24.0	1.040	21.3	10	20.4
O THE OWN TO SEE THE	- 10	21.0	- 10	10.2	,	01.0	12	2-7.0	1,0-10	21.0	- 10	20.7

Table 1.5.9. Staten Island, men (includes transgender men)

					Concurrent with		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
	Total HIV di		Withou			gnoses		24		0.4		0.1
TOTAL	N 55	% 100.0	N 45	% 81.8	N 10	% 18.2	N 26	% 100.0	N 1,540	% 100.0	N 35	% 100.0
IOIAL	33	100.0	40	01.0	10	10.2	20	100.0	1,540	100.0	33	100.0
RACE/ETHNICITY												
Black	21	38.2	16	35.6	5	50.0	15	57.7	545	35.4	15	42.9
Latino/Hispanic	15	27.3	13	28.9	2	20.0	6	23.1	440	28.6	10	28.6
White	16	29.1	13	28.9	3	30.0	5	19.2	515	33.4	9	25.7 0.0
Asian/Pacific Islander	1	1.8	1	2.2	0	0.0	0	0.0	22	1.4	0	0.0
Other/Unknown	2	3.6	2	4.4	0	0.0	0	0.0	18	1.2	1	2.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	3.6	2	4.4	0	0.0	0	0.0	5	0.3	0	0.0 8.6
20-29	21	38.2	19	42.2	2	20.0	7	26.9	131	8.5	3	8.6
30-39	12	21.8	12	26.7	0	0.0	2	7.7	209	13.6	1	2.9
40-49	9	16.4	6	13.3	3	30.0	4	15.4	303	19.7	4	11.4
50-59	5	9.1	2	4.4	3	30.0	10	38.5	550	35.7	10	28.6
60+	6	10.9	4	8.9	2	20.0	3	11.5	341	22.1	17	48.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	25	45.5	23	51.1	2	20.0	5	19.2	434	28.2	8	22.9
Medium poverty (10 to <20% below FPL)	10	18.2	7	15.6	3	30.0	6	23.1	324	21.0	7	20.0
High poverty (20 to <30% below FPL)	19	34.5	15	33.3	4	40.0	14	53.8	770	50.0	20	57.1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.8	0	0.0	1	10.0	1	3.8	12	0.8	0	0.0
The based perenty level her aramable	·	1.0		0.0	· ·	10.0		0.0		0.0	· ·	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	70.9	35	77.8	4	40.0	13	50.0	672	43.6	8	22.9
Injection drug use history (IDU)	1	1.8	0	0.0	1	10.0	2	7.7	258	16.8	14	40.0
MSM-IDU	2	3.6	2	4.4	0	0.0	0	0.0	72	4.7	1	2.9
Heterosexual contact	3	5.5	1	2.2	2	20.0	4	15.4	142	9.2	3	8.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	U	0.0	0	0.0	0	0.0 0.0
Perinatal Other	0	0.0	0	0.0	0	0.0	U	0.0 0.0	34 0	2.2 0.0	0	0.0
Unknown	0 10	0.0 18.2	0	0.0 15.6	0	0.0		26.9	362	23.5	0 9	0.0 25.7
UTIKTOWIT	10	18.2		13.0	3	30.0	1	26.9	302	23.5	9	25.7

Table 1.5.10. Staten Island, women (includes transgender women)

	HIV		DIAGNO	OSES, 20	16	AIDS DIAG	NOSES, 2016	PLWH A 12/31/2		DEATHS	, 2016
	Total HIV di	iagnoses %	Withou N	ıt AIDS %	concurrent with Al diagno N	ses	N %	N	%	N	%
TOTAL	23	100.0	17	73.9	6 2	6.1 1	0 100.0	837	100.0	15	100.0
RACE/ETHNICITY											
Black	13	56.5	10	58.8	3 5	0.0	6 60.0	401	47.9	7	46.7
Latino/Hispanic	6	26.1	3	17.6		0.0	4 40.0	240	28.7	7	46.7
White	4	17.4	4	23.5		0.0	0.0	184	22.0	1	6.7
Asian/Pacific Islander	0	0.0	0	0.0		0.0	0.0	5	0.6	0	0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0.0	7	0.8	0	0.0
AGE GROUP (YEARS)	_										
0-12	0	0.0	0	0.0	0	0.0	0.0	3	0.4	0	0.0
13-19	0	0.0	0	0.0		0.0	0.0	10	1.2	0	0.0
20-29	4	17.4	4	23.5		0.0	1 10.0	41	4.9	0	0.0
30-39	6	26.1	4	23.5		3.3	2 20.0	115	13.7	0	0.0
40-49	8	34.8	6	35.3		3.3	3 30.0	195	23.3	2	13.3
50-59	4	17.4	3	17.6		6.7	3 30.0	316	37.8	9	60.0
60+	1	4.3	0	0.0	1 1	6.7	1 10.0	157	18.8	4	26.7
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	10	43.5	6	35.3			4 40.0	197	23.5	3	20.0
Medium poverty (10 to <20% below FPL)	5	21.7	5	29.4		0.0	0.0	199	23.8	2	13.3
High poverty (20 to <30% below FPL)	8	34.8	6	35.3	2 3	3.3	6 60.0	439	52.4	10	66.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0			0.0	2	0.2	0	0.0
TRANSMISSION RISK											
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0.0	132	15.8	11	73.3
Heterosexual contact	17	73.9	12	70.6		3.3	7 70.0	467	55.8	3	20.0
Transgender people with sexual contact	2	8.7	2	11.8		0.0	0.0	25	3.0	0	0.0
Perinatal	0	0.0	0	0.0		0.0	0.0	34	4.1	0	0.0
Other	Ö	0.0	ő	0.0		0.0	0.0	4	0.5	Ő	0.0
Unknown	4	17.4	3	17.6			3 30.0	175	20.9	1	6.7

Table 1.6.1. Men who have sex with men (MSM)

			DIAGNOS	SES, 201	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	5, 2016
					oncurrent w							
	Total HIV di	agnoses %	Withou N	t AIDS %	dia N	agnoses %	N	%	N	%	N	%
TOTAL	1,261	100.0	1,109	87.9	152	12.1	565	100.0	52,366	100.0	418	100.0
RACE/ETHNICITY												
Black	419	33.2	363	32.7	56	36.8	227	40.2	16,171	30.9	145	34.7
Latino/Hispanic	473	37.5	426	38.4	47	30.9		33.5	15,885	30.3	109	26.1
White	251	19.9	225	20.3	26	17.1	111	19.6	18,275	34.9	149	35.6
Asian/Pacific Islander	96	7.6	78	7.0	18	11.8	29	5.1	1.604	3.1	12	2.9
Native American	5	0.4	3	0.3	2	1.3	4	0.7	129	0.2	1	0.2 0.5 0.0
Multiracial	17	1.3	14	1.3	3	2.0	5	0.9	272	0.5	2	0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	30	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	57	4.5	56	5.0	1	0.7		0.9	125	0.2	0	0.0
20-29	596	47.3	547	49.3	49	32.2	152	26.9	6,726	12.8	23	5.5
30-39	337	26.7	294	26.5	43	28.3		28.8	11,651	22.2	48	11.5
40-49	172	13.6	130	11.7	42	27.6	139	24.6	12,409	23.7	61	14.6
50-59	72	5.7	59	5.3	13	8.6		13.3	14,077	26.9	147	35.2
60+	27	2.1	23	2.1	4	2.6	31	5.5	7,378	14.1	139	33.3
BOROUGH OF RESIDENCE												
Bronx	197	15.6	168	15.1	29	19.1	84	14.9	7,207	13.8	48	11.5
Brooklyn	287	22.8	249	22.5	38	25.0	110	19.5	9,887	18.9	73	17.5
Manhattan	301	23.9	266	24.0	35	23.0	132	23.4	18,550	35.4	102	24.4
Queens	254	20.1	218	19.7	36	23.7	97	17.2	7,215	13.8	45	10.8
Staten Island	39	3.1	35	3.2	4	2.6	13	2.3	672	1.3	8	1.9
Outside NYC	143	11.3	133	12.0	10	6.6		20.9	7,539	14.4	21	5.0
Unknown	40	3.2	40	3.6	0	0.0	11	1.9	1,296	2.5	121	28.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	110	8.7	98	8.8	12	7.9		6.7	5,973	11.4	37	8.9
Medium poverty (10 to <20% below FPL)	471	37.4	414	37.3	57	37.5		33.3	19,499	37.2	123	29.4
High poverty (20 to <30% below FPL)	298	23.6	252	22.7	46	30.3	123	21.8	10,739	20.5	63	15.1
Very high poverty (≥30% below FPL)	198	15.7	171	15.4	27	17.8	83	14.7	6,917	13.2	53	12.7
Area-based poverty level not available	184	14.6	174	15.7	10	6.6		23.5	9,238	17.6	142	34.0

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

	HIV Total HIV diagnoses		DIAGNO	OSES, 20			AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
	T		1477		oncurrent w							
	Total HIV di N	agnoses %	Withou N	it AIDS %	aı N	iagnoses ~	N	%	N	%	N	%
TOTAL	16	100.0	10	62.5	6	37.5		100.0	10,093	100.0	354	100.0
RACE/ETHNICITY												
Black	7	43.8	5	50.0	2	33.3	27	36.0	4,057	40.2	150	42.4
Latino/Hispanic	5	31.3	3	30.0	2	33.3	29	38.7	4,796	47.5	159	44.9
White	3	18.8	2	20.0	1	16.7	14	18.7	1,149	11.4	42	11.9
Asian/Pacific Islander	1	6.3	0	0.0	1	16.7	4	5.3	56	0.6	0 1	0.0
Native American Multiracial	0	0.0	0	0.0	0	0.0	0	0.0 1.3	14 16	0.1 0.2	•	0.3 0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	2 0	0.0
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	Э	0.0	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	18.8	3	30.0	0	0.0	0	0.0	28	0.3	0	0.0
30-39	6	37.5	3	30.0	3	50.0	7	9.3	235	2.3	7	2.0
40-49	0	0.0	0	0.0	0	0.0	14	18.7	1,064	10.5	24	6.8
50-59	2	12.5	1	10.0	1	16.7	26	34.7	3,827	37.9	128	36.2
60+	5	31.3	3	30.0	2	33.3	28	37.3	4,939	48.9	195	55.1
BOROUGH OF RESIDENCE												
Bronx	8	50.0	4	40.0	4	66.7	20	26.7	3,213	31.8	124	35.0
Brooklyn	6	37.5	5	50.0	1	16.7	26	34.7	2,311	22.9	64	18.1
Manhattan	1	6.3	1	10.0	0	0.0	9	12.0	2,095	20.8	48	13.6
Queens	0	0.0	0	0.0	0	0.0	6	8.0	1,417	14.0	28	7.9
Staten Island	1	6.3	0	0.0	1	16.7	2	2.7	258	2.6	14	4.0
Outside NYC	0	0.0	0	0.0	0	0.0	12	16.0	752	7.5	18	5.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	47	0.5	58	16.4
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	3	4.0	595	5.9	16	4.5
Medium poverty (10 to <20% below FPL)	3	18.8	1	10.0	2	33.3	19	25.3	2,935	29.1	66	18.6
High poverty (20 to <30% below FPL)	5	31.3	5	50.0	0	0.0	17	22.7	2,353	23.3	85	24.0
			4						*	31.5		
Very high poverty (≥30% below FPL)	8	50.0		40.0	4	66.7	23	30.7	3,183		110	31.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	13	17.3	1,027	10.2	77	21.8

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

			DIAGNO	OSES, 20	16 Concurrent with	h AIDS	AIDS DIAGNOSES, 2	2016	PLWH AS 12/31/20	_	DEATHS,	2016
	Total HIV di		Withou			gnoses						
TOTAL	N 17	% 100.0	N 15	% 88.2	N 2	% 11.8	N 27	% 100.0	N 5,489	% 100.0	N 167	% 100.0
		10010				1110			5,155	10010		
RACE/ETHNICITY		44.0		10.0					0.500	47.0		47.0
Black Latino/Hispanic	8	41.2 47.1	6 7	40.0 46.7	1 1	50.0 50.0	15	55.6 22.2	2,593 2,230	47.2 40.6	80 70	47.9 41.9
White	2	11.8	2	13.3	0	0.0	6 6	22.2	2,230 620	11.3	70 17	10.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	0	0.0
Native American	ő	0.0	Ő	0.0	ő	0.0	Õ	0.0	6	0.1	ő	0.0
Multiracial	0	0.0	Ō	0.0	0	0.0	0	0.0	16	0.3	Ö	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.9	1	6.7	0	0.0	0	0.0	2	0.0	0	0.0
20-29	2	11.8	2	13.3	0	0.0	2	7.4	54	1.0	1	0.6
30-39	3	17.6	3	20.0	0	0.0	4	14.8	271	4.9	8	4.8
40-49	4	23.5	4	26.7	0	0.0	4	14.8	941	17.1	23	13.8
50-59	5 2	29.4 11.8	4	26.7 6.7	1 1	50.0 50.0	10 7	37.0 25.9	2,484	45.3 31.6	77 58	46.1 34.7
60+	2	11.8	'	6.7	1	50.0	1	25.9	1,737	31.0	56	34.7
BOROUGH OF RESIDENCE												
Bronx	4	23.5	4	26.7	0	0.0	11	40.7	1,971	35.9	55	32.9
Brooklyn Manhattan	7	41.2 11.8	6	40.0 13.3	1	50.0	10	37.0 7.4	1,410	25.7 18.2	36	21.6
Queens	2 2	11.8	2	6.7	0	0.0 50.0	2 3	11.1	1,000 633	11.5	23 17	13.8 10.2
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	132	2.4	11	6.6
Outside NYC	2	11.8	2	13.3	ő	0.0	0	0.0	323	5.9	4	2.4
Unknown	0	0.0	0	0.0	0	0.0	1	3.7	20	0.4	21	12.6
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	1	5.9	1	6.7	0	0.0	1	3.7	282	5.1	8	4.8
Medium poverty (10 to <20% below FPL)	3	17.6	2	13.3	1	50.0	8	29.6	1,430	26.1	32	19.2
High poverty (20 to <30% below FPL)	7	41.2	6	40.0	1	50.0	4	14.8	1,477	26.9	44	26.3
Very high poverty (≥30% below FPL)	4	23.5	4	26.7	0	0.0	13	48.1	1,895	34.5	58	34.7
Area-based poverty level not available	2	11.8	2	13.3	0	0.0		3.7	405	7.4	25	15.0
nica basea pereity level flot available		11.0		10.0		0.0	1	5.1	+00	7.4		10.0

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

		HIV	DIAGNO	SES, 20)16		AIDS DIAGNOSES, 201	6	PLWH AS 12/31/20		DEATHS	, 2016
	Total HIV di		Withou	t AIDS	Concurrent with A diagn	oses						
TOTAL	N 36	% 100.0	N 32	% 88.9	N 4	% 11.1	N 31 100	%	N 2.272	% 100.0	N 59	% 100.0
IOTAL	36	100.0	32	66.9	4	11.1	31 100).U	3,373	100.0	29	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	9 14 11 1 0 1	25.0 38.9 30.6 2.8 0.0 2.8	8 12 10 1 0	25.0 37.5 31.3 3.1 0.0 3.1	2	25.0 50.0 25.0 0.0 0.0 0.0	17 54 6 19 0 0	5.8 1.8 9.4 9.0 9.0 9.0	1,182 1,285 831 46 10 19	35.0 38.1 24.6 1.4 0.3 0.6	29 20 9 0 1	49.2 33.9 15.3 0.0 1.7 0.0
AGE GROUP (YEARS)								_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 16 11 6 2	0.0 0.0 44.4 30.6 16.7 5.6 2.8	0 0 14 10 5 2	0.0 0.0 43.8 31.3 15.6 6.3 3.1	1	0.0 0.0 50.0 25.0 25.0 0.0	0 0 10 32 11 35 6 19 3 9	0.0 0.0 2.3 5.5 0.4 0.7 3.2	0 3 257 565 765 1,122 661	0.0 0.1 7.6 16.8 22.7 33.3 19.6	0 0 1 5 8 23 22	0.0 0.0 1.7 8.5 13.6 39.0 37.3
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	6 5 10 5 2 6 2	16.7 13.9 27.8 13.9 5.6 16.7 5.6	6 4 8 4 2 6 2	18.8 12.5 25.0 12.5 6.3 18.8 6.3	0 1 2 1 0 0	0.0 25.0 50.0 25.0 0.0 0.0	5 16 9 29 2 6 0 0	6.1 6.1 9.0 6.5 9.0 9.0	840 635 963 404 72 426 33	24.9 18.8 28.6 12.0 2.1 12.6 1.0	13 14 9 7 1 2 13	22.0 23.7 15.3 11.9 1.7 3.4 22.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	2 11 9 6	5.6 30.6 25.0 16.7	2 10 7 5	6.3 31.3 21.9 15.6	2 1	0.0 25.0 50.0 25.0	5 16 7 22 7 22	5.5 5.1 2.6 2.6	267 1,076 729 817	7.9 31.9 21.6 24.2	0 15 15 14	0.0 25.4 25.4 23.7
Area-based poverty level not available	8	22.2	8	25.0	0	0.0	10 32	2.3	484	14.3	15	25.4

Table 1.6.5. Heterosexual contact, men

			DIAGNO	OSES, 20			AIDS DIAGNOSES, 20	16	PLWH AS 12/31/20		DEATHS	, 2016
	Total HIV di		Withou	it AIDS		noses		0/		04	N.	0/
TOTAL	N 76	% 100.0	N 54	% 71.1	N 22	% 28.9	N 73 1	% 00.0	N 6,163	% 100.0	N 114	% 100.0
RACE/ETHNICITY												
Black	39	51.3	25	46.3	14	63.6	38	52.1	3,339	54.2	72	63.2
Latino/Hispanic	30	39.5	23	42.6	7	31.8		43.8	2,088	33.9	34	29.8
White	3	3.9	2	3.7	1	4.5		4.1	516	8.4	5	4.4
Asian/Pacific Islander	3	3.9	3	5.6	0	0.0	0	0.0	185	3.0	3	2.6
Native American	1	1.3	1	1.9	0	0.0		0.0	20	0.3	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0		0.0	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	1	1.3	. 1	1.9	0	0.0		0.0	4	0.1	0	0.0
20-29	12	15.8	12	22.2	0	0.0	2	2.7	121	2.0	0	0.0
30-39 40-49	15 23	19.7 30.3	12 11	22.2 20.4	3 12	13.6 54.5		21.9 32.9	513 1.475	8.3 23.9	3 18	2.6 15.8
50-59	20	26.3	17	31.5	3	13.6		32.9 24.7	2,514	40.8	36	31.6
60+	5	6.6	17	1.9	4	18.2		17.8	1,536	24.9	57	50.0
		0.0		1.0	7	10.2	10	17.0	1,000	24.0	01	00.0
BOROUGH OF RESIDENCE												
Bronx	26	34.2	18	33.3	8 5	36.4		27.4	1,724	28.0	31	27.2
Brooklyn Manhattan	16	21.1	11	20.4	5	22.7		24.7	1,613	26.2	26	22.8
Queens	8 19	10.5 25.0	6 14	11.1 25.9	2 5	9.1 22.7		12.3 20.5	952 1,131	15.4 18.4	14 16	12.3 14.0
Staten Island	3	3.9	14	1.9	2	9.1	4	5.5	1,131	2.3	3	2.6
Outside NYC	2	2.6	2	3.7	0	0.0	•	8.2	557	9.0	4	3.5
Unknown	2	2.6	2	3.7	Ő	0.0		1.4	44	0.7	20	17.5
AREA-BASED POVERTY LEVEL				7.4		4 -		0.7	440			
Low poverty (<10% below FPL)	5	6.6	4	7.4	1	4.5		2.7 27.4	416	6.7	3	2.6
Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	20 20	26.3 26.3	14 14	25.9 25.9	6 6	27.3 27.3		27.4 23.3	1,977 1,521	32.1 24.7	16 32	14.0 28.1
1 - 1									1			
Very high poverty (≥30% below FPL)	27	35.5	18	33.3	9	40.9		37.0	1,616	26.2	39	34.2
Area-based poverty level not available	4	5.3	4	7.4	0	0.0	7	9.6	633	10.3	24	21.1

Table 1.6.6. Heterosexual contact, women

		HIV	DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
				С	oncurrent w	ith AIDS			12/01/20			
	Total HIV dia	agnoses	Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	339	100.0	268	79.1	71	20.9	227	100.0	18,766	100.0	235	100.0
RACE/ETHNICITY												
Black	186	54.9	150	56.0	36	50.7	132	58.1	11,116	59.2	141	60.0
Latino/Hispanic	118	34.8	91	34.0	27	38.0	82	36.1	6,053	32.3	77	32.8
White	20	5.9	17	6.3	3	4.2	5	2.2	1,197	6.4	14	6.0
Asian/Pacific Islander	13	3.8	9	3.4	4	5.6	7	3.1	289	1.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	49	0.3	1	0.4
Multiracial	2	0.6	1	0.4	1	1.4	1	0.4	52	0.3	2	0.9 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	14	4.1	14	5.2	0	0.0	2	0.9	36	0.2	0	0.0
20-29	57	16.8	52	19.4	5	7.0	22	9.7	958	5.1	1	0.4
30-39	84	24.8	65	24.3	19	26.8	58	25.6	2,836	15.1	8	3.4
40-49	75	22.1	55	20.5	20	28.2	63	27.8	4,825	25.7	52	22.1
50-59	75	22.1	63	23.5	12	16.9	53	23.3	6,405	34.1	93	39.6
60+	34	10.0	19	7.1	15	21.1	29	12.8	3,706	19.7	81	34.5
BOROUGH OF RESIDENCE								_				
Bronx	117	34.5	95	35.4	22	31.0	83	36.6	5,976	31.8	74	31.5
Brooklyn	100	29.5	79	29.5	21	29.6	56	24.7	5,522	29.4	54	23.0
Manhattan	35	10.3	27	10.1	8	11.3	23	10.1	2,439	13.0	35	14.9
Queens	44	13.0	32	11.9	12	16.9	29	12.8	2,800	14.9	21	8.9
Staten Island	17	5.0	12	4.5	5	7.0	7	3.1	467	2.5	3	1.3
Outside NYC	19	5.6	16	6.0	3	4.2	26	11.5	1,291	6.9	11	1.3 4.7
Unknown	7	2.1	7	2.6	0	0.0	3	1.3	271	1.4	37	15.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	23	6.8	16	6.0	7	9.9	12	5.3	1,162	6.2	13	5.5
Medium poverty (10 to <20% below FPL)	97	28.6	74	27.6	23	32.4	63	27.8	5,647	30.1	53	22.6
High poverty (20 to <30% below FPL)	88	26.0	66	24.6	22	31.0		25.6	4,847	25.8	44	18.7
Very high poverty (≥30% below FPL)	103	30.4	87	32.5	16	22.5	65	28.6	5,462	29.1	77	32.8
Area-based poverty level not available	28	8.3	25	9.3	3	4.2		12.8	1,648	8.8	48	20.4
Area-pased poverty level flot available	26	0.3	25	9.5	3	4.2	29	12.8	1,048	0.8	48	20.4

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2016 Concurrent with					AIDS DIAGNOSI	ES, 2016	PLWH AS 12/31/20	-	DEATHS	, 2016	
	Total HIV d	iaanasas	Witho	Co out AIDS		ith AIDS			12/01/2			
	N	ayrioses %	N	% Nut AIDS	N U	ayrioses %		%	N	%	N	%
TOTAL	71	100.0	68	95.8	3	4.2		100.0	1,683	100.0	9	100.0
GENDER								_				
Men	0	0.0	0	0.0	0	0.0		0.0	19	1.1	0	0.0
Women	71	100.0	68	100.0	3	100.0	25	100.0	1,664	98.9	9	100.0
RACE/ETHNICITY								_				
Black	32	45.1	31	45.6	1	33.3		52.0	859	51.0	4	44.4
Latino/Hispanic	30	42.3	28	41.2	2	66.7		44.0	654	38.9	4	44.4
White	6	8.5	6	8.8	0	0.0		4.0	112	6.7	1	11.1
Asian/Pacific Islander Native American	3	4.2	3 0	4.4	0	0.0		0.0	33	2.0	0	0.0
Multiracial	0	0.0 0.0	0	0.0 0.0	0	0.0		0.0	7 18	0.4 1.1	0 0	0.0 0.0
Multilacial		0.0	U	0.0	U	0.0	ľ	0.0	10	1.1	U	0.0
AGE GROUP (YEARS)												
0-12 13-19	0	0.0 4.2	0	0.0	0	0.0		0.0 0.0	0	0.0	0	0.0
20-29	3 42	4.2 59.2	3 41	4.4 60.3	0 1	0.0 33.3		64.0	13 527	31.3	0 0	0.0 0.0
30-39	20	28.2	18	26.5	2	66.7		28.0	569	33.8	6	66.7
40-49	4	5.6	4	5.9	0	0.0		0.0	352	20.9	0	0.0
50-59	2	2.8	2	2.9	0	0.0		8.0	176	10.5	2	22.2
60+	0	0.0	0	0.0	0	0.0		0.0	46	2.7	1	11.1
BOROUGH OF RESIDENCE												
Bronx	20	28.2	19	27.9	1	33.3	6	24.0	480	28.5	1	11.1
Brooklyn	15	21.1	14	20.6	1	33.3		12.0	354	21.0	6	66.7
Manhattan	10	14.1	9	13.2	1	33.3		12.0	300	17.8	0	0.0
Queens	11	15.5	11	16.2	0	0.0		20.0	216	12.8	0	0.0
Staten Island	2	2.8	2	2.9	0	0.0		0.0	25	1.5	0	0.0
Outside NYC	11	15.5	11	16.2	0	0.0		32.0	235	14.0	2	22.2
Unknown	2	2.8	2	2.9	0	0.0	0	0.0	73	4.3	0	0.0
AREA-BASED POVERTY LEVEL	_											
Low poverty (<10% below FPL)	7	9.9	6	8.8	1	33.3		4.0	66	3.9	0	0.0
Medium poverty (10 to <20% below FPL)	18	25.4	18	26.5	0	0.0		28.0	472	28.0	3	33.3
High poverty (20 to <30% below FPL)	13	18.3	13	19.1	0	0.0	2	8.0	386	22.9	3	33.3
Very high poverty (≥30% below FPL)	20	28.2	18	26.5	2	66.7	7	28.0	444	26.4	1	11.1
Area-based poverty level not available	13	18.3	13	19.1	0	0.0	8	32.0	315	18.7	2	22.2

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV		DIAGNO	OSES, 201	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
				C	oncurrent wi	th AIDS						İ
	Total HIV dia			ıt AIDS		ignoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	14	100.0	13	92.9	1	7.1	3	100.0	710	100.0	20	100.0
GENDER								_				
Men	11	78.6	11	84.6	0	0.0	2	66.7	484	68.2	15	75.0
Women	3	21.4	2	15.4	1	100.0	1	33.3	226	31.8	5	25.0
Women	Ŭ	21.4	_	10.4	•	100.0	·	00.0	220	01.0	J	20.0
RACE/ETHNICITY												
Black	4	28.6	3	23.1	1	100.0	1	33.3	230	32.4	10	50.0
Latino/Hispanic	6	42.9	6	46.2	0	0.0	2	66.7	327	46.1	6	30.0
White	3	21.4	3	23.1	0	0.0	0	0.0	140	19.7	4	20.0
Asian/Pacific Islander	1	7.1	1	7.7	0	0.0	0	0.0	9	1.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	4	28.6	4	30.8	0	0.0	1	33.3	61	8.6	0	0.0
30-39	6	42.9	5	38.5	1	100.0	2	66.7	100	14.1	0	0.0
40-49	2	14.3	2	15.4	0	0.0	0	0.0	147	20.7	2	10.0
50-59	2	14.3	2	15.4	0	0.0	0	0.0	215	30.3	6	30.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	186	26.2	12	60.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	64.3	9	69.2	0	0.0	2	66.7	278	39.2	5	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	89	12.5	7	35.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	10	1.4	0	0.0
Heterosexual contact	4	28.6	3	23.1	1	100.0	1	33.3	154	21.7	2	10.0 0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	7.1	1	7.7	0	0.0	0	0.0	158	22.3	6	30.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)

		HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
	Total HIV di	%	Withou N	ıt AIDS %	N	agnoses %	N	%	N	%	N	%
TOTAL	48	100.0	34	70.8	14	29.2	39	100.0	2,620	100.0	45	100.0
GENDER								_				
Men	32	66.7	22	64.7	10	71.4	25	64.1	1,497	57.1	25	55.6
Women	16	33.3	12	35.3	4	28.6	14	35.9	1,123	42.9	20	44.4
RACE/ETHNICITY												
Black	39	81.3	26	76.5	13	92.9		53.8	1,696	64.7	26	57.8
Latino/Hispanic	8	16.7	7	20.6	1	7.1	16	41.0	750	28.6	18	40.0
White Asian/Pacific Islander	1	2.1	1	2.9	0	0.0	2	5.1	129	4.9	1	2.2
Native American	0	0.0 0.0	0	0.0	0	0.0	0 0	0.0 0.0	25	1.0	0 0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9 8	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	4.2	2	5.9	0	0.0	1	2.6	26	1.0	0	0.0
20-29	16	33.3	14	41.2	2	14.3	4	10.3	279	10.6	0	0.0
30-39	11	22.9	4	11.8	7	50.0	11	28.2	394	15.0	5	11.1
40-49	11	22.9	7	20.6	4	28.6		23.1	553	21.1	7	15.6
50-59	8	16.7	7	20.6	1	7.1	9	23.1	845	32.3	13	28.9
60+	0	0.0	0	0.0	0	0.0	5	12.8	520	19.8	20	44.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	37.5	14	41.2	4	28.6		25.6	606	23.1	3	6.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	5.1	298	11.4	12	26.7
MSM-IDU	2	4.2	2	5.9	0	0.0	0	0.0	62	2.4	0	0.0
Heterosexual contact	15	31.3	10	29.4 2.9	5	35.7 0.0	12	30.8 0.0	818 29	31.2 1.1	16	35.6
Transgender people with sexual contact Perinatal	1 0	2.1 0.0	1 0	2.9 0.0	0	0.0	0 0	0.0	29 106	4.0	0	0.0 2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	106	0.0	0	0.0
Unknown	12	25.0	7	20.6	5	35.7	15	38.5	700	26.7	13	28.9

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
	Total HIV dia	agnoses	Withou		Concurrent w dia	ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	104	100.0	84	80.8	20	19.2	60	100.0	5,537	100.0	68	100.0
GENDER								_				
Men	65	62.5	52	61.9	13	65.0	41	68.3	3,566	64.4	46	67.6
Women	39	37.5	32	38.1	7	35.0	19	31.7	1,971	35.6	22	32.4
RACE/ETHNICITY												
Black	51	49.0	40	47.6	11	55.0	28	46.7	2,439	44.0	26	38.2
Latino/Hispanic	49	47.1	40	47.6	9	45.0	31	51.7	2,780	50.2	38	55.9
White Asian/Pacific Islander	2	1.9	2	2.4	0	0.0	1	1.7	251	4.5	3	4.4
Native American	2 0	1.9 0.0	2	2.4 0.0	0 0	0.0	0	0.0 0.0	38 13	0.7 0.2	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	1	1.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	1.9	2	2.4	0	0.0	0	0.0	28	0.5	0	0.0
20-29	34	32.7	30	35.7	4	20.0	14	23.3	520	9.4	1	1.5
30-39	22	21.2	16	19.0	6	30.0	14	23.3	876	15.8	3	4.4
40-49	15	14.4	12	14.3	3	15.0	13	21.7	1,218	22.0	8	11.8
50-59	24	23.1	19	22.6	5	25.0	13	21.7	1,873	33.8	33	48.5
60+	7	6.7	5	6.0	2	10.0	6	10.0	1,018	18.4	23	33.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	34.6	32	38.1	4	20.0	15	25.0	1,591	28.7	10	14.7
Injection drug use history (IDU)	4	3.8	1	1.2	3	15.0	7	11.7	925	16.7	23	33.8
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.7	158	2.9	0	0.0
Heterosexual contact	36	34.6	29	34.5	7	35.0	15	25.0	1,311	23.7	17	25.0
Transgender people with sexual contact	3	2.9	3	3.6	0	0.0	Ü	0.0	105	1.9	1	1.5
Perinatal Other	0	0.0	0	0.0	0	0.0	2	3.3	127	2.3	0	0.0
Unknown	0 25	0.0 24.0	0 19	0.0 22.6	0 6	0.0 30.0	0 20	0.0 33.3	6 1,314	0.1 23.7	0 17	0.0 25.0
UTIKTIOWIT	25	24.0	19	22.0	0	30.0	20	33.3	1,314	23.7	1/	25.0

Table 1.7.4. Pelham - Throgs Neck (Bronx)

Total HIV diegnoses Without AIDS N N N N N N N N N			HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
N		Total UIV d	'aanaaaa	Mithou			_		_				
The color of the							ses %	N	%	N	%	N	%
Mem	TOTAL						17.6						100.0
Mem	CENDER								_				
Name		51	68.9	43	70.5	8 6	31.5	27	60.0	2.713	61.9	36	64.3
Second Picture Seco													35.7
Latino/Hispanic White 2 2 2.7 2 3.3 0 0.0 1 2.2 301 6.9 5 8.9 Asian/Pacific Islander 3 4.1 2 3.3 1 7.7 1 2.2 301 6.9 5 8.9 Asian/Pacific Islander 3 4.1 2 3.3 0 0.0 0 1 2.2 301 6.9 5 8.9 Asian/Pacific Islander 0 0 0.0 0 0 0.0 0 0 0.0 11 0.3 0 0.0 Unknown 0 0 0.0 0 0 0.0 0 0 0.0 0 0.0 11 0.3 0 0.0 Unknown 0 0 0.0 0 0 0.0 0 0 0.0 0 0.0 0 0.0 Unknown 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0.0 AGE GROUP (YEARS) 0-12 0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	RACE/ETHNICITY								_				
White				26								23	
Asian/Pacific Islander Asian/		36		29				20					48.2
Native American Age Section Color Col								1				5	8.9
Multiracial Unknown 0 0.0 0 0.0 0 0.0 7 0.2 0 0.0 AGE GROUP (YEARS) Color of the colo								1				1	1.8
Unknown								· ·					0.0
AGE GROUP (YEARS) 0-12 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 2 0.0 0 0.0 13-19 20-29 32 43.2 29 47.5 3 23.1 10 22.2 374 8.5 1 1.8 30-39 40-49 4				_				-					0.0
0-12	OTIKIOWIT	· ·	0.0	U	0.0	U	0.0	U	0.0	4	0.1	U	0.0
13-19													
20-29 32 43.2 29 47.5 3 23.1 10 22.2 374 8.5 1 1.8 30-39 40-49 15 20.3 9 14.8 6 46.2 14 31.1 941 21.5 8 14.3 50-59 6 8.1 6 9.8 0 0.0 4 8.9 1,548 35.3 22 39.3 60+													0.0
30-39												0	0.0
40-49						3 2						1	
50-59 6 8.1 6 9.8 0 0.0 4 8.9 1,548 35.3 22 39.3 60+ TRANSMISSION RISK Men who have sex with men (MSM) 35 47.3 30 49.2 5 38.5 11 24.4 1,137 25.9 10 17.9 Injection drug use history (IDU) 2 2.7 2 3.3 0 0.0 0 0 0.0 725 16.5 16 28.6 MSM-IDU Heterosexual contact 17 23.0 13 21.3 4 30.8 14 31.1 1,122 25.6 17 30.4 Transgender people with sexual contact 2 2.7 2 3.3 0 0.0 1 1 2.2 49 1.1 0 0.0 Perinatal 0 0.0 0.0 0 0.0 0 0.0 13 0.3 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0													
60+ 3 4.1 2 3.3 1 7.7 4 8.9 912 20.8 22 39.3 TRANSMISSION RISK Men who have sex with men (MSM) 35 47.3 30 49.2 5 38.5 11 24.4 1,137 25.9 10 17.9 Injection drug use history (IDU) 2 2.7 2 3.3 0 0.0 0 0 0.0 725 16.5 16 28.6 MSM-IDU 0 0 0.0 0 0.0 0 0.0 108 2.5 0 0.0 Heterosexual contact 17 23.0 13 21.3 4 30.8 14 31.1 1,122 25.6 17 30.4 Transgender people with sexual contact 2 2 2.7 2 3.3 0 0.0 1 2.2 49 1.1 0 0.0 Perinatal 0 0 0.0 0 0.0 0 0.0 5 11.1 150 3.4 1 1.8 Other 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0.0								14					
TRANSMISSION RISK Men who have sex with men (MSM) 35 47.3 30 49.2 5 38.5 11 24.4 1,137 25.9 10 17.9 Injection drug use history (IDU) 2 2.7 2 3.3 0 0.0 0 0.0 725 16.5 16 28.6 MSM-IDU 0 0.0 0 0.0 0 0.0 108 2.5 0 0.0 Heterosexual contact 17 23.0 13 21.3 4 30.8 14 31.1 1,122 25.6 17 30.4 Transgender people with sexual contact 2 2.7 2 3.3 0 0.0 1 2.2 49 1.1 0 0.0 Perinatal 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 Other 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								4				22	39.3
Men who have sex with men (MSM) 35 47.3 30 49.2 5 38.5 11 24.4 1,137 25.9 10 17.9 Injection drug use history (IDU) 2 2.7 2 3.3 0 0.0 0 0.0 725 16.5 16 28.6 MSM-IDU 0 0.0 0 0.0 0 0 0.0 108 2.5 0 0.0 Heterosexual contact 17 23.0 13 21.3 4 30.8 14 31.1 1,122 25.6 17 30.4 Transgender people with sexual contact 2 2.7 2 3.3 0 0.0 1 2.2 49 1.1 0 0.0 Perinatal 0 0.0 0				_	0.0	·		·	0.0	0.2	20.0		00.0
Injection drug use history (IDÙ) 2 2.7 2 3.3 0 0.0 0 0.0 725 16.5 16 28.6 MSM-IDU Heterosexual contact 17 23.0 13 21.3 4 30.8 14 31.1 1,122 25.6 17 30.4 Transgender people with sexual contact 2 2.7 2 3.3 0 0.0 1 2.2 49 1.1 0 0.0 Perinatal Other 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 13 0.3 0 0.0													
Heterosexual contact 17 23.0 13 21.3 4 30.8 14 31.1 1,122 25.6 17 30.4 Transgender people with sexual contact 2 2.7 2 3.3 0 0.0 1 2.2 49 1.1 0 0.0 Perinatal 0 0.0 0 0.0 5 11.1 150 3.4 1 1.8 Other 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0													17.9
Heterosexual contact 17 23.0 13 21.3 4 30.8 14 31.1 1,122 25.6 17 30.4 Transgender people with sexual contact 2 2.7 2 3.3 0 0.0 1 2.2 49 1.1 0 0.0 Perinatal 0 0.0 0 0.0 5 11.1 150 3.4 1 1.8 Other 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0													28.6
Transgender people with sexual contact 2 2.7 2 3.3 0 0.0 1 2.2 49 1.1 0 0.0 Perinatal Other 0 0.0 0 0.0 0													0.0
Perinatal 0 0.0 0 0.0 0 0.0 5 11.1 150 3.4 1 1.8 Other 0 0.0 0 0.0 0 0.0 0 0.0 13 0.3 0 0.0								14					30.4
Other 0 0.0 0 0.0 0 0.0 0 0.0 13 0.3 0 0.0								1 5				1	
												Ó	
Unknown 18 24.3 14 23.0 4 30.8 14 31.1 1.080 24.6 12 21.4								-					21.4

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV		DIAGNO	SES, 201	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
					oncurrent w	ith AIDS			,,,_,			İ
	Total HIV di		Withou			agnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	87	100.0	71	81.6	16	18.4	66	100.0	6,054	100.0	108	100.0
GENDER								_				
Men	54	62.1	40	56.3	14	87.5	43	65.2	3,603	59.5	70	64.8
Women	33	37.9	31	43.7	2	12.5	23	34.8	2,451	40.5	38	35.2
RACE/ETHNICITY												
Black	36	41.4	29	40.8	7	43.8		36.4	2,882	47.6	50	46.3
Latino/Hispanic	48	55.2	39	54.9	9	56.3	38	57.6	2,938	48.5	54	50.0
White Asian/Pacific Islander	3	3.4 0.0	3	4.2 0.0	0 0	0.0	2	3.0 1.5	166 37	2.7 0.6	3	2.8
Native American	0	0.0	0	0.0	0	0.0	1	0.0	37 15	0.6	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.5	12	0.2	1	0.0
Unknown	0	0.0	0	0.0	0	0.0	Ó	0.0	4	0.1	0	0.9 0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	1	1.5	10	0.2	0	0.0
13-19	6	6.9	6	8.5	0	0.0	0	0.0	31	0.5	0	0.0
20-29	21	24.1	20	28.2	1	6.3	5	7.6	554	9.2	2	1.9
30-39	20	23.0	14	19.7	6	37.5	16	24.2	894	14.8	1	0.9
40-49	22	25.3	16	22.5	6	37.5	16	24.2	1,329	22.0	16	14.8
50-59	12	13.8	10	14.1	2	12.5	18	27.3	1,995	33.0	43	39.8
60+	6	6.9	5	7.0	1	6.3	10	15.2	1,241	20.5	46	42.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	30	34.5	24	33.8	6	37.5		28.8	1,315	21.7	6	5.6
Injection drug use history (IDU)	2	2.3	2	2.8	0	0.0	6	9.1	1,173	19.4	44	40.7
MSM-IDU	2	2.3	2	2.8	0	0.0	1	1.5	186	3.1	5	4.6
Heterosexual contact	30	34.5	25	35.2	5	31.3	25	37.9	1,661	27.4	21	19.4
Transgender people with sexual contact	6	6.9	6	8.5	0	0.0	0	0.0	133	2.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.5	165	2.7	1	0.9
Other Unknown	0 17	0.0 19.5	0 12	0.0 16.9	0 5	0.0 31.3	0 14	0.0 21.2	5 1,416	0.1 23.4	0 31	0.0 28.7
UTIKTIOWIT	17	19.5	12	10.9	5	31.3	14	21.2	1,416	23.4	31	28.7

Table 1.7.6. High Bridge - Morrisania (Bronx)

			DIAGNO	SES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
					oncurrent wit	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	94	100.0	73	77.7	21	22.3	80	100.0	6,096	100.0	122	100.0
GENDER								_				
Men	65	69.1	48	65.8	17	81.0	46	57.5	3,751	61.5	85	69.7
Women	29	30.9	25	34.2	4	19.0	34	42.5	2,345	38.5	37	30.3
Women	20	00.0	20	04.2	-	10.0	04	72.0	2,040	00.0	01	00.0
RACE/ETHNICITY												
Black	49	52.1	35	47.9	14	66.7	42	52.5	3,181	52.2	65	53.3
Latino/Hispanic	43	45.7	37	50.7	6	28.6	33	41.3	2,652	43.5	52	42.6
White	1	1.1	1	1.4	0	0.0	3	3.8	201	3.3	5	4.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.3	24	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0 0.0 0.0
Multiracial	1	1.1	0	0.0	1	4.8	1	1.3	13	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	4	4.3	3	4.1	1	4.8	2	2.5	31	0.5	0	0.0
20-29	28	29.8	24	32.9	4	19.0	15	18.8	482	7.9	2	1.6
30-39	25	26.6	17	23.3	8	38.1	23	28.8	880	14.4	8	6.6
40-49	21	22.3	14	19.2	7	33.3	20	25.0	1,350	22.1	14	11.5
50-59	12	12.8	11	15.1	1	4.8	13	16.3	1,984	32.5	52	42.6
60+	4	4.3	4	5.5	0	0.0	7	8.8	1,363	22.4	46	37.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	33	35.1	25	34.2	8	38.1	17	21.3	1,374	22.5	8	6.6
Injection drug use history (IDU)	3	3.2	2	2.7	1	4.8	11	13.8	1,175	19.3	48	39.3
MSM-IDU	2	2.1	2	2.7	0	0.0	2	2.5	196	3.2	7	5.7
Heterosexual contact	27	28.7	21	28.8	6	28.6	25	31.3	1,608	26.4	24	19.7
Transgender people with sexual contact	4	4.3	4	5.5	0	0.0	2	2.5	82	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.3	147	2.4	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	1	0.8
Unknown	25	26.6	19	26.0	6	28.6	22	27.5	1,506	24.7	33	27.0

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

TOTAL TOTA		HIV		DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS,	2016
TOTAL 68 100.0 59 86.8 9 13.2 45 100.0 3,871 100.0 57 100.0 GENDER Men Men 53 77.9 47 79.7 6 66.7 28 62.2 2,380 61.5 39 86.4 Women 15 22.1 12 20.3 3 33.3 17 37.8 1,491 38.5 18 31.6 RACE/ETHNICITY Black 24 35.3 19 32.2 5 55.6 24 53.3 1,680 43.4 19 33.3 Latino/Hispanic 41 60.3 37 62.7 4 44.4 20 44.4 2,017 52.1 37 64.9 White 1 1.5 1 1.7 0 0.0 0 0 0.0 138 3.6 1 1.8 Asian/Pacific Islander 2 2.9 2 3.4 0 0.0 1 2.2 20 0.5 0 0.0 Native American 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 7 0.0 7 0.2 0 0.0 Unknown 20 0.0 0 0.0							_						
TOTAL See 100.0 59 86.8 9 13.2 45 100.0 3,871 100.0 57 100.0								N	0/	N	0/	NI.	0/
Mem	TOTAL												100.0
Mem	GENDER								_				
Volume		53	77.9	47	79.7	6	66.7	28	62.2	2,380	61.5	39	68.4
Black Latino/Hispanic 41 60.3 37 62.7 4 444.4 20 44.4 2,017 52.1 37 64.9 White 41 1.5 1 1.7 0 0.0 0 0.0 0.0 138 3.6 1 1.8 Asian/Pacific Islander 2 2.9 2 3.4 0 0.0 1 2.2 20 0.5 0 0.0 Native American 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 7 0.2 0 0.0 Multiracial 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 7 0.2 0 0.0 Multiracial 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 7 0.2 0 0.0 Multiracial 0 0 0.	Women		22.1	12	20.3		33.3		37.8	1,491	38.5	18	31.6
Latino/Hispanic 41 60.3 37 62.7 4 44.4 20 44.4 2,017 52.1 37 64.9 White 1 1.5 1 1.7 0 0.0 0 0.0 138 3.6 1 1.8 Asian/Pacific Islander 2 2.9 2 3.4 0 0.0 1 2.2 20 0.5 0 0.0 Native American 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
White													33.3
Asian/Pacific Islander Asian/Pacific Islander 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												37	64.9
Native American 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		-						0				1	
Multiracial Unknown 0 0.0 0 0.0 0 0.0 0 0.0 7 0.2 0 0.0 AGE GROUP (YEARS) Col2 0-12 0 0.0 0 0.0 0 0.0 0 0.0 6 0.2 0 0.0 13-19 3 4.4 3 5.1 0 0.0 2 4.4 24 0.6 0 0.0 20-29 30 44.1 25 42.4 5 55.6 13 28.9 384 9.9 2 3.5 40-49 1 10.3 6 10.2 1 11.1 9 20.0 617 15.9 3 5.3 40-49 7 10.3 6 10.2 1 11.1 9 20.0 617 15.9 3 5.3 40-49 1 11.1 6 13.3 856 22.1 12 21.1 50-59 1 1 14.7 9 15.3 1 11.1 7 1								1				-	0.0
Unknown 0 0.0 0 0.0 0 0.0 0 0.0 0								0					0.0
0-12								0		1			0.0
0-12	AGE GROUP (YEARS)								_				
20-29 30 44.1 25 42.4 5 55.6 13 28.9 384 9.9 2 3.5 30-39 14 20.6 13 22.0 1 11.1 9 20.0 617 15.9 3 5.3 5.0 5.59 7 10.3 6 10.2 1 11.1 6 13.3 856 22.1 1 2 21.1 50-59 10 14.7 9 15.3 1 11.1 7 15.6 1,214 31.4 25 43.9 60+ 4 5.9 3 5.1 1 11.1 8 17.8 770 19.9 15 26.3 770 19.9 15 26.3 770 19.9 15 26.3 770 19.9 15 26.3 770 19.9 15 26.3 770 19.9 15 26.3 15.1 1 11.1 748 19.3 29 50.9 15.1 1 1.1 748 19.3 29 50.9 15.1 1 1.1 748 19.3 29 50.9 15.1 1 1.1 748 19.3 29 50.9 15.1 1 1.1 748 19.3 29 15.9 15.1 1 1.1 748 19.3 29 15.9 15.1 1 1.1 748 19.3 29 15.9 15.9 15.9 15.9 15.9 15.9 15.9 15.		0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
20-29 30 44.1 25 42.4 5 55.6 13 28.9 384 9.9 2 3.5 30-39 14 20.6 13 22.0 1 11.1 9 20.0 617 15.9 3 5.3 5.0 5.59 7 10.3 6 10.2 1 11.1 6 13.3 856 22.1 1 2 21.1 50-59 10 14.7 9 15.3 1 11.1 7 15.6 1,214 31.4 25 43.9 60+ 4 5.9 3 5.1 1 11.1 8 17.8 770 19.9 15 26.3 770 19.9 15 26.3 770 19.9 15 26.3 770 19.9 15 26.3 770 19.9 15 26.3 770 19.9 15 26.3 15.1 1 11.1 748 19.3 29 50.9 15.1 1 1.1 748 19.3 29 50.9 15.1 1 1.1 748 19.3 29 50.9 15.1 1 1.1 748 19.3 29 50.9 15.1 1 1.1 748 19.3 29 15.9 15.1 1 1.1 748 19.3 29 15.9 15.1 1 1.1 748 19.3 29 15.9 15.9 15.9 15.9 15.9 15.9 15.9 15.			4.4									0	0.0
40-49	20-29					5							3.5
50-59						1							
60+						1		6				12	
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Netrosexual contact Transgender people with sexual contact Perinatal Other Other						1		7					
Men who have sex with men (MSM) 36 52.9 34 57.6 2 22.2 10 22.2 895 23.1 6 10.5 Injection drug use history (IDU) 1 1.5 1 1.7 0 0.0 5 11.1 748 19.3 29 50.9 MSM-IDU 0 0.0 0 0.0 0 0 1 2.2 118 3.0 1 1.8 Heterosexual contact 14 20.6 12 20.3 2 22.2 11 24.4 1,018 26.3 8 14.0 Transgender people with sexual contact 4 5.9 3 5.1 1 11.1 3 6.7 75 1.9 0 0.0 Perinatal 0 0.0 0 0 0.0 0	60+	4	5.9	3	5.1	1	11.1	8	17.8	770	19.9	15	26.3
Injection drug use history (IDÙ)													
MSM-IDU 0 0.0 0 0.0 0 0.0 1 2.2 118 3.0 1 1.8 Heterosexual contact 14 20.6 12 20.3 2 22.2 11 24.4 1,018 26.3 8 14.0 Transgender people with sexual contact 4 5.9 3 5.1 1 11.1 3 6.7 75 1.9 0 0.0 Perinatal 0 0.0 0 0.0 0 0 0 4 8.9 129 3.3 1 1.8 Other 0 0.0 0 0.0 0 0.0 0 0 0.0 5 0.1 0 0.0				34									
Heterosexual contact 14 20.6 12 20.3 2 22.2 11 24.4 1,018 26.3 8 14.0 Transgender people with sexual contact 4 5.9 3 5.1 1 11.1 3 6.7 75 1.9 0 0.0 Perinatal 0 0.0 0 0.0 4 8.9 129 3.3 1 1.8 Other 0 0.0 0 0.0 0 0.0 0 0.0 5 0.1 0 0.0		•		1				5				29	50.9
Transgender people with sexual contact 4 5.9 3 5.1 1 11.1 3 6.7 75 1.9 0 0.0 Perinatal 0 0.0 0 0.0 0 0.0 4 8.9 129 3.3 1 1.8 Other 0 0.0 0 0.0 0 0.0 5 0.1 0 0.0								1				1	1.8
Perinatal 0 0.0 0 0.0 0 0.0 4 8.9 129 3.3 1 1.8 Other 0 0.0 0 0.0 0 0.0 5 0.1 0 0.0												8	14.0
Other 0 0.0 0 0.0 0 0.0 0 0.0 5 0.1 0 0.0						•		3				0	1.0
								4				1	1.8
	Unknown	13	19.1	9	15.3	4	44.4	11	24.4	883	22.8	12	21.1

Table 1.8.1. Greenpoint (Brooklyn)

		HIV	DIAGNO	SES, 20 ⁻			AIDS DIAGNOSES, 2016	PLWH . 12/31/		DEATHS,	, 2016
	Total HIV di	anneses	Withou		oncurrent with diagn						
	N	% agrioses	N	% AIDS	N Glagii	10363 %	N	6 N	%	N	%
TOTAL	10	100.0	7	70.0		30.0			100.0	10	100.0
GENDER											
Men	8	80.0	5	71.4	3 1	100.0	9 90	0 705	79.1	8	80.0
Women	2	20.0	2	28.6	0	0.0	1 10.	0 186	20.9	2	20.0
RACE/ETHNICITY								_			
Black	1	10.0	1	14.3	0	0.0	3 30.		15.7	2	20.0
Latino/Hispanic	3	30.0	1	14.3		66.7	3 30.		43.2	6	60.0
White (D. 17)	4	40.0	3	42.9	1	33.3	4 40.		38.2	2	20.0
Asian/Pacific Islander	2	20.0	2	28.6	0	0.0	0 0		2.2	0	0.0
Native American Multiracial	0	0.0 0.0	0	0.0	0	0.0	0 0. 0 0.		0.0 0.4	0 0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0 0.		0.4	0	0.0
Olikilowii	O	0.0	U	0.0	U	0.0	0 0.	2	0.2	U	0.0
AGE GROUP (YEARS)											
0-12	0	0.0	0	0.0	0	0.0			0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0 0.		0.2	0	0.0
20-29	5	50.0	4	57.1	1	33.3	2 20.		8.2	0	0.0
30-39 40-49	3	10.0 30.0	1	14.3 14.3	0 2	0.0 66.7	0 0. 4 40.		22.1 25.0	2 0	20.0
50-59	0	0.0	0	0.0	0	0.0	2 20		29.9	4	40.0
60+	1	10.0	1	14.3	0	0.0	2 20.		14.5	4	40.0
	•	10.0	•	14.0	· ·	0.0	2 20.	123	14.0	4	40.0
TRANSMISSION RISK											
Men who have sex with men (MSM)	5	50.0	4	57.1	1	33.3	6 60.		54.9	4	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0 0.		12.0	0	0.0
MSM-IDU	1	10.0	0	0.0	1	33.3	1 10		2.0	0	0.0
Heterosexual contact	1	10.0	1	14.3	0	0.0	1 10.		12.7	2	20.0
Transgender people with sexual contact	1	10.0	1 0	14.3	0	0.0	0 0. 0 0		1.5	1	10.0
Perinatal Other	0	0.0	0	0.0	0	0.0	0 0. 0 0.		1.2 0.4	0 0	0.0
Unknown	2	20.0	1	14.3	1	33.3	2 20		15.3	3	30.0
OHNIOWH		20.0		14.5		33.3	2 20.	130	13.3	<u> </u>	30.0

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSES	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
					Concurrent with Al	'DS			, 0 ., _ 0			İ
	Total HIV di		Withou		diagnos	ses	N.	0/	N.	04	N.	0/
TOTAL	N 33	% 100.0	N 31	% 93.9	N 2	% 6.1	N 15	% 100.0	N 2,677	100.0	N 32	% 100.0
101112		10010						100.0	_,•			
GENDER												
Men	23	69.7	22	71.0		0.0	11	73.3	2,051	76.6	26	81.3
Women	10	30.3	9	29.0	1 5	0.0	4	26.7	626	23.4	6	18.8
RACE/ETHNICITY												
Black	17	51.5	17	54.8	0	0.0	7	46.7	1,096	40.9	15	46.9
Latino/Hispanic	6	18.2	6	19.4		0.0	3	20.0	666	24.9	9	28.1
White	9	27.3	7	22.6		0.0	4	26.7	838	31.3	8	25.0
Asian/Pacific Islander	1	3.0	1	3.2		0.0	1	6.7	59	2.2	0	0.0
Native American	0	0.0	0	0.0		0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0		0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		0.0	0	0.0	4	0.1	0	0.0
13-19	2	6.1	2	6.5		0.0	0	0.0	8	0.3	0	0.0
20-29	9	27.3	8	25.8		0.0	3	20.0	167	6.2	0	0.0
30-39	12	36.4	12	38.7		0.0	3	20.0	362	13.5	2	6.3
40-49	4	12.1	3	9.7		0.0	4	26.7	579	21.6	2	6.3
50-59	5 1	15.2 3.0	5	16.1 3.2		0.0	3 2	20.0	898 659	33.5	10 18	31.3 56.3
60+	'	3.0	'	3.2	U	0.0	2	13.3	659	24.6	18	56.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	54.5	17	54.8		0.0	7	46.7	1,357	50.7	12	37.5
Injection drug use history (IDU)	2	6.1	2	6.5		0.0	1	6.7	323	12.1	8	25.0 9.4
MSM-IDU	0	0.0	0	0.0		0.0	0	0.0	64	2.4	3	9.4
Heterosexual contact	6	18.2	5	16.1		0.0	3	20.0	406	15.2	4	12.5
Transgender people with sexual contact	0	0.0	0	0.0		0.0	0	0.0	13	0.5	0	0.0
Perinatal	0	0.0	0	0.0		0.0	1	6.7	47	1.8	0	0.0
Other	0	0.0	0	0.0		0.0	0 3	0.0	2 465	0.1	0 5	0.0
Unknown	7	21.2	7	22.6	U	0.0	ა	20.0	465	17.4	5	15.6

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV		DIAGNO	SES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	2016
				С	oncurrent w	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	170	100.0	134	78.8	36	21.2	96	100.0	7,738	100.0	134	100.0
GENDER												
Men	130	76.5	104	77.6	26	72.2	66	68.8	4,929	63.7	82	61.2
Women	40	23.5	30	22.4	10	27.8	30	31.3	2,809	36.3	52	38.8
RACE/ETHNICITY												
Black	128	75.3	98	73.1	30	83.3		86.5	5,976	77.2	90	67.2
Latino/Hispanic	25	14.7	21	15.7	4	11.1	11	11.5	1,173	15.2	35	26.1
White	8	4.7	7	5.2	1	2.8	1	1.0	477	6.2	8	6.0
Asian/Pacific Islander	5	2.9 2.4	5 3	3.7 2.2	0	0.0 2.8	0	0.0 1.0	61	0.8	1	0.7 0.0
Other/Unknown	4	2.4	3	2.2	1	2.8	1	1.0	51	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	6	0.1	0	0.0
13-19	7	4.1	7	5.2	0	0.0	2	2.1	45	0.6	0	0.0
20-29	65	38.2	57	42.5	8	22.2	19	19.8	751	9.7	4	3.0
30-39	53	31.2	42	31.3	11	30.6	26	27.1	1,297	16.8	16	11.9
40-49	17	10.0	11	8.2	6	16.7	16	16.7	1,727	22.3	13	9.7
50-59	21	12.4	13	9.7	8	22.2	22	22.9	2,318	30.0	46	34.3
60+	7	4.1	4	3.0	3	8.3	11	11.5	1,594	20.6	55	41.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	87	51.2	74	55.2	13	36.1	33	34.4	2,463	31.8	17	12.7
Injection drug use history (IDU)	3	1.8	2	1.5	1	2.8	7	7.3	981	12.7	37	27.6
MSM-IDU	1	0.6	1	0.7	0	0.0	1	1.0	176	2.3	6	4.5
Heterosexual contact	33	19.4	25	18.7	8	22.2	22	22.9	1,984	25.6	31	23.1
Transgender people with sexual contact	6	3.5	5	3.7	1	2.8	2	2.1	128	1.7	2	1.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	195	2.5	4	3.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	40	23.5	27	20.1	13	36.1	31	32.3	1,803	23.3	37	27.6

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Men includes transgender men and women includes transgender women.

Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSES	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
				C	oncurrent with A	AIDS						İ
	Total HIV di		Withou		diagno	oses						
TOTAL	N 69	% 100.0	N 58	% 84.1	N 11	% 15.9	N 45	% 100.0	N 3,390	% 100.0	N 46	% 100.0
IOTAL	09	100.0	30	04.1		15.9	45	100.0	3,390	100.0	40	100.0
GENDER												
Men	43	62.3	37	63.8	6	54.5	29	64.4	1,924	56.8	33	71.7
Women	26	37.7	21	36.2	5	45.5	16	35.6	1,466	43.2	13	28.3
RACE/ETHNICITY												
Black	45	65.2	40	69.0		45.5	28	62.2	2,160	63.7	31	67.4
Latino/Hispanic White	18	26.1	12 1	20.7		54.5	16	35.6	1,061	31.3	15	32.6
Asian/Pacific Islander	4	1.4 5.8	4	1.7 6.9	0 0	0.0	0	2.2 0.0	103 44	3.0 1.3	0 0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	1.4	1	1.7	ő	0.0	0	0.0	11	0.3	0	0.0
Unknown	0	0.0	0	0.0	Ö	0.0	0	0.0	2	0.1	Ö	0.0 0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	5	7.2	5	8.6	0	0.0	0	0.0	33	1.0	0	0.0
20-29	19	27.5	18	31.0	1	9.1	7	15.6	359	10.6	1	2.2
30-39 40-49	16 16	23.2 23.2	13 11	22.4 19.0		27.3 45.5	9 11	20.0 24.4	592 723	17.5 21.3	2 6	4.3
50-59	8	11.6	7	19.0	ე 1	9.1	13	28.9	1,057	31.2	23	13.0 50.0
60+	5	7.2	4	6.9	1	9.1	5	11.1	622	18.3	14	30.4
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	27	39.1	23	39.7	4	36.4	11	24.4	873	25.8	7	15.2
Injection drug use history (IDÙ)	3	4.3	3	5.2	0	0.0	5	11.1	446	13.2	11	23.9
MSM-IDU	1	1.4	1	1.7	0	0.0	0	0.0	59	1.7	3	6.5
Heterosexual contact	16	23.2	12	20.7		36.4	11	24.4	1,046	30.9	8	17.4
Transgender people with sexual contact	3	4.3	3	5.2	0	0.0	0	0.0	63	1.9	1	2.2 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.2	99	2.9	0	0.0
Other Unknown	0 19	0.0 27.5	0 16	0.0 27.6	0 3	0.0 27.3	0 17	0.0 37.8	6 798	0.2 23.5	0 16	0.0 34.8
UINIUWII	19	21.5	10	27.0	3	21.3	17	31.8	190	23.5	10	34.8

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 201	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
					oncurrent wit	th AIDS			12/01/20	,		
	Total HIV o			ıt AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	23	100.0	18	78.3	5	21.7	12	100.0	849	100.0	11	100.0
GENDER								_				
Men	19	82.6	14	77.8	5	100.0	9	75.0	635	74.8	9	81.8
Women	4	17.4	4	22.2	0	0.0	3	25.0	214	25.2	2	18.2
RACE/ETHNICITY	_							_				
Black	4	17.4	3	16.7	1	20.0	2	16.7	153	18.0	0	0.0
Latino/Hispanic	8	34.8	8	44.4	0	0.0	4	33.3	466	54.9	8	72.7
White	4	17.4	3	16.7	1	20.0	3	25.0	170	20.0	2	18.2
Asian/Pacific Islander	7	30.4	4	22.2	3	60.0	3	25.0	57	6.7	1	9.1 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.3	1	5.6	0	0.0	0	0.0	3	0.4	0	0.0
20-29	9	39.1	8	44.4	1	20.0	2	16.7	52	6.1	0	0.0
30-39	5	21.7	4	22.2	1	20.0	3	25.0	141	16.6	2	18.2
40-49	2	8.7	1	5.6	1	20.0	2	16.7	212	25.0	2	18.2
50-59	4	17.4	3	16.7	1	20.0	3	25.0	262	30.9	4	36.4
60+	2	8.7	1	5.6	1	20.0	2	16.7	179	21.1	3	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	65.2	11	61.1	4	80.0	6	50.0	293	34.5	4	36.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	144	17.0	5	45.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1	8.3	45	5.3	0	0.0
Heterosexual contact	6	26.1	6	33.3	0	0.0	3	25.0	183	21.6	2	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	2	8.7	1	5.6	1	20.0	1	8.3	161	19.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
					oncurrent with A	_						
	Total HIV di			it AIDS	diagno			24		04		2.
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	12	63.2	7	36.8	13	100.0	1,140	100.0	7	100.0
GENDER								_				
Men	16	84.2	11	91.7	5	71.4	10	76.9	851	74.6	7	100.0
Women	3	15.8	1	8.3		28.6	3	23.1	289	25.4	0	0.0
Women	3	10.0		0.5	_	20.0	3	20.1	203	20.4	O	0.0
RACE/ETHNICITY												
Black	3	15.8	2	16.7	1 .	14.3	2	15.4	314	27.5	2	28.6
Latino/Hispanic	4	21.1	2	16.7	2	28.6	5	38.5	429	37.6	2	28.6
White	8	42.1	6	50.0		28.6	3	23.1	329	28.9	3	42.9
Asian/Pacific Islander	4	21.1	2	16.7		28.6	3	23.1	62	5.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.3	1	8.3	0	0.0	0	0.0	2	0.2	0	0.0
20-29	11	57.9	7	58.3	4	57.1	5	38.5	72	6.3	0	0.0
30-39	2	10.5	2	16.7	0	0.0	0	0.0	185	16.2	1	14.3
40-49	2	10.5	1	8.3		14.3	1	7.7	246	21.6	1	14.3
50-59	1	5.3	0	0.0		14.3	3	23.1	370	32.5	1	14.3
60+	2	10.5	1	8.3	1	14.3	4	30.8	265	23.2	4	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	57.9	8	66.7		42.9	5	38.5	456	40.0	3	42.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	23.1	175	15.4	3	42.9
MSM-IDU	1	5.3	1	8.3	0	0.0	0	0.0	27	2.4	0	0.0
Heterosexual contact	2	10.5	0	0.0		28.6	3	23.1	220	19.3	0	0.0
Transgender people with sexual contact	1	5.3	1	8.3	0	0.0	0	0.0	12	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	21.1	2	16.7	2	28.6	2	15.4	232	20.4	1	14.3

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 201	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
	Total HIV di		Withou	t AIDS		ith AIDS agnoses						
TOTAL	N 88	% 100.0	N 68	% 77.3	N 20	% 22.7	N 55	% 100.0	N 5,153	100.0	N 55	% 100.0
GENDER								_				
Men Women	54 34	61.4 38.6	45 23	66.2 33.8	9 11	45.0 55.0	29 26	52.7 47.3	3,280 1,873	63.7 36.3	38 17	69.1 30.9
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	76 6 4 0 0 2	86.4 6.8 4.5 0.0 0.0 2.3 0.0	58 5 3 0 0 2 0	85.3 7.4 4.4 0.0 0.0 2.9 0.0	18 1 1 0 0 0	90.0 5.0 5.0 0.0 0.0 0.0	48 5 2 0 0 0	87.3 9.1 3.6 0.0 0.0 0.0	4,057 705 303 51 15 16 6	78.7 13.7 5.9 1.0 0.3 0.3	39 12 4 0 0 0	70.9 21.8 7.3 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 32 20 15 14 5	0.0 2.3 36.4 22.7 17.0 15.9 5.7	0 2 29 15 10 10	0.0 2.9 42.6 22.1 14.7 14.7 2.9	0 0 3 5 5 4 3	0.0 0.0 15.0 25.0 25.0 20.0 15.0	0 1 8 14 15 9 8	0.0 1.8 14.5 25.5 27.3 16.4 14.5	5 15 436 784 1,134 1,542 1,237	0.1 0.3 8.5 15.2 22.0 29.9 24.0	0 0 2 4 9 20 20	0.0 0.0 3.6 7.3 16.4 36.4 36.4
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	43 1 0 20 1 0 0 23	48.9 1.1 0.0 22.7 1.1 0.0 0.0 26.1	37 1 0 12 1 0 0	54.4 1.5 0.0 17.6 1.5 0.0 0.0 25.0	6 0 8 0 0 0	30.0 0.0 0.0 40.0 0.0 0.0 0.0 30.0	18 3 1 17 1 1 0	32.7 5.5 1.8 30.9 1.8 1.8 0.0 25.5	1,557 480 103 1,408 47 101 13 1,444	30.2 9.3 2.0 27.3 0.9 2.0 0.3 28.0	9 11 1 10 1 1 0 22	16.4 20.0 1.8 18.2 1.8 1.8 0.0 40.0

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV		OSES, 2016	;		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
				Co	ncurrent with	AIDS						
	Total HIV			out AIDS		noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	37	100.0	37	100.0	0	0.0	16	100.0	1,693	100.0	20	100.0
GENDER Men	40	40.0	10	40.0	0	0.0	40	81.3	000	E0.7	11	EE O
Women	18 19	48.6 51.4	18 19	48.6 51.4	0	0.0	13 3	18.8	909 784	53.7 46.3	11 9	55.0 45.0
vvoriien	19	51.4	19	51.4	U	0.0	3	18.8	784	40.3	9	45.0
RACE/ETHNICITY												
Black	32 5	86.5	32 5	86.5	0	0.0	14	87.5	1,350	79.7	16	80.0
Latino/Hispanic	5	13.5	5	13.5	0	0.0	1	6.3	213	12.6	2	10.0
White	0	0.0	0	0.0	0	0.0	1	6.3	105	6.2	2	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	17	1.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.5	0	10.0 0.0 0.0
AGE GROUP (YEARS)	_							_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0 0.0 5.0
13-19	4	10.8	4	10.8	0	0.0	1	6.3	18	1.1	0	0.0
20-29	8	21.6	8	21.6	0	0.0	1	6.3	155	9.2	0	0.0
30-39	9	24.3	9	24.3	0	0.0	1	6.3	259	15.3	1	5.0
40-49	5	13.5	5	13.5	0	0.0	8	50.0	363	21.4	5	25.0
50-59	8	21.6	8	21.6	0	0.0	3	18.8	518	30.6	4	20.0
60+	3	8.1	3	8.1	0	0.0	2	12.5	379	22.4	10	50.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	14	37.8	14	37.8	0	0.0	3	18.8	345	20.4	4	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	12.5	139	8.2	5	25.0
MSM-IDU	1	2.7	1	2.7	0	0.0	0	0.0	18	1.1	0	0.0
Heterosexual contact	16	43.2	16	43.2	0	0.0	3	18.8	585	34.6	6	30.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.5	1	5.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	64	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	6	16.2	6	16.2	0	0.0	7	43.8	531	31.4	4	20.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239. Men includes transgender men and women includes transgender women.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV		DIAGNO	OSES, 201	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS,	2016
				C	oncurrent wi	ith AIDS						
	Total HIV di			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	13	100.0	11	84.6	2	15.4	11	100.0	688	100.0	10	100.0
GENDER								_				
Men	11	84.6	9	81.8	2	100.0	9	81.8	519	75.4	5	50.0
Women	2	15.4	2	18.2	0	0.0	2	18.2	169	24.6	5	50.0
RACE/ETHNICITY												
Black	2	15.4	2	18.2	0	0.0	1	9.1	78	11.3	1	10.0
Latino/Hispanic	1	7.7	1	9.1	0	0.0	1	9.1	214	31.1	4	40.0
White Asian/Pacific Islander	5 5	38.5 38.5	5 3	45.5 27.3	0 2	0.0	5	45.5 36.4	343 51	49.9 7.4	5 0	50.0
Other/Unknown	0	0.0	ა 0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Other/Onknown	U	0.0	U	0.0	U	0.0	U	0.0	2	0.5	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	7.7	1	9.1	0	0.0	1	9.1	1	0.1	0	0.0
20-29	6	46.2	5	45.5	1	50.0	1	9.1	28	4.1	1	10.0 0.0 0.0
30-39	4	30.8	3	27.3	1	50.0	2	18.2	115	16.7	0	0.0
40-49 50-59	0	0.0 7.7	1	0.0 9.1	0	0.0	4	36.4 18.2	162 216	23.5 31.4	0 3	30.0
60+	1	7.7	1	9.1	0	0.0	1	9.1	165	24.0	ა 6	60.0
00+		7.7	'	9.1	U	0.0		9.1	103	24.0	O	00.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	53.8	6	54.5	1	50.0	3	27.3	310	45.1	3	30.0
Injection drug use history (IDU)	1	7.7	0	0.0	1	50.0	4	36.4	98	14.2	5	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	2.6	0	0.0
Heterosexual contact	1	7.7	1	9.1	0	0.0	1	9.1	116	16.9	1	10.0 0.0 0.0
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	3 7	0.4	0	0.0
Perinatal Other	0	0.0	0	0.0 0.0	0	0.0	1	9.1 0.0	3	1.0	0	0.0
Unknown	3	23.1	3	27.3	0	0.0	2	18.2	133	19.3	1	10.0
OTIKITOWIT	3	20.1		21.3	U	0.0		10.2	100	19.5	<u>'</u>	10.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252. Men includes transgender men and women includes transgender women.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV		DIAGNO	OSES, 20 ⁻	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
				С	oncurrent with A	AIDS			12/01/20			
	Total HIV di			ıt AIDS	diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	28	100.0	19	67.9	9	32.1	17	100.0	1,139	100.0	15	100.0
GENDER								_				
Men	20	71.4	13	68.4	7	77.8	13	76.5	705	61.9	8	53.3
Women	8	28.6	6	31.6		22.2	4	23.5	434	38.1	7	46.7
		20.0	Ŭ	01.0	_		•	20.0	10 1	00.1	•	10.7
RACE/ETHNICITY												
Black	7	25.0	7	36.8	0	0.0	2	11.8	442	38.8	10	66.7
Latino/Hispanic	3	10.7	2	10.5		11.1	3	17.6	338	29.7	4	26.7
White	15	53.6	7	36.8		88.9	12	70.6	308	27.0	1	6.7
Asian/Pacific Islander	3	10.7	3	15.8	0	0.0	0	0.0	37	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.6	1	5.3	Õ	0.0	Ö	0.0	10	0.9	Ö	0.0
20-29	9	32.1	8	42.1		11.1	2	11.8	90	7.9	Ō	0.0
30-39	9	32.1	5	26.3		44.4	5	29.4	178	15.6	2	13.3
40-49	1	3.6	0	0.0	1	11.1	3	17.6	246	21.6	1	6.7
50-59	7	25.0	5	26.3	2	22.2	4	23.5	369	32.4	5	33.3
60+	1	3.6	0	0.0	1	11.1	3	17.6	245	21.5	7	46.7
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	11	39.3	8	42.1	3	33.3	5	29.4	334	29.3	3	20.0
Injection drug use history (IDU)	1	3.6	1	5.3	0	0.0	3	17.6	182	16.0	4	26.7
MSM-IDU	Ö	0.0	Ö	0.0	0	0.0	0	0.0	16	1.4	0	0.0
Heterosexual contact	6	21.4	4	21.1		22.2	3	17.6	291	25.5	3	20.0
Transgender people with sexual contact	1	3.6	1	5.3	0	0.0	Ō	0.0	10	0.9	Ö	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	2.6	Ō	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	9	32.1	5	26.3	4	44.4	6	35.3	273	24.0	5	33.3

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV		DIAGNO	OSES, 20 ⁻	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
					oncurrent wi							
	Total HIV di		Withou			agnoses						
TOTAL	N 76	400.0	N 69	%	N 7	% 9.2	N 41	% 400.0	N 2.700	400.0	N 43	400.0
IUIAL	76	100.0	69	90.8	-	9.2	41	100.0	3,768	100.0	43	100.0
GENDER												
Men	62	81.6	58	84.1	4	57.1	29	70.7	2,651	70.4	30	69.8
Women	14	18.4	11	15.9	3	42.9	12	29.3	1,117	29.6	13	30.2
RACE/ETHNICITY												
Black	33	43.4	30	43.5	3	42.9	19	46.3	1,857	49.3	28	65.1
Latino/Hispanic	27	35.5	23	33.3	4	57.1	21	51.2	1,420	37.7	11	25.6
White	14	18.4	14	20.3	0	0.0	1	2.4	421	11.2	4	9.3
Asian/Pacific Islander Native American	2	2.6	2	2.9	0	0.0	0	0.0	47 12	1.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0 0.0	9	0.3	0 0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	2	2.6	2	2.9	0	0.0	0	0.0	18	0.5	0	0.0
20-29	36	47.4	35	50.7	1	14.3	8	19.5	425	11.3	5	11.6
30-39	18	23.7	17	24.6	1	14.3	8	19.5	616	16.3	2	4.7
40-49	8	10.5	6	8.7	2	28.6	11	26.8	823	21.8	3	7.0
50-59	8	10.5	6	8.7	2	28.6	8	19.5	1,099	29.2	14	32.6
60+	4	5.3	3	4.3	1	14.3	6	14.6	782	20.8	19	44.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	49	64.5	47	68.1	2	28.6		31.7	1,370	36.4	7	16.3
Injection drug use history (IDU)	2	2.6	2	2.9	0	0.0	6	14.6	586	15.6	11	25.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.4	89	2.4	. 1	2.3
Heterosexual contact	9	11.8	8	11.6	1	14.3	7	17.1	759	20.1	13	30.2
Transgender people with sexual contact	1	1.3	1	1.4	0	0.0	0	0.0	44	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.9	89	2.4	1	2.3
Other	0	0.0	0	0.0	0 4	0.0	0	0.0	3	0.1	0	0.0
Unknown	15	19.7	11	15.9	4	57.1	12	29.3	828	22.0	10	23.3

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV		DIAGNO	OSES, 201	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
					oncurrent wi	ith AIDS						
	Total HIV di			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	81	100.0	73	90.1	8	9.9	36	100.0	4,603	100.0	35	100.0
GENDER	74	07.7	0.5	00.0		75.0	20	00.0	0.744	04.0	00	740
Men	71	87.7	65 8	89.0	6	75.0		88.9	3,744	81.3	26 9	74.3 25.7
Women	10	12.3	8	11.0	2	25.0	4	11.1	859	18.7	9	25.7
RACE/ETHNICITY												
Black	15	18.5	12	16.4	3	37.5	11	30.6	1,473	32.0	13	37.1
Latino/Hispanic	48	59.3	44	60.3	4	50.0	18	50.0	2,038	44.3	15	42.9
White	17	21.0	16	21.9	1	12.5	7	19.4	992	21.6	6	17.1
Asian/Pacific Islander	1	1.2	1	1.4	0	0.0	0	0.0	60	1.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	40	0.9	1	0.0 2.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0 0.0 0.0 8.6 8.6
13-19	2	2.5	1	1.4	1	12.5	1	2.8	19	0.4	0	0.0
20-29	42	51.9	40	54.8	2	25.0	7	19.4	406	8.8	0	0.0
30-39	21	25.9	19	26.0	2	25.0	10	27.8	824	17.9	3	8.6
40-49	8	9.9	5	6.8	3	37.5	9	25.0	1,058	23.0	3	8.6
50-59	5	6.2	5	6.8	0	0.0	6	16.7	1,358	29.5	15	42.9
60+	3	3.7	3	4.1	0	0.0	3	8.3	932	20.2	14	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	61	75.3	57	78.1	4	50.0	23	63.9	2,505	54.4	10	28.6
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	2.8	371	8.1	9	25.7
MSM-IDU ,	1	1.2	1	1.4	0	0.0	2	5.6	129	2.8	2	5.7
Heterosexual contact	10	12.3	8	11.0	2	25.0	5	13.9	630	13.7	7	20.0
Transgender people with sexual contact	1	1.2	1	1.4	0	0.0	0	0.0	42	0.9	0	0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	76	1.7	0	0.0
Other	Ö	0.0	Ö	0.0	Ö	0.0	0	0.0	8	0.2	Ö	0.0
Unknown	8	9.9	6	8.2	2	25.0	5	13.9	842	18.3	7	20.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040. Men includes transgender men and women includes transgender women.

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV		DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	2016
				С	oncurrent wi							
	Total HIV di			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	81	100.0	65	80.2	16	19.8	51	100.0	4,832	100.0	48	100.0
GENDER								_				
Men	69	85.2	54	83.1	15	93.8	37	72.5	3,470	71.8	27	56.3
Women	12	14.8	11	16.9	1	6.3		27.5	1,362	28.2	21	43.8
									.,			
RACE/ETHNICITY												
Black	46	56.8	34	52.3	12	75.0		74.5	3,049	63.1	37	77.1
Latino/Hispanic	21	25.9	18	27.7	3	18.8		13.7	1,050	21.7	8	16.7
White	10	12.3	9	13.8	1	6.3	5	9.8	628	13.0	1	2.1
Asian/Pacific Islander	2 2	2.5	2	3.1	0	0.0	1	2.0	64	1.3	1	2.1
Other/Unknown	2	2.5	2	3.1	0	0.0	0	0.0	41	0.8	1	2.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0 0.0 4.2 6.3
13-19	2	2.5	2	3.1	0	0.0	0	0.0	19	0.4	0	0.0
20-29	29	35.8	28	43.1	1	6.3	6	11.8	434	9.0	2	4.2
30-39	26	32.1	20	30.8	6	37.5	17	33.3	815	16.9	3	6.3
40-49	11	13.6	5	7.7	6	37.5	16	31.4	1,131	23.4	7	14.6
50-59	8	9.9	6	9.2	2	12.5	11	21.6	1,443	29.9	19	39.6
60+	5	6.2	4	6.2	1	6.3	1	2.0	985	20.4	17	35.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	48	59.3	37	56.9	11	68.8	23	45.1	2,058	42.6	8	16.7
Injection drug use history (IDU)	2	2.5	2	3.1	0	0.0	0	0.0	582	12.0	13	27.1
MSM-IDU	3	3.7	3	4.6	0	0.0	0	0.0	109	2.3	4	8.3
Heterosexual contact	7	8.6	6	9.2	1	6.3	11	21.6	865	17.9	11	22.9
Transgender people with sexual contact	4	4.9	4	6.2	0	0.0	2	3.9	62	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	88	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	17	21.0	13	20.0	4	25.0	15	29.4	1,063	22.0	12	25.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Men includes transgender men and women includes transgender women.

Table 1.9.3. East Harlem (Manhattan)

	HIV		DIAGNO	OSES, 20 ⁻	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
					oncurrent witl	th AIDS						
	Total HIV d			it AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	51	100.0	43	84.3	8	15.7	40	100.0	3,003	100.0	60	100.0
GENDER								_				
Men	44	86.3	37	86.0	7	87.5	37	92.5	2,097	69.8	36	60.0
Women	7	13.7	6	14.0	1	12.5	3	7.5	906	30.2	24	40.0
RACE/ETHNICITY												
Black	21	41.2	18	41.9	3	37.5	18	45.0	1,406	46.8	24	40.0
Latino/Hispanic	23	45.1	21	48.8	2	25.0	14	35.0	1,186	39.5	27	45.0
White	4	7.8	3	7.0	1	12.5	5	12.5	366	12.2	8	13.3
Asian/Pacific Islander	2	3.9	1	2.3	1	12.5	2	5.0	30	1.0	0	0.0 1.7
Other/Unknown	1	2.0	0	0.0	1	12.5	1	2.5	15	0.5	1	1.7
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	2.0	1	2.3	0	0.0	0	0.0	10	0.3	0	0.0 3.3 3.3
20-29	24	47.1	20	46.5	4	50.0	10	25.0	257	8.6	2	3.3
30-39	14	27.5	11	25.6	3	37.5	10	25.0	424	14.1	2	3.3
40-49	7	13.7	6	14.0	1	12.5	8	20.0	658	21.9	7	11.7
50-59	3	5.9	3	7.0	0	0.0	8	20.0	937	31.2	17	28.3
60+	2	3.9	2	4.7	0	0.0	4	10.0	714	23.8	32	53.3
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	32	62.7	27	62.8	5	62.5	17	42.5	1,055	35.1	12	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	5	12.5	568	18.9	20	33.3
MSM-IDU	1	2.0	0	0.0	1	12.5	2	5.0	90	3.0	0	0.0
Heterosexual contact	9	17.6	8	18.6	1	12.5	1	10.0	593	19.7	16	26.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	28	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	92	3.1	1	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	9	17.6	8	18.6	1	12.5	12	30.0	574	19.1	11	18.3
OHNIOWH	9	17.0	0	10.0	<u> </u>	12.5	14	30.0	574	19.1	1.1	10.3

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in East Harlem: 10029, 10035.

Men includes transgender men and women includes transgender women.

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
					oncurrent w	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	27	100.0	22	81.5	5	18.5	20	100.0	3,170	100.0	34	100.0
GENDER								_				
Men	23	85.2	21	95.5	2	40.0	15	75.0	2,723	85.9	20	82.4
Women	23 4	14.8	21 1	95.5 4.5	2	60.0	15 5	25.0	2,723 447	14.1	28 6	17.6
vvoitien	4	14.0	'	4.5	3	60.0	5	25.0	447	14.1	0	17.0
RACE/ETHNICITY												
Black	3	11.1	2	9.1	1	20.0	3	15.0	844	26.6	13	38.2
Latino/Hispanic	7	25.9	5	22.7	2	40.0	8	40.0	836	26.4	8	23.5
White	15	55.6	13	59.1	2	40.0	7	35.0	1,388	43.8	11	32.4
Asian/Pacific Islander	2	7.4	2	9.1	0	0.0	2	10.0	73	2.3	2	5.9
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.9	0	32.4 5.9 0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 2.9 2.9 5.9 26.5
13-19	1	3.7	1	4.5	0	0.0	0	0.0	10	0.3	0	0.0
20-29	4	14.8	3	13.6	1	20.0	1	5.0	171	5.4	1	2.9
30-39	6	22.2	5	22.7	1	20.0	6	30.0	334	10.5	1	2.9
40-49	10	37.0	9	40.9	1	20.0	4	20.0	575	18.1	2	5.9
50-59	2	7.4	1	4.5	1	20.0	7	35.0	1,072	33.8	9	26.5
60+	4	14.8	3	13.6	1	20.0	2	10.0	1,008	31.8	21	61.8
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	19	70.4	18	81.8	1	20.0	10	50.0	1,912	60.3	14	41.2
Injection drug use history (IDU)	1	3.7	1	4.5	Ö	0.0	1	5.0	289	9.1	10	29.4
MSM-IDU	1	3.7	1	4.5	ő	0.0	1	5.0	105	3.3	1	2.9
Heterosexual contact	1	3.7	Ö	0.0	1	20.0	3	15.0	296	9.3	4	11.8
Transgender people with sexual contact	1	3.7	0	0.0	1	20.0	1	5.0	31	1.0	0	0.0
Perinatal	Ó	0.0	0	0.0	Ö	0.0	'n	0.0	37	1.2	0	0.0 0.0 0.0
Other	0	0.0	0	0.0	0	0.0	Ô	0.0	3	0.1	0	0.0
Unknown	4	14.8	2	9.1	2	40.0	4	20.0	497	15.7	5	14.7
Olikilowii	-	17.0		3.1		+0.0	T	20.0	737	10.7		17.7

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069. Men includes transgender men and women includes transgender women.

Table 1.9.5. Upper East Side (Manhattan)

	HIV		DIAGNO	SES, 20 ⁻	16		AIDS DIAGNOSES	5, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
				С	oncurrent with	AIDS						
	Total HIV di		Withou			noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	14	100.0	13	92.9	1	7.1	5	100.0	1,454	100.0	12	100.0
GENDER								_				
Men	13	92.9	12	92.3	1	100.0	5	100.0	1,274	87.6	8	66.7
Women	1	7.1	1	7.7	Ö	0.0	0	0.0	180	12.4	4	33.3
Tromon	·		•		Ŭ	0.0	· ·	0.0	100		•	00.0
RACE/ETHNICITY												
Black	4	28.6	4	30.8	0	0.0	1	20.0	275	18.9	3	25.0
Latino/Hispanic	4	28.6	4	30.8	0	0.0	1	20.0	340	23.4	3	25.0
White	6	42.9	5	38.5		100.0	3	60.0	780	53.6	6	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	51	3.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0 0.0 0.0 0.0 16.7
13-19	2	14.3	2	15.4	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	35.7	5	38.5	0	0.0	0	0.0	49	3.4	0	0.0
30-39	3	21.4	3	23.1	0	0.0	0	0.0	188	12.9	0	0.0
40-49	3	21.4	2	15.4		100.0	2	40.0	270	18.6	2	16.7
50-59	1	7.1	1	7.7	0	0.0	3	60.0	501	34.5	5	41.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	444	30.5	5	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	92.9	12	92.3	1	100.0	4	80.0	923	63.5	5	41.7
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	98	6.7	1	8.3
MSM-IDU , , ,	0	0.0	0	0.0	0	0.0	0	0.0	40	2.8	0	0.0
Heterosexual contact	1	7.1	1	7.7	0	0.0	0	0.0	112	7.7	1	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	8.3 0.0 8.3 0.0 0.0 8.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	8.3
Unknown	0	0.0	0	0.0	0	0.0	1	20.0	265	18.2	4	33.3

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162. Men includes transgender men and women includes transgender women.

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV		DIAGNO	OSES, 201	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
				С	oncurrent with a	AIDS			12/01/20			
	Total HIV di			ıt AIDS	diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	81	100.0	74	91.4	7	8.6	37	100.0	6,783	100.0	40	100.0
GENDER								_				
Men	77	95.1	70	94.6	7	100.0	37	100.0	6,349	93.6	37	92.5
Women	4	4.9	4	5.4	Ó	0.0		0.0	434	6.4	3	7.5
		1.0	•	0.1	Ŭ	0.0	· ·	0.0	10 1	0.1	Ü	7.0
RACE/ETHNICITY												
Black	10	12.3	9	12.2	1	14.3		29.7	1,081	15.9	4	10.0
Latino/Hispanic	27	33.3	25	33.8	2	28.6		35.1	1,527	22.5	13	32.5
White	36	44.4	33	44.6	3	42.9	12	32.4	3,895	57.4	22	55.0
Asian/Pacific Islander	7	8.6	6	8.1	1	14.3	1	2.7	199	2.9	1	2.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	1	1.2	1	1.4	0	0.0	0	0.0	25	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	43	0.6	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	Ō	0.0	0	0.0	0	0.0	1	0.0	Ō	0.0
20-29	21	25.9	21	28.4	0	0.0	3	8.1	302	4.5	1	2.5
30-39	30	37.0	29	39.2	1	14.3	6	16.2	1,052	15.5	4	10.0
40-49	20	24.7	15	20.3	5	71.4	15	40.5	1,697	25.0	4	10.0
50-59	7	8.6	7	9.5	0	0.0	10	27.0	2,398	35.4	15	37.5
60+	3	3.7	2	2.7	1	14.3	3	8.1	1,332	19.6	16	40.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	71	87.7	66	89.2	5	71.4	28	75.7	5,156	76.0	28	70.0
Injection drug use history (IDU)	Ö	0.0	0	0.0	Ö	0.0	3	8.1	318	4.7	4	10.0
MSM-IDU	1	1.2	1	1.4	Ö	0.0	1	2.7	227	3.3	1	2.5
Heterosexual contact	2	2.5	2	2.7	Ō	0.0	1	2.7	250	3.7	2	5.0
Transgender people with sexual contact	2	2.5	2	2.7	0	0.0	0	0.0	56	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	5	6.2	3	4.1	2	28.6	4	10.8	749	11.0	5	12.5

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	SES, 201	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
					oncurrent with	h AIDS						
	Total HIV di			it AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	16	100.0	14	87.5	2	12.5	9	100.0	1,963	100.0	14	100.0
GENDER								_				
Men	10	62.5	9	64.3	1	50.0	7	77.8	1,788	91.1	12	85.7
Women	6	37.5	5	35.7	1	50.0	2	22.2	175	8.9	2	14.3
RACE/ETHNICITY								_				
Black	6	37.5	4	28.6	2	100.0	4	44.4	385	19.6	4	28.6
Latino/Hispanic	2	12.5	2	14.3	0	0.0	1	11.1	455	23.2	5	35.7
White	8	50.0	8	57.1	0	0.0	4	44.4	1,038	52.9	5	35.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	65	3.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	6.3	1	7.1	0	0.0	0	0.0	3	0.2	0	0.0 0.0
20-29	3	18.8	3	21.4	0	0.0	0	0.0	74	3.8	0	0.0
30-39	5	31.3	4	28.6	1	50.0	3	33.3	210	10.7	0	0.0
40-49	2	12.5	1	7.1	1	50.0	1	11.1	402	20.5	2	14.3
50-59	2	12.5	2	14.3	0	0.0	2	22.2	694	35.4	7	50.0
60+	3	18.8	3	21.4	0	0.0	3	33.3	580	29.5	5	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	31.3	4	28.6	1	50.0	5	55.6	1,277	65.1	7	50.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	11.1	169	8.6	4	28.6
MSM-IDU	1	6.3	1	7.1	0	0.0	0	0.0	71	3.6	0	0.0
Heterosexual contact	4	25.0	3	21.4	1	50.0	2	22.2	117	6.0	1	7.1
Transgender people with sexual contact	1	6.3	1	7.1	0	0.0	0	0.0	13	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	5	31.3	5	35.7	0	0.0	1	11.1	302	15.4	2	14.3

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV		DIAGNO	SES, 201	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	2016
					oncurrent witi	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	25	100.0	23	92.0	2	8.0	9	100.0	1,928	100.0	6	100.0
GENDER								_				
Men	23	92.0	21	91.3	2	100.0	7	77.8	1,825	94.7	5	83.3
Women	23	8.0	2	8.7	0	0.0	2	22.2	1,625	5.3	1	16.7
Women	2	0.0		0.7	U	0.0	2	22.2	103	5.5	'	10.7
RACE/ETHNICITY	_											
Black	4	16.0	3	13.0	1	50.0	3	33.3	383	19.9	0	0.0
Latino/Hispanic	7	28.0	6	26.1	1	50.0	3	33.3	410	21.3	1	16.7
White	10	40.0	10	43.5	0	0.0	3	33.3	1,062	55.1	5	83.3
Asian/Pacific Islander	3	12.0	3	13.0	0	0.0	0	0.0	54	2.8	0	0.0
Other/Unknown	1	4.0	1	4.3	0	0.0	0	0.0	19	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.0	1	4.3	0	0.0	0	0.0	2	0.1	0	0.0
20-29	10	40.0	9	39.1	1	50.0	1	11.1	88	4.6	0	0.0
30-39	7	28.0	7	30.4	0	0.0	1	11.1	228	11.8	0	0.0
40-49	4	16.0	4	17.4	0	0.0	3	33.3	410	21.3	1	16.7
50-59	3	12.0	2	8.7	1	50.0	3	33.3	696	36.1	1	16.7
60+	0	0.0	0	0.0	0	0.0	1	11.1	504	26.1	4	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	80.0	19	82.6	1	50.0	7	77.8	1,301	67.5	5	83.3
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	139	7.2	0	0.0
MSM-IDU TO THE STATE OF THE STA	1	4.0	1	4.3	0	0.0	0	0.0	58	3.0	0	0.0
Heterosexual contact	1	4.0	1	4.3	0	0.0	1	11.1	66	3.4	1	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	37	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	12.0	2	8.7	1	50.0	1	11.1	321	16.6	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Men includes transgender men and women includes transgender women.

Table 1.9.9. Union Square - Lower East Side (Manhattan)

		HIV	DIAGNO	SES, 201	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
	T- (-1.1.11) (-1		14////		oncurrent wi							ĺ
	Total HIV di	agnoses %	Withou N	t AIDS %	ala N	agnoses %	N	%	N	%	N	%
TOTAL	N 35	100.0	25	71.4	10	28.6		100.0	3,019	100.0	35	100.0
GENDER								_				
Men	27	77.1	19	76.0	8	80.0	13	81.3	2,470	81.8	26	74.3
Women	8	22.9	6	24.0	2	20.0	3	18.8	549	18.2	9	25.7
RACE/ETHNICITY												
Black	5	14.3	2	8.0	3	30.0	2	12.5	593	19.6	9	25.7
Latino/Hispanic	14	40.0	11	44.0	3	30.0	9	56.3	1,051	34.8	16	45.7
White	9	25.7	6	24.0	3	30.0	4	25.0	1,202	39.8	9	25.7
Asian/Pacific Islander	6	17.1	5	20.0	1	10.0	1	6.3	141	4.7	1	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1 0	2.9 0.0	1 0	4.0 0.0	0	0.0	0 0	0.0	10 12	0.3	0 0	0.0 0.0
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	12	0.4	U	0.0
AGE GROUP (YEARS)								0.0		2.4		
0-12	0	0.0	0	0.0	0	0.0		0.0	2	0.1	0	0.0
13-19 20-29	3	8.6	2	8.0	1	10.0	0	0.0	7	0.2	0	0.0
30-39	9	25.7 28.6	8 7	32.0 28.0	3	10.0 30.0	2 3	12.5 18.8	160 345	5.3 11.4	1	2.9
40-49	8	22.9	5	20.0	3	30.0	ა 6	37.5	601	19.9	3	2.9 2.9 8.6
50-59	1	22.9	0	0.0	1	10.0	3	18.8	1,113	36.9	11	31.4
60+	4	11.4	3	12.0	1	10.0	2	12.5	791	26.2	19	54.3
	_	11	Ŭ	12.0	•	10.0	<u>_</u>	12.0	701	20.2	10	04.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	68.6	19	76.0	5	50.0	7	43.8	1,680	55.6	11	31.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	386	12.8	9	25.7
MSM-IDU	1	2.9	0	0.0	1	10.0	2	12.5	103	3.4	0	0.0
Heterosexual contact	6	17.1	3	12.0	3	30.0	4	25.0	358	11.9	6	17.1
Transgender people with sexual contact	1	2.9	1	4.0	0	0.0	0	0.0	18	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0 9	0.0
Unknown	3	8.6	2	8.0	T	10.0	3	18.8	438	14.5	9	25.7

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV	DIAGNO	SES, 201	6		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS	, 2016
					oncurrent with	_						
	Total HIV di		Withou			gnoses		0.4		24		0.1
TOTAL	N	%	N 7	%	N	%	N 7	400.0	N 570	%	N	%
TOTAL	9	100.0		77.8	2	22.2	1	100.0	579	100.0	3	100.0
GENDER						_		_				
Men	7	77.8	6	85.7	1	50.0	6	85.7	494	85.3	3	100.0
Women	2	22.2	1	14.3	1	50.0	1	14.3	85	14.7	0	0.0
RACE/ETHNICITY								_				
Black	2	22.2	2	28.6	0	0.0	0	0.0	114	19.7	0	0.0
Latino/Hispanic	2	22.2	1	14.3	1	50.0	2	28.6	143	24.7	2	66.7
White	3 2	33.3	2	28.6	1	50.0	5	71.4	298	51.5	1	33.3 0.0 0.0
Asian/Pacific Islander	2	22.2	2	28.6	0	0.0	0	0.0	20	3.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	44.4	3	42.9	1	50.0	2	28.6	29	5.0	1	33.3
30-39	3	33.3	3	42.9	0	0.0	3	42.9	71	12.3	0	0.0
40-49	1	11.1	1	14.3	0	0.0	0	0.0	158	27.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	211	36.4	1	33.3
60+	1	11.1	0	0.0	1	50.0	2	28.6	110	19.0	1	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	77.8	6	85.7	1	50.0	4	57.1	367	63.4	2	66.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	44	7.6	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	14.3	14	2.4	1	33.3
Heterosexual contact	1	11.1	0	0.0	1	50.0	1	14.3	57	9.8	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	14.3	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	11.1	7	14.3	0	0.0	U	0.0	88	15.2	U	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Men includes transgender men and women includes transgender women.

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV		DIAGNO	OSES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20		DEATHS,	, 2016
				C	oncurrent with	h AIDS						
	Total HIV di			ıt AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	54	100.0	45	83.3	9	16.7	19	100.0	2,103	100.0	14	100.0
GENDER								_				
Men	46	85.2	38	84.4	8	88.9	17	89.5	1,787	85.0	12	85.7
Women	8	14.8	36 7	15.6	1	11.1	2	10.5	316	15.0	2	14.3
Women	O	14.0	,	13.0	'	11.1	2	10.5	310	13.0	2	14.5
RACE/ETHNICITY												
Black	5	9.3	5	11.1	0	0.0	0	0.0	340	16.2	4	28.6
Latino/Hispanic	23	42.6	17	37.8	6	66.7	12	63.2	841	40.0	4	28.6
White	21	38.9	20	44.4	1	11.1	4	21.1	807	38.4	6	42.9
Asian/Pacific Islander	5	9.3	3	6.7	2	22.2	3	15.8	97	4.6	0	42.9 0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.9	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0 0.0 7.1
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	14	25.9	13	28.9	1	11.1	2	10.5	128	6.1	1	7.1
30-39	28	51.9	22	48.9	6	66.7	7	36.8	454	21.6	1	7.1
40-49	7	13.0	6	13.3	1	11.1	6	31.6	583	27.7	4	28.6
50-59	4	7.4	4	8.9	0	0.0	1	5.3	636	30.2	4	28.6
60+	1	1.9	0	0.0	1	11.1	3	15.8	299	14.2	4	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	77.8	35	77.8	7	77.8	15	78.9	1,351	64.2	6	42.9 7.1
Injection drug use history (IDU)	2	3.7	1	2.2	1	11.1	1	5.3	122	5.8	1	7.1
MSM-IDU	1	1.9	1	2.2	0	0.0	0	0.0	43	2.0	1	7.1
Heterosexual contact	3	5.6	3	6.7	0	0.0	1	5.3	245	11.7	3	21.4
Transgender people with sexual contact	3	5.6	3	6.7	0	0.0	0	0.0	26	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	3	5.6	2	4.4	1	11.1	2	10.5	295	14.0	3	21.4

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Men includes transgender men and women includes transgender women.

Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
	-		14.00		oncurrent with	_			,0.,,_0			
	Total HIV di N	agnoses %	Withou N	it AIDS %	diag N	gnoses %	N	%	N	%	N	%
TOTAL	133	100.0	111	83.5	22	16.5	63	100.0	5,795	100.0	29	100.0
GENDER								_				
Men	120	90.2	100	90.1	20	90.9	53	84.1	4,727	81.6	24	82.8
Women	13	9.8	11	9.9	2	9.1	10	15.9	1,068	18.4	5	17.2
RACE/ETHNICITY								_				
Black	11	8.3	9	8.1	2	9.1	15	23.8	1,554	26.8	7	24.1
Latino/Hispanic	94	70.7	82	73.9	12	54.5	35	55.6	3,249	56.1	13	44.8
White	8	6.0	5	4.5	3	13.6	6	9.5	646	11.1	5	17.2
Asian/Pacific Islander Native American	20 0	15.0 0.0	15 0	13.5 0.0	5	22.7 0.0	7	11.1 0.0	313 15	5.4 0.3	4 0	13.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	1	0.8	1	0.9	0	0.0	0	0.0	4	0.1	0	0.0
13-19	3	2.3	3	2.7	0	0.0	0	0.0	12	0.2	0	0.0
20-29	38	28.6	33	29.7	5	22.7	11	17.5	411	7.1	1	3.4
30-39	49	36.8	44	39.6	5	22.7	22	34.9	995	17.2	1	3.4
40-49	28	21.1	18	16.2	10	45.5	20	31.7	1,540	26.6	4	13.8
50-59	9	6.8	9	8.1	0	0.0	5	7.9	1,848	31.9	11	37.9
60+	5	3.8	3	2.7	2	9.1	5	7.9	985	17.0	12	41.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	105	78.9	90	81.1	15	68.2	39	61.9	2,557	44.1	14	48.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	3.2	846	14.6	6	20.7 3.4
MSM-IDU	2	1.5	1	0.9	1	4.5	1	1.6	168	2.9	1	3.4
Heterosexual contact Transgender people with sexual contact	15 2	11.3 1.5	11 2	9.9 1.8	4 0	18.2 0.0	9	14.3 6.3	917 113	15.8 1.9	3 0	10.3
Perinatal	1	0.8	1	0.9	0	0.0	0	0.0	66	1.9	0	0.0
Other	0	0.0	0	0.9	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	8	6.0	6	5.4	2	9.1	8	12.7	1,124	19.4	5	17.2

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 20 ⁻	16		AIDS DIAGNOSES,	2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
					oncurrent with							
	Total HIV di		Withou		diagi			0/		04		0/
TOTAL	N 21	% 100.0	N 15	% 71.4	N 6	% 28.6	N 6	% 100.0	N 672	% 100.0	N 9	% 100.0
I O I I		10010				20.0		100.0	0.2	10010		10010
GENDER												
Men	18	85.7	14	93.3	4	66.7	4	66.7	503	74.9	6	66.7
Women	3	14.3	1	6.7	2	33.3	2	33.3	169	25.1	3	33.3
RACE/ETHNICITY												
Black	2	9.5	2	13.3	0	0.0	0	0.0	102	15.2	1	11.1
Latino/Hispanic	4	19.0	3	20.0	1	16.7	1	16.7	252	37.5	5	55.6
White	3	14.3	3	20.0	0	0.0	0	0.0	187	27.8	2	22.2
Asian/Pacific Islander	11	52.4	7	46.7	4	66.7	4	66.7	119	17.7	1	11.1
Native American	1	4.8	0	0.0	1	16.7	1	16.7	7	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	11	52.4	8	53.3	3	50.0	3	50.0	53	7.9	0	0.0
30-39	3	14.3	2	13.3	1	16.7	1	16.7	83	12.4	0	0.0
40-49	3	14.3	3	20.0	0	0.0	0	0.0	142	21.1	0	0.0
50-59	4	19.0	2	13.3	2	33.3	2	33.3	223	33.2	3	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	167	24.9	6	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	61.9	11	73.3	2	33.3	2	33.3	287	42.7	2	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	65	9.7	1	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	2.7	1	11.1
Heterosexual contact	3	14.3	1	6.7	2	33.3	2	33.3	147	21.9	3	33.3 0.0
Transgender people with sexual contact	1	4.8	1	6.7	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	19.0	2	13.3	2	33.3	2	33.3	141	21.0	2	22.2

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGN	OSES, 2016	5		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	5, 2016
					oncurrent wi	ith AIDS						
	Total HIV	diagnoses		out AIDS		agnoses						
	N		N	%	N	%		%	N	%	N	%
TOTAL	4	100.0	2	50.0	2	50.0	3	100.0	146	100.0	2	100.0
GENDER												
Men	2	75.0	2	100.0	1	50.0	2	66.7	120	82.2	1	50.0
Women	3	25.0	2 0	0.0	1	50.0		33.3	26	17.8	1	50.0
vvomen		25.0	U	0.0	1	50.0	'	33.3	26	17.8	1	50.0
RACE/ETHNICITY	_											
Black	0		0	0.0	0	0.0		0.0	21	14.4	1	50.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	33	22.6	0	0.0
White	3	75.0	2	100.0	1	50.0	2	66.7	79	54.1	1	50.0
Asian/Pacific Islander	1	25.0	0	0.0	1	50.0	1	33.3	11	7.5	0	0.0
Other/Unknown	0		0	0.0	0	0.0	0	0.0	2	1.4	0	50.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0		0	0.0	0	0.0		0.0	0	0.0	0	0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
20-29	1	25.0	1	50.0	0	0.0		33.3	9	6.2	0	0.0
30-39	0	0.0	0	0.0	0	0.0		0.0	16	11.0	0	0.0
40-49	2		1	50.0	1	50.0		33.3	21	14.4	1	50.0
50-59	0	0.0	0	0.0	0	0.0		0.0	54	37.0	0	0.0
60+	1	25.0	0	0.0	1	50.0	1	33.3	46	31.5	1	50.0
TRANSMISSION RISK	_											
Men who have sex with men (MSM)	2	50.0	2	100.0	0	0.0	0	0.0	61	41.8	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	12	8.2	2	100.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	23	15.8	0	0.0 0.0 0.0 0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Unknown	2		0	0.0	2	100.0		100.0	38	26.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 201	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
					oncurrent wit	th AIDS						
	Total HIV di		Withou			ignoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	40	100.0	34	85.0	6	15.0	19	100.0	1,252	100.0	12	100.0
GENDER												
Men	34	85.0	30	88.2	4	66.7	17	89.5	963	76.9	11	91.7
Women	6	15.0	4	11.8	2	33.3	2	10.5	289	23.1	1	8.3
		10.0	•	11.0	_	00.0	-	10.0	200	20.1	•	0.0
RACE/ETHNICITY												
Black	7	17.5	7	20.6	0	0.0	2	10.5	160	12.8	0	0.0
Latino/Hispanic	26	65.0	22	64.7	4	66.7	10	52.6	599	47.8	7	58.3
White	2	5.0	1	2.9	1	16.7	6	31.6	412	32.9	5	41.7
Asian/Pacific Islander	5	12.5	4	11.8	1	16.7	1	5.3	68	5.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	Ō	0.0	0	0.0	Ō	0.0	4	0.3	Ö	0.0
20-29	23	57.5	22	64.7	1	16.7	4	21.1	119	9.5	0	0.0 0.0
30-39	5	12.5	4	11.8	1	16.7	4	21.1	156	12.5	0	0.0
40-49	8	20.0	7	20.6	1	16.7	4	21.1	287	22.9	0	0.0
50-59	4	10.0	1	2.9	3	50.0	5	26.3	433	34.6	8	66.7
60+	0	0.0	0	0.0	0	0.0	2	10.5	252	20.1	4	33.3
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	28	70.0	24	70.6	4	66.7	10	52.6	630	50.3	5	41.7
Injection drug use history (IDU)	0	0.0	0	0.0	Ö	0.0	2	10.5	88	7.0	5	41.7
MSM-IDU	1	2.5	1	2.9	ő	0.0	0	0.0	35	2.8	0	0.0
Heterosexual contact	7	17.5	6	17.6	1	16.7	2	10.5	252	20.1	0	0.0
Transgender people with sexual contact	Ö	0.0	0	0.0	Ö	0.0	0	0.0	11	0.9	0	0.0
Perinatal	Ö	0.0	0	0.0	Ő	0.0	Õ	0.0	28	2.2	Ő	0.0
Other	Ö	0.0	Õ	0.0	Õ	0.0	Ō	0.0	6	0.5	Ö	0.0
Unknown	4	10.0	3	8.8	1	16.7	5	26.3	202	16.1	2	16.7

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385. Men includes transgender men and women includes transgender women.

Table 1.10.6. Fresh Meadows (Queens)

		HIV		OSES, 201	6		AIDS DIAGNOSE	ES, 2016	PLWH AS 12/31/20		DEATHS,	2016
				C	oncurrent wi	ith AIDS						
	Total HIV of			out AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	6	100.0	5	83.3	1	16.7	2	100.0	279	100.0	0	0.0
GENDER												
Men	6	100.0	5	100.0	1	100.0	2	100.0	173	62.0	0	0.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	106	38.0	0	0.0 0.0
VVoitieri	U	0.0	U	0.0	U	0.0	U	0.0	100	36.0	U	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0		0.0	127	45.5		0.0 0.0 0.0 0.0
Latino/Hispanic	4	66.7	4	80.0	0	0.0	1	50.0	88	31.5	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	46	16.5	0	0.0
Asian/Pacific Islander	2	33.3	1	20.0	1	100.0	1	50.0	18	6.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0 0.0 0.0 0.0 0.0 0.0
20-29	1	16.7	1	20.0	0	0.0	0	0.0	23	8.2	0	0.0
30-39	3	50.0	3	60.0	0	0.0	1	50.0	32	11.5	0	0.0
40-49	2	33.3	1	20.0	1	100.0	1	50.0	58	20.8	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	96	34.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	67	24.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	83.3	5	100.0	0	0.0		0.0	85	30.5	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0		0.0	23 3	8.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	1.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	76	27.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0 0.0 0.0 0.0 0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	4.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Unknown	1	16.7	0	0.0	1	100.0	2	100.0	78	28.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367. Men includes transgender men and women includes transgender women.

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	OSES, 201	16		AIDS DIAGNOSE	S, 2016	PLWH AS 12/31/20	_	DEATHS	, 2016
				С	oncurrent with	n AIDS			12/01/20			
	Total HIV d			ıt AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	45	100.0	31	68.9	14	31.1	30	100.0	1,830	100.0	20	100.0
GENDER								_				
Men	32	71.1	21	67.7	11	78.6	21	70.0	1,280	69.9	16	80.0
Women	13	28.9	10	32.3	3	21.4	9	30.0	550	30.1	4	20.0
							_				-	
RACE/ETHNICITY												
Black	7	15.6	5	16.1	2	14.3		30.0	488	26.7	7	35.0
Latino/Hispanic	18	40.0	13	41.9	5	35.7	11	36.7	844	46.1	5	25.0
White	3	6.7	2	6.5	1	7.1	1	3.3	289	15.8	3	15.0
Asian/Pacific Islander	17	37.8	11	35.5	6	42.9	8	26.7	185	10.1	5	25.0
Native American Multiracial	0	0.0 0.0	0	0.0 0.0	0	0.0	1	3.3 0.0	16 5	0.9	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
OTKTOWIT	U	0.0	U	0.0	U	0.0	U	0.0	3	0.2	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	2	4.4	2	6.5	0	0.0	0	0.0	5	0.3	0	0.0
20-29	10	22.2	8	25.8	2	14.3	5	16.7	141	7.7	1	5.0
30-39	8	17.8	7	22.6	1	7.1	5	16.7	289	15.8	0	0.0
40-49	15	33.3	9	29.0	6	42.9	11	36.7	442	24.2	6	30.0
50-59	6	13.3	5	16.1	1	7.1	5	16.7	609	33.3	6 7	30.0
60+	4	8.9	0	0.0	4	28.6	4	13.3	341	18.6	/	35.0
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	18	40.0	13	41.9	5	35.7	12	40.0	714	39.0	3	15.0
Injection drug use history (IDU)	0	0.0	0	0.0	Ö	0.0	0	0.0	186	10.2	4	20.0
MSM-IDU	0	0.0	Ō	0.0	0	0.0	0	0.0	22	1.2	1	5.0
Heterosexual contact	14	31.1	10	32.3	4	28.6	8	26.7	448	24.5	1	5.0
Transgender people with sexual contact	1	2.2	1	3.2	0	0.0	1	3.3	20	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	47	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	12	26.7	7	22.6	5	35.7	9	30.0	390	21.3	11	55.0

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 20	16		AIDS DIAGNOSES	S, 2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
					oncurrent with							ĺ
	Total HIV di		Withou			noses	N	0/	N.	0/	N.I.	0/
TOTAL	N 49	% 100.0	N 42	% 85.7	N 7	14.3	N 39	% 100.0	N 3,210	100.0	N 46	% 100.0
TOTAL	73	100.0	72	00.7		17.5	33	100.0	3,210	100.0	40	100.0
GENDER												
Men	35	71.4	30	71.4	5	71.4	27	69.2	1,994	62.1	34	73.9
Women	14	28.6	12	28.6	2	28.6	12	30.8	1,216	37.9	12	26.1
RACE/ETHNICITY												
Black	32	65.3	25	59.5	7	100.0	28	71.8	2,303	71.7	30	65.2
Latino/Hispanic	11	22.4	11	26.2	0	0.0	10	25.6	621	19.3	11	23.9
White	3	6.1	3	7.1	0	0.0	1	2.6	169	5.3	2	4.3
Asian/Pacific Islander	3	6.1	3	7.1	0	0.0	0	0.0	89	2.8	2	4.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	1	2.2 0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.6	3	0.1	0	0.0
13-19	_ 1	2.0	.1	2.4	0	0.0	0	0.0	25	0.8	0	0.0
20-29	18	36.7	17	40.5	1	14.3	5	12.8	289	9.0	0	0.0
30-39	16	32.7	14	33.3	2	28.6	8	20.5	430	13.4	3	6.5
40-49	5 6	10.2	4	9.5	1 2	14.3	9	23.1	695	21.7	11	23.9
50-59 60+	3	12.2 6.1	4 2	9.5 4.8	2 1	28.6 14.3	11 5	28.2 12.8	1,041 727	32.4 22.6	12 20	26.1 43.5
00+	3	0.1	2	4.0	'	14.3	5	12.0	121	22.6	20	43.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	46.9	21	50.0	2	28.6	13	33.3	906	28.2	10	21.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	5.1	354	11.0	9	19.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.6	58	1.8	2	4.3
Heterosexual contact	13	26.5	10	23.8	3	42.9	14	35.9	938	29.2	13	28.3
Transgender people with sexual contact	3	6.1	3	7.1	0	0.0	0	0.0	25	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	98	3.1	0	0.0
Other	0 10	0.0	0 8	0.0	0 2	0.0	0 8	0.0	9 822	0.3	1 11	2.2 23.9
Unknown	10	20.4	8	19.0	2	28.6	8	20.5	822	25.6	11	23.9

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 20 ⁻			AIDS DIAGNOSES,	2016	PLWH AS 12/31/20	_	DEATHS,	, 2016
	Total HIV di	agnoses %	Withou N		oncurrent with A diagno N	_	N	%	N	%	N	%
TOTAL	31	100.0	25	80.6	6	19.4	16	100.0	1,313	100.0	17	100.0
GENDER								_				
Men	22	71.0	21	84.0		16.7	8	50.0	764	58.2	10	58.8
Women	9	29.0	4	16.0	5	83.3	8	50.0	549	41.8	7	41.2
RACE/ETHNICITY								-				
Black	23	74.2	19	76.0		66.7	10	62.5	1,009	76.8	13	76.5
Latino/Hispanic	4	12.9	3	12.0		16.7	3	18.8	155	11.8	3	17.6
White Asian/Pacific Islander	0	0.0 9.7	0 3	0.0 12.0	0 0	0.0	1	6.3 6.3	97 44	7.4 3.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	1	3.2	0	0.0		16.7	1	6.3	5	0.4	1	5.9
Unknown	Ö	0.0	ő	0.0	ó	0.0	0	0.0	1	0.1	0	5.9 0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
20-29	9	29.0	8	32.0		16.7	2	12.5	114	8.7	0	0.0
30-39	6	19.4	6	24.0	0	0.0	5	31.3	182	13.9	1	5.9
40-49 50-59	10 5	32.3 16.1	6 4	24.0 16.0		66.7 16.7	4	25.0 25.0	275 424	20.9 32.3	3 6	17.6 35.3
60+	1	3.2	1	4.0	0	0.0	1	6.3	309	23.5	7	41.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	35.5	10	40.0	1	16.7	6	37.5	285	21.7	2	11.8
Injection drug use history (IDU)	0	0.0	0	0.0	Ö	0.0	1	6.3	124	9.4	3	17.6
MSM-IDU	1	3.2	1	4.0	0	0.0	0	0.0	21	1.6	0	0.0
Heterosexual contact	6	19.4	3	12.0		50.0	5	31.3	418	31.8	8	47.1
Transgender people with sexual contact	1	3.2	1	4.0	0	0.0	0	0.0	10	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	47	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0 4	0.0
Unknown	12	38.7	10	40.0	2	33.3	4	25.0	401	30.5	4	23.5

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2016					AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016		
					oncurrent w	ith AIDS						
	Total HIV d			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	16	100.0	13	81.3	3	18.8	11	100.0	1,244	100.0	33	100.0
GENDER								_				
Men	10	62.5	0	61.5	2	66.7	7	63.6	717	57.6	20	60.6
Women	6	37.5	8 5	38.5	1	33.3	4	36.4	527	42.4	20 13	39.4
vvoinen	O	37.5	5	30.3	'	აა.ა	4	30.4	521	42.4	13	39.4
RACE/ETHNICITY												
Black	9	56.3	8	61.5	1	33.3	6	54.5	801	64.4	22	66.7
Latino/Hispanic	7	43.8	5	38.5	2	66.7	5	45.5	310	24.9	8	24.2
White	0	0.0	0	0.0	0	0.0	0	0.0	109	8.8	3	9.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	1.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	9.1 0.0 0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 3.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	1	3.0
20-29	4	25.0	4	30.8	0	0.0	0	0.0	104	8.4	0	0.0
30-39	1	6.3	1	7.7	0	0.0	3	27.3	174	14.0	3	9.1
40-49	6	37.5	4	30.8	2	66.7	4	36.4	251	20.2	5	15.2
50-59	4	25.0	3	23.1	1	33.3	4	36.4	437	35.1	17	51.5
60+	1	6.3	1	7.7	0	0.0	0	0.0	268	21.5	7	21.2
TRANSMISSION RISK	_											
Men who have sex with men (MSM)	7	43.8	7	53.8	0	0.0	0	0.0	303	24.4	3	9.1
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	9.1	186	15.0	14	42.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	28	2.3	1	3.0
Heterosexual contact	1	6.3	1	7.7	0	0.0	3	27.3	428	34.4	6	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	18.2 0.0 3.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	35	2.8	1	3.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	8	50.0	5	38.5	3	100.0	7	63.6	256	20.6	8	24.2

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
					oncurrent with	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	17	100.0	13	76.5	4	23.5	9	100.0	610	100.0	14	100.0
GENDER												
Men	13	76.5	9	69.2	4	100.0	7	77.8	361	59.2	9	64.3
Women	4	23.5	4	30.8	ō	0.0	2	22.2	249	40.8	5	35.7
Women	_	20.0		00.0	Ŭ	0.0	_	22.2	2-10	40.0	J	00.7
RACE/ETHNICITY												
Black	8	47.1	7	53.8	1	25.0	4	44.4	309	50.7	7	50.0
Latino/Hispanic	4	23.5	2	15.4	2	50.0	4	44.4	201	33.0	5	35.7
White	4	23.5	3	23.1	1	25.0	1	11.1	86	14.1	1	7.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
Other/Unknown	1	5.9	1	7.7	0	0.0	0	0.0	9	1.5	1	7.1
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
20-29	7	41.2	6	46.2	1	25.0	3	33.3	52	8.5	0	0.0
30-39	2	11.8	2	15.4	0	0.0	1	11.1	102	16.7	0	0.0
40-49	5	29.4	4	30.8	1	25.0	2	22.2	136	22.3	2	14.3
50-59	0	0.0	0	0.0	0	0.0	1	11.1	200	32.8	7	50.0
60+	3	17.6	1	7.7	2	50.0	2	22.2	114	18.7	5	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	47.1	7	53.8	1	25.0	3	33.3	153	25.1	3	21.4
Injection drug use history (IDU)	1	5.9	0	0.0	1	25.0	1	11.1	114	18.7	8	57.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.6	0	0.0 7.1
Heterosexual contact	6	35.3	4	30.8	2	50.0	3	33.3	173	28.4	1	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	2	11.8	2	15.4	0	0.0	2	22.2	125	20.5	2	14.3

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310. Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500

persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2016						AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016	
					oncurrent with	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	25	100.0	20	80.0	5	20.0	17	100.0	1,122	100.0	25	100.0
GENDER								_				
Men	16	64.0	13	65.0	3	60.0	13	76.5	733	65.3	18	72.0
Women	9	36.0	7	35.0	2	40.0	4	23.5	389	34.7	7	28.0
Women		00.0	,	00.0	_	40.0	7	20.0	000	04.7	•	20.0
RACE/ETHNICITY												
Black	14	56.0	10	50.0	4	80.0	14	82.4	529	47.1	14	56.0
Latino/Hispanic	1	4.0	1	5.0	0	0.0	0	0.0	306	27.3	6	24.0
White	9	36.0	8	40.0	1	20.0	3	17.6	268	23.9	5	20.0
Asian/Pacific Islander	1	4.0	1	5.0	0	0.0	0	0.0	11	1.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 4.0 4.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
20-29	10	40.0	10	50.0	0	0.0	2	11.8	86	7.7	1	4.0
30-39	7	28.0	6	30.0	1	20.0	2	11.8	152	13.5	1	4.0
40-49	4	16.0	2	10.0	2	40.0	3	17.6	214	19.1	3	12.0
50-59	3	12.0	1	5.0	2	40.0	9	52.9	434	38.7	8	32.0
60+	1	4.0	1	5.0	0	0.0	1	5.9	230	20.5	12	48.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	44.0	9	45.0	2	40.0	7	41.2	336	29.9	3	12.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	179	16.0	11	44.0
MSM-IDU	2	8.0	2	10.0	0	0.0	0	0.0	42	3.7	1	4.0
Heterosexual contact	7	28.0	5	25.0	2	40.0	5	29.4	287	25.6	5	20.0 0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	20.0	4	20.0	1	20.0	4	23.5	236	21.0	5	20.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305. Men includes transgender men and women includes transgender women.

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2016					AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016		
					oncurrent w	ith AIDS						
	Total HIV d			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	11	100.0	8	72.7	3	27.3	5	100.0	209	100.0	4	100.0
OFNIDED												
GENDER	7	62.6	7	07.5	0	0.0	2	40.0	111	60.0	2	F0 0
Men Women	/	63.6 36.4	1	87.5 12.5	0 3	0.0	2 3	40.0 60.0	144 65	68.9 31.1	2 2	50.0 50.0
vvoriien	4	30.4	1	12.5	3	100.0	3	60.0	60	31.1	2	50.0
RACE/ETHNICITY												
Black	5	45.5	4	50.0	1	33.3	2	40.0	38	18.2	1	25.0
Latino/Hispanic	6	54.5	4	50.0	2	66.7	3	60.0	63	30.1	3	75.0
White	0	0.0	0	0.0	0	0.0	0	0.0	97	46.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	3.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	1.9	0	0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	9.1	1	12.5	0	0.0	0	0.0	2	1.0	0	0.0
20-29	1	9.1	1	12.5	0	0.0	2	40.0	13	6.2	1	25.0
30-39	3	27.3	2	25.0	1	33.3	1	20.0	31	14.8	0	0.0
40-49	3	27.3	2	25.0	1	33.3	1	20.0	43	20.6	1	25.0
50-59	3	27.3	2	25.0	1	33.3	1	20.0	75	35.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	45	21.5	2	50.0
TRANSMISSION RISK	_											
Men who have sex with men (MSM)	5	45.5	5	62.5	0	0.0	2	40.0	73	34.9	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	29	13.9	3	75.0
MSM-IDU , , ,	0	0.0	0	0.0	0	0.0	0	0.0	5	2.4	0	0.0
Heterosexual contact	4	36.4	2	25.0	2	66.7	2	40.0	45	21.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0 0.0 0.0 0.0 0.0
Unknown	2	18.2	1	12.5	1	33.3	1	20.0	50	23.9	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2016					AIDS DIAGNOSES, 2016		PLWH AS OF 12/31/2016		DEATHS, 2016		
					oncurrent with i	AIDS						
	Total HIV di		Withou		diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	24	100.0	21	87.5	3	12.5	4	100.0	422	100.0	7	100.0
GENDER												
Men	18	75.0	16	76.2	2	66.7	3	75.0	290	68.7	6	85.7
Women	6	25.0	5	23.8	1	33.3	1	25.0	132	31.3	1	14.3
Tromon	ŭ	20.0	Ŭ	20.0	•	00.0	·	20.0	.02	01.0	•	1
RACE/ETHNICITY												
Black	6	25.0	5	23.8	1	33.3	0	0.0	65	15.4	0	0.0
Latino/Hispanic	10	41.7	9	42.9	1	33.3	3	75.0	105	24.9	3	42.9
White	7	29.2	6	28.6	1	33.3	1	25.0	245	58.1	4	57.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Other/Unknown	1	4.2	1	4.8	0	0.0	0	0.0	3	0.7	0	0.0
ACE CROUP (VEARS)								_				
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	1	4.2	1	4.8	Ö	0.0	0	0.0	2	0.7	0	0.0
20-29	7	29.2	6	28.6	1	33.3	1	25.0	21	5.0	1	14 3
30-39	6	25.0	6	28.6	Ö	0.0	0	0.0	37	8.8	Ö	14.3 0.0
40-49	5	20.8	4	19.0	ĭ	33.3	1	25.0	101	23.9	ő	0.0
50-59	2	8.3	2	9.5	0	0.0	1	25.0	152	36.0	4	57.1
60+	3	12.5	2	9.5	1	33.3	1	25.0	106	25.1	2	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	62.5	14	66.7	1	33.3	1	25.0	110	26.1	1	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	64	15.2	3	42.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.1	0	0.0 0.0
Heterosexual contact	3	12.5	2	9.5	1	33.3	1	25.0	104	24.6	0	0.0
Transgender people with sexual contact	2	8.3	2	9.5	0	0.0	0	0.0	2	0.5	0	0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	4	16.7	3	14.3	1	33.3	2	50.0	116	27.5	3	42.9

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312. Men includes transgender men and women includes transgender women.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2016 Table 2.1. Overall and by gender, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH³	2016 NEW YORK CITY POPULATION⁴
TOTAL	26.4	1.5	9.9	8,469,153
GENDER				
Men	42.2	2.3	9.8	4,039,371
Women	12.0	0.8	10.0	4,429,782
RACE/ETHNICITY				
Black	49.6	2.9	11.1	1,881,618
Latino/Hispanic	32.2	1.7	10.2	2,462,977
White	12.4	1.0	7.1	2,743,772
Asian/Pacific Islander	11.9	0.2	7.6	1,216,389
Native American	30.9*	1.6	15.9*	19,435
Multiracial	14.5	0.3	17.0*	144,962
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,314,648
13 - 19	12.9	0.1	1.5*	641,652
20 - 29	59.1	0.8	3.7	1,363,203
30 - 39	44.6	1.5	5.8	1,334,109
40 - 49	35.1	2.6	8.4	1,086,578
50 - 59	23.7	3.8	16.4	1,073,847
60+	7.0	1.6	29.4	1,655,116

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2016 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2020.

³Age-adjusted to the NYC Census 2010 population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2016 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2016 NEW YORK CITY POPULATION ⁴
TOTAL	26.4	1.5	9.9	8,469,153
BRONX⁵	33.8	2.0	10.6	1,445,686
Crotona - Tremont	40.5	2.8	11.9	215,002
Fordham - Bronx Park	38.9	2.0	7.8	267,214
High Bridge - Morrisania	42.9	2.8	12.7	219,342
Hunts Point - Mott Haven	47.9	2.7	9.7	141,828
Kingsbridge - Riverdale	15.0	0.8	16.6	93,312
Northeast Bronx	23.4	1.3	12.6	205,196
Pelham - Throgs Neck	24.4	1.4	8.5	303,791
BROOKLYN ⁵	21.7	1.1	9.0	2,608,423
Bedford Stuyvesant - Crown Heights	51.5	2.3	12.4	330,293
Bensonhurst - Bay Ridge	6.3	0.3	13.9*	206,995
Borough Park	5.7	0.3	4.5*	333,639
Canarsie - Flatlands	17.6	0.8	8.3	210,033
Coney Island - Sheepshead Bay	9.6	0.4	8.4	291,654
Downtown - Heights - Park Slope	12.8	1.0	7.5	257,847
East Flatbush - Flatbush	29.2	1.7	6.6	301,337
East New York	36.1	1.8	9.0	191,096
Greenpoint	7.2*	0.6	8.9*	139,701
Sunset Park	18.5	0.7	8.4	123,990
Williamsburg - Bushwick	34.3	1.7	8.6	221,837
MANHATTAN ⁵	26.1	2.0	5.9	1,619,317
Central Harlem - Morningside Heights	44.4	2.6	6.9	182,507
Chelsea - Clinton	51.1	4.3	4.4	158,382
East Harlem	44.3	2.6	13.0	115,253
Gramercy Park - Murray Hill	12.2	1.5	3.3	130,735
Greenwich Village - Soho	30.4	2.3	1.9*	82,271
Lower Manhattan	15.0*	1.0	8.2*	60,005
Union Square - Lower East Side	18.8	1.6	7.2	186,089
Upper East Side	6.5	0.7	4.2	214,398
Upper West Side	12.4	1.5	6.6	218,414
Washington Heights - Inwood	29.9	1.7	5.1	271,262
QUEENS ⁵	17.3	0.8	7.8	2,317,339
Bayside - Little Neck	4.5*	0.2	11.7*	88,926
Flushing - Clearview	8.3	0.3	8.4*	252,560
Fresh Meadows	5.9*	0.3	0.0*	101,099
Jamaica	15.4	1.0	9.6	318,191
Long Island City - Astoria	25.5	1.0	5.7	212,076
Ridgewood - Forest Hills	15.3	0.5	5.2	261,511
Rockaway	12.4	1.0	20.8	128,862
Southeast Queens	14.7	0.6	7.9	210,488
Southwest Queens West Queens	15.8 29.0	0.6 1.3	6.8 3.7	285,218 458,407
STATEN ISLAND ⁵	16.5	0.5	13.9	474,039
Port Richmond	25.1	0.9	14.6	67,863
South Beach - Tottenville	12.4	0.9	12.6*	194,101
Stapleton - St. George	20.5	0.2	13.9	122,055
Willowbrook	12.2	0.9	23.4*	90,021

As reported to the NYC Department of Health and Mental Hygiene by May 27, 2021. Table generated September 30, 2021. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2016 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2020.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

Prevented by level detail include a people receiving in updated by the updated by the updated by the updated by the updated by the updated by the updated by the updated by the updated by the updated by the updated by the updated by the updated by the updated by th

⁵Borough-level data include people residing in unknown UHF neighborhoods.