

NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2017

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene https://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 AND REPORTED PERSONS WITH HIV (PWH) AS OF 12/31/2017, New York City

Table 1.1	New York City (All)		
	(,	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
	Dec A see	Table 1.8.11	Williamsburg – Bushwick
Table 1 4 1	By Age		Dy IIUE Noighborhood, Monhotton
Table 1.4.1 Table 1.4.2	Boys 0-12 years	Table 1 0 1	By UHF Neighborhood: Manhattan Washington Heights – Inwood
Table 1.4.2 Table 1.4.3	Girls 0-12 years	Table 1.9.1 Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.3	Men 13+ years Women 13+ years	Table 1.9.2 Table 1.9.3	East Harlem
1 able 1.4.4	Wollien 13+ years	Table 1.9.3	Upper West Side
	Py Porough		
Table 1.5.1	By Borough Bronx, Men	Table 1.9.5 Table 1.9.6	Upper East Side Chelsea – Clinton
Table 1.5.1	Bronx, Women	Table 1.9.0	Gramercy Park – Murray Hill
Table 1.5.2 Table 1.5.3	Brooklyn, Men	Table 1.9.7 Table 1.9.8	Greenwich Village – Soho
Table 1.5.3	Brooklyn, Women	Table 1.9.9	Union Square – Lower East Side
Table 1.5.4 Table 1.5.5	Manhattan, Men	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, Women	Table 1.5.10	Lower Mannattan
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
	By Transmission Category	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug use history (IDU), Men	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.8	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual contact, Men	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual contact, Women		•
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
		Table 1.11.1	Port Richmond
	By UHF Neighborhood: Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
Table 1.7.2	Northeast Bronx	Table 1.11.4	South Beach – Tottenville
Table 1.7.3	Fordham – Bronx Park		

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017

Table 2.1 Overall and by gender, age, and race/ethnicity Table 2.2 Overall and by borough and UHF neighborhood of residence

Table 1.1. New York City (All)

	HIV DIAGNOSES, 201			SES, 2017		rent with	AIDS DIAGNOSE	S, 2017 F	PWH AS OF 12/	31/2017	DEATHS,	, 2017
	Total HIV dia	agnoses	Withou	t AIDS	AIDS dia							
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2,079	100.0	1,725	83.0	354	17.0	1,293	100.0	129,237	100.0	1,816	100.0
GENDER												
Men	1,650	79.4	1,376	79.8	274	77.4	934	72.2	93,504	72.4	1,293	71.2
Women	370	17.8	296	17.2	74	20.9	326	25.2	33,624	26.0	501	27.6
Transgender	59	2.8	53	3.1	6	1.7	33	2.6	2,109	1.6	22	1.2
RACE/ETHNICITY												
Black	869	41.8	709	41.1	160	45.2	625	48.3	56,074	43.4	928	51.1
Latino/Hispanic	761	36.6	643	37.3	118	33.3	414	32.0	42,605	33.0	564	31.1
White	302	14.5	260	15.1	42	11.9	174	13.5	26,375	20.4	289	15.9
Asian/Pacific Islander Native American	121 9	5.8 0.4	94 6	5.4 0.3	27 3	7.6 0.8	65 5	5.0 0.4	3,044 319	2.4 0.2	22 8	1.2 0.4
Multiracial	17	0.4	13	0.8	4	1.1	10	0.4	505	0.2	4	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	315	0.4	1	0.2
					·					• • •	-	***
AGE GROUP (YEARS)												
0-12	3	0.1	2	0.1	1	0.3	2	0.2	102	0.1	0	0.0
13-19 20-29	80 786	3.8 37.8	76 718	4.4 41.6	4 68	1.1 19.2	17 235	1.3 18.2	526 10,818	0.4 8.4	0 41	0.0 2.3
30-39	569	27.4	462	26.8	107	30.2	355 355	27.5	20,413	15.8	122	2.3 6.7
40-49	296	14.2	231	13.4	65	18.4	245	18.9	26,597	20.6	238	13.1
50-59	224	10.8	146	8.5	78	22.0	280	21.7	41,048	31.8	600	33.0
60+	121	5.8	90	5.2	31	8.8	159	12.3	29,733	23.0	815	44.9
BOROUGH OF RESIDENCE Bronx	444	21.4	370	21.4	74	20.9	302	23.4	30,086	23.3	440	24.2
Brooklyn	605	29.1	483	28.0	122	34.5	351	27.1	29.879	23.1	406	22.4
Manhattan	389	18.7	329	19.1	60	16.9	210	16.2	32,294	25.0	304	16.7
Queens	384	18.5	315	18.3	69	19.5	174	13.5	18,307	14.2	147	8.1
Staten Island	38	1.8	29	1.7	9	2.5	29	2.2	2,432	1.9	42	2.3
Outside NYC	157	7.6	137	7.9	20	5.6	215	16.6	13,992	10.8	76	4.2
Unknown	62	3.0	62	3.6	0	0.0	12	0.9	2,247	1.7	401	22.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	201	9.7	175	10.1	26	7.3	99	7.7	15,062	11.7	129	7.1
Medium poverty (10 to <20% below FPL)	762	36.7	615	35.7	147	41.5	380	29.4	41,985	32.5	383	21.1
High poverty (20 to <30% below FPL)	520	25.0	423	24.5	97	27.4	307	23.7	28,086	21.7	391	21.5
Very high poverty (≥30% below FPL)	376	18.1	313	18.1	63	17.8	276	21.3	26,538	20.5	436	24.0
Area-based poverty level not available	220	10.6	199	11.5	21	5.9	231	17.9	17,566	13.6	477	26.3
TRANSMISSION CATEGORY	1,235	59.4	1,060	61.4	175	49.4	547	42.3	54,188	41.9	438	24.1
Men who have sex with men (MSM) Injection drug use history (IDU)	33	1.6	1,060	1.6	6	49.4	547 79	6.1	15,202	11.8	438 457	24.1 25.2
MSM-IDU	23	1.1	23	1.3	0	0.0	29	2.2	3.396	2.6	73	4.0
Heterosexual contact	364	17.5	292	16.9	72	20.3	275	21.3	25,170	19.5	359	19.8
Transgender people with sexual contact	55	2.6	49	2.8	6	1.7	31	2.4	1,801	1.4	13	0.7
Perinatal	3	0.1	2	0.1	1	0.3	24	1.9	2,606	2.0	22	1.2
Other	1	0.0	1	0.1	0	0.0	0	0.0	204	0.2	4	0.2
Unknown	365	17.6	271	15.7	94	26.6	308	23.8	26,670	20.6	450	24.8

Table 1.2.1. Men (includes transgender men)

		HIV	DIAGNOS				AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS,	2017
	Total HIV di	agnoses	Withou		oncurrent wit dia	th AIDS agnoses						
	N	% w	N	%	N and	<i>19110303</i> %		%	N	%	N	%
TOTAL	1,651	100.0	1,377	83.4	274	16.6	934	100.0	93,536	100.0	1,293	100.0
RACE/ETHNICITY												
Black	609	36.9	505	36.7	104	38.0	403	43.1	35,452	37.9	607	46.9
Latino/Hispanic	641	38.8	538	39.1	103	37.6		33.4	30,889	33.0	396	30.6
White	273	16.5	237	17.2	36	13.1	150	16.1	23,780	25.4	263	20.3
Asian/Pacific Islander	107	6.5	81	5.9	26	9.5	58	6.2	2,540	2.7	19	1.5
Native American	7	0.4	5	0.4	2	0.7		0.4	240	0.3	4	0.3
Multiracial	14	0.8	11	0.8	3	1.1	7	0.7	391	0.4	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	244	0.3	1	0.1
AGE GROUP (YEARS)												
0-12	2	0.1	2	0.1	0	0.0	0	0.0	52	0.1	0	0.0
13-19	64	3.9	61	4.4	3	1.1		1.4	306	0.3	ő	0.0
20-29	691	41.9	627	45.5	64	23.4	189	20.2	8,321	8.9	32	2.5
30-39	460	27.9	376	27.3	84	30.7	261	27.9	15,742	16.8	85	6.6
40-49	212	12.8	165	12.0	47	17.2		19.3	18,714	20.0	164	12.7
50-59	148	9.0	94	6.8	54	19.7		19.2	28,979	31.0	399	30.9
60+	74	4.5	52	3.8	22	8.0		12.0	21,422	22.9	613	47.4
00+	74	4.5	52	3.0	22	0.0	112	12.0	21,422	22.5	013	47.4
BOROUGH OF RESIDENCE	242	40.0	222	40.0		400	000	22.4	40.000	40.0		
Bronx	318	19.3	266	19.3	52	19.0		22.1	18,639	19.9	299	23.1
Brooklyn	465	28.2	375	27.2	90	32.8		26.0	19,763	21.1	267	20.6
Manhattan	337	20.4	287	20.8	50	18.2		17.7	27,067	28.9	233	18.0
Queens	317	19.2	257	18.7	60	21.9		15.1	13,417	14.3	108	8.4
Staten Island	26	1.6	19	1.4	7	2.6		2.2	1,570	1.7	29	2.2
Outside NYC	138	8.4	123	8.9	15	5.5		16.0	11,357	12.1	53	4.1
Unknown	50	3.0	50	3.6	0	0.0	9	1.0	1,723	1.8	304	23.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	163	9.9	141	10.2	22	8.0		8.4	12,374	13.2	108	8.4
Medium poverty (10 to <20% below FPL)	611	37.0	495	35.9	116	42.3		31.8	31,165	33.3	271	21.0
High poverty (20 to <30% below FPL)	416	25.2	341	24.8	75	27.4	222	23.8	19,265	20.6	267	20.6
Very high poverty (≥30% below FPL)	272	16.5	227	16.5	45	16.4	176	18.8	16,613	17.8	290	22.4
Area-based poverty level not available	189	11.4	173	12.6	16	5.8	_	17.2	14,119	15.1	357	27.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1,235	74.8	1,060	77.0	175	63.9	547	58.6	54,188	57.9	438	33.9
Injection drug use history (IDU)	1,233	1.3	1,000	1.2	5	1.8		5.4	9.821	10.5	308	23.8
MSM-IDU	23	1.4	23	1.7	0	0.0		3.4	3.396	3.6	73	5.6
Heterosexual contact	76	4.6	54	3.9	22	8.0		7.2	6,166	6.6	119	9.2
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0		0.0	19	0.0	0	0.0
Perinatal	2	0.1	2	0.1	0	0.0		1.4	1,281	1.4	11	0.0
Other	1	0.1	1	0.1	0	0.0		0.0	1,201	0.1	3	0.8
Unknown	291	17.6	219	15.9	72	26.3		24.4	18,550	19.8	341	26.4
OHMIOWII	231	17.0	213	13.3	12	20.3	220	24.4	10,550	19.0	J + I	

Table 1.2.2. Women (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	ES, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
	Total HIV dia		Withou	t AIDS		agnoses		0/		0.4	N	04
TOTAL	N 428	% 100.0	N 348	% 81.3	N 80	% 18.7	N 359	% 100.0	N 35,701	% 100.0	N 523	% 100.0
RACE/ETHNICITY	000	00.7	004	F0.0	50	70.0	000	04.0	00.000	57.0	204	04.4
Black Latino/Hispanic	260 120	60.7 28.0	204 105	58.6 30.2	56 15	70.0 18.8		61.8 28.4	20,622 11,716	57.8 32.8	321 168	61.4 32.1
White	29	6.8	23	6.6	6	7.5		6.7	2,595	7.3	26	5.0
Asian/Pacific Islander	14	3.3	13	3.7	1	1.3		1.9	504	1.4	3	0.6
Native American	2	0.5	1	0.3	1	1.3	1	0.3	79	0.2	4	0.8
Multiracial	3	0.7	2	0.6	1	1.3		0.8	114	0.3	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	71	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	0	0.0	1	1.3		0.6	50	0.1	0	0.0
13-19	16	3.7	15	4.3	1	1.3		1.1	220	0.6	0	0.0
20-29	95	22.2	91	26.1	4	5.0		12.8	2,497	7.0	9	1.7
30-39	109	25.5	86	24.7	23	28.8		26.2	4,671	13.1	37	7.1
40-49	84	19.6	66	19.0	18	22.5		18.1	7,883	22.1	74	14.1
50-59 60+	76 47	17.8 11.0	52 38	14.9 10.9	24 9	30.0 11.3		28.1 13.1	12,069 8,311	33.8 23.3	201 202	38.4 38.6
00+	47	11.0	30	10.9	9	11.3	47	13.1	0,311	23.3	202	30.0
BOROUGH OF RESIDENCE												
Bronx	126	29.4	104	29.9	22	27.5		26.7	11,447	32.1	141	27.0
Brooklyn	140	32.7	108	31.0	32	40.0		30.1	10,116	28.3	139	26.6
Manhattan	52 67	12.1 15.7	42 58	12.1 16.7	10 9	12.5		12.5 9.2	5,227	14.6	71 39	13.6 7.5
Queens Staten Island	12	2.8	10	2.9	2	11.3 2.5		9.2 2.2	4,890 862	13.7 2.4	13	7.5 2.5
Outside NYC	19	4.4	14	4.0	5	6.3	66	18.4	2,635	7.4	23	4.4
Unknown	12	2.8	12	3.4	0	0.0		0.8	524	1.5	97	18.5
		2.0		0.1	· ·	0.0	· ·	0.0	02.	1.0	0.	10.0
AREA-BASED POVERTY LEVEL	20	0.0	0.4	0.0	4	5.0	04	5.0	0.000	7.5	04	4.0
Low poverty (<10% below FPL)	38 151	8.9 35.3	34 120	9.8 34.5	4 31	5.0		5.8	2,688 10,820	7.5 30.3	21	4.0
Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	104	24.3	120 82	34.5 23.6	22	38.8 27.5		23.1 23.7	8,821	30.3 24.7	112 124	21.4 23.7
1 - 1 - 1									*			
Very high poverty (≥30% below FPL)	104	24.3	86	24.7	18	22.5	100	27.9	9,925	27.8	146	27.9
Area-based poverty level not available	31	7.2	26	7.5	5	6.3	70	19.5	3,447	9.7	120	22.9
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	11	2.6	10	2.9	1	1.3		8.1	5,381	15.1	149	28.5
Heterosexual contact	288	67.3	238	68.4	50	62.5		57.9	19,004	53.2	240	45.9
Transgender people with sexual contact	54	12.6	48	13.8	6	7.5		8.6	1,782	5.0	13	2.5
Perinatal	1	0.2	0	0.0	1	1.3	11	3.1	1,325	3.7	11	2.1
Other	0	0.0	0	0.0	0	0.0		0.0	89	0.2	1	0.2
Unknown	74	17.3	52	14.9	22	27.5	80	22.3	8,120	22.7	109	20.8

Table 1.3.1. Black men (includes transgender men)

	Total HIV dia		DIAGNO Withou		oncurrent wi			ES, 2017	PWH AS (12/31/20 ²		DEATHS,	, 2017
	N	agnoses %	N	1 AID3 %	N N	agnoses %		%	N	%	N	%
TOTAL	609	100.0	505	82.9	104	17.1	403	100.0	35,452	100.0	607	100.0
101/12		10010		02.0	101		100	100.0	00,102	10010	00.	100.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 34 270 132 73 62 38	0.0 5.6 44.3 21.7 12.0 10.2 6.2	0 33 251 105 55 35 26	0.0 6.5 49.7 20.8 10.9 6.9 5.1	0 1 19 27 18 27 12	0.0 1.0 18.3 26.0 17.3 26.0 11.5	7 80 101 71 89	0.0 1.7 19.9 25.1 17.6 22.1 13.6	34 173 3,966 6,111 6,364 10,465 8,339	0.1 0.5 11.2 17.2 18.0 29.5 23.5	0 0 22 41 66 174 304	0.0 0.0 3.6 6.8 10.9 28.7 50.1
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	123 232 96 79 9 53 17	20.2 38.1 15.8 13.0 1.5 8.7 2.8	101 180 82 71 6 48 17	20.0 35.6 16.2 14.1 1.2 9.5 3.4	22 52 14 8 3 5	21.2 50.0 13.5 7.7 2.9 4.8 0.0	128 53 35 11 71	25.6 31.8 13.2 8.7 2.7 17.6 0.5	8,371 10,953 7,054 4,296 542 3,765 471	23.6 30.9 19.9 12.1 1.5 10.6 1.3	142 167 78 51 13 26 130	23.4 27.5 12.9 8.4 2.1 4.3 21.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	56 197 185 101	9.2 32.3 30.4 16.6	52 160 146 82	10.3 31.7 28.9 16.2	4 37 39 19	3.8 35.6 37.5 18.3	112 108	5.0 27.8 26.8 22.1	2,776 11,215 9,059 7,775	7.8 31.6 25.6 21.9	35 136 137 143	5.8 22.4 22.6 23.6
Area-based poverty level not available	70	11.5	65	12.9	5	4.8		18.4	4,627	13.1	156	25.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	388 6 7 36 0 0	63.7 1.0 1.1 5.9 0.0 0.0	340 4 7 24 0 0	67.3 0.8 1.4 4.8 0.0 0.0 0.2	48 2 0 12 0 0	46.2 1.9 0.0 11.5 0.0 0.0	14 7 40 0 6 0	52.4 3.5 1.7 9.9 0.0 1.5	16,736 3,938 1,183 3,337 12 714 36	47.2 11.1 3.3 9.4 0.0 2.0 0.1	174 134 34 67 0 9	28.7 22.1 5.6 11.0 0.0 1.5 0.2
Unknown	171	28.1	129	25.5	42	40.4	125	31.0	9,496	26.8	188	31.0

Table 1.3.2. Black women (includes transgender women)

		HIV DIAGNOSES, 2017						ES, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					oncurrent wi	ith AIDS						
	Total HIV o		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	260	100.0	204	78.5	56	21.5	222	100.0	20,622	100.0	321	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.1	0	0.0
13-19	9	3.5	8	3.9	1	1.8	3	1.4	136	0.7	0	0.0
20-29	58	22.3	55	27.0	3	5.4	30	13.5	1,459	7.1	6	1.9
30-39	64	24.6	48	23.5	16	28.6	50	22.5	2,823	13.7	23	7.2
40-49	52	20.0	39	19.1	13	23.2	43	19.4	4,689	22.7	49	15.3
50-59	47	18.1	29	14.2	18	32.1	67	30.2	6,868	33.3	121	37.7
60+	30	11.5	25	12.3	5	8.9	29	13.1	4,628	22.4	122	38.0
BOROUGH OF RESIDENCE												
Bronx	82	31.5	64	31.4	18	32.1	60	27.0	5,907	28.6	69	21.5
Brooklyn	93	35.8	72	35.3	21	37.5	72	32.4	7,021	34.0	94	29.3
Manhattan	22	8.5	16	7.8	6	10.7	30	13.5	2,832	13.7	49	15.3
Queens	33	12.7	28	13.7	5	8.9	18	8.1	2,742	13.3	28	8.7
Staten Island	10	3.8	8	3.9	2	3.6	4	1.8	422	2.0	6	1.9
Outside NYC	13	5.0	9	4.4	4	7.1	37	16.7	1,438	7.0	14	4.4
Unknown	7	2.7	7	3.4	0	0.0	1	0.5	260	1.3	61	19.0
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	19	7.3	16	7.8	3	5.4	12	5.4	1,595	7.7	15	4.7
Medium poverty (10 to <20% below FPL)	91	35.0	70	34.3	21	37.5	54	24.3	6,381	30.9	73	22.7
High poverty (20 to <30% below FPL)	63	24.2	48	23.5	15	26.8	51	23.0	5,365	26.0	79	24.6
Very high poverty (≥30% below FPL)	67	25.8	54	26.5	13	23.2	66	29.7	5,423	26.3	79	24.6
Area-based poverty level not available	20	7.7	16	7.8	4	7.1	39	17.6	1,858	9.0	75 75	23.4
Area-based poverty level not available	20	7.7	16	7.8	4	7.1	39	17.0	1,858	9.0	75	23.4
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	6	2.3	5	2.5	1	1.8	15	6.8	2,550	12.4	69	21.5
Heterosexual contact	179	68.8	142	69.6	37	66.1	134	60.4	11,242	54.5	162	50.5
Transgender people with sexual contact	25	9.6	20	9.8	5	8.9	13	5.9	899	4.4	5	1.6
Perinatal	0	0.0	0	0.0	0	0.0	7	3.2	764	3.7	8	2.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	0	0.0
Unknown	50	19.2	37	18.1	13	23.2	53	23.9	5,120	24.8	77	24.0

Table 1.3.3. Latino/Hispanic men (includes transgender men)

		HIV	DIAGNO	OSES, 20	17		AIDS DIAGNOSE	ES, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					concurrent w	ith AIDS						
	Total HIV di	agnoses	Withou	t AIDS	dia	agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	641	100.0	538	83.9	103	16.1	312	100.0	30,889	100.0	396	100.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	13	0.0	0	0.0
13-19	25	3.9	23	4.3	2	1.9		1.9	101	0.3	Ö	0.0
20-29	268	41.8	241	44.8	27	26.2	76	24.4	2,848	9.2	8	2.0
30-39	207	32.3	164	30.5	43	41.7	99	31.7	5,632	18.2	25	6.3
40-49	83	12.9	66	12.3	17	16.5	58	18.6	6,688	21.7	60	15.2
50-59	41	6.4	32	5.9	9	8.7	43	13.8	9,279	30.0	133	33.6
60+	16	2.5	11	2.0	5	4.9	30	9.6	6,328	20.5	170	42.9
BOROUGH OF RESIDENCE												
Bronx	176	27.5	149	27.7	27	26.2	91	29.2	8.942	28.9	142	35.9
Brooklyn	125	19.5	101	18.8	24	23.3		20.8	4.901	15.9	74	18.7
Manhattan	115	17.9	95	17.7	20	19.4	54	17.3	7.604	24.6	68	17.2
Queens	153	23.9	127	23.6	26	25.2		17.9	5.711	18.5	28	7.1
Staten Island	7	1.1	5	0.9	2	1.9		1.6	455	1.5	5	1.3
Outside NYC	45	7.0	41	7.6	4	3.9		12.2	2,490	8.1	11	2.8
Unknown	20	3.1	20	3.7	0	0.0		1.0	786	2.5	68	17.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	40	6.2	33	6.1	7	6.8	17	5.4	2.645	8.6	16	4.0
Medium poverty (10 to <20% below FPL)	242	37.8	198	36.8	44	42.7		31.1	10,558	34.2	74	18.7
High poverty (20 to <30% below FPL)	145	22.6	118	21.9	27	26.2		26.6	6,511	21.1	98	24.7
Very high poverty (≥30% below FPL)	149	23.2	128	23.8	21	20.4	74	23.7	7,569	24.5	129	32.6
											79	
Area-based poverty level not available	65	10.1	61	11.3	4	3.9	41	13.1	3,606	11.7	79	19.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	524	81.7	446	82.9	78	75.7		58.7	16,701	54.1	101	25.5
Injection drug use history (IDU)	9	1.4	7	1.3	2	1.9		9.0	4,670	15.1	139	35.1
MSM-IDU	7	1.1	7	1.3	0	0.0		4.2	1,296	4.2	18	4.5
Heterosexual contact	25	3.9	19	3.5	6	5.8		6.4	2,088	6.8	42	10.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0		1.9	462	1.5	2	0.5
Other	0	0.0	0	0.0	0	0.0		0.0	27	0.1	1	0.3
Unknown	75	11.7	58	10.8	17	16.5	62	19.9	5,642	18.3	93	23.5

Table 1.3.4. Latina/Hispanic women (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	ES, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					oncurrent wi							
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	120	100.0	105	87.5	15	12.5	102	100.0	11,716	100.0	168	100.0
AGE GROUP (YEARS)												
0-12	1	0.8	0	0.0	1	6.7	2	2.0	23	0.2	0	0.0
13-19	7	5.8	7	6.7	0	0.0	1	1.0	67	0.2	0	0.0
20-29	23	19.2	22	21.0	1	6.7	13	12.7	836	7.1	2	1.0
30-39	35	29.2	30	28.6	5	33.3	34	33.3	1.398	11.9	14	1.2 8.3
40-49	22	18.3	19	18.1	3	20.0	15	14.7	2,495	21.3	21	12.5
50-59	22	18.3	19	18.1	3	20.0	24	23.5	4,050	34.6	63	37.5
60+	10	8.3	8	7.6	2	13.3	13	12.7	2,847	24.3	68	40.5
00+	10	0.5	O	7.0	2	13.3	13	12.7	2,047	24.5	00	40.5
BOROUGH OF RESIDENCE												
Bronx	42	35.0	38	36.2	4	26.7	33	32.4	5,082	43.4	66	39.3
Brooklyn	27	22.5	22	21.0	5	33.3	27	26.5	2,338	20.0	36	21.4
Manhattan	19	15.8	16	15.2	3	20.0	12	11.8	1,779	15.2	21	12.5
Queens	22	18.3	20	19.0	2	13.3	7	6.9	1,468	12.5	7	4.2
Staten Island	1	0.8	1	1.0	0	0.0	2	2.0	236	2.0	6	3.6
Outside NYC	6	5.0	5	4.8	1	6.7	20	19.6	628	5.4	8	4.8
Unknown	3	2.5	3	2.9	0	0.0	1	1.0	185	1.6	24	14.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	8.3	10	9.5	0	0.0	3	2.9	538	4.6	3	1.8
Medium poverty (10 to <20% below FPL)	35	29.2	30	28.6	5	33.3	18	17.6	3,214	27.4	30	17.9
High poverty (20 to <30% below FPL)	32	26.7	27	25.7	5	33.3	28	27.5	2,931	25.0	42	25.0
Very high poverty (≥30% below FPL)	34	28.3	30	28.6	4	26.7	32	31.4	4,156	35.5	61	36.3
Area-based poverty level not available	9	7.5	8	7.6	1	6.7	21	20.6	877	7.5	32	19.0
Area-based poverty level not available	3	7.5	U	7.0	'	0.7	21	20.0	077	7.5	32	13.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	2	1.7	2	1.9	0	0.0	13	12.7	2,173	18.5	67	39.9
Heterosexual contact	81	67.5	72	68.6	9	60.0	51	50.0	6,122	52.3	65	38.7
Transgender people with sexual contact	21	17.5	20	19.0	1	6.7	16	15.7	695	5.9	8	4.8
Perinatal	1	0.8	0	0.0	1	6.7	3	2.9	468	4.0	2	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	1	0.6
Unknown	15	12.5	11	10.5	4	26.7	19	18.6	2,236	19.1	25	14.9

Table 1.3.5. White men (includes transgender men)

	Concurrent with AIDS							5, 2017	PWH AS 0 12/31/201		DEATHS,	2017
	Total HIV dia	annese	Withou			noses						
	N	% with the second secon	N	%	N Ulagi	110363 %	N	%	N	%	N	%
TOTAL	273	100.0	237	86.8	36	13.2	150	100.0	23,780	100.0	263	100.0
	2.0	10010		00.0		1012	100	100.0	20,100	100.0	200	10010
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	2	0.7	2	0.8	0	0.0	0	0.0	22	0.1	0	0.0
20-29	103	37.7	95	40.1	8	22.2	13	8.7	1,051	4.4	2	0.8
30-39	86	31.5	80	33.8	6	16.7	42	28.0	3,248	13.7	15	5.7
40-49	35	12.8	30	12.7	5	13.9	36	24.0	4,821	20.3	32	12.2
50-59	31	11.4	18	7.6	13	36.1	36	24.0	8,363	35.2	85	32.3
60+	16	5.9	12	5.1	4	11.1	23	15.3	6,273	26.4	129	49.0
BOROUGH OF RESIDENCE												
Bronx	16	5.9	13	5.5	3	8.3	7	4.7	1,051	4.4	12	4.6
Brooklyn	79	28.9	71	30.0	8	22.2	38	25.3	3,340	14.0	22	8.4
Manhattan	101	37.0	87	36.7	14	38.9	52	34.7	11,362	47.8	82	31.2
Queens	29	10.6	24	10.1	5	13.9	19	12.7	2,454	10.3	25	9.5
Staten Island	8	2.9	7	3.0	1	2.8	4	2.7	530	2.2	10	3.8
Outside NYC	30	11.0	25	10.5	5	13.9	26	17.3	4,705	19.8	16	6.1
Unknown	10	3.7	10	4.2	0	0.0	4	2.7	338	1.4	96	36.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	54	19.8	45	19.0	9	25.0	35	23.3	6,428	27.0	55	20.9
Medium poverty (10 to <20% below FPL)	103	37.7	88	37.1	15	41.7	54	36.0	7,935	33.4	56	21.3
High poverty (20 to <30% below FPL)	60	22.0	57	24.1	3	8.3	20	13.3	3,097	13.0	23	8.7
									•			
Very high poverty (≥30% below FPL)	15	5.5	12	5.1	3	8.3	9	6.0	1,034	4.3	17	6.5
Area-based poverty level not available	41	15.0	35	14.8	6	16.7	32	21.3	5,286	22.2	112	42.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	228	83.5	202	85.2	26	72.2	106	70.7	18,559	78.0	151	57.4
	5	1.8	202 4	1.7	20 1	2.8	8	5.3	1,122	4.7	34	12.9
Injection drug use history (IDU) MSM-IDU	9	3.3	9	3.8	0	0.0	8	5.3	838	3.5	20	7.6
Heterosexual contact	6	3.3 2.2	9 6	3.8 2.5	0	0.0	0	2.0	515	2.2	20 8	3.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	80	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.3	0	0.0
Unknown	25	9.2	16	6.8	9	25.0	25	16.7	2,617	11.0	50	19.0
Olikiowii	20	9.2	10	0.0	9	25.0	20	10.7	2,017	11.0	50	19.0

Table 1.3.6. White women (includes transgender women)

							AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					oncurrent with	_						
	Total HIV o		Withou			noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	29	100.0	23	79.3	6	20.7	24	100.0	2,595	100.0	26	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	16	0.6	0	0.0 3.8 0.0
20-29	9	31.0	9	39.1	0	0.0	1	4.2	137	5.3	1	3.8
30-39	5	17.2	4	17.4	1	16.7	8	33.3	298	11.5	0	0.0
40-49	6	20.7	4	17.4	2	33.3	4	16.7	506	19.5	3	11.5
50-59	6	20.7	4	17.4	2	33.3	8	33.3	935	36.0	12	46.2
60+	3	10.3	2	8.7	1	16.7	3	12.5	700	27.0	10	38.5
BOROUGH OF RESIDENCE												
Bronx	2	6.9	2	8.7	0	0.0	1	4.2	353	13.6	5	19.2
Brooklyn	15	51.7	10	43.5	5	83.3	7	29.2	563	21.7	5	19.2
Manhattan	7	24.1	6	26.1	1	16.7	3	12.5	507	19.5	0	0.0
Queens	2	6.9	2	8.7	0	0.0	2	8.3	429	16.5	3	11.5
Staten Island	1	3.4	1	4.3	0	0.0	2	8.3	191	7.4	1	3.8
Outside NYC	0	0.0	0	0.0	0	0.0	8	33.3	500	19.3	1	3.8
Unknown	2	6.9	2	8.7	0	0.0	1	4.2	52	2.0	11	42.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	10.3	3	13.0	0	0.0	3	12.5	478	18.4	3	11.5
Medium poverty (10 to <20% below FPL)	17	58.6	13	56.5	4	66.7	8	33.3	897	34.6	7	26.9
High poverty (20 to <30% below FPL)	5	17.2	4	17.4	1	16.7	3	12.5	383	14.8	0	0.0
Very high poverty (≥30% below FPL)	2	6.9	1	4.3	1	16.7	1	4.2	255	9.8	4	15.4
			•		•		1					
Area-based poverty level not available	2	6.9	2	8.7	0	0.0	9	37.5	582	22.4	12	46.2
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	3	10.3	3	13.0	0	0.0	1	4.2	614	23.7	10	38.5
Heterosexual contact	18	62.1	16	69.6	2	33.3	15	62.5	1,227	47.3	9	34.6
Transgender people with sexual contact	1	3.4	1	4.3	0	0.0	1	4.2	116	4.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.2	74	2.9	1	3.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Unknown	7	24.1	3	13.0	4	66.7	6	25.0	547	21.1	6	23.1

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	HIV DIAGNOSES, 2017 Concurrent with AIDS							17	PWH AS 12/31/20		DEATHS,	, 2017
	Total HIV di	agnasas	Withou			AIDS noses						
	N	ayrioses %	N	% AIDS	N Ulayi	1103E3 %		%	N	%	N	%
TOTAL	107	100.0	81	75.7	26	24.3		0.00	2,540	100.0	19	100.0
A OF OROUR (VEAPO)												
AGE GROUP (YEARS) 0-12	1	0.9	1	1.2	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	1.9	2	2.5	0	0.0		0.0	3 7	0.1	0	0.0
20-29	39	36.4	31	38.3	8	30.8		27.6	330	13.0	0	0.0
30-39	30	28.0	23	28.4	7	26.9		27.6	573	22.6	3	15.8
40-49	20	18.7	13	16.0	7	26.9		24.1	676	26.6	4	21.1
50-59	11	10.3	8	9.9	3	11.5		13.8	626	24.6	4	21.1
60+	4	3.7	3	3.7	1	3.8	4	6.9	325	12.8	8	42.1
BOROUGH OF RESIDENCE								_				
Bronx	2	1.9	2	2.5	0	0.0	3	5.2	158	6.2	1	5.3
Brooklyn	21	19.6	17	21.0	4	15.4		17.2	424	16.7	4	21.1
Manhattan	18	16.8	17	21.0	1	3.8		8.6	745	29.3	3	15.8
Queens	54	50.5	34	42.0	20	76.9	28	48.3	835	32.9	3	15.8
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	23	0.9	0	0.0
Outside NYC	10	9.3	9	11.1	1	3.8	12	20.7	244	9.6	0	0.0
Unknown	2	1.9	2	2.5	0	0.0	0	0.0	111	4.4	8	42.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	10.3	9	11.1	2	7.7	6	10.3	401	15.8	1	5.3
Medium poverty (10 to <20% below FPL)	62	57.9	43	53.1	19	73.1	31	53.4	1,182	46.5	3	15.8
High poverty (20 to <30% below FPL)	18	16.8	15	18.5	3	11.5	7	12.1	445	17.5	7	36.8
Very high poverty (≥30% below FPL)	4	3.7	3	3.7	1	3.8	2	3.4	135	5.3	0	0.0
Area-based poverty level not available	12	11.2	11	13.6	1	3.8	12	20.7	377	14.8	8	42.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	79	73.8	57	70.4	22	84.6	41	70.7	1,721	67.8	8	42.1
Injection drug use history (IDU)	2	1.9	2	2.5	0	0.0		0.0	56	2.2	1	5.3
MSM-IDU	0	0.0	0	0.0	ő	0.0		1.7	47	1.9	Ö	0.0
Heterosexual contact	7	6.5	5	6.2	2	7.7	2	3.4	190	7.5	2	10.5
Transgender people with sexual contact	1	0.9	1	1.2	0	0.0	_ 0	0.0	1	0.0	0	0.0
Perinatal	1	0.9	1	1.2	0	0.0	1	1.7	13	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	3	0.1	1	5.3
Unknown	17	15.9	15	18.5	2	7.7	13	22.4	509	20.0	7	36.8

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

							AIDS DIAGNOSES, 2	017	PWH AS 12/31/20	_	DEATHS	, 2017
	Total HIV di	agnoses %	Withou N		Concurrent with diagi N	AIDS noses %	N	%	N	%	N	%
TOTAL	14	100.0	13	92.9	1	7.1		00.0	504	100.0	3	100.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 3 4 4 1 2	0.0 0.0 21.4 28.6 28.6 7.1 14.3	0 0 3 4 4 0 2	0.0 0.0 23.1 30.8 30.8 0.0 15.4	0 0 0 0 0 1	0.0 0.0 0.0 0.0 0.0 100.0	0 2 0 3 1	0.0 0.0 28.6 0.0 42.9 14.3 14.3	2 1 32 106 133 139 91	0.4 0.2 6.3 21.0 26.4 27.6 18.1	0 0 0 0 1 1	0.0 0.0 0.0 0.0 33.3 33.3 33.3
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	0 3 3 8 0 0	0.0 21.4 21.4 57.1 0.0 0.0	0 3 3 7 0 0	0.0 23.1 23.1 53.8 0.0 0.0	0 0 0 1 0 0	0.0 0.0 0.0 100.0 0.0 0.0	1 0 5 0 1	0.0 14.3 0.0 71.4 0.0 14.3 0.0	46 116 67 205 6 47 17	9.1 23.0 13.3 40.7 1.2 9.3 3.4	0 1 1 1 0 0	0.0 33.3 33.3 33.3 0.0 0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	4 7 2	28.6 50.0 14.3	4 6 2	30.8 46.2 15.4	0 1 0	0.0 100.0 0.0	2 3 1	28.6 42.9 14.3	59 248 81	11.7 49.2 16.1	0 1 1	0.0 33.3 33.3
Very high poverty (≥30% below FPL) Area-based poverty level not available	1 0	7.1 0.0	1 0	7.7 0.0	0 0	0.0	0 1	0.0 14.3	47 69	9.3 13.7	1 0	33.3 0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other	0 6 6 0	0.0 42.9 42.9 0.0 0.0	0 6 6 0	0.0 46.2 46.2 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0	5 0 0 0	0.0 71.4 0.0 0.0 0.0	19 299 41 6 1	3.8 59.3 8.1 1.2 0.2	1 1 0 0	33.3 33.3 0.0 0.0 0.0
Unknown	2	14.3	1	7.7	1	100.0	2	28.6	138	27.4	1	33.3

Table 1.3.9. Native American men (includes transgender men)

		HIV D		OSES, 2017	•		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					ncurrent wi	ith AIDS						
	Total HIV di			out AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	7	100.0	5	71.4	2	28.6	4	100.0	240	100.0	4	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	14.3	1	20.0	0	0.0	0	0.0	1	0.4	0	0.0
20-29	5	71.4	3	60.0	2	100.0	3	75.0	23	9.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	44	18.3	1	25.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	58	24.2	1	25.0
50-59	1	14.3	1	20.0	0	0.0	1	25.0	73	30.4	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	41	17.1	1	25.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	25.0	47	19.6	1	25.0
Brooklyn	2	28.6	1	20.0	1	50.0	1	25.0	49	20.4	0	0.0
Manhattan	3	42.9	2	40.0	1	50.0	1	25.0	59	24.6	1	25.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	48	20.0	0	0.0
Other/Unknown	2	28.6	2	40.0	0	0.0	1	25.0	37	15.4	2	50.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	28.6	2	40.0	0	0.0	0	0.0	22	9.2	1	25.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	1	25.0	91	37.9	1	25.0
High poverty (20 to <30% below FPL)	3	42.9	2	40.0	1	50.0	1	25.0	54	22.5	0	0.0
Very high poverty (≥30% below FPL)	1	14.3	0	0.0	1	50.0	1	25.0	40	16.7	1	25.0
Area-based poverty level not available	1	14.3	1	20.0	0	0.0	1	25.0	33	13.8	1	25.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	5	71.4	5	100.0	0	0.0	1	25.0	140	58.3	3	75.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	14	5.8	Ō	0.0
MSM-IDU	Ö	0.0	Õ	0.0	Ö	0.0	0	0.0	10	4.2	Ö	0.0
Heterosexual contact	1	14.3	0	0.0	1	50.0	1	25.0	20	8.3	Ö	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	Ö	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	Ö	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	1	14.3	0	0.0	1	50.0	2	50.0	54	22.5	1	25.0

Table 1.3.10. Native American women (includes transgender women)

		HIV	DIAGN	OSES, 201	7		AIDS DIAGNOSE	ES, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
				C	oncurrent wi	ith AIDS						
	Total HIV di	iagnoses	With	out AIDS	dia	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2	100.0	1	50.0	1	50.0	1	100.0	79	100.0	4	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	50.0	1	100.0	0	0.0	0	0.0	8	10.1	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	11	13.9	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	21	26.6	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	28	35.4	3	75.0
60+	1	50.0	0	0.0	1	100.0	1	100.0	10	12.7	1	25.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	22	27.8	1	25.0
Brooklyn	1	50.0	0	0.0	1	100.0	1	100.0	29	36.7	3	75.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	9	11.4	0	0.0
Queens	1	50.0	1	100.0	0	0.0	0	0.0	14	17.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	6.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	50.0	1	100.0	0	0.0	0	0.0	2	2.5	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	32	40.5	1	25.0
High poverty (20 to <30% below FPL)	1	50.0	0	0.0	1	100.0	1	100.0	23	29.1	2	50.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	19	24.1	1	25.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	5	6.3	1	25.0
Heterosexual contact	2	100.0	1	100.0	1	100.0	1	100.0	48	60.8	3	75.0
Transgender people with sexual contact	0	0.0	Ó	0.0	Ö	0.0	0	0.0	8	10.1	0	0.0
Perinatal	ő	0.0	0	0.0	0	0.0	0	0.0	3	3.8	ő	0.0
Other	Ö	0.0	0	0.0	0	0.0	ő	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0		0.0	15	19.0	0	0.0
C. M.	U	0.0		0.0		0.0	<u> </u>	0.0	10	10.0		0.0

Table 1.4.1. Boys 0-12 Years

		HIV	DIAGNO	OSES, 20		AIDS DIAGNO	SES, 2017	PWH AS 12/31/20	_	DEATHS,	2017
					Concurrent with AID						
	Total HIV di			out AIDS	diagnose						
	N	%	N	%	N 9		%	N	%	Ŋ	%
TOTAL	2	100.0	2	100.0	0 0.	0	0.0	52	100.0	0	0.0
RACE/ETHNICITY											
Black	0	0.0	0	0.0	0 0.	0	0.0	34	65.4	0	0.0
Latino/Hispanic	1	50.0	1	50.0	0 0.		0.0	13	25.0	0	0.0
White	0	0.0	0	0.0	0 0.		0.0	2	3.8	0	0.0
Asian/Pacific Islander	1	50.0	1	50.0	0 0.		0.0	3	5.8	0	0.0
Native American	0	0.0	0	0.0	0 0.0		0.0	0	0.0	Ō	0.0
Multiracial	Ö	0.0	Ö	0.0	0 0.		0.0	0	0.0	0	0.0
DODOLLON OF DEGIDENOS											
BOROUGH OF RESIDENCE	0	0.0	0	0.0	0 0	0	0.0	45	20.0	0	0.0
Bronx	0	0.0	0	0.0	0 0.		0.0	15	28.8	0	0.0
Brooklyn	1	50.0	1	50.0	0 0.		0.0	15	28.8	0	0.0
Manhattan	1	50.0	1	50.0	0 0.		0.0	7	13.5	0	0.0 0.0
Queens	0	0.0	0	0.0	0 0.		0.0	5	9.6	0	0.0
Staten Island	0	0.0	0	0.0	0 0.		0.0	1	1.9	0	0.0
Outside NYC	0	0.0	0	0.0	0 0.		0.0	2	3.8	0	0.0
Unknown	0	0.0	0	0.0	0 0.	0	0.0	7	13.5	0	0.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	0	0.0	0	0.0	0 0.	0	0.0	4	7.7	0	0.0
Medium poverty (10 to <20% below FPL)	1	50.0	1	50.0	0 0.		0.0	12	23.1	Ö	0.0
High poverty (20 to <30% below FPL)	1	50.0	1	50.0	0 0.		0.0	11	21.2	Ö	0.0
,	'		•								- 1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0 0.		0.0	16	30.8	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0 0.	0	0.0	9	17.3	0	0.0
TRANSMISSION CATEGORY											
Men who have sex with men (MSM)	0	0.0	0	0.0	0 0.	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	Ö	0.0	Ö	0.0	0 0.		0.0	Ö	0.0	Ö	0.0
MSM-IDU	Ö	0.0	Õ	0.0	0 0.		0.0	ő	0.0	Ö	0.0
Heterosexual contact	0	0.0	0	0.0	0 0.		0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0 0.		0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0 0.		0.0	50	96.2	0	0.0
Other	0	0.0		0.0			0.0	0	0.0	0	0.0
	0	0.0	0	0.0	0 0. 0 0.		0.0	2	3.8	0	0.0
Unknown	U	0.0	U	0.0	0 0.	U	0.0		3.8	U	0.0

Table 1.4.2. Girls 0-12 Years

		HIV	DIAGNO	SES, 2	2017		AIDS DIAGNOSES, 2017	PWH A: 12/31/2		DEATHS,	2017
	Total HIV di	iagnoses %	Without N		Concurrent with A diagn N			N	%	N	%
TOTAL	1	100.0	0	0.0		00.0	2 100.0		100.0		0.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	0 1 0 0 0	0.0 100.0 0.0 0.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 1 1 0 0 0	0.0 100.0 0.0 0.0 0.0	2 100.0 0 0.0 0 0.0 0 0.0	23 3 2 1	38.0 46.0 6.0 4.0 2.0 4.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
BOROUGH OF RESIDENCE											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	0 1 0 0 0 0	0.0 100.0 0.0 0.0 0.0 0.0	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 1 1 0 0 0 0 0	0.0 100.0 0.0 0.0 0.0 0.0	2 100.0 0 0.0 0 0.0 0 0.0 0 0.0	13 6 6 1 4	28.0 26.0 12.0 12.0 2.0 8.0 12.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0 0.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	0 0 1 0	0.0 0.0 100.0 0.0	0 0 0	0.0 0.0 0.0	0 0 1 1	0.0 0.0 0.00 0.0	0 0.0	13 12	4.0 26.0 24.0 26.0	0 0	0.0 0.0 0.0 0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0 0.0	10	20.0	0	0.0
TRANSMISSION CATEGORY											
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other	0 0 0 1 0	0.0 0.0 0.0 100.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0	0.0 0.0 0.0 0.00 0.0	0 0.0 0 0.0 1 50.0 0 0.0	0 0 48 0	0.0 0.0 0.0 96.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	1 50.0	2	4.0	0	0.0

Table 1.4.3. Men 13+ Years (includes transgender men)

		HIV	DIAGNOS	1			AIDS DIAGNOSE	ES, 2017	PWH AS 12/31/20		DEATHS,	, 2017
	Total HIV di		Withou	t AIDS		agnoses		24		24		0.4
TOTAL	1,649	% 100.0	N 1,375	% 83.4	N 274	% 16.6		% 100.0	N 93,484	% 100.0	N 1,293	% 100.0
RACE/ETHNICITY												
Black	609	36.9	505	36.7	104	38.0	403	43.1	35,418	37.9	607	46.9
Latino/Hispanic	640	38.8	537	39.1	103	37.6		33.4	30,876	33.0	396	30.6
White	273	16.6	237	17.2	36	13.1	150	16.1	23,778	25.4	263	20.3
Asian/Pacific Islander	106	6.4	80	5.8	26	9.5		6.2	2,537	2.7	19	1.5
Native American	7	0.4	5	0.4	2	0.7		0.4	240	0.3	4	0.3
Multiracial	14	0.8	11	0.8	3	1.1		0.7	391	0.4	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	244	0.3	1	0.1
AGE GROUP (YEARS)												
13-19	64	3.9	61	4.4	3	1.1		1.4	306	0.3	0	0.0
20-29	691	41.9	627	45.6	64	23.4		20.2	8,321	8.9	32	2.5
30-39	460	27.9	376	27.3	84	30.7		27.9	15,742	16.8	85	6.6
40-49	212	12.9	165	12.0	47	17.2		19.3	18,714	20.0	164	12.7
50-59	148	9.0	94	6.8	54	19.7		19.2	28,979	31.0	399	30.9
60+	74	4.5	52	3.8	22	8.0	112	12.0	21,422	22.9	613	47.4
BOROUGH OF RESIDENCE												
Bronx	318	19.3	266	19.3	52	19.0		22.1	18,624	19.9	299	23.1
Brooklyn	464	28.1	374	27.2	90	32.8		26.0	19,748	21.1	267	20.6
Manhattan	336	20.4	286	20.8	50	18.2		17.7	27,060	28.9	233	18.0
Queens	317	19.2	257	18.7	60	21.9		15.1	13,412	14.3	108	8.4
Staten Island Outside NYC	26 138	1.6 8.4	19 123	1.4 8.9	7 15	2.6 5.5		2.2 16.0	1,569	1.7 12.1	29 53	2.2 4.1
Unknown	50	3.0	50	3.6	0	5.5 0.0		1.0	11,355 1,716	1.8	304	23.5
OTIKIOWIT	30	3.0	50	3.0	U	0.0	9	1.0	1,710	1.0	304	23.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	163	9.9	141	10.3	22	8.0		8.4	12,370	13.2	108	8.4
Medium poverty (10 to <20% below FPL)	610	37.0	494	35.9	116	42.3		31.8	31,153	33.3	271	21.0
High poverty (20 to <30% below FPL)	415	25.2	340	24.7	75	27.4		23.8	19,254	20.6	267	20.6
Very high poverty (≥30% below FPL)	272	16.5	227	16.5	45	16.4	176	18.8	16,597	17.8	290	22.4
Area-based poverty level not available	189	11.5	173	12.6	16	5.8	161	17.2	14,110	15.1	357	27.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1,235	74.9	1,060	77.1	175	63.9	547	58.6	54,188	58.0	438	33.9
Injection drug use history (IDÙ)	22	1.3	17	1.2	5	1.8		5.4	9,821	10.5	308	23.8
MSM-IDU	23	1.4	23	1.7	0	0.0		3.1	3,396	3.6	73	5.6
Heterosexual contact	76	4.6	54	3.9	22	8.0		7.2	6,166	6.6	119	9.2
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0		0.0	19	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		1.4	1,231	1.3	11	0.9
Other	1	0.1	1	0.1	0	0.0		0.0	115	0.1	3	0.2
Unknown	291	17.6	219	15.9	72	26.3	228	24.4	18,548	19.8	341	26.4

Table 1.4.4. Women 13+ Years (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSI	ES, 2017	PWH AS 12/31/20		DEATHS	, 2017
	Total HIV di	agnoses %	Withou N	C It AIDS %	oncurrent w di N	ith AIDS agnoses %		%	N	%	N	%
TOTAL	427	100.0	348	81.5	79	18.5		100.0	35,651	100.0	523	100.0
RACE/ETHNICITY												
Black	260	60.9	204	58.6	56	70.9	222	62.2	20,603	57.8	321	61.4
Latino/Hispanic	119	27.9	105	30.2	14	17.7		28.0	11,693	32.8	168	32.1
White	29	6.8	23	6.6	6	7.6		6.7	2,592	7.3	26	5.0
Asian/Pacific Islander	14	3.3	13	3.7	1	1.3	7	2.0	502	1.4	3	0.6
Native American	2	0.5	1	0.3	1	1.3		0.3	78	0.2	4	3.0
Multiracial	3	0.7	2	0.6	1	1.3		0.8	112	0.3	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	71	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	16	3.7	15	4.3	1	1.3	4	1.1	220	0.6	0	0.0
20-29	95	22.2	91	26.1	4	5.1	46	12.9	2,497	7.0	9	1.7
30-39	109	25.5	86	24.7	23	29.1	94	26.3	4,671	13.1	37	7.1
40-49	84	19.7	66	19.0	18	22.8	65	18.2	7,883	22.1	74	14.1
50-59	76	17.8	52	14.9	24	30.4	101	28.3	12,069	33.9	201	38.4
60+	47	11.0	38	10.9	9	11.4	47	13.2	8,311	23.3	202	38.6
BOROUGH OF RESIDENCE												
Bronx	126	29.5	104	29.9	22	27.8	96	26.9	11,433	32.1	141	27.0
Brooklyn	139	32.6	108	31.0	31	39.2		29.7	10,103	28.3	139	26.6
Manhattan	52	12.2	42	12.1	10	12.7	45	12.6	5,221	14.6	71	13.6
Queens	67	15.7	58	16.7	9	11.4	33	9.2	4,884	13.7	39	7.5
Staten Island	12	2.8	10	2.9	2	2.5		2.2	861	2.4	13	2.5
Outside NYC	19	4.4	14	4.0	5	6.3	66	18.5	2,631	7.4	23	4.4
Unknown	12	2.8	12	3.4	0	0.0	3	0.8	518	1.5	97	18.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	38	8.9	34	9.8	4	5.1	21	5.9	2,686	7.5	21	4.0
Medium poverty (10 to <20% below FPL)	151	35.4	120	34.5	31	39.2	83	23.2	10,807	30.3	112	21.4
High poverty (20 to <30% below FPL)	103	24.1	82	23.6	21	26.6	83	23.2	8,809	24.7	124	23.7
Very high poverty (≥30% below FPL)	104	24.4	86	24.7	18	22.8	100	28.0	9,912	27.8	146	27.9
Area-based poverty level not available	31	7.3	26	7.5	5	6.3	70	19.6	3,437	9.6	120	22.9
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	11	2.6	10	2.9	1	1.3	29	8.1	5,381	15.1	149	28.5
Heterosexual contact	288	67.4	238	68.4	50	63.3		58.3	19,004	53.3	240	45.9
Transgender people with sexual contact	54	12.6	48	13.8	6	7.6		8.7	1.782	5.0	13	2.5
Perinatal	0	0.0	0	0.0	Ő	0.0		2.8	1,277	3.6	11	2.1
Other	Ö	0.0	Ö	0.0	Ö	0.0		0.0	89	0.2	1	0.2
Unknown	74	17.3	52	14.9	22	27.8		22.1	8,118	22.8	109	20.8

Table 1.5.1. Bronx, men (includes transgender men)

	HIV Total HIV diagnoses N %		DIAGNO Withou		oncurrent w	ith AIDS agnoses		ES, 2017	PWH AS (12/31/20		DEATHS	, 2017
			N	% AIDS	N U	ayrioses %		%	N	%	N	%
TOTAL	318	100.0	266	83.6	52	16.4	206	100.0	18,639	100.0	299	100.0
RACE/ETHNICITY Black	123	38.7	101	38.0	22	42.3	103	50.0	8,371	44.9	142	47.5
Latino/Hispanic	123	55.3	149	56.0	22 27	42.3 51.9		44.2	8,942	44.9 48.0	142	47.5 47.5
White	176	5.0	13	4.9	3	5.8	7	3.4	1,051	5.6	142	47.5
Asian/Pacific Islander	2	0.6	2	0.8	0	0.0	3	1.5	158	0.8	1	0.3
Native American	0	0.0	0	0.0	Ö	0.0	1	0.5	47	0.3	1	0.3
Multiracial	1	0.3	1	0.4	Ő	0.0	1	0.5	47	0.3	1	0.3
Unknown	Ö	0.0	0	0.0	Ö	0.0	Ö	0.0	23	0.1	Ö	0.0
AGE GROUP (YEARS)		0.0	•	0.0		0.0	^	0.0	45	0.4	•	0.0
0-12 13-19	0	0.0 6.0	0 19	0.0 7.1	0	0.0 0.0		0.0	15	0.1 0.4	0	0.0
20-29	19 126	39.6	114	7.1 42.9	12	23.1	3 42	1.5 20.4	83 1,770	0.4 9.5	0 9	0.0 3.0
30-39	84	26.4	70	26.3	14	26.9		20.4	3,092	16.6	14	4.7
40-49	47	14.8	36	13.5	11	21.2	38	18.4	3,484	18.7	38	12.7
50-59	27	8.5	16	6.0	11	21.2		23.3	5,928	31.8	101	33.8
60+	15	4.7	11	4.1	4	7.7	33	16.0	4,267	22.9	137	45.8
			• •			• • • •	00	10.0	1,201	22.0	101	10.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	0.9	2	0.8	1	1.9		0.5	114	0.6	0	0.0
Medium poverty (10 to <20% below FPL)	69	21.7	55	20.7	14	26.9		17.5	3,255	17.5	39	13.0
High poverty (20 to <30% below FPL)	51	16.0	41	15.4	10	19.2	39	18.9	2,980	16.0	44	14.7
Very high poverty (≥30% below FPL)	195	61.3	168	63.2	27	51.9	130	63.1	12,188	65.4	216	72.2
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	102	0.5	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	207	65.1	183	68.8	24	46.2	82	39.8	7,716	41.4	59	19.7
Injection drug use history (IDU)	6	1.9	5	1.9	1	1.9		8.3	3,157	16.9	106	35.5
MSM-IDU	6	1.9	6	2.3	Ó	0.0	11	5.3	873	4.7	19	6.4
Heterosexual contact	28	8.8	21	7.9	7	13.5	23	11.2	1.765	9.5	23	7.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	2.9	422	2.3	6	2.0
Other	1	0.3	1	0.4	0	0.0		0.0	20	0.1	1	0.3
Unknown	70	22.0	50	18.8	20	38.5	67	32.5	4,676	25.1	85	28.4

Table 1.5.2. Bronx, women (includes transgender women)

		HIV	DIAGNO	OSES, 20	17		AIDS DIAGNOSI	ES, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					concurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	126	100.0	104	82.5	22	17.5	96	100.0	11,447	100.0	141	100.0
RACE/ETHNICITY								_				
Black	82	65.1	64	61.5	18	81.8	60	62.5	5,907	51.6	69	48.9
Latino/Hispanic	42	33.3	38	36.5	4	18.2		34.4	5,907	44.4	66	46.9 46.8
White	2	1.6	2	1.9	0	0.0	33 1	1.0	353	3.1	5	40.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	46	0.4	0	3.5 0.0
Native American	0	0.0	0	0.0	0	0.0	•	0.0	22	0.4	1	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	2.1	22	0.2	0	0.0
			0		0						0	
Unknown	0	0.0	U	0.0	U	0.0	U	0.0	15	0.1	U	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	6	4.8	6	5.8	Ö	0.0		0.0	57	0.5	0	0.0
20-29	27	21.4	26	25.0	ĭ	4.5	11	11.5	812	7.1	1	0.7
30-39	32	25.4	25	24.0	7	31.8		27.1	1,531	13.4	11	7.8
40-49	24	19.0	19	18.3	5	22.7	17	17.7	2,613	22.8	21	14.9
50-59	29	23.0	21	20.2	8	36.4	28	29.2	3,978	34.8	59	41.8
60+	8	6.3	7	6.7	1	4.5		14.6	2,442	21.3	49	34.8
004		0.5	,	0.7	'	4.5	14	14.0	2,442	21.5	43	34.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	0.8	1	1.0	0	0.0	0	0.0	44	0.4	1	0.7
Medium poverty (10 to <20% below FPL)	26	20.6	20	19.2	6	27.3	15	15.6	2,106	18.4	27	19.1
High poverty (20 to <30% below FPL)	17	13.5	15	14.4	2	9.1	13	13.5	1,743	15.2	19	13.5
Very high poverty (≥30% below FPL)	82	65.1	68	65.4	14	63.6	68	70.8	7,518	65.7	94	66.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
TRANSMISSION CATEGORY								_				
Injection drug use history (IDU)	4	3.2	4	3.8	0	0.0	11	11.5	1,927	16.8	56	39.7
Heterosexual contact	99	78.6	79	76.0	20	90.9		60.4	6,133	53.6	57	40.4
Transgender people with sexual contact	12	9.5	11	10.6	1	4.5		12.5	520	4.5	4	2.8
Perinatal	0	0.0	0	0.0	0	0.0	2	2.1	424	3.7	1	0.7
Other	Ö	0.0	0	0.0	0	0.0		0.0	18	0.2	Ö	0.0
Unknown	11	8.7	10	9.6	1	4.5		13.5	2.425	21.2	23	16.3
O'IIIIIOMII		0.7	10	0.0	<u> </u>	7.0	10	10.0	2,720	21.2		10.0

Table 1.5.3. Brooklyn, men (includes transgender men)

	Total HIV dia		DIAGNO Withou		Concurrent with	h AIDS gnoses	AIDS DIAGNOSE	S, 2017	PWH AS (12/31/20		DEATHS	, 2017
	N	%	N	%	N N	9110303 %	N	%	N	%	N	%
TOTAL	465	100.0	375	80.6	90	19.4	243	100.0	19,763	100.0	267	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	232 125 79 21 2 6	49.9 26.9 17.0 4.5 0.4 1.3 0.0	180 101 71 17 1 5	48.0 26.9 18.9 4.5 0.3 1.3 0.0	52 24 8 4 1 1	57.8 26.7 8.9 4.4 1.1 1.1	128 65 38 10 1 1	52.7 26.7 15.6 4.1 0.4 0.4 0.0	10,953 4,901 3,340 424 49 73 23	55.4 24.8 16.9 2.1 0.2 0.4 0.1	167 74 22 4 0 0	62.5 27.7 8.2 1.5 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 20 197 126 57 44 20	0.2 4.3 42.4 27.1 12.3 9.5 4.3	1 17 176 97 40 30 14	0.3 4.5 46.9 25.9 10.7 8.0 3.7	0 3 21 29 17 14 6	0.0 3.3 23.3 32.2 18.9 15.6 6.7	0 7 50 80 46 41 19	0.0 2.9 20.6 32.9 18.9 16.9 7.8	15 77 1,966 3,588 4,002 5,673 4,442	0.1 0.4 9.9 18.2 20.2 28.7 22.5	0 0 7 28 31 71 130	0.0 0.0 2.6 10.5 11.6 26.6 48.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	18 182 218 46	3.9 39.1 46.9 9.9	16 147 178 34	4.3 39.2 47.5 9.1	2 35 40 12	2.2 38.9 44.4 13.3	8 102 103 29	3.3 42.0 42.4 11.9	672 8,801 7,782 2,348	3.4 44.5 39.4 11.9	10 97 128 32	3.7 36.3 47.9 12.0
Area-based poverty level not available	1	0.2	0	0.0	1	1.1	1	0.4	160	0.8	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	334 10 5 23 0 1	71.8 2.2 1.1 4.9 0.0 0.2 0.0	278 8 5 16 0 1	74.1 2.1 1.3 4.3 0.0 0.3 0.0	56 2 0 7 0 0	62.2 2.2 0.0 7.8 0.0 0.0	138 17 3 15 0 4	56.8 7.0 1.2 6.2 0.0 1.6 0.0	10,363 2,250 635 1,603 2 327 23	52.4 11.4 3.2 8.1 0.0 1.7 0.1	80 66 10 33 0 1	30.0 24.7 3.7 12.4 0.0 0.4 0.0
Unknown	92	19.8	67	17.9	25	27.8	66	27.2	4,560	23.1	77	28.8

Table 1.5.4. Brooklyn, women (includes transgender women)

	HIV DIAGNOSES, 2017 Concurrent with					AIDS DIAGNOSE	S, 2017	PWH AS (12/31/20	_	DEATHS	, 2017	
					oncurrent w	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	140	100.0	108	77.1	32	22.9	108	100.0	10,116	100.0	139	100.0
RACE/ETHNICITY												
Black	93	66.4	72	66.7	21	65.6	72	66.7	7,021	69.4	94	67.6
Latino/Hispanic	27	19.3	22	20.4	5	15.6	27	25.0	2,338	23.1	36	25.9 3.6
White	15	10.7	10	9.3	5	15.6	7	6.5	563	5.6	5	3.6
Asian/Pacific Islander	3	2.1	3	2.8	0	0.0	1	0.9	116	1.1	1	0.7
Native American	1	0.7	0	0.0	1	3.1	1	0.9	29	0.3	3	2.2
Multiracial	1	0.7	1	0.9	0	0.0	0	0.0	28	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	0	0.0	1	3.1	2	1.9	13	0.1	0	0.0
13-19	7	5.0	6	5.6	1	3.1	4	3.7	61	0.6	0	0.0
20-29	21	15.0	18	16.7	3	9.4	12	11.1	648	6.4	1	0.7
30-39	35	25.0	28	25.9	7	21.9	26	24.1	1,312	13.0	11	7.9
40-49	29	20.7	22	20.4	7	21.9	17	15.7	2,236	22.1	19	13.7
50-59	20	14.3	12	11.1	8	25.0	29	26.9	3,341	33.0	43	30.9
60+	27	19.3	22	20.4	5	15.6	18	16.7	2,505	24.8	65	46.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	3.6	3	2.8	2	6.3	3	2.8	337	3.3	1	0.7
Medium poverty (10 to <20% below FPL)	62	44.3	46	42.6	16	50.0	39	36.1	4,054	40.1	48	34.5
High poverty (20 to <30% below FPL)	56	40.0	45	41.7	11	34.4	45	41.7	4,186	41.4	59	42.4
,									· · · · · · · · · · · · · · · · · · ·			
Very high poverty (≥30% below FPL)	17	12.1	14	13.0	3	9.4	20	18.5	1,477	14.6	31	22.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.9	62	0.6	0	0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	3	2.1	3	2.8	0	0.0	6	5.6	1,393	13.8	33	23.7
Heterosexual contact	92	65.7	78	72.2	14	43.8	58	53.7	5,579	55.2	64	46.0
Transgender people with sexual contact	11	7.9	8	7.4	3	9.4	4	3.7	378	3.7	3	2.2
Perinatal	1	0.7	0	0.0	1	3.1	4	3.7	360	3.6	3	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	1	0.7
Unknown	33	23.6	19	17.6	14	43.8	36	33.3	2,382	23.5	35	25.2

Table 1.5.5. Manhattan, men (includes transgender men)

RACE/ETHNICITY Black Black 96 28.5 82 28.6 14 28.0 53 32.1 7,054 26.1 78 26.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 28.0 40.0 54 32.7 7,604 28.1 68 2 29.0 40.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0			HIV	DIAGNO	OSES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS (12/31/201	_	DEATHS,	2017
N					_								
TOTAL 337 100.0 287 85.2 50 14.8 165 100.0 27,067 100.0 233 100.0 287 85.2 50 14.8 165 100.0 27,067 100.0 233 100.0 287 285.2 28.6 14 28.0 53 32.1 7,054 26.1 78 32.1 7,054 26.1 78 32.1 7,054 28.1 68 28.0 28.6								N	0/	N.	0/	N.I.	0/
RACE/ETHNICITY Black	TOTAL												% 100.0
Black	· · · · · · · · · · · · · · · · · · ·		100.0				1 110		100.0		100.0		
Latino/Hispanic White 101 30.0 87 30.3 1 20 40.0 54 32.7 7,604 28.1 68 2 White 101 30.0 87 30.3 14 28.0 52 31.5 11,362 42.0 82 3 Asian/Pacific Islander 18 5.3 17 5.9 1 2.0 5 3.0 745 2.8 3 Native American 3 0.9 2 0.7 1 2.0 1 0.6 59 0.2 1 Unknown 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 98 0.4 1 Unknown 0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0.0 98 0.4 1 Unknown 0 145 0.5 0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0													
White													33.5
Asian/Pacific Islander Asian/Pacific Islander Asian/Pacific Islander Asian/Pacific Islander Asian/Pacific Islander Asian/Pacific Islander A													29.2
Native American 3													35.2
Multiracial 4						•		5				3	1.3
Unknown 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 145 0.5 0 0 AGE GROUP (YEARS) 0-12						•		1				1	0.4
AGE GROUP (YEARS) 0-12 0-13-19 0-16 0-18-19 0-19-10 0-10-10-10 0-10-10-10 0-10-10-10-10 0-10-10-10-10-10 0-10-10-10-10-10-10-10-10-10-10-10-10-10		-						-				1	0.4 0.0
0-12 1	Unknown	U	0.0	U	0.0	U	0.0	U	0.0	145	0.5	U	0.0
0-12 1 0.3 1 0.3 0 0.0 0 0 0.0 7 0.0 0 20-29 13-19 0 6 1.8 6 2.1 0 0.0 0 0 0.0 34 0.1 0 20-29 30-39 111 32.9 99 34.5 12 24.0 44 26.7 4,194 15.5 12 40-49 44 14.2 3 1.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 26 60+ 28 8 8 8 16.0 82 19.4 6,922 25.6 121 58 AREA-BASED POVERTY LEVEL Low poverty (-10% below FPL) 113 33.5 100 34.8 13 26.0 37 22.4 8,273 30.6 56 28 Heigh poverty (20 to <30% below FPL) 132 39.2 110 38.3 22 44.0 68 41.2 7,736 28.6 76 32 Very high poverty (230% below FPL) 31 9.2 25 8.7 6 12.0 17 10.3 2,077 7.7 42 1 Area-based poverty level not available 0 0 0.0 0 0.0 0 0.0 0 0.0 2 1.2 628 2.3 0 TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) 4 1.2 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 Injection drug use history (IDU) 3 0.9 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 Transgender people with sexual contact 8 2.4 6 2.1 2 4.0 9 5.5 938 3.5 19 Transgender people with sexual contact 0 0.0 0 0.0 0.0 0.0 0.0 0.0 0.0 1 0.6 192 0.7 0 Other	AGE GROUP (YEARS)												
20-29 125 37.1 116 40.4 9 18.0 16 9.7 1.510 5.6 2 30-39 30-39 34.5 12 24.0 44 26.7 4.194 15.5 12 40-49 48 14.2 39 13.6 9 18.0 35 21.2 5.565 20.6 29 1 50-59 60+ 19 5.6 11 3.8 8 16.0 32 19.4 6.922 25.6 121 5 AREA-BASED POVERTY LEVEL Low poverty (1010 < 20% below FPL) 61 18.1 52 18.1 9 18.0 41 24.8 8,353 30.9 59 2 Medium poverty (210 < 30% below FPL) 113 33.5 100 34.8 13 26.0 37 22.4 8,273 30.6 56 2 Heigh poverty (20 to <30% below FPL) 312 39.2 110 38.3 22 44.0 68 41.2 7,736 28.6 76 2 Very high poverty (≥30% below FPL) 31 9.2 25 8.7 6 12.0 17 10.3 2,077 7.7 42 1 Area-based poverty level not available 0 0 0.0 0 0.0 0 0.0 2 1.2 628 2.3 0 TRANSMISSION CATEGORY Men who have sex with men (MSM) 19 4 1.2 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 MSM-IDU Heterosexual contact 3 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 1 0.0 0 0		1	0.3	1	0.3	0	0.0	0	0.0	7	0.0	0	0.0
30-39	13-19	6	1.8	6	2.1	0	0.0	0	0.0	34	0.1		0.0
40-9	20-29	125	37.1	116	40.4	9	18.0	16	9.7	1,510	5.6	2	0.9
50-59 60+ 27 8.0 15 5.2 12 24.0 38 23.0 8,835 32.6 69 25 60+ 19 5.6 11 3.8 8 16.0 32 19.4 6,922 25.6 121 5 AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) 61 18.1 52 18.1 9 18.0 41 24.8 8,353 30.9 59 2 Medium poverty (10 to <20% below FPL) 132 39.2 110 38.3 22 44.0 68 41.2 7,736 28.6 76 3 Very high poverty (≥30% below FPL) 31 9.2 25 8.7 6 12.0 17 10.3 2,077 7.7 42 1 Area-based poverty level not available 0 0 0.0 0 0.0 0 0.0 2 1.2 628 2.3 0 TRANSMISSION CATEGORY Men who have sex with men (MSM) 274 81.3 240 83.6 34 68.0 108 65.5 18,877 69.7 117 5 Injection drug use history (IDU) 4 1.2 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 MSM-IDU 5 3 0.9 3 1.0 0 0.0 7 4.2 962 3.6 15 Heterosexual contact 8 2.4 6 2.1 2 4.0 9 5.5 938 3.5 19 Transgender people with sexual contact 0 0 0.0 0 0.0 0 0.0 0 0.0 1 0.0 1 0.0 1 0.0 0 Other 0 0 0.0 0 0.0 0 0.0 0 0.0 1		111	32.9	99	34.5	12	24.0	44	26.7	4,194	15.5	12	5.2
60+ AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) 113 33.5 100 34.8 13 26.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 37 22.4 8,273 30.6 56 24 11 38.3 20.0 30.0 30.0 30.0 30.0 30.0 30.0 30													12.4
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) 113 33.5 100 34.8 13 26.0 37 22.4 8,273 30.6 56 2 High poverty (20 to <30% below FPL) 132 39.2 110 38.3 22 44.0 68 41.2 7,736 28.6 76 3 Very high poverty (≥30% below FPL) 31 9.2 25 8.7 6 12.0 17 10.3 2,077 7.7 42 1 Area-based poverty level not available 0 0.0 0 0.0 0 0.0 0 0.0 2 1.2 628 2.3 0 TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) 4 1.2 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 MSM-IDU 5 3 0.9 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 MSM-IDU 6 3 0.9 3 1.0 0 0 0.0 7 4.2 962 3.6 15 Heterosexual contact 8 2.4 6 2.1 2 4.0 9 5.5 938 3.5 19 Transgender people with sexual contact 9 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 1 0.0 0 Other													29.6
Low poverty (<10% below FPL) 61 18.1 52 18.1 9 18.0 41 24.8 8,353 30.9 59 22 Medium poverty (10 to <20% below FPL) 113 33.5 100 34.8 13 26.0 37 22.4 8,273 30.6 56 24 High poverty (20 to <30% below FPL) 132 39.2 110 38.3 22 44.0 68 41.2 7,736 28.6 76 3 3 4 4 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5	60+	19	5.6	11	3.8	8	16.0	32	19.4	6,922	25.6	121	51.9
Medium poverty (10 to <20% below FPL)	AREA-BASED POVERTY LEVEL												
Medium poverty (10 to <20% below FPL)		61	18.1	52	18.1	9	18.0	41	24.8	8,353	30.9	59	25.3
High poverty (20 to <30% below FPL) 132 39.2 110 38.3 22 44.0 68 41.2 7,736 28.6 76 33 Very high poverty (≥30% below FPL) Area-based poverty level not available 0 0.0 0 0.0 0 0.0 0 0.0 2 1.2 628 2.3 0 TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) 4 1.2 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 MSM-IDU MSM-IDU Heterosexual contact Transgender people with sexual contact 0 0.0 0 0.		113	33.5	100	34.8	13	26.0	37	22.4	8,273	30.6	56	24.0
Area-based poverty level not available 0 0.0 0.0 0.0 0.0 0.0 2 1.2 628 2.3 0 TRANSMISSION CATEGORY Men who have sex with men (MSM) 274 81.3 240 83.6 34 68.0 108 65.5 18,877 69.7 117 5 1njection drug use history (IDU) 4 1.2 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		132	39.2	110	38.3		44.0	68		7,736	28.6		32.6
Area-based poverty level not available 0 0.0 0.0 0.0 0.0 2 1.2 628 2.3 0 TRANSMISSION CATEGORY Men who have sex with men (MSM) 274 81.3 240 83.6 34 68.0 108 65.5 18,877 69.7 117 5 10,100 10.0 1 2.0 5 3.0 2,039 7.5 31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Very high poverty (>30% below FPL)	31	9.2	25	8.7	6	12.0	17	10.3	2.077	7.7	42	18.0
Men who have sex with men (MSM) 274 81.3 240 83.6 34 68.0 108 65.5 18,877 69.7 117 55 Injection drug use history (IDU) 4 1.2 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 MSM-IDU 3 0.9 3 1.0 0 0.0 7 4.2 962 3.6 15 Heterosexual contact 8 2.4 6 2.1 2 4.0 9 5.5 938 3.5 19 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 1 0.6 192 0.7 0 Perinatal 1 0.3 1 0.3 0 0.0 0 0 0.0 18 0.1 1 Other 1 0 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0 0 0						0							0.0
Men who have sex with men (MSM) 274 81.3 240 83.6 34 68.0 108 65.5 18,877 69.7 117 55 Injection drug use history (IDU) 4 1.2 3 1.0 1 2.0 5 3.0 2,039 7.5 31 1 MSM-IDU 3 0.9 3 1.0 0 0.0 7 4.2 962 3.6 15 Heterosexual contact 8 2.4 6 2.1 2 4.0 9 5.5 938 3.5 19 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 0 0 0.0 1 0.6 192 0.7 0 Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 1 0.6 192 0.7 0 Other 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0													
Injection drug use history (IDU)		274	01.2	240	92.6	24	60.0	100	65 F	10 077	60.7	117	50.2
MSM-IDU 3 0.9 3 1.0 0 0.0 7 4.2 962 3.6 15 Heterosexual contact 8 2.4 6 2.1 2 4.0 9 5.5 938 3.5 19 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 1 0.0 0 Perinatal 1 0.3 1 0.3 0 0.0 1 0.6 192 0.7 0 Other 0 <td></td> <td>13.3</td>													13.3
Heterosexual contact 8 2.4 6 2.1 2 4.0 9 5.5 938 3.5 19 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 1 0.0 0 Perinatal 1 0.3 1 0.3 0 0.0 1 0.6 192 0.7 0 Other 0 0.0 0 0.0 0 0.0 0 0.0 18 0.1 1						•		ວ 7					6.4
Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 1 0.0 0 Perinatal 1 0.3 1 0.3 0 0.0 1 0.6 192 0.7 0 Other 0 0.0 0 0.0 0								/ 0					8.2
Perinatal 1 0.3 1 0.3 0 0.0 1 0.6 192 0.7 0 Other 0 0.0 0 0.0 0 0.0 1 0.6 192 0.7 1 0.6 192 0.7 1 0.6 192 0.7 1 0.6 192 0.7 1 0.6 192 0.7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								-		930			0.0
Other 0 0.0 0 0.0 0 0.0 0 0.0 18 0.1 1	Perinatal	1		1		_		1		192		-	0.0
		0		0				Ó				1	0.4
IUnknown 47 13 9 34 11 8 13 26 0 35 21 2 4 040 14 9 50 2	Unknown	47	13.9	34	11.8	13	26.0	35	21.2	4.040	14.9	50	21.5

Table 1.5.6. Manhattan, women (includes transgender women)

		HIV	DIAGNO	OSES, 20)17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	i, 2017
					Concurrent with							
	Total HIV o			it AIDS		gnoses		0/		0/		0./
TOTAL	N 52	% 100.0	N 42	% 80.8	N 10	% 19.2		% 100.0	N 5 227	% 100.0	N 71	% 100.0
IUIAL	32	100.0	42	00.0	10	19.2	45	100.0	5,227	100.0	71	100.0
RACE/ETHNICITY												
Black	22	42.3	16	38.1	6	60.0	30	66.7	2,832	54.2	49	69.0
Latino/Hispanic	19	36.5	16	38.1	3	30.0		26.7	1,779	34.0	21	29.6 0.0
White	7	13.5	6	14.3	1	10.0	3	6.7	507	9.7	0	0.0
Asian/Pacific Islander	3	5.8	3	7.1	0	0.0	0	0.0	67	1.3	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	1	1.9	1	2.4	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	1	1.9	1	2.4	0	0.0		0.0	23	0.4	0	0.0
20-29	14	26.9	14	33.3	0	0.0		13.3	347	6.6	1	1.4
30-39	15	28.8	13	31.0	2	20.0	10	22.2	573	11.0	4	5.6
40-49	11	21.2	7	16.7	4	40.0		28.9	1,053	20.1	8	11.3
50-59	6	11.5	4	9.5	2	20.0		22.2	1,806	34.6	31	43.7
60+	5	9.6	3	7.1	2	20.0	6	13.3	1,419	27.1	27	38.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	13.5	7	16.7	0	0.0	5	11.1	681	13.0	1	1.4
Medium poverty (10 to <20% below FPL)	17	32.7	15	35.7	2	20.0		13.3	1,094	20.9	12	16.9
High poverty (20 to <30% below FPL)	23	44.2	16	38.1	7	70.0		48.9	2,406	46.0	37	52.1
Very high poverty (≥30% below FPL)	5	9.6	4	9.5	1	10.0		26.7	930	17.8	21	29.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		0.0	116	2.2	0	0.0
		0.0	· ·	0.0	· ·	0.0	· ·	0.0	110	2.2	· ·	0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	3	5.8	3	7.1	0	0.0		4.4	998	19.1	13	18.3
Heterosexual contact	25	48.1	18	42.9	7	70.0		53.3	2,442	46.7	39	54.9
Transgender people with sexual contact	17	32.7	16	38.1	1	10.0		13.3	323	6.2	2	2.8
Perinatal	0	0.0	0	0.0	0	0.0		4.4	182	3.5	2	2.8
Other	0	0.0	0	0.0	0	0.0		0.0	14	0.3	0	0.0
Unknown	7	13.5	5	11.9	2	20.0	11	24.4	1,268	24.3	15	21.1

Table 1.5.7. Queens, men (includes transgender men)

	Total HIV dia		DIAGNC Withou		Concurrent wit	th AIDS		ES, 2017	PWH AS 12/31/20		DEATHS	, 2017
	N	%	N	%	N	<i>19110303</i> %		%	N	%	N	%
TOTAL	317	100.0	257	81.1	60	18.9		100.0	13,417	100.0	108	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	79 153 29 54 0 2	24.9 48.3 9.1 17.0 0.0 0.6 0.0	71 127 24 34 0 1	27.6 49.4 9.3 13.2 0.0 0.4 0.0	8 26 5 20 0 1	13.3 43.3 8.3 33.3 0.0 1.7 0.0	56 19 28	24.8 39.7 13.5 19.9 0.0 2.1 0.0	4,296 5,711 2,454 835 48 46 27	32.0 42.6 18.3 6.2 0.4 0.3 0.2	51 28 25 3 0 1	47.2 25.9 23.1 2.8 0.0 0.9
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 7 131 99 42 23 15	0.0 2.2 41.3 31.2 13.2 7.3 4.7	0 7 115 76 33 14 12	0.0 2.7 44.7 29.6 12.8 5.4 4.7	0 0 16 23 9 9	0.0 0.0 26.7 38.3 15.0 15.0 5.0	0 36 38 28 25	0.0 0.0 25.5 27.0 19.9 17.7 9.9	5 32 1,082 2,278 2,988 4,246 2,786	0.0 0.2 8.1 17.0 22.3 31.6 20.8	0 0 1 9 9 30 59	0.0 0.9 8.3 8.3 27.8 54.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	74 234 9	23.3 73.8 2.8	64 185 8	24.9 72.0 3.1	10 49 1	16.7 81.7 1.7	27 112 2	19.1 79.4 1.4	2,796 10,157 326	20.8 75.7 2.4	32 71 5	29.6 65.7 4.6
Very high poverty (≥30% below FPL) Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0 0	0.0	0 138	0.0 1.0	0	0.0 0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	255 1 6 9 1 0	80.4 0.3 1.9 2.8 0.3 0.0	205 0 6 6 1 0	79.8 0.0 2.3 2.3 0.4 0.0 0.0	50 1 0 3 0 0	83.3 1.7 0.0 5.0 0.0 0.0	6 3 8 0 1	66.0 4.3 2.1 5.7 0.0 0.7 0.0	7,539 1,366 414 1,115 1 181 22	56.2 10.2 3.1 8.3 0.0 1.3 0.2	31 30 4 11 0 1	28.7 27.8 3.7 10.2 0.0 0.9 0.0
Unknown	45	14.2	39	15.2	6	10.0		21.3	2,779	20.7	31	28.7

Table 1.5.8. Queens, women (includes transgender women)

		HIV	DIAGNO	SES, 20)17		AIDS DIAGNOSES	5, 2017	PWH AS 12/31/20		DEATHS	, 2017
	Total HIV o	liagnasas	Withou		Concurrent with A diagno	_						
	N	% with the second se	N	% AIDS	N Ulagric	03 6 3 %		%	N	%	N	%
TOTAL	67	100.0	58	86.6		13.4		100.0	4,890	100.0	39	100.0
RACE/ETHNICITY												
Black	33	49.3	28	48.3		55.6		54.5	2,742	56.1	28	71.8
Latino/Hispanic	22	32.8	20	34.5		22.2		21.2	1,468	30.0	7	17.9
White	2	3.0	2	3.4	0	0.0	2	6.1	429	8.8	3	7.7
Asian/Pacific Islander	8	11.9	7	12.1		11.1	5	15.2	205	4.2	1	7.7 2.6
Native American	1	1.5	1	1.7	0	0.0	0	0.0	14	0.3	0	0.0
Multiracial	1	1.5	0	0.0		11.1	1	3.0	18	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	6	0.1	0	0.0
13-19	1	1.5	1	1.7	0	0.0	0	0.0	29	0.6	0	0.0
20-29	23	34.3	23	39.7	0	0.0		12.1	305	6.2	1	2.6
30-39	15	22.4	12	20.7	3	33.3		30.3	607	12.4	1	2.6
40-49	12	17.9	10	17.2		22.2	8	24.2	1,120	22.9	7	17.9
50-59	11	16.4	7	12.1		44.4	9	27.3	1,653	33.8	18	46.2
60+	5	7.5	5	8.6	0	0.0	2	6.1	1,170	23.9	12	30.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	25	37.3	23	39.7		22.2		33.3	1,431	29.3	15	38.5
Medium poverty (10 to <20% below FPL)	41	61.2	34	58.6	7	77.8	22	66.7	3,205	65.5	22	56.4
High poverty (20 to <30% below FPL)	1	1.5	1	1.7	0	0.0	0	0.0	183	3.7	2	5.1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		0.0	71	1.5	0	0.0
TRANSMISSION CATEGORY										40.4		25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0		6.1	606	12.4	14	35.9
Heterosexual contact	46	68.7	42	72.4		44.4	21	63.6	2,810	57.5	19	48.7
Transgender people with sexual contact	7	10.4	7	12.1	0	0.0		3.0	229	4.7	1	2.6
Perinatal	0	0.0	0	0.0	0	0.0		0.0	180	3.7	1	2.6
Other	0	0.0	0	0.0	0	0.0		0.0	18	0.4	0	0.0
Unknown	14	20.9	9	15.5	5	55.6	9	27.3	1,047	21.4	4	10.3

Table 1.5.9. Staten Island, men (includes transgender men)

		HIV	DIAGNO	SES, 20)17	AIDS DIAGNO	SES, 2017	PWH AS 12/31/2	_	DEATHS,	, 2017
	Total HIV di		Withou	t AIDS	Concurrent with AID diagnose	es					
TOTAL	N 26	% 100.0	N 19	% 73.1	N 7 26	% N . 9 21	% 100.0	N 1,570	% 100.0	N 29	% 100.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	9 7 8 0 2	34.6 26.9 30.8 0.0 7.7	6 5 7 0 1	31.6 26.3 36.8 0.0 5.3	3 42 2 28 1 14 0 0	.6 5 .3 4 .0 0	52.4 23.8 19.0 0.0 4.8	542 455 530 23 20	34.5 29.0 33.8 1.5 1.3	13 5 10 0 1	44.8 17.2 34.5 0.0 3.4
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 9 7 0 8 1	0.0 3.8 34.6 26.9 0.0 30.8 3.8	0 1 8 4 0 5	0.0 5.3 42.1 21.1 0.0 26.3 5.3	0 0 1 14 3 42 0 0 3 42	.9 8 .0 2	0.0 0.0 9.5 38.1 9.5 28.6 14.3	1 4 125 215 294 562 369	0.1 0.3 8.0 13.7 18.7 35.8 23.5	0 0 1 2 3 10 13	0.0 0.0 3.4 6.9 10.3 34.5 44.8
AREA-BASED POVERTY LEVEL						_					
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	7 13 6	26.9 50.0 23.1	7 8 4	36.8 42.1 21.1	0 0 5 71 2 28		4.8 47.6 47.6	439 679 441	28.0 43.2 28.1	7 8 14	24.1 27.6 48.3
Very high poverty (≥30% below FPL) Area-based poverty level not available	0	0.0 0.0	0	0.0	0 0	.0 .0 0	0.0	0 11	0.0 0.7	0	0.0
TRANSMISSION CATEGORY											
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact	13 1 1 4	50.0 3.8 3.8 15.4	10 1 1 2	52.6 5.3 5.3 10.5	3 42 0 0 0 0 2 28	.0 0 .0 1	42.9 0.0 4.8 23.8	710 251 68 145	45.2 16.0 4.3 9.2	7 8 3 3	24.1 27.6 10.3 10.3
Transgender people with sexual contact Perinatal Other	0 0 0	0.0 0.0 0.0	0 0 0	0.0 0.0 0.0	0 0 0 0 0 0	.0 .0	0.0 0.0 0.0	0 31 0	0.0 2.0 0.0	0 0 0	0.0 0.0 0.0
Unknown	7	26.9	5	26.3	2 28	.6 6	28.6	365	23.2	8	27.6

Table 1.5.10. Staten Island, women (includes transgender women)

		HIV	DIAGNO)SES, 20	017		AIDS DIAGNOSES	6, 2017	PWH AS 12/31/20		DEATHS,	, 2017
	Total HIV di	aanoses	Withou		Concurrent with diagr				12/01/20			
	N	% was a second	N	%	N N	% %		%	N	%	N	%
TOTAL	12	100.0	10	83.3	2	16.7		100.0	862	100.0	13	100.0
RACE/ETHNICITY	4.0	00.0	•	00.0		400.0	4	50.0	400	40.0		40.0
Black	10	83.3	8	80.0		100.0		50.0	422	49.0	6	46.2
Latino/Hispanic White	1	8.3	1 1	10.0	0	0.0		25.0 25.0	236 191	27.4	6 1	46.2
Asian/Pacific Islander	0	8.3 0.0	0	10.0 0.0	0	0.0		25.0 0.0		22.2 0.7	-	7.7 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0		0.0	6 7	0.7	0 0	0.0
Other/Otherlown	U	0.0	U	0.0	U	0.0	U	0.0	/	0.0	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0 0.0 7.7
20-29	3	25.0	3	30.0	0	0.0	1	12.5	48	5.6	0	0.0
30-39	5	41.7	3	30.0		100.0		62.5	124	14.4	1	7.7
40-49	1	8.3	1	10.0	0	0.0		0.0	176	20.4	1	7.7
50-59	2	16.7	2	20.0	0	0.0		25.0	329	38.2	5	38.5
60+	1	8.3	1	10.0	0	0.0	0	0.0	176	20.4	6	46.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	2	25.0	195	22.6	3	23.1
Medium poverty (10 to <20% below FPL)	5	41.7	5	50.0	Ö	0.0		12.5	361	41.9	3	23.1
High poverty (20 to <30% below FPL)	7	58.3	5	50.0		100.0		62.5	303	35.2	7	53.8
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
	_											
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	128	14.8	5	38.5
Heterosexual contact	9	75.0	8	80.0	1	50.0		62.5	493	57.2	6	46.2
Transgender people with sexual contact	2	16.7	1	10.0	1	50.0		12.5	38	4.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		12.5	30	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	5	0.6	0	0.0
Unknown	1	8.3	1	10.0	0	0.0	0	0.0	168	19.5	2	15.4

Table 1.6.1. Men who have sex with men (MSM)

		HIV	DIAGNOS	1			AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					oncurrent witl							
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	1,235	100.0	1,060	85.8	175	14.2	547	100.0	54,188	100.0	438	100.0
RACE/ETHNICITY												
Black	388	31.4	340	32.1	48	27.4	211	38.6	16,736	30.9	174	39.7
Latino/Hispanic	524	42.4	446	42.1	78	44.6	183	33.5	16,701	30.8	101	23.1
White	228	18.5	202	19.1	26	14.9	106	19.4	18,559	34.2	151	34.5
Asian/Pacific Islander	79	6.4	57	5.4	22	12.6		7.5	1,721	3.2	8	1.8
Native American	5	0.4	5	0.5	0	0.0		0.2	140	0.3	3	0.7
Multiracial	11	0.9	10	0.9	1	0.6		0.9	301	0.6	1	0.2
Unknown	0	0.0	0	0.0	0	0.0		0.0	30	0.1	Ö	0.7 0.2 0.0
		0.0	ŭ	0.0		0.0		0.0		0	· ·	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	54	4.4	51	4.8	3	1.7		1.3	120	0.2	0	0.0
20-29	588	47.6	537	50.7	51	29.1	145	26.5	6,569	12.1	16	3.7
30-39	355	28.7	292	27.5	63	36.0	192	35.1	12,424	22.9	52	11.9
40-49	136	11.0	107	10.1	29	16.6	101	18.5	12,129	22.4	80	18.3
50-59	77	6.2	50	4.7	27	15.4	76	13.9	14,692	27.1	142	32.4
60+	25	2.0	23	2.2	2	1.1	26	4.8	8,254	15.2	148	33.8
BOROUGH OF RESIDENCE												
Bronx	207	16.8	183	17.3	24	13.7	82	15.0	7,716	14.2	59	13.5
Brooklyn	334	27.0	278	26.2	56	32.0		25.2	10,363	19.1	80	18.3
Manhattan	274	22.2	240	22.6	34	19.4		19.7	18,877	34.8	117	26.7
Queens	255	20.6	205	19.3	50	28.6		17.0	7.539	13.9	31	7.1
Staten Island	13	1.1	10	0.9	3	1.7	9	1.6	7,559	1.3	7	1.6
Outside NYC	117	9.5	109	10.3	8	4.6		20.3	7,710	14.2	21	4.8
Unknown	35	2.8	35	3.3	0	0.0		1.1	1,273	2.3	123	28.1
OTKTOWIT	33	2.0	33	3.3	U	0.0	U	1.1	1,273	2.3	123	20.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	131	10.6	113	10.7	18	10.3	54	9.9	8,624	15.9	52	11.9
Medium poverty (10 to <20% below FPL)	453	36.7	373	35.2	80	45.7		32.5	18,576	34.3	97	22.1
High poverty (20 to <30% below FPL)	308	24.9	262	24.7	46	26.3		22.3	10,717	19.8	78	17.8
Very high poverty (≥30% below FPL)	191	15.5	168	15.8	23	13.1	75	13.7	6,891	12.7	67	15.3
Area-based poverty level not available	152	12.3	144	13.6	8	4.6		21.6	9,380	17.3	144	32.9
Prica-pasca poverty level flut available	102	12.0	144	13.0	U	4.0	110	21.0	3,300	17.3	144	32.9

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

			DIAGNO	SES, 20			AIDS DIAGNOSES,	2017	PWH AS 12/31/20		DEATHS	, 2017
					Concurrent with Al							
	Total HIV di		Withou		diagnos			0/		0/		0/
TOTAL	N 22	% 100.0	N 17	% 77.3	N 5 2	% 22.7	N 50	%	9,821	% 100.0	N 308	% 100.0
IOTAL	22	100.0	17	11.3	3 2	22.1	ວບ	100.0	9,821	100.0	308	100.0
RACE/ETHNICITY												
Black	6	27.3	4	23.5	2 4	10.0	14	28.0	3,938	40.1	134	43.5
Latino/Hispanic	9	40.9	7	41.2	2 4	10.0	28	56.0	4,670	47.6	139	45.1
White	5	22.7	4	23.5	1 2	20.0	8	16.0	1,122	11.4	34	11.0
Asian/Pacific Islander	2	9.1	2	11.8	0	0.0	0	0.0	56	0.6	1	0.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	16	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	4.5	1	5.9	0	0.0	1	2.0	23	0.2	0	0.0
30-39	4	18.2	4	23.5	0	0.0	6	12.0	216	2.2	2	0.6
40-49	8	36.4	7	41.2	1 2	20.0	12	24.0	840	8.6	25	8.1
50-59	3	13.6	3	17.6	0	0.0	12	24.0	3,501	35.6	85	27.6
60+	6	27.3	2	11.8	4 8	30.0	19	38.0	5,241	53.4	196	63.6
BOROUGH OF RESIDENCE												
Bronx	6	27.3	5	29.4	1 2	20.0	17	34.0	3,157	32.1	106	34.4
Brooklyn	10	45.5	8	47.1	2 4	10.0	17	34.0	2,250	22.9	66	21.4
Manhattan	4	18.2	3	17.6	1 2	20.0	5	10.0	2,039	20.8	31	10.1
Queens	1	4.5	0	0.0	1 2	20.0	6	12.0	1,366	13.9	30	9.7
Staten Island	1	4.5	1	5.9	0	0.0	0	0.0	251	2.6	8	2.6
Outside NYC	0	0.0	0	0.0	0	0.0	5	10.0	720	7.3	12	3.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	38	0.4	55	17.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	4.5	1	5.9	0	0.0	2	4.0	706	7.2	17	5.5
Medium poverty (10 to <20% below FPL)	7	31.8	5	29.4	2 4	10.0	11	22.0	2,929	29.8	62	20.1
High poverty (20 to <30% below FPL)	7	31.8	6	35.3	1 2	20.0	16	32.0	2,230	22.7	68	22.1
Very high poverty (≥30% below FPL)	6	27.3	5	29.4	1 2	20.0	15	30.0	2,970	30.2	94	30.5
Area-based poverty level not available	1	4.5	0	0.0	1 2	20.0	6	12.0	986	10.0	67	21.8

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

		HIV I		OSES, 20)17		AIDS DIAGNOSES	, 2017	PWH AS 12/31/20		DEATHS,	2017
					Concurrent w							
	Total HIV di		Withou			iagnoses	N	0/	N.	0/	N.	0/
TOTAL	N 11	% 100.0	N 10	% 90.9	N 1	% 9.1	N 29	% 100.0	N 5,381	% 100.0	N 149	% 100.0
IOTAL		100.0		30.3		3.1	20	100.0	0,001	100.0	143	100.0
RACE/ETHNICITY												
Black	6	54.5	5	50.0	1	100.0		51.7	2,550	47.4	69	46.3
Latino/Hispanic	2	18.2	2	20.0	0	0.0	13	44.8	2,173	40.4	67	45.0
White	3	27.3	3	30.0	0	0.0	1	3.4	614	11.4	10	6.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	1	0.7 0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0		0.0	16 4	0.3	1 0	0.7
Unknown	0	0.0	U	0.0	0	0.0	U	0.0	4	0.1	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	9.1	1	10.0	0	0.0	0	0.0	2	0.0	0	0.0
20-29	3	27.3	3	30.0	0	0.0	1	3.4	51	0.9	0	0.0
30-39	2	18.2	2	20.0	0	0.0	6	20.7	239	4.4	4	2.7
40-49	0	0.0	0	0.0	0	0.0	3	10.3	782	14.5	21	14.1
50-59	2	18.2	1	10.0	1	100.0	10	34.5	2,410	44.8	59	39.6
60+	3	27.3	3	30.0	0	0.0	9	31.0	1,897	35.3	65	43.6
BOROUGH OF RESIDENCE												
Bronx	4	36.4	4	40.0	0	0.0	11	37.9	1,927	35.8	56	37.6
Brooklyn	3	27.3	3	30.0	Ö	0.0		20.7	1,393	25.9	33	22.1
Manhattan	3	27.3	3	30.0	0	0.0	2	6.9	998	18.5	13	8.7
Queens	0	0.0	0	0.0	0	0.0	2	6.9	606	11.3	14	9.4
Staten Island	0	0.0	0	0.0	0	0.0	1	3.4	128	2.4	5	3.4
Outside NYC	1	9.1	0	0.0	1	100.0	6	20.7	312	5.8	5	3.4 3.4
Unknown	0	0.0	0	0.0	0	0.0	1	3.4	17	0.3	23	15.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	2	6.9	342	6.4	5	3.4
Medium poverty (10 to <20% below FPL)	4	36.4	4	40.0	ő	0.0		10.3	1,446	26.9	35	23.5
High poverty (20 to <30% below FPL)	2	18.2	2	20.0	Ö	0.0		24.1	1,427	26.5	27	18.1
Very high poverty (≥30% below FPL)	4	36.4	4	40.0	0	0.0	10	34.5	1,774	33.0	54	36.2
Area-based poverty level not available	1	9.1	0	0.0	1	100.0		24.1	392	7.3	28	18.8
Tiea-nased hoverty level flot available		9.1	U	0.0		100.0	- 1	24.1	332	1.3	20	10.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2017, NEW YORK CITY Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

		HIV	DIAGNO	OSES, 2017			AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					ncurrent wit							
	Total HIV dia			out AIDS		gnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	23	100.0	23	100.0	0	0.0	29	100.0	3,396	100.0	73	100.0
RACE/ETHNICITY								_				
Black	7	30.4	7	30.4	0	0.0	7	24.1	1,183	34.8	34	46.6
Latino/Hispanic	7	30.4	7	30.4	0	0.0	13	44.8	1,296	38.2	18	24.7
White	9	39.1	9	39.1	0	0.0	8	27.6	838	24.7	20	27.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.4	47	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	22	0.6	1	1.4
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	16	69.6	16	69.6	0	0.0	6	20.7	236	6.9	0	0.0
30-39	6	26.1	6	26.1	0	0.0	6	20.7	590	17.4	.7	9.6
40-49	1	4.3	1	4.3	0	0.0	5	17.2	707	20.8	15	20.5
50-59	0	0.0	0	0.0	0	0.0	8	27.6	1,130	33.3	21	28.8
60+	0	0.0	0	0.0	0	0.0	4	13.8	732	21.6	30	41.1
BOROUGH OF RESIDENCE												
Bronx	6	26.1	6	26.1	0	0.0	11	37.9	873	25.7	19	26.0
Brooklyn	5	21.7	5	21.7	0	0.0	3	10.3	635	18.7	10	13.7
Manhattan	3	13.0	3	13.0	0	0.0	7	24.1	962	28.3	15	20.5
Queens	6	26.1	6	26.1	0	0.0	3	10.3	414	12.2	4	5.5
Staten Island	1	4.3	1	4.3	0	0.0	1	3.4	68	2.0	3	4.1
Outside NYC	2	8.7	2	8.7	0	0.0	3	10.3	423	12.5	4	5.5
Unknown	0	0.0	0	0.0	0	0.0	1	3.4	21	0.6	18	24.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	8.7	2	8.7	0	0.0	0	0.0	374	11.0	8	11.0
Medium poverty (10 to <20% below FPL)	11	47.8	11	47.8	0	0.0	10	34.5	1,056	31.1	12	16.4
High poverty (20 to <30% below FPL)	4	17.4	4	17.4	0	0.0	4	13.8	720	21.2	14	19.2
Very high poverty (≥30% below FPL)	4	17.4	4	17.4	0	0.0	10	34.5	778	22.9	17	23.3
Area-based poverty level not available	2	8.7	2	8.7	0	0.0	5	17.2	468	13.8	22	30.1
riod bacca peretty level flot available		0.,		0.1		0.0		17.2	400	10.0		00.1

Table 1.6.5. Heterosexual contact, men

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSES,	2017	PWH AS 12/31/20		DEATHS,	, 2017
	T- (-1.1.11) (-1)		Marin-		Concurrent with							
	Total HIV di	agnoses %	Withou N	it AIDS %	diagn N	oses %	N	%	N	%	N	%
TOTAL	76	100.0	54	71.1		28.9	67	100.0	6,166	100.0	119	100.0
		10010				20.0	0.	.00.0	0,100	10010		100.0
RACE/ETHNICITY												
Black	36	47.4	24	44.4		54.5	40	59.7	3,337	54.1	67	56.3
Latino/Hispanic	25	32.9	19	35.2		27.3	20	29.9	2,088	33.9	42	35.3
White	6	7.9	6	11.1	0	0.0	3	4.5	515	8.4	8	6.7
Asian/Pacific Islander	7	9.2	5	9.3	2	9.1	2	3.0	190	3.1	2	1.7
Native American	1	1.3	0	0.0	1	4.5	1	1.5	20	0.3	0	0.0
Multiracial	1	1.3	0	0.0	1	4.5	1	1.5	11	0.2	0	0.0 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.3	1	1.9	0	0.0	0	0.0	3	0.0	0	0.0
20-29	15	19.7	11	20.4	4	18.2	4	6.0	127	2.1	0	0.0
30-39	21	27.6	17	31.5	4	18.2	12	17.9	481	7.8	4	3.4
40-49	12	15.8	8	14.8	4	18.2	19	28.4	1,327	21.5	15	12.6
50-59	18	23.7	11	20.4	7	31.8	22	32.8	2,531	41.0	46	38.7
60+	9	11.8	6	11.1	3	13.6	10	14.9	1,697	27.5	54	45.4
BOROUGH OF RESIDENCE												
Bronx	28	36.8	21	38.9	7	31.8	23	34.3	1,765	28.6	23	19.3
Brooklyn	23	30.3	16	29.6	7	31.8	15	22.4	1,603	26.0	33	27.7
Manhattan	8	10.5	6	11.1	2	9.1	9	13.4	938	15.2	19	16.0
Queens	9	11.8	6	11.1	3	13.6	8	11.9	1,115	18.1	11	9.2
Staten Island	4	5.3	2	3.7	2	9.1	5	7.5	145	2.4	3	2.5
Outside NYC	2	2.6	1	1.9	1	4.5	7	10.4	561	9.1	5	2.5 4.2
Unknown	2	2.6	2	3.7	0	0.0	0	0.0	39	0.6	25	21.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	2.6	1	1.9	1	4.5	4	6.0	500	8.1	6	5.0
Medium poverty (10 to <20% below FPL)	35	46.1	24	44.4	11	50.0	23	34.3	2,091	33.9	26	21.8
High poverty (20 to <30% below FPL)	15	19.7	11	20.4	4	18.2	17	25.4	1,385	22.5	29	24.4
Very high poverty (≥30% below FPL)	20	26.3	15	27.8	5	22.7	16	23.9	1,557	25.3	28	23.5
Area-based poverty level not available	4	5.3	3	5.6	1	4.5	7	10.4	633	10.3	30	25.2

Table 1.6.6. Heterosexual contact, women

			DIAGNO	OSES, 20	17		AIDS DIAGNOSE	ES, 2017	PWH AS 12/31/20		DEATHS	6, 2017
				С	oncurrent w	ith AIDS						
	Total HIV dia		Withou		di	iagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	288	100.0	238	82.6	50	17.4	208	100.0	19,004	100.0	240	100.0
RACE/ETHNICITY												
Black	179	62.2	142	59.7	37	74.0	134	64.4	11,242	59.2	162	67.5
Latino/Hispanic	81	28.1	72	30.3	9	18.0	51	24.5	6,122	32.2	65	27.1
White	18	6.3	16	6.7	2	4.0	15	7.2	1,227	6.5	9	3.8
Asian/Pacific Islander	6	2.1	6	2.5	0	0.0	5	2.4	299	1.6	1	0.4
Native American	2	0.7	1	0.4	1	2.0	1	0.5	48	0.3	3	1.3
Multiracial	2	0.7	1	0.4	1	2.0	2	1.0	56	0.3	0	1.3 0.0
Unknown	0	0.0	0	0.0	0	0.0		0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	11	3.8	11	4.6	Ö	0.0		0.5	31	0.2	Ö	0.0
20-29	56	19.4	54	22.7	2	4.0	25	12.0	883	4.6	2	0.8
30-39	78	27.1	62	26.1	16	32.0	59	28.4	2,758	14.5	14	5.8
40-49	61	21.2	51	21.4	10	20.0	42	20.2	4.665	24.5	34	14.2
50-59	51	17.7	35	14.7	16	32.0	56	26.9	6,459	34.0	106	44.2
60+	31	10.8	25	10.5	6	12.0		12.0	4,208	22.1	84	35.0
BOROUGH OF RESIDENCE												
Bronx	99	34.4	79	33.2	20	40.0	58	27.9	6,133	32.3	57	23.8
Brooklyn	92	31.9	78	32.8	14	28.0		27.9	5,579	29.4	64	26.7
Manhattan	25	8.7	18	7.6	7	14.0		11.5	2,442	12.8	39	16.3
Queens	46	16.0	42	17.6	4	8.0	21	10.1	2,810	14.8	19	7.9
Staten Island	9	3.1	8	3.4	1	2.0	5	2.4	493	2.6	6	2.5
Outside NYC	9	3.1	5	2.1	4	8.0		19.2	1,318	6.9	12	2.5 5.0
Unknown	8	2.8	8	3.4	0	0.0		1.0	229	1.2	43	17.9
OTIKIOWIT	8	2.0	0	3.4	U	0.0	2	1.0	229	1.2	43	17.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	25	8.7	22	9.2	3	6.0		6.3	1,450	7.6	14	5.8
Medium poverty (10 to <20% below FPL)	101	35.1	84	35.3	17	34.0		25.0	5,977	31.5	46	19.2
High poverty (20 to <30% below FPL)	66	22.9	54	22.7	12	24.0	41	19.7	4,656	24.5	65	27.1
Very high poverty (≥30% below FPL)	79	27.4	65	27.3	14	28.0	60	28.8	5,289	27.8	60	25.0
Area-based poverty level not available	17	5.9	13	5.5	4	8.0	42	20.2	1,632	8.6	55	22.9

Table 1.6.7. Transgender people with sexual contact

		HIV	DIAGNO	OSES, 20	17		AIDS DIAGNOSES,	2017	PWH AS 12/31/20		DEATHS	, 2017
	Total HIV di	aanoses	Withou		oncurrent with diagr							
	N	% « « « « « « « « « « « « « « « « « « «	N	%	N alagi	% %	N	%	N	%	N	%
TOTAL	55	100.0	49	89.1	6	10.9	31	100.0	1,801	100.0	13	100.0
GENDER												
Men Women	1 54	1.8 98.2	1 48	2.0 98.0	0 6	0.0 100.0		0.0 100.0	19 1,782	1.1 98.9	0 13	0.0 100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	25 21 1 7 0	45.5 38.2 1.8 12.7 0.0 1.8	20 20 1 7 0 1	40.8 40.8 2.0 14.3 0.0 2.0	5 1 0 0 0	83.3 16.7 0.0 0.0 0.0 0.0	16 1 0 0	41.9 51.6 3.2 0.0 0.0 3.2	911 698 118 42 8 24	50.6 38.8 6.6 2.3 0.4 1.3	5 8 0 0 0	38.5 61.5 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 30 18 4 1	0.0 3.6 54.5 32.7 7.3 1.8 0.0	0 2 29 13 4 1	0.0 4.1 59.2 26.5 8.2 2.0 0.0	0 0 1 5 0 0	0.0 0.0 16.7 83.3 0.0 0.0	0 10 15	0.0 0.0 32.3 48.4 16.1 3.2 0.0	0 9 524 641 363 211 53	0.0 0.5 29.1 35.6 20.2 11.7 2.9	0 0 1 6 3 2 1	0.0 0.0 7.7 46.2 23.1 15.4 7.7
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	12 11 17 8 2 4 1	21.8 20.0 30.9 14.5 3.6 7.3 1.8	11 8 16 8 1 4	22.4 16.3 32.7 16.3 2.0 8.2 2.0	1 3 1 0 1 0	16.7 50.0 16.7 0.0 16.7 0.0 0.0	4 6 1 1 7	38.7 12.9 19.4 3.2 3.2 22.6 0.0	530 380 324 230 38 209 90	29.4 21.1 18.0 12.8 2.1 11.6 5.0	4 3 2 1 0 1 2	30.8 23.1 15.4 7.7 0.0 7.7 15.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	9 12 20	16.4 21.8 36.4	9 11 15	18.4 22.4 30.6	0 1 5	0.0 16.7 83.3		3.2 6.5 35.5	102 521 394	5.7 28.9 21.9	0 5 2	0.0 38.5 15.4
Very high poverty (≥30% below FPL) Area-based poverty level not available	9 5	16.4 9.1	9 5	18.4 10.2	0 0	0.0		32.3 22.6	479 305	26.6 16.9	3	23.1 23.1

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	SES, 201	7		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS,	, 2017
				_	oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	13	100.0	11	84.6	2	15.4	4	100.0	731	100.0	10	100.0
GENDER												
Men	9	69.2	7	63.6	2	100.0	4	100.0	501	68.5	5	50.0
Women	4	30.8	4	36.4	0	0.0	0	0.0	230	31.5	5	50.0
RACE/ETHNICITY												
Black	3	23.1	3	27.3	0	0.0	0	0.0	236	32.3	3	30.0
Latino/Hispanic	6	46.2	6	54.5	0	0.0	2	50.0	337	46.1	6	60.0
White	4	30.8	2	18.2	2	100.0	2	50.0	143	19.6	1	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	1.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.7	1	9.1	0	0.0	0	0.0	1	0.1	0	0.0
20-29	5	38.5	4	36.4	1	50.0	1	25.0	48	6.6	1	10.0
30-39	2	15.4	2	18.2	0	0.0	1	25.0	109	14.9	1	10.0
40-49	2	15.4	2	18.2	0	0.0	1	25.0	141	19.3	1	10.0
50-59	3	23.1	2	18.2	1	50.0	1	25.0	229	31.3	2	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	203	27.8	5	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	46.2	4	36.4	2	100.0	3	75.0	282	38.6	1	10.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	92	12.6	4	40.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	1.5	0	0.0
Heterosexual contact	3	23.1	3	27.3	0	0.0	0	0.0	156	21.3	2	20.0
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	6	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	1.9	1	10.0
Other	1	7.7	1	9.1	0	0.0	Ō	0.0	2	0.3	0	0.0
Unknown	2	15.4	2	18.2	Ö	0.0	1	25.0	168	23.0	2	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)

	HIV		DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					Concurrent with	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	53	100.0	42	79.2	11	20.8	31	100.0	2,667	100.0	42	100.0
GENDER												
Men	37	69.8	29	69.0	8	72.7	21	67.7	1.513	56.7	25	59.5
Women	16	30.2	13	31.0	3	27.3	10	32.3	1,154	43.3	17	40.5
Women	10	00.2	10	01.0	Ü	27.0	10	02.0	1,104	40.0	.,	70.0
RACE/ETHNICITY												
Black	39	73.6	31	73.8	8	72.7	22	71.0	1,722	64.6	26	61.9
Latino/Hispanic	12	22.6	9	21.4	3	27.3	9	29.0	774	29.0	15	35.7
White	2	3.8	2	4.8	0	0.0	0	0.0	127	4.8	1	2.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	27	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.0	0	0.0
13-19	3	5.7	3	7.1	0	0.0	0	0.0	25	0.9	0	0.0
20-29	20	37.7	18	42.9	2	18.2	5	16.1	266	10.0	1	2.4 2.4 4.8
30-39	13	24.5	11	26.2	2	18.2	9	29.0	408	15.3	1	2.4
40-49	8	15.1	6	14.3	2	18.2	7	22.6	504	18.9	2	4.8
50-59	5	9.4	3	7.1	2	18.2	5	16.1	876	32.8	22	52.4
60+	4	7.5	1	2.4	3	27.3	5	16.1	587	22.0	16	38.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	15	28.3	12	28.6	3	27.3	8	25.8	630	23.6	2	4.8
Injection drug use history (IDÙ)	1	1.9	0	0.0	1	9.1	2	6.5	289	10.8	13	31.0
MSM-IDU , , , ,	1	1.9	1	2.4	0	0.0	1	3.2	62	2.3	3	7.1
Heterosexual contact	19	35.8	14	33.3	5	45.5	13	41.9	845	31.7	12	28.6
Transgender people with sexual contact	2	3.8	2	4.8	0	0.0	0	0.0	29	1.1	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	2	6.5	100	3.7	1	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	15	28.3	13	31.0	2	18.2	5	16.1	711	26.7	10	23.8

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSES	5, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
				C	Concurrent with A	NDS			12/01/20			
	Total HIV di	agnoses	Withou	t AIDS	diagno	oses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	83	100.0	70	84.3	13	15.7	52	100.0	5,663	100.0	79	100.0
OFNIDED												
GENDER Men	62	74.7	51	72.9	11	84.6	39	75.0	3,690	65.2	52	65.8
Women	21	25.3	19	27.1		04.0 15.4	13	25.0	1,973	34.8	27	34.2
Wonen	21	25.5	19	21.1	2	15.4	13	25.0	1,973	34.0	21	34.2
RACE/ETHNICITY												
Black	39	47.0	33	47.1	6	46.2	28	53.8	2,526	44.6	29	36.7
Latino/Hispanic	41	49.4	34	48.6	7	53.8	20	38.5	2,797	49.4	45	57.0
White	2	2.4	2	2.9	0	0.0	2	3.8	271	4.8	3	3.8
Asian/Pacific Islander	1	1.2	1	1.4	0	0.0	1	1.9	41	0.7	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.9	12	0.2	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	4	4.8	4	5.7	0	0.0	0	0.0	17	0.3	0	0.0
20-29	25	30.1	21	30.0		30.8	14	26.9	532	9.4	3	3.8
30-39	21	25.3	17	24.3		30.8	12	23.1	894	15.8	5	6.3
40-49	18	21.7	15	21.4		23.1	7	13.5	1,201	21.2	10	12.7
50-59	8	9.6	6	8.6		15.4	14	26.9	1,835	32.4	37	46.8
60+	7	8.4	7	10.0	0	0.0	5	9.6	1,180	20.8	24	30.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	44	53.0	37	52.9	7	53.8	20	38.5	1,723	30.4	14	17.7
Injection drug use history (IDU)	2	2.4	2	2.9	0	0.0	4	7.7	891	15.7	24	30.4 5.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	177	3.1	4	5.1
Heterosexual contact	19	22.9	18	25.7	1	7.7	6	11.5	1,336	23.6	13	16.5
Transgender people with sexual contact	4	4.8	3	4.3	1	7.7	4	7.7	118	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	7.7	124	2.2	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	14	16.9	10	14.3	4	30.8	14	26.9	1,289	22.8	23	29.1

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSES	5, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
				С	oncurrent with	AIDS						İ
	Total HIV di		Withou			noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	74	100.0	57	77.0	17	23.0	52	100.0	4,475	100.0	43	100.0
GENDER												
Men	60	81.1	49	86.0	11	64.7	41	78.8	2,807	62.7	29	67.4
Women	14	18.9	8	14.0	6	35.3	11	21.2	1,668	37.3	14	32.6
Women	17	10.5	U	14.0	O	55.5	11	21.2	1,000	37.3	17	32.0
RACE/ETHNICITY												
Black	31	41.9	22	38.6	9	52.9	25	48.1	1,838	41.1	16	37.2
Latino/Hispanic	38	51.4	31	54.4	7	41.2	23	44.2	2,266	50.6	22	51.2
White	5	6.8	4	7.0	1	5.9	2	3.8	308	6.9	5	11.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.9	40	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.9	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	2	2.7	2	3.5	0	0.0	0	0.0	23	0.5	0	0.0
20-29	20	27.0	20	35.1	0	0.0	4	7.7	349	7.8	1	2.3
30-39	19	25.7	17	29.8	2	11.8	8	15.4	668	14.9	0	0.0
40-49	16	21.6	10	17.5	6	35.3	12	23.1	839	18.7	8	18.6
50-59	13	17.6	6	10.5	7	41.2	20	38.5	1,580	35.3	12	27.9
60+	4	5.4	2	3.5	2	11.8	8	15.4	1,014	22.7	22	51.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	40	54.1	37	64.9	3	17.6	12	23.1	1,225	27.4	7	16.3
Injection drug use history (IDU)	1	1.4	1	1.8	0	0.0	5	9.6	706	15.8	15	34.9
MSM-IDU , , ,	1	1.4	1	1.8	0	0.0	2	3.8	111	2.5	1	34.9 2.3
Heterosexual contact	19	25.7	11	19.3	8	47.1	16	30.8	1,135	25.4	10	23.3 2.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	57	1.3	1	2.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	154	3.4	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	1	2.3 2.3
Unknown	13	17.6	7	12.3	6	35.3	17	32.7	1,075	24.0	7	16.3

Table 1.7.5. Hunts Point - Mott Haven (Bronx)

		HIV	DIAGNO	OSES, 20 ⁻	17		AIDS DIAGNOSES	2017	PWH AS 12/31/20		DEATHS	, 2017
				С	oncurrent with A	IDS						
	Total HIV di		Withou	it AIDS	diagno	ses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	61	100.0	55	90.2	6	9.8	31	100.0	3,902	100.0	45	100.0
GENDER	40	75.4	4.4	00.0	0	20.0	40	04.0	0.004	04.0	24	75.0
Men	46	75.4	44	80.0		33.3	19	61.3	2,381	61.0	34	75.6
Women	15	24.6	11	20.0	4 6	66.7	12	38.7	1,521	39.0	11	24.4
RACE/ETHNICITY												
Black	28	45.9	24	43.6	4 6	36.7	18	58.1	1,705	43.7	17	37.8
Latino/Hispanic	32	52.5	30	54.5		33.3	12	38.7	2,008	51.5	27	60.0
White	1	1.6	1	1.8		0.0	1	3.2	150	3.8	1	2.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	21	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	5	8.2	5	9.1		0.0	0	0.0	13	0.3	0	0.0 2.2
20-29	28	45.9	26	47.3	2 3	33.3	6	19.4	359	9.2	1	2.2
30-39	13	21.3	11	20.0		33.3	7	22.6	679	17.4	3	6.7
40-49	5	8.2	5	9.1		0.0	6	19.4	793	20.3	8	17.8
50-59	6	9.8	4	7.3		33.3	7	22.6	1,205	30.9	13	28.9
60+	4	6.6	4	7.3	0	0.0	5	16.1	847	21.7	20	44.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	36	59.0	34	61.8	2 3	33.3	10	32.3	939	24.1	4	8.9
Injection drug use history (IDU)	2	3.3	2	3.6		0.0	6	19.4	721	18.5	21	8.9 46.7 2.2
MSM-IDU	2	3.3	2	3.6	0	0.0	2	6.5	126	3.2	1	2.2
Heterosexual contact	15	24.6	11	20.0	4 6	66.7	9	29.0	1,060	27.2	10	22.2
Transgender people with sexual contact	2	3.3	2	3.6		0.0	1	3.2	84	2.2	0	0.0
Perinatal	0	0.0	0	0.0		0.0	0	0.0	115	2.9	1	2.2
Other	0	0.0	0	0.0		0.0	0	0.0	5	0.1	0	0.0
Unknown	4	6.6	4	7.3		0.0	3	9.7	852	21.8	8	17.8

Table 1.7.6. High Bridge - Morrisania (Bronx)

		HIV	DIAGNO	SES, 201	7		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS,	, 2017
				C	oncurrent wit	th AIDS						
	Total HIV di		Withou	t AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	79	100.0	62	78.5	17	21.5	74	100.0	6,249	100.0	118	100.0
GENDER												
Men	17	59.5	36	58.1	11	64.7	46	62.2	3,861	61.8	96	72.0
Women	47 32	59.5 40.5	26	41.9	11 6	35.3	46 28	37.8	2,388	38.2	86 32	72.9 27.1
vvoinen	32	40.5	26	41.9	0	35.3	28	37.8	2,388	38.2	32	21.1
RACE/ETHNICITY												
Black	36	45.6	27	43.5	9	52.9	40	54.1	3,233	51.7	74	62.7
Latino/Hispanic	40	50.6	32	51.6	8	47.1	30	40.5	2,731	43.7	40	33.9
White	2	2.5	2	3.2	0	0.0	1	1.4	218	3.5	4	3.4
Asian/Pacific Islander	1	1.3	1	1.6	0	0.0	1	1.4	30	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	2.7	16	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	7	0.1	0	0.0
13-19	4	5.1	4	6.5	0	0.0	2	2.7	32	0.5	0	0.0
20-29	22	27.8	19	30.6	3	17.6	13	17.6	474	7.6	2	1.7
30-39	22	27.8	17	27.4	5	29.4	15	20.3	919	14.7	9	7.6
40-49	17	21.5	12	19.4	5	29.4	16	21.6	1,291	20.7	13	11.0
50-59	12	15.2	8	12.9	4	23.5	15	20.3	2,053	32.9	41	34.7
60+	2	2.5	2	3.2	0	0.0	13	17.6	1,473	23.6	53	44.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	24	30.4	20	32.3	4	23.5	15	20.3	1,453	23.3	21	17.8
Injection drug use history (IDU)	2	2.5	2	3.2	0	0.0	4	5.4	1,155	18.5	46	39.0
MSM-IDU	0	0.0	0	0.0	0	0.0	3	4.1	194	3.1	6	5.1
Heterosexual contact	32	40.5	25	40.3	7	41.2	24	32.4	1,664	26.6	13	11.0
Transgender people with sexual contact	1	1.3	1	1.6	0	0.0	4	5.4	87	1.4	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	2	2.7	165	2.6	2	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	20	25.3	14	22.6	6	35.3	22	29.7	1,523	24.4	29	24.6

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

		HIV	DIAGNO	SES, 201	7		AIDS DIAGNOSES,	2017	PWH AS 12/31/20		DEATHS	, 2017
				С	oncurrent with A	AIDS						
	Total HIV di		Withou		diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	61	100.0	55	90.2	6	9.8	31	100.0	3,902	100.0	45	100.0
GENDER												
Men	46	75.4	44	80.0	2	33.3	19	61.3	2,381	61.0	34	75.6
Women	15	24.6	11	20.0		66.7	12	38.7	1,521	39.0	11	24.4
									.,			
RACE/ETHNICITY												
Black	28	45.9	24	43.6		66.7	18	58.1	1,705	43.7	17	37.8
Latino/Hispanic	32	52.5	30	54.5		33.3	12	38.7	2,008	51.5	27	60.0
White	1	1.6	1	1.8	0	0.0	1	3.2	150	3.8	1	2.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	21	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0 0.0 2.2 6.7
13-19	5	8.2	5	9.1	0	0.0	0	0.0	13	0.3	0	0.0
20-29	28	45.9	26	47.3	2	33.3	6	19.4	359	9.2	1	2.2
30-39	13	21.3	11	20.0		33.3	7	22.6	679	17.4	3	6.7
40-49	5	8.2	5	9.1	0	0.0	6	19.4	793	20.3	8	17.8
50-59	6	9.8	4	7.3	2	33.3	7	22.6	1,205	30.9	13	28.9
60+	4	6.6	4	7.3	0	0.0	5	16.1	847	21.7	20	44.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	36	59.0	34	61.8	2	33.3	10	32.3	939	24.1	4	8.9
Injection drug use history (IDU)	2	3.3	2	3.6	0	0.0	6	19.4	721	18.5	21	46.7
MSM-IDU	2	3.3	2	3.6	0	0.0	2	6.5	126	3.2	1	46.7 2.2
Heterosexual contact	15	24.6	11	20.0	4	66.7	9	29.0	1,060	27.2	10	22.2
Transgender people with sexual contact	2	3.3	2	3.6	0	0.0	1	3.2	84	2.2	0	22.2 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	115	2.9	1	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	4	6.6	4	7.3	0	0.0	3	9.7	852	21.8	8	17.8

Table 1.8.1. Greenpoint (Brooklyn)

	HI		DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					oncurrent wit	th AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%		%	N	%	Ŋ	%
TOTAL	21	100.0	17	81.0	4	19.0	10	100.0	899	100.0	5	100.0
GENDER												
Men	20	95.2	16	94.1	4	100.0	8	80.0	719	80.0	3	60.0
Women	1	4.8	1	5.9	Ö	0.0	2	20.0	180	20.0	2	40.0
	•	1.0		0.0	Ŭ	0.0	-	20.0	100	20.0	_	10.0
RACE/ETHNICITY												
Black	4	19.0	1	5.9	3	75.0	4	40.0	143	15.9	1	20.0
Latino/Hispanic	10	47.6	9	52.9	1	25.0	4	40.0	392	43.6	4	80.0
White	6	28.6	6	35.3	0	0.0	1	10.0	337	37.5	0	0.0
Asian/Pacific Islander	1	4.8	1	5.9	0	0.0	1	10.0	21	2.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.1	0	0.0
13-19	1	4.8	0	0.0	1	25.0	1	10.0	4	0.4	0	0.0
20-29	5	23.8	5	29.4	0	0.0	1	10.0	62	6.9	0	0.0
30-39	12	57.1	10	58.8	2	50.0	5	50.0	209	23.2	0	0.0
40-49	3	14.3	2	11.8	1	25.0	2	20.0	220	24.5	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	254	28.3	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	10.0	149	16.6	5	100.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	17	81.0	15	88.2	2	50.0	4	40.0	498	55.4	0	0.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	2	20.0	108	12.0	0	0.0
MSM-IDU ,	0	0.0	0	0.0	0	0.0	0	0.0	21	2.3	0	0.0
Heterosexual contact	1	4.8	1	5.9	0	0.0	1	10.0	119	13.2	2	40.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	3	14.3	1	5.9	2	50.0	3	30.0	129	14.3	3	60.0

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSES,	2017	PWH AS 12/31/20		DEATHS	, 2017
				С	oncurrent with A	4 <i>IDS</i>						
	Total HIV di		Withou		diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	42	100.0	37	88.1	5	11.9	20	100.0	2,744	100.0	27	100.0
GENDER								_				
Men	35	83.3	31	83.8	4	80.0	17	85.0	2,109	76.9	16	59.3
Women	7	16.7	6	16.2	1	20.0	3	15.0	635	23.1	11	40.7
wonten	,	10.7	O	10.2	'	20.0	3	15.0	033	23.1	11	40.7
RACE/ETHNICITY												
Black	19	45.2	17	45.9	2	40.0	8	40.0	1,150	41.9	12	44.4
Latino/Hispanic	9	21.4	7	18.9	2	40.0	6	30.0	660	24.1	7	25.9
White	12	28.6	11	29.7	1	20.0	6	30.0	849	30.9	8	29.6
Asian/Pacific Islander	1	2.4	1	2.7	0	0.0	0	0.0	63	2.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	1	2.4	1	2.7	0	0.0	0	0.0	7	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0 0.0
13-19	2	4.8	1	2.7	1	20.0	2	10.0	6	0.2	0	0.0
20-29	21	50.0	21	56.8	0	0.0	5	25.0	186	6.8	0	0.0
30-39	6	14.3	4	10.8	2	40.0	7	35.0	376	13.7	1	3.7
40-49	3	7.1	2	5.4	1	20.0	3	15.0	546	19.9	3	11.1
50-59	2	4.8	2	5.4	0	0.0	1	5.0	896	32.7	5	18.5
60+	8	19.0	7	18.9	1	20.0	2	10.0	730	26.6	18	66.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	27	64.3	25	67.6	2	40.0	11	55.0	1,403	51.1	8	29.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	319	11.6	7	25.9 3.7
MSM-IDU TO THE STATE OF THE STA	1	2.4	1	2.7	0	0.0	0	0.0	63	2.3	1	3.7
Heterosexual contact	6	14.3	5	13.5	1	20.0	1	5.0	408	14.9	6	22.2 0.0
Transgender people with sexual contact	1	2.4	1	2.7	0	0.0	0	0.0	21	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	15.0	47	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	7	16.7	5	13.5	2	40.0	5	25.0	482	17.6	5	18.5

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS,	, 2017
				С	oncurrent w	ith AIDS						İ
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	130	100.0	101	77.7	29	22.3	92	100.0	7,815	100.0	128	100.0
GENDER												
Men	99	76.2	75	74.3	24	82.8	65	70.7	5,030	64.4	05	66.4
Women	31	23.8	75 26	25.7	24 5	02.0 17.2		29.3	2,785	35.6	85 43	33.6
Women	31	23.0	20	23.7	5	17.2	21	29.3	2,765	33.0	43	33.0
RACE/ETHNICITY												
Black	88	67.7	69	68.3	19	65.5	63	68.5	5,966	76.3	98	76.6
Latino/Hispanic	25	19.2	19	18.8	6	20.7	21	22.8	1,204	15.4	26	20.3
White	11	8.5	8	7.9	3	10.3	5	5.4	522	6.7	2	1.6
Asian/Pacific Islander	2	1.5	1	1.0	1	3.4	3	3.3	63	0.8	1	0.8
Other/Unknown	4	3.1	4	4.0	0	0.0	0	0.0	60	0.8	1	0.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	4	0.1	0	0.0 0.0 1.6
13-19	6	4.6	5	5.0	1	3.4	5	5.4	36	0.5	0	0.0
20-29	44	33.8	38	37.6	6	20.7	16	17.4	776	9.9	2	1.6
30-39	25	19.2	19	18.8	6	20.7	23	25.0	1,267	16.2	17	13.3
40-49	23	17.7	16	15.8	7	24.1	19	20.7	1,674	21.4	14	10.9
50-59	19	14.6	14	13.9	5	17.2	20	21.7	2,330	29.8	44	34.4
60+	13	10.0	9	8.9	4	13.8	9	9.8	1,728	22.1	51	39.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	62	47.7	51	50.5	11	37.9	33	35.9	2,600	33.3	23	18.0
Injection drug use history (IDU)	4	3.1	3	3.0	1	3.4	6	6.5	948	12.1	27	21.1
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.1	178	2.3	3	2.3
Heterosexual contact	27	20.8	23	22.8	4	13.8	19	20.7	1,981	25.3	33	25.8 0.8 0.8
Transgender people with sexual contact	2	1.5	1	1.0	1	3.4	1	1.1	134	1.7	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	2	2.2	188	2.4	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	35	26.9	23	22.8	12	41.4	30	32.6	1,776	22.7	40	31.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Men includes transgender men and women includes transgender women.

Table 1.8.4. East New York (Brooklyn)

	Н		DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
				C	oncurrent with	h AIDS			,.,			
	Total HIV di		Withou	ıt AIDS	diag	gnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	83	100.0	67	80.7	16	19.3	57	100.0	3,445	100.0	50	100.0
GENDER								_				
Men	60	72.3	49	73.1	11	68.8	34	59.6	1,975	57.3	32	64.0
Women	23	27.7	18	26.9	5	31.3	23	40.4	1,470	42.7	18	36.0
Women	20	21.1	10	20.5	3	31.5	20	40.4	1,470	72.1	10	30.0
RACE/ETHNICITY												
Black	56	67.5	45	67.2	11	68.8	36	63.2	2,211	64.2	29	58.0
Latino/Hispanic	23	27.7	20	29.9	3	18.8	18	31.6	1,060	30.8	19	38.0
White	1	1.2	1	1.5	0	0.0	1	1.8	103	3.0	0	0.0
Asian/Pacific Islander	2	2.4	1	1.5	1	6.3	1	1.8	44	1.3	2	4.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	1	1.2	0	0.0	1	6.3	1	1.8	14	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.8	8	0.2	0	0.0
13-19	7	8.4	7	10.4	Ö	0.0	1	1.8	26	0.8	Ö	0.0
20-29	35	42.2	30	44.8	5	31.3	11	19.3	362	10.5	1	2.0
30-39	19	22.9	15	22.4	4	25.0	13	22.8	598	17.4	4	8.0
40-49	12	14.5	9	13.4	3	18.8	13	22.8	726	21.1	6	12.0
50-59	9	10.8	5	7.5	4	25.0	16	28.1	1,073	31.1	13	26.0
60+	1	1.2	1	1.5	0	0.0	2	3.5	652	18.9	26	52.0
TO A NOMICCION CATEGORY												
TRANSMISSION CATEGORY Men who have sex with men (MSM)	41	49.4	31	46.3	10	62.5	20	35.1	927	26.9	6	12.0
Injection drug use history (IDU)	41	1.2	1	1.5	0	0.0	6	10.5	432	12.5	15	20.0
MSM-IDU	1	1.2	1	1.5	0	0.0	0	0.0	432 55	1.6	2	30.0 4.0
Heterosexual contact	18	21.7	15	22.4	3	18.8	17	29.8	1,052	30.5	12	24.0
Transgender people with sexual contact	3	3.6	2	3.0	1	6.3	1	1.8	64	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	101	2.9	1	2.0
Other	Ö	0.0	0	0.0	Ö	0.0	Ö	0.0	6	0.2	Ó	0.0
Unknown	19	22.9	17	25.4	2	12.5	12	21.1	808	23.5	14	28.0

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSES	5, 2017	PWH AS 12/31/20	_	DEATHS,	, 2017
				_	oncurrent witl	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	26	100.0	20	76.9	6	23.1	12	100.0	869	100.0	8	100.0
GENDER												
Men	21	80.8	16	80.0	5	83.3	10	83.3	647	74.5	7	87.5
Women	5	19.2	4	20.0	1	16.7	2	16.7	222	25.5	1	12.5
RACE/ETHNICITY												
Black	2	7.7	1	5.0	1	16.7	1	8.3	160	18.4	0	0.0
Latino/Hispanic	16	61.5	14	70.0	2	33.3	6	50.0	472	54.3	6	75.0
White	1	3.8	1	5.0	0	0.0	1	8.3	169	19.4	0	0.0
Asian/Pacific Islander	4	15.4	3	15.0	1	16.7	2	16.7	63	7.2	1	12.5
Other/Unknown	3	11.5	1	5.0	2	33.3	2	16.7	5	0.6	1	12.5
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	26.9	4	20.0	3	50.0	5	41.7	57	6.6	0	0.0
30-39	8	30.8	7	35.0	1	16.7	1	8.3	144	16.6	0	0.0
40-49	6	23.1	5	25.0	1	16.7	1	8.3	194	22.3	4	50.0
50-59	2	7.7	2	10.0	0	0.0	2	16.7	277	31.9	2	25.0
60+	3	11.5	2	10.0	1	16.7	3	25.0	196	22.6	2	25.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	16	61.5	12	60.0	4	66.7	5	41.7	315	36.2	3	37.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	16.7	146	16.8	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	43	4.9	0	0.0
Heterosexual contact	4	15.4	2	10.0	2	33.3	4	33.3	178	20.5	1	12.5
Transgender people with sexual contact	1	3.8	1	5.0	0	0.0	0	0.0	11	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	19.2	5	25.0	0	0.0	1	8.3	165	19.0	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022.

The following ZIP codes are included in Sunset Park: 11220, 11232. Men includes transgender men and women includes transgender women.

Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	OSES, 20	17		AIDS DIAGNOSES	6, 2017	PWH AS 12/31/20		DEATHS,	, 2017
				С	oncurrent with A	4 <i>IDS</i>						
	Total HIV di			it AIDS	diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	27	100.0	25	92.6	2	7.4	10	100.0	1,137	100.0	18	100.0
GENDER	00	05.0	00	00.0		500	_	50.0	0.40	74.4	40	70.0
Men	23	85.2	22	88.0		50.0	5	50.0	846	74.4	13	72.2
Women	4	14.8	3	12.0	1	50.0	5	50.0	291	25.6	5	27.8
RACE/ETHNICITY												
Black	3	11.1	3	12.0	0	0.0	0	0.0	297	26.1	9	50.0
Latino/Hispanic	9	33.3	9	36.0	0	0.0	5	50.0	425	37.4	4	22.2
White	11	40.7	9	36.0	2 1	0.00	5	50.0	341	30.0	3	16.7
Asian/Pacific Islander	4	14.8	4	16.0	0	0.0	0	0.0	66	5.8	1	5.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	5.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	3.7	1	4.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	11	40.7	11	44.0	0	0.0	0	0.0	66	5.8	0	0.0
30-39	6	22.2	5	20.0		50.0	4	40.0	191	16.8	2	11.1
40-49	5	18.5	5	20.0	0	0.0	2	20.0	240	21.1	6	33.3
50-59	2	7.4	2	8.0	Ö	0.0	2	20.0	360	31.7	2	11.1
60+	2	7.4	1	4.0		50.0	2	20.0	278	24.5	8	44.4
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	17	63.0	16	64.0	1	50.0	2	20.0	458	40.3	5	27.8
Injection drug use history (IDU)	1	3.7	1	4.0	Ó	0.0	1	10.0	172	15.1	5	27.8
MSM-IDU	1	3.7	1	4.0	0	0.0	0	0.0	21	1.8	2	11.1
Heterosexual contact	5	18.5	5	20.0	0	0.0	3	30.0	211	18.6	3	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	1.1	0	0.0
Perinatal	1	3.7	1	4.0	0	0.0	0	0.0	20	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	7.4	1	4.0		50.0	4	40.0	241	21.2	3	16.7
OTHORNE	2	7.4		4.0		30.0	-	40.0	Z *1 1	21.2	<u> </u>	10.7

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 201	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS,	, 2017
					oncurrent wit	th AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	94	100.0	72	76.6	22	23.4	56	100.0	5,282	100.0	54	100.0
GENDER												
Men	66	70.2	51	70.8	15	68.2	42	75.0	3,370	63.8	34	63.0
Women	28	29.8	21	29.2	7	31.8		25.0	1,912	36.2	20	37.0
RACE/ETHNICITY												
Black	76	80.9	59	81.9	17	77.3	43	76.8	4,147	78.5	44	81.5
Latino/Hispanic	11	11.7	6	8.3	5	22.7	7	12.5	732	13.9	7	13.0
White	4	4.3	4	5.6	0	0.0	5	8.9	309	5.9	3	5.6
Asian/Pacific Islander	3	3.2	3	4.2	0	0.0	1	1.8	54	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	2	2.1	2	2.8	0	0.0	1	1.8	15	0.3	0	0.0
20-29	32	34.0	27	37.5	5	22.7	13	23.2	413	7.8	3	5.6
30-39	27	28.7	19	26.4	8	36.4	16	28.6	828	15.7	7	13.0
40-49	14	14.9	11	15.3	3	13.6	8	14.3	1,081	20.5	3	5.6
50-59	10	10.6	4	5.6	6	27.3	12	21.4	1,578	29.9	10	18.5
60+	9	9.6	9	12.5	0	0.0	6	10.7	1,362	25.8	31	57.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	46	48.9	36	50.0	10	45.5		48.2	1,638	31.0	12	22.2
Injection drug use history (IDU)	3	3.2	3	4.2	0	0.0	2	3.6	477	9.0	12	22.2 1.9
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.8	99	1.9	1	1.9
Heterosexual contact	23	24.5	17	23.6	6	27.3	10	17.9	1,427	27.0	14	25.9 3.7
Transgender people with sexual contact	1	1.1	0	0.0	1	4.5	1	1.8	52	1.0	2	3.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	111	2.1	1	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	21	22.3	16	22.2	5	22.7	15	26.8	1,466	27.8	12	22.2

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS,	, 2017
				_	oncurrent wi	th AIDS						İ
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	40	100.0	27	67.5	13	32.5	28	100.0	1,762	100.0	31	100.0
GENDER												
Men	27	67.5	20	74.1	7	53.8	15	53.6	948	53.8	19	61.3
Women	13	32.5	7	25.9	6	46.2	13	46.4	814	46.2	12	38.7
RACE/ETHNICITY												
Black	36	90.0	25	92.6	11	84.6	21	75.0	1,396	79.2	26	83.9
Latino/Hispanic	3	7.5	1	3.7	2	15.4	5	17.9	231	13.1	1	3.2
White	1	2.5	1	3.7	0	0.0	2	7.1	105	6.0	4	12.9 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	5.0	2	7.4	0	0.0	0	0.0	15	0.9	0	0.0 3.2 3.2
20-29	10	25.0	8	29.6	2	15.4	2	7.1	149	8.5	1	3.2
30-39	15	37.5	11	40.7	4	30.8	11	39.3	278	15.8	1	3.2
40-49	5	12.5	2	7.4	3	23.1	7	25.0	368	20.9	5	16.1
50-59	6	15.0	4	14.8	2	15.4	5	17.9	517	29.3	9	29.0
60+	2	5.0	0	0.0	2	15.4	3	10.7	434	24.6	15	48.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	18	45.0	14	51.9	4	30.8	8	28.6	369	20.9	6	19.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	139	7.9	5	16.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	1.1	0	0.0
Heterosexual contact	10	25.0	7	25.9	3	23.1	10	35.7	616	35.0	7	22.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	66	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	12	30.0	6	22.2	6	46.2	10	35.7	541	30.7	13	41.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Men includes transgender men and women includes transgender women.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV		DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					oncurrent with	h AIDS						
	Total HIV dia		Withou			gnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	19	100.0	15	78.9	4	21.1	10	100.0	707	100.0	7	100.0
GENDER												
Men	17	89.5	14	93.3	3	75.0	8	80.0	534	75.5	7	100.0
Women	2	10.5	14	93.3 6.7	1	25.0	2	20.0	173	24.5	0	0.0
Wonen	2	10.5	'	0.7		25.0	2	20.0	173	24.5	U	0.0
RACE/ETHNICITY												
Black	2	10.5	1	6.7	1	25.0	2	20.0	73	10.3	2	28.6
Latino/Hispanic	6	31.6	4	26.7	2	50.0	3	30.0	228	32.2	2	28.6
White	9	47.4	8	53.3	1	25.0	5	50.0	349	49.4	3	42.9
Asian/Pacific Islander	1	5.3	1	6.7	0	0.0	0	0.0	53	7.5	0	42.9 0.0 0.0
Other/Unknown	1	5.3	1	6.7	0	0.0	0	0.0	4	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.1	0	0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	2	10.5	2	13.3	0	0.0	0	0.0	33	4.7	0	0.0
30-39	8	42.1	5	33.3	3	75.0	8	80.0	109	15.4	2	28.6 0.0
40-49	4	21.1	3	20.0	1	25.0	1	10.0	166	23.5	0	0.0
50-59	5	26.3	5	33.3	0	0.0	1	10.0	218	30.8	1	14.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	178	25.2	4	57.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	14	73.7	11	73.3	3	75.0	6	60.0	321	45.4	2	28.6
Injection drug use history (IDU)	1	5.3	1	6.7	0	0.0	0	0.0	100	14.1	3	42.9
MSM-IDU	1	5.3	1	6.7	0	0.0	1	10.0	23	3.3	0	0.0
Heterosexual contact	1	5.3	1	6.7	0	0.0	1	10.0	116	16.4	0	42.9 0.0 0.0 0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	2	10.5	1	6.7	1	25.0	2	20.0	133	18.8	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Men includes transgender men and women includes transgender women.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2017, NEW YORK CITY Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 201	7		AIDS DIAGNOSES	6, 2017	PWH AS 12/31/20		DEATHS,	, 2017
				С	oncurrent with	AIDS						
	Total HIV di		Withou			noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	35	100.0	27	77.1	8	22.9	17	100.0	1,193	100.0	13	100.0
GENDER												
Men	24	68.6	19	70.4	5	62.5	12	70.6	749	62.8	0	61.5
Women	11	31.4	8	29.6	5 3	37.5		29.4	444	37.2	8 5	38.5
wonten	- 11	31.4	0	29.0	3	31.3	5	29.4	444	31.2	5	30.0
RACE/ETHNICITY												
Black	6	17.1	4	14.8	2	25.0	3	17.6	453	38.0	3	23.1
Latino/Hispanic	9	25.7	7	25.9	2	25.0	3	17.6	351	29.4	8	61.5
White	16	45.7	12	44.4	4	50.0	9	52.9	334	28.0	2	15.4
Asian/Pacific Islander	4	11.4	4	14.8	0	0.0	2	11.8	43	3.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0
13-19	2	5.7	2	7.4	0	0.0	0	0.0	9	0.8	0	0.0
20-29	8	22.9	6	22.2	2	25.0	4	23.5	91	7.6	0	0.0
30-39	13	37.1	11	40.7	2	25.0	5	29.4	204	17.1	0	0.0
40-49	4	11.4	3	11.1	1	12.5	3	17.6	233	19.5	2	15.4
50-59	3	8.6	1	3.7	2	25.0	3	17.6	365	30.6	4	30.8
60+	5	14.3	4	14.8	1	12.5	2	11.8	290	24.3	7	53.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	14	40.0	10	37.0	4	50.0	5	29.4	350	29.3	1	7.7
Injection drug use history (IDÙ)	1	2.9	1	3.7	0	0.0	1	5.9	180	15.1	5	38.5
MSM-IDU TO THE STATE OF THE STA	0	0.0	0	0.0	0	0.0	0	0.0	17	1.4	0	0.0
Heterosexual contact	12	34.3	10	37.0	2	25.0	4	23.5	312	26.2	2	15.4
Transgender people with sexual contact	1	2.9	1	3.7	0	0.0	0	0.0	12	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	33	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	7.7
Unknown	7	20.0	5	18.5	2	25.0	6	35.3	286	24.0	4	30.8

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 201	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS,	, 2017
					oncurrent with	n AIDS						
	Total HIV dia		Withou			gnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	87	100.0	75	86.2	12	13.8	37	100.0	3,804	100.0	65	100.0
GENDER												
Men	72	82.8	62	82.7	10	83.3	26	70.3	2,676	70.3	43	66.2
Women	15	17.2	13	17.3	2	16.7	11	29.7	1,128	29.7	22	33.8
RACE/ETHNICITY												
Black	33	37.9	27	36.0	6	50.0	18	48.6	1,853	48.7	37	56.9
Latino/Hispanic	31	35.6	27	36.0	4	33.3	14	37.8	1,430	37.6	26	40.0
White	21	24.1	20	26.7	1	8.3	4	10.8	452	11.9	2	3.1
Asian/Pacific Islander	2	2.3	1	1.3	1	8.3	1	2.7	50	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	0	0.0	1	8.3		2.7	2	0.1	0	0.0 0.0 1.5
13-19	5	5.7	4	5.3	1	8.3		2.7	23	0.6	0	0.0
20-29	43	49.4	42	56.0	1	8.3	5	13.5	416	10.9	1	1.5
30-39	22	25.3	19	25.3	3	25.0	13	35.1	676	17.8	5	7.7
40-49	6	6.9	4	5.3	2	16.7	3	8.1	761	20.0	7	10.8
50-59	6	6.9	3	4.0	3	25.0	8	21.6	1,070	28.1	24	36.9
60+	4	4.6	3	4.0	1	8.3	6	16.2	856	22.5	28	43.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	62	71.3	57	76.0	5	41.7	17	45.9	1,441	37.9	14	21.5
Injection drug use history (IDU)	1	1.1	1	1.3	0	0.0	2	5.4	561	14.7	18	27.7
MSM-IDU	1	1.1	1	1.3	0	0.0	0	0.0	93	2.4	1	1.5
Heterosexual contact	8	9.2	8	10.7	0	0.0	3	8.1	738	19.4	17	26.2
Transgender people with sexual contact	2	2.3	2	2.7	0	0.0	1	2.7	49	1.3	0	0.0
Perinatal	1	1.1	0	0.0	1	8.3	1	2.7	88	2.3	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	12	13.8	6	8.0	6	50.0	13	35.1	830	21.8	14	21.5

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS,	, 2017
			14.00		Concurrent with	_						
	Total HIV di	agnoses %	Withou N	it AIDS %	dia <u>(</u> N	gnoses %	N	%	N	%	N	0/
TOTAL	N 98	100.0	86	87.8	12	12.2	42	100.0	4,690	100.0	43	% 100.0
IOTAL	30	100.0	00	07.0	12	12.2	72	100.0	4,030	100.0	73	100.0
GENDER												
Men	80	81.6	71	82.6	9	75.0	30	71.4	3,829	81.6	28	65.1
Women	18	18.4	15	17.4	3	25.0	12	28.6	861	18.4	15	34.9
RACE/ETHNICITY												
Black	18	18.4	16	18.6	2	16.7	12	28.6	1,492	31.8	19	44.2
Latino/Hispanic	61	62.2	51	59.3	10	83.3	27	64.3	2,071	44.2	16	37.2
White	14	14.3	14	16.3	0	0.0	3	7.1	1,026	21.9	6	14.0 2.3 2.3
Asian/Pacific Islander	3	3.1	3	3.5	0	0.0	0	0.0	65	1.4	1	2.3
Other/Unknown	2	2.0	2	2.3	0	0.0	0	0.0	36	0.8	1	2.3
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.2	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.0	2	2.3	0	0.0	0	0.0	14	0.3	0	0.0 0.0
20-29	37	37.8	33	38.4	4	33.3	5	11.9	415	8.8	0	0.0
30-39	38	38.8	35 7	40.7	3	25.0	12 9	28.6	873	18.6	3	7.0
40-49	9	9.2	-	8.1	2	16.7	9 8	21.4	1,012	21.6	6	14.0
50-59 60+	4	7.1 4.1	6 2	7.0 2.3	2	8.3 16.7	8	19.0 19.0	1,387 985	29.6 21.0	17 17	39.5 39.5
00+	4	4.1	2	2.3	2	16.7	0	19.0	900	21.0	17	39.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	64	65.3	57	66.3	7	58.3	17	40.5	2,607	55.6	9	20.9
Injection drug use history (IDU)	2	2.0	2	2.3	0	0.0	0	0.0	357	7.6	4	9.3
MSM-IDU	1	1.0	1	1.2	0	0.0	4	9.5	123	2.6	1	2.3
Heterosexual contact	19	19.4	16	18.6	3	25.0	9	21.4	635	13.5	14	20.9 9.3 2.3 32.6 4.7
Transgender people with sexual contact	3	3.1	3	3.5	0	0.0	2	4.8	52	1.1	2	4.7
Perinatal	1	1.0	1	1.2	0	0.0	0	0.0	77	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	8	8.2	6	7.0	2	16.7	10	23.8	831	17.7	13	30.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Men includes transgender men and women includes transgender women.

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSES	5, 2017	PWH AS 12/31/20		DEATHS,	, 2017
					oncurrent with	AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	74	100.0	57	77.0	17	23.0	46	100.0	4,854	100.0	55	100.0
GENDER												
Men	62	83.8	50	87.7	12	70.6	36	78.3	3,510	72.3	39	70.9
Women	12	16.2	7	12.3	5	29.4		21.7	1,344	27.7	16	29.1
RACE/ETHNICITY												
Black	48	64.9	37	64.9	11	64.7		67.4	3,076	63.4	39	70.9
Latino/Hispanic	11	14.9	8	14.0	3	17.6		17.4	1,052	21.7	11	20.0
White	13	17.6	10	17.5	3	17.6		13.0	633	13.0	4	7.3
Asian/Pacific Islander	1	1.4	1	1.8	0	0.0		2.2	58	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0		0.0	8	0.2	0	0.0
Multiracial	1	1.4	1	1.8	0	0.0		0.0	21	0.4	1	1.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	4	0.1	0	0.0 0.0
13-19	2	2.7	2	3.5	0	0.0		0.0	14	0.3	0	0.0
20-29	25	33.8	24	42.1	1	5.9		6.5	383	7.9	2	3.6
30-39	26	35.1	21	36.8	5	29.4		28.3	874	18.0	5	9.1
40-49	10	13.5	6	10.5	4	23.5		28.3	1,053	21.7	8	14.5
50-59	5	6.8	2	3.5	3	17.6		13.0	1,438	29.6	17	30.9
60+	6	8.1	2	3.5	4	23.5	11	23.9	1,088	22.4	23	41.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	49	66.2	44	77.2	5	29.4		45.7	2,115	43.6	19	34.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.3	559	11.5	6	10.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	114	2.3	3	5.5
Heterosexual contact	4	5.4	1	1.8	3	17.6		13.0	868	17.9	14	25.5 0.0
Transgender people with sexual contact	5	6.8	4	7.0	1	5.9		2.2	53	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	87	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	5	0.1	1	1.8
Unknown	16	21.6	8	14.0	8	47.1	16	34.8	1,053	21.7	12	21.8

Table 1.9.3. East Harlem (Manhattan)

		HIV	DIAGNO	OSES, 20 ⁻	17	4	AIDS DIAGNOSES	5, 2017	PWH AS 12/31/20		DEATHS,	, 2017
				С	oncurrent with A	IDS						
	Total HIV di		Withou	it AIDS	diagno	ses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	36	100.0	29	80.6	7 1	19.4	29	100.0	3,007	100.0	63	100.0
GENDER	04	00.4	0.5	00.0	0)	47	E0.0	0.077	00.4	40	00.7
Men	31	86.1	25	86.2		35.7	17	58.6	2,077	69.1	42	66.7
Women	5	13.9	4	13.8	1 1	14.3	12	41.4	930	30.9	21	33.3
RACE/ETHNICITY												
Black	17	47.2	15	51.7	2 2	28.6	16	55.2	1,393	46.3	32	50.8
Latino/Hispanic	11	30.6	9	31.0	2 2	28.6	9	31.0	1,193	39.7	23	36.5
White	4	11.1	2	6.9		28.6	3	10.3	362	12.0	8	12.7
Asian/Pacific Islander	3	8.3	3	10.3		0.0	0	0.0	41	1.4	0	0.0
Native American	1	2.8	0	0.0	1 1	14.3	1	3.4	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0		0.0	0	0.0	10	0.3	0	0.0
20-29	18	50.0	16	55.2		28.6	5	17.2	234	7.8	1	1.6
30-39	8	22.2	5	17.2		12.9	8	27.6	442	14.7	5	7.9
40-49	6	16.7	5	17.2	1 1	14.3	9	31.0	607	20.2	8	12.7
50-59	2	5.6	1	3.4	1 1	14.3	4	13.8	944	31.4	19	30.2
60+	2	5.6	2	6.9	0	0.0	3	10.3	767	25.5	30	47.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	23	63.9	18	62.1	5 7	71.4	11	37.9	1,060	35.3	15	23.8
Injection drug use history (IDÙ)	2	5.6	2	6.9	0	0.0	2	6.9	555	18.5	16	25.4
MSM-IDU , , , , , , , , , , , , , , , , , , ,	0	0.0	0	0.0	0	0.0	0	0.0	94	3.1	1	1.6
Heterosexual contact	3	8.3	3	10.3		0.0	7	24.1	590	19.6	15	23.8
Transgender people with sexual contact	1	2.8	1	3.4	0	0.0	1	3.4	34	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	88	2.9	2	3.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	7	19.4	5	17.2	2 2	28.6	8	27.6	583	19.4	14	22.2

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					oncurrent witi	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	21	100.0	18	85.7	3	14.3	17	100.0	3,202	100.0	32	100.0
GENDER												
Men	19	90.5	17	94.4	2	66.7	15	88.2	2,754	86.0	29	90.6
Women	2	9.5	1	5.6	1	33.3	2	11.8	448	14.0	29 3	9.4
RACE/ETHNICITY												
Black	5	23.8	3	16.7	2	66.7	10	58.8	832	26.0	9	28.1
Latino/Hispanic	4	19.0	4	22.2	0	0.0	3	17.6	862	26.9	11	34.4
White	11	52.4	10	55.6	1	33.3	2	11.8	1,395	43.6	12	37.5 0.0 0.0
Asian/Pacific Islander	1	4.8	1	5.6	0	0.0	2	11.8	76	2.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0 9.4
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
20-29	6	28.6	6	33.3	0	0.0	1	5.9	167	5.2	0	0.0
30-39	6	28.6	5	27.8	1	33.3	5	29.4	372	11.6	0	0.0
40-49	2	9.5	2	11.1	0	0.0	2	11.8	510	15.9	3	9.4
50-59	6	28.6	4	22.2	2	66.7	8	47.1	1,044	32.6	10	31.3
60+	1	4.8	1	5.6	0	0.0	1	5.9	1,105	34.5	19	59.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	16	76.2	14	77.8	2	66.7	9	52.9	1,959	61.2	19	59.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	294	9.2	4	12.5
MSM-IDU	1	4.8	1	5.6	0	0.0	1	5.9	102	3.2	3	9.4
Heterosexual contact	1	4.8	0	0.0	1	33.3	4	23.5	295	9.2	4	12.5
Transgender people with sexual contact	1	4.8	1	5.6	0	0.0	0	0.0	39	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	35	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0 0.0 0.0 6.3
Unknown	2	9.5	2	11.1	0	0.0	2	11.8	475	14.8	2	6.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					oncurrent w	ith AIDS						
	Total HIV di			it AIDS		iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	13	100.0	11	84.6	2	15.4	10	100.0	1,490	100.0	18	100.0
GENDER												
Men	12	92.3	10	90.9	2	100.0	8	80.0	1,306	87.7	15	83.3
Women	1	7.7	1	9.1	0	0.0	2	20.0	184	12.3	3	16.7
RACE/ETHNICITY												
Black	2	15.4	1	9.1	1	50.0	1	10.0	275	18.5	5	27.8
Latino/Hispanic	3	23.1	2	18.2	1	50.0	1	10.0	360	24.2	2	11.1
White	6	46.2	6	54.5	0	0.0	8	80.0	789	53.0	10	55.6
Asian/Pacific Islander	2	15.4	2	18.2	0	0.0	0	0.0	56	3.8	1	5.6 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0 0.0 5.6
13-19	0	0.0	0	0.0	0	0.0	0	0.0	_1	0.1	0	0.0
20-29	3	23.1	3	27.3	0	0.0	0	0.0	51	3.4	0	0.0
30-39	5	38.5	5	45.5	0	0.0	2	20.0	196	13.2	1	5.6
40-49	1	7.7	1	9.1	0	0.0	3	30.0	269	18.1	2	11.1
50-59	1	7.7	1	9.1	0	0.0	1	10.0	491	33.0	5	27.8
60+	3	23.1	1	9.1	2	100.0	4	40.0	481	32.3	10	55.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	9	69.2	8	72.7	1	50.0	7	70.0	957	64.2	5	27.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	96	6.4	2	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	38	2.6	2	11.1
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	10.0	111	7.4	2	11.1
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	6	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	3	23.1	2	18.2	1	50.0	1	10.0	270	18.1	7	38.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	OSES, 20 ⁻	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					oncurrent with	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	69	100.0	60	87.0	9	13.0	31	100.0	6,860	100.0	38	100.0
GENDER	00	04.0		00.0		400.0	00	00.5	0.444	00.5	07	07.4
Men	63	91.3	54	90.0	9	100.0	29	93.5	6,414	93.5	37	97.4
Women	6	8.7	6	10.0	0	0.0	2	6.5	446	6.5	1	2.6
RACE/ETHNICITY												
Black	14	20.3	12	20.0	2	22.2	7	22.6	1,109	16.2	6	15.8
Latino/Hispanic	18	26.1	16	26.7	2	22.2	5	16.1	1,577	23.0	6	15.8
White	32	46.4	27	45.0	5	55.6	19	61.3	3,882	56.6	25	65.8
Asian/Pacific Islander	4	5.8	4	6.7	0	0.0	0	0.0	209	3.0	1	2.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.2	0	0.0
Multiracial	1	1.4	1	1.7	0	0.0	0	0.0	25	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	42	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
20-29	26	37.7	24	40.0	2	22.2	4	12.9	286	4.2	0	0.0
30-39	22	31.9	20	33.3	2	22.2	8	25.8	1,083	15.8	0	0.0
40-49	12	17.4	11	18.3	1	11.1	6	19.4	1,595	23.3	5	13.2
50-59	5	7.2	1	1.7	4	44.4	7	22.6	2,396	34.9	17	44.7
60+	4	5.8	4	6.7	0	0.0	6	19.4	1,496	21.8	16	42.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	56	81.2	49	81.7	7	77.8	25	80.6	5,240	76.4	23	60.5
Injection drug use history (IDU)	2	2.9	2	3.3	0	0.0	0	0.0	315	4.6	2	5.3
MSM-IDU	1	1.4	1	1.7	0	0.0	1	3.2	231	3.4	3	5.3 7.9
Heterosexual contact	1	1.4	0	0.0	1	11.1	2	6.5	249	3.6	1	2.6
Transgender people with sexual contact	2	2.9	2	3.3	0	0.0	0	0.0	65	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	20	0.3	Ō	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	7	10.1	6	10.0	1	11.1	2	6.5	738	10.8	9	23.7

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSES	S, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
				_	oncurrent wit							
	Total HIV di		Withou			ignoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	22	100.0	16	72.7	6	27.3	12	100.0	1,989	100.0	7	100.0
GENDER												
Men	20	90.9	14	87.5	6	100.0	10	83.3	1,815	91.3	7	100.0
Women	2	9.1	2	12.5	0	0.0	2	16.7	174	8.7	0	0.0
RACE/ETHNICITY												
Black	2	9.1	2	12.5	0	0.0	1	8.3	388	19.5	2	28.6
Latino/Hispanic	8	36.4	5	31.3	3	50.0	5	41.7	465	23.4	3	42.9
White	9	40.9	6	37.5	3	50.0	6	50.0	1,039	52.2	2	28.6 0.0
Asian/Pacific Islander	3	13.6	3	18.8	0	0.0	0	0.0	73	3.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.5	1	6.3	0	0.0	0	0.0	3	0.2	0	0.0
20-29	6	27.3	6	37.5	0	0.0	0	0.0	68	3.4	0	0.0
30-39	6	27.3	6	37.5	0	0.0	2	16.7	203	10.2	1	14.3
40-49	6	27.3	3	18.8	3	50.0	3	25.0	373	18.8	0	0.0
50-59	3	13.6	0	0.0	3	50.0	5	41.7	711	35.7	2	28.6
60+	0	0.0	0	0.0	0	0.0	2	16.7	631	31.7	4	57.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	17	77.3	12	75.0	5	83.3	7	58.3	1,288	64.8	5	71.4
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	8.3	168	8.4	0	0.0
MSM-IDU , ,	0	0.0	0	0.0	0	0.0	0	0.0	80	4.0	0	0.0
Heterosexual contact	2	9.1	1	6.3	1	16.7	1	8.3	119	6.0	0	0.0
Transgender people with sexual contact	1	4.5	1	6.3	0	0.0	1	8.3	12	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	Ö	0.0
Unknown	2	9.1	2	12.5	0	0.0	2	16.7	309	15.5	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171. Men includes transgender men and women includes transgender women.

Table 1.9.8. Greenwich Village - Soho (Manhattan)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSES	S, 2017	PWH AS 12/31/20	_	DEATHS,	, 2017
				_	oncurrent wit	th AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	14	100.0	13	92.9	1	7.1	4	100.0	1,871	100.0	9	100.0
GENDER												
Men	13	92.9	12	92.3	1	100.0	4	100.0	1,768	94.5	8	88.9
Women	1	7.1	1	7.7	0	0.0	0	0.0	103	5.5	1	11.1
RACE/ETHNICITY												
Black	4	28.6	4	30.8	0	0.0	2	50.0	356	19.0	2	22.2
Latino/Hispanic	3	21.4	3	23.1	0	0.0	1	25.0	396	21.2	3	33.3
White	6	42.9	5	38.5	1	100.0	1	25.0	1,051	56.2	4	44.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	49	2.6	0	0.0
Other/Unknown	1	7.1	1	7.7	0	0.0	0	0.0	19	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
20-29	4	28.6	4	30.8	0	0.0	1	25.0	64	3.4	0	0.0
30-39	4	28.6	4	30.8	0	0.0	0	0.0	231	12.3	0	0.0
40-49	4	28.6	4	30.8	0	0.0	1	25.0	371	19.8	1	11.1
50-59	0	0.0	0	0.0	0	0.0	1	25.0	665	35.5	2	22.2
60+	2	14.3	1	7.7	1	100.0	1	25.0	540	28.9	6	66.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	10	71.4	10	76.9	0	0.0	1	25.0	1,276	68.2	6	66.7
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	134	7.2	2	22.2
MSM-IDU , , ,	0	0.0	0	0.0	0	0.0	0	0.0	53	2.8	1	11.1
Heterosexual contact	1	7.1	1	7.7	0	0.0	1	25.0	64	3.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	33	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0
Other	0	0.0	Ō	0.0	Ö	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	21.4	2	15.4	1	100.0	2	50.0	302	16.1	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022.

The following ZIP codes are included in Greenwich Village - Šoho: 10012, 10013, 10014. Men includes transgender men and women includes transgender women.

Table 1.9.9. Union Square - Lower East Side (Manhattan)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					oncurrent wit	th AIDS						ĺ
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	30	100.0	28	93.3	2	6.7	14	100.0	3,007	100.0	33	100.0
GENDER												
Men	26	86.7	24	85.7	2	100.0	11	78.6	2,470	82.1	23	69.7
Women	4	13.3	4	14.3	0	0.0	3	21.4	537	17.9	10	30.3
Women	7	13.3	7	14.5	O	0.0	3	21.4	337	17.5	10	30.3
RACE/ETHNICITY												
Black	5	16.7	5	17.9	0	0.0	2	14.3	573	19.1	12	36.4
Latino/Hispanic	11	36.7	9	32.1	2	100.0	6	42.9	1,058	35.2	11	33.3
White	11	36.7	11	39.3	0	0.0	6	42.9	1,203	40.0	9	27.3
Asian/Pacific Islander	2	6.7	2	7.1	0	0.0	0	0.0	139	4.6	1	3.0
Native American	1	3.3	1	3.6	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.3	1	3.6	0	0.0	0	0.0	7	0.2	0	0.0
20-29	10	33.3	10	35.7	0	0.0	2	14.3	152	5.1	0	0.0
30-39	8	26.7	8	28.6	0	0.0	3	21.4	345	11.5	0	0.0
40-49	7	23.3	6	21.4	1	50.0	1	7.1	541	18.0	4	12.1
50-59	2	6.7	2	7.1	0	0.0	6	42.9	1,100	36.6	9	27.3
60+	2	6.7	1	3.6	1	50.0	2	14.3	862	28.7	20	60.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	24	80.0	23	82.1	1	50.0	8	57.1	1,695	56.4	13	39.4
Injection drug use history (IDU)	1	3.3	0	0.0	1	50.0	1	7.1	386	12.8	7	21.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	100	3.3	1	3.0
Heterosexual contact	2	6.7	2	7.1	0	0.0	2	14.3	348	11.6	8	24.2
Transgender people with sexual contact	3	10.0	3	10.7	0	0.0	1	7.1	21	0.7	Ō	0.0
Perinatal	0	0.0	0	0.0	Ö	0.0	1	7.1	29	1.0	Ö	0.0
Other	Ö	0.0	Ö	0.0	Ö	0.0	0	0.0	5	0.2	Ö	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	7.1	423	14.1	4	12.1

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV	DIAGNO	SES, 201	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
				_	oncurrent w	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	12	100.0	11	91.7	1	8.3	3	100.0	580	100.0	6	100.0
GENDER												
Men	11	91.7	10	90.9	1	100.0	3	100.0	496	85.5	5	83.3
Women	1	8.3	1	9.1	0	0.0	0	0.0	84	14.5	1	16.7
RACE/ETHNICITY												
Black	3	25.0	3	27.3	0	0.0	0	0.0	111	19.1	1	16.7
Latino/Hispanic	4	33.3	4	36.4	0	0.0	1	33.3	143	24.7	3	50.0
White	2	16.7	2	18.2	0	0.0	0	0.0	297	51.2	2	33.3
Asian/Pacific Islander	2	16.7	1	9.1	1	100.0	2	66.7	25	4.3	0	0.0
Other/Unknown	1	8.3	1	9.1	0	0.0	0	0.0	4	0.7	0	33.3 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	8.3	1	9.1	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	33.3	4	36.4	0	0.0	1	33.3	30	5.2	0	0.0
30-39	3	25.0	3	27.3	0	0.0	1	33.3	75	12.9	1	16.7
40-49	2	16.7	1	9.1	1	100.0	1	33.3	147	25.3	0	0.0
50-59	2	16.7	2	18.2	0	0.0	0	0.0	208	35.9	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	120	20.7	3	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	50.0	5	45.5	1	100.0	1	33.3	375	64.7	3	50.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	42	7.2	1	16.7
MSM-IDU , , ,	0	0.0	0	0.0	0	0.0	0	0.0	11	1.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	54	9.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	Ō	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	Ō	0.0
Unknown	6	50.0	6	54.5	Ö	0.0	2	66.7	87	15.0	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282. Men includes transgender men and women includes transgender women.

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
				_	oncurrent with	h AIDS						İ
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	48	100.0	40	83.3	8	16.7	20	100.0	2,212	100.0	8	100.0
GENDER												
Men	45	93.8	38	95.0	7	87.5	18	90.0	1,898	85.8	7	87.5
Women	3	6.3	2	5.0	1	12.5	2	10.0	314	14.2	1	12.5
RACE/ETHNICITY												
Black	5	10.4	5	12.5	0	0.0	3	15.0	378	17.1	1	12.5
Latino/Hispanic	26	54.2	21	52.5	5	62.5	10	50.0	876	39.6	4	50.0
White	7	14.6	7	17.5	0	0.0	3	15.0	832	37.6	3	37.5 0.0
Asian/Pacific Islander	8	16.7	6	15.0	2	25.0	2	10.0	107	4.8	0	0.0
Other/Unknown	2	4.2	1	2.5	1	12.5	2	10.0	19	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.1	1	2.5	0	0.0	0	0.0	4	0.2	0	0.0
20-29	19	39.6	18	45.0	1	12.5	3	15.0	149	6.7	1	12.5
30-39	17	35.4	12	30.0	5	62.5	8	40.0	481	21.7	0	0.0
40-49	5	10.4	5	12.5	0	0.0	3	15.0	558	25.2	2	25.0
50-59	3	6.3	1	2.5	2	25.0	5	25.0	675	30.5	5	62.5
60+	3	6.3	3	7.5	0	0.0	1	5.0	345	15.6	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	41	85.4	35	87.5	6	75.0	15	75.0	1,445	65.3	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	117	5.3	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	50	2.3	0	0.0
Heterosexual contact	3	6.3	2	5.0	1	12.5	3	15.0	254	11.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	27	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	0.9	1	12.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	4	8.3	3	7.5	1	12.5	2	10.0	297	13.4	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Men includes transgender men and women includes transgender women.

Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
				С	oncurrent wi	ith AIDS			,.,			
	Total HIV di		Withou	t AIDS	dia	agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	120	100.0	93	77.5	27	22.5	55	100.0	5,752	100.0	14	100.0
GENDER												
Men	111	92.5	85	91.4	26	96.3	51	92.7	4,720	82.1	13	92.9
Women	9	7.5	8	8.6	1	3.7	4	7.3	1,032	17.9	1	92.9 7.1
RACE/ETHNICITY	7	5 0	0	0.5	4	0.7	•	40.0	4 404	00.0	_	05.7
Black	7	5.8 68.3	6 67	6.5	1	3.7	6	10.9	1,494	26.0 56.5	5 7	35.7
Latino/Hispanic White	82 8	6.7	7	72.0 7.5	15 1	55.6 3.7	33 3	60.0 5.5	3,250 635	11.0	2	50.0 14.3
Asian/Pacific Islander	23	19.2	13	14.0	10	37.0	13	23.6	339	5.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	3	0.1	0	0.0
13-19	4	3.3	4	4.3	0	0.0	0	0.0	11	0.2	0	0.0
20-29	47	39.2	37	39.8	10	37.0	20	36.4	397	6.9	0	0.0
30-39	45	37.5	35	37.6	10	37.0	17	30.9	968	16.8	1	7.1
40-49	16	13.3	12	12.9	4	14.8	10	18.2	1,417	24.6	1	7.1
50-59	8	6.7	5	5.4	3	11.1	6	10.9	1,865	32.4	4	28.6
60+	0	0.0	0	0.0	0	0.0	2	3.6	1,091	19.0	8	57.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	98	81.7	74	79.6	24	88.9	38	69.1	2,624	45.6	7	50.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	2	3.6	813	14.1	1	7.1
MSM-IDU , , ,	1	0.8	1	1.1	0	0.0	1	1.8	165	2.9	0	0.0
Heterosexual contact	8	6.7	7	7.5	1	3.7	5	9.1	890	15.5	4	28.6
Transgender people with sexual contact	4	3.3	4	4.3	0	0.0	1	1.8	112	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	62	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	9	7.5	7	7.5	2	7.4	8	14.5	1,081	18.8	2	14.3

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 20 ⁻	17		AIDS DIAGNOSES	6, 2017	PWH AS 12/31/20		DEATHS	, 2017
				С	oncurrent wit	th AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	16	84.2	3	15.8	10	100.0	698	100.0	6	100.0
GENDER												
Men	14	73.7	11	68.8	3	100.0	7	70.0	525	75.2	4	66.7
Women	5	26.3	5	31.3	0	0.0	3	30.0	173	24.8	2	33.3
VVOITETT	3	20.5	3	31.3	O	0.0	3	30.0	173	24.0	2	33.3
RACE/ETHNICITY												
Black	3	15.8	3	18.8	0	0.0	0	0.0	111	15.9	1	16.7
Latino/Hispanic	9	47.4	8	50.0	1	33.3	2	20.0	258	37.0	1	16.7
White	0	0.0	0	0.0	0	0.0	3	30.0	187	26.8	3	50.0
Asian/Pacific Islander	7	36.8	5	31.3	2	66.7	4	40.0	130	18.6	1	16.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	10.0	3	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0
13-19	1	5.3	1	6.3	0	0.0	0	0.0	2	0.3	0	0.0
20-29	5	26.3	5	31.3	0	0.0	0	0.0	59	8.5	0	0.0
30-39	1	5.3	1	6.3	0	0.0	1	10.0	80	11.5	0	0.0
40-49	7	36.8	6	37.5	1	33.3	5	50.0	139	19.9	1	16.7
50-59	3	15.8	2	12.5	1	33.3	2	20.0	238	34.1	1	16.7
60+	2	10.5	1	6.3	1	33.3	2	20.0	179	25.6	4	66.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	9	47.4	8	50.0	1	33.3	3	30.0	307	44.0	2	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	65	9.3	1	16.7
MSM-IDU	1	5.3	1	6.3	0	0.0	0	0.0	18	2.6	0	0.0
Heterosexual contact	5	26.3	4	25.0	1	33.3	4	40.0	148	21.2	3	50.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	21.1	3	18.8	1	33.3	3	30.0	146	20.9	0	0.0

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGNO	SES, 20 ⁻	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
				_	oncurrent wi	th AIDS						İ
	Total HIV dia		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	5	100.0	4	80.0	1	20.0	1	100.0	147	100.0	4	100.0
GENDER												
Men	4	80.0	3	75.0	1	100.0	1	100.0	119	81.0	3	75.0
Women	1	20.0	1	25.0	0	0.0	0	0.0	28	19.0	1	25.0
RACE/ETHNICITY												
Black	1	20.0	1	25.0	0	0.0	0	0.0	22	15.0	1	25.0
Latino/Hispanic	2	40.0	1	25.0	1	100.0	1	100.0	36	24.5	0	0.0
White	1	20.0	1	25.0	0	0.0	0	0.0	75	51.0	3	75.0
Asian/Pacific Islander	1	20.0	1	25.0	0	0.0	0	0.0	12	8.2	0	75.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
20-29	2	40.0	2	50.0	0	0.0	0	0.0	9	6.1	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	18	12.2	0	0.0
40-49	1	20.0	0	0.0	1	100.0	1	100.0	22	15.0	0	0.0
50-59	1	20.0	1	25.0	0	0.0	0	0.0	50	34.0	1	25.0
60+	1	20.0	1	25.0	0	0.0	0	0.0	48	32.7	3	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	3	60.0	2	50.0	1	100.0	1	100.0	63	42.9	0	0.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	11	7.5	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Heterosexual contact	1	20.0	1	25.0	0	0.0	0	0.0	27	18.4	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
Unknown	1	20.0	1	25.0	Ö	0.0	0	0.0	35	23.8	3	75.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 201	17		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS	, 2017
					oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	16	84.2	3	15.8	9	100.0	1,282	100.0	9	100.0
GENDER								_				
Men	18	94.7	15	93.8	2	100.0	9	100.0	995	77.6	0	88.9
Women	10	5.3	15 1	6.3	3 0	0.0	0	0.0	287	22.4	8 1	11.1
Vonien		5.5	'	0.3	U	0.0	U	0.0	201	22.4	ı	11.1
RACE/ETHNICITY												
Black	1	5.3	1	6.3	0	0.0	3	33.3	157	12.2	1	11.1
Latino/Hispanic	10	52.6	10	62.5	0	0.0	1	11.1	631	49.2	2	22.2
White	4	21.1	2	12.5	2	66.7	4	44.4	415	32.4	6	66.7
Asian/Pacific Islander	4	21.1	3	18.8	1	33.3	1	11.1	68	5.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	9	47.4	8	50.0	1	33.3	2	22.2	110	8.6	0	0.0
30-39	5	26.3	4	25.0	1	33.3	1	11.1	184	14.4	1	11.1
40-49	1	5.3	1	6.3	0	0.0	1	11.1	262	20.4	1	11.1
50-59	3	15.8	2	12.5	1	33.3	3	33.3	429	33.5	4	44.4
60+	1	5.3	1	6.3	0	0.0	2	22.2	296	23.1	3	33.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	15	78.9	12	75.0	3	100.0	5	55.6	669	52.2	1	11.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	11.1	89	6.9	3	33.3
MSM-IDU	1	5.3	1	6.3	0	0.0	2	22.2	34	2.7	1	11.1
Heterosexual contact	1	5.3	1	6.3	0	0.0	0	0.0	247	19.3	1	11.1
Transgender people with sexual contact	1	5.3	1	6.3	0	0.0	0	0.0	12	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	1	5.3	1	6.3	0	0.0	1	11.1	198	15.4	3	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Men includes transgender men and women includes transgender women.

Table 1.10.6. Fresh Meadows (Queens)

		HIV	DIAGNO	OSES, 2017	7		AIDS DIAGNOSES	, 2017	PWH AS 12/31/20		DEATHS	, 2017
					oncurrent with	AIDS						
	Total HIV dia			out AIDS		noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	6	100.0	6	100.0	0	0.0	0	0.0	289	100.0	9	100.0
GENDER	0	50.0		50.0	0	0.0	•	0.0	404	00.0	_	55.0
Men	3	50.0	3	50.0	0	0.0	0	0.0	181	62.6	5 4	55.6
Women	3	50.0	3	50.0	0	0.0	0	0.0	108	37.4	4	44.4
RACE/ETHNICITY												
Black	2	33.3	2	33.3	0	0.0	0	0.0	125	43.3	7	77.8
Latino/Hispanic	3	50.0	3	50.0	0	0.0	0	0.0	92	31.8	1	11.1
White	0	0.0	0	0.0	0	0.0	0	0.0	49	17.0	1	11.1
Asian/Pacific Islander	1	16.7	1	16.7	0	0.0	0	0.0	22	7.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
20-29	2	33.3	2	33.3	0	0.0	0	0.0	26	9.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	36	12.5	1	11.1
40-49	1	16.7	1	16.7	0	0.0	0	0.0	57	19.7	1	11.1
50-59	1	16.7	1	16.7	0	0.0	0	0.0	94	32.5	5	55.6
60+	2	33.3	2	33.3	0	0.0	0	0.0	74	25.6	2	22.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	33.3	2	33.3	0	0.0	0	0.0	92	31.8	4	44.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	20	6.9	1	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.4	0	0.0
Heterosexual contact	2	33.3	2	33.3	0	0.0	0	0.0	78	27.0	3	33.3 0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	2	33.3	2	33.3	0	0.0	0	0.0	80	27.7	1_	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Men includes transgender men and women includes transgender women.

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	SES, 201	7		AIDS DIAGNOSE	S, 2017	PWH AS 12/31/20		DEATHS,	, 2017
					oncurrent wit	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	46	100.0	31	67.4	15	32.6	30	100.0	1,835	100.0	16	100.0
GENDER												
Men	37	80.4	25	80.6	12	80.0	25	83.3	1,296	70.6	13	81.3
Women	9	19.6	6	19.4	3	20.0		16.7	539	29.4	3	18.8
wonten	9	19.0	O	19.4	3	20.0	3	10.7	559	29.4	3	10.0
RACE/ETHNICITY												
Black	12	26.1	8	25.8	4	26.7	8	26.7	483	26.3	7	43.8
Latino/Hispanic	20	43.5	16	51.6	4	26.7	9	30.0	852	46.4	5	31.3
White	4	8.7	3	9.7	1	6.7	2	6.7	281	15.3	0	0.0
Asian/Pacific Islander	10	21.7	4	12.9	6	40.0	11	36.7	194	10.6	3	18.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	1	6.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0 0.0
13-19	1	2.2	1	3.2	0	0.0		0.0	3	0.2	0	0.0
20-29	19	41.3	16	51.6	3	20.0		23.3	138	7.5	0	0.0
30-39	11	23.9	7	22.6	4	26.7	6	20.0	280	15.3	1	6.3
40-49	8	17.4	3	9.7	5	33.3	10	33.3	420	22.9	2	12.5
50-59	5	10.9	2	6.5	3	20.0	7	23.3	618	33.7	4	25.0
60+	2	4.3	2	6.5	0	0.0	0	0.0	373	20.3	9	56.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	29	63.0	20	64.5	9	60.0	14	46.7	743	40.5	2	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	168	9.2	7	43.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.1	1	6.3
Heterosexual contact	7	15.2	6	19.4	1	6.7	3	10.0	439	23.9	2	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		0.0	19	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	44	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	3	0.2	0	0.0
Unknown	10	21.7	5	16.1	5	33.3	13	43.3	398	21.7	4	25.0

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 20	17		AIDS DIAGNOSES	5, 2017	PWH AS 12/31/20		DEATHS,	, 2017
					oncurrent with	AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	76	100.0	68	89.5	8	10.5	24	100.0	3,277	100.0	35	100.0
GENDER												
Men	54	71.1	49	72.1	5	62.5	15	62.5	2,040	62.3	22	62.9
Women	22	28.9	19	27.9	3	37.5		37.5	1,237	37.7	13	37.1
Women	22	20.9	19	21.9	3	37.3	9	37.3	1,231	31.1	13	37.1
RACE/ETHNICITY												
Black	50	65.8	45	66.2	5	62.5	14	58.3	2,337	71.3	26	74.3
Latino/Hispanic	18	23.7	16	23.5	2	25.0	6	25.0	634	19.3	6	17.1
White	2	2.6	2	2.9	0	0.0	2	8.3	172	5.2	3	8.6
Asian/Pacific Islander	5	6.6	5	7.4	0	0.0	1	4.2	102	3.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	1	1.3	0	0.0	1	12.5	1	4.2	16	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.3	1	1.5	0	0.0	0	0.0	23	0.7	0	0.0
20-29	32	42.1	31	45.6	1	12.5	5	20.8	283	8.6	1	2.9
30-39	22	28.9	18	26.5	4	50.0	7	29.2	457	13.9	3	8.6
40-49	10	13.2	10	14.7	0	0.0	1	4.2	669	20.4	3	8.6
50-59	6	7.9	4	5.9	2	25.0	6	25.0	1,001	30.5	9	25.7
60+	5	6.6	4	5.9	1	12.5	5	20.8	841	25.7	19	54.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	38	50.0	34	50.0	4	50.0	10	41.7	944	28.8	6	17.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	8.3	344	10.5	13	37.1
MSM-IDU	2	2.6	2	2.9	0	0.0	0	0.0	66	2.0	1	2.9
Heterosexual contact	17	22.4	14	20.6	3	37.5	9	37.5	941	28.7	5	14.3
Transgender people with sexual contact	1	1.3	1	1.5	0	0.0	0	0.0	33	1.0	1	2.9
Perinatal	Ö	0.0	0	0.0	0	0.0	0	0.0	102	3.1	1	2.9
Other	Ö	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	18	23.7	17	25.0	1	12.5	3	12.5	838	25.6	8	22.9

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 201	7		AIDS DIAGNOSES	, 2017	PWH AS 12/31/20		DEATHS,	, 2017
				С	oncurrent with	AIDS						
	Total HIV di		Withou			noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	26	100.0	23	88.5	3	11.5	17	100.0	1,331	100.0	16	100.0
GENDER								_				
Men	17	65.4	15	65.2	2	66.7	11	64.7	764	57.4	11	68.8
Women	9	34.6	8	34.8	1	33.3		35.3	567	42.6	5	31.3
Wollien	9	34.0	O	34.0	'	33.3	O	33.3	307	42.0	5	31.3
RACE/ETHNICITY												
Black	19	73.1	17	73.9	2	66.7	13	76.5	1,022	76.8	15	93.8
Latino/Hispanic	2	7.7	2	8.7	0	0.0	1	5.9	167	12.5	0	0.0
White	2	7.7	1	4.3	1	33.3	2	11.8	86	6.5	1	6.3
Asian/Pacific Islander	2	7.7	2	8.7	0	0.0	1	5.9	49	3.7	0	0.0
Native American	1	3.8	1	4.3	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0 0.0 6.3
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
20-29	11	42.3	11	47.8	0	0.0	2	11.8	106	8.0	0	0.0
30-39	10	38.5	8	34.8	2	66.7	7	41.2	188	14.1	1	6.3
40-49	2	7.7	2	8.7	0	0.0	5	29.4	273	20.5	1	6.3
50-59	3	11.5	2	8.7	1	33.3	3	17.6	428	32.2	3	18.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	328	24.6	11	68.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	13	50.0	11	47.8	2	66.7	6	35.3	290	21.8	2	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	119	8.9	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.6	0	0.0
Heterosexual contact	7	26.9	7	30.4	0	0.0	3	17.6	435	32.7	5	31.3
Transgender people with sexual contact	1	3.8	1	4.3	0	0.0	0	0.0	10	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	5	19.2	4	17.4	1	33.3	7	41.2	404	30.4	4	25.0

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PWH AS OF 12/31/2017		DEATHS, 2017	
					oncurrent wi	th AIDS						
	Total HIV dia		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	18	94.7	1	5.3	8	100.0	1,275	100.0	30	100.0
GENDER												
Men	1.1	73.7	12	72.2	1	100.0	4	50.0	741	58.1	22	73.3
Women	14 5	26.3	13 5	27.8	1 0	0.0	4	50.0	534	41.9	22 8	26.7
Wonen	3	20.3	3	21.0	U	0.0	4	30.0	554	41.9	0	20.7
RACE/ETHNICITY												
Black	12	63.2	11	61.1	1	100.0	6	75.0	817	64.1	15	50.0
Latino/Hispanic	3	15.8	3	16.7	0	0.0	0	0.0	315	24.7	9	30.0
White	3	15.8	3	16.7	0	0.0	2	25.0	121	9.5	6	20.0
Asian/Pacific Islander	1	5.3	1	5.6	0	0.0	0	0.0	12	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 6.7
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
20-29	8	42.1	8	44.4	0	0.0	1	12.5	102	8.0	0	0.0
30-39	3	15.8	3	16.7	0	0.0	1	12.5	177	13.9	2	6.7
40-49	3	15.8	3	16.7	0	0.0	0	0.0	247	19.4	4	13.3
50-59	1	5.3	1	5.6	0	0.0	2	25.0	422	33.1	12 12	40.0
60+	4	21.1	3	16.7	1	100.0	4	50.0	321	25.2	12	40.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	7	36.8	7	38.9	0	0.0	1	12.5	324	25.4	3	10.0
Injection drug use history (IDU)	1	5.3	0	0.0	1	100.0	2	25.0	181	14.2	12	40.0
MSM-IDU	1	5.3	1	5.6	0	0.0	0	0.0	27	2.1	1	3.3
Heterosexual contact	4	21.1	4	22.2	0	0.0	2	25.0	428	33.6	6	20.0 0.0 0.0
Transgender people with sexual contact	1	5.3	1	5.6	0	0.0	0	0.0	10	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	33	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	5	26.3	5	27.8	0	0.0	2	25.0	269	21.1	8	26.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PWH AS OF 12/31/2017		DEATHS, 2017	
					oncurrent wit	th AIDS						
	Total HIV di		Withou			ignoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	14	100.0	13	92.9	1	7.1	5	100.0	631	100.0	8	100.0
GENDER												
Men	10	71.4	9	69.2	1	100.0	4	80.0	373	59.1	6	75.0
Women	4	28.6	4	30.8	0	0.0		20.0	258	40.9	2	25.0
yvoinen	4	20.0	4	30.0	U	0.0	'	20.0	200	40.9	2	25.0
RACE/ETHNICITY												
Black	8	57.1	8	61.5	0	0.0	3	60.0	319	50.6	6	75.0
Latino/Hispanic	5	35.7	4	30.8	1	100.0	2	40.0	206	32.6	1	12.5
White	1	7.1	1	7.7	0	0.0	0	0.0	92	14.6	1	12.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	1.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	7.1	1	7.7	0	0.0	0	0.0	5	0.8	0	0.0
20-29	4	28.6	4	30.8	0	0.0	1	20.0	49	7.8	1	12.5
30-39	3	21.4	2	15.4	1	100.0	2	40.0	95	15.1	1	12.5
40-49	1	7.1	1	7.7	0	0.0	0	0.0	123	19.5	0	0.0
50-59	4	28.6	4	30.8	0	0.0	0	0.0	230	36.5	3	37.5
60+	1	7.1	1	7.7	0	0.0	2	40.0	128	20.3	3	37.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	7	50.0	6	46.2	1	100.0	2	40.0	159	25.2	2	25.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	115	18.2	2	25.0
MSM-IDU))	0	0.0	0	0.0	0	0.0	0	0.0	16	2.5	0	0.0
Heterosexual contact	4	28.6	4	30.8	0	0.0	2	40.0	186	29.5	3	37.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	21.4	3	23.1	0	0.0	1	20.0	127	20.1	1	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310. Men includes transgender men and women includes transgender women.

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PWH AS OF 12/31/2017		DEATHS, 2017	
					oncurrent wit	th AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	17	100.0	9	52.9	8	47.1	21	100.0	1,153	100.0	24	100.0
GENDER								_				
Men	9	52.9	3	33.3	6	75.0	16	76.2	747	64.8	16	66.7
Women	8	47.1	6	66.7	2	25.0	5	23.8	406	35.2	16 8	33.3
vvoineri	0	47.1	0	00.7	2	25.0	5	23.0	400	33.2	0	აა.ა
RACE/ETHNICITY												
Black	10	58.8	5	55.6	5	62.5	12	57.1	534	46.3	12	50.0
Latino/Hispanic	2	11.8	1	11.1	1	12.5	3	14.3	314	27.2	6	25.0
White	4	23.5	3	33.3	1	12.5	5	23.8	279	24.2	6	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	0	0.0
Other/Unknown	1	5.9	0	0.0	1	12.5	1	4.8	12	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
20-29	4	23.5	3	33.3	1	12.5	1	4.8	87	7.5	0	0.0
30-39	8	47.1	4	44.4	4	50.0	11	52.4	177	15.4	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	4.8	217	18.8	4	16.7
50-59	4	23.5	1	11.1	3	37.5	7	33.3	420	36.4	7	29.2
60+	1	5.9	1	11.1	0	0.0	1	4.8	248	21.5	13	54.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	11.8	0	0.0	2	25.0	6	28.6	360	31.2	3	12.5
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	4.8	167	14.5	9	37.5
MSM-IDU "	1	5.9	1	11.1	0	0.0	1	4.8	40	3.5	3	12.5
Heterosexual contact	9	52.9	6	66.7	3	37.5	7	33.3	301	26.1	4	16.7
Transgender people with sexual contact	2	11.8	1	11.1	1	12.5	1	4.8	26	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	17.6	1	11.1	2	25.0	5	23.8	233	20.2	5	20.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

Table 1.11.3. Willowbrook (Staten Island)

		HIV	DIAGN	OSES, 2017	•		AIDS DIAGNOSES	, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					ncurrent with	AIDS						
	Total HIV o			out AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	3	100.0	3	100.0	0	0.0	0	0.0	197	100.0	4	100.0
GENDER												
Men	3	100.0	3	100.0	0	0.0	0	0.0	139	70.6	2	50.0
Women	0	0.0	0	0.0	ő	0.0	Ö	0.0	58	29.4	2 2	50.0
RACE/ETHNICITY												
Black	1	33.3	1	33.3	0	0.0	0	0.0	36	18.3	1	25.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	54	27.4	2	50.0
White	1	33.3	1	33.3	0	0.0	0	0.0	99	50.3	0	0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0
Other/Unknown	1	33.3	1	33.3	0	0.0	0	0.0	3	1.5	1	25.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	2	66.7	2	66.7	0	0.0	0	0.0	13	6.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	26	13.2	1	25.0 0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	38	19.3	0	0.0
50-59	1	33.3	1	33.3	0	0.0	0	0.0	72	36.5	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	47	23.9	2	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	3	100.0	3	100.0	0	0.0	0	0.0	77	39.1	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	25	12.7	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0 0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	40	20.3	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	25.0 0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	43	21.8	2	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

Table 1.11.4. South Beach - Tottenville (Staten Island)

		HIV	DIAGN	OSES, 2017	7		AIDS DIAGNOSES	5, 2017	PWH AS 12/31/20	_	DEATHS	, 2017
					oncurrent with A	_						
	Total HIV d			out AIDS	diagno			0.4		0.4		2.1
TOTAL	N 4	%	N	%	N	%	N	%	N	%	N	%
TOTAL	4	100.0	4	100.0	0	0.0	3	100.0	437	100.0	6	100.0
GENDER												
Men	4	100.0	4	100.0	0	0.0	1	33.3	300	68.6	5	83.3
Women	0	0.0	0	0.0	0	0.0	2	66.7	137	31.4	1	16.7
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	71	16.2	0	0.0
Latino/Hispanic	1	25.0	1	25.0	0	0.0	2	66.7	111	25.4	2	33.3
White	3	75.0	3	75.0	0	0.0	1	33.3	248	56.8	4	66.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0 0.0
20-29	2	50.0	2	50.0	0	0.0	1	33.3	24	5.5	0	0.0
30-39	1	25.0	1	25.0	0	0.0	0	0.0	39	8.9	1	16.7
40-49	0	0.0	0	0.0	0	0.0	1	33.3	88	20.1	0	0.0
50-59	1	25.0	1	25.0	0	0.0	1	33.3	165	37.8	4	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	118	27.0	1	16.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1	25.0	1	25.0	0	0.0	1	33.3	114	26.1	1	16.7
Injection drug use history (IDU)	1	25.0	1	25.0	0	0.0	0	0.0	69	15.8	2	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	7	1.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	33.3	110	25.2	1	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	33.3	12	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	2	50.0	2	50.0	0	0.0	0	0.0	120	27.5	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312. Men includes transgender men and women includes transgender women.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017 Table 2.1. Overall and by gender, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PWH ³	2017 NEW YORK CITY POPULATION⁴
TOTAL	24.6	1.5	9.4	8,437,695
GENDER				
Men	41.0	2.3	9.4	4,025,624
Women	9.7	0.8	9.5	4,412,071
RACE/ETHNICITY				
Black	46.7	3.0	11.3	1,860,723
Latino/Hispanic	31.2	1.7	8.9	2,439,579
White	11.1	1.0	6.7	2,729,794
Asian/Pacific Islander	9.8	0.2	6.1	1,240,310
Native American	44.0*	1.6	16.5*	20,474
Multiracial	11.6	0.3	8.9*	146,815
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,303,339
13 - 19	12.6	0.1	0.0*	633,380
20 - 29	58.8	0.8	3.3	1,336,883
30 - 39	42.6	1.5	5.8	1,334,837
40 - 49	27.6	2.5	8.5	1,073,843
50 - 59	21.1	3.9	14.6	1,060,869
60+	7.1	1.8	28.7	1,694,544

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2017 population estimates, modified from US Census Bureau intercensal population estimates, updated October 2021.

³Age-adjusted to the NYC Census 2010 population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2017 NEW YORK CITY POPULATION ⁴
TOTAL	24.6	1.5	9.4	8,437,695
BRONX⁵	30.8	2.1	9.8	1,441,665
Crotona - Tremont	37.4	2.9	11.2	216,548
Fordham - Bronx Park	31.2	2.1	9.2	266,322
High Bridge - Morrisania	36.4	2.9	12.4	216,785
Hunts Point - Mott Haven	43.4	2.8	8.1	140,584
Kingsbridge - Riverdale	13.8	0.8	11.0*	94,198
Northeast Bronx	25.7	1.3	9.6	205,964
Pelham - Throgs Neck	24.6	1.5	6.6	301,263
BROOKLYN⁵	23.3	1.2	9.2	2,594,357
Bedford Stuyvesant - Crown Heights	38.9	2.3	11.3	333,974
Bensonhurst - Bay Ridge	9.2	0.3	7.3*	205,855
Borough Park	8.3	0.3	10.2	326,542
Canarsie - Flatlands	19.3	0.8	11.9	207,520
Coney Island - Sheepshead Bay	12.1	0.4	6.9	289,480
Downtown - Heights - Park Slope	16.3	1.1	6.3	258,009
East Flatbush - Flatbush	31.7	1.8	7.7	296,359
East New York	43.1	1.8	9.9	192,580
Greenpoint	14.7	0.6	6.2*	142,926
Sunset Park	21.5	0.7	4.9*	120,709
Williamsburg - Bushwick	39.5	1.7	11.4	220,403
MANHATTAN ⁵	24.1	2.0	5.7	1,616,192
Central Harlem - Morningside Heights	40.7	2.7	7.4	181,754
Chelsea - Clinton	42.8	4.3	3.3	161,164
East Harlem	32.1	2.7	13.6	112,233
Gramercy Park - Murray Hill	16.3	1.5	2.2*	134,605
Greenwich Village - Soho	17.1	2.3	2.7*	81,703
Lower Manhattan	19.0	0.9	5.7*	63,146
Union Square - Lower East Side	16.2	1.6	6.2	184,713
Upper East Side	6.1	0.7	5.9	213,148
Upper West Side	9.7	1.5	5.0	216,769
Washington Heights - Inwood	36.7	1.8	5.9	266,957
QUEENS ⁵	16.7	0.8	5.6	2,305,351
Bayside - Little Neck	5.6*	0.2	14.0*	88,752
Flushing - Clearview	7.6	0.3	5.5*	250,817
Fresh Meadows	6.0*	0.3	17.7*	100,396
Jamaica	23.8	1.0	7.5	318,841
Long Island City - Astoria	23.4	1.1	2.5*	205,270
Ridgewood - Forest Hills	7.2	0.5	4.4*	263,378
Rockaway	14.5	1.0	14.3	131,073
Southeast Queens	12.3	0.6	8.1	210,687
Southwest Queens	16.3	0.7	6.5	281,915
West Queens	26.4	1.3	1.8	454,222
STATEN ISLAND ⁵	8.0	0.5	10.8	475,819
Port Richmond	20.1	0.9	7.6*	69,576
South Beach - Tottenville	2.1*	0.2	8.6*	194,471
Stapleton - St. George	13.9	0.9	14.0	122,288
Willowbrook	3.4*	0.2	14.5*	89,484

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2022. Table generated August 25, 2022. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2017 population estimates, modified from US Census Bureau intercensal population estimates, updated October 2021.

³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.