

New York City HIV Annual Surveillance Statistics 2018





List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 Reported HIV/AIDS diagnoses and deaths in 2018 and reported people with HIV as of 12/31/2018 in New York City

Table 1.1	New York City (All)		
		Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race or Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
		Table 1.8.11	Williamsburg – Bushwick
	By Age		
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
		Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, Men	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, Women	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, Men	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, Women	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, Men	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, Women		
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
	By Transmission Category	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug use history (IDU), Men	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.8	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual contact, Men	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual contact, Women		·
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
		Table 1.11.1	Port Richmond
	By UHF Neighborhood: Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
Table 1.7.2	Northeast Bronx	Table 1.11.4	South Beach – Tottenville
Table 1.7.3	Fordham – Bronx Park		
	Rates of reported HIV diagnoses neonl	le with HIV. and o	deaths among people with HIV in Ne
oles 2.1-2.2			01 1
oles 2.1-2.2	York City, 2018	,	0. .

Table 1.1. New York City (All)

		HIV I	DIAGNOS	ES, 2018	0		AIDS DIAGNOSE	S, 2018 F	PWH AS OF 12/3	31/2018	DEATHS,	2018
	Total HIV di	•	Withou		Concurr AIDS dia	agnoses						
TOTAL	N 1,956	% 100.0	N 1,599	% 81.7	N 357	% 18.3	N 1.255	% 100.0	N 131,421	% 100.0	N 1,777	% 100.0
TOTAL	1,330	100.0	1,555	01.7	331	10.5	1,233	100.0	131,421	100.0	1,111	100.0
GENDER												
Men	1,513	77.4	1,227 303	76.7	286	80.1	895	71.3	95,381	72.6	1,245	70.1 28.6
Women Transgender	370 73	18.9 3.7	69	18.9 4.3	67 4	18.8 1.1	331 29	26.4 2.3	33,756 2,284	25.7 1.7	508 24	28.6
RACE/ETHNICITY Black	868	44.4	703	44.0	165	46.2	641	51.1	56,748	43.2	866	48.7
Latino/Hispanic	735	37.6	618	38.6	117	32.8	417	33.2	43,637	33.2	572	32.2
White	229	11.7	191	11.9	38	10.6	127	10.1	26,639	20.3	312	17.6
Asian/Pacific Islander	104	5.3	68	4.3	36	10.1	60	4.8	3,205	2.4	14	0.8
Native American	0	0.0	0	0.0	0	0.0	3	0.2	316	0.2	6	0.3
Multiracial	20	1.0	19	1.2	1	0.3	7 0	0.6	563	0.4	7	0.4
Unknown	0	0.0	0	0.0	0	0.0	U	0.0	313	0.2	0	0.0
AGE GROUP (YEARS)							_					
0-12 13-19	2 72	0.1 3.7	0 63	0.0 3.9	2 9	0.6 2.5	4 19	0.3 1.5	77 458	0.1 0.3	0 1	0.0 0.1
20-29	698	3.7 35.7	637	3.9 39.8	61	∠.5 17.1	209	16.7	10,479	8.0	41	2.3
30-39	522	26.7	428	26.8	94	26.3	347	27.6	21,341	16.2	99	5.6
40-49	279	14.3	206	12.9	73	20.4	247	19.7	25,470	19.4	228	12.8
50-59	259	13.2	183	11.4	76	21.3	256	20.4	41,035	31.2	588	33.1
60+	124	6.3	82	5.1	42	11.8	173	13.8	32,561	24.8	820	46.1
BOROUGH OF RESIDENCE												
Bronx	425	21.7	346	21.6	79	22.1	340	27.1	30,542	23.2	479	27.0
Brooklyn	539	27.6	435	27.2	104	29.1	300	23.9	30,184	23.0	379	21.3
Manhattan	370	18.9	309	19.3	61	17.1	206	16.4	32,518	24.7	269	15.1 7.3
Queens Staten Island	355 28	18.1 1.4	271 24	16.9 1.5	84 4	23.5 1.1	202 19	16.1 1.5	18,601 2.518	14.2 1.9	129 28	1.6
Outside NYC	161	8.2	137	8.6	24	6.7	179	14.3	14,542	11.1	85	4.8
Unknown	78	4.0	77	4.8	1	0.3	9	0.7	2,516	1.9	408	23.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	218	11.1	171	10.7	47	13.2	135	10.8	18,769	14.3	100	5.6
Medium poverty (10 to <20% below FPL)	682	34.9	541	33.8	141	39.5	400	31.9	41,453	31.5	341	19.2
High poverty (20 to <30% below FPL)	455	23.3	370	23.1	85	23.8	247	19.7	27,019	20.6	265	14.9
Very high poverty (≥30% below FPL)	361	18.5	302	18.9	59	16.5	281	22.4	25,798	19.6	435	24.5
Area-based poverty level not available	240	12.3	215	13.4	25	7.0	192	15.3	18,382	14.0	636	35.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1,082	55.3	911	57.0	171	47.9	523	41.7	57,862	44.0	494	27.8
Injection drug use history (IDÙ)	43	2.2	35	2.2	8	2.2	96	7.6	15,830	12.0	497	28.0
MSM-IDU	47	2.4	44	2.8	3	0.8	29	2.3	3,706	2.8	72	4.1
Heterosexual contact	395	20.2	312	19.5	83	23.2	325	25.9	27,420	20.9	361	20.3
Transgender people with sexual contact Perinatal	66 0	3.4 0.0	63 0	3.9 0.0	3 0	0.8	24 22	1.9 1.8	1,980 2,588	1.5 2.0	17 20	1.0 1.1
Other	2	0.0	0	0.0	2	0.0	22	0.2	2,588 205	0.2	20 3	0.2
Unknown	321	16.4	234	14.6	87	24.4	234	18.6	21,830	16.6	313	17.6

Table 1.2.1. Men (includes transgender men)

		HIV	DIAGNOS				AIDS DIAGNOSE	ES, 2018	PWH AS 12/31/20		DEATHS,	, 2018
	Total HIV di	aanoses	Withou		oncurrent wi dia	ith AIDS agnoses						
	N	% w	N	%	N	%	N	%	N	%	N	%
TOTAL	1,516	100.0	1,230	81.1	286	18.9	896	100.0	95,421	100.0	1,245	100.0
RACE/ETHNICITY												
Black	597	39.4	482	39.2	115	40.2	414	46.2	35,982	37.7	559	44.9
Latino/Hispanic	611	40.3	506	41.1	105	36.7		34.6	31,817	33.3	400	32.1
White	202	13.3	169	13.7	33	11.5	112	12.5	24,023	25.2	264	21.2
Asian/Pacific Islander	91	6.0	59	4.8	32	11.2	53	5.9	2,687	2.8	11	0.9
Native American	0	0.0	0	0.0	0	0.0	3	0.3	236	0.2	5	0.4
Multiracial	15	1.0	14	1.1	1	0.3	4	0.4	435	0.5	6	0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	241	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	0	0.0	1	0.3	3	0.3	37	0.0	0	0.0
13-19	60	4.0	52	4.2	8	2.8		1.6	274	0.3	1	0.1
20-29	581	38.3	527	42.8	54	18.9		18.1	8,065	8.5	35	2.8
30-39	422	27.8	344	28.0	78	27.3		29.4	16,717	17.5	67	5.4
40-49	190	12.5	134	10.9	56	19.6		19.2	17,968	18.8	138	11.1
50-59	183	12.1	122	9.9	61	21.3		18.5	28,958	30.3	398	32.0
60+	79	5.2	51	4.1	28	9.8		12.9	23,402	24.5	606	48.7
									-, -			
BOROUGH OF RESIDENCE		40.5	00.4	40.0		24.0		20.4	10.001	40.0	0.10	
Bronx	295	19.5	234	19.0	61	21.3		23.1	18,964	19.9	318	25.5
Brooklyn	408	26.9	324	26.3	84	29.4	217	24.2	20,109	21.1	240	19.3
Manhattan	303	20.0	252	20.5	51	17.8		18.5	27,318	28.6	203	16.3
Queens	297	19.6	230	18.7	67	23.4	150	16.7	13,637	14.3	95	7.6
Staten Island	20 133	1.3 8.8	16 115	1.3 9.3	4	1.4 6.3	12 138	1.3	1,627	1.7	18 62	1.4 5.0
Outside NYC Unknown	133	8.8 4.0	59	9.3 4.8	18 1	0.3		15.4 0.7	11,786 1.980	12.4 2.1	62 309	5.0 24.8
OTKHOWH	60	4.0	59	4.0	'	0.3	0	0.7	1,900	2.1	309	24.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	175	11.5	140	11.4	35	12.2		11.3	15,459	16.2	81	6.5
Medium poverty (10 to <20% below FPL)	526	34.7	414	33.7	112	39.2	290	32.4	30,471	31.9	242	19.4
High poverty (20 to <30% below FPL)	360	23.7	289	23.5	71	24.8	186	20.8	18,429	19.3	170	13.7
Very high poverty (≥30% below FPL)	261	17.2	212	17.2	49	17.1	171	19.1	16,256	17.0	279	22.4
Area-based poverty level not available	194	12.8	175	14.2	19	6.6		16.5	14,806	15.5	473	38.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1,082	71.4	911	74.1	171	59.8	523	58.4	57,862	60.6	494	39.7
Injection drug use history (IDU)	25	1.6	20	1.6	5	1.7		6.4	10,218	10.7	328	26.3
MSM-IDU	47	3.1	44	3.6	3	1.0		3.2	3,706	3.9	72	5.8
Heterosexual contact	79	5.2	53	4.3	26	9.1	85	9.5	7,305	7.7	121	9.7
Transgender people with sexual contact	2	0.1	2	0.2	0	0.0		0.1	25	0.0	0	0.0
Perinatal	0	0.0	0	0.0	Ö	0.0		1.3	1,262	1.3	15	1.2
Other	1	0.1	Ö	0.0	1	0.3		0.1	116	0.1	2	0.2
Unknown	280	18.5	200	16.3	80	28.0		21.0	14,927	15.6	213	17.1

Table 1.2.2. Women (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	ES, 2018	PWH AS 12/31/20		DEATHS	, 2018
	Total HIV di	agnoses %	Withou N		oncurrent w di N	ith AIDS agnoses %		%	N	%	N	%
TOTAL	440	100.0	369	83.9	71	16.1	359	100.0	36,000	100.0	532	100.0
DACE/ETHANCITY												
RACE/ETHNICITY Black	271	61.6	221	59.9	50	70.4	227	63.2	20.766	57.7	307	57.7
Latino/Hispanic	124	28.2	112	30.4	12	16.9		29.8	11.820	32.8	172	32.3
White	27	6.1	22	6.0	5	7.0	15	4.2	2,616	7.3	48	9.0
Asian/Pacific Islander	13	3.0	9	2.4	4	5.6	7	1.9	518	1.4	3	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	80	0.2	1	0.2
Multiracial	5	1.1	5	1.4	0	0.0	3	0.8	128	0.4	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	72	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	0	0.0	1	1.4	1	0.3	40	0.1	0	0.0
13-19	12	2.7	11	3.0	1	1.4	5	1.4	184	0.5	0	0.0
20-29	117	26.6	110	29.8	7	9.9		13.1	2,414	6.7	6	1.1
30-39 40-49	100 89	22.7 20.2	84 72	22.8 19.5	16 17	22.5 23.9		23.4 20.9	4,624 7,502	12.8 20.8	32 90	6.0
50-59	76	17.3	72 61	16.5	17	23.9	75 90	25.1	7,502 12,077	33.5	90 190	16.9 35.7
60 +	45	10.2	31	8.4	14	19.7	57	15.9	9.159	25.4	214	40.2
		10.2	01	0.1	• •	10.7	0.	10.0	0,100	20.1		10.2
BOROUGH OF RESIDENCE	400		440	22.4		25.4	100	07.0	44.550	22.2		22.0
Bronx	130 131	29.5 29.8	112	30.4 30.1	18	25.4 28.2	133 83	37.0 23.1	11,578	32.2 28.0	161	30.3
Brooklyn Manhattan	67	29.8 15.2	111 57	15.4	20 10	28.2 14.1	40	11.1	10,075 5,200	28.0 14.4	139 66	26.1 12.4
Queens	58	13.2	41	11.1	17	23.9		14.5	4,964	13.8	34	6.4
Staten Island	8	1.8	8	2.2	0	0.0		1.9	891	2.5	10	1.9
Outside NYC	28	6.4	22	6.0	6	8.5		11.4	2,756	7.7	23	4.3
Unknown	18	4.1	18	4.9	0	0.0	3	0.8	536	1.5	99	18.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	43	9.8	31	8.4	12	16.9	34	9.5	3,310	9.2	19	3.6
Medium poverty (10 to <20% below FPL)	156	35.5	127	34.4	29	40.8		30.6	10,982	30.5	99	18.6
High poverty (20 to <30% below FPL)	95	21.6	81	22.0	14	19.7	61	17.0	8,590	23.9	95	17.9
Very high poverty (≥30% below FPL)	100	22.7	90	24.4	10	14.1	110	30.6	9,542	26.5	156	29.3
Area-based poverty level not available	46	10.5	40	10.8	6	8.5		12.3	3,576	9.9	163	30.6
TRANSMISSION CATEGORY	40	1.4	15	1.1	2	4.0	20	10.0	F C10	15.0	400	24.0
Injection drug use history (IDU) Heterosexual contact	18 316	4.1 71.8	15 259	4.1 70.2	3 57	4.2 80.3		10.9 66.9	5,612 20,115	15.6 55.9	169 240	31.8 45.1
Transgender people with sexual contact	64	14.5	259 61	70.2 16.5	3	4.2		6.4	20,115 1,955	55.9 5.4	240 17	3.2
Perinatal	0	0.0	0	0.0	0	0.0		2.8	1,326	3.7	5	0.9
Other	1	0.0	0	0.0	1	1.4	10	0.3	89	0.2	1	0.3
Unknown	41	9.3	34	9.2	7	9.9	46	12.8	6,903	19.2	100	18.8

Table 1.3.1. Black men (includes transgender men)

		HIV	DIAGNO	SES, 20	118		AIDS DIAGNOSE	ES, 2018	PWH AS 0	_	DEATHS	, 2018
				С	Concurrent w	ith AIDS						
	Total HIV di	agnoses	Withou	t AIDS		agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	597	100.0	482	80.7	115	19.3	414	100.0	35,982	100.0	559	100.0
AGE GROUP (YEARS)												
0-12	1	0.2	0	0.0	1	0.9	3	0.7	24	0.1	0	0.0
13-19	29	4.9	25	5.2	4	3.5		1.9	154	0.4	0	0.0
20-29	232	38.9	217	45.0	15	13.0	75	18.1	3,743	10.4	17	3.0
30-39	155	26.0	126	26.1	29	25.2		26.6	6,590	18.3	36	6.4
40-49	67	11.2	44	9.1	23	20.0		18.6	6,085	16.9	57	10.2
50-59	80	13.4	51	10.6	29	25.2		19.8	10,306	28.6	170	30.4
60+	33	5.5	19	3.9	14	12.2	59	14.3	9,080	25.2	279	49.9
BOROUGH OF RESIDENCE												
Bronx	132	22.1	104	21.6	28	24.3	108	26.1	8,564	23.8	144	25.8
Brooklyn	216	36.2	174	36.1	42	36.5	122	29.5	11,042	30.7	156	27.9
Manhattan	100	16.8	79	16.4	21	18.3	66	15.9	7,179	20.0	86	15.4
Queens	70	11.7	54	11.2	16	13.9	43	10.4	4,265	11.9	34	6.1
Staten Island	9	1.5	7	1.5	2	1.7	5	1.2	578	1.6	7	1.3
Outside NYC	51	8.5	46	9.5	5	4.3	66	15.9	3,883	10.8	25	4.5
Unknown	19	3.2	18	3.7	1	0.9	4	1.0	471	1.3	107	19.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	56	9.4	46	9.5	10	8.7	39	9.4	3,793	10.5	19	3.4
Medium poverty (10 to <20% below FPL)	177	29.6	137	28.4	40	34.8	109	26.3	11,061	30.7	114	20.4
High poverty (20 to <30% below FPL)	172	28.8	135	28.0	37	32.2	94	22.7	8,673	24.1	97	17.4
Very high poverty (≥30% below FPL)	122	20.4	100	20.7	22	19.1	99	23.9	7,714	21.4	145	25.9
Area-based poverty level not available	70	11.7	64	13.3	6	5.2	73	17.6	4,741	13.2	184	32.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	378	63.3	325	67.4	53	46.1	198	47.8	18.013	50.1	172	30.8
Injection drug use history (IDU)	10	1.7	8	1.7	2	1.7	27	6.5	4.132	11.5	136	
MSM-IDU	17	2.8	17	3.5	0	0.0		3.4	1,306	3.6	29	24.3 5.2
Heterosexual contact	42	7.0	28	5.8	14	12.2		12.3	3,977	11.1	84	15.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		0.2	15	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	8	1.9	704	2.0	8	1.4
Other	1	0.2	0	0.0	1	0.9	1	0.2	38	0.1	1	0.2
Unknown	149	25.0	104	21.6	45	39.1	114	27.5	7,797	21.7	129	23.1

Table 1.3.2. Black women (includes transgender women)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2018	PWH AS 12/31/20		DEATHS	5, 2018
					oncurrent w							
	Total HIV o		Withou			iagnoses		0.4		0.4		0.1
TOTAL	N	%	N	%	N	%		%	N	%	N	%
TOTAL	271	100.0	221	81.5	50	18.5	227	100.0	20,766	100.0	307	100.0
AGE GROUP (YEARS)												
0-12	1	0.4	0	0.0	1	2.0	1	0.4	12	0.1	0	0.0
13-19	10	3.7	9	4.1	1	2.0	2	0.9	111	0.5	0	0.0
20-29	69	25.5	66	29.9	3	6.0		13.2	1,392	6.7	4	1.3
30-39	61	22.5	48	21.7	13	26.0		26.0	2,752	13.3	21	6.8
40-49	60	22.1	47	21.3	13	26.0	52	22.9	4,490	21.6	50	16.3
50-59	48	17.7	38	17.2	10	20.0	51	22.5	6,914	33.3	98	31.9
60+	22	8.1	13	5.9	9	18.0	32	14.1	5,095	24.5	134	43.6
BOROUGH OF RESIDENCE												
Bronx	71	26.2	57	25.8	14	28.0	80	35.2	6,028	29.0	73	23.8
Brooklyn	97	35.8	82	37.1	15	30.0	60	26.4	6,998	33.7	102	33.2
Manhattan	35	12.9	29	13.1	6	12.0	25	11.0	2,802	13.5	38	12.4
Queens	27	10.0	17	7.7	10	20.0	30	13.2	2,772	13.3	18	5.9 2.3 3.6
Staten Island	8	3.0	8	3.6	0	0.0	5	2.2	442	2.1	7	2.3
Outside NYC	20	7.4	15	6.8	5	10.0	24	10.6	1,487	7.2	11	3.6
Unknown	13	4.8	13	5.9	0	0.0	3	1.3	237	1.1	58	18.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	26	9.6	18	8.1	8	16.0	24	10.6	1,916	9.2	8	2.6
Medium poverty (10 to <20% below FPL)	95	35.1	76	34.4	19	38.0	63	27.8	6,481	31.2	54	17.6
High poverty (20 to <30% below FPL)	61	22.5	49	22.2	12	24.0	45	19.8	5,166	24.9	59	19.2
Very high poverty (≥30% below FPL)	56	20.7	50	22.6	6	12.0	68	30.0	5,325	25.6	94	30.6
1											92	
Area-based poverty level not available	33	12.2	28	12.7	5	10.0	27	11.9	1,878	9.0	92	30.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	8	3.0	7	3.2	1	2.0		6.6	2,696	13.0	82	26.7
Heterosexual contact	197	72.7	156	70.6	41	82.0		71.4	11,927	57.4	150	48.9
Transgender people with sexual contact	37	13.7	35	15.8	2	4.0		4.4	986	4.7	9	2.9
Perinatal	0	0.0	0	0.0	0	0.0		3.5	757	3.6	5	1.6
Other	1	0.4	0	0.0	1	2.0		0.4	47	0.2	1	0.3
Unknown	28	10.3	23	10.4	5	10.0	31	13.7	4,353	21.0	60	19.5

Table 1.3.3. Latino/Hispanic men (includes transgender men)

		HIV	DIAGNO	OSES, 20	18 Concurrent wit	th AIDS	AIDS DIAGNOSE	S, 2018	PWH AS (12/31/201		DEATHS,	, 2018
	Total HIV dia	aanoses	Withou			gnoses						
	N	% %	N	%	N	%	N	%	N	%	N	%
TOTAL	611	100.0	506	82.8	105	17.2	310	100.0	31,817	100.0	400	100.0
ACE CROUP (VEARS)								_				
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
13-19	27	4.4	24	4.7	3	2.9	4	1.3	94	0.0	1	0.0
20-29	241	39.4	220	43.5	21	20.0	60	19.4	2,876	9.0	14	3.5
30-39	172	28.2	141	27.9	31	29.5	102	32.9	5,993	18.8	23	5.8
40-49	85	13.9	64	12.6	21	20.0	60	19.4	6,510	20.5	51	12.8
50-59	64	10.5	41	8.1	23	21.9	55	17.7	9,431	29.6	130	32.5
60+	22	3.6	16	3.2	6	5.7	29	9.4	6,904	21.7	181	45.3
004	22	5.0	10	5.2	U	5.7	29	3.4	0,304	21.7	101	45.5
BOROUGH OF RESIDENCE												
Bronx	154	25.2	123	24.3	31	29.5	91	29.4	9,040	28.4	156	39.0
Brooklyn	108	17.7	79	15.6	29	27.6	60	19.4	5,008	15.7	60	15.0
Manhattan	109	17.8	97	19.2	12	11.4	52	16.8	7,716	24.3	51	12.8
Queens	162	26.5	133	26.3	29	27.6	65	21.0	5,894	18.5	39	9.8
Staten Island	6	1.0	5	1.0	1	1.0	4	1.3	479	1.5	5	1.3
Outside NYC	43	7.0	40	7.9	3	2.9	36	11.6	2,650	8.3	17	4.3
Unknown	29	4.7	29	5.7	0	0.0	2	0.6	1,030	3.2	72	18.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	72	11.8	60	11.9	12	11.4	30	9.7	4.164	13.1	16	4.0
Medium poverty (10 to <20% below FPL)	216	35.4	176	34.8	40	38.1	107	34.5	10,023	31.5	83	20.8
High poverty (20 to <30% below FPL)	136	22.3	107	21.1	29	27.6	71	22.9	6,427	20.2	55	13.8
	114	18.7	93	18.4	21	20.0					118	29.5
Very high poverty (≥30% below FPL)							64	20.6	7,188	22.6		
Area-based poverty level not available	73	11.9	70	13.8	3	2.9	38	12.3	4,015	12.6	128	32.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	467	76.4	392	77.5	75	71.4	210	67.7	18,069	56.8	133	33.3
Injection drug use history (IDU)	10	1.6	8	1.6	2	1.9	22	7.1	4.838	15.2	148	37.0
MSM-IDU	21	3.4	20	4.0	1	1.0	9	2.9	1,401	4.4	24	6.0
Heterosexual contact	22	3.6	15	3.0	7	6.7	25	8.1	2,467	7.8	28	7.0
Transgender people with sexual contact	2	0.3	2	0.4	0	0.0	0	0.0	6	0.0	0	0.0
Perinatal	0	0.0	0	0.0	Ō	0.0	3	1.0	455	1.4	7	1.8
Other	0	0.0	Ō	0.0	Ō	0.0	0	0.0	27	0.1	0	0.0
Unknown	89	14.6	69	13.6	20	19.0	41	13.2	4,554	14.3	60	15.0

Table 1.3.4. Latina/Hispanic women (includes transgender women)

		HIV	DIAGNO	OSES, 20	18		AIDS DIAGNOS	ES, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
					oncurrent w							1
	Total HIV di		Withou			agnoses						
TOTAL	N	%	N	%	N	%		%	N	%	N	%
TOTAL	124	100.0	112	90.3	12	9.7	107	100.0	11,820	100.0	172	100.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
13-19	2	1.6	2	1.8	Ö	0.0		2.8	59	0.5	Ö	0.0
20-29	34	27.4	32	28.6	2	16.7	12	11.2	819	6.9	2	1.2
30-39	30	24.2	28	25.0	2	16.7	18	16.8	1,415	12.0	10	5.8
40-49	21	16.9	20	17.9	1	8.3	20	18.7	2,354	19.9	27	15.7
50-59	20	16.1	17	15.2	3	25.0		30.8	4,014	34.0	73	42.4
60+	17	13.7	13	11.6	4	33.3		19.6	3,139	26.6	60	34.9
BOROUGH OF RESIDENCE		44.0		40.0		0= 0		45.0		40.0		40.0
Bronx	52	41.9	49	43.8	3	25.0		45.8	5,085	43.0	74	43.0
Brooklyn	24	19.4	21	18.8	3	25.0		17.8	2,321	19.6	28	16.3
Manhattan	22	17.7	21	18.8	1	8.3		11.2	1,773	15.0	23	13.4
Queens	17	13.7	12	10.7	5	41.7	15	14.0	1,495	12.6	8	4.7
Staten Island	0	0.0	0	0.0	0	0.0		0.9	245	2.1	2	1.2
Outside NYC	4	3.2	4	3.6	0	0.0	11	10.3	677	5.7	10	5.8
Unknown	5	4.0	5	4.5	0	0.0	0	0.0	224	1.9	27	15.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	6.5	5	4.5	3	25.0	6	5.6	771	6.5	6	3.5
Medium poverty (10 to <20% below FPL)	40	32.3	34	30.4	6	50.0	38	35.5	3,254	27.5	31	18.0
High poverty (20 to <30% below FPL)	30	24.2	29	25.9	1	8.3		14.0	2,959	25.0	33	19.2
Very high poverty (≥30% below FPL)	37	29.8	35	31.3	2	16.7	37	34.6	3,870	32.7	50	29.1
Area-based poverty level not available	9	7.3	9	8.0	0	0.0		10.3	966	8.2	52	30.2
Thou based perony level her available	, and the second	7.0	Ŭ	0.0	· ·	0.0	, ,	10.0	000	0.2	02	00.2
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	7	5.6	6	5.4	1	8.3		19.6	2,232	18.9	63	36.6
Heterosexual contact	89	71.8	81	72.3	8	66.7		56.1	6,438	54.5	73	42.4
Transgender people with sexual contact	19	15.3	18	16.1	1	8.3		9.3	768	6.5	7	4.1
Perinatal	0	0.0	0	0.0	0	0.0		1.9	472	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	22	0.2	0	0.0
Unknown	9	7.3	7	6.3	2	16.7	14	13.1	1,888	16.0	29	16.9

Table 1.3.5. White men (includes transgender men)

		HIV	DIAGNO	OSES, 20	118 Concurrent with A	NIDS	AIDS DIAGNOSES, 2	2018	PWH AS 0 12/31/201		DEATHS,	, 2018
	Total HIV dia	annese	Withou		diagn							
	N	% with the second secon	N	%	N Ulagir	%		%	N	%	N	%
TOTAL	202	100.0	169	83.7		16.3		100.0	24,023	100.0	264	100.0
101/12	202	10010	100	0017		1010			21,020	100.0	20.	10010
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	1	0.5	1	0.6	0	0.0	1	0.9	18	0.1	0	0.0
20-29	64	31.7	61	36.1	3	9.1	9	8.0	991	4.1	2	0.8
30-39	69	34.2	62	36.7	7	21.2	27	24.1	3,305	13.8	8	3.0
40-49	22	10.9	13	7.7	9	27.3	28	25.0	4,526	18.8	28	10.6
50-59	27	13.4	21	12.4	6	18.2		17.9	8,321	34.6	90	34.1
60+	19	9.4	11	6.5	8	24.2	27	24.1	6,860	28.6	136	51.5
BOROUGH OF RESIDENCE	7	2.5	F	2.0	0	C 1		E 4	4.007	1 1	40	4.0
Bronx	7	3.5	5	3.0	2 7	6.1		5.4	1,067	4.4	13	4.9
Brooklyn	59	29.2	52 57	30.8		21.2		18.8	3,438	14.3	22	8.3
Manhattan	68	33.7	57	33.7 11.8	11 5	33.3		32.1	11,330	47.2	62	23.5
Queens Staten Island	25 5	12.4 2.5	20 4	2.4) 1	15.2 3.0		15.2 2.7	2,470 524	10.3 2.2	19 6	7.2 2.3
Outside NYC	30	2.5 14.9	23	13.6	7	21.2		25.9	524 4,843	20.2	16	6.1
Unknown	8	4.0	23 8	4.7	0	0.0		0.0	4,643 351	1.5	126	47.7
Olikilowii	0	4.0	0	4.7	U	0.0	U	0.0	331	1.5	120	47.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	33	16.3	26	15.4	7	21.2	22	19.6	6,815	28.4	44	16.7
Medium poverty (10 to <20% below FPL)	84	41.6	68	40.2	16	48.5	52	46.4	7,913	32.9	42	15.9
High poverty (20 to <30% below FPL)	33	16.3	30	17.8	3	9.1	8	7.1	2,751	11.5	14	5.3
Very high poverty (≥30% below FPL)	14	6.9	14	8.3	0	0.0	1	0.9	1,109	4.6	12	4.5
Area-based poverty level not available	38	18.8	31	18.3		21.2		25.9	5,435	22.6	152	57.6
Area-based poverty level flot available	30	10.0	31	10.5	,	21.2	25	20.5	3,433	22.0	102	37.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	161	79.7	143	84.6	18	54.5	74	66.1	19,353	80.6	176	66.7
Injection drug use history (IDU)	2	1.0	2	1.2	0	0.0	6	5.4	1,149	4.8	41	15.5
MSM-IDU , , ,	7	3.5	5	3.0	2	6.1	5	4.5	909	3.8	19	7.2
Heterosexual contact	5	2.5	4	2.4	1	3.0	2	1.8	587	2.4	7	2.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.9	79	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	46	0.2	1	0.4
Unknown	27	13.4	15	8.9	12	36.4	24	21.4	1,898	7.9	20	7.6

Table 1.3.6. White women (includes transgender women)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					oncurrent wit	-						
	Total HIV d		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	27	100.0	22	81.5	5	18.5	15	100.0	2,616	100.0	48	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
20-29	9	33.3	8	36.4	1	20.0	2	13.3	137	5.2	0	0.0
30-39	7	25.9	7	31.8	0	0.0	4	26.7	309	11.8	1	2.1
40-49	7	25.9	4	18.2	3	60.0	3	20.0	451	17.2	13	27.1
50-59	3	11.1	2	9.1	1	20.0	4	26.7	936	35.8	17	35.4
60+	1	3.7	1	4.5	0	0.0	2	13.3	767	29.3	17	35.4
BOROUGH OF RESIDENCE												
Bronx	5	18.5	4	18.2	1	20.0	3	20.0	350	13.4	12	25.0
Brooklyn	7	25.9	6	27.3	1	20.0	2	13.3	559	21.4	8	16.7
Manhattan	8	29.6	6	27.3	2	40.0	2	13.3	521	19.9	4	8.3
Queens	5	18.5	5	22.7	0	0.0	2	13.3	432	16.5	7	14.6
Staten Island	0	0.0	0	0.0	Ö	0.0	1	6.7	191	7.3	1	2.1
Outside NYC	2	7.4	1	4.5	1	20.0	5	33.3	511	19.5	2	4.2
Unknown	0	0.0	Ö	0.0	0	0.0	0	0.0	52	2.0	14	29.2
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	6	22.2	5	22.7	1	20.0	3	20.0	516	19.7	4	8.3
Medium poverty (10 to <20% below FPL)	12	44.4	11	50.0	i	20.0	3	20.0	933	35.7	12	25.0
High poverty (20 to <30% below FPL)	1	3.7	1	4.5	Ó	0.0	0	0.0	324	12.4	2	4.2
1 - 1	•		•				U					
Very high poverty (≥30% below FPL)	6	22.2	4	18.2	2	40.0	4	26.7	251	9.6	11	22.9
Area-based poverty level not available	2	7.4	1	4.5	1	20.0	5	33.3	592	22.6	19	39.6
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	3	11.1	2	9.1	1	20.0	3	20.0	637	24.4	22	45.8
Heterosexual contact	17	63.0	13	59.1	4	80.0	11	73.3	1,296	49.5	15	31.3
Transgender people with sexual contact	4	14.8	4	18.2	0	0.0	1	6.7	122	4.7	1	2.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	75	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0
Unknown	3	11.1	3	13.6	0	0.0	0	0.0	469	17.9	10	20.8

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	ES, 2018	PWH AS 12/31/20		DEATHS	, 2018
	Total HIV			ıt AIDS		agnoses		24		0.4		
TOTAL	N 91	% 100.0	N 59	% 64.8	N 32	% 35.2		% 100.0	N 2,687	% 100.0	N 11	% 100.0
									,			
AGE GROUP (YEARS)		0.0	0	0.0	0	0.0	0	0.0	0	0.4	0	0.0
0-12 13-19	0	0.0 3.3	0 2	0.0 3.4	0 1	0.0 3.1		0.0 1.9	2 6	0.1 0.2	0 0	0.0 0.0
20-29	37	40.7	22	37.3	15	46.9		34.0	337	12.5	2	18.2
30-39	20	22.0	10	16.9	10	31.3		35.8	627	23.3	0	0.0
40-49	16	17.6	13	22.0	3	9.4		11.3	673	25.0	ő	0.0
50-59	11	12.1	8	13.6	3	9.4		15.1	667	24.8	3	27.3
60+	4	4.4	4	6.8	0	0.0	1	1.9	375	14.0	6	54.5
BOROUGH OF RESIDENCE												
Bronx	1	1.1	1	1.7	0	0.0	2	3.8	167	6.2	1	9.1
Brooklyn	22	24.2	16	27.1	6	18.8		24.5	466	17.3	1	9.1
Manhattan	19	20.9	13	22.0	6	18.8		17.0	782	29.1	2	18.2
Queens	39	42.9	22	37.3	17	53.1		45.3	889	33.1	3	27.3
Staten Island	0	0.0	0	0.0	0	0.0		0.0	23	0.9	0	0.0
Outside NYC	7	7.7	4	6.8	3	9.4		9.4	252	9.4	1 3	9.1
Unknown	3	3.3	3	5.1	0	0.0	0	0.0	108	4.0	3	27.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	12.1	6	10.2	5	15.6		17.0	539	20.1	1	9.1
Medium poverty (10 to <20% below FPL)	46	50.5	30	50.8	16	50.0		37.7	1,186	44.1	1	9.1
High poverty (20 to <30% below FPL)	15	16.5	13	22.0	2	6.3		22.6	439	16.3	2	18.2
Very high poverty (≥30% below FPL)	9	9.9	3	5.1	6	18.8		13.2	141	5.2	2	18.2
Area-based poverty level not available	10	11.0	7	11.9	3	9.4	5	9.4	382	14.2	5	45.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	66	72.5	41	69.5	25	78.1	37	69.8	1,872	69.7	8	72.7
Injection drug use history (IDU)	3	3.3	2	3.4	1	3.1		3.8	61	2.3	0	0.0
MSM-IDU	1	1.1	1	1.7	0	0.0		1.9	50	1.9	0	0.0
Heterosexual contact	9	9.9	6	10.2	3	9.4		9.4	228	8.5	1	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	13	0.5	0	0.0 0.0
Other Unknown	0 12	0.0 13.2	0 9	0.0 15.3	0 3	0.0 9.4		0.0 15.1	3 459	0.1 17.1	0 2	0.0 18.2
UTIKITOWIT	12	13.2	9	13.3	<u> </u>	9.4	0	15.1	409	17.1		10.2

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

		HIV	DIAGNO	OSES, 20	018		AIDS DIAGNOSE	ES, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
	Total HIV o			ıt AIDS		agnoses						
TOTAL	N 13	% 100.0	N 9	% 69.2	N 4	% 30.8		% 100.0	N 518	% 100.0	N 3	% 100.0
		100.0		00.2	,	00.0	•	100.0	0.0	10010		10010
AGE GROUP (YEARS)				0.0								
0-12 13-19	0	0.0	0	0.0	0	0.0		0.0	2	0.4	0	0.0
	0	0.0	0	0.0	0 1	0.0		0.0	1	0.2	0	0.0
20-29 30-39	3 2	23.1 15.4	2	22.2 11.1	1	25.0 25.0		28.6 28.6	31 98	6.0 18.9	0 0	0.0
40-49	2	7.7	1	11.1	0	25.0 0.0		0.0	148	28.6	0	0.0 0.0
50-59	1	38.5	4	44.4	0	25.0		28.6	136	26.3	1	33.3
60+	5 2	38.5 15.4	4	11.1	1	25.0 25.0		14.3	102	26.3 19.7	2	66.7
00+	2	15.4		11.1	'	25.0	Į.	14.3	102	19.7	2	00.7
BOROUGH OF RESIDENCE												
Bronx	1	7.7	1	11.1	0	0.0		0.0	49	9.5	1	33.3
Brooklyn	2	15.4	1	11.1	1	25.0		14.3	117	22.6	1	33.3
Manhattan	2	15.4	1	11.1	1	25.0		14.3	65	12.5	0	0.0
Queens	8	61.5	6	66.7	2	50.0		71.4	217	41.9	1	33.3
Staten Island	0	0.0	0	0.0	0	0.0		0.0	5	1.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0		0.0	51	9.8	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	2.7	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	23.1	3	33.3	0	0.0	1	14.3	80	15.4	1	33.3
Medium poverty (10 to <20% below FPL)	7	53.8	4	44.4	3	75.0		71.4	237	45.8	1	33.3
High poverty (20 to <30% below FPL)	3	23.1	2	22.2	1	25.0	1	14.3	84	16.2	1	33.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	46	8.9	0	0.0
		0.0	0	0.0	0	0.0		0.0	71	13.7	0	0.0
Area-based poverty level not available	0	0.0	U	0.0	U	0.0	U	0.0	/ 1	13.7	U	0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0		0.0	22	4.2	0	0.0
Heterosexual contact	11	84.6	7	77.8	4	100.0		85.7	330	63.7	2	66.7
Transgender people with sexual contact	2	15.4	2	22.2	0	0.0		14.3	41	7.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	6	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	118	22.8	1	33.3

Table 1.3.9. Native American men (includes transgender men)

		HIV	DIAGNO	SES, 2	018	AIDS DIAGNO	SES, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
					Concurrent with AID						
	Total HIV dia				diagnose						
	N	%	N	%		% N	%	N	%	N	%
TOTAL	0	0.0	0	0.0	0 0	0 3	100.0	236	100.0	5	100.0
AGE GROUP (YEARS)											
0-12	0	0.0	0	0.0	0 0	0 0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0 0		0.0	1	0.4	0	0.0
20-29	0	0.0	0	0.0	0 0	0 0	0.0	19	8.1	0	0.0
30-39	0	0.0	0	0.0	0 0	0 1	33.3	45	19.1	0	0.0
40-49	0	0.0	0	0.0	0 0	0 1	33.3	58	24.6	1	20.0
50-59	0	0.0	0	0.0	0 0	0 1	33.3	69	29.2	2	40.0
60+	0	0.0	0	0.0	0 0	0	0.0	44	18.6	2	40.0
BOROUGH OF RESIDENCE							_				
Bronx	0	0.0	0	0.0	0 0	0 0	0.0	46	19.5	2	40.0
Brooklyn	0	0.0	0	0.0	0 0		33.3	52	22.0	1	20.0
Manhattan	0	0.0	0	0.0	0 0		0.0	55	23.3	0	0.0
Queens	0	0.0	0	0.0	0 0	0 1	33.3	48	20.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0 0	0 1	33.3	35	14.8	2	40.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	0	0.0	0	0.0	0 0	0 0	0.0	28	11.9	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0 0		33.3	91	38.6	1	20.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0 0	0 1	33.3	45	19.1	2	40.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0 0	0	0.0	41	17.4	1	20.0
Area-based poverty level not available	0	0.0	0	0.0	0 0	0 1	33.3	31	13.1	1	20.0
TRANSMISSION CATEGORY											
Men who have sex with men (MSM)	0	0.0	0	0.0	0 0	0 2	66.7	142	60.2	3	60.0
Injection drug use history (IDU)	Ö	0.0	Ö	0.0	0 0		0.0	17	7.2	1	20.0
MSM-IDU	0	0.0	Ö	0.0	0 0		0.0	12	5.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0 0		0.0	24	10.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0 0		0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0 0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0 0	0	0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0 0	0 1	33.3	39	16.5	1	20.0

Table 1.3.10. Native American women (includes transgender women)

		HIV	DIAGNO	SES, 2	018	AIDS DIAGNO	SES, 2018	PWH AS 12/31/20		DEATHS	, 2018
	Total HIV dia	annses	Without		Concurrent with AID diagnose						
	N	%	N	%		% N	%	N	%	N	%
TOTAL	0	0.0	0	0.0	0 0.		0.0	80	100.0	1	100.0
AGE GROUP (YEARS)											
0-12	0	0.0	0	0.0	0 0.	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0 0.	.0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0 0.	.0	0.0	8	10.0	0	0.0
30-39	0	0.0	0	0.0	0 0.		0.0	12	15.0	0	0.0
40-49	0	0.0	0	0.0	0 0.		0.0	19	23.8	0	0.0
50-59	0	0.0	0	0.0	0 0.		0.0	26	32.5	1	100.0
60+	0	0.0	0	0.0	0 0.	0	0.0	14	17.5	0	0.0
BOROUGH OF RESIDENCE											
Bronx	0	0.0	0	0.0	0 0.	.0	0.0	26	32.5	0	0.0
Brooklyn	0	0.0	0	0.0	0 0.		0.0	27	33.8	0	0.0
Manhattan	0	0.0	0	0.0	0 0.		0.0	7	8.8	1	100.0
Queens	0	0.0	0	0.0	0 0.		0.0	13	16.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0 0.	0	0.0	7	8.8	0	0.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	0	0.0	0	0.0	0 0.	.0	0.0	7	8.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0 0.		0.0	26	32.5	1	100.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0 0.	.0	0.0	22	27.5	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0 0.	.0	0.0	21	26.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0 0.		0.0	4	5.0	0	0.0
		0.0		0.0			0.0		0.0		0.0
TRANSMISSION CATEGORY											
Injection drug use history (IDU)	0	0.0	0	0.0	0 0.		0.0	4	5.0	1	100.0
Heterosexual contact	0	0.0	0	0.0	0 0.		0.0	50	62.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0 0.		0.0	8	10.0	0	0.0
Perinatal	0	0.0	0	0.0	0 0.		0.0	4	5.0	0	0.0
Other	0	0.0	0	0.0	0 0.		0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0 0.	.0 0	0.0	14	17.5	0	0.0

Table 1.4.1. Boys 0-12 Years

		HIV	DIAGNO	SES, 2	2018	AIDS DI	AGNOS	ES, 2018	PWH AS 12/31/20	_	DEATHS,	2018
					Concurrent with Al	DS						1
	Total HIV d	iagnoses	Without	AIDS	diagno	ses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1	100.0	0	0.0	1 10	0.0	3	100.0	37	100.0	0	0.0
RACE/ETHNICITY												
Black	1	100.0	0	0.0	1 10	0.0	3	100.0	24	64.9	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	9	24.3	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	5.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	5.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	100.0	0	0.0	1 10	0.0	2	66.7	9	24.3	0	0.0
Brooklyn	0	0.0	0	0.0		0.0	0	0.0	10	27.0	0	0.0
Manhattan	0	0.0	0	0.0		0.0	1	33.3	7	18.9	0	0.0
Queens	0	0.0	0	0.0		0.0	0	0.0	3	8.1	0	0.0
Staten Island	0	0.0	Ö	0.0		0.0	Ö	0.0	1	2.7	Ö	0.0
Outside NYC	Ö	0.0	Ö	0.0		0.0	0	0.0		13.5	Ö	0.0
Unknown	Ö	0.0	ő	0.0		0.0	Ö	0.0	5 2	5.4	Ö	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	5.4	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0		0.0	1	33.3	13	35.1	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0		0.0	0	0.0	5	13.5	0	0.0
,			•				-					1
Very high poverty (≥30% below FPL)	1	100.0	0	0.0		0.0	2	66.7	10	27.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	7	18.9	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0		0.0	0	0.0	0	0.0	0	0.0
Perinatal	Ö	0.0	0	0.0		0.0	2	66.7	36	97.3	0	0.0
Other	1	100.0	0	0.0		0.0	1	33.3	1	2.7	0	0.0
Unknown	0	0.0	Ö	0.0		0.0	0	0.0	Ö	0.0	Ö	0.0

Table 1.4.2. Girls 0-12 Years

		HIV	DIAGNO	SES, 2	2018		AIDS DIAGNOSES, 2018		AS OF 1/2018	DEATHS,	2018
	Total HIV d	iagnoses %	Without N	AIDS %	Concurrent with a diagn N			% 1		N	%
TOTAL	1	100.0	0	0.0	1 1	100.0	1 100	.0 40			0.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	1 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	1 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0 0 0 0 0 0 0	.0 20 .0 3 .0 2	50.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
BOROUGH OF RESIDENCE											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	0 1 0 0 0 0	0.0 100.0 0.0 0.0 0.0 0.0	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 1 0 0 0 0	0.0 100.0 0.0 0.0 0.0 0.0	1 100 0 0 0 0 0 0 0 0	0 1: 0 0 0	22.5 1 27.5 4 10.0 5 12.5 3 7.5 5 12.5 3 7.5	0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	0 1 0	0.0 100.0 0.0	0 0 0	0.0 0.0 0.0	0	0.0 100.0 0.0	1 100 0 0	.0 10 .0 1	1 27.5	0 0	0.0 0.0 0.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	0 0	0.0 0.0	0 0	0.0	0 0	0.0			9 22.5 3 20.0		0.0
TRANSMISSION CATEGORY											
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other	0 0 0 0	0.0 0.0 0.0 0.0 100.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0	0 0 0 0 0 0 1 100	.0 .0 .0 .0 .0	9 97.5 0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0 0	.0	1 2.5	0	0.0

Table 1.4.3. Men 13+ Years (includes transgender men)

		HIV	DIAGNOS	SES, 201	8		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	2018
	Total HIV di	agnosas	Withou		oncurrent wit	th AIDS						
	N	agnoses %	N	% AIDS	N UIA	19110363 %		%	N	%	N	%
TOTAL	1,515	100.0	1,230	81.2	285	18.8		100.0	95,384	100.0	1,245	100.0
RACE/ETHNICITY												
Black	596	39.3	482	39.2	114	40.0	411	46.0	35.958	37.7	559	44.9
Latino/Hispanic	611	40.3	506	41.1	105	36.8		34.7	31,808	33.3	400	32.1
White	202	13.3	169	13.7	33	11.6		12.5	24,021	25.2	264	21.2
Asian/Pacific Islander	91	6.0	59	4.8	32	11.2		5.9	2,685	2.8	11	0.9
Native American	0	0.0	0	0.0	0	0.0		0.3	236	0.2	5	0.4
Multiracial	15	1.0	14	1.1	1	0.0	4	0.4	435	0.5	6	0.5
Unknown	0	0.0	0	0.0	0	0.0	•	0.4	241	0.3	0	0.0
Ondiown	· ·	0.0	· ·	0.0	Ŭ	0.0	Ŭ	0.0	241	0.0	O	0.0
AGE GROUP (YEARS)												
13-19	60	4.0	52	4.2	8	2.8		1.6	274	0.3	1	0.1
20-29	581	38.3	527	42.8	54	18.9		18.1	8,065	8.5	35	2.8
30-39	422	27.9	344	28.0	78	27.4	263	29.5	16,717	17.5	67	5.4
40-49	190	12.5	134	10.9	56	19.6	172	19.3	17,968	18.8	138	11.1
50-59	183	12.1	122	9.9	61	21.4	166	18.6	28,958	30.4	398	32.0
60+	79	5.2	51	4.1	28	9.8	116	13.0	23,402	24.5	606	48.7
BOROUGH OF RESIDENCE												
Bronx	294	19.4	234	19.0	60	21.1	205	23.0	18,955	19.9	318	25.5
Brooklyn	408	26.9	324	26.3	84	29.5		24.3	20,099	21.1	240	19.3
Manhattan	303	20.9	252	20.5	51	17.9		18.5	27,311	28.6	203	16.3
Queens	297	19.6	232	18.7	67	23.5					203 95	7.6
								16.8	13,634	14.3		
Staten Island	20	1.3	16	1.3	4	1.4		1.3	1,626	1.7	18	1.4
Outside NYC	133	8.8	115	9.3	18	6.3		15.5	11,781	12.4	62	5.0
Unknown	60	4.0	59	4.8	1	0.4	6	0.7	1,978	2.1	309	24.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	175	11.6	140	11.4	35	12.3	101	11.3	15,457	16.2	81	6.5
Medium poverty (10 to <20% below FPL)	526	34.7	414	33.7	112	39.3	289	32.4	30,458	31.9	242	19.4
High poverty (20 to <30% below FPL)	360	23.8	289	23.5	71	24.9		20.8	18,424	19.3	170	13.7
	260	17.2	212	17.2	48	16.8		18.9	16,246	17.0	279	22.4
Very high poverty (≥30% below FPL)									,			
Area-based poverty level not available	194	12.8	175	14.2	19	6.7	148	16.6	14,799	15.5	473	38.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1,082	71.4	911	74.1	171	60.0	523	58.6	57,862	60.7	494	39.7
Injection drug use history (IDU)	25	1.7	20	1.6	5	1.8		6.4	10,218	10.7	328	26.3
MSM-IDU	47	3.1	44	3.6	3	1.1	29	3.2	3,706	3.9	72	5.8
Heterosexual contact	79	5.2	53	4.3	26	9.1	85	9.5	7,305	7.7	121	9.7
Transgender people with sexual contact	2	0.1	2	0.2	0	0.0		0.1	25	0.0	0	0.0
Perinatal	0	0.1	0	0.2	0	0.0		1.1	1,226	1.3	15	1.2
Other	0	0.0	0	0.0	0	0.0		0.0	1,226	0.1	2	0.2
Unknown	280	18.5	200	16.3	80	28.1		21.1	14,927	15.6	213	0.2 17.1
UTIKITUWIT	200	10.5	200	10.5	00	20.1	100	۷۱.۱	14,527	15.0	213	17.1

Table 1.4.4. Women 13+ Years (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	, 2018
	Total HIV di	agnoses %	Withou N		oncurrent w dia N	ith AIDS agnoses %		%	N	%	N	%
TOTAL	439	100.0	369	84.1	70	15.9		100.0	35,960	100.0	532	100.0
RACE/ETHNICITY												
Black	270	61.5	221	59.9	49	70.0	226	63.1	20,754	57.7	307	57.7
Latino/Hispanic	124	28.2	112	30.4	12	17.1	107	29.9	11,800	32.8	172	32.3
White	27	6.2	22	6.0	5	7.1	15	4.2	2,613	7.3	48	9.0
Asian/Pacific Islander	13	3.0	9	2.4	4	5.7	7	2.0	516	1.4	3	0.6
Native American	0	0.0	0	0.0	0	0.0		0.0	79	0.2	1	0.2
Multiracial	5	1.1	5	1.4	0	0.0		0.8	126	0.4	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	72	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	12	2.7	11	3.0	1	1.4	5	1.4	184	0.5	0	0.0
20-29	117	26.7	110	29.8	7	10.0		13.1	2,414	6.7	6	1.1
30-39	100	22.8	84	22.8	16	22.9		23.5	4,624	12.9	32	6.0
40-49	89	20.3	72	19.5	17	24.3		20.9	7,502	20.9	90	16.9
50-59	76	17.3	61	16.5	15	21.4	90	25.1	12,077	33.6	190	35.7
60+	45	10.3	31	8.4	14	20.0	57	15.9	9,159	25.5	214	40.2
BOROUGH OF RESIDENCE												
Bronx	130	29.6	112	30.4	18	25.7	133	37.2	11,569	32.2	161	30.3
Brooklyn	130	29.6	111	30.1	19	27.1	82	22.9	10,064	28.0	139	26.1
Manhattan	67	15.3	57	15.4	10	14.3		11.2	5,196	14.4	66	12.4
Queens	58	13.2	41	11.1	17	24.3		14.5	4,959	13.8	34	6.4
Staten Island	8	1.8	8	2.2	0	0.0		2.0	888	2.5	10	1.9
Outside NYC	28 18	6.4 4.1	22 18	6.0 4.9	6 0	8.6 0.0		11.5 0.8	2,751 533	7.7 1.5	23 99	4.3 18.6
Unknown	18	4.1	18	4.9	U	0.0	3	0.8	533	1.5	99	18.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	43	9.8	31	8.4	12	17.1	34	9.5	3,308	9.2	19	3.6
Medium poverty (10 to <20% below FPL)	155	35.3	127	34.4	28	40.0		30.4	10,972	30.5	99	18.6
High poverty (20 to <30% below FPL)	95	21.6	81	22.0	14	20.0	61	17.0	8,579	23.9	95	17.9
Very high poverty (≥30% below FPL)	100	22.8	90	24.4	10	14.3		30.7	9,533	26.5	156	29.3
Area-based poverty level not available	46	10.5	40	10.8	6	8.6	44	12.3	3,568	9.9	163	30.6
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	18	4.1	15	4.1	3	4.3	39	10.9	5.612	15.6	169	31.8
Heterosexual contact	316	72.0	259	70.2	57	81.4	240	67.0	20,115	55.9	240	45.1
Transgender people with sexual contact	64	14.6	61	16.5	3	4.3		6.4	1,955	5.4	17	3.2
Perinatal	0	0.0	0	0.0	0	0.0	10	2.8	1,287	3.6	5	0.9
Other	0	0.0	0	0.0	0	0.0		0.0	89	0.2	1	0.2
Unknown	41	9.3	34	9.2	7	10.0	46	12.8	6,902	19.2	100	18.8

Table 1.5.1. Bronx, men (includes transgender men)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSE	ES, 2018	PWH AS 0 12/31/201		DEATHS	, 2018
	T-1-11111 -		14/3/1		oncurrent w	-						
	Total HIV di	agnoses %	Withou N	it AIDS %	ala N	agnoses %	N	%	N	%	N	%
TOTAL	295	100.0	234	79.3	61	20.7	207	100.0	18,964	100.0	318	100.0
IOTAL	250	100.0	204	7 0.0	<u> </u>	20.7	201	100.0	10,504	100.0	010	100.0
RACE/ETHNICITY												
Black	132	44.7	104	44.4	28	45.9	108	52.2	8,564	45.2	144	45.3
Latino/Hispanic	154	52.2	123	52.6	31	50.8	91	44.0	9,040	47.7	156	49.1
White	7	2.4	5	2.1	2	3.3	6	2.9	1,067	5.6	13	4.1
Asian/Pacific Islander	1	0.3	1	0.4	0	0.0	2	1.0	167	0.9	1	0.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	2	0.6
Multiracial	1	0.3	1	0.4	0	0.0	0	0.0	57	0.3	2	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	1	0.3	0	0.0	1	1.6	2	1.0	9	0.0	0	0.0
13-19	13	4.4	13	5.6	0	0.0	3	1.4	70	0.4	Ö	0.0
20-29	113	38.3	100	42.7	13	21.3	39	18.8	1,664	8.8	11	3.5
30-39	80	27.1	67	28.6	13	21.3	53	25.6	3,325	17.5	13	4.1
40-49	32	10.8	23	9.8	9	14.8	38	18.4	3,342	17.6	33	10.4
50-59	43	14.6	24	10.3	19	31.1	49	23.7	5,923	31.2	115	36.2
60+	13	4.4	7	3.0	6	9.8	23	11.1	4,631	24.4	146	45.9
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	1	0.3	1	0.4	0	0.0	0	0.0	121	0.6	3	0.9
Medium poverty (10 to <20% below FPL)	51	17.3	42	17.9	9	14.8	33	15.9	3,304	17.4	44	13.8
High poverty (20 to <30% below FPL)	67	22.7	49	20.9	18	29.5	51	24.6	4.070	21.5	47	14.8
Very high poverty (≥30% below FPL)	176	59.7	142	60.7	34	55.7	123	59.4	11,371	60.0	188	59.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	98	0.5	36	11.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	193	65.4	162	69.2	31	50.8	104	50.2	8,366	44.1	77	24.2
Injection drug use history (IDÙ)	7	2.4	6	2.6	1	1.6	20	9.7	3,305	17.4	113	35.5
MSM-IDU	12	4.1	12	5.1	0	0.0	8	3.9	951	5.0	25	7.9
Heterosexual contact	19	6.4	13	5.6	6	9.8	20	9.7	2,090	11.0	32	10.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	2.4	411	2.2	4	1.3
Other	1	0.3	0	0.0	1	1.6	1	0.5	21	0.1	1	0.3
Unknown	63	21.4	41	17.5	22	36.1	49	23.7	3,810	20.1	66	20.8

Table 1.5.2. Bronx, women (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOS	ES, 2018	PWH AS 12/31/20		DEATHS	5, 2018
					oncurrent v							
	Total HIV d		Withou			liagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	130	100.0	112	86.2	18	13.8	133	100.0	11,578	100.0	161	100.0
RACE/ETHNICITY								_				
Black	71	54.6	57	50.9	14	77.8	80	60.2	6,028	52.1	73	45.3
Latino/Hispanic	52	40.0	49	43.8	3	16.7		36.8	5,085	43.9	74	46.0
White	5	3.8	4	3.6	1	5.6		2.3	350	3.0	12	7.5
Asian/Pacific Islander	1	0.8	1	0.9	o O	0.0		0.0	49	0.4	1	7.5 0.6
Native American	Ö	0.0	Ö	0.0	ő	0.0		0.0	26	0.2	0	0.0
Multiracial	1	0.8	1	0.9	Õ	0.0		0.8	25	0.2	1	0.6
Unknown	Ö	0.0	0	0.0	ŏ	0.0		0.0	15	0.1	Ö	0.0
CHICIOWII		0.0	· ·	0.0	Ŭ	0.0		0.0	10	0.1	O	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
13-19	5	3.8	4	3.6	1	5.6	4	3.0	51	0.4	0	0.0
20-29	32	24.6	29	25.9	3	16.7	16	12.0	764	6.6	1	0.6
30-39	29	22.3	26	23.2	3	16.7	30	22.6	1,498	12.9	11	6.8
40-49	23	17.7	19	17.0	4	22.2	30	22.6	2,561	22.1	31	19.3
50-59	26	20.0	23	20.5	3	16.7	38	28.6	3,991	34.5	61	37.9
60+	15	11.5	11	9.8	4	22.2	15	11.3	2,704	23.4	57	35.4
AREA-BASED POVERTY LEVEL								_			_	
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0		0.8	50	0.4	0	0.0
Medium poverty (10 to <20% below FPL)	30	23.1	23	20.5	7	38.9		19.5	2,147	18.5	24	14.9
High poverty (20 to <30% below FPL)	24	18.5	20	17.9	4	22.2	18	13.5	2,292	19.8	27	16.8
Very high poverty (≥30% below FPL)	76	58.5	69	61.6	7	38.9	88	66.2	7,053	60.9	96	59.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		0.0	36	0.3	14	8.7
The sacrate percent for a random		0.0	ŭ	0.0	· ·	0.0		0.0		0.0		0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	8	6.2	7	6.3	1	5.6		15.0	2,026	17.5	63	39.1
Heterosexual contact	95	73.1	82	73.2	13	72.2	80	60.2	6,456	55.8	61	37.9
Transgender people with sexual contact	16	12.3	15	13.4	1	5.6	9	6.8	597	5.2	5	3.1
Perinatal	0	0.0	0	0.0	0	0.0	7	5.3	424	3.7	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	1	0.6
Unknown	11	8.5	8	7.1	3	16.7	17	12.8	2,059	17.8	30	18.6

Table 1.5.3. Brooklyn, men (includes transgender men)

	Total HIV dia		DIAGNO Withou		Concurrent wit	th AIDS agnoses		ES, 2018	PWH AS (12/31/20		DEATHS	, 2018
	N	%	N	%	N	19/10303 %		%	N	%	N	%
TOTAL	408	100.0	324	79.4	84	20.6		100.0	20,109	100.0	240	100.0
RACE/ETHNICITY	0.10		4-4			50.0	100	50.0	44.040		4=0	25.0
Black Latino/Hispanic White Asian/Pacific Islander	216 108 59 22	52.9 26.5 14.5 5.4	174 79 52 16	53.7 24.4 16.0 4.9	42 29 7 6	50.0 34.5 8.3 7.1		56.2 27.6 9.7 6.0	11,042 5,008 3,438 466	54.9 24.9 17.1 2.3	156 60 22 1	65.0 25.0 9.2 0.4
Native American Multiracial Unknown	0 3 0	0.0 0.7 0.0	0 3 0	0.0 0.9 0.0	0 0 0	0.0 0.0 0.0	1 0 0	0.5 0.0 0.0	52 80 23	0.3 0.4 0.1	1 0 0	0.4 0.0 0.0
AGE GROUP (YEARS)												
13-19 20-29 30-39 40-49 50-59 60+ AREA-BASED POVERTY LEVEL	0 19 170 108 39 49 23	0.0 4.7 41.7 26.5 9.6 12.0 5.6	0 17 154 82 26 34 11	0.0 5.2 47.5 25.3 8.0 10.5 3.4	0 2 16 26 13 15	0.0 2.4 19.0 31.0 15.5 17.9 14.3	3 44 63 34 44	0.0 1.4 20.3 29.0 15.7 20.3 13.4	10 69 1,914 3,846 3,824 5,663 4,783	0.0 0.3 9.5 19.1 19.0 28.2 23.8	0 0 6 14 31 74 115	0.0 0.0 2.5 5.8 12.9 30.8 47.9
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	13 182 158	3.2 44.6 38.7	10 138 128	3.1 42.6 39.5	3 44 30	3.6 52.4 35.7	5 109 81	2.3 50.2 37.3	669 9,428 7,067	3.3 46.9 35.1	6 96 55	2.5 40.0 22.9
Very high poverty (≥30% below FPL) Area-based poverty level not available	55 0	13.5 0.0	48 0	14.8 0.0	7 0	8.3 0.0	22 0	10.1 0.0	2,787 158	13.9 0.8	59 24	24.6 10.0
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU)	282 5	69.1 1.2	233 4	71.9 1.2	49 1	58.3 1.2	14	51.6 6.5	11,065 2,262	55.0 11.2	67 73	27.9 30.4
MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	8 24 0 0	2.0 5.9 0.0 0.0	8 15 0 0	2.5 4.6 0.0 0.0	0 9 0 0	0.0 10.7 0.0 0.0	6 22 1 2	2.8 10.1 0.5 0.9	700 1,820 5 327	3.5 9.1 0.0 1.6	7 30 0 4	2.9 12.5 0.0 1.7
Unknown	0 89	0.0 21.8	0 64	0.0 19.8	0 25	0.0 29.8		0.0 27.6	21 3,909	0.1 19.4	0 59	0.0 24.6

Table 1.5.4. Brooklyn, women (includes transgender women)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2018	PWH AS 12/31/20		DEATHS	6, 2018
					oncurrent v							
	Total HIV di		Withou			iagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	131	100.0	111	84.7	20	15.3	83	100.0	10,075	100.0	139	100.0
RACE/ETHNICITY												
Black	97	74.0	82	73.9	15	75.0	60	72.3	6,998	69.5	102	73.4
Latino/Hispanic	24	18.3	21	18.9	3	15.0		22.9	2,321	23.0	28	20.1 5.8 0.7
White	7	5.3	6	5.4	1	5.0		2.4	559	5.5	8	5.8
Asian/Pacific Islander	2	1.5	1	0.9	1	5.0		1.2	117	1.2	1	0.7
Native American	0	0.0	0	0.0	Ö	0.0		0.0	27	0.3	0	0.0
Multiracial	1	0.8	1	0.9	Ö	0.0		1.2	33	0.3	ő	0.0
Unknown	0	0.0	Ó	0.0	ő	0.0		0.0	20	0.2	Ö	0.0
OTINIOWIT	0	0.0	U	0.0	U	0.0	U	0.0	20	0.2	O	0.0
AGE GROUP (YEARS)												
0-12	1	0.8	0	0.0	1	5.0		1.2	11	0.1	0	0.0
13-19	2	1.5	2	1.8	0	0.0	0	0.0	51	0.5	0	0.0
20-29	37	28.2	36	32.4	1	5.0	7	8.4	610	6.1	2	1.4
30-39	28	21.4	25	22.5	3	15.0	18	21.7	1,305	13.0	8	5.8
40-49	26	19.8	21	18.9	5	25.0	12	14.5	2,066	20.5	25	18.0
50-59	22	16.8	16	14.4	6	30.0	29	34.9	3,319	32.9	48	34.5
60+	15	11.5	11	9.9	4	20.0	16	19.3	2,713	26.9	56	40.3
AREA-BASED POVERTY LEVEL							_					
Low poverty (<10% below FPL)	7	5.3	4	3.6	3	15.0		6.0	343	3.4	1	0.7
Medium poverty (10 to <20% below FPL)	69	52.7	59	53.2	10	50.0		45.8	4,178	41.5	40	28.8
High poverty (20 to <30% below FPL)	38	29.0	32	28.8	6	30.0	24	28.9	3,912	38.8	41	29.5
Very high poverty (≥30% below FPL)	17	13.0	16	14.4	1	5.0	16	19.3	1,581	15.7	42	30.2
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		0.0	61	0.6	15	10.8
Thou bacoa poverty level flet available		0.0	Ŭ	0.0	Ŭ	0.0	Ŭ	0.0	0.	0.0	.0	10.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	3	2.3	2	1.8	1	5.0		13.3	1,391	13.8	40	28.8
Heterosexual contact	102	77.9	85	76.6	17	85.0		67.5	5,824	57.8	63	45.3
Transgender people with sexual contact	11	8.4	11	9.9	0	0.0	4	4.8	405	4.0	3	2.2
Perinatal	0	0.0	0	0.0	0	0.0	1	1.2	347	3.4	1	0.7
Other	1	0.8	0	0.0	1	5.0	1	1.2	25	0.2	0	0.0
Unknown	14	10.7	13	11.7	1	5.0		12.0	2,083	20.7	32	23.0

Table 1.5.5. Manhattan, men (includes transgender men)

	HI		DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
				_	oncurrent v							
	Total HIV dia	agnoses %	Withou N	t AIDS %	d N	iagnoses %		%	N	0/	N	0/
TOTAL	303	100.0	252	83.2	51	16.8		100.0	27,318	% 100.0	203	% 100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	100 109 68 19 0 7	33.0 36.0 22.4 6.3 0.0 2.3 0.0	79 97 57 13 0 6	31.3 38.5 22.6 5.2 0.0 2.4 0.0	21 12 11 6 0 1	41.2 23.5 21.6 11.8 0.0 2.0 0.0	52 36 9 0 3	39.8 31.3 21.7 5.4 0.0 1.8 0.0	7,179 7,716 11,330 782 55 116 140	26.3 28.2 41.5 2.9 0.2 0.4 0.5	86 51 62 2 0 2	42.4 25.1 30.5 1.0 0.0 1.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 9 115 84 42 34 19	0.0 3.0 38.0 27.7 13.9 11.2 6.3	0 8 104 71 31 24 14	0.0 3.2 41.3 28.2 12.3 9.5 5.6	0 1 11 13 11 10 5	0.0 2.0 21.6 25.5 21.6 19.6 9.8	3 24 45 34 22	0.6 1.8 14.5 27.1 20.5 13.3 22.3	7 41 1,425 4,295 5,253 8,773 7,524	0.0 0.2 5.2 15.7 19.2 32.1 27.5	0 0 4 5 18 61 115	0.0 0.0 2.0 2.5 8.9 30.0 56.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	46 108 118 30 1	15.2 35.6 38.9 9.9 0.3	37 92 100 22 1	14.7 36.5 39.7 8.7 0.4	9 16 18 8 0	17.6 31.4 35.3 15.7 0.0	50 46 26	24.1 30.1 27.7 15.7 2.4	8,820 8,802 6,968 2,098 630	32.3 32.2 25.5 7.7 2.3	45 38 63 23 34	22.2 18.7 31.0 11.3 16.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	227 5 14 19 0 0 0	74.9 1.7 4.6 6.3 0.0 0.0 0.0	192 5 14 13 0 0	76.2 2.0 5.6 5.2 0.0 0.0 0.0	35 0 0 6 0 0	68.6 0.0 0.0 11.8 0.0 0.0 0.0	12 5 15 0 3 0	65.1 7.2 3.0 9.0 0.0 1.8 0.0 13.9	19,585 2,098 1,058 1,118 2 187 18 3,252	71.7 7.7 3.9 4.1 0.0 0.7 0.1 11.9	109 37 12 18 0 2 0	53.7 18.2 5.9 8.9 0.0 1.0 0.0

Table 1.5.6. Manhattan, women (includes transgender women)

		HIV	DIAGNO	OSES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					Concurrent with	_						
	Total HIV d			ıt AIDS		noses						-
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	67	100.0	57	85.1	10	14.9	40	100.0	5,200	100.0	66	100.0
RACE/ETHNICITY												
Black	35	52.2	29	50.9	6	60.0	25	62.5	2,802	53.9	38	57.6
Latino/Hispanic	22	32.8	21	36.8	1	10.0		30.0	1,773	34.1	23	34.8
White	8	11.9	6	10.5	2	20.0		5.0	521	10.0	4	6.1
Asian/Pacific Islander	2	3.0	1	1.8	1	10.0		2.5	65	1.3	0	0.0
Native American	0	0.0	Ö	0.0	Ó	0.0		0.0	7	0.1	1	1.5
Multiracial	0	0.0	0	0.0	0	0.0		0.0	16	0.1	Ö	0.0
Unknown	0	0.0	0	0.0	0	0.0		0.0	16	0.3	0	0.0
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	16	0.3	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	3	4.5	3	5.3	0	0.0	0	0.0	25	0.5	0	0.0
20-29	12	17.9	12	21.1	0	0.0	5	12.5	317	6.1	1	1.5
30-39	20	29.9	13	22.8	7	70.0	13	32.5	555	10.7	2	3.0
40-49	20	29.9	18	31.6	2	20.0		27.5	973	18.7	11	16.7
50-59	8	11.9	7	12.3	1	10.0		17.5	1,793	34.5	18	27.3
60+	4	6.0	4	7.0	Ó	0.0		10.0	1,533	29.5	34	51.5
00+	4	0.0	7	7.0	O	0.0	4	10.0	1,555	29.5	34	31.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	15	22.4	14	24.6	1	10.0		7.5	731	14.1	7	10.6
Medium poverty (10 to <20% below FPL)	14	20.9	11	19.3	3	30.0	12	30.0	1,240	23.8	10	15.2
High poverty (20 to <30% below FPL)	31	46.3	27	47.4	4	40.0	19	47.5	2,209	42.5	26	39.4
Very high poverty (≥30% below FPL)	7	10.4	5	8.8	2	20.0	6	15.0	908	17.5	16	24.2
	•											
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	112	2.2	7	10.6
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	4	6.0	3	5.3	1	10.0	3	7.5	1,042	20.0	18	27.3
Heterosexual contact	43	64.2	36	63.2	7	70.0		70.0	2,550	49.0	31	47.0
Transgender people with sexual contact	14	20.9	13	22.8	1	10.0		2.5	324	6.2	5	7.6
Perinatal	0	0.0	0	0.0	Ö	0.0		2.5	185	3.6	1	1.5
Other	0	0.0	0	0.0	0	0.0		0.0	15	0.3	Ö	0.0
Unknown	6	9.0	5	8.8	1	10.0		17.5	1,084	20.8	11	16.7
OTINTOWIT	0	9.0	<u> </u>	0.0		10.0	ı	17.5	1,004	20.0	11	10.7

Table 1.5.7. Queens, men (includes transgender men)

			DIAGNO	SES, 20)18		AIDS DIAGNOSE	ES, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
					Concurrent w	vith AIDS						
	Total HIV dia		Withou			iagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	297	100.0	230	77.4	67	22.6	150	100.0	13,637	100.0	95	100.0
RACE/ETHNICITY												
Black	70	23.6	54	23.5	16	23.9	43	28.7	4,265	31.3	34	35.8
Latino/Hispanic	162	54.5	133	57.8	29	43.3	65	43.3	5,894	43.2	39	41.1
White	25	8.4	20	8.7	5	7.5		11.3	2,470	18.1	19	20.0
Asian/Pacific Islander	39	13.1	22	9.6	17	25.4	24	16.0	889	6.5	3	3.2 0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.7	48	0.4	0	0.0
Multiracial	1	0.3	1	0.4	0	0.0	0	0.0	44	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	11	3.7	7	3.0	4	6.0		2.7	35	0.3	1	1.1
20-29	86	29.0	78	33.9	8	11.9	19	12.7	1,000	7.3	3	3.2
30-39	99	33.3	76	33.0	23	34.3	47	31.3	2,400	17.6	3	3.2
40-49	47	15.8	33	14.3	14	20.9	30	20.0	2,900	21.3	12	12.6
50-59	39	13.1	25	10.9	14	20.9	36	24.0	4,201	30.8	32	33.7
60+	15	5.1	11	4.8	4	6.0	14	9.3	3,098	22.7	44	46.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	106	35.7	85	37.0	21	31.3	53	35.3	5,516	40.4	24	25.3
Medium poverty (10 to <20% below FPL)	179	60.3	136	59.1	43	64.2		60.7	7,789	57.1	51	53.7
High poverty (20 to <30% below FPL)	12	4.0	9	3.9	3	4.5		4.0	190	1.4	2	2.1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	142	1.0	17	17.9
TRANSMISSION CATEGORY												
TRANSMISSION CATEGORY Men who have sex with men (MSM)	224	75.4	181	78.7	43	64.2	98	65.3	8.061	59.1	37	20.0
	224 5	1.7	3	1.3	43 2	3.0		3.3	1.410	10.3	23	38.9 24.2
Injection drug use history (IDU) MSM-IDU	7	2.4	6	2.6	1	1.5	3	2.0	1,410	3.2	23 6	24.2 6.3
Heterosexual contact	11	3.7	7	3.0	4	6.0		6.0	1,308	3.2 9.6	13	13.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1,308	9.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	175	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	-	0.0	22	0.2	0	0.0
Unknown	50	16.8	33	14.3	17	25.4	35	23.3	2.218	16.3	16	16.8
Ulikilowii	30	10.0	33	14.3	17	20.4	33	23.3	2,210	10.3	10	10.0

Table 1.5.8. Queens, women (includes transgender women)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					Concurrent with	_						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	58	100.0	41	70.7	17	29.3	52	100.0	4,964	100.0	34	100.0
RACE/ETHNICITY												
Black	27	46.6	17	41.5	10	58.8	30	57.7	2,772	55.8	18	52.9
Latino/Hispanic	17	29.3	12	29.3	5	29.4	15	28.8	1,495	30.1	8	23.5
White	5	8.6	5	12.2	0	0.0	2	3.8	432	8.7	7	20.6
Asian/Pacific Islander	8	13.8	6	14.6	2	11.8	5	9.6	217	4.4	1	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Multiracial	1	1.7	1	2.4	Ö	0.0	0	0.0	21	0.4	Ö	0.0
Unknown	0	0.0	Ö	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	Ö	0.0	Ő	0.0	Ö	0.0	Õ	0.0	19	0.4	Ő	0.0
20-29	15	25.9	12	29.3	3	17.6	10	19.2	295	5.9	Ő	0.0
30-39	15	25.9	12	29.3	3	17.6	11	21.2	622	12.5	0	0.0
40-49	8	13.8	5	12.2	3	17.6	9	17.3	1,063	21.4	5	14.7
50-59	12	20.7	8	19.5	4	23.5	10	19.2	1,641	33.1	13	38.2
60 +	8	13.8	4	9.8	4	23.5	12	23.1	1.319	26.6	16	47.1
		10.0		0.0	·	20.0		20.1	1,010	20.0	10	
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	21	36.2	13	31.7	8	47.1	24	46.2	2,045	41.2	8	23.5
Medium poverty (10 to <20% below FPL)	36	62.1	27	65.9	9	52.9	28	53.8	2,785	56.1	17	50.0
High poverty (20 to <30% below FPL)	1	1.7	1	2.4	0	0.0	0	0.0	62	1.2	1	2.9
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	72	1.5	7	20.6
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	2	3.4	2	4.9	0	0.0	3	5.8	639	12.9	10	29.4
Heterosexual contact	47	81.0	31	75.6	16	94.1	41	78.8	2,987	60.2	21	61.8
Transgender people with sexual contact	4	6.9	4	9.8	0	0.0	1	1.9	251	5.1	0	0.0
Perinatal	0	0.0	0	0.0	Ö	0.0		0.0	179	3.6	Ő	0.0
Other	Ö	0.0	0	0.0	Ö	0.0	0	0.0	18	0.4	0	0.0
Unknown	5	8.6	4	9.8	ĭ	5.9	7	13.5	890	17.9	3	0.0 8.8
O THOUGHT		0.0		3.0		0.0	r	10.0	000	17.0		0.0

Table 1.5.9. Staten Island, men (includes transgender men)

	HIV		DIAGNO	SES, 20)18		AIDS DIAGNOSES, 201		I AS OF 31/2018	DEATHS	, 2018
	Total HIV di	agnoses %	Withou N		Concurrent with A diagn N			%	N %	N	%
TOTAL	20	100.0	16	80.0	4	20.0				18	100.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	9 6 5 0	45.0 30.0 25.0 0.0 0.0	7 5 4 0 0	43.8 31.3 25.0 0.0 0.0	2 1 1 0 0	50.0 25.0 25.0 0.0 0.0	4 33 3 25 0 0	.3 47 .0 52	79 29.4	7 5 6 0	38.9 27.8 33.3 0.0 0.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 9 2 3 2 3	0.0 5.0 45.0 10.0 15.0 15.0	0 0 8 2 2 1 3	0.0 0.0 50.0 12.5 12.5 6.3 18.8	0 1 1 0 1 1	0.0 25.0 25.0 0.0 25.0 25.0 0.0	1 8 3 25 1 8 3 25 2 16	.3 2° .0 28 .7 5!	19 13.5 39 17.8 53 34.0	0 0 0 2 3 6 7	0.0 0.0 11.1 16.7 33.3 38.9
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	9 6 5	45.0 30.0 25.0	7 6 3	43.8 37.5 18.8	2 0 2	50.0 0.0 50.0	7 58	.3 1,14	8 70.6		11.1 61.1 5.6
Very high poverty (≥30% below FPL) Area-based poverty level not available	0	0.0 0.0	0	0.0	0 0	0.0		.0 .0	0 0.0 2 0.7	0 4	0.0 22.2
TRANSMISSION CATEGORY											
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact	13 0 1 1	65.0 0.0 5.0 5.0	9 0 1 1	56.3 0.0 6.3 6.3	0 0 0	0.0 0.0 0.0 0.0	0 0 1 8 0 0	.0 28 .3 8	30 17.2 32 5.0 74 10.7	8 2 2	16.7 44.4 11.1 11.1
Transgender people with sexual contact Perinatal Other Unknown	0 0 0 5	0.0 0.0 0.0 25.0	0 0 0 5	0.0 0.0 0.0 31.3	0 0 0	0.0 0.0 0.0 0.0	0 0	.0	0 0.0 30 1.8 0 0.0 92 17.9	0 0 0 3	0.0 0.0 0.0 16.7

Table 1.5.10. Staten Island, women (includes transgender women)

	HIV		DIAGNO	OSES, 2018	}		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
				Co	ncurrent wit	h AIDS						
	Total HIV di	iagnoses	With	out AIDS	dia	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	8	100.0	8	100.0	0	0.0	7	100.0	891	100.0	10	100.0
RACE/ETHNICITY												
Black	8	100.0	8	100.0	0	0.0	5	71.4	442	49.6	7	70.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	1	14.3	245	27.5	2	20.0
White	0	0.0	0	0.0	0	0.0	1	14.3	191	21.4	1	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	10.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	3	0.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
20-29	2	25.0	2	25.0	0	0.0	0	0.0	50	5.6	0	0.0
30-39	2	25.0	2	25.0	0	0.0	4	57.1	124	13.9	2	20.0
40-49	2	25.0	2	25.0	0	0.0	1	14.3	171	19.2	0	0.0
50-59	2	25.0	2	25.0	0	0.0	0	0.0	339	38.0	5	50.0
60+	0	0.0	0	0.0	0	0.0	2	28.6	196	22.0	3	30.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	1	14.3	141	15.8	2	20.0
Medium poverty (10 to <20% below FPL)	7	87.5	7	87.5	0	0.0	6	85.7	632	70.9	7	70.0
High poverty (20 to <30% below FPL)	1	12.5	1	12.5	0	0.0	0	0.0	115	12.9	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	10.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	136	15.3	2	20.0
Heterosexual contact	6	75.0	6	75.0	Ö	0.0	6	85.7	530	59.5	6	60.0
Transgender people with sexual contact	2	25.0	2	25.0	Ö	0.0	Õ	0.0	43	4.8	Ö	0.0
Perinatal	0	0.0	0	0.0	Ö	0.0	Ö	0.0	33	3.7	1	10.0
Other	0	0.0	Ö	0.0	Ö	0.0	Ö	0.0	5	0.6	0	0.0
Unknown	Ö	0.0	0	0.0	0	0.0		0.0	144	16.2	1	10.0

Table 1.6.1. Men who have sex with men (MSM)

			DIAGNO	SES, 201	18		AIDS DIAGNOSE	ES, 2018	PWH AS 12/31/20		DEATHS	, 2018
				Co	oncurrent w	ith AIDS						
	Total HIV dia	agnoses	Withou	t AIDS	di	agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	1,082	100.0	911	84.2	171	15.8	523	100.0	57,862	100.0	494	100.0
RACE/ETHNICITY												
Black	378	34.9	325	35.7	53	31.0		37.9	18,013	31.1	172	34.8
Latino/Hispanic	467	43.2	392	43.0	75	43.9	210	40.2	18,069	31.2	133	26.9
White	161	14.9	143	15.7	18	10.5	74	14.1	19,353	33.4	176	35.6
Asian/Pacific Islander	66	6.1	41	4.5	25	14.6	37	7.1	1,872	3.2	8	1.6
Native American	0	0.0	0	0.0	0	0.0	2	0.4	142	0.2	3	0.6
Multiracial	10	0.9	10	1.1	0	0.0	2	0.4	337	0.6	2	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	47	4.3	41	4.5	6	3.5	9	1.7	120	0.2	0	0.0
20-29	505	46.7	457	50.2	48	28.1	127	24.3	6,447	11.1	20	4.0
30-39	310	28.7	262	28.8	48	28.1	181	34.6	13,496	23.3	47	9.5
40-49	115	10.6	77	8.5	38	22.2	101	19.3	12,349	21.3	78	15.8
50-59	81	7.5	57	6.3	24	14.0	71	13.6	15,887	27.5	161	32.6
60+	24	2.2	17	1.9	7	4.1	34	6.5	9,563	16.5	188	38.1
BOROUGH OF RESIDENCE												
Bronx	193	17.8	162	17.8	31	18.1	104	19.9	8,366	14.5	77	15.6
Brooklyn	282	26.1	233	25.6	49	28.7	112	21.4	11,065	19.1	67	13.6
Manhattan	227	21.0	192	21.1	35	20.5	108	20.7	19,585	33.8	109	22.1
Queens	224	20.7	181	19.9	43	25.1	98	18.7	8,061	13.9	37	7.5
Staten Island	13	1.2	9	1.0	4	2.3	9	1.7	769	1.3	3	0.6
Outside NYC	106	9.8	97	10.6	9	5.3	88	16.8	8,486	14.7	30	6.1
Unknown	37	3.4	37	4.1	0	0.0	4	0.8	1,530	2.6	171	34.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	128	11.8	107	11.7	21	12.3	60	11.5	10,335	17.9	42	8.5
Medium poverty (10 to <20% below FPL)	380	35.1	311	34.1	69	40.4	179	34.2	19,228	33.2	96	19.4
High poverty (20 to <30% below FPL)	256	23.7	212	23.3	44	25.7	114	21.8	10,567	18.3	59	11.9
Very high poverty (≥30% below FPL)	174	16.1	146	16.0	28	16.4	78	14.9	7,297	12.6	73	14.8
Area-based poverty level not available	144	13.3	135	14.8	9	5.3	92	17.6	10,435	18.0	224	45.3

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

	HIV Total HIV diagnoses		DIAGNO	OSES, 20	18 oncurrent w	ith AIDS	AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
	Total HIV dia	anoses	Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	25	100.0	20	80.0	5	20.0	57	100.0	10,218	100.0	328	100.0
RACE/ETHNICITY												
Black	10	40.0	8	40.0	2	40.0		47.4	4,132	40.4	136	41.5
Latino/Hispanic	10	40.0	8	40.0	2	40.0		38.6	4,838	47.3	148	45.1
White	2	8.0	2	10.0	0	0.0	6	10.5	1,149	11.2	41	12.5
Asian/Pacific Islander	3	12.0	2	10.0	1	20.0	2	3.5	61	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.2	1	0.3 0.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	2	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	4.0	0	0.0	1	20.0	1	1.8	22	0.2	0	0.0
30-39	8	32.0	7	35.0	1	20.0	10	17.5	215	2.1	5	1.5
40-49	3	12.0	3	15.0	0	0.0	7	12.3	775	7.6	17	5.2
50-59	8	32.0	7	35.0	1	20.0	16	28.1	3,412	33.4	102	31.1
60+	5	20.0	3	15.0	2	40.0	23	40.4	5,794	56.7	204	62.2
BOROUGH OF RESIDENCE												
Bronx	7	28.0	6	30.0	1	20.0	20	35.1	3,305	32.3	113	34.5
Brooklyn	5	20.0	4	20.0	1	20.0	14	24.6	2,262	22.1	73	22.3
Manhattan	5	20.0	5	25.0	0	0.0	12	21.1	2,098	20.5	37	11.3
Queens	5	20.0	3	15.0	2	40.0	5	8.8	1,410	13.8	23	7.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	280	2.7	8	2.4
Outside NYC	2	8.0	1	5.0	1	20.0	5	8.8	821	8.0	15	4.6
Unknown	1	4.0	1	5.0	0	0.0	1	1.8	42	0.4	59	18.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	12.0	2	10.0	1	20.0	4	7.0	1,341	13.1	15	4.6
Medium poverty (10 to <20% below FPL)	10	40.0	7	35.0	3	60.0	15	26.3	2,670	26.1	69	21.0
High poverty (20 to <30% below FPL)	1	4.0	1	5.0	0	0.0	8	14.0	2,186	21.4	50	15.2
Very high poverty (≥30% below FPL)	8	32.0	8	40.0	0	0.0	23	40.4	2,926	28.6	88	26.8
Area-based poverty level not available	3	12.0	2	10.0	1	20.0	7	12.3	1,095	10.7	106	32.3

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

		HIV	DIAGNO	OSES, 20	118 Concurrent with A	AIDS	AIDS DIAGNOSES, 2018		WH AS 2/31/20		DEATHS	, 2018
	Total HIV di	agnoses	Withou		diagn							
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	18	100.0	15	83.3	3	16.7	39 100	.0 5	,612	100.0	169	100.0
RACE/ETHNICITY												
Black	8	44.4	7	46.7		33.3			,696	48.0	82	48.5
Latino/Hispanic	7	38.9	6	40.0	1	33.3			,232	39.8	63	37.3
White	3	16.7	2	13.3	1	33.3		.7	637	11.4	22	13.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0		.0	22	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0		.0	4	0.1	1	0.6 0.6
Multiracial	0	0.0	0	0.0	0	0.0		.0	17	0.3	1	0.6
Unknown	0	0.0	0	0.0	0	0.0	0 0	.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		.0	1	0.0	0	0.0
20-29	7	38.9	6	40.0	1	33.3		.6	54	1.0	0	0.0
30-39	7	38.9	6	40.0	1	33.3			245	4.4	2	1.2
40-49	2	11.1	1	6.7	1	33.3			711	12.7	26	15.4
50-59	2	11.1	2	13.3	0	0.0			,449	43.6	71	42.0
60+	0	0.0	0	0.0	0	0.0	11 28	.2 2	,152	38.3	70	41.4
BOROUGH OF RESIDENCE												
Bronx	8	44.4	7	46.7	1	33.3			,026	36.1	63	37.3
Brooklyn	3	16.7	2	13.3	1	33.3			,391	24.8	40	23.7
Manhattan	4	22.2	3	20.0	1	33.3			,042	18.6	18	10.7
Queens	2	11.1	2	13.3	0	0.0		.7	639	11.4	10	5.9 1.2
Staten Island	0	0.0	0	0.0	0	0.0		.6	136	2.4	2	1.2
Outside NYC	1	5.6	1	6.7	0	0.0		.6	364	6.5	9	5.3
Unknown	0	0.0	0	0.0	0	0.0	0 0	.0	14	0.2	27	16.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	11.1	2	13.3	0	0.0		.1	490	8.7	5	3.0
Medium poverty (10 to <20% below FPL)	3	16.7	3	20.0	0	0.0			,479	26.4	27	16.0
High poverty (20 to <30% below FPL)	6	33.3	4	26.7	2	66.7	7 17		,425	25.4	27	16.0
Very high poverty (≥30% below FPL)	6	33.3	5	33.3	1	33.3	19 48	.7 1	,773	31.6	67	39.6
Area-based poverty level not available	1	5.6	1	6.7	0	0.0	1 2	.6	445	7.9	43	25.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2018 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2018, NEW YORK CITY Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

RACE/ETHNICITY Black 17 36,2 17 38,6 0 0.0 14 48,3 1,306 35,2 29		HIV		DIAGNO	SES, 20	118	AIDS DIAGN	OSES, 2018	PWH AS 12/31/2		DEATHS	, 2018
TOTAL 1070						Concurrent with AIL	os					
TOTAL A47 100.0 44 93.6 3 6.4 29 100.0 3,706 100.0 72 RACE/ETHNICITY Black 17 36.2 17 38.6 0 0.0 14 48.3 1,306 35.2 29 Latino/Hispanic 7 14.9 20 45.5 1 33.3 9 31.0 1,401 37.8 24 White 7 14.9 5 11.4 2 66.7 5 17.2 909 24.5 19 Asian/Pacific Islander 1 2.1 1 2.3 0 0.0 1 3.4 500 1.3 0 Multiracial 1 2.1 1 2.3 0 0.0 0 1 3.4 500 1.3 0 Multiracial 1 2.1 1 2.3 0 0.0 0 0 0.0 27 0.7 0 Unknown 0 0 0.0 0 0 0.0 0 0.0 0 0.0 27 0.7 0 Unknown A6F GROUP (YEARS) 0-12 1 2 1 1 2.3 0 0.0 0 0 0.0 0 0.0 0 0.0 0 A7F A55 A55 A55 A55 A55 A55 A55 A55 A55 A5												
RACE/ETHNICITY Black 17 36.2 17 38.6 0 0.0 14 48.3 1,306 35.2 29												%
Black Latino/Hispanic 21 447 20 45.5 1 33.3 9 31.0 1.206 35.2 29 White 7 14.9 5 11.4 2 66.7 5 17.2 909 24.5 19 Asian/Pacific Islander 1 2.1 1 2.3 0 0.0 0 1 3.4 50 1.3 0 Native American 0 0 0.0 0 0 0.0 0.0 0 0.0	IOIAL	47	100.0	44	93.6	3 (5.4 29	100.0	3,706	100.0	72	100.0
Latino/Hispanic 21 44,7 20 45.5 1 33.3 9 31.0 1.401 37.8 24 White 7 14.9 5 11.4 2 66.7 5 17.2 909 24.5 19 Asian/Pacific Islander 1 2.1 1 2.3 0 0.0 1 3.4 50 1.3 0 Native American 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 </td <td>RACE/ETHNICITY</td> <td></td>	RACE/ETHNICITY											
White	Black	17	36.2	17	38.6	0 (0.0	48.3	1,306	35.2	29	40.3
Asian/Pacific Islander	Latino/Hispanic	21	44.7	20	45.5	1 33	3.3	31.0	1,401	37.8	24	33.3
Asian/Pacific Islander		7	14.9		11.4			17.2		24.5	19	26.4
Multiracial 1 2.1 1 2.3 0 0.0 0 0.0 27 0.7 0 0 0 0 0 0 0 0 0	Asian/Pacific Islander	1	2.1	1	2.3		0.0	3.4	50	1.3		0.0
Multiracial 1 2.1 1 2.3 0 0.0 0 0.0 27 0.7 0 0 0 0 0 0 0 0 0	Native American	0	0.0	0	0.0	0 (0.0	0.0	12	0.3	0	0.0
Unknown	Multiracial	1		1	2.3			0.0				0.0
0-12 13-19 1 2.1 1 2.3 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0	Unknown	0		0								0.0
0-12 0-12 0-12 0-13-19 0-13-19 0-13-19 0-13-19 0-14 0-15-19 0-15-19 0-15-19 0-16 0-16 0-16 0-16 0-16 0-16 0-16 0-16												
13-19		0	0.0	0	0.0	0 (0	0.0	0	0.0	0	0.0
20-29		0		0								0.0 0.0
30-39		1 47		10								0.0
40-49												0.0
50-59 3 3 6.4 2 4.5 1 33.3 4 13.8 1,238 33.4 33 60+ BOROUGH OF RESIDENCE Bronx 5 12 25.5 12 27.3 0 0.0 6 20.7 700 18.9 7 Manhattan 5 14 29.8 14 31.8 0 0.0 5 17.2 1,058 28.5 12 Queens 7 14.9 6 13.6 1 33.3 3 10.3 441 11.9 6 Staten Island 6 1 2.1 1 2.3 0 0.0 1 1 3.4 82 2.2 2 Quiside NYC 5 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Queens 7 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Queens 7 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Queens 7 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Queens 7 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Queens 7 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Queens 7 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Queens 7 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Queens 8 10.6 4 9.1 1 33.3 5 17.2 559 15.1 2 Medium poverty (<10% below FPL) 1 1 33.3 5 17.2 559 15.1 2 Medium poverty (10 to <20% below FPL) 1 1 34.0 16 36.4 0 0.0 8 27.6 1,113 30.0 12 High poverty (20 to <30% below FPL) 1 1 34.0 16 36.4 0 0.0 2 2 6.9 727 19.6 9												2.8
BOROUGH OF RESIDENCE Bronx 12 25.5 12 27.3 0 0.0 8 27.6 951 25.7 25 Brooklyn 8 17.0 8 18.2 0 0.0 6 20.7 700 18.9 7 Manhattan 14 29.8 14 31.8 0 0.0 5 17.2 1,058 28.5 12 Queens 7 14.9 6 13.6 1 33.3 3 10.3 441 11.9 6 Staten Island 1 2.1 1 2.3 0 0.0 1 3.4 82 2.2 2 Outside NYC 1 5 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Unknown AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) 16 34.0 16 36.4 0 0.0 8 27.6 1,113 30.0 12 High poverty (20 to <30% below FPL) 16 34.0 16 36.4 0 0.0 2 6.9 727 19.6 9		•		-							13	18.1
BOROUGH OF RESIDENCE Bronx 12 25.5 12 27.3 0 0.0 8 27.6 951 25.7 25 Brooklyn 8 17.0 8 18.2 0 0.0 6 20.7 700 18.9 7 Manhattan 14 29.8 14 31.8 0 0.0 5 17.2 1,058 28.5 12 Queens 7 14.9 6 13.6 1 33.3 3 10.3 441 11.9 6 Staten Island 1 2.1 1 2.3 0 0.0 1 3.4 82 2.2 2 Outside NYC 1 5 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Unknown AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) 16 34.0 16 36.4 0 0.0 8 27.6 1,113 30.0 12 High poverty (20 to <30% below FPL) 16 34.0 16 36.4 0 0.0 2 6.9 727 19.6 9		3		2							33	45.8
Bronx 12 25.5 12 27.3 0 0.0 8 27.6 951 25.7 25	60+	1	2.1	1	2.3	0 (0.0 5	17.2	871	23.5	24	33.3
Bronx 12 25.5 12 27.3 0 0.0 8 27.6 951 25.7 25	BOROUGH OF RESIDENCE											
Brooklyn 8 17.0 8 18.2 0 0.0 6 20.7 700 18.9 7 Manhattan 14 29.8 14 31.8 0 0.0 5 17.2 1,058 28.5 12 Queens 7 14.9 6 13.6 1 33.3 3 10.3 441 11.9 6 Staten Island 1 2.1 1 2.3 0 0.0 1 3.4 82 2.2 2 Outside NYC 5 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Unknown 0 0.0 0 0.0 0 0 0.0 0		12	25.5	12	27.3	0 (0.0	27.6	951	25.7	25	34.7
Manhattan												9.7
Queens 7 14.9 6 13.6 1 33.3 3 10.3 441 11.9 6 Staten Island 1 2.1 1 2.3 0 0.0 1 3.4 82 2.2 2 Outside NYC 5 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Unknown 0 0.0 0 0.0 0												16.7
Staten Island 1 2.1 1 2.3 0 0.0 1 3.4 82 2.2 2 Outside NYC 5 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Unknown 0 0.0 0 0.0 <												8.3
Outside NYC 5 10.6 3 6.8 2 66.7 6 20.7 452 12.2 4 Unknown 0 0.0 0 0.0 0 0.0 0 0.0 22 0.6 16 AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL)		1		1								2.8
Unknown 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 22 0.6 16 AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) 5 10.6 4 9.1 1 33.3 5 17.2 559 15.1 2 Medium poverty (10 to <20% below FPL) 16 34.0 16 36.4 0 0.0 8 27.6 1,113 30.0 12 High poverty (20 to <30% below FPL) 16 34.0 16 36.4 0 0.0 2 6.9 727 19.6 9		5		3								5.6
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) 16 34.0 16 36.4 0 0.0 8 27.6 1,113 30.0 12 High poverty (20 to <30% below FPL) 16 34.0 16 36.4 0 0.0 2 6.9 727 19.6 9		_							77			22.2
Low poverty (<10% below FPL)	OTIKIOWIT	· ·	0.0	U	0.0	0 (7.0	0.0	22	0.0	10	22.2
Medium poverty (10 to <20% below FPL)	AREA-BASED POVERTY LEVEL											
High poverty (20 to <30% below FPL) 16 34.0 16 36.4 0 0.0 2 6.9 727 19.6 9		5	10.6	4		1 33	5.3				2	2.8
High poverty (20 to <30% below FPL) 16 34.0 16 36.4 0 0.0 2 6.9 727 19.6 9	Medium poverty (10 to <20% below FPL)	16	34.0	16	36.4	0 (0.0	27.6	1,113	30.0	12	16.7
Very high poverty (≥30% below FPL) 5 10.6 5 11.4 0 0.0 8 27.6 809 21.8 23		16	34.0	16	36.4	0 (0.0	6.9	727	19.6		12.5
	Very high poverty (≥30% below FPL)	5	10.6	5	11.4	0 (0.0	27.6	809	21.8	23	31.9
Area-based poverty level not available 5 10.6 3 6.8 2 66.7 6 20.7 498 13.4 26	, , , ,	5		3	6.8							36.1

Table 1.6.5. Heterosexual contact, men

	HIV		DIAGNO	SES, 20	118		AIDS DIAGNOSES	, 2018	PWH AS 12/31/20		DEATHS	, 2018
					Concurrent with							
	Total HIV di		Withou			noses	N1	0/	N.	0/	N.	0,
TOTAL	N 79	% 100.0	N 53	% 67.1	N 26	% 32.9	N 85	% 100.0	7,305	% 100.0	N 121	% 100.0
IOTAL	7 9	100.0	33	07.1	20	32.5	00	100.0	7,303	100.0	121	100.0
RACE/ETHNICITY												
Black	42	53.2	28	52.8	14	53.8	51	60.0	3,977	54.4	84	69.4
Latino/Hispanic	22	27.8	15	28.3	7	26.9	25	29.4	2,467	33.8	28	23.1
White	5	6.3	4	7.5	1	3.8	2	2.4	587	8.0	7	5.8
Asian/Pacific Islander	9	11.4	6	11.3	3	11.5	5	5.9	228	3.1	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.3	0	0.0 0.8 0.0
Multiracial	1	1.3	0	0.0	1	3.8	2	2.4	17	0.2	1	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	2.5	1	1.9	1	3.8	1	1.2	4	0.1	0	0.0
20-29	16	20.3	14	26.4	2	7.7	10	11.8	144	2.0	0	0.0
30-39	18	22.8	12	22.6	6	23.1	19	22.4	562	7.7	4	3.3
40-49	12	15.2	10	18.9	2	7.7	15	17.6	1,395	19.1	12	9.9
50-59	22	27.8	10	18.9	12	46.2	24	28.2	2,970	40.7	44	36.4
60+	9	11.4	6	11.3	3	11.5	16	18.8	2,230	30.5	61	50.4
BOROUGH OF RESIDENCE												
Bronx	19	24.1	13	24.5	6	23.1	20	23.5	2,090	28.6	32	26.4
Brooklyn	24	30.4	15	28.3	9	34.6	22	25.9	1,820	24.9	30	24.8
Manhattan	19	24.1	13	24.5	6	23.1	15	17.6	1,118	15.3	18	14.9
Queens	11	13.9	7	13.2	4	15.4	9	10.6	1,308	17.9	13	10.7
Staten Island	1	1.3	1	1.9	0	0.0	0	0.0	174	2.4	2	1.7
Outside NYC	4	5.1	3	5.7	1	3.8	19	22.4	738	10.1	3	2.5
Unknown	1	1.3	1	1.9	0	0.0	0	0.0	57	0.8	23	19.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	15.2	7	13.2	5	19.2	8	9.4	841	11.5	9	7.4
Medium poverty (10 to <20% below FPL)	22	27.8	16	30.2	6	23.1	14	16.5	2,353	32.2	20	16.5
High poverty (20 to <30% below FPL)	24	30.4	15	28.3	9	34.6	19	22.4	1,567	21.5	19	15.7
Very high poverty (≥30% below FPL)	16	20.3	11	20.8	5	19.2	22	25.9	1,704	23.3	35	28.9
Area-based poverty level not available	5	6.3	4	7.5	1	3.8	22	25.9	840	11.5	38	31.4

Table 1.6.6. Heterosexual contact, women

	Total I IIV di				oncurrent w			ES, 2018	PWH AS 12/31/20		DEATHS	5, 2018
	Total HIV di		Withou			agnoses		%	N	0/	NI.	0/
TOTAL	N 316	% 100.0	N 259	% 82.0	N 57	% 18.0		100.0	N 20,115	% 100.0	N 240	% 100.0
IOTAL	310	100.0	259	02.0	37	10.0	240	100.0	20,115	100.0	240	100.0
RACE/ETHNICITY								_				
Black	197	62.3	156	60.2	41	71.9	162	67.5	11,927	59.3	150	62.5
Latino/Hispanic	89	28.2	81	31.3	8	14.0	60	25.0	6,438	32.0	73	30.4
White	17	5.4	13	5.0	4	7.0	11	4.6	1,296	6.4	15	6.3
Asian/Pacific Islander	11	3.5	7	2.7	4	7.0	6	2.5	330	1.6	2	0.8
Native American	0	0.0	0	0.0	0	0.0		0.0	50	0.2	0	0.0 0.0
Multiracial	2	0.6	2	0.8	0	0.0		0.4	61	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	6	1.9	6	2.3	0	0.0	1	0.4	28	0.1	0	0.0
20-29	64	20.3	58	22.4	6	10.5	31	12.9	828	4.1	1	0.4
30-39	69	21.8	57	22.0	12	21.1	58	24.2	2,754	13.7	20	8.3
40-49	73	23.1	59	22.8	14	24.6	56	23.3	4,730	23.5	45	18.8
50-59	65	20.6	52	20.1	13	22.8		25.8	6,847	34.0	76	31.7
60+	39	12.3	27	10.4	12	21.1	32	13.3	4,928	24.5	98	40.8
BOROUGH OF RESIDENCE												
Bronx	95	30.1	82	31.7	13	22.8	80	33.3	6,456	32.1	61	25.4
Brooklyn	102	32.3	85	32.8	17	29.8		23.3	5,824	29.0	63	26.3
Manhattan	43	13.6	36	13.9	7	12.3		11.7	2,550	12.7	31	12.9
Queens	47	14.9	31	12.0	16	28.1	41	17.1	2,987	14.8	21	12.9 8.8 2.5
Staten Island	6	1.9	6	2.3	0	0.0	6	2.5	530	2.6	6	2.5
Outside NYC	15	4.7	11	4.2	4	7.0	28	11.7	1,554	7.7	8	3.3
Unknown	8	2.5	8	3.1	0	0.0	1	0.4	214	1.1	50	20.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	31	9.8	19	7.3	12	21.1	28	11.7	1.837	9.1	10	4.2
Medium poverty (10 to <20% below FPL)	115	36.4	91	35.1	24	42.1	79	32.9	6,391	31.8	51	21.3
High poverty (20 to <30% below FPL)	73	23.1	63	24.3	10	17.5		17.1	4,762	23.7	40	16.7
Very high poverty (≥30% below FPL)	74	23.4	67	25.9	7	12.3	63	26.3	5,272	26.2	57	23.8
Area-based poverty level not available	23	7.3	19	7.3	4	7.0	29	12.1	1,853	9.2	82	34.2

Table 1.6.7. Transgender people with sexual contact

	HIV		DIAGNO	OSES, 20	18		AIDS DIAGNOSES,	2018	PWH AS 12/31/20	_	DEATHS	, 2018
	Total HIV di		Withou	ıt AIDS	Concurrent with diagr	AIDS noses						
TOTAL	N 66	100.0	N 63	% 95.5	N 3	% 4.5	N 24	% 100.0	N 1,980	% 100.0	N 17	% 100.0
		10010							1,000			
GENDER Men	2	3.0	2	3.2	0	0.0	0	0.0	25	1.3	0	0.0
Women	2 64	97.0	61	96.8	0 3	100.0		100.0	1,955	98.7	0 17	100.0
RACE/ETHNICITY												
Black Latino/Hispanic	37 21	56.1 31.8	35 20	55.6 31.7	2	66.7 33.3	11 10	45.8 41.7	1,001 774	50.6 39.1	9 7	52.9 41.2
White Asian/Pacific Islander	4 2	6.1 3.0	4 2	6.3 3.2	0 0	0.0	1 1	4.2 4.2	124 42	6.3 2.1	1 0	5.9 0.0
Native American Multiracial	0 2	0.0 3.0	0 2	0.0 3.2	0	0.0	0 1	0.0 4.2	8 31	0.4 1.6	0	0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 5 43 14 4 0	0.0 7.6 65.2 21.2 6.1 0.0 0.0	0 4 43 13 3 0	0.0 6.3 68.3 20.6 4.8 0.0	0 1 0 1 1 0	0.0 33.3 0.0 33.3 33.3 0.0 0.0	1 9 10 3 1	0.0 4.2 37.5 41.7 12.5 4.2 0.0	0 12 555 707 401 248 57	0.0 0.6 28.0 35.7 20.3 12.5 2.9	0 0 4 3 4 4 2	0.0 0.0 23.5 17.6 23.5 23.5
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	16 11 14 4 2 12 7	24.2 16.7 21.2 6.1 3.0 18.2 10.6	15 11 13 4 2 11	23.8 17.5 20.6 6.3 3.2 17.5 11.1	1 0 1 0 0 1	33.3 0.0 33.3 0.0 0.0 33.3 0.0	5 1 1 0 8	37.5 20.8 4.2 4.2 0.0 33.3 0.0	607 410 326 253 43 218 123	30.7 20.7 16.5 12.8 2.2 11.0 6.2	5 3 5 0 0 2 2	29.4 17.6 29.4 0.0 0.0 11.8 11.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	8 20 10	12.1 30.3 15.2	8 19 10	12.7 30.2 15.9	0 1 0	0.0 33.3 0.0		0.0 25.0 8.3	200 524 400	10.1 26.5 20.2	0 2 4	0.0 11.8 23.5
Very high poverty (≥30% below FPL) Area-based poverty level not available	9 19	13.6 28.8	8 18	12.7 28.6	1 1	33.3 33.3	8 8	33.3 33.3	511 345	25.8 17.4	6 5	35.3 29.4

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	OSES, 2018	3		AIDS DIAGNOSES	, 2018	PWH AS 12/31/20	_	DEATHS,	2018
					oncurrent with	AIDS						
	Total HIV di			out AIDS		noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	8	100.0	8	100.0	0	0.0	5	100.0	741	100.0	17	100.0
GENDER												
Men	8	100.0	8	100.0	0	0.0	3	60.0	503	67.9	13	76.5
Women	0	0.0	0	0.0	0	0.0	2	40.0	238	32.1	4	23.5
RACE/ETHNICITY												
Black	1	12.5	1	12.5	0	0.0	3	60.0	244	32.9	7	41.2
Latino/Hispanic	5	62.5	5	62.5	0	0.0	2	40.0	337	45.5	9	52.9
White	2	25.0	2	25.0	0	0.0	0	0.0	146	19.7	1	5.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	1.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
20-29	3	37.5	3	37.5	0	0.0	0	0.0	41	5.5	1	5.9
30-39	2	25.0	2	25.0	0	0.0	2	40.0	117	15.8	0	0.0
40-49	2	25.0	2	25.0	0	0.0	2	40.0	129	17.4	1	5.9
50-59	1	12.5	1	12.5	0	0.0	1	20.0	232	31.3	8	47.1
60+	0	0.0	0	0.0	0	0.0	0	0.0	218	29.4	7	41.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	75.0	6	75.0	0	0.0	3	60.0	302	40.8	3	17.6
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	99	13.4	4	23.5
MSM-IDU	1	12.5	1	12.5	0	0.0	0	0.0	14	1.9	1	5.9
Heterosexual contact	1	12.5	1	12.5	0	0.0	2	40.0	177	23.9	4	23.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	16	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	1	5.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	125	16.9	4	23.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)

	HIV		DIAGNO	SES, 20	18		AIDS DIAGNOSE	ES, 2018	PWH AS 12/31/20		DEATHS	, 2018
					Concurrent wit	th AIDS						
	Total HIV di		Withou			ignoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	44	100.0	34	77.3	10	22.7	36	100.0	2,711	100.0	34	100.0
GENDER												
Men	24	54.5	20	58.8	4	40.0	17	47.2	1,543	56.9	18	52.9
Women	20	45.5	14	41.2	6	60.0	19	52.8	1,168	43.1	16	47.1
Wolfield	20	40.0		71.2	· ·	00.0	10	02.0	1,100	40.1	10	77.1
RACE/ETHNICITY												
Black	31	70.5	24	70.6	7	70.0	20	55.6	1,765	65.1	16	47.1
Latino/Hispanic	12	27.3	10	29.4	2	20.0	14	38.9	774	28.6	13	38.2
White	1	2.3	0	0.0	1	10.0	2	5.6	121	4.5	5	14.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	31	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0 0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	2.3	1	2.9	0	0.0	0	0.0	12	0.4	0	0.0
20-29	14	31.8	13	38.2	1	10.0	6	16.7	246	9.1	1	2.9
30-39	9	20.5	8	23.5	1	10.0	5	13.9	433	16.0	1	2.9
40-49	9	20.5	5	14.7	4	40.0	9	25.0	504	18.6	0	0.0
50-59	10	22.7	7	20.6	3	30.0	11	30.6	878	32.4	13	38.2
60+	1	2.3	0	0.0	1	10.0	5	13.9	637	23.5	19	55.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	15	34.1	14	41.2	1	10.0	9	25.0	690	25.5	5	14.7
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	2	5.6	327	12.1	10	29.4
MSM-IDU ,	1	2.3	1	2.9	0	0.0	0	0.0	70	2.6	1	2.9
Heterosexual contact	19	43.2	14	41.2	5	50.0	16	44.4	938	34.6	11	32.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.8	30	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	91	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	9	20.5	5	14.7	4	40.0	8	22.2	564	20.8	7	20.6

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
				С	oncurrent with	AIDS			,0 .,_0			
	Total HIV di	agnoses	Withou	t AIDS	diagi	noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	87	100.0	67	77.0	20	23.0	56	100.0	5,789	100.0	78	100.0
OFNIDED												
GENDER	60	70.4	47	70.4	4.0	00.0	40	74.4	2.700	CE E	F0	7F.C
Men	63 24	72.4 27.6	47 20	70.1 29.9	16 4	80.0 20.0	40 16	71.4 28.6	3,789	65.5 34.5	59 19	75.6 24.4
Women	24	27.0	20	29.9	4	20.0	10	28.6	2,000	34.5	19	24.4
RACE/ETHNICITY												
Black	41	47.1	29	43.3	12	60.0	29	51.8	2,612	45.1	34	43.6
Latino/Hispanic	42	48.3	34	50.7	8	40.0	26	46.4	2,821	48.7	41	52.6
White	3	3.4	3	4.5	0	0.0	0	0.0	282	4.9	1	1.3
Asian/Pacific Islander	1	1.1	1	1.5	0	0.0	1	1.8	43	0.7	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	1	1.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	5	5.7	5	7.5	0	0.0	1	1.8	17	0.3	0	0.0
20-29	33	37.9	26	38.8	7	35.0	15	26.8	469	8.1	0	0.0
30-39	24	27.6	19	28.4	5	25.0	17	30.4	948	16.4	3	3.8
40-49	9	10.3	7	10.4	2	10.0	6	10.7	1,161	20.1	9	11.5
50-59	12	13.8	7	10.4	5	25.0	13	23.2	1,887	32.6	32	41.0
60+	4	4.6	3	4.5	1	5.0	4	7.1	1,304	22.5	34	43.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	47	54.0	34	50.7	13	65.0	28	50.0	1,869	32.3	14	17.9
Injection drug use history (IDÙ)	4	4.6	4	6.0	0	0.0	5	8.9	931	16.1	36	46.2 2.6
MSM-IDU	2	2.3	2	3.0	0	0.0	2	3.6	186	3.2	2	2.6
Heterosexual contact	16	18.4	12	17.9	4	20.0	10	17.9	1,470	25.4	12	15.4
Transgender people with sexual contact	6	6.9	6	9.0	0	0.0	1	1.8	136	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	117	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	12	13.8	9	13.4	3	15.0	9	16.1	1,075	18.6	14	17.9

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
				С	oncurrent with	AIDS			,0 .,_0			1
	Total HIV di		Withou	t AIDS	diagi	noses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	59	100.0	48	81.4	11	18.6	43	100.0	4,545	100.0	60	100.0
GENDER												
Men	41	69.5	31	64.6	10	90.9	30	69.8	2,835	62.4	37	61.7
Women	18	30.5	17	35.4	10	9.1	13	30.2	1,710	37.6	23	38.3
Wonch	10	30.0	17	55.4		3.1	10	30.2	1,7 10	37.0	20	30.5
RACE/ETHNICITY												
Black	20	33.9	16	33.3	4	36.4	20	46.5	1,864	41.0	18	30.0
Latino/Hispanic	35	59.3	29	60.4	6	54.5	19	44.2	2,307	50.8	35	58.3
White	3	5.1	2	4.2	1	9.1	3	7.0	306	6.7	5	8.3
Asian/Pacific Islander	1	1.7	1	2.1	0	0.0	1	2.3	46	1.0	1	1.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	1	1.7
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	1.7	1	2.1	Ö	0.0	Õ	0.0	13	0.3	Ö	0.0
20-29	20	33.9	19	39.6	1	9.1	3	7.0	348	7.7	2	3.3
30-39	13	22.0	10	20.8	3	27.3	9	20.9	656	14.4	2	3.3
40-49	8	13.6	7	14.6	1	9.1	9	20.9	827	18.2	9	15.0
50-59	10	16.9	7	14.6	3	27.3	11	25.6	1,564	34.4	25	41.7
60+	7	11.9	4	8.3	3	27.3	11	25.6	1,136	25.0	22	36.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	23	39.0	20	41.7	3	27.3	15	34.9	1,286	28.3	10	16.7
Injection drug use history (IDU)	4	6.8	3	6.3	1	9.1	5	11.6	766	16.9	21	35.0
MSM-IDU	3	5.1	3	6.3	Ö	0.0	0	0.0	121	2.7	3	35.0 5.0
Heterosexual contact	14	23.7	12	25.0	2	18.2	11	25.6	1,252	27.5	10	16.7
Transgender people with sexual contact	4	6.8	4	8.3	0	0.0	0	0.0	65	1.4	0	0.0
Perinatal	Ö	0.0	Ö	0.0	Ö	0.0	Ö	0.0	152	3.3	2	3.3
Other	Ö	0.0	Ö	0.0	Ö	0.0	Ö	0.0	13	0.3	0	0.0
Unknown	11	18.6	6	12.5	5	45.5	12	27.9	890	19.6	14	23.3

Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	, 2018
				C	oncurrent wit	h AIDS						
	Total HIV di			it AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	83	100.0	73	88.0	10	12.0	75	100.0	6,338	100.0	128	100.0
GENDER												
Men	57	68.7	50	68.5	7	70.0	45	60.0	3,843	60.6	88	68.8
Women	26	31.3	23	31.5	3	30.0	30	40.0	3,043 2,495	39.4	40	31.3
vvoineri	20	31.3	23	31.5	3	30.0	30	40.0	2,495	39.4	40	31.3
RACE/ETHNICITY												
Black	33	39.8	28	38.4	5	50.0	46	61.3	3,064	48.3	57	44.5
Latino/Hispanic	50	60.2	45	61.6	5	50.0	28	37.3	3,024	47.7	65	50.8
White	0	0.0	0	0.0	0	0.0	1	1.3	175	2.8	5	3.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	34	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	1	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	3	3.6	3	4.1	0	0.0	1	1.3	25	0.4	0	0.0
20-29	26	31.3	23	31.5	3	30.0	13	17.3	530	8.4	5	3.9
30-39	23	27.7	21	28.8	2	20.0	20	26.7	1,003	15.8	7	5.5
40-49	13	15.7	12	16.4	1	10.0	17	22.7	1,259	19.9	22	17.2
50-59	13	15.7	11	15.1	2	20.0	18	24.0	2,047	32.3	43	33.6
60+	5	6.0	3	4.1	2	20.0	6	8.0	1,468	23.2	51	39.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	39	47.0	36	49.3	3	30.0	18	24.0	1,609	25.4	19	14.8
Injection drug use history (IDU)	3	3.6	3	4.1	0	0.0	11	14.7	1,207	19.0	54	42.2
MSM-IDU Č	1	1.2	1	1.4	0	0.0	1	1.3	219	3.5	6	4.7
Heterosexual contact	24	28.9	22	30.1	2	20.0	23	30.7	1,810	28.6	20	15.6
Transgender people with sexual contact	1	1.2	1	1.4	0	0.0	3	4.0	164	2.6	2	1.6
Perinatal	0	0.0	0	0.0	0	0.0	3	4.0	175	2.8	2	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	15	18.1	10	13.7	5	50.0	16	21.3	1,151	18.2	25	19.5

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV		DIAGNO	SES, 201	8		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	, 2018
				С	oncurrent w	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	103	100.0	82	79.6	21	20.4	82	100.0	6,335	100.0	111	100.0
GENDER												
Men	71	68.9	52	63.4	19	90.5	46	56.1	3,940	62.2	73	65.8
Women	32	31.1	30	36.6	2	90.5		43.9	2,395	37.8	73 38	34.2
vvonien	32	31.1	30	30.0	2	9.5	30	43.9	2,395	37.0	30	34.2
RACE/ETHNICITY												
Black	61	59.2	50	61.0	11	52.4	47	57.3	3,268	51.6	57	51.4
Latino/Hispanic	40	38.8	30	36.6	10	47.6	33	40.2	2,781	43.9	47	42.3
White	2	1.9	2	2.4	0	0.0	2	2.4	216	3.4	6	5.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	31	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	1	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.9 0.0
AGE GROUP (YEARS)												
0-12	1	1.0	0	0.0	1	4.8		2.4	3	0.0	0	0.0
13-19	4	3.9	4	4.9	0	0.0	3	3.7	34	0.5	0	0.0
20-29	34	33.0	31	37.8	3	14.3	11	13.4	440	6.9	2	1.8
30-39	25	24.3	20	24.4	5	23.8	23	28.0	963	15.2	7	6.3
40-49	12	11.7	9	11.0	3	14.3	16	19.5	1,241	19.6	16	14.4
50-59	20	19.4	12	14.6	8	38.1	22	26.8	2,051	32.4	37	33.3
60+	7	6.8	6	7.3	1	4.8	5	6.1	1,603	25.3	49	44.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	41	39.8	31	37.8	10	47.6	22	26.8	1,581	25.0	19	17.1
Injection drug use history (IDU)	2	1.9	2	2.4	0	0.0	11	13.4	1,202	19.0	36	32.4
MSM-IDU	3	2.9	3	3.7	0	0.0	2	2.4	204	3.2	10	9.0
Heterosexual contact	33	32.0	29	35.4	4	19.0	25	30.5	1,786	28.2	20	18.0
Transgender people with sexual contact	4	3.9	4	4.9	0	0.0	1	1.2	104	1.6	3	2.7
Perinatal	0	0.0	0	0.0	Ö	0.0	6	7.3	163	2.6	Ö	0.0
Other	1	1.0	Ö	0.0	1	4.8	1	1.2	10	0.2	Ö	0.0
Unknown	19	18.4	13	15.9	6	28.6	14	17.1	1,285	20.3	23	20.7

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

		HIV	DIAGNO	OSES, 20 ⁻	18		AIDS DIAGNOSES	s, 2018	PWH AS 12/31/20		DEATHS,	, 2018
				С	oncurrent with A	IDS						
	Total HIV di		Withou		diagno							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	41	100.0	34	82.9	7 1	17.1	43	100.0	3,949	100.0	51	100.0
GENDER	0.4	75.0	00	70.5		74 4	00	00.5	0.440	04.4	00	50.0
Men	31	75.6	26	76.5		71.4	26	60.5	2,413	61.1	30	58.8
Women	10	24.4	8	23.5	2 2	28.6	17	39.5	1,536	38.9	21	41.2
RACE/ETHNICITY												
Black	16	39.0	13	38.2	3 4	12.9	23	53.5	1,728	43.8	28	54.9
Latino/Hispanic	22	53.7	19	55.9		12.9	18	41.9	2,023	51.2	20	39.2
White	1	2.4	0	0.0		14.3	1	2.3	156	4.0	2	3.9
Asian/Pacific Islander	0	0.0	0	0.0		0.0	0	0.0	21	0.5	0	0.0
Native American	0	0.0	0	0.0		0.0	0	0.0	9	0.2	0	0.0
Multiracial	2	4.9	2	5.9	0	0.0	1	2.3	11	0.3	1	2.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	4	9.8	3	8.8		14.3	2	4.7	16	0.4	0	0.0 2.0
20-29	15	36.6	14	41.2	1 1	14.3	7	16.3	354	9.0	1	2.0
30-39	13	31.7	13	38.2	0	0.0	7	16.3	700	17.7	4	7.8
40-49	2	4.9	0	0.0		28.6	9	20.9	762	19.3	7	13.7
50-59	3	7.3	2	5.9	1 1	14.3	11	25.6	1,202	30.4	18	35.3
60+	4	9.8	2	5.9	2 2	28.6	7	16.3	911	23.1	21	41.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	22	53.7	21	61.8	1 1	14.3	9	20.9	1,019	25.8	7	13.7
Injection drug use history (IDÙ)	2	4.9	1	2.9	1 1	14.3	6	14.0	748	18.9	15	29.4
MSM-IDU	1	2.4	1	2.9		0.0	3	7.0	135	3.4	2	3.9
Heterosexual contact	7	17.1	5	14.7	2 2	28.6	13	30.2	1,104	28.0	16	31.4
Transgender people with sexual contact	1	2.4	0	0.0		14.3	3	7.0	101	2.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.7	120	3.0	1	2.0
Other	0	0.0	0	0.0		0.0	0	0.0	4	0.1	1	2.0
Unknown	8	19.5	6	17.6	2 2	28.6	7	16.3	718	18.2	9	17.6

Table 1.8.1. Greenpoint (Brooklyn)

	HIV		DIAGNO	SES, 20 ⁻	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	11	100.0	8	72.7	3	27.3	11	100.0	895	100.0	4	100.0
GENDER								_				
Men	10	90.9	7	87.5	3	100.0	9	81.8	720	80.4	1	25.0
Women	10	9.1	1	12.5	0	0.0		18.2	175	19.6	3	75.0
VVOILEIT	•	3.1		12.5	O	0.0	_	10.2	173	13.0	3	75.0
RACE/ETHNICITY												
Black	1	9.1	1	12.5	0	0.0	2	18.2	142	15.9	0	0.0
Latino/Hispanic	7	63.6	5	62.5	2	66.7		63.6	392	43.8	4	100.0
White	3	27.3	2	25.0	1	33.3	1	9.1	331	37.0	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	9.1	5	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	3	0.3	0	0.0
20-29	0	0.0	0	0.0	0	0.0	3	27.3	61	6.8	0	0.0
30-39	7	63.6	4	50.0	3	100.0		63.6	210	23.5	0	0.0
40-49	1	9.1	1	12.5	0	0.0	1	9.1	205	22.9	1	25.0
50-59	2	18.2	2	25.0	0	0.0	0	0.0	252	28.2	2	50.0
60+	1	9.1	1	12.5	0	0.0	0	0.0	164	18.3	1	25.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	5	45.5	3	37.5	2	66.7	6	54.5	503	56.2	1	25.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	105	11.7	1	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0		0.0	24	2.7	0	0.0
Heterosexual contact	2	18.2	2	25.0	0	0.0	3	27.3	121	13.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	9.1	11	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	4	36.4	3	37.5	1	33.3	1	9.1	121	13.5	2	50.0

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV		DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					oncurrent wit	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	37	100.0	35	94.6	2	5.4	20	100.0	2,778	100.0	24	100.0
GENDER												
Men	26	70.3	24	68.6	2	100.0	14	70.0	2,151	77.4	15	62.5
Women	11	29.7	11	31.4	0	0.0	6	30.0	627	22.6	9	37.5
RACE/ETHNICITY												
Black	18	48.6	18	51.4	0	0.0	11	55.0	1,156	41.6	10	41.7
Latino/Hispanic	8	21.6	7	20.0	1	50.0	6	30.0	675	24.3	6	25.0
White	9	24.3	8	22.9	1	50.0	3	15.0	855	30.8	7	29.2
Asian/Pacific Islander	2	5.4	2	5.7	0	0.0	0	0.0	66	2.4	1	4.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0 0.0
13-19	3	8.1	3	8.6	0	0.0	0	0.0	13	0.5	0	0.0
20-29	15	40.5	15	42.9	0	0.0	1	5.0	177	6.4	0	0.0
30-39	8	21.6	8	22.9	0	0.0	5	25.0	381	13.7	1	4.2
40-49	4	10.8	4	11.4	0	0.0	4	20.0	523	18.8	7	29.2
50-59	6	16.2	4	11.4	2	100.0	8	40.0	902	32.5	5	20.8
60+	1	2.7	1	2.9	0	0.0	2	10.0	780	28.1	11	45.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	22	59.5	20	57.1	2	100.0	8	40.0	1,470	52.9	4	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.0	327	11.8	10	41.7
MSM-IDU	1	2.7	1	2.9	0	0.0	2	10.0	73	2.6	0	0.0
Heterosexual contact	9	24.3	9	25.7	0	0.0	5	25.0	425	15.3	6	25.0
Transgender people with sexual contact	1	2.7	1	2.9	0	0.0	1	5.0	28	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	42	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	4	10.8	4	11.4	0	0.0	2	10.0	411	14.8	4	16.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2018 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2018, NEW YORK CITY Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV		DIAGNO	SES, 20	18		AIDS DIAGNOS	ES, 2018	PWH AS 12/31/20	_	DEATHS,	, 2018
					Concurrent w	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	131	100.0	112	85.5	19	14.5	73	100.0	7,791	100.0	130	100.0
GENDER												
Men	96	73.3	79	70.5	17	89.5	51	69.9	5,046	64.8	81	62.3
Women	35	26.7	33	29.5	2	10.5		30.1	2,745	35.2	49	37.7
RACE/ETHNICITY	0.7	74.0	00	711	4.4	70.7	F-7	70.4	F 007	75.0	404	00.0
Black	97	74.0	83 18	74.1	14 4	73.7	57	78.1	5,907	75.8	104	80.0
Latino/Hispanic White	22 11	16.8		16.1 8.9	4	21.1 5.3	14 2	19.2 2.7	1,228	15.8	22	16.9
Asian/Pacific Islander	0	8.4 0.0	10 0	0.0	0	0.0	2	0.0	535 65	6.9 0.8	0	3.1 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	0.8	0	0.0
Multiracial	1	0.0	1	0.0	0	0.0	0	0.0	29	0.2	0	0.0
Unknown	0	0.0	0	0.9	0	0.0	0	0.0	29 8	0.4	0	0.0 0.0 0.0
							_		_	• • •	-	
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	4	0.1	0	0.0
13-19	4	3.1	4	3.6	0	0.0	0	0.0	29	0.4	0	0.0
20-29	63	48.1	59	52.7	4	21.1	18	24.7	732	9.4	3	2.3
30-39	28	21.4	25	22.3	3	15.8	18	24.7	1,312	16.8	6	4.6
40-49	13	9.9	9	8.0	4	21.1	11	15.1	1,568	20.1	15	11.5
50-59	14	10.7	11	9.8	3	15.8	13	17.8	2,271	29.1	43	33.1
60+	9	6.9	4	3.6	5	26.3	13	17.8	1,875	24.1	63	48.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	59	45.0	51	45.5	8	42.1	22	30.1	2,738	35.1	19	14.6
Injection drug use history (IDÙ)	2	1.5	1	0.9	1	5.3	7	9.6	947	12.2	34	26.2
MSM-IDU ,	3	2.3	3	2.7	0	0.0	1	1.4	180	2.3	6	4.6
Heterosexual contact	30	22.9	28	25.0	2	10.5	18	24.7	2,070	26.6	34	26.2
Transgender people with sexual contact	4	3.1	4	3.6	0	0.0	0	0.0	141	1.8	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	3	4.1	192	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Unknown	33	25.2	25	22.3	8	42.1	22	30.1	1,514	19.4	35	26.9

Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
					oncurrent w	ith AIDS						
	Total HIV d			it AIDS	di	iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	61	100.0	48	78.7	13	21.3	30	100.0	3,513	100.0	46	100.0
GENDER												
Men	49	80.3	39	81.3	10	76.9	21	70.0	2,009	57.2	32	69.6
Women	12	19.7	9	18.8	3	23.1	9	30.0	1,504	42.8	14	30.4
RACE/ETHNICITY												
Black	38	62.3	29	60.4	9	69.2	23	76.7	2,240	63.8	30	65.2
Latino/Hispanic	21	34.4	17	35.4	4	30.8	5	16.7	1,088	31.0	15	32.6
White	2	3.3	2	4.2	0	0.0	0	0.0	120	3.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.3	40	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	3.3	25	0.7	1	32.6 0.0 0.0 2.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	4	6.6	4	8.3	0	0.0	0	0.0	19	0.5	0	0.0 4.3 2.2
20-29	26	42.6	24	50.0	2	15.4	3	10.0	386	11.0	2	4.3
30-39	8	13.1	6	12.5	2	15.4	5	16.7	629	17.9	1	2.2
40-49	7	11.5	4	8.3	3	23.1	6	20.0	690	19.6	11	23.9
50-59	13	21.3	8	16.7	5	38.5	12	40.0	1,073	30.5	13	28.3
60+	3	4.9	2	4.2	1	7.7	4	13.3	711	20.2	19	41.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	29	47.5	27	56.3	2	15.4	6	20.0	1,004	28.6	8	17.4
Injection drug use history (IDU)	2	3.3	1	2.1	1	7.7	2	6.7	431	12.3	11	23.9
MSM-IDU TO TO THE STATE OF THE	1	1.6	1	2.1	0	0.0	0	0.0	64	1.8	0	0.0
Heterosexual contact	16	26.2	10	20.8	6	46.2	12	40.0	1,153	32.8	15	32.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	3.3	68	1.9	1	2.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	106	3.0	1	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	13	21.3	9	18.8	4	30.8	9	30.0	681	19.4	10	21.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in East New York: 11207, 11208.

Men includes transgender men and women includes transgender women.

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
			1400		oncurrent with	_						
	Total HIV di		Withou			gnoses	NI	0/	NI.	0/	NI.	0/
TOTAL	N 19	% 100.0	N 14	% 73.7	N 5	% 26.3	N 12	% 100.0	N 877	% 100.0	N 6	% 100.0
IOTAL	19	100.0	14	13.1	3	20.3	12	100.0	677	100.0	U	100.0
GENDER												
Men	17	89.5	12	85.7	5	100.0	11	91.7	654	74.6	4	66.7
Women	2	10.5	2	14.3	0	0.0	1	8.3	223	25.4	2	33.3
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	158	18.0	1	16.7
Latino/Hispanic	10	52.6	6	42.9	4	80.0	6	50.0	465	53.0	4	66.7
White	4	21.1	4	28.6	0	0.0	2	16.7	175	20.0	1	16.7
Asian/Pacific Islander	5	26.3	4	28.6	1	20.0	4	33.3	74	8.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.3	0	0.0	1	20.0	1	8.3	2	0.2	0	0.0 0.0
20-29	4	21.1	4	28.6	0	0.0	2	16.7	60	6.8	0	0.0
30-39	6	31.6	4	28.6	2	40.0	2	16.7	147	16.8	0	0.0
40-49	5	26.3	3	21.4	2	40.0	3	25.0	181	20.6	0	0.0
50-59	1	5.3	1	7.1	0	0.0	3	25.0	281	32.0	1	16.7
60+	2	10.5	2	14.3	0	0.0	1	8.3	206	23.5	5	83.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	14	73.7	9	64.3	5	100.0	7	58.3	333	38.0	2	33.3
Injection drug use history (IDU)	1	5.3	1	7.1	0	0.0	1	8.3	151	17.2	3	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	46	5.2	0	0.0
Heterosexual contact	3	15.8	3	21.4	0	0.0	1	8.3	199	22.7	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	5.3	1	7.1	0	0.0	3	25.0	123	14.0	1	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	OSES, 20	18		AIDS DIAGNOSES	, 2018	PWH AS 12/31/20		DEATHS,	, 2018
				C	oncurrent with A	IDS						
	Total HIV di		Withou		diagno	ses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	24	100.0	16	66.7	8 :	33.3	12	100.0	1,129	100.0	12	100.0
GENDER				00.0		~	4.0	00.0	0.10	75.0		0
Men	22	91.7	15	93.8		87.5	10	83.3	849	75.2	9	75.0
Women	2	8.3	1	6.3	1 '	12.5	2	16.7	280	24.8	3	25.0
RACE/ETHNICITY												
Black	5	20.8	4	25.0	1 '	12.5	1	8.3	298	26.4	2	16.7
Latino/Hispanic	10	41.7	6	37.5	4 !	50.0	7	58.3	410	36.3	5	41.7
White	4	16.7	3	18.8	1 '	12.5	1	8.3	335	29.7	5	41.7
Asian/Pacific Islander	5	20.8	3	18.8	2 2	25.0	3	25.0	74	6.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	Ö	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	9	37.5	5	31.3		50.0	4	33.3	60	5.3	1	0.0 8.3
30-39	7	29.2	5	31.3		25.0	3	25.0	187	16.6	1	8.3
40-49	5	20.8	4	25.0		12.5	1	8.3	235	20.8	2	16.7
50-59	3	12.5	2	12.5		12.5	3	25.0	358	31.7	3	25.0
60+	0	0.0	0	0.0	Ö	0.0	1	8.3	285	25.2	5	41.7
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	17	70.8	11	68.8	6	75.0	8	66.7	486	43.0	3	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	Ö	0.0	1	8.3	158	14.0	7	58.3
MSM-IDU	ő	0.0	0	0.0	ő	0.0	0	0.0	28	2.5	Ó	0.0
Heterosexual contact	3	12.5	1	6.3		25.0	3	25.0	224	19.8	0	0.0
Transgender people with sexual contact	0	0.0	Ó	0.0	0	0.0	0	0.0	14	1.2	0	0.0
Perinatal	0	0.0	0	0.0	Ö	0.0	0	0.0	14	1.2	1	8.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	16.7	4	25.0	0	0.0	0	0.0	204	18.1	1	8.3
OTHORNE	4	10.7	-	23.0	U	0.0	<u> </u>	0.0	204	10.1	1	0.3

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 201	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					oncurrent witi	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	95	100.0	78	82.1	17	17.9	53	100.0	5,428	100.0	69	100.0
GENDER												
Men	67	70.5	54	69.2	13	76.5	35	66.0	3,479	64.1	52	75.4
Women	28	29.5	24	30.8	4	23.5		34.0	1,949	35.9	17	24.6
wonten	20	29.0	24	30.6	4	23.5	10	34.0	1,949	33.9	17	24.0
RACE/ETHNICITY												
Black	74	77.9	60	76.9	14	82.4	41	77.4	4,244	78.2	55	79.7
Latino/Hispanic	14	14.7	12	15.4	2	11.8	9	17.0	749	13.8	12	17.4
White	4	4.2	4	5.1	0	0.0	2	3.8	329	6.1	2	2.9
Asian/Pacific Islander	3	3.2	2	2.6	1	5.9	1	1.9	65	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	0	0.0	1	5.9	1	1.9	5	0.1	0	0.0 0.0 2.9
13-19	5	5.3	4	5.1	1	5.9		3.8	20	0.4	0	0.0
20-29	32	33.7	30	38.5	2	11.8	7	13.2	375	6.9	2	2.9
30-39	25	26.3	20	25.6	5	29.4	14	26.4	907	16.7	4	5.8
40-49	13	13.7	11	14.1	2	11.8	6	11.3	1,057	19.5	9	13.0
50-59	12	12.6	8	10.3	4	23.5	16	30.2	1,598	29.4	19	27.5
60+	7	7.4	5	6.4	2	11.8	7	13.2	1,466	27.0	35	50.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	43	45.3	37	47.4	6	35.3	19	35.8	1,781	32.8	17	24.6
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	2	3.8	489	9.0	20	29.0
MSM-IDU TO TO THE STATE OF THE	1	1.1	1	1.3	0	0.0	0	0.0	115	2.1	1	1.4
Heterosexual contact	22	23.2	18	23.1	4	23.5	15	28.3	1,513	27.9	14	20.3
Transgender people with sexual contact	3	3.2	3	3.8	0	0.0	1	1.9	60	1.1	1	1.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	107	2.0	1	1.4
Other	1	1.1	0	0.0	1	5.9	1	1.9	12	0.2	0	0.0
Unknown	25	26.3	19	24.4	6	35.3	15	28.3	1,351	24.9	15	21.7

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 20 ⁻	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	, 2018
					oncurrent wi	th AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	48	100.0	34	70.8	14	29.2	27	100.0	1,802	100.0	18	100.0
GENDER								_				
Men	28	58.3	18	52.9	10	71.4	18	66.7	989	54.9	7	38.9
Women	20	41.7	16	47.1	4	28.6		33.3	813	45.1	11	61.1
VVOITICIT	20	41.7	10	47.1	7	20.0	9	33.3	013	45.1	- ''	01.1
RACE/ETHNICITY												
Black	40	83.3	30	88.2	10	71.4	17	63.0	1,424	79.0	14	77.8
Latino/Hispanic	6	12.5	2	5.9	4	28.6	7	25.9	237	13.2	1	5.6
White	0	0.0	0	0.0	0	0.0	3	11.1	109	6.0	3	16.7
Asian/Pacific Islander	1	2.1	1	2.9	0	0.0	0	0.0	19	1.1	0	0.0
Other/Unknown	1	2.1	1	2.9	0	0.0	0	0.0	13	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.1	0	0.0 0.0 0.0 5.6 16.7
13-19	1	2.1	1	2.9	0	0.0	0	0.0	9	0.5	0	0.0
20-29	9	18.8	8	23.5	1	7.1	3	11.1	145	8.0	0	0.0
30-39	13	27.1	8	23.5	5	35.7	5	18.5	302	16.8	1	5.6
40-49	6	12.5	5	14.7	1	7.1	4	14.8	339	18.8	3	16.7
50-59	12	25.0	7	20.6	5	35.7	10	37.0	522	29.0	8	44.4
60+	7	14.6	5	14.7	2	14.3	5	18.5	484	26.9	6	33.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	17	35.4	13	38.2	4	28.6	8	29.6	413	22.9	2	11.1
Injection drug use history (IDU)	1	2.1	1	2.9	0	0.0	1	3.7	146	8.1	3	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	1.1	0	0.0
Heterosexual contact	25	52.1	18	52.9	7	50.0	10	37.0	666	37.0	8	44.4
Transgender people with sexual contact	1	2.1	1	2.9	0	0.0	1	3.7	15	8.0	0	0.0 5.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	65	3.6	1	5.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	4	8.3	1	2.9	3	21.4	7	25.9	475	26.4	4	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Men includes transgender men and women includes transgender women.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

		HIV	DIAGNO	SES, 201	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	, 2018
					oncurrent wit	th AIDS						
	Total HIV di		Withou			ignoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	16	100.0	12	75.0	4	25.0	11	100.0	704	100.0	7	100.0
GENDER												
Men	13	81.3	0	75.0	1	100.0	10	90.9	543	77.1	5	71.4
Women	3	18.8	9	25.0	4 0	0.0	10 1	90.9	161	22.9	5 2	28.6
Vonien	3	10.0	3	25.0	U	0.0	Į.	9.1	101	22.9	2	20.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	9.1	70	9.9	2	28.6
Latino/Hispanic	7	43.8	4	33.3	3	75.0	7	63.6	228	32.4	1	14.3
White	5	31.3	4	33.3	1	25.0	2	18.2	349	49.6	3	42.9
Asian/Pacific Islander	3	18.8	3	25.0	0	0.0	1	9.1	52	7.4	1	14.3 0.0
Other/Unknown	1	6.3	1	8.3	0	0.0	0	0.0	5	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 14.3 0.0
13-19	1	6.3	1	8.3	0	0.0	0	0.0	2	0.3	0	0.0
20-29	5	31.3	5	41.7	0	0.0	0	0.0	34	4.8	0	0.0
30-39	3	18.8	3	25.0	0	0.0	3	27.3	99	14.1	1	14.3
40-49	3	18.8	1	8.3	2	50.0	2	18.2	151	21.4	0	0.0
50-59	2	12.5	2	16.7	0	0.0	3	27.3	225	32.0	3	42.9 42.9
60+	2	12.5	0	0.0	2	50.0	3	27.3	193	27.4	3	42.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	12	75.0	8	66.7	4	100.0	4	36.4	333	47.3	2	28.6
Injection drug use history (IDU)	1	6.3	1	8.3	0	0.0	3	27.3	100	14.2	1	14.3
MSM-IDU	0	0.0	0	0.0	0	0.0	2	18.2	28	4.0	0	0.0
Heterosexual contact	2	12.5	2	16.7	0	0.0	0	0.0	124	17.6	0	14.3 0.0 0.0 0.0 0.0
Transgender people with sexual contact	1	6.3	1	8.3	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	2	18.2	107	15.2	4	57.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252. Men includes transgender men and women includes transgender women.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2018 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2018, NEW YORK CITY Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSES, 201	18	PWH AS (12/31/201		DEATHS,	, 2018
				С	oncurrent with λ	4 <i>IDS</i>						
	Total HIV di		Withou		diagn							
TOTAL	N	%	N	%	N	%		%	N	%	N	%
TOTAL	20	100.0	14	70.0	6	30.0	15 10	0.0	1,228	100.0	15	100.0
GENDER												
Men	15	75.0	12	85.7	3	50.0	10 6	6.7	790	64.3	7	46.7
Women	5	25.0	2	14.3		50.0		3.3	438	35.7	8	53.3
RACE/ETHNICITY												
Black	5	25.0	4	28.6	1	16.7		6.7	459	37.4	6	40.0
Latino/Hispanic	5	25.0	4	28.6	1	16.7		3.3	363	29.6	5	33.3
White	9	45.0	6	42.9		50.0		6.7	348	28.3	4	26.7
Asian/Pacific Islander	1	5.0	0	0.0		16.7		3.3	45	3.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0		0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0		0.0	9	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.1	0	0.0 0.0 0.0
13-19	1	5.0	1	7.1	0	0.0		0.0	8	0.7	0	0.0
20-29	8	40.0	7	50.0		16.7		0.0	89	7.2	0	0.0
30-39	6	30.0	4	28.6		33.3		0.0	223	18.2	1	6.7
40-49	3	15.0	2	14.3		16.7		3.3	238	19.4	3	20.0
50-59	0	0.0	0	0.0	0	0.0		6.7	358	29.2	6	40.0
60+	2	10.0	0	0.0	2	33.3	3 2	0.0	311	25.3	5	33.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	10	50.0	8	57.1	2	33.3		3.3	395	32.2	2	13.3
Injection drug use history (IDU)	1	5.0	1	7.1	0	0.0		6.7	181	14.7	3	20.0
MSM-IDU	1	5.0	1	7.1	0	0.0		0.0	22	1.8	0	0.0
Heterosexual contact	4	20.0	1	7.1		50.0		3.3	335	27.3	7	46.7
Transgender people with sexual contact	1	5.0	1	7.1	0	0.0		0.0	11	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	34	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	2	0.2	0	0.0
Unknown	3	15.0	2	14.3	1	16.7	4 2	6.7	248	20.2	3	20.0

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					Concurrent wit							
	Total HIV di		Withou			gnoses						
TOTAL	N	%	N	%	N	%		%	N	%	N	%
TOTAL	77	100.0	64	83.1	13	16.9	36	100.0	3,820	100.0	48	100.0
GENDER								_				
Men	65	84.4	55	85.9	10	76.9	28	77.8	2,721	71.2	27	56.3
Women	12	15.6	9	14.1	3	23.1	8	22.2	1,099	28.8	21	43.8
							-		,,,,,,			
RACE/ETHNICITY												
Black	35	45.5	27	42.2	8	61.5		69.4	1,818	47.6	34	70.8
Latino/Hispanic	22	28.6	19	29.7	3	23.1	9	25.0	1,440	37.7	13	27.1
White	15	19.5	15	23.4	0	0.0	0	0.0	480	12.6	1	2.1
Asian/Pacific Islander	4	5.2	2	3.1	2	15.4	2	5.6	59	1.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0 0.0
Multiracial	1	1.3	1	1.6	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	2	0.1	0	0.0
13-19	1	1.3	1	1.6	0	0.0		0.0	12	0.3	0	0.0
20-29	36	46.8	33	51.6	3	23.1	7	19.4	402	10.5	0	0.0
30-39	25	32.5	20	31.3	5	38.5	13	36.1	735	19.2	6	12.5
40-49	5	6.5	3	4.7	2	15.4	6	16.7	676	17.7	5	10.4
50-59	6	7.8	5	7.8	1	7.7	4	11.1	1,072	28.1	19	39.6
60+	4	5.2	2	3.1	2	15.4	6	16.7	921	24.1	18	37.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	54	70.1	46	71.9	8	61.5	19	52.8	1,566	41.0	7	14.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	5	13.9	558	14.6	20	41.7
MSM-IDU	1	1.3	1	1.6	0	0.0	1	2.8	98	2.6	0	0.0
Heterosexual contact	10	13.0	8	12.5	2	15.4	6	16.7	787	20.6	9	18.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	48	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	83	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	12	15.6	9	14.1	3	23.1	5	13.9	677	17.7	12	25.0

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					oncurrent with	h AIDS						
	Total HIV di		Withou			gnoses						
TOTAL	90	% 100.0	N 77	% 85.6	N 13	% 14.4	N 40	% 100.0	N 4,813	% 100.0	N 34	% 100.0
IOTAL	90	100.0	11	03.0	13	14.4	40	100.0	4,013	100.0	34	100.0
GENDER												
Men	75	83.3	62	80.5	13	100.0	35	87.5	3,959	82.3	21	61.8
Women	15	16.7	15	19.5	0	0.0	5	12.5	854	17.7	13	38.2
RACE/ETHNICITY												
Black	22	24.4	17	22.1	5	38.5		32.5	1,518	31.5	16	47.1
Latino/Hispanic	53	58.9	49	63.6	4	30.8	20	50.0	2,133	44.3	13	38.2
White	12	13.3	8	10.4	4	30.8	7	17.5	1,044	21.7	3	8.8
Asian/Pacific Islander Native American	2	2.2 0.0	2	2.6 0.0	0	0.0	0	0.0 0.0	77 10	1.6	1	2.9
Multiracial	0	1.1	1	1.3	0	0.0	0	0.0	23	0.2 0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23 8	0.5	0	2.9 0.0
OTIKIOWIT	O	0.0	U	0.0	U	0.0	U	0.0	O	0.2	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	5	5.6	5	6.5	0	0.0	0	0.0	23	0.5	0	0.0
20-29	31	34.4	31	40.3	0	0.0	3	7.5	409	8.5	0	0.0
30-39 40-49	28	31.1	20	26.0 11.7	8 1	61.5 7.7	15	37.5 20.0	909 972	18.9 20.2	0	0.0 17.6
40-49 50-59	10 8	11.1 8.9	9 6	7.8	2	7.7 15.4	8 7	20.0 17.5	972 1,411	20.2	6 10	29.4
60+	8	8.9	6	7.8 7.8	2	15.4	7	17.5	1,411	29.3	18	52.9
004	0	0.5	U	7.0	2	13.4	′	17.5	1,007	22.0	10	32.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	55	61.1	46	59.7	9	69.2	24	60.0	2,768	57.5	13	38.2
Injection drug use history (IDÙ)	1	1.1	1	1.3	0	0.0	3	7.5	390	8.1	5	14.7
MSM-IDU	4	4.4	4	5.2	0	0.0	0	0.0	142	3.0	0	0.0
Heterosexual contact	17	18.9	15	19.5	2	15.4	6	15.0	682	14.2	10	29.4 0.0
Transgender people with sexual contact	4	4.4	4	5.2	0	0.0	0	0.0	52	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	79	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	9	10.0	7	9.1	2	15.4	/	17.5	692	14.4	6	17.6

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV		DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	, 2018
					oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	77	100.0	63	81.8	14	18.2	39	100.0	4,943	100.0	66	100.0
GENDER								_				
Men	58	75.3	48	76.2	10	71.4	23	59.0	3,579	72.4	49	74.2
Women	19	24.7	15	23.8	4	28.6		41.0	1,364	27.6	17	25.8
				20.0		20.0			.,00.	27.10	• • • • • • • • • • • • • • • • • • • •	20.0
RACE/ETHNICITY												
Black	55	71.4	43	68.3	12	85.7		76.9	3,117	63.1	50	75.8
Latino/Hispanic	15	19.5	13	20.6	2	14.3		17.9	1,079	21.8	12	18.2
White	5	6.5	5	7.9	0	0.0		2.6	642	13.0	3	4.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0		2.6	69	1.4	0	4.5 0.0 1.5
Other/Unknown	2	2.6	2	3.2	0	0.0	0	0.0	36	0.7	1	1.5
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	3	0.1	0	0.0 0.0 3.0 4.5
13-19	2	2.6	1	1.6	1	7.1		2.6	16	0.3	0	0.0
20-29	26	33.8	24	38.1	2	14.3		15.4	367	7.4	2	3.0
30-39	24	31.2	21	33.3	3	21.4	13	33.3	920	18.6	3	4.5
40-49	16	20.8	10	15.9	6	42.9		25.6	1,019	20.6	7	10.6
50-59	7	9.1 2.6	5 2	7.9 3.2	2	14.3		17.9	1,461	29.6	24 30	36.4
60+	2	2.6	2	3.2	0	0.0	2	5.1	1,157	23.4	30	45.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	41	53.2	35	55.6	6	42.9	17	43.6	2,249	45.5	21	31.8
Injection drug use history (IDU)	3	3.9	2	3.2	1	7.1	1	2.6	574	11.6	11	16.7
MSM-IDU	3	3.9	3	4.8	0	0.0	1	2.6	133	2.7	4	6.1
Heterosexual contact	21	27.3	16	25.4	5	35.7	13	33.3	951	19.2	19	28.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	52	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	82	1.7	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	9	11.7	7	11.1	2	14.3	7	17.9	897	18.1	10	15.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039. Men includes transgender men and women includes transgender women.

Table 1.9.3. East Harlem (Manhattan)

		HIV	DIAGNO	OSES, 20 ⁻	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	, 2018
				С	oncurrent with a	AIDS						
	Total HIV di			it AIDS	diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	37	100.0	27	73.0	10	27.0	32	100.0	3,006	100.0	42	100.0
GENDER	00	04.4	00	04.5		00.0	00	04.0	0.000	00.0	07	04.0
Men	30	81.1	22	81.5	8	80.0	26	81.3	2,098	69.8	27	64.3
Women	7	18.9	5	18.5	2	20.0	6	18.8	908	30.2	15	35.7
RACE/ETHNICITY												
Black	18	48.6	14	51.9	4	40.0	20	62.5	1,409	46.9	25	59.5
Latino/Hispanic	10	27.0	9	33.3	1	10.0	7	21.9	1,175	39.1	15	35.7
White	4	10.8	3	11.1	1	10.0	1	3.1	367	12.2	2	4.8
Asian/Pacific Islander	5	13.5	1	3.7	4	40.0	4	12.5	39	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	2.7	1	3.7	0	0.0	0	0.0	6	0.2	0	0.0
20-29	12	32.4	9	33.3	3	30.0	4	12.5	205	6.8	2	4.8
30-39	9	24.3	6	22.2	3	30.0	9	28.1	465	15.5	2	4.8
40-49	10	27.0	8	29.6	2	20.0	7	21.9	550	18.3	5	11.9
50-59	3	8.1	2	7.4	1	10.0	2	6.3	944	31.4	8	19.0
60+	2	5.4	1	3.7	1	10.0	10	31.3	833	27.7	25	59.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	19	51.4	13	48.1	6	60.0	14	43.8	1,094	36.4	6	14.3
Injection drug use history (IDU)	2	5.4	2	7.4	0	0.0	6	18.8	596	19.8	15	35.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	99	3.3	3	7.1
Heterosexual contact	7	18.9	4	14.8	3	30.0	9	28.1	631	21.0	7	16.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	32	1.1	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	84	2.8	2	4.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	9	24.3	8	29.6	1	10.0	3	9.4	467	15.5	8	19.0

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
					oncurrent witi	_						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	31	100.0	25	80.6	6	19.4	19	100.0	3,207	100.0	23	100.0
GENDER												
Men	25	80.6	21	84.0	4	66.7	14	73.7	2,766	86.2	18	78.3
Women	6	19.4	4	16.0	2	33.3	5	26.3	441	13.8	5	21.7
RACE/ETHNICITY												
Black	8	25.8	7	28.0	1	16.7	7	36.8	838	26.1	7	30.4
Latino/Hispanic	11	35.5	10	40.0	1	16.7	4	21.1	854	26.6	7	30.4
White	9	29.0	7	28.0	2	33.3	6	31.6	1,402	43.7	8	34.8
Asian/Pacific Islander	2	6.5	0	0.0	2	33.3	2	10.5	79	2.5	1	4.3
Other/Unknown	1	3.2	1	4.0	0	0.0	0	0.0	34	1.1	0	34.8 4.3 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	5.3	2	0.1	0	0.0 0.0 4.3 0.0
13-19	1	3.2	1	4.0	0	0.0	0	0.0	6	0.2	0	0.0
20-29	10	32.3	9	36.0	1	16.7	4	21.1	167	5.2	1	4.3
30-39	10	32.3	8	32.0	2	33.3	5	26.3	388	12.1	0	0.0
40-49	4	12.9	3	12.0	1	16.7	4	21.1	493	15.4	3	13.0
50-59	4	12.9	3	12.0	1	16.7	1	5.3	964	30.1	4	17.4
60+	2	6.5	1	4.0	1	16.7	4	21.1	1,187	37.0	15	65.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	19	61.3	16	64.0	3	50.0	7	36.8	2,030	63.3	8	34.8
Injection drug use history (IDU)	1	3.2	1	4.0	0	0.0	2	10.5	279	8.7	6	26.1
MSM-IDU	1	3.2	1	4.0	0	0.0	2	10.5	106	3.3	1	4.3
Heterosexual contact	5	16.1	4	16.0	1	16.7	5	26.3	323	10.1	3	13.0
Transgender people with sexual contact	1	3.2	0	0.0	1	16.7	1	5.3	40	1.2	1	4.3
Perinatal	0	0.0	0	0.0	0	0.0	1	5.3	39	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	4.3 0.0 0.0
Unknown	4	12.9	3	12.0	1	16.7	1	5.3	387	12.1	4	17.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
					oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	16	100.0	14	87.5	2	12.5	8	100.0	1,460	100.0	18	100.0
GENDER												
Men	12	75.0	10	71.4	2	100.0	7	87.5	1,286	88.1	15	83.3
Women	4	25.0	4	28.6	2 0	0.0	1	12.5	174	11.9	3	16.7
RACE/ETHNICITY												
Black	4	25.0	4	28.6	0	0.0	3	37.5	259	17.7	3	16.7
Latino/Hispanic	4	25.0	3	21.4	1	50.0	4	50.0	341	23.4	5	27.8
White	7	43.8	6	42.9	1	50.0	1	12.5	796	54.5	9	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	56	3.8	0	0.0 5.6
Other/Unknown	1	6.3	1	7.1	0	0.0	0	0.0	8	0.5	1	5.6
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0 0.0
13-19	1	6.3	1	7.1	0	0.0	1	12.5	4	0.3	0	0.0
20-29	5	31.3	4	28.6	1	50.0	1	12.5	41	2.8	0	0.0
30-39	2	12.5	2	14.3	0	0.0	1	12.5	178	12.2	0	0.0
40-49	3	18.8	3	21.4	0	0.0	2	25.0	243	16.6	0	0.0
50-59	3	18.8	2	14.3	1	50.0	1	12.5	493	33.8	6	33.3
60+	2	12.5	2	14.3	0	0.0	2	25.0	501	34.3	12	66.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	9	56.3	8	57.1	1	50.0	4	50.0	967	66.2	8	44.4
Injection drug use history (IDU)	1	6.3	1	7.1	0	0.0	0	0.0	93	6.4	4	22.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	40	2.7	0	0.0
Heterosexual contact	2	12.5	2	14.3	0	0.0	2	25.0	116	7.9	3	16.7
Transgender people with sexual contact	1	6.3	1	7.1	0	0.0	0	0.0	10	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0 0.0 0.0
Unknown	3	18.8	2	14.3	1	50.0	1	12.5	222	15.2	3	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSES	5, 2018	PWH AS 12/31/20		DEATHS	, 2018
				C	oncurrent with A	IDS						
	Total HIV di		Withou	it AIDS	diagno	ses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	66	100.0	58	87.9	8 1	12.1	32	100.0	6,973	100.0	31	100.0
GENDER	00	00.0		04.4	7) 7	00	07.5	0.500	00.0	00	00.0
Men Marana	60	90.9	53	91.4		37.5	28	87.5	6,500	93.2	28	90.3
Women	6	9.1	5	8.6	1 1	12.5	4	12.5	473	6.8	3	9.7
RACE/ETHNICITY												
Black	12	18.2	10	17.2	2 2	25.0	7	21.9	1,139	16.3	11	35.5
Latino/Hispanic	22	33.3	20	34.5		25.0	12	37.5	1,649	23.6	7	22.6
White	24	36.4	21	36.2	3 3	37.5	11	34.4	3,873	55.5	13	41.9
Asian/Pacific Islander	7	10.6	6	10.3		12.5	1	3.1	224	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.2	0	0.0
Multiracial	1	1.5	1	1.7	0	0.0	1	3.1	30	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	42	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	3.0	2	3.4	0	0.0	1	3.1	4	0.1	0	0.0
20-29	25	37.9	22	37.9	3 3	37.5	6	18.8	253	3.6	0	0.0
30-39	19	28.8	17	29.3		25.0	10	31.3	1,092	15.7	2	6.5
40-49	10	15.2	9	15.5	1 1	12.5	6	18.8	1,534	22.0	5	16.1
50-59	8	12.1	6	10.3	2 2	25.0	4	12.5	2,406	34.5	11	35.5
60+	2	3.0	2	3.4	0	0.0	5	15.6	1,683	24.1	13	41.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	51	77.3	45	77.6	6 7	75.0	21	65.6	5,430	77.9	22	71.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	343	4.9	3	9.7
MSM-IDU TO TO THE STATE OF THE	4	6.1	4	6.9	0	0.0	2	6.3	244	3.5	1	3.2
Heterosexual contact	1	1.5	1	1.7	0	0.0	1	3.1	293	4.2	3	3.2 9.7
Transgender people with sexual contact	4	6.1	4	6.9	0	0.0	0	0.0	68	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	6.3	23	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	6	9.1	4	6.9	2 2	25.0	6	18.8	569	8.2	2	6.5

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	OSES, 201	8		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS	, 2018
					oncurrent wit	-						
	Total HIV di			it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	8	100.0	5	62.5	3	37.5	11	100.0	2,003	100.0	13	100.0
GENDER												
Men	6	75.0	4	80.0	2	66.7	10	90.9	1,829	91.3	11	84.6
Women	2	25.0	1	20.0	1	33.3	1	9.1	174	8.7	2	15.4
RACE/ETHNICITY												
Black	4	50.0	2	40.0	2	66.7	5	45.5	397	19.8	3	23.1
Latino/Hispanic	0	0.0	0	0.0	0	0.0	1	9.1	465	23.2	2	15.4
White	4	50.0	3	60.0	1	33.3	5	45.5	1,050	52.4	8	61.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	69	3.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
20-29	2	25.0	2	40.0	0	0.0	1	9.1	65	3.2	0	0.0
30-39	1	12.5	1	20.0	0	0.0	0	0.0	199	9.9	0	0.0
40-49	1	12.5	0	0.0	1	33.3	4	36.4	334	16.7	0	0.0
50-59	4	50.0	2	40.0	2	66.7	3	27.3	709	35.4	5	38.5
60+	0	0.0	0	0.0	0	0.0	3	27.3	692	34.5	8	61.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	75.0	4	80.0	2	66.7	9	81.8	1,340	66.9	8	61.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	9.1	168	8.4	3	23.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	95	4.7	1	7.7
Heterosexual contact	1	12.5	0	0.0	1	33.3	1	9.1	122	6.1	1	7.7 7.7
Transgender people with sexual contact	1	12.5	1	20.0	0	0.0	0	0.0	15	0.7	0	0.0 0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	249	12.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

Table 1.9.8. Greenwich Village - Soho (Manhattan)

		HIV	DIAGNO	SES, 201	8		AIDS DIAGNOSES	, 2018	PWH AS 12/31/20		DEATHS	, 2018
				С	oncurrent with a	AIDS						
	Total HIV di			it AIDS	diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	13	100.0	11	84.6	2	15.4	6	100.0	1,818	100.0	9	100.0
GENDER	-	04.0	•	04.0		100.0	_	400.0	4 705	040	_	400.0
Men	11	84.6	9	81.8		100.0	6	100.0	1,725	94.9	9	100.0
Women	2	15.4	2	18.2	0	0.0	0	0.0	93	5.1	0	0.0
RACE/ETHNICITY												
Black	4	30.8	3	27.3	1	50.0	3	50.0	345	19.0	4	44.4
Latino/Hispanic	4	30.8	4	36.4	0	0.0	1	16.7	381	21.0	0	0.0
White	4	30.8	4	36.4	0	0.0	1	16.7	1,019	56.1	5	55.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	53	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Multiracial	1	7.7	0	0.0	1	50.0	1	16.7	7	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	30.8	4	36.4	0	0.0	1	16.7	64	3.5	0	0.0
30-39	5	38.5	3	27.3		100.0	4	66.7	203	11.2	0	0.0
40-49	3	23.1	3	27.3	0	0.0	1	16.7	327	18.0	1	11.1
50-59	1	7.7	1	9.1	0	0.0	0	0.0	654	36.0	1	11.1
60+	0	0.0	0	0.0	0	0.0	0	0.0	570	31.4	7	77.8
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	8	61.5	8	72.7	0	0.0	4	66.7	1,283	70.6	8	88.9
Injection drug use history (IDU)	0	0.0	0	0.0	Ō	0.0	0	0.0	136	7.5	Ö	0.0
MSM-IDU	0	0.0	0	0.0	Ō	0.0	0	0.0	57	3.1	Ö	0.0 0.0
Heterosexual contact	3	23.1	2	18.2	1	50.0	1	16.7	79	4.3	Ō	0.0
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	28	1.5	Ö	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	7.7	0	0.0	1	50.0	1	16.7	227	12.5	1	11.1

Table 1.9.9. Union Square - Lower East Side (Manhattan)

		HIV	DIAGNO	SES, 20 ⁻	18		AIDS DIAGNOSE	ES, 2018	PWH AS 12/31/20		DEATHS,	, 2018
				С	oncurrent w	ith AIDS						
	Total HIV di		Withou	t AIDS		agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	21	100.0	18	85.7	3	14.3	13	100.0	2,959	100.0	28	100.0
GENDER												
Men	16	76.2	13	72.2	2	100.0	11	84.6	2,439	82.4	21	75.0
Women	5	23.8	13 5	72.2 27.8	3 0	0.0		15.4	2,439 520	82.4 17.6	21 7	75.0 25.0
vvonen	5	23.8	5	21.8	U	0.0	2	15.4	520	0.71	7	25.0
RACE/ETHNICITY												
Black	7	33.3	7	38.9	0	0.0	0	0.0	566	19.1	4	14.3
Latino/Hispanic	5	23.8	3	16.7	2	66.7	8	61.5	1,052	35.6	11	39.3
White	4	19.0	3	16.7	1	33.3	4	30.8	1,172	39.6	13	46.4
Asian/Pacific Islander	5	23.8	5	27.8	0	0.0		7.7	135	4.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	3	0.1	0	0.0
20-29	7	33.3	6	33.3	1	33.3		23.1	133	4.5	0	0.0
30-39	5	23.8	5	27.8	0	0.0		0.0	356	12.0	0	0.0
40-49	2	9.5	1	5.6	1	33.3		15.4	484	16.4	2	7.1
50-59	2	9.5	2	11.1	0	0.0		15.4	1,057	35.7	9	32.1
60+	5	23.8	4	22.2	1	33.3	6	46.2	926	31.3	17	60.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	11	52.4	9	50.0	2	66.7	7	53.8	1,715	58.0	11	39.3
Injection drug use history (IDU)	1	4.8	1	5.6	0	0.0		7.7	375	12.7	8	28.6
MSM-IDU	1	4.8	1	5.6	0	0.0		0.0	108	3.6	2	7.1
Heterosexual contact	5	23.8	5	27.8	0	0.0		15.4	361	12.2	3	10.7
Transgender people with sexual contact	1	4.8	1	5.6	0	0.0	0	0.0	21	0.7	2	7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	2	9.5	1	5.6	1	33.3	3	23.1	345	11.7	2	7.1

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV	DIAGNO	OSES, 2018	3		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
	Total HIV dia	annoses	Witho	Co out AIDS	ncurrent with	h AIDS gnoses						
	N	%	N	%	N Unag	9110303 %	N	%	N	%	N	%
TOTAL	10	100.0	10	100.0	0	0.0	2	100.0	594	100.0	4	100.0
GENDER												
Men	9	90.0	9	90.0	0	0.0	2	100.0	507	85.4	3	75.0
Women	1	10.0	1	10.0	0	0.0		0.0	87	14.6	1	25.0
RACE/ETHNICITY												
Black	1	10.0	1	10.0	0	0.0		0.0	124	20.9	1	25.0
Latino/Hispanic	6	60.0	6	60.0	0	0.0	0	0.0	148	24.9	2	50.0
White	3	30.0	3	30.0	0	0.0	1	50.0	294	49.5	1	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	50.0	24	4.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
20-29	4	40.0	4	40.0	0	0.0		0.0	30	5.1	0	0.0
30-39	1	10.0	1	10.0	0	0.0	0	0.0	67	11.3	0	0.0
40-49	3	30.0	3	30.0	0	0.0	0	0.0	150	25.3	0	0.0
50-59	2	20.0	2	20.0	0	0.0	1	50.0	216	36.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	50.0	131	22.1	4	100.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	7	70.0	7	70.0	0	0.0		50.0	387	65.2	3	75.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	48	8.1	0	0.0
MSM-IDU	1	10.0	1	10.0	0	0.0	0	0.0	16	2.7	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	62	10.4	0	0.0
Transgender people with sexual contact	1	10.0	1	10.0	0	0.0	0	0.0	6	1.0	1	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	10.0	1	10.0	0	0.0	1	50.0	71	12.0	0	0.0

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	OSES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					oncurrent wi							
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	48	100.0	38	79.2	10	20.8	25	100.0	2,302	100.0	10	100.0
GENDER												
Men	44	91.7	36	94.7	8	80.0	19	76.0	1,981	86.1	5	50.0
Women	4	8.3	2	5.3	2	20.0	6	24.0	321	13.9	5	50.0
			_		_		-				_	
RACE/ETHNICITY												
Black	10	20.8	8	21.1	2	20.0		28.0	391	17.0	3	30.0
Latino/Hispanic	27	56.3	21	55.3	6	60.0	13	52.0	926	40.2	5	50.0
White	5	10.4	4	10.5	1	10.0	2	8.0	850	36.9	1	10.0
Asian/Pacific Islander	6	12.5	5	13.2	1	10.0	3	12.0	113	4.9	1	10.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	15	31.3	15	39.5	0	0.0	4	16.0	154	6.7	1	10.0
30-39	17	35.4	13	34.2	4	40.0	8	32.0	515	22.4	0	0.0
40-49	9	18.8	5	13.2	4	40.0	5	20.0	564	24.5	1	10.0
50-59	5	10.4	3	7.9	2	20.0	5	20.0	672	29.2	3	30.0
60+	2	4.2	2	5.3	0	0.0	3	12.0	394	17.1	5	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	35	72.9	28	73.7	7	70.0	17	68.0	1,566	68.0	4	40.0
Injection drug use history (IDÙ)	1	2.1	1	2.6	0	0.0	0	0.0	129	5.6	0	0.0
MSM-IDU TO THE STATE OF THE STA	3	6.3	3	7.9	0	0.0	1	4.0	55	2.4	0	0.0
Heterosexual contact	5	10.4	3	7.9	2	20.0	6	24.0	272	11.8	4	40.0
Transgender people with sexual contact	1	2.1	1	2.6	0	0.0	0	0.0	33	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	3	6.3	2	5.3	1	10.0	1	4.0	228	9.9	2	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109. Men includes transgender men and women includes transgender women.

Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
				С	oncurrent with	h AIDS			12/01/20			
	Total HIV dia		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	93	100.0	67	72.0	26	28.0	64	100.0	5,715	100.0	29	100.0
GENDER												
Men	81	87.1	59	88.1	22	84.6	54	84.4	4,680	81.9	27	93.1
Women	12	12.9	8	11.9	4	15.4	10	15.6	1,035	18.1	2	6.9
RACE/ETHNICITY												
Black	7	7.5	4	6.0	3	11.5	8	12.5	1,413	24.7	4	13.8
Latino/Hispanic	70	75.3	56	83.6	14	53.8	34	53.1	3,302	57.8	19	65.5
White	1	1.1	1	1.5	0	0.0	7	10.9	612	10.7	5	17.2
Asian/Pacific Islander	15	16.1	6	9.0	9	34.6	14	21.9	359	6.3	1	3.4
Native American	0	0.0	0	0.0	0	0.0	1	1.6	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	3	0.1	0	0.0
13-19	1	1.1	1	1.5	0	0.0	0	0.0	8	0.1	1	3.4
20-29	29	31.2	22	32.8	7	26.9	14	21.9	354	6.2	1	3.4
30-39	35	37.6	26	38.8	9	34.6	23	35.9	992	17.4	2	6.9
40-49	16	17.2	12	17.9	4	15.4	10	15.6	1,332	23.3	4	13.8
50-59	9	9.7	4	6.0	5 1	19.2	11	17.2	1,835	32.1	9	31.0
60+	3	3.2	2	3.0	1	3.8	6	9.4	1,191	20.8	12	41.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	71	76.3	54	80.6	17	65.4	40	62.5	2,728	47.7	15	51.7
Injection drug use history (IDU)	1	1.1	1	1.5	0	0.0	2	3.1	823	14.4	5	17.2
MSM-IDU	2	2.2	1	1.5	1	3.8	2	3.1	178	3.1	1	3.4
Heterosexual contact	13	14.0	6	9.0	7	26.9	12	18.8	929	16.3	3	10.3
Transgender people with sexual contact	1	1.1	1	1.5	0	0.0	1	1.6	121	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	61	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	5	5.4	4	6.0	11	3.8	7	10.9	869	15.2	5	17.2

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 20 ⁻	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
				С	oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	22	100.0	17	77.3	5	22.7	10	100.0	720	100.0	10	100.0
GENDER								_				
Men	21	95.5	16	94.1	5	100.0	10	100.0	540	75.0	7	70.0
Women	1	4.5	1	5.9	0	0.0	0	0.0	180	25.0	3	30.0
	·		·	0.0	ŭ	0.0	, and the second	0.0	.00	20.0	ū	00.0
RACE/ETHNICITY												
Black	1	4.5	1	5.9	0	0.0	1	10.0	110	15.3	1	10.0
Latino/Hispanic	11	50.0	8	47.1	3	60.0	6	60.0	269	37.4	4	40.0
White	2	9.1	2	11.8	0	0.0	0	0.0	190	26.4	4	40.0
Asian/Pacific Islander	8	36.4	6	35.3	2	40.0	3	30.0	139	19.3	1	10.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	1.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0
13-19	2	9.1	1	5.9	1	20.0	1	10.0	2	0.3	0	0.0
20-29	6	27.3	6	35.3	0	0.0	1	10.0	51	7.1	0	0.0
30-39	3	13.6	3	17.6	0	0.0	0	0.0	91	12.6	0	0.0
40-49	4	18.2	2	11.8	2	40.0	3	30.0	137	19.0	1	10.0
50-59	6	27.3	4	23.5	2	40.0	4	40.0	238	33.1	4	40.0
60+	1	4.5	1	5.9	0	0.0	1	10.0	200	27.8	5	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	19	86.4	14	82.4	5	100.0	7	70.0	335	46.5	2	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	67	9.3	2	20.0
MSM-IDU TO THE STATE OF THE STA	0	0.0	0	0.0	0	0.0	0	0.0	17	2.4	1	10.0
Heterosexual contact	2	9.1	2	11.8	0	0.0	1	10.0	162	22.5	3	30.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	4.5	1	5.9	0	0.0	2	20.0	121	16.8	2	20.0

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGN	OSES, 2018	3		AIDS DIAGNOSES, 2018		WH AS 12/31/20	_	DEATHS	, 2018
					oncurrent with A	AIDS						
	Total HIV di			out AIDS	diagn							
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	0 0	.0	146	100.0	1	100.0
GENDER												
Men	1	100.0	1	100.0	0	0.0	0 0	.0	115	78.8	0	0.0
Women	0	0.0	0	0.0	0	0.0	0 0	.0	31	21.2	1	100.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0		.0	20	13.7	0	0.0
Latino/Hispanic	1	100.0	1	100.0	0	0.0	0 0	.0	38 75	26.0	0	0.0
White	0	0.0	0	0.0	0	0.0		.0	75	51.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0 0	.0	11	7.5	1	100.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0 0	.0	2	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		.0	0	0.0	0	0.0 0.0
20-29	1	100.0	1	100.0	0	0.0		.0	12	8.2	0	0.0
30-39	0	0.0	0	0.0	0	0.0		.0	18	12.3	0	0.0
40-49	0	0.0	0	0.0	0	0.0		.0	20	13.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0		.0	48	32.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0 0	.0	48	32.9	1	100.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1	100.0	1	100.0	0	0.0		.0	67	45.9	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0 0	.0	14	9.6	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0		.0	4	2.7	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0		.0	31	21.2	1	100.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		.0	5	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0		.0	2	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0 0	.0	23	15.8	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 20	18		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
					oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	36	100.0	32	88.9	4	11.1	13	100.0	1,332	100.0	7	100.0
GENDER								_				
Men	32	88.9	28	87.5	1	100.0	11	84.6	1,039	78.0	7	100.0
Women	32 4	11.1	20 4	12.5	4 0	0.0	2	15.4	293	22.0	0	0.0
Wonen	4	11.1	4	12.5	U	0.0	2	15.4	293	22.0	U	0.0
RACE/ETHNICITY												
Black	5	13.9	5	15.6	0	0.0	1	7.7	159	11.9	2	28.6
Latino/Hispanic	16	44.4	15	46.9	1	25.0	4	30.8	665	49.9	1	14.3
White	12	33.3	9	28.1	3	75.0	8	61.5	422	31.7	4	57.1
Asian/Pacific Islander	2	5.6	2	6.3	0	0.0	0	0.0	74	5.6	0	0.0
Other/Unknown	1	2.8	1	3.1	0	0.0	0	0.0	12	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0 0.0 0.0 0.0
13-19	1	2.8	1	3.1	0	0.0	0	0.0	2	0.2	0	0.0
20-29	13	36.1	13	40.6	0	0.0	0	0.0	112	8.4	0	0.0
30-39	13	36.1	11	34.4	2	50.0	5	38.5	201	15.1	0	0.0
40-49	1	2.8	1	3.1	0	0.0	3	23.1	249	18.7	0	0.0
50-59	5	13.9	4	12.5	1	25.0	4	30.8	428	32.1	3	42.9
60+	3	8.3	2	6.3	1	25.0	1	7.7	340	25.5	4	57.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	26	72.2	26	81.3	0	0.0	6	46.2	738	55.4	3	42.9
Injection drug use history (IDU)	1	2.8	1	3.1	0	0.0	0	0.0	89	6.7	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	33	2.5	1	14.3
Heterosexual contact	3	8.3	3	9.4	0	0.0	3	23.1	260	19.5	2	28.6
Transgender people with sexual contact	1	2.8	1	3.1	0	0.0	0	0.0	13	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	5	13.9	1	3.1	4	100.0	4	30.8	169	12.7	11	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385. Men includes transgender men and women includes transgender women.

Table 1.10.6. Fresh Meadows (Queens)

		HIV	DIAGNO	OSES, 2018			AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20	_	DEATHS,	2018
					ncurrent witi	h AIDS						
	Total HIV d			out AIDS		gnoses						
	N	%	N	%	N	%		%	N	%		%
TOTAL	8	100.0	8	100.0	0	0.0	1	100.0	299	100.0	0	0.0
GENDER												
Men	4	50.0	4	50.0	0	0.0	1	100.0	187	62.5	0	0.0
Women	4	50.0	4	50.0	0	0.0		0.0	112	37.5		0.0 0.0
RACE/ETHNICITY												
Black	2	25.0	2 5	25.0	0	0.0		0.0	129	43.1	0	0.0
Latino/Hispanic	5	62.5		62.5	0	0.0	1	100.0	97	32.4	0	0.0
White	1	12.5	1	12.5	0	0.0	0	0.0	48	16.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	24	8.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0		0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	1	0.3	0	0.0 0.0 0.0 0.0 0.0
20-29	3	37.5	3	37.5	0	0.0		0.0	27	9.0	0	0.0
30-39	3	37.5	3	37.5	0	0.0		0.0	39	13.0	0	0.0
40-49	1	12.5	1	12.5	0	0.0		100.0	49	16.4	0	0.0
50-59	1	12.5	1	12.5	0	0.0		0.0	98	32.8	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	85	28.4	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	3	37.5	3	37.5	0	0.0		100.0	102	34.1	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	8.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.3	0	0.0
Heterosexual contact	3	37.5	3	37.5	0	0.0	0	0.0	87	29.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0 0.0 0.0 0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	1	0.3	0	0.0
Unknown	2	25.0	2	25.0	0	0.0		0.0	70	23.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367. Men includes transgender men and women includes transgender women.

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	SES, 201	18		AIDS DIAGNOSES	5, 2018	PWH AS 12/31/20		DEATHS	, 2018
					oncurrent with	h AIDS						1
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	52	100.0	38	73.1	14	26.9	22	100.0	1,903	100.0	13	100.0
GENDER												
Men	44	84.6	33	86.8	11	78.6	14	63.6	1,352	71.0	8	61.5
Women	8	15.4	5	13.2	3	21.4	8	36.4	551	29.0	5	38.5
VVOITETT	O O	13.4	3	10.2	3	21.7	O	30.4	331	23.0	3	50.5
RACE/ETHNICITY												
Black	8	15.4	6	15.8	2	14.3	5	22.7	492	25.9	3	23.1
Latino/Hispanic	25	48.1	20	52.6	5	35.7	9	40.9	888	46.7	6	46.2
White	5	9.6	4	10.5	1	7.1	1	4.5	284	14.9	4	30.8
Asian/Pacific Islander	13	25.0	7	18.4	6	42.9	7	31.8	212	11.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	1.0	0	0.0
Multiracial	1	1.9	1	2.6	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0 0.0
13-19	1	1.9	1	2.6	0	0.0	0	0.0	4	0.2	0	0.0
20-29	15	28.8	12	31.6	3	21.4	4	18.2	131	6.9	0	0.0
30-39	20	38.5	14	36.8	6	42.9	7	31.8	299	15.7	0	0.0
40-49	5	9.6	4	10.5	1	7.1	3	13.6	414	21.8	4	30.8
50-59	8	15.4	5	13.2	3	21.4	6	27.3	629	33.1	2	15.4
60+	3	5.8	2	5.3	1	7.1	2	9.1	424	22.3	7	53.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	27	51.9	20	52.6	7	50.0	9	40.9	794	41.7	3	23.1
Injection drug use history (IDU)	2	3.8	1	2.6	1	7.1	1	4.5	177	9.3	4	30.8 7.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	27	1.4	1	7.7
Heterosexual contact	8	15.4	5	13.2	3	21.4	9	40.9	491	25.8	3	23.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	23	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	15	28.8	12	31.6	3	21.4	3	13.6	342	18.0	2	15.4

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 201	8		AIDS DIAGNOSE	S, 2018	PWH AS 12/31/20		DEATHS,	, 2018
				С	oncurrent wit	th AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	55	100.0	39	70.9	16	29.1	42	100.0	3,328	100.0	29	100.0
GENDER												
Men	41	74.5	30	76.9	11	68.8	25	59.5	2,071	62.2	20	69.0
Women	14	25.5	9	23.1	5	31.3	17	40.5	1,257	37.8	9	31.0
Wonlen	14	25.5	9	23.1	5	31.3	17	40.5	1,237	31.0	9	31.0
RACE/ETHNICITY												
Black	37	67.3	26	66.7	11	68.8	31	73.8	2,362	71.0	20	69.0
Latino/Hispanic	13	23.6	9	23.1	4	25.0	8	19.0	645	19.4	6	20.7
White	2	3.6	2	5.1	0	0.0	1	2.4	185	5.6	3	10.3
Asian/Pacific Islander	3	5.5	2	5.1	1	6.3	2	4.8	106	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	16	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	3	5.5	2	5.1	1	6.3	1	2.4	19	0.6	0	0.0
20-29	13	23.6	13	33.3	0	0.0	4	9.5	256	7.7	0	0.0
30-39	8	14.5	4	10.3	4	25.0	9	21.4	472	14.2	1	3.4
40-49	14	25.5	10	25.6	4	25.0	9	21.4	646	19.4	5	17.2
50-59	10	18.2	6	15.4	4	25.0	10	23.8	990	29.7	12	41.4
60+	7	12.7	4	10.3	3	18.8	9	21.4	943	28.3	11	37.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	24	43.6	19	48.7	5	31.3	12	28.6	1,016	30.5	7	24.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.8	367	11.0	7	24.1
MSM-IDU	1	1.8	1	2.6	0	0.0	0	0.0	71	2.1	0	0.0
Heterosexual contact	14	25.5	10	25.6	4	25.0	12	28.6	1,057	31.8	13	44.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	33	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	93	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Unknown	16	29.1	9	23.1	7	43.8	16	38.1	681	20.5	2	6.9

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	OSES, 20 ⁻	8		AIDS DIAGNOSES	S, 2018	PWH AS 12/31/20		DEATHS	, 2018
				С	oncurrent with A	4 <i>IDS</i>						
	Total HIV di		Withou	it AIDS	diagn	oses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	22	100.0	18	81.8	4	18.2	13	100.0	1,347	100.0	9	100.0
GENDER								00.0		50 4		
Men	17	77.3	15	83.3		50.0		69.2	787	58.4	6	66.7
Women	5	22.7	3	16.7	2	50.0	4	30.8	560	41.6	3	33.3
RACE/ETHNICITY												
Black	17	77.3	13	72.2	4 1	0.00	12	92.3	1,035	76.8	8	88.9
Latino/Hispanic	5	22.7	5	27.8	0	0.0	1	7.7	166	12.3	1	11.1
White	0	0.0	0	0.0	0	0.0	0	0.0	89	6.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	50	3.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	9.1	1	5.6	1	25.0	1	7.7	11	0.8	0	0.0
20-29	4	18.2	3	16.7	1	25.0	2	15.4	103	7.6	0	0.0
30-39	8	36.4	8	44.4	0	0.0	3	23.1	187	13.9	0	0.0
40-49	0	0.0	0	0.0	0	0.0	2	15.4	265	19.7	1	11.1
50-59	6	27.3	6	33.3	0	0.0	2	15.4	415	30.8	1	11.1
60+	2	9.1	0	0.0	2	50.0	3	23.1	366	27.2	7	77.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	11	50.0	11	61.1	0	0.0	3	23.1	329	24.4	1	11.1
Injection drug use history (IDU)	1	4.5	0	0.0		25.0	1	7.7	123	9.1	5	55.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	22	1.6	0	0.0
Heterosexual contact	7	31.8	4	22.2	3	75.0	4	30.8	496	36.8	2	22.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	3	13.6	3	16.7	0	0.0	5	38.5	316	23.5	1	11.1

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2018						AIDS DIAGNOSES, 2018		PWH AS OF 12/31/2018		DEATHS, 2018	
					oncurrent with	h AIDS						ĺ
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	18	100.0	13	72.2	5	27.8	12	100.0	1,295	100.0	21	100.0
OF LIDED												
GENDER	40	66.7	0	61.5	4	00.0	7	58.3	743	57.4	4.5	74.4
Men	12 6	66.7 33.3	8 5	38.5	4 1	80.0 20.0	, 5	41.7	743 552	42.6	15 6	71.4 28.6
Women	0	33.3	5	38.5	'	20.0	5	41.7	55∠	42.0	О	28.6
RACE/ETHNICITY												
Black	10	55.6	6	46.2	4	80.0	8	66.7	829	64.0	11	52.4
Latino/Hispanic	6	33.3	5	38.5	1	20.0	4	33.3	324	25.0	5	23.8
White	2	11.1	2	15.4	0	0.0	0	0.0	118	9.1	5	23.8 0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 4.8 0.0 4.8
13-19	1	5.6	0	0.0	1	20.0	1	8.3	2	0.2	0	0.0
20-29	2	11.1	2	15.4	0	0.0	0	0.0	88	6.8	1	4.8
30-39	7	38.9	6	46.2	1	20.0	3	25.0	189	14.6	0	0.0
40-49	5	27.8	3	23.1	2	40.0	3	25.0	247	19.1	1	4.8
50-59	1	5.6	0	0.0	1	20.0	4	33.3	411	31.7	11	52.4
60+	2	11.1	2	15.4	0	0.0	1	8.3	358	27.6	8	38.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	7	38.9	5	38.5	2	40.0	3	25.0	342	26.4	2	9.5
Injection drug use history (IDU)	1	5.6	1	7.7	0	0.0	2	16.7	189	14.6	10	47.6 9.5 14.3 0.0 0.0
MSM-IDU	1	5.6	1	7.7	0	0.0	0	0.0	28	2.2	2	9.5
Heterosexual contact	3	16.7	2	15.4	1	20.0	3	25.0	466	36.0	3	14.3
Transgender people with sexual contact	1	5.6	1	7.7	0	0.0	0	0.0	12	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	39	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	5	27.8	3	23.1	2	40.0	4	33.3	216	16.7	4	19.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2018 AIDS DIAGNOSES, 2018 PWH AS OF 12/31/2018							DEATHS, 2018				
				С	oncurrent w	ith AIDS						
	Total HIV dia	agnoses	Withou	it AIDS	d	iagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	12	100.0	10	83.3	2	16.7	4	100.0	668	100.0	6	100.0
GENDER		00.7	0	00.0		400.0	_	400.0	400	50.0	_	00.0
Men	8	66.7	6	60.0	2	100.0		100.0	400	59.9	5	83.3
Women	4	33.3	4	40.0	0	0.0	0	0.0	268	40.1	1	16.7
RACE/ETHNICITY												
Black	10	83.3	8	80.0	2	100.0	3	75.0	343	51.3	2	33.3
Latino/Hispanic	2	16.7	2	20.0	0	0.0	1	25.0	215	32.2	3	50.0
White	0	0.0	0	0.0	0	0.0	0	0.0	97	14.5	1	16.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	1.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	8.3	0	0.0	1	50.0	1	25.0	3	0.4	0	0.0
20-29	5	41.7	4	40.0	1	50.0	2	50.0	50	7.5	0	0.0
30-39	3	25.0	3	30.0	0	0.0	0	0.0	113	16.9	1	16.7
40-49	1	8.3	1	10.0	0	0.0	1	25.0	127	19.0	2	33.3
50-59	1	8.3	1	10.0	0	0.0	0	0.0	230	34.4	2	33.3
60+	1	8.3	1	10.0	Ö	0.0	0	0.0	144	21.6	1	16.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	5	41.7	3	30.0	2	100.0	4	100.0	183	27.4	1	16.7
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	121	18.1	2	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	3.0	1	16.7
Heterosexual contact	3	25.0	3	30.0	0	0.0	0	0.0	210	31.4	1	16.7
Transgender people with sexual contact	1	8.3	1	10.0	0	0.0	0	0.0	13	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	2.7	Ö	0.0
Other	ő	0.0	0	0.0	Ö	0.0	ő	0.0	1	0.1	Ő	0.0
Unknown	3	25.0	3	30.0	Ö	0.0	o 0	0.0	102	15.3	1	16.7
OTHER DESIGNATION OF THE PROPERTY OF THE PROPE		20.0		00.0		0.0	U	0.0	102	10.0	<u>'</u>	10.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

Table 1.11.2. Stapleton - St. George (Staten Island)

		HIV DIAGNOSES, 2018 AIDS						AIDS DIAGNOSES, 2018		OF 18	DEATHS	, 2018
					oncurrent with A	_						
	Total HIV d			out AIDS	diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	7	100.0	7	100.0	0	0.0	9	100.0	1,197	100.0	15	100.0
GENDER												
Men	3	42.9	3	42.9	0	0.0	3	33.3	773	64.6	9	60.0
Women	4	57.1	4	57.1	0	0.0	6	66.7	424	35.4	6	40.0
RACE/ETHNICITY												
Black	6	85.7	6	85.7	0	0.0	7	77.8	564	47.1	10	66.7
Latino/Hispanic	1	14.3	1	14.3	0	0.0	1	11.1	326	27.2	3	20.0
White	0	0.0	0	0.0	0	0.0	1	11.1	278	23.2	2	13.3 0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0 0.0 0.0 6.7
20-29	3	42.9	3	42.9	0	0.0	1	11.1	88	7.4	0	0.0
30-39	0	0.0	0	0.0	0	0.0	4	44.4	166	13.9	0	0.0
40-49	2	28.6	2	28.6	0	0.0	1	11.1	205	17.1	1	6.7
50-59	1	14.3	1	14.3	0	0.0	0	0.0	428	35.8	8	53.3
60+	1	14.3	1	14.3	0	0.0	3	33.3	307	25.6	6	40.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	28.6	2	28.6	0	0.0	1	11.1	378	31.6	2	13.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	11.1	195	16.3	7	46.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	11.1	46	3.8	0	0.0
Heterosexual contact	3	42.9	3	42.9	0	0.0	5	55.6	326	27.2	4	26.7
Transgender people with sexual contact	1	14.3	1	14.3	0	0.0	0	0.0	26	2.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	14.3	1	14.3	0	0.0	1	11.1	200	16.7	2	13.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

Table 1.11.3. Willowbrook (Staten Island)

		HIV DIAGNOSES, 2018 AIDS DIAGNOSES, 2018 PWH 12/31								_	DEATHS, 2018		
					oncurrent with	AIDS							
	Total HIV d			out AIDS		noses							
	N	%	N	%	N	%	N	%	N	%	N	%	
TOTAL	2	100.0	2	100.0	0	0.0	2	100.0	202	100.0	2	100.0	
GENDER													
Men	2	100.0	2	100.0	0	0.0	1	50.0	144	71.3	1	50.0	
Women	0	0.0	0	0.0	ő	0.0	1	50.0	58	28.7	1	50.0	
RACE/ETHNICITY													
Black	0	0.0	0	0.0	0	0.0	0	0.0	41	20.3	0	0.0	
Latino/Hispanic	1	50.0	1	50.0	0	0.0	2	100.0	58	28.7	1	50.0	
White	1	50.0	1	50.0	0	0.0	0	0.0	94	46.5	1	50.0	
Asian/Pacific Islander	0	0.0	0	0.0	Ō	0.0	0	0.0	6	3.0	0	0.0	
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.5	0	0.0 0.0	
AGE GROUP (YEARS)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0	
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0	
20-29	0	0.0	0	0.0	0	0.0	0	0.0	18	8.9	0	0.0	
30-39	0	0.0	0	0.0	0	0.0	1	50.0	25	12.4	1	50.0 0.0 0.0	
40-49	1	50.0	1	50.0	0	0.0	1	50.0	42	20.8	0	0.0	
50-59	0	0.0	0	0.0	0	0.0	0	0.0	66	32.7	0	0.0	
60+	1	50.0	1	50.0	0	0.0	0	0.0	49	24.3	1	50.0	
TRANSMISSION CATEGORY													
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	80	39.6	0	0.0	
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	25	12.4	0	0.0	
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	6	3.0	1	50.0	
Heterosexual contact	1	50.0	1	50.0	0	0.0	1	50.0	43	21.3	1	50.0	
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0 0.0 0.0 0.0	
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0	
Unknown	1	50.0	1	50.0	Ō	0.0	1	50.0	40	19.8	0	0.0	

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2018						AIDS DIAGNOSES, 2018		PWH AS OF 12/31/2018		DEATHS	, 2018
					oncurrent wit	-						
	Total HIV d			out AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	Ŋ	%
TOTAL	7	100.0	5	71.4	2	28.6	4	100.0	436	100.0	5	100.0
GENDER												
Men	7	100.0	5	100.0	2	100.0	4	100.0	298	68.3	3	60.0
Women	0	0.0	0	0.0	0	0.0	Ö	0.0	138	31.7	2	40.0
RACE/ETHNICITY												
Black	1	14.3	1	20.0	0	0.0	0	0.0	68	15.6	2	40.0
Latino/Hispanic	2	28.6	1	20.0	1	50.0	1	25.0	118	27.1	0	0.0
White	4	57.1	3	60.0	1	50.0	3	75.0	243	55.7	3	60.0 0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0 0.0
20-29	3	42.9	3	60.0	0	0.0	0	0.0	25	5.7	0	0.0
30-39	1	14.3	1	20.0	0	0.0	0	0.0	37	8.5	2	40.0
40-49	1	14.3	0	0.0	1	50.0	1	25.0	82	18.8	0	0.0
50-59	2	28.6	1	20.0	1	50.0	2	50.0	163	37.4	1	20.0
60+	0	0.0	0	0.0	0	0.0	1	25.0	125	28.7	2	40.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	85.7	4	80.0	2	100.0	4	100.0	128	29.4	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	72	16.5	1	20.0
MSM-IDU	1	14.3	1	20.0	0	0.0	0	0.0	10	2.3	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	123	28.2	2	40.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.2	1	20.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	84	19.3	1	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312. Men includes transgender men and women includes transgender women.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2018 Table 2.1. Overall and by gender, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PWH ³	2018 NEW YORK CITY POPULATION⁴
TOTAL	22.2	1.5	9.5	8,826,472
GENDER				
Men	36.0	2.3	9.2	4,212,360
Women	9.5	0.8	10.2	4,614,112
DACE/ETHNICITY				
RACE/ETHNICITY				
Black	44.9	2.9	11.0	1,933,254
Latino/Hispanic	28.8	1.7	9.2	2,552,834
White	8.0	0.9	7.5	2,852,429
Asian/Pacific Islander	7.9	0.2	3.5	1,309,211
Multiracial	12.7	0.4	11.7*	157,326
AGE GROUP (YEARS)				
0 - 12	0.1*	0.0	0.0*	1,355,808
13 - 19	10.9	0.1	0.0*	658,896
20 - 29	50.8	0.8	3.7	1,372,809
30 - 39	37.2	1.5	4.7	1,404,792
40 - 49	25.1	2.3	8.6	1,112,625
50 - 59	23.5	3.7	14.2	1,101,867
60+	6.8	1.8	26.2	1,819,675

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2018 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2018 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2018 NEW YORK CITY POPULATION ⁴
TOTAL	22.2	1.5	9.5	8,826,472
BRONX ⁵	28.2	2.0	11.1	1,505,642
Crotona - Tremont	36.6	2.8	13.8	226,557
Fordham - Bronx Park	31.2	2.1	8.5	278,641
High Bridge - Morrisania	45.4	2.8	12.5	226,853
Hunts Point - Mott Haven	27.9	2.7	8.8	147,138
Kingsbridge - Riverdale	8.1*	0.8	14.0	98,388
Northeast Bronx	20.4	1.3	10.0	215,386
Pelham - Throgs Neck	18.7	1.4	8.5	315,337
- Cinam Tinoge Hook	10.1		0.0	0.10,007
BROOKLYN5	19.9	1.1	8.3	2,712,174
Bedford Stuyvesant - Crown Heights	37.7	2.2	11.3	347,638
Bensonhurst - Bay Ridge	7.4	0.3	5.8*	216,063
Borough Park	7.0	0.3	9.1	342,704
Canarsie - Flatlands	22.2	0.8	6.9	215,910
Coney Island - Sheepshead Bay	6.6	0.4	9.4	304,057
Downtown - Heights - Park Slope	13.7	1.0	5.9	270,820
East Flatbush - Flatbush	30.8	1.8	7.6	308,686
East New York	30.5	1.8	10.1	199,905
Greenpoint	7.3	0.6	2.2*	150,381
Sunset Park	15.1	0.7	3.7*	126,166
Williamsburg - Bushwick	33.5	1.7	7.3	229,844
Trimaniosaly Sacrimen	00.0		7.0	220,011
MANHATTAN ⁵	21.6	1.9	5.6	1,715,962
Central Harlem - Morningside Heights	40.5	2.6	9.2	190,035
Chelsea - Clinton	38.8	4.1	3.8	170,049
East Harlem	31.5	2.6	10.2	117,498
Gramercy Park - Murray Hill	5.6*	1.4	3.2	141,630
Greenwich Village - Soho	15.1	2.1	4.9*	85,971
Lower Manhattan	15.0*	0.9	5.0*	66,745
Union Square - Lower East Side	10.8	1.5	6.5	194,437
Upper East Side	7.1	0.7	5.1	224,467
Upper West Side	13.6	1.4	4.4	228,001
Washington Heights - Inwood	32.2	1.7	5.0	279,571
OHEENS5	14.8	0.0	5.0	2 204 767
QUEENS⁵ Bayside - Little Neck	14.8	0.8 0.2	5.0 4.5*	2,391,767 92,610
Flushing - Clearview	8.4	0.2	4.5 9.0*	262,500
Fresh Meadows	7.6*	0.3	0.0*	104,686
Jamaica	16.5	1.0	4.4	332,457
Long Island City - Astoria	22.6	1.1	5.6*	212,786
	13.2	0.5	2.7*	
Ridgewood - Forest Hills Rockaway	13.2	1.0	7.7	273,704
1				136,083
Southeast Queens Southwest Queens	9.8	0.6 0.6	3.4*	224,213
West Queens	17.7 19.6	1.2	8.8 4.5	293,932 473,695
WOOL QUEETIS	19.0	1.2	4.5	473,093
STATEN ISLAND5	5.6	0.5	6.4	500,927
Port Richmond	16.4	0.9	5.4*	73,287
South Beach - Tottenville	3.4*	0.2	10.4*	203,504
Stapleton - St. George	5.4*	0.9	6.5	129,152
Willowbrook	2.1*	0.2	7.6*	94,983

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2018 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.