

New York City HIV Annual Surveillance Statistics 2019

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene https://www.nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page



List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 Reported HIV/AIDS diagnoses and deaths in 2019 and reported people with HIV as of 12/31/2019 in New York City

Table 1.1	New York City (All)		
		Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race or Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
		Table 1.8.11	Williamsburg – Bushwick
	By Age		
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
		Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, Men	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, Women	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, Men	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, Women	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, Men	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, Women		
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
	By Transmission Category	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug use history (IDU), Men	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.8	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual contact, Men	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual contact, Women		,
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
		Table 1.11.1	Port Richmond
	By UHF Neighborhood: Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
Table 1.7.2	Northeast Bronx	Table 1.11.4	South Beach – Tottenville
	Fordham – Bronx Park		
Table 1.7.3			
oles 2.1-2.2	Rates of reported HIV diagnoses, people	le with HIV, and o	deaths among people with HIV in Ne
	Rates of reported HIV diagnoses, peopl York City, 2019	le with HIV, and o	deaths among people with HIV in Ne

Table 1.1. New York City (All)

				Concur	rent with	AIDS DIAGNOSE	S, 2019 PV	VH AS OF 12/	31/2019	DEATHS,	2019	
		-			AIDS di	agnoses	N	%	N	0/	N	0/
TOTAL	1,809	% 100.0	1,511	% 83.5	N 298	% 16.5	N 1,140	100.0	132,091	% 100.0	N 1,819	% 100.0
GENDER			_	_				_		_		
Men	1,412	78.1	1,189	78.7	223	74.8	808	70.9	96,029	72.7	1,303	71.6
Women Transgender	335 62	18.5 3.4	266 56	17.6 3.7	69 6	23.2 2.0	297 35	26.1 3.1	33,706 2,356	25.5 1.8	490 26	26.9 1.4
RACE/ETHNICITY								_				
Black	812	44.9	685	45.3	127	42.6	573	50.3	56,924	43.1	882	48.5
Latino/Hispanic White	707 196	39.1 10.8	582 171	38.5 11.3	125 25	41.9 8.4	402 109	35.3 9.6	44,061 26,600	33.4 20.1	575 324	31.6 17.8
Asian/Pacific Islander	72	4.0	56	3.7	16	5.4	43	3.8	3,301	2.5	17	0.9
Native American	4	0.2	4	0.3	0	0.0	2	0.2	316	0.2	5	0.3
Multiracial	18 0	1.0 0.0	13 0	0.9 0.0	5 0	1.7 0.0	11 0	1.0 0.0	580 309	0.4 0.2	12 4	0.7 0.2
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	309	0.2	4	0.2
AGE GROUP (YEARS)							,	2.4				
0-12 13-19	3 65	0.2 3.6	3 61	0.2 4.0	0 4	0.0 1.3	1 12	0.1 1.1	63 384	0.0	0 0	0.0
20-29	674	37.3	620	41.0	54	18.1	202	17.7	9,558	7.2	34	1.9
30-39	512	28.3	415	27.5	97	32.6	313	27.5	21,763	16.5	125	6.9
40-49	245	13.5	187	12.4	58	19.5	211	18.5	24,418	18.5	208	11.4
50-59 60+	199 111	11.0 6.1	145 80	9.6 5.3	54 31	18.1 10.4	238 163	20.9 14.3	40,521 35,384	30.7 26.8	535 917	29.4 50.4
		0.1	00	0.0	01	10.4	103	14.5	33,304	20.0	317	30.4
BOROUGH OF RESIDENCE	4=0		201	05.4				22.0	04.00=		100	25.0
Bronx Brooklyn	470 456	26.0 25.2	384 389	25.4 25.7	86 67	28.9 22.5	321 271	28.2 23.8	31,227 30.517	23.6	460 396	25.3 21.8
Manhattan	330	18.2	280	18.5	50	16.8	194	17.0	32,739	24.8	312	17.2
Queens	312	17.2	242	16.0	70	23.5	168	14.7	18,814	14.2	167	9.2
Staten Island	31	1.7	27	1.8	4	1.3	16	1.4	2,557	1.9	39	2.1
Outside NYC Unknown	152 58	8.4 3.2	131 58	8.7 3.8	21 0	7.0 0.0	159 11	13.9 1.0	14,197 2,040	10.7	70 375	3.8 20.6
Children	00	0.2	00	0.0	· ·	0.0		1.0	2,040	1.0	0/0	20.0
AREA-BASED POVERTY LEVEL	04.4	44.0	470	44.0	44	440	447	40.0	40.000	440	404	0.0
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL)	214 615	11.8 34.0	170 504	11.3 33.4	44 111	14.8 37.2	117 347	10.3 30.4	18,826 43,430	14.3 32.9	124 404	6.8 22.2
High poverty (20 to <30% below FPL)	400	22.1	341	22.6	59	19.8	247	21.7	26,546	20.1	298	16.4
Very high poverty (≥30% below FPL)	367	20.3	304	20.1	63	21.1	258	22.6	25,770	19.5	379	20.8
Area-based poverty level not available	213	11.8	192	12.7	21	7.0	171	15.0	17,519	13.3	614	33.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1,002	55.4	866	57.3	136	45.6	450	39.5	58,771	44.5	504	27.7
Injection drug use history (IDU) MSM-IDU	39 28	2.2 1.5	35 26	2.3 1.7	4 2	1.3 0.7	95 25	8.3 2.2	15,391 3.671	11.7 2.8	490 77	26.9
Heterosexual contact	342	1.5	263	1.7	79	26.5	25 279	2.2 24.5	3,671 27,477	2.8	386	4.2 21.2
Transgender people with sexual contact	56	3.1	51	3.4	5	1.7	31	2.7	2,050	1.6	20	1.1
Perinatal	3	0.2	3	0.2	0	0.0	19	1.7	2,579	2.0	12	0.7
Other Unknown	0 339	0.0 18.7	0 267	0.0 17.7	0 72	0.0 24.2	0 241	0.0 21.1	204 21,948	0.2 16.6	1 329	0.1 18.1
UIINIUWII	339	10.7	207	17.7	12	24.2	241	۷۱.۱	21,940	10.0	329	10.1

Table 1.2.1. Men (includes transgender men)

	Total HIV di		DIAGNOS Withou	С	oncurrent wi	ith AIDS	AIDS DIAGNOSE	ES, 2019	PWH AS 12/31/20		DEATHS,	2019
TOTAL	1,416	100.0	1,193	% 84.3	N 223	% 15.7	N 809	% 100.0	N 96,074	% 100.0	N 1,303	% 100.0
RACE/ETHNICITY Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	568 594 173 63 4	40.1 41.9 12.2 4.4 0.3 1.0	484 491 154 49 4	40.6 41.2 12.9 4.1 0.3 0.9	84 103 19 14 0	37.7 46.2 8.5 6.3 0.0 1.3	84 39 2 8	45.2 38.3 10.4 4.8 0.2 1.0	36,141 32,237 23,996 2,770 240 453	37.6 33.6 25.0 2.9 0.2 0.5	573 422 281 15 1	44.0 32.4 21.6 1.2 0.1 0.5
Unknown AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	1	0.0	237	0.2	0	0.3
13-19 20-29 30-39 40-49 50-59 60+	52 578 406 176 125 79	3.7 40.8 28.7 12.4 8.8 5.6	49 532 325 138 90 59	4.1 44.6 27.2 11.6 7.5 4.9	3 46 81 38 35 20	1.3 20.6 36.3 17.0 15.7 9.0	161 238 134 153	0.7 19.9 29.4 16.6 18.9 14.3	242 7,363 17,181 17,252 28,668 25,337	0.3 7.7 17.9 18.0 29.8 26.4	0 32 86 133 366 686	0.0 2.5 6.6 10.2 28.1 52.6
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	351 352 281 242 22 121 47	24.8 24.9 19.8 17.1 1.6 8.5 3.3	287 303 240 193 21 102 47	24.1 25.4 20.1 16.2 1.8 8.5 3.9	64 49 41 49 1 19	28.7 22.0 18.4 22.0 0.4 8.5 0.0		26.5 21.0 18.8 15.1 1.2 16.2 1.2	19,447 20,461 27,610 13,831 1,648 11,454 1,623	20.2 21.3 28.7 14.4 1.7 11.9	311 255 236 125 24 55 297	23.9 19.6 18.1 9.6 1.8 4.2 22.8
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	167 495 312 271 171	11.8 35.0 22.0 19.1 12.1	131 417 272 221 152	11.0 35.0 22.8 18.5 12.7	36 78 40 50 19	16.1 35.0 17.9 22.4 8.5	174	11.5 29.4 20.0 21.5 17.6	15,314 32,410 17,949 16,316 14,085	15.9 33.7 18.7 17.0 14.7	103 294 205 235 466	7.9 22.6 15.7 18.0 35.8
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	1,002 25 28 66 2 0 0	70.8 1.8 2.0 4.7 0.1 0.0 0.0 20.7	866 21 26 47 2 0 0 231	72.6 1.8 2.2 3.9 0.2 0.0 0.0 19.4	136 4 2 19 0 0 0	61.0 1.8 0.9 8.5 0.0 0.0 0.0 27.8	55 25 72 1 11 0	55.6 6.8 3.1 8.9 0.1 1.4 0.0 24.1	58,771 9,936 3,671 7,248 27 1,255 116 15,050	61.2 10.3 3.8 7.5 0.0 1.3 0.1 15.7	504 315 77 145 0 7 0 255	38.7 24.2 5.9 11.1 0.0 0.5 0.0

Table 1.2.2. Women (includes transgender women)

		DIAGNO	SES, 20			AIDS DIAGNOSE	ES, 2019	PWH AS 12/31/20	_	DEATHS	, 2019	
	Total HIV dia		Withou	t AIDS		agnoses	N.	%	N	0/	N.	0/
TOTAL	N 393	% 100.0	N 318	% 80.9	N 75	19.1	N 331	100.0	N 36,017	% 100.0	N 516	% 100.0
RACE/ETHNICITY								_				
Black	244	62.1	201	63.2	43	57.3	207	62.5	20,783	57.7	309	59.9
Latino/Hispanic White	113 23	28.8 5.9	91 17	28.6 5.3	22 6	29.3 8.0	92 25	27.8 7.6	11,824 2,604	32.8 7.2	153 43	29.7 8.3
Asian/Pacific Islander	9	2.3	7	2.2	2	2.7	25 4	1.2	2,604 531	1.5	43 2	0.4
Native American	Ö	0.0	Ó	0.0	0	0.0	0	0.0	76	0.2	4	8.0
Multiracial	4	1.0	2	0.6	2	2.7	3	0.9	127	0.4	5	1.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	72	0.2	0	0.0
AGE GROUP (YEARS)		_	_	_				_				
0-12	3	0.8	3	0.9	0	0.0	0	0.0	32	0.1	0	0.0
13-19	13	3.3	12	3.8	1	1.3	6	1.8	142	0.4	0	0.0
20-29 30-39	96 106	24.4 27.0	88 90	27.7 28.3	8 16	10.7 21.3	41 75	12.4 22.7	2,195 4,582	6.1 12.7	2 39	0.4 7.6
40-49	69	17.6	49	15.4	20	26.7	73 77	23.3	7,166	19.9	75	14.5
50-59	74	18.8	55	17.3	19	25.3	85	25.7	11,853	32.9	169	32.8
60+	32	8.1	21	6.6	11	14.7	47	14.2	10,047	27.9	231	44.8
BOROUGH OF RESIDENCE		_	_	_	_	_		-	_			
Bronx	119	30.3	97	30.5	22	29.3	107	32.3	11,780	32.7	149	28.9
Brooklyn	104	26.5	86	27.0	18	24.0	101	30.5	10,056	27.9	141	27.3
Manhattan	49	12.5	40	12.6 15.4	9	12.0	42 46	12.7	5,129	14.2	76	14.7
Queens Staten Island	70 9	17.8 2.3	49 6	15.4	21 3	28.0 4.0	46 6	13.9 1.8	4,983 909	13.8 2.5	42 15	8.1 2.9
Outside NYC	31	7.9	29	9.1	2	2.7	28	8.5	2,743	7.6	15	2.9
Unknown	11	2.8	11	3.5	0	0.0	1	0.3	417	1.2	78	15.1
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	47	12.0	39	12.3	8	10.7	24	7.3	3,512	9.8	21	4.1
Medium poverty (10 to <20% below FPL)	120	30.5	87	27.4	33	44.0	109	32.9	11,020	30.6	110	21.3
High poverty (20 to <30% below FPL)	88	22.4	69	21.7	19	25.3	85	25.7	8,597	23.9	93	18.0
Very high poverty (≥30% below FPL)	96	24.4	83	26.1	13	17.3	84	25.4	9,454	26.2	144	27.9
Area-based poverty level not available	42	10.7	40	12.6	2	2.7	29	8.8	3,434	9.5	148	28.7
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	14	3.6	14	4.4	0	0.0		12.1	5,455	15.1	175	33.9
Heterosexual contact	276	70.2	216	67.9	60	80.0	207	62.5	20,229	56.2	241	46.7
Transgender people with sexual contact	54	13.7	49	15.4	5 0	6.7	30	9.1	2,023	5.6	20	3.9 1.0
Perinatal Other	3 0	0.8	3	0.9	0	0.0	8 0	2.4 0.0	1,324 88	3.7 0.2	5 1	0.2
Unknown	46	11.7	36	11.3	10	13.3		13.9	6,898	19.2	74	14.3

Table 1.3.1. Black men (includes transgender men)

	Total HIV diagnoses N %		DIAGNO Withou		oncurrent w	rith AIDS agnoses	AIDS DIAGNOSE	ES, 2019	PWH AS (12/31/20 ²		DEATHS,	, 2019
TOTAL			N 484	% 85.2	N 84	49110565 % 14.8	N 366	% 100.0	N 20 144	% 100.0	N 573	% 100.0
IOTAL	308	100.0	464	65.2	64	14.6	300	100.0	36,141	100.0	5/3	100.0
AGE GROUP (YEARS)	_											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 26 239 135 74 56 38	0.0 4.6 42.1 23.8 13.0 9.9 6.7	0 25 222 114 59 38 26	0.0 5.2 45.9 23.6 12.2 7.9 5.4	0 1 17 21 15 18 12	0.0 1.2 20.2 25.0 17.9 21.4 14.3	1 4 78 103 48 70 62	0.3 1.1 21.3 28.1 13.1 19.1 16.9	19 133 3,370 6,879 5,903 10,073 9,764	0.1 0.4 9.3 19.0 16.3 27.9 27.0	0 19 48 58 145 303	0.0 0.0 3.3 8.4 10.1 25.3 52.9
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	150 187 109 60 10 37 15	26.4 32.9 19.2 10.6 1.8 6.5 2.6	126 161 94 47 10 31 15	26.0 33.3 19.4 9.7 2.1 6.4 3.1	24 26 15 13 0 6	28.6 31.0 17.9 15.5 0.0 7.1 0.0	97 107 50 39 5 63 5	26.5 29.2 13.7 10.7 1.4 17.2	8,813 11,167 7,316 4,278 597 3,623 347	24.4 30.9 20.2 11.8 1.7 10.0 1.0	132 158 90 52 5 21	23.0 27.6 15.7 9.1 0.9 3.7 20.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	50 186 155 122	8.8 32.7 27.3 21.5	38 154 140 103	7.9 31.8 28.9 21.3	12 32 15	14.3 38.1 17.9 22.6	36 94 85 83	9.8 25.7 23.2 22.7	3,692 11,658 8,714 7,737	10.2 32.3 24.1 21.4	29 144 109 100	5.1 25.1 19.0 17.5
Very high poverty (≥30% below FPL) Area-based poverty level not available	55	9.7	49	10.1	19 6	7.1	68	18.6	4,340	12.0	191	33.3
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	362 9 7 37 2 0	63.7 1.6 1.2 6.5 0.4 0.0	320 8 7 25 2 0	66.1 1.7 1.4 5.2 0.4 0.0	42 1 0 12 0 0	50.0 1.2 0.0 14.3 0.0 0.0	180 18 7 47 1 7	49.2 4.9 1.9 12.8 0.3 1.9 0.0	18,281 4,015 1,296 3,944 17 700 38	50.6 11.1 3.6 10.9 0.0 1.9 0.1	196 129 26 85 0 4	34.2 22.5 4.5 14.8 0.0 0.7 0.0
Unknown	151	26.6	122	25.2	29	34.5	106	29.0	7,850	21.7	133	23.2

Table 1.3.2. Black women (includes transgender women)

	HIV DIAGNOSES, 2019 Concurrent with AIDS					AIDS DIAGNOSE	S, 2019	PWH AS (12/31/20 ²		DEATHS,	2019	
			14.00			-		_				
	Total HIV dia	agnoses %	Withou N	t AIDS %	dia N	agnoses	N	%	N	0/	N	0/
TOTAL	244	100.0	201	82.4	43	17.6	207	100.0	20,783	% 100.0	309	% 100.0
		100.0		V2						100.0		100.0
AGE GROUP (YEARS)												
0-12	2	0.8	2	1.0	0	0.0	0	0.0	11	0.1	0	0.0
13-19	5	2.0	5	2.5	0	0.0	3	1.4	84	0.4	0	0.0
20-29 30-39	62	25.4	59	29.4 26.4	3	7.0	21	10.1	1,253	6.0	2	0.6
40-49	63 42	25.8 17.2	53 31	26.4 15.4	10 11	23.3 25.6	48 49	23.2 23.7	2,724 4,308	13.1 20.7	24 49	7.8 15.9
50-59	50	20.5	40	19.9	10	23.3	57	27.5	4,306 6,816	32.8	104	33.7
60+	20	8.2	11	5.5	9	20.9	29	14.0	5,587	26.9	130	42.1
004	20	0.2	''	3.3	9	20.5	29	14.0	3,307	20.9	130	42.1
BOROUGH OF RESIDENCE						_						
Bronx	75	30.7	61	30.3	14	32.6	65	31.4	6,179	29.7	68	22.0
Brooklyn	75	30.7	62	30.8	13	30.2	74	35.7	6,992	33.6	102	33.0
Manhattan	27	11.1	23	11.4	4	9.3	27	13.0	2,755	13.3	45	14.6
Queens	41	16.8	31	15.4	10	23.3	19	9.2	2,747	13.2	28	9.1
Staten Island	3	1.2	3	1.5	0	0.0	3	1.4	445	2.1	8	2.6
Outside NYC	17	7.0	15	7.5	2	4.7	19	9.2	1,483	7.1	7	2.3
Unknown	6	2.5	6	3.0	0	0.0	0	0.0	182	0.9	51	16.5
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	27	11.1	24	11.9	3	7.0	12	5.8	1,940	9.3	10	3.2
Medium poverty (10 to <20% below FPL)	66	27.0	50	24.9	16	37.2	57	27.5	6,554	31.5	70	22.7
High poverty (20 to <30% below FPL)	67	27.5	53	26.4	14	32.6	61	29.5	5,251	25.3	52	16.8
Very high poverty (≥30% below FPL)	61	25.0	53	26.4	8	18.6	58	28.0	5,222	25.1	86	27.8
Area-based poverty level not available	23	9.4	21	10.4	2	4.7	19	9.2	1.816	8.7	91	29.4
Area-based poverty level flot available		3.4	21	10.4	2	4.7	19	9.2	1,010	0.7	91	29.4
TRANSMISSION CATEGORY						_						
Injection drug use history (IDU)	6	2.5	6	3.0	0	0.0	24	11.6	2,609	12.6	95	30.7
Heterosexual contact	175	71.7	142	70.6	33	76.7	128	61.8	11,998	57.7	154	49.8
Transgender people with sexual contact	28	11.5	27	13.4	1	2.3	13	6.3	1,020	4.9	9	2.9
Perinatal	2	0.8	2	1.0	0	0.0	6	2.9	755	3.6	4	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	1	0.3
Unknown	33	13.5	24	11.9	9	20.9	36	17.4	4,355	21.0	46	14.9

Table 1.3.3. Latino/Hispanic men (includes transgender men)

	Total HIV di		DIAGNO Withou		Concurrent w	-	AIDS DIAGNOSE	ES, 2019	PWH AS (12/31/20 ²		DEATHS,	, 2019
	N	%	N	%	N	agnoses %	N	%	N	%	N	%
TOTAL	594	100.0	491	82.7	103	17.3	310	100.0	32,237	100.0	422	100.0
AGE GROUP (YEARS)								_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 24 254 193 56 41 26	0.0 4.0 42.8 32.5 9.4 6.9 4.4	0 22 234 146 42 28 19	0.0 4.5 47.7 29.7 8.6 5.7 3.9	0 2 20 47 14 13 7	0.0 1.9 19.4 45.6 13.6 12.6 6.8	0 2 59 103 56 54 36	0.0 0.6 19.0 33.2 18.1 17.4 11.6	9 90 2,710 6,207 6,282 9,426 7,513	0.0 0.3 8.4 19.3 19.5 29.2 23.3	0 0 12 24 41 132 213	0.0 0.0 2.8 5.7 9.7 31.3 50.5
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	190 91 101 133 6 49 24	32.0 15.3 17.0 22.4 1.0 8.2 4.0	151 78 83 106 6 43 24	30.8 15.9 16.9 21.6 1.2 8.8 4.9	39 13 18 27 0 6	37.9 12.6 17.5 26.2 0.0 5.8 0.0	106 42 62 63 1 34 2	34.2 13.5 20.0 20.3 0.3 11.0 0.6	9,264 5,137 7,815 6,012 486 2,628 895	28.7 15.9 24.2 18.6 1.5 8.2 2.8	156 63 64 39 12 13 75	37.0 14.9 15.2 9.2 2.8 3.1 17.8
AREA-BASED POVERTY LEVEL	70	40.0	0.1	40.4	4-	440	0.4	44.0	4 445	40.7	00	
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	76 198 110	12.8 33.3 18.5	61 162 91	12.4 33.0 18.5	15 36 19	14.6 35.0 18.4	34 102 57	11.0 32.9 18.4	4,415 10,533 6,141	13.7 32.7 19.0	22 92 70	5.2 21.8 16.6
Very high poverty (≥30% below FPL) Area-based poverty level not available	137 73	23.1 12.3	110 67	22.4 13.6	27 6	26.2 5.8	80 37	25.8 11.9	7,291 3,857	22.6 12.0	115 123	27.3 29.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	448 12 13 20 0 0	75.4 2.0 2.2 3.4 0.0 0.0 0.0	377 9 13 16 0 0	76.8 1.8 2.6 3.3 0.0 0.0	71 3 0 4 0 0	68.9 2.9 0.0 3.9 0.0 0.0	179 31 14 16 0 4	57.7 10.0 4.5 5.2 0.0 1.3 0.0	18,612 4,706 1,388 2,439 6 453 27	57.7 14.6 4.3 7.6 0.0 1.4 0.1	117 147 30 53 0 2	27.7 34.8 7.1 12.6 0.0 0.5 0.0
Unknown	101	17.0	76	15.5	25	24.3	66	21.3	4,606	14.3	73	17.3

Table 1.3.4. Latina/Hispanic women (includes transgender women)

		HIV				with AIDC	AIDS DIAGNOS	ES, 2019	PWH AS 12/31/20	-	DEATHS	, 2019
	Total HIV	diaannees	Withou		Concurrent v	vitri AIDS liagnoses		_				
	N	%	N	11 AIDS	N	11agr10363 %	N	%	N	%	N	%
TOTAL	113	100.0	91	80.5	22	19.5		100.0	11,824	100.0	153	100.0
AGE GROUP (YEARS)	_											
0-12	1	0.9	1	1.1	0	0.0	0	0.0	15	0.1	0	0.0
13-19 20-29	6 27	5.3 23.9	5	5.5 26.4	1	4.5	3 16	3.3	48 755	0.4 6.4	0 0	0.0
30-39	33	23.9	24 29	26.4 31.9	3 4	13.6 18.2	16	17.4 17.4	755 1,411	11.9	14	0.0 9.2
40-49	22	19.5	15	16.5	7	31.8	21	22.8	2.222	18.8	19	12.4
50-59	13	11.5	8	8.8	5	22.7	23	25.0	3,931	33.2	47	30.7
60+	11	9.7	9	9.9	2	9.1	13	14.1	3,442	29.1	73	47.7
BOROUGH OF RESIDENCE	_	_	_	_	_	_		_	_			
Bronx	40	35.4	33	36.3	7	31.8		40.2	5,144	43.5	67	43.8
Brooklyn	16	14.2	13	14.3	3	13.6	16	17.4	2,296	19.4	29	19.0
Manhattan	20	17.7	15	16.5	5	22.7	13	14.1	1,751	14.8	23	15.0
Queens Staten Island	21	18.6	15 1	16.5 1.1	6	27.3	18	19.6	1,535	13.0 2.1	10	6.5
Outside NYC	2 9	1.8 8.0	9	9.9	0	4.5 0.0	2 5	2.2 5.4	251 672	2.1 5.7	3 4	2.0 2.6
Unknown	5	4.4	5	5.5	0	0.0	1	1.1	175	1.5	17	11.1
AREA-BASED POVERTY LEVEL	_											
Low poverty (<10% below FPL)	13	11.5	11	12.1	2	9.1	8	8.7	896	7.6	4	2.6
Medium poverty (10 to <20% below FPL)	40	35.4	29	31.9	11	50.0	36	39.1	3,253	27.5	30	19.6
High poverty (20 to <30% below FPL)	17	15.0	12	13.2	5	22.7	21	22.8	2,885	24.4	32	20.9
Very high poverty (≥30% below FPL)	29	25.7	25	27.5	4	18.2	21	22.8	3,883	32.8	50	32.7
Area-based poverty level not available	14	12.4	14	15.4	0	0.0	6	6.5	907	7.7	37	24.2
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	6	5.3	6	6.6	0	0.0	11	12.0	2,177	18.4	63	41.2
Heterosexual contact	76	67.3	58	63.7	18	81.8	57	62.0	6,471	54.7	62	40.5 5.9 0.7
Transgender people with sexual contact	22	19.5	19	20.9	3	13.6	15	16.3	799	6.8	9	5.9
Perinatal	1	0.9	1	1.1	0	0.0	2	2.2	472	4.0	1	0.7
Other	0	0.0 7.1	0	0.0	0	0.0	0	0.0 7.6	22	0.2	0 18	0.0
Unknown	8	7.1		7.7	1	4.5		7.6	1,883	15.9	18	11.8

Table 1.3.5. White men (includes transgender men)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 0	_	DEATHS	, 2019
				C	concurrent wi	ith AIDS		_				
	Total HIV dia		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	173	100.0	154	89.0	19	11.0	84	100.0	23,996	100.0	281	100.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	0.6	1	0.6	Ö	0.0	Õ	0.0	11	0.0	Ö	0.0
20-29	59	34.1	56	36.4	3	15.8	11	13.1	854	3.6	1	0.4
30-39	49	28.3	40	26.0	9	47.4	19	22.6	3,221	13.4	11	3.9
40-49	32	18.5	27	17.5	5	26.3	17	20.2	4,232	17.6	32	11.4
50-59	21	12.1	19	12.3	2	10.5	22	26.2	8,241	34.3	81	28.8
60+	11	6.4	11	7.1	0	0.0	15	17.9	7,436	31.0	156	55.5
DODOLLOH OF BEGIDENOE												
BOROUGH OF RESIDENCE Bronx	7	4.0	6	3.9	1	5.3	8	9.5	1,074	4.5	20	7.1
Brooklyn	58	33.5	53	34.4	5	26.3	11	13.1	3.501	14.6	31	11.0
Manhattan	54	31.2	50	32.5	4	21.1	29	34.5	11,338	47.2	80	28.5
Queens	14	8.1	11	7.1	3	15.8	8	9.5	2.486	10.4	26	9.3
Staten Island	5	2.9	5	3.2	0	0.0	2	2.4	519	2.2	7	2.5
Outside NYC	28	16.2	22	14.3	6	31.6	24	28.6	4,793	20.0	20	7.1
Unknown	7	4.0	7	4.5	0	0.0	2	2.4	285	1.2	97	34.5
AREA-BASED POVERTY LEVEL	00	40.7	40	44.7		04.4	4.4	40.7	0.000	00.5	40	47.4
Low poverty (<10% below FPL)	22	12.7	18	11.7	4	21.1 21.1	14	16.7	6,360	26.5	49	17.4
Medium poverty (10 to <20% below FPL)	77 30	44.5 17.3	73 28	47.4 18.2	4 2	10.5	24 11	28.6 13.1	8,782 2,504	36.6 10.4	50 25	17.8 8.9
High poverty (20 to <30% below FPL)									,			
Very high poverty (≥30% below FPL)	9	5.2	6	3.9	3	15.8	9	10.7	1,043	4.3	18	6.4
Area-based poverty level not available	35	20.2	29	18.8	6	31.6	26	31.0	5,307	22.1	139	49.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	135	78.0	122	79.2	13	68.4	60	71.4	19.377	80.8	178	63.3
Injection drug use history (IDU)	4	2.3	4	2.6	0	0.0	6	7.1	1,117	4.7	37	13.2
MSM-IDU	6	3.5	5	3.2	1	5.3	2	2.4	895	3.7	21	7.5
Heterosexual contact	6	3.5	5	3.2	1	5.3	2	2.4	589	2.5	5	1.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	78	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	0	0.0
Unknown	22	12.7	18	11.7	4	21.1	14	16.7	1,892	7.9	39	13.9

Table 1.3.6. White women (includes transgender women)

	HIV DIAGNOSES, 2019 Concurrent with AIDS					AIDS DIAGNOSE	ES, 2019	PWH AS 12/31/20		DEATHS	, 2019	
	Total I IIV di		14/:4/					_				
	Total HIV di N	agnoses %	Withou N	t AIDS %	N Ole	agnoses %	N	%	N	%	N	%
TOTAL	23	100.0	17	73.9	6	26.1	25	100.0	2,604	100.0	43	100.0
AGE GROUP (YEARS)		_	_	_	_			_		_		
0-12 13-19 20-29 30-39 40-49 50-59	0 2 5 5 2 8	0.0 8.7 21.7 21.7 8.7 34.8	0 2 3 5 1 5	0.0 11.8 17.6 29.4 5.9 29.4	0 0 2 0 1 3	0.0 0.0 33.3 0.0 16.7 50.0	0 0 3 7 6 4	0.0 0.0 12.0 28.0 24.0 16.0	3 7 131 302 419 899	0.1 0.3 5.0 11.6 16.1 34.5	0 0 0 1 6 12	0.0 0.0 0.0 2.3 14.0 27.9
60+	1	4.3	1	5.9	0	0.0	5	20.0	843	32.4	24	55.8
BOROUGH OF RESIDENCE				44.0				40.0	0.40	40.0		25.0
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	2 8 2 4 4 3 0	8.7 34.8 8.7 17.4 17.4 13.0 0.0	2 7 2 1 2 3 0	11.8 41.2 11.8 5.9 11.8 17.6 0.0	0 1 0 3 2 0	0.0 16.7 0.0 50.0 33.3 0.0	4 10 2 4 1 4 0	16.0 40.0 8.0 16.0 4.0 16.0 0.0	343 569 516 428 198 508 42	13.2 21.9 19.8 16.4 7.6 19.5 1.6	11 6 7 4 3 2 10	25.6 14.0 16.3 9.3 7.0 4.7 23.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	5 11 1	21.7 47.8 4.3	3 7 1	17.6 41.2 5.9	2 4 0	33.3 66.7 0.0	2 12 3	8.0 48.0 12.0	545 912 316	20.9 35.0 12.1	7 8 4	16.3 18.6 9.3
Very high poverty (≥30% below FPL) Area-based poverty level not available	3	13.0 13.0	3	17.6 17.6	0	0.0	4	16.0 16.0	253 578	9.7 22.2	5 19	11.6 44.2
TRANSMISSION CATEGORY						_				_		
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	2 16 2 0 0	8.7 69.6 8.7 0.0 0.0 13.0	2 11 1 0 0 3	11.8 64.7 5.9 0.0 0.0	0 5 1 0 0	0.0 83.3 16.7 0.0 0.0	5 15 2 0 0 3	20.0 60.0 8.0 0.0 0.0 12.0	625 1,298 122 75 17 467	24.0 49.8 4.7 2.9 0.7 17.9	14 20 2 0 0	32.6 46.5 4.7 0.0 0.0 16.3

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	·						AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS,	, 2019
	Total HIV di	aanoses	Withou	ıt AIDS	Concurrent w	rith AIDS agnoses		_				
TOTAL	N 63	100.0	N 49	% 77.8	N 14	% 22.2	N 39	% 100.0	N 2,770	% 100.0	N 15	% 100.0
AGE GROUP (YEARS)								_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 20 20 13 6 3	0.0 1.6 31.7 31.7 20.6 9.5 4.8	0 1 15 17 9 5	0.0 2.0 30.6 34.7 18.4 10.2 4.1	0 0 5 3 4 1	0.0 0.0 35.7 21.4 28.6 7.1 7.1	0 0 10 9 12 5 3	0.0 0.0 25.6 23.1 30.8 12.8 7.7	2 7 320 646 678 690 427	0.1 0.3 11.6 23.3 24.5 24.9 15.4	0 0 0 3 2 6 4	0.0 0.0 0.0 20.0 13.3 40.0 26.7
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	3 10 13 30 0 6 1	4.8 15.9 20.6 47.6 0.0 9.5 1.6	3 5 11 24 0 5	6.1 10.2 22.4 49.0 0.0 10.2 2.0	0 5 2 6 0 1	0.0 35.7 14.3 42.9 0.0 7.1 0.0	2 9 9 11 1 6 1	5.1 23.1 23.1 28.2 2.6 15.4 2.6	172 490 811 930 25 259 83	6.2 17.7 29.3 33.6 0.9 9.4 3.0	2 2 2 5 0 1 3	13.3 13.3 13.3 33.3 0.0 6.7 20.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	17 25 12 2 7	27.0 39.7 19.0 3.2 11.1	13 21 8 1 6	26.5 42.9 16.3 2.0 12.2	4 4 4 1 1	28.6 28.6 28.6 7.1 7.1	8 14 8 2 7	20.5 35.9 20.5 5.1 17.9	696 1,125 446 141 362	25.1 40.6 16.1 5.1 13.1	3 5 1 2 4	20.0 33.3 6.7 13.3 26.7
TRANSMISSION CATEGORY		_	_	_		_						
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	45 0 1 3 0 0 0	71.4 0.0 1.6 4.8 0.0 0.0 0.0 22.2	37 0 0 1 0 0 0	75.5 0.0 0.0 2.0 0.0 0.0 0.0 22.4	8 0 1 2 0 0 0	57.1 0.0 7.1 14.3 0.0 0.0 0.0 21.4	23 0 2 6 0 0	59.0 0.0 5.1 15.4 0.0 0.0 0.0 20.5	1,929 62 51 230 1 13 3 481	69.6 2.2 1.8 8.3 0.0 0.5 0.1 17.4	7 0 0 2 0 0 0	46.7 0.0 0.0 13.3 0.0 0.0 0.0 40.0

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

	HIV DIAGNOSES, 2019 Concurrent with						AIDS DIAGNOS	ES, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
	-		1400					_				
	Total HIV d	lagnoses %	Withou N			diagnoses °/	N	%	N	0/	N	0/
TOTAL	9	100.0	7	% 77.8	N 2	22.2	4	100.0	531	100.0	2	% 100.0
ACE CROUP (VEARS)												
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
20-29	1	11.1	1	14.3	0	0.0	1	25.0	26	4.9	0	0.0
30-39	4	44.4	2	28.6	2	100.0	3	75.0	90	16.9	Ö	0.0
40-49	2	22.2	2	28.6	0	0.0	0	0.0	163	30.7	1	50.0
50-59	2	22.2	2	28.6	0	0.0	0	0.0	137	25.8	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	112	21.1	1	50.0
BOROUGH OF RESIDENCE	_							_				
Bronx	1	11.1	1	14.3	0	0.0	0	0.0	49	9.2	1	50.0
Brooklyn	2	22.2	2	28.6	0	0.0	0	0.0	118	22.2	1	50.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	66	12.4	0	0.0
Queens	4	44.4	2	28.6	2	100.0	4	100.0	229	43.1	0	0.0 0.0 0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Outside NYC	2	22.2	2	28.6	0	0.0	0	0.0	53	10.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	1.9	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	22.2	1	14.3	1	50.0	2	50.0	110	20.7	0	0.0
Medium poverty (10 to <20% below FPL)	2	22.2	1	14.3	1	50.0	2	50.0	220	41.4	1	50.0
High poverty (20 to <30% below FPL)	1	11.1	1	14.3	0	0.0	0	0.0	83	15.6	1	50.0
Very high poverty (≥30% below FPL)	2	22.2	2	28.6	0	0.0	0	0.0	50	9.4	0	0.0
Area-based poverty level not available	2	22.2	2	28.6	0	0.0	0	0.0	68	12.8	0	0.0
TRANSMISSION CATEGORY	_							_				
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	21	4.0	1	50.0
Heterosexual contact	6	66.7	4	57.1	2	100.0	4	100.0	339	63.8	1	50.0
Transgender people with sexual contact	1	11.1	1	14.3	0	0.0	0	0.0	43	8.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0 0.0
Unknown	2	22.2	2	28.6	0	0.0	0	0.0	121	22.8	0	0.0

Table 1.3.9. Native American men (includes transgender men)

		DIAGNO	OSES, 2019		- 4100	AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS	, 2019	
	Total HIV di	ioanooo	Mitho	out AIDS	ncurrent with			_				
	N	agnoses %	N	Sul AIDS %	N uiag	gnoses %	N	%	N	%	N	%
TOTAL	4	100.0	4	100.0	0	0.0	2	100.0	240	100.0	1	100.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	19	7.9	0	0.0
30-39	4	100.0	4	100.0	0	0.0	1	50.0	49	20.4	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	50.0	52	21.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	70	29.2	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	50	20.8	1	100.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	50.0	45	18.8	0	0.0
Brooklyn	1	25.0	1	25.0	0	0.0	0	0.0	54	22.5	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	54	22.5	0	0.0
Queens	2	50.0	2	50.0	0	0.0	0	0.0	50	20.8	1	100.0
Other/Unknown	1	25.0	1	25.0	0	0.0	1	50.0	37	15.4	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	36	15.0	0	0.0
Medium poverty (10 to <20% below FPL)	2	50.0	2	50.0	0	0.0	0	0.0	85	35.4	1	100.0
High poverty (20 to <30% below FPL)	1	25.0	1	25.0	0	0.0	1	50.0	46	19.2	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	39	16.3	0	0.0
Area-based poverty level not available	1	25.0	1	25.0	0	0.0	1	50.0	34	14.2	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	3	75.0	3	75.0	0	0.0	2	100.0	146	60.8	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	17	7.1	Ö	0.0
MSM-IDU	1	25.0	1	25.0	0	0.0	0	0.0	13	5.4	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	24	10.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	38	15.8	11	100.0

Table 1.3.10. Native American women (includes transgender women)

	HIV		DIAGNO	SES, 2	019	AIDS DIAGNOS	SES, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
	Total HIV di			AIDS	Concurrent with AIDS diagnose	S	04				
TOTAL	N 0	% 0.0	N 0	% 0.0	N %	0 N 0 0	% 0.0	N 76	100.0	N 4	% 100.0
AGE OPOUR (VEARS)											
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0 0.0	0 0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0 0.0		0.0	1	1.3	0	0.0
20-29	0	0.0	0	0.0	0 0.0		0.0	7	9.2	0	0.0
30-39	0	0.0	0	0.0	0 0.0		0.0	13	17.1	0	0.0
40-49	0	0.0	0	0.0	0 0.0		0.0	16	21.1	0	0.0
50-59	0	0.0	0	0.0	0 0.0		0.0	26	34.2	3	75.0
60+	0	0.0	0	0.0	0 0.0		0.0	13	17.1	1	25.0
	O .	0.0	U	0.0	0 0.	o o	0.0	10	17.1		20.0
BOROUGH OF RESIDENCE	_			_			_		_		
Bronx	0	0.0	0	0.0	0 0.0	0	0.0	24	31.6	1	25.0
Brooklyn	0	0.0	0	0.0	0 0.0	0	0.0	25	32.9	2	50.0
Manhattan	0	0.0	0	0.0	0 0.0	0	0.0	8	10.5	0	0.0
Queens	0	0.0	0	0.0	0 0.0	0	0.0	11	14.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0 0.0	0	0.0	8	10.5	1	25.0
AREA-BASED POVERTY LEVEL						_	_				
Low poverty (<10% below FPL)	0	0.0	0	0.0	0 0.0	0 0	0.0	4	5.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0 0.0		0.0	26	34.2	1	25.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0 0.0		0.0	20	26.3	2	50.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0 0.0	0	0.0	20	26.3	1	25.0
	-									1	
Area-based poverty level not available	0	0.0	0	0.0	0 0.0	0	0.0	6	7.9	0	0.0
TRANSMISSION CATEGORY	_					•	_		_		
Injection drug use history (IDU)	0	0.0	0	0.0	0 0.0	0	0.0	3	3.9	1	25.0
Heterosexual contact	0	0.0	0	0.0	0 0.0	0	0.0	49	64.5	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0 0.0	0	0.0	8	10.5	0	0.0
Perinatal	0	0.0	0	0.0	0 0.0	0	0.0	4	5.3	0	0.0
Other	0	0.0	0	0.0	0 0.0		0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0 0.0	0	0.0	12	15.8	2	50.0

Table 1.4.1. Boys 0-12 Years

	HIV		DIAGNO	SES, 2	019		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	-	DEATHS,	2019
				(Concurrent with	AIDS						
	Total HIV dia	agnoses	Without	t AIDS	diag	gnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	0	0.0	0	0.0	0	0.0	1	100.0	31	100.0	0	0.0
RACE/ETHNICITY		_		_				_				
Black	0	0.0	0	0.0	0	0.0	1	100.0	19	61.3	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	9	29.0	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	1	3.2	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	6.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
BOROUGH OF RESIDENCE								_				
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	9	29.0	0	0.0
Brooklyn	0	0.0	Ō	0.0	0	0.0	0	0.0	7	22.6	0	0.0
Manhattan	0	0.0	Ō	0.0	0	0.0	0	0.0	5	16.1	0	0.0 0.0
Queens	0	0.0	0	0.0	Ö	0.0	0	0.0	4	12.9	Ö	0.0
Staten Island	0	0.0	0	0.0	Ö	0.0	0	0.0	1	3.2	Ö	0.0
Outside NYC	0	0.0	0	0.0	Ö	0.0	0	0.0	3	9.7	Ö	0.0
Unknown	0	0.0	Ö	0.0	0	0.0	1	100.0	2	6.5	Ö	0.0
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	6.5	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	Ő	0.0	ő	0.0	0	0.0	13	41.9	Ö	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	ő	0.0	0	0.0	2	6.5	ő	0.0 0.0
							-					1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	9	29.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	100.0	5	16.1	0	0.0
TRANSMISSION CATEGORY		_		_		_		_				
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	100.0	30	96.8	0	0.0 0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	3.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Table 1.4.2. Girls 0-12 Years

	HIV DIAGNOSES, 2019 AIDS D Concurrent with AIDS					AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20		DEATHS,	2019	
				Co	oncurrent wit	th AIDS						
	Total HIV di			out AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	3	100.0	3	100.0	0	0.0	0	0.0	32	100.0	0	0.0
RACE/ETHNICITY	_							_				
Black	2	66.7	2	66.7	0	0.0	0	0.0	11	34.4	0	0.0
Latino/Hispanic	1	33.3	1	33.3	0	0.0	0	0.0	15	46.9	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	9.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	6.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	3.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE								_				
Bronx	1	33.3	1	33.3	0	0.0	0	0.0	7	21.9	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	5	15.6	0	0.0
Manhattan	1	33.3	1	33.3	0	0.0	0	0.0	5	15.6	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	6	18.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	9.4	0	0.0
Outside NYC	1	33.3	1	33.3	0	0.0	0	0.0	6	18.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	5	15.6	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	7	21.9	0	0.0
High poverty (20 to <30% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	6	18.8	0	0.0
Very high poverty (≥30% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	8	25.0	0	0.0
	1		<u>'</u>				*		6	18.8	0	
Area-based poverty level not available	1	33.3	1	33.3	0	0.0	0	0.0	6	18.8	Ü	0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	3	100.0	3	100.0	0	0.0	0	0.0	32	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Table 1.4.3. Men 13+ Years (includes transgender men)

		HIV DIAGNOSES, 2019 Concurrent with AIDS Total HIV diagnoses Without AIDS diagnoses			ith AIDS	AIDS DIAGNOSI	ES, 2019	PWH AS 12/31/20	-	DEATHS,	2019	
	Total HIV di	agnoses	Withou		dia			_				
TOTAL	1,416	% 100.0	N 1,193	% 84.3	N 223	% 15.7		% 100.0	96,043	100.0	N 1.303	% 100.0
	1,110		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			1011					.,	
RACE/ETHNICITY												
Black	568	40.1	484	40.6	84	37.7	365	45.2	36,122	37.6	573	44.0
Latino/Hispanic	594	41.9	491	41.2	103	46.2		38.4	32,228	33.6	422	32.4
White	173	12.2	154	12.9	19	8.5		10.4	23,995	25.0	281	21.6
Asian/Pacific Islander	63	4.4	49	4.1	14	6.3		4.8	2,768	2.9	15	1.2
Native American	4	0.3	4	0.3	0	0.0		0.2	240	0.2	1	0.1
Multiracial	14	1.0	11	0.9	3	1.3		1.0	453	0.5	7	0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	237	0.2	4	0.3
AGE GROUP (YEARS)								_				
13-19	52	3.7	49	4.1	3	1.3		0.7	242	0.3	0	0.0
20-29	578	40.8	532	44.6	46	20.6		19.9	7,363	7.7	32	2.5
30-39	406	28.7	325	27.2	81	36.3		29.5	17,181	17.9	86	6.6
40-49	176	12.4	138	11.6	38	17.0		16.6	17,252	18.0	133	10.2
50-59	125	8.8	90	7.5	35	15.7		18.9	28,668	29.8	366	28.1
60+	79	5.6	59	4.9	20	9.0	116	14.4	25,337	26.4	686	52.6
BOROUGH OF RESIDENCE								_				
Bronx	351	24.8	287	24.1	64	28.7	214	26.5	19,438	20.2	311	23.9
Brooklyn	352	24.9	303	25.4	49	22.0		21.0	20,454	21.3	255	19.6
Manhattan	281	19.8	240	20.1	41	18.4	152	18.8	27,605	28.7	236	18.1
Queens	242	17.1	193	16.2	49	22.0		15.1	13.827	14.4	125	9.6
Staten Island	22	1.6	21	1.8	1	0.4		1.2	1,647	1.7	24	1.8
Outside NYC	121	8.5	102	8.5	19	8.5	131	16.2	11,451	11.9	55	4.2
Unknown	47	3.3	47	3.9	0	0.0	9	1.1	1,621	1.7	297	22.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	167	11.8	131	11.0	36	16.1	93	11.5	15,312	15.9	103	7.9
Medium poverty (10 to <20% below FPL)	495	35.0	417	35.0	78	35.0		29.5	32,397	33.7	294	22.6
High poverty (20 to <30% below FPL)	312	22.0	272	22.8	40	17.9		20.0	17,947	18.7	205	15.7
	271	19.1	221	18.5	50	22.4	174	21.5	16,307	17.0	235	18.0
Very high poverty (≥30% below FPL)									*			
Area-based poverty level not available	171	12.1	152	12.7	19	8.5	141	17.5	14,080	14.7	466	35.8
TRANSMISSION CATEGORY										_		
Men who have sex with men (MSM)	1,002	70.8	866	72.6	136	61.0	450	55.7	58,771	61.2	504	38.7
Injection drug use history (IDÙ)	25	1.8	21	1.8	4	1.8	55	6.8	9,936	10.3	315	24.2
MSM-IDU	28	2.0	26	2.2	2	0.9		3.1	3,671	3.8	77	5.9
Heterosexual contact	66	4.7	47	3.9	19	8.5		8.9	7,248	7.5	145	11.1
Transgender people with sexual contact	2	0.1	2	0.2	0	0.0		0.1	27	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		1.2	1,225	1.3	7	0.5
Other	0	0.0	0	0.0	0	0.0		0.0	115	0.1	0	0.0
Unknown	293	20.7	231	19.4	62	27.8	195	24.1	15,050	15.7	255	19.6

Table 1.4.4. Women 13+ Years (includes transgender women)

	Concurrent with AIDS			AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS	, 2019			
	Total HIV dia		Withou	t AIDS	dia	ith AIDS agnoses	N	0/		2/	N	0/
TOTAL	N 390	% 100.0	N 315	% 80.8	N 75	% 19.2	N 331	% 100.0	N 35,985	100.0	N 516	% 100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	242 112 23 9 0 4	62.1 28.7 5.9 2.3 0.0 1.0 0.0	199 90 17 7 0 2	63.2 28.6 5.4 2.2 0.0 0.6 0.0	43 22 6 2 0 2	57.3 29.3 8.0 2.7 0.0 2.7 0.0	207 92 25 4 0 3	62.5 27.8 7.6 1.2 0.0 0.9	20,772 11,809 2,601 529 76 126 72	57.7 32.8 7.2 1.5 0.2 0.4 0.2	309 153 43 2 4 5	59.9 29.7 8.3 0.4 0.8 1.0
AGE GROUP (YEARS)	40	0.0	40	2.0		4.0	0	4.0	4.40	0.4		0.0
13-19 20-29 30-39 40-49 50-59 60+	13 96 106 69 74 32	3.3 24.6 27.2 17.7 19.0 8.2	12 88 90 49 55 21	3.8 27.9 28.6 15.6 17.5 6.7	8 16 20 19 11	1.3 10.7 21.3 26.7 25.3 14.7	6 41 75 77 85 47	1.8 12.4 22.7 23.3 25.7 14.2	142 2,195 4,582 7,166 11,853 10,047	0.4 6.1 12.7 19.9 32.9 27.9	0 2 39 75 169 231	0.0 0.4 7.6 14.5 32.8 44.8
BOROUGH OF RESIDENCE		_	_	_	_	_		_	_			
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	118 104 48 70 9 30 11	30.3 26.7 12.3 17.9 2.3 7.7 2.8	96 86 39 49 6 28 11	30.5 27.3 12.4 15.6 1.9 8.9 3.5	22 18 9 21 3 2 0	29.3 24.0 12.0 28.0 4.0 2.7 0.0	107 101 42 46 6 28	32.3 30.5 12.7 13.9 1.8 8.5 0.3	11,773 10,051 5,124 4,977 906 2,737 417	32.7 27.9 14.2 13.8 2.5 7.6 1.2	149 141 76 42 15 15	28.9 27.3 14.7 8.1 2.9 2.9 15.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	47 120 87	12.1 30.8 22.3	39 87 68	12.4 27.6 21.6	8 33 19	10.7 44.0 25.3	24 109 85	7.3 32.9 25.7	3,507 11,013 8,591	9.7 30.6 23.9	21 110 93	4.1 21.3 18.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	95 41	24.4 10.5	82 39	26.0 12.4	13 2	17.3 2.7	84 29	25.4 8.8	9,446 3,428	26.2 9.5	144 148	27.9 28.7
	41	10.5	38	12.4		2.1	29	0.0	3,428	9.5	140	20.7
TRANSMISSION CATEGORY Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	14 276 54 0 0 46	3.6 70.8 13.8 0.0 0.0 11.8	14 216 49 0 0 36	4.4 68.6 15.6 0.0 0.0	0 60 5 0 0	0.0 80.0 6.7 0.0 0.0 13.3	207 30 8 0	12.1 62.5 9.1 2.4 0.0 13.9	5,455 20,229 2,023 1,292 88 6,898	15.2 56.2 5.6 3.6 0.2 19.2	175 241 20 5 1 74	33.9 46.7 3.9 1.0 0.2 14.3

Table 1.5.1. Bronx, men (includes transgender men)

	Concurrent with AIDS Total HIV diagnoses Without AIDS diagnoses N % N % N %					AIDS DIAGNOSE	ES, 2019	PWH AS (12/31/20 ²		DEATHS	, 2019	
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	351	100.0	287	81.8	64	18.2	214	100.0	19,447	100.0	311	100.0
RACE/ETHNICITY	_							_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	150 190 7 3 0 1	42.7 54.1 2.0 0.9 0.0 0.3 0.0	126 151 6 3 0 1	43.9 52.6 2.1 1.0 0.0 0.3 0.0	24 39 1 0 0 0	37.5 60.9 1.6 0.0 0.0 0.0	97 106 8 2 1 0	45.3 49.5 3.7 0.9 0.5 0.0	8,813 9,264 1,074 172 45 56 23	45.3 47.6 5.5 0.9 0.2 0.3 0.1	132 156 20 2 0 1	42.4 50.2 6.4 0.6 0.0 0.3 0.0
AGE GROUP (YEARS)						_		_		_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 19 146 98 29 32 27	0.0 5.4 41.6 27.9 8.3 9.1 7.7	0 18 132 74 23 21 19	0.0 6.3 46.0 25.8 8.0 7.3 6.6	0 1 14 24 6 11 8	0.0 1.6 21.9 37.5 9.4 17.2 12.5	0 2 40 60 31 41 40	0.0 0.9 18.7 28.0 14.5 19.2 18.7	9 70 1,597 3,632 3,239 5,849 5,051	0.0 0.4 8.2 18.7 16.7 30.1 26.0	0 0 6 20 28 94 163	0.0 0.0 1.9 6.4 9.0 30.2 52.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	3 71 66 211	0.9 20.2 18.8 60.1	3 57 52 175	1.0 19.9 18.1 61.0	0 14 14 36	0.0 21.9 21.9 56.3	37	0.0 17.3 19.6 63.1	252 3,277 4,062 11,758	1.3 16.9 20.9 60.5	2 51 53 164	0.6 16.4 17.0 52.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	98	0.5	41	13.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	215 10 6 21 1 0	61.3 2.8 1.7 6.0 0.3 0.0	178 8 6 16 1 0	62.0 2.8 2.1 5.6 0.3 0.0	37 2 0 5 0 0	57.8 3.1 0.0 7.8 0.0 0.0 0.0	100 23 5 23 0 2	46.7 10.7 2.3 10.7 0.0 0.9 0.0	8,829 3,212 984 2,092 14 412 22	45.4 16.5 5.1 10.8 0.1 2.1 0.1	73 108 25 48 0 2	23.5 34.7 8.0 15.4 0.0 0.6 0.0
Unknown	98	27.9	78	27.2	20	31.3	61	28.5	3,882	20.0	55	17.7

Table 1.5.2. Bronx, women (includes transgender women)

		DIAGNO	OSES, 20		iii. AIDO	AIDS DIAGNOSI	ES, 2019	PWH AS 12/31/20	_	DEATHS	6, 2019	
	Total HIV di	000000	Withou		oncurrent w	-		_				
	N	agnoses %	N	11 AIDS %	N N	iagnoses %	N	%	N	%	N	%
TOTAL	119	100.0	97	81.5	22	18.5	107	100.0	11,780	100.0	149	100.0
RACE/ETHNICITY	_			_				_				
Black	75	63.0	61	62.9	14	63.6	65	60.7	6,179	52.5	68	45.6
Latino/Hispanic	40	33.6	33	34.0	7	31.8	37	34.6	5,144	43.7	67	45.0 7.4 0.7
White	2	1.7	2	2.1	0	0.0	4	3.7	343	2.9	11	7.4
Asian/Pacific Islander	1	0.8	1	1.0	0	0.0	0	0.0	49	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	1	0.7
Multiracial	1	0.8	0	0.0	1	4.5	1	0.9	25	0.2	1	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.8	1	1.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	4	3.4	4	4.1	0	0.0	2	1.9	41	0.3	0	0.0
20-29	26	21.8	25	25.8	1	4.5	15	14.0	714	6.1	1	0.7
30-39	36	30.3	33	34.0	3	13.6	20	18.7	1,554	13.2	12	8.1
40-49	23	19.3	15	15.5	8	36.4	30	28.0	2,483	21.1	19	12.8
50-59	21	17.6	14	14.4	7	31.8	29	27.1	3,966	33.7	51	34.2
60+	8	6.7	5	5.2	3	13.6	11	10.3	3,015	25.6	66	44.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	2.5	3	3.1	0	0.0	1	0.9	128	1.1	1	0.7
Medium poverty (10 to <20% below FPL)	12	10.1	10	10.3	2	9.1	15	14.0	2,068	17.6	20	13.4
High poverty (20 to <30% below FPL)	26	21.8	17	17.5	9	40.9	31	29.0	2,448	20.8	24	16.1
Very high poverty (≥30% below FPL)	78	65.5	67	69.1	11	50.0	60	56.1	7,100	60.3	82	55.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	22	14.8
TRANSMISSION CATEGORY								_				
Injection drug use history (IDU)	10	8.4	10	10.3	0	0.0	17	15.9	2,005	17.0	66	44.3
Heterosexual contact	81	68.1	64	66.0	17	77.3	64	59.8	6,605	56.1	58	38.9
Transgender people with sexual contact	21	17.6	19	19.6	2	9.1	14	13.1	657	5.6	4	2.7
Perinatal	1	0.8	1	1.0	0	0.0	1	0.9	430	3.7	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
Unknown	6	5.0	3	3.1	3	13.6	11	10.3	2,067	17.5	20	13.4

Table 1.5.3. Brooklyn, men (includes transgender men)

		HIV	DIAGNO	OSES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 0	-	DEATHS,	, 2019
				С	oncurrent wi	ith AIDS		_				
	Total HIV dia	agnoses	Withou		dia	agnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	352	100.0	303	86.1	49	13.9	170	100.0	20,461	100.0	255	100.0
RACE/ETHNICITY	_					_		_				
Black	187	53.1	161	53.1	26	53.1	107	62.9	11,167	54.6	158	62.0
Latino/Hispanic	91	25.9	78	25.7	13	26.5	42	24.7	5,137	25.1	63	24.7
White	58	16.5	53	17.5	5	10.2	11	6.5	3,501	17.1	31	12.2
Asian/Pacific Islander	10	2.8	5	1.7	5	10.2	9	5.3	490	2.4	2	0.8
Native American	1	0.3	1	0.3	0	0.0	0	0.0	54	0.3	0	0.0
Multiracial	5	1.4	5	1.7	0	0.0	1	0.6	91	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	1	0.4
AGE GROUP (YEARS)		0.0		0.0		0.0	_	0.0		0.0		2.0
0-12	0	0.0	0	0.0	0	0.0	0	0.0	/	0.0	0	0.0
13-19	11	3.1	9	3.0	2	4.1	2	1.2	58	0.3	0	0.0
20-29	153	43.5	142	46.9	11	22.4	32	18.8	1,819	8.9	6	2.4
30-39	94	26.7	78	25.7	16	32.7	48	28.2	4,034	19.7	18	7.1
40-49	47	13.4	41	13.5	6	12.2	28	16.5	3,765	18.4	28	11.0
50-59	24	6.8	17	5.6	7	14.3	33	19.4	5,609	27.4	67	26.3
60+	23	6.5	16	5.3	7	14.3	27	15.9	5,169	25.3	136	53.3
AREA-BASED POVERTY LEVEL	_	_	_	_		_		_				
Low poverty (<10% below FPL)	25	7.1	20	6.6	5	10.2	13	7.6	1,393	6.8	12	4.7
Medium poverty (10 to <20% below FPL)	145	41.2	122	40.3	23	46.9	65	38.2	8,824	43.1	93	36.5
High poverty (20 to <30% below FPL)	150	42.6	137	45.2	13	26.5	69	40.6	7,637	37.3	82	32.2
Very high poverty (≥30% below FPL)	32	9.1	24	7.9	8	16.3	23	13.5	2,453	12.0	30	11.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	154	0.8	38	14.9
Alea-based poverty level not available		0.0	U	0.0	U	0.0	O	0.0	154	0.0	30	14.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	242	68.8	216	71.3	26	53.1	84	49.4	11,408	55.8	82	32.2
Injection drug use history (IDU)	2	0.6	2	0.7	0	0.0	13	7.6	2,223	10.9	51	20.0
MSM-IDU	10	2.8	8	2.6	2	4.1	9	5.3	717	3.5	14	5.5
Heterosexual contact	22	6.3	15	5.0	7	14.3	24	14.1	1,836	9.0	30	11.8
Transgender people with sexual contact	1	0.3	1	0.3	0	0.0	0	0.0	6	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.2	322	1.6	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
Unknown	75	21.3	61	20.1	14	28.6	38	22.4	3,926	19.2	77	30.2

Table 1.5.4. Brooklyn, women (includes transgender women)

	HIV Total HIV diagnoses		DIAGNO	OSES, 20	119 Concurrent w	vith AIDS	AIDS DIAGNOSI	ES, 2019	PWH AS 12/31/20	-	DEATHS	, 2019
	Total HIV di	agnoses	Withou			iagnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	104	100.0	86	82.7	18	17.3	101	100.0	10,056	100.0	141	100.0
RACE/ETHNICITY	_											
Black	75	72.1	62	72.1	13	72.2	74	73.3	6,992	69.5	102	72.3
Latino/Hispanic	16	15.4	13	15.1	3	16.7	16	15.8	2,296	22.8	29	20.6 4.3 0.7
White	8	7.7	7	8.1	1	5.6	10	9.9	569	5.7	6	4.3
Asian/Pacific Islander	2	1.9	2	2.3	0	0.0	0	0.0	118	1.2	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	25	0.2	2	1.4
Multiracial	3	2.9	2	2.3	1	5.6	1	1.0	36	0.4	1	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	5	4.8	4	4.7	1	5.6	2	2.0	46	0.5	Ö	0.0
20-29	26	25.0	24	27.9	2	11.1	13	12.9	574	5.7	1	0.7
30-39	22	21.2	20	23.3	2	11.1	26	25.7	1.280	12.7	8	5.7
40-49	20	19.2	14	16.3	6	33.3	21	20.8	1,970	19.6	25	17.7
50-59	21	20.2	18	20.9	3	16.7	21	20.8	3,232	32.1	41	29.1
60+	10	9.6	6	7.0	4	22.2	18	17.8	2,949	29.3	66	46.8
		0.0	Ŭ	7.0			10	17.0	2,010	20.0	00	10.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	8.7	8	9.3	1	5.6	6	5.9	692	6.9	4	2.8
Medium poverty (10 to <20% below FPL)	39	37.5	31	36.0	8	44.4	41	40.6	3,833	38.1	42	29.8
High poverty (20 to <30% below FPL)	42	40.4	35	40.7	7	38.9	38	37.6	3,995	39.7	43	30.5
Very high poverty (≥30% below FPL)	14	13.5	12	14.0	2	11.1	16	15.8	1,475	14.7	36	25.5
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	61	0.6	16	11.3
TRANSMISSION CATEGORY								10.5		40.5		
Injection drug use history (IDU)	2	1.9	2	2.3	0	0.0	13	12.9	1,340	13.3	41	29.1
Heterosexual contact	81	77.9	67	77.9	14	77.8	63	62.4	5,828	58.0	74	52.5
Transgender people with sexual contact	8	7.7	8	9.3	0	0.0	4	4.0	411	4.1	7	5.0
Perinatal	0	0.0	0	0.0	0	0.0	5	5.0	361	3.6	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	0	0.0
Unknown	13	12.5	9	10.5	4	22.2	16	15.8	2,090	20.8	18	12.8

Table 1.5.5. Manhattan, men (includes transgender men)

	Total HIV diagnoses N %		DIAGNO Withou		oncurrent wi		AIDS DIAGNOSE	S, 2019	PWH AS (12/31/201	_	DEATHS,	2019
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	281	100.0	240	85.4	41	14.6	152	100.0	27,610	100.0	236	100.0
RACE/ETHNICITY										_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	109 101 54 13 0 4	38.8 35.9 19.2 4.6 0.0 1.4 0.0	94 83 50 11 0 2	39.2 34.6 20.8 4.6 0.0 0.8 0.0	15 18 4 2 0 2	36.6 43.9 9.8 4.9 0.0 4.9 0.0	50 62 29 9 0 2	32.9 40.8 19.1 5.9 0.0 1.3 0.0	7,316 7,815 11,338 811 54 137 139	26.5 28.3 41.1 2.9 0.2 0.5 0.5	90 64 80 2 0 0	38.1 27.1 33.9 0.8 0.0 0.0
AGE GROUP (YEARS)												
13-19 20-29 30-39 40-49 50-59 60+	0 7 96 93 40 31	0.0 2.5 34.2 33.1 14.2 11.0 5.0	0 7 91 74 32 25 11	0.0 2.9 37.9 30.8 13.3 10.4 4.6	0 0 5 19 8 6 3	0.0 0.0 12.2 46.3 19.5 14.6 7.3	0 0 19 47 31 31 24	0.0 0.0 12.5 30.9 20.4 20.4 15.8	5 30 1,326 4,366 5,031 8,750 8,102	0.0 0.1 4.8 15.8 18.2 31.7 29.3	0 0 4 16 22 63 131	0.0 0.0 1.7 6.8 9.3 26.7 55.5
AREA-BASED POVERTY LEVEL	- 00	40.0	00	44.7		00.0	24	00.4	7.000	22.0	17	40.0
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	39 126 86	13.9 44.8 30.6	28 112 76	11.7 46.7 31.7	11 14 10	26.8 34.1 24.4	31 61 43	20.4 40.1 28.3	7,822 11,464 5,610	28.3 41.5 20.3	47 69 53	19.9 29.2 22.5
Very high poverty (≥30% below FPL) Area-based poverty level not available	28	10.0	22 2	9.2 0.8	6 0	14.6	16 1	10.5 0.7	2,105 609	7.6 2.2	33 34	14.0 14.4
TRANSMISSION CATEGORY Men who have sex with men (MSM)	200	71.1	102	7E 0	27	65 O	101	66.4	10.000	70.4	111	40.2
Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	209 6 9 7 0 0 0 50	74.4 2.1 3.2 2.5 0.0 0.0 0.0 17.8	182 6 9 6 0 0 0 37	75.8 2.5 3.8 2.5 0.0 0.0 0.0 15.4	27 0 0 1 0 0 0 0	65.9 0.0 0.0 2.4 0.0 0.0 0.0 31.7	101 5 7 3 1 2 0 33	66.4 3.3 4.6 2.0 0.7 1.3 0.0 21.7	19,909 2,061 1,060 1,096 2 178 17 3,287	72.1 7.5 3.8 4.0 0.0 0.6 0.1 11.9	114 50 15 22 0 0 0 35	48.3 21.2 6.4 9.3 0.0 0.0 0.0 14.8

Table 1.5.6. Manhattan, women (includes transgender women)

	Concurrent with AIDS					AIDS DIAGNO	OSES, 2019	PWH A: 12/31/2		DEATHS	, 2019
		-		t AIDS	diagno	ses					
TOTAL	N 49	% 100.0	N 40	% 81.6	N 9 1	% N 8.4 42	% 100.0	N 5,129	% 100.0	N 76	% 100.0
RACE/ETHNICITY		_					_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	27 20 2 0 0 0	55.1 40.8 4.1 0.0 0.0 0.0	23 15 2 0 0 0	57.5 37.5 5.0 0.0 0.0 0.0	5 5 0 0 0 0	4.4 27 5.6 13 0.0 2 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0	64.3 31.0 4.8 0.0 0.0 0.0	2,755 1,751 516 66 8 16	53.7 34.1 10.1 1.3 0.2 0.3 0.3	45 23 7 0 0 1	59.2 30.3 9.2 0.0 0.0 1.3 0.0
AGE GROUP (YEARS)						_	_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 0 12 20 6 4 6	2.0 0.0 24.5 40.8 12.2 8.2 12.2	1 0 11 17 3 3 5	2.5 0.0 27.5 42.5 7.5 7.5 12.5	0 1 1 3 3 3 3 1 1	0.0 0 0.0 0 1.1 3 3.3.3 7 3.3.3 13 1.1 11 1.1 8	0.0 0.0 7.1 16.7 31.0 26.2 19.0	5 15 277 564 898 1,730 1,640	0.1 0.3 5.4 11.0 17.5 33.7 32.0	0 0 0 6 7 25 38	0.0 0.0 0.0 7.9 9.2 32.9 50.0
AREA-BASED POVERTY LEVEL						_	_				
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	4 24 17 4	8.2 49.0 34.7 8.2 0.0	3 18 15 4 0	7.5 45.0 37.5 10.0 0.0	6 6 2 2 0	1.1 6 6.7 14 22.2 14 0.0 8 0.0 0	14.3 33.3 33.3 19.0 0.0	654 1,744 1,743 879 109	12.8 34.0 34.0 17.1 2.1	5 14 23 20 14	6.6 18.4 30.3 26.3 18.4
	U	0.0		0.0		0.0	0.0	109	2.1	14	10.4
TRANSMISSION CATEGORY Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	2 30 10 1 0 6	4.1 61.2 20.4 2.0 0.0 12.2	2 23 9 1 0 5	5.0 57.5 22.5 2.5 0.0 12.5	7 7 1 1 0 0	7,8 26 1.1 3 0.0 0 0.0 0 1.1 6	16.7 61.9 7.1 0.0 0.0 14.3	1,009 2,501 354 176 14 1,075	19.7 48.8 6.9 3.4 0.3 21.0	29 34 1 0 1	38.2 44.7 1.3 0.0 1.3 14.5

Table 1.5.7. Queens, men (includes transgender men)

	Total HIV dia		DIAGNO Withou		oncurrent wi		AIDS DIAGNOSE	S, 2019	PWH AS (12/31/201		DEATHS,	2019
	N	%	N	%	N	agnoses %	N	%	N	%	N	%
TOTAL	242	100.0	193	79.8	49	20.2	122	100.0	13,831	100.0	125	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	60 133 14 30 2 3	24.8 55.0 5.8 12.4 0.8 1.2 0.0	47 106 11 24 2 3 0	24.4 54.9 5.7 12.4 1.0 1.6 0.0	13 27 3 6 0 0	26.5 55.1 6.1 12.2 0.0 0.0	39 63 8 11 0 1	32.0 51.6 6.6 9.0 0.0 0.8 0.0	4,278 6,012 2,486 930 50 48 27	30.9 43.5 18.0 6.7 0.4 0.3 0.2	52 39 26 5 1 2	41.6 31.2 20.8 4.0 0.8 1.6 0.0
AGE GROUP (YEARS)								_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 8 89 73 39 24 9	0.0 3.3 36.8 30.2 16.1 9.9 3.7	0 8 80 56 25 17 7	0.0 4.1 41.5 29.0 13.0 8.8 3.6	0 9 17 14 7 2	0.0 0.0 18.4 34.7 28.6 14.3 4.1	0 0 25 37 24 24	0.0 0.0 20.5 30.3 19.7 19.7 9.8	4 30 973 2,480 2,802 4,172 3,370	0.0 0.2 7.0 17.9 20.3 30.2 24.4	0 0 4 8 12 33 68	0.0 0.0 3.2 6.4 9.6 26.4 54.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	92 139 10 0	38.0 57.4 4.1 0.0	72 113 7 0	37.3 58.5 3.6 0.0	20 26 3 0	40.8 53.1 6.1 0.0	48 66 8 0	39.3 54.1 6.6 0.0	5,304 7,751 640	38.3 56.0 4.6 0.0	36 58 14 2	28.8 46.4 11.2 1.6
Area-based poverty level not available	1	0.4	1	0.5	0	0.0	0	0.0	136	1.0	15	12.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	186 3 1 12 0 0	76.9 1.2 0.4 5.0 0.0 0.0	154 2 1 7 0 0	79.8 1.0 0.5 3.6 0.0 0.0	32 1 0 5 0 0	65.3 2.0 0.0 10.2 0.0 0.0 0.0	68 8 2 13 0 0	55.7 6.6 1.6 10.7 0.0 0.0	8,338 1,354 406 1,275 2 182 20	60.3 9.8 2.9 9.2 0.0 1.3 0.1	53 22 1 18 0 0	42.4 17.6 0.8 14.4 0.0 0.0
Unknown	40	16.5	29	15.0	11	22.4	31	25.4	2,254	16.3	31	24.8

Table 1.5.8. Queens, women (includes transgender women)

		HIV	DIAGNO	OSES, 20	19		AIDS DIAGNOSI	ES, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
					Concurrent wi	ith AIDS		_				
	Total HIV di	-		it AIDS		agnoses		0.4		0.4		0.1
TOTAL	70	% 100.0	N 49	% 70.0	N 21	% 30.0	N 46	% 100.0	N 4.002	% 100.0	N 42	% 100.0
IUIAL	70	100.0	49	70.0	21	30.0	40	100.0	4,983	100.0	42	100.0
RACE/ETHNICITY	_							_				
Black	41	58.6	31	63.3	10	47.6	19	41.3	2,747	55.1	28	66.7
Latino/Hispanic	21	30.0	15	30.6	6	28.6	18	39.1	1,535	30.8	10	23.8
White	4	5.7	1	2.0	3	14.3	4	8.7	428	8.6	4	23.8 9.5
Asian/Pacific Islander	4	5.7	2	4.1	2	9.5	4	8.7	229	4.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.2	19	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE OPOUR (VEARS)												
AGE GROUP (YEARS) 0-12		0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	0	1.4	0 1	2.0	0	0.0	0	2.2	6 13	0.1	0 0	0.0 0.0
20-29	15	21.4	13	26.5		9.5	3	6.5	267	5.4	0	0.0
30-39	18	25.7	10	20.5	2 8	38.1	3 15	32.6	603	12.1	3	7.1
40-49	12	17.1	11	20.4	0	4.8	10	8.7	1,027	20.6	3 4	9.5
50-59	17	24.3	10	20.4	7	33.3	16	34.8	1,027	32.4	14	33.3
60+	7	10.0	4	20.4 8.2	3	14.3	7	34.8 15.2	1,613	32.4 29.2	21	50.0
00+	,	10.0	4	0.2	3	14.5	1	15.2	1,454	29.2	21	50.0
AREA-BASED POVERTY LEVEL	_		_			_				_		
Low poverty (<10% below FPL)	28	40.0	23	46.9	5	23.8	10	21.7	1,768	35.5	10	23.8
Medium poverty (10 to <20% below FPL)	39	55.7	24	49.0	15	71.4	34	73.9	2,738	54.9	22	52.4 4.8
High poverty (20 to <30% below FPL)	3	4.3	2	4.1	1	4.8	2	4.3	411	8.2	2	4.8
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	4.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	66	1.3	6	14.3
Area-based poverty level flot available	0	0.0	U	0.0	0	0.0	O	0.0	00	1.5	U	14.5
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	6.5	613	12.3	10	23.8
Heterosexual contact	54	77.1	37	75.5	17	81.0	31	67.4	3,023	60.7	25	59.5
Transgender people with sexual contact	6	8.6	4	8.2	2	9.5	4	8.7	254	5.1	3	7.1
Perinatal	0	0.0	0	0.0	0	0.0	1	2.2	183	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	10	14.3	8	16.3	2	9.5	7	15.2	893	17.9	4	9.5

Table 1.5.9. Staten Island, men (includes transgender men)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSES	S, 2019	PWH AS 12/31/2	_	DEATHS	, 2019
	Total HIV di	agnoses %	Withou N		Concurrent with diagi N	AIDS noses %	N	%	N	%	N	%
TOTAL	22	100.0	21	95.5	1	4.5	10	100.0	1,648	100.0	24	100.0
RACE/ETHNICITY					_			_				
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	10 6 5 0 1	45.5 27.3 22.7 0.0 4.5	10 6 5 0	47.6 28.6 23.8 0.0 0.0	0 0 0 0 1	0.0 0.0 0.0 0.0 100.0	5 1 2 1 1	50.0 10.0 20.0 10.0 10.0	597 486 519 25 21	36.2 29.5 31.5 1.5 1.3	5 12 7 0 0	20.8 50.0 29.2 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 11 4 3 2 1	0.0 4.5 50.0 18.2 13.6 9.1 4.5	0 1 10 4 3 2 1	0.0 4.8 47.6 19.0 14.3 9.5 4.8	0 0 1 0 0 0	0.0 0.0 100.0 0.0 0.0 0.0	0 0 2 3 0 2 3	0.0 0.0 20.0 30.0 0.0 20.0 30.0	1 3 121 246 255 538 484	0.1 0.2 7.3 14.9 15.5 32.6 29.4	0 0 1 2 4 7 10	0.0 0.0 4.2 8.3 16.7 29.2 41.7
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	8 14 0	36.4 63.6 0.0	8 13 0	38.1 61.9 0.0	0	0.0 100.0 0.0	9	10.0 90.0 0.0	543 1,094 0	32.9 66.4 0.0	3 15 0	12.5 62.5 0.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	0	0.0	0 0	0.0	0	0.0	0 0	0.0	0 11	0.0 0.7	0 6	0.0 25.0
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact	15 1 0 1	68.2 4.5 0.0 4.5	15 1 0 1	71.4 4.8 0.0 4.8	0 0 0	0.0 0.0 0.0 0.0	6 1 0	60.0 10.0 0.0 0.0	790 270 79 177	47.9 16.4 4.8 10.7	6 9 3 3	25.0 37.5 12.5 12.5
Transgender people with sexual contact Perinatal Other Unknown	0 0 0 5	0.0 0.0 0.0 22.7	0 0 0	0.0 0.0 0.0 19.0	0 0 0	0.0 0.0 0.0 100.0	0 0 0 0	0.0 0.0 0.0 30.0	0 35 0 297	0.0 2.1 0.0 18.0	0 1 0 2	12.5 0.0 4.2 0.0 8.3

Table 1.5.10. Staten Island, women (includes transgender women)

		HIV	DIAGN	OSES, 2019)		AIDS DIAGNOSI	ES, 2019	PWH AS 12/31/20	-	DEATHS,	, 2019
	T		14.00		ncurrent wi				12/01/20			
	Total HIV d	agnoses %	VVITN	out AIDS %	ala N	agnoses %	N	%	N	%	N	%
TOTAL	9	100.0	6	66.7	3	33.3	6	100.0	909	100.0	15	100.0
RACE/ETHNICITY												
Black	3	33.3	3	50.0	0	0.0	3	50.0	445	49.0	8	53.3
Latino/Hispanic	2	22.2	1	16.7	1	33.3	2	33.3	251	27.6	3	20.0
White	4	44.4	2	33.3	2	66.7	1	16.7	198	21.8	3	20.0 0.0 6.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	1	6.7
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	3	0.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
20-29	4	44.4	2	33.3	2	66.7	2	33.3	47	5.2	0	0.0
30-39	1	11.1	1	16.7	0	0.0	1	16.7	125	13.8	0	0.0
40-49	3	33.3	2	33.3	1	33.3	2	33.3	174	19.1	3	20.0
50-59	1	11.1	1	16.7	0	0.0	1	16.7	329	36.2	9	60.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	227	25.0	3	20.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	33.3	2	33.3	1	33.3	1	16.7	270	29.7	.1	6.7
Medium poverty (10 to <20% below FPL)	6	66.7	4	66.7	2	66.7	5	83.3	637	70.1	11	73.3
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	13.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	1	6.7
TRANSMISSION CATEGORY								_				
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	136	15.0	3	20.0
Heterosexual contact	9	100.0	6	100.0	3	100.0	6	100.0	545	60.0	8	53.3
Transgender people with sexual contact	Ö	0.0	Õ	0.0	Ö	0.0	Ö	0.0	46	5.1	1	6.7
Perinatal	Ö	0.0	Õ	0.0	Ö	0.0	Ö	0.0	34	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	143	15.7	3	20.0

Table 1.6.1. Men who have sex with men (MSM)

Total HIV diagnoses Without AIDS Claim	12/31/2019 DEATHS, 2019	AIDS DIAGNOSES, 2019	019 Concurrent with AIDS	OSES, 20	DIAGNO	HIV D		
TOTAL 1,002 100.0 866 86.4 136 13.6 450 100.0 58,771 100.0 504			diagnoses	out AIDS				
RACE/ETHNICITY Black 362 36.1 320 37.0 42 30.9 180 40.0 18,281 31.1 196 Latino/Hispanic 448 447, 377 43.5 71 52.2 179 39.8 18,612 31.7 117 White 435 13.5 13.5 12.2 14.1 13 9.6 60 13.3 19,377 33.0 178 Asian/Pacific Islander 45 4.5 37 4.3 8 5.9 23 5.1 1,929 3.3 7 Rative American 3 0.3 0.3 0 0.0 2 0.4 14.6 0.2 0 Multiracial 9 0.9 7 0.8 2 1.5 6 1.3 352 0.6 4 Unknown 0 0.0 0 0.0 0 0.0 0 0.0 74 0.1 2 AGE GROUP (YEARS) 0-12 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0								TOTAL
Black 362 36.1 320 37.0 42 30.9 180 40.0 18.281 31.1 196 Latino/Hispanic 448 44.7 377 43.5 71 52.2 179 39.8 18.612 31.7 117 117 117 118	5 30,771 100.0 304 100.0	450 100.0	130 13.0	00.4	000	100.0	1,002	IOTAL
Latino/Hispanic White White 135 13.5 122 14.1 13 9.6 60 13.3 19.377 33.0 178 Asian/Pacific Islander Asian/Pacific Islander Asian/Pacific Islander 3 0.3 13.5 122 14.1 13 9.6 60 13.3 19.377 33.0 178 Asian/Pacific Islander 3 0.3 0.3 0.3 0 0.0 2 0.4 146 0.2 0 Multiracial 0 9 0.9 7 0.8 2 1.5 6 13 352 0.6 4 Unknown 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 74 0.1 2 AGE GROUP (YEARS) 0-12 0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0.0 0 0.0 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0								RACE/ETHNICITY
White								
Asian/Pacific Islander Asian/Bacific Islander Asian/Pacific Islander Asian/Bacific Islander Asian/Pacific Islander Asian/	8 18,612 31.7 117 23.2							
Native American Native								
Multiracial Unknown 9 0.9 7 0.8 2 1.5 6 1.3 352 0.6 4 Unknown 0 0.0 0 0.0 0 0.0 0 0.0 74 0.1 2 AGE GROUP (YEARS) 0-12 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.1 18 0.2 0 0.1 13-19 2.2 4 0.9 118 0.2 0 0.2 0.2 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0.0 0 0.								
Unknown AGE GROUP (YEARS) 0-12 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0								
AGE GROUP (YEARS) 0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0	0.0 74 0.1 2 0.4						_	
0-12	0 74 0.1 2 0.4	0 0.0	0 0.0	0.0	U	0.0	U	OTKHOWH
0-12					_			AGE GROUP (YEARS)
20-29							0	0-12
30-39 288 28.7 230 26.6 58 42.6 160 35.6 13,962 23.8 61 40-49 50-50-59 64 6.4 48 5.5 16 11.8 64 14.2 16,165 27.5 152 60+								
40-49								
50-59 64 6.4 48 5.5 16 11.8 64 14.2 16,165 27.5 152 60+								
60+ BOROUGH OF RESIDENCE Bronx 21 2.1 19 2.2 2 1.5 22 4.9 10,563 18.0 198 215 21.5 178 20.6 37 27.2 100 22.2 8,829 15.0 73 Brooklyn 242 24.2 216 24.9 26 19.1 84 18.7 11,408 19.4 82 Manhattan 209 20.9 182 21.0 27 19.9 101 22.4 19,909 33.9 114 Queens 186 18.6 154 17.8 32 23.5 68 15.1 8,338 14.2 53								
BOROUGH OF RESIDENCE Bronx Brooklyn 215 21.5 178 20.6 37 27.2 100 22.2 8,829 15.0 73 Brooklyn 242 24.2 216 24.9 26 19.1 84 18.7 11,408 19.4 82 Manhattan 209 20.9 182 21.0 27 19.9 101 22.4 19,909 33.9 114 Queens 186 18.6 154 17.8 32 23.5 68 15.1 8,338 14.2 53								
Bronx 215 21.5 178 20.6 37 27.2 100 22.2 8,829 15.0 73 Brooklyn 242 24.2 216 24.9 26 19.1 84 18.7 11,408 19.4 82 Manhattan 209 20.9 182 21.0 27 19.9 101 22.4 19,909 33.9 114 Queens 186 18.6 154 17.8 32 23.5 68 15.1 8,338 14.2 53	9 10,563 18.0 198 39.3	22 4.9	2 1.5	2.2	19	2.1	21	60+
Brooklyn 242 24.2 216 24.9 26 19.1 84 18.7 11,408 19.4 82 Manhattan 209 20.9 182 21.0 27 19.9 101 22.4 19,909 33.9 114 Queens 186 18.6 154 17.8 32 23.5 68 15.1 8,338 14.2 53				_	_	_	_	BOROUGH OF RESIDENCE
Manhattan 209 20.9 182 21.0 27 19.9 101 22.4 19,909 33.9 114 Queens 186 18.6 154 17.8 32 23.5 68 15.1 8,338 14.2 53	2 8,829 15.0 73 14.5	100 22.2	37 27.2	20.6	178	21.5	215	Bronx
Queens 186 18.6 154 17.8 32 23.5 68 15.1 8,338 14.2 53		84 18.7	26 19.1	24.9	216	24.2	242	Brooklyn
								Manhattan
01-1-1-1-1								
		6 1.3	0 0.0		15	1.5	15	Staten Island
Outside NYC 101 10.1 87 10.0 14 10.3 85 18.9 8,237 14.0 18								
Unknown 34 3.4 3.9 0 0.0 6 1.3 1,260 2.1 158	3 1,260 2.1 158 31.3	6 1.3	0 0.0	3.9	34	3.4	34	Unknown
AREA-BASED POVERTY LEVEL								AREA-BASED POVERTY I EVEL
Low poverty (<10% below FPL) 121 12.1 98 11.3 23 16.9 56 12.4 10.283 17.5 52	4 10.283 17.5 52 10.3	56 12.4	23 16.9	11.3	98	12.1	121	
Medium poverty (10 to <20% below FPL) 356 35.5 306 35.3 50 36.8 140 31.1 20,937 35.6 117	1 20,937 35.6 117 23.2							
High poverty (20 to <30% below FPL) 217 21.7 196 22.6 21 15.4 79 17.6 10,280 17.5 67								
Very high poverty (≥30% below FPL) 170 17.0 142 16.4 28 20.6 84 18.7 7,373 12.5 48	7 7,373 12.5 48 9.5	84 18.7	28 20.6	16.4	142	17.0	170	Very high poverty (>30% below FPL)
Area-based poverty level not available 138 13.8 124 14.3 14 10.3 91 20.2 9.898 16.8 220	*							, , , ,

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

		HIV	DIAGNO	OSES, 20	119 Concurrent w	ith AIDS	AIDS DIAGNOSE	ES, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
	Total HIV dia			ıt AIDS	di	iagnoses						
TOTAL	N 25	% 100.0	N 21	% 84.0	N 4	% 16.0	N 55	% 100.0	9,936	% 100.0	N 315	% 100.0
	23	100.0		04.0		10.0	00	100.0	3,300	100.0	0.10	100.0
RACE/ETHNICITY												
Black	9	36.0	8	38.1	1	25.0	18	32.7	4,015	40.4	129	41.0
Latino/Hispanic White	12 4	48.0	9 4	42.9 19.0	3	75.0	31 6	56.4	4,706	47.4	147	46.7
Asian/Pacific Islander	0	16.0 0.0	0	0.0	0	0.0	6	10.9 0.0	1,117 62	11.2 0.6	37 0	11.7 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	1	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	0.0 0.3 0.3
Children		0.0	Ŭ	0.0	· ·	0.0	· ·	0.0	J	0.1		0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	8	32.0	8	38.1	0	0.0	0	0.0	25	0.3	0	0.0
30-39	6	24.0	5	23.8	1	25.0	4	7.3	189	1.9	3	1.0
40-49	1	4.0	1	4.8	0	0.0	9 17	16.4	647	6.5	20 76	6.3
50-59 60+	8 2	32.0 8.0	5 2	23.8 9.5	3	75.0 0.0	17 25	30.9 45.5	3,068 6.007	30.9 60.5	76 216	24.1 68.6
00+	2	0.0		9.5	U	0.0	25	45.5	6,007	60.5	210	00.0
BOROUGH OF RESIDENCE								_				
Bronx	10	40.0	8	38.1	2	50.0	23	41.8	3,212	32.3	108	34.3
Brooklyn	2	8.0	2	9.5	0	0.0	13	23.6	2,223	22.4	51	16.2
Manhattan	6	24.0	6	28.6	0	0.0	5	9.1	2,061	20.7	50	15.9
Queens	3	12.0	2	9.5	1	25.0	8	14.5	1,354	13.6	22	7.0
Staten Island	1	4.0	1	4.8	0	0.0	1	1.8	270	2.7	9	2.9
Outside NYC	2	8.0	1	4.8	1	25.0	5	9.1	783	7.9	19	6.0
Unknown	1	4.0	1	4.8	0	0.0	0	0.0	33	0.3	56	17.8
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	5	20.0	4	19.0	1	25.0	7	12.7	1,276	12.8	9	2.9
Medium poverty (10 to <20% below FPL)	3	12.0	3	14.3	Ö	0.0	13	23.6	2,652	26.7	59	18.7
High poverty (20 to <30% below FPL)	5	20.0	4	19.0	1	25.0	14	25.5	2,120	21.3	46	14.6
Very high poverty (≥30% below FPL)	9	36.0	8	38.1	1	25.0	16	29.1	2,843	28.6	97	30.8
Area-based poverty level not available	3	12.0	2	9.5	1	25.0	5	9.1	1,045	10.5	104	33.0
Lica-nased hoverth level ting available		12.0		9.0		25.0	J	9.1	1,040	10.5	104	33.0

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

		HIV	DIAGNO	OSES, 2019)		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS,	2019
					ncurrent with			_				
	Total HIV di N	agnoses %	Witho N	out AIDS %	diagi N	noses %	N	%	N	%	N	%
TOTAL	14	100.0	14	100.0	0	0.0	40	100.0	5,455	100.0	175	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White	6 6 2	42.9 42.9 14.3	6 6 2	42.9 42.9 14.3	0 0 0	0.0 0.0 0.0	24 11 5	60.0 27.5 12.5	2,609 2,177 625	47.8 39.9 11.5	95 63 14	54.3 36.0 8.0
Asian/Pacific Islander Native American Multiracial	0 0 0	0.0 0.0 0.0	0 0 0	0.0 0.0 0.0	0 0	0.0 0.0 0.0	0 0 0	0.0 0.0 0.0	21 3 16	0.4 0.1 0.3	1 1 1	0.6 0.6 0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49	0 0 1 4 4	0.0 0.0 7.1 28.6 28.6	0 0 1 4 4	0.0 0.0 7.1 28.6 28.6	0 0 0 0	0.0 0.0 0.0 0.0	0 0 0 5 10	0.0 0.0 0.0 12.5 25.0	0 0 47 205 611	0.0 0.0 0.9 3.8 11.2	0 0 0 5 16	0.0 0.0 0.0 2.9 9.1
40-49 50-59 60+	4 4 1	28.6 28.6 7.1	4 4 1	28.6 28.6 7.1	0	0.0	10 17 8	42.5 20.0	2,250 2,342	41.2 42.9	63 91	36.0 52.0
BOROUGH OF RESIDENCE			- 40					40.5	2 2 2 2	22.2		
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	10 2 2 0 0 0	71.4 14.3 14.3 0.0 0.0 0.0 0.0	10 2 2 0 0 0	71.4 14.3 14.3 0.0 0.0 0.0	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	17 13 7 3 0 0	42.5 32.5 17.5 7.5 0.0 0.0	2,005 1,340 1,009 613 136 340	36.8 24.6 18.5 11.2 2.5 6.2 0.2	66 41 29 10 3 4 22	37.7 23.4 16.6 5.7 1.7 2.3 12.6
AREA-BASED POVERTY LEVEL			_							_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	1 1 3	7.1 7.1 21.4	1 1 3	7.1 7.1 21.4	0 0 0	0.0 0.0 0.0	2 9 10	5.0 22.5 25.0	506 1,441 1,366	9.3 26.4 25.0	8 29 28	4.6 16.6 16.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	9	64.3 0.0	9	64.3 0.0	0	0.0	19 0	47.5 0.0	1,727 415	31.7 7.6	65 45	37.1 25.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2019 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2019, NEW YORK CITY Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

		HIV	DIAGNO	OSES, 20	119 Concurrent v	with AIDS	AIDS DIAGNOSI	ES, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
	Total HIV di	agnoses	Withou			liagnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	28	100.0	26	92.9	2	7.1	25	100.0	3,671	100.0	77	100.0
RACE/ETHNICITY												
Black	7	25.0	7	26.9	0	0.0	7	28.0	1,296	35.3	26	33.8
Latino/Hispanic	13	46.4	13	50.0	0	0.0	14	56.0	1,388	37.8	30	39.0
White	6	21.4	5	19.2	1	50.0	2	8.0	895	24.4	21	27.3
Asian/Pacific Islander	1	3.6	0	0.0	1	50.0	2	8.0	51	1.4	0	0.0
Native American	1	3.6	1	3.8	0	0.0	0	0.0	13	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	27	0.7	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)		_	_	_	_	_		_	_			
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.6	1	3.8	0	0.0	0	0.0	4	0.1	0	0.0
20-29	9	32.1	8	30.8	1	50.0	2	8.0	190	5.2	1	1.3
30-39	10	35.7	10	38.5	0	0.0	6	24.0	635	17.3	8	10.4
40-49	5	17.9	4	15.4	1	50.0	9	36.0	683	18.6	13	16.9
50-59	1	3.6	1	3.8	0	0.0	5	20.0	1,192	32.5	25 30	32.5
60+	2	7.1	2	7.7	0	0.0	3	12.0	967	26.3	30	39.0
BOROUGH OF RESIDENCE								_				
Bronx	6	21.4	6	23.1	0	0.0	5	20.0	984	26.8	25	32.5
Brooklyn	10	35.7	8	30.8	2	100.0	9	36.0	717	19.5	14	18.2
Manhattan	9	32.1	9	34.6	0	0.0	7	28.0	1,060	28.9	15	19.5
Queens	1	3.6	1	3.8	0	0.0	2	8.0	406	11.1	1	1.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	79	2.2	3	3.9
Outside NYC	1	3.6	1	3.8	0	0.0	2	8.0	411	11.2	2	3.9 2.6
Unknown	1	3.6	1	3.8	0	0.0	0	0.0	14	0.4	17	22.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	17.9	5	19.2	0	0.0	2	8.0	515	14.0	5	6.5
Medium poverty (10 to <20% below FPL)	8	28.6	6	23.1	2	100.0	9	36.0	1,150	31.3	15	19.5
High poverty (20 to <30% below FPL)	7	25.0	7	26.9	0	0.0	8	32.0	731	19.9	16	20.8
Very high poverty (≥30% below FPL)	6	21.4	6	23.1	0	0.0	4	16.0	828	22.6	18	23.4
Area-based poverty level not available	2	7.1	2	7.7	0	0.0	2	8.0	447	12.2	23	29.9

Table 1.6.5. Heterosexual contact, men

		HIV	DIAGNO	OSES, 20	119 Concurrent w	ith AIDS	AIDS DIAGNOSE	ES, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
	Total HIV di	-		ıt AIDS	di	iagnoses						
TOTAL	N 66	% 100.0	N 47	% 71.2	N 19	% 28.8	N 72	% 100.0	7,248	% 100.0	N 145	% 100.0
IOTAL	00	100.0	41	/ 1.2	19	20.0	12	100.0	7,240	100.0	143	100.0
RACE/ETHNICITY												
Black	37	56.1	25	53.2	12	63.2	47	65.3	3,944	54.4	85	58.6
Latino/Hispanic	20	30.3	16	34.0	4	21.1	16	22.2	2,439	33.7	53	36.6
White	6	9.1	5	10.6	1	5.3	2	2.8	589	8.1	5	3.4
Asian/Pacific Islander	3	4.5	1	2.1	2	10.5	6	8.3	230	3.2	2	1.4
Native American Multiracial	0	0.0	0	0.0	0	0.0	0	0.0 1.4	24 17	0.3	0 0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17 5	0.2	0	0.0 0.0 0.0
OTKTOWIT	U	0.0	U	0.0	U	0.0	U	0.0	5	0.1	U	0.0
AGE GROUP (YEARS)	_		_	_				_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.0	2	4.3	0	0.0	0	0.0	2	0.0	0	0.0
20-29	14	21.2	12	25.5	2	10.5	7	9.7	133	1.8	0	0.0
30-39	19	28.8	13	27.7	6	31.6	18	25.0	527	7.3	3	2.1
40-49	10	15.2	8	17.0	2	10.5	6	8.3	1,241	17.1	14	9.7
50-59	12	18.2	6	12.8	6	31.6	23	31.9	2,908	40.1	46	31.7
60+	9	13.6	6	12.8	3	15.8	18	25.0	2,437	33.6	82	56.6
BOROUGH OF RESIDENCE								_				
Bronx	21	31.8	16	34.0	5	26.3	23	31.9	2,092	28.9	48	33.1
Brooklyn	22	33.3	15	31.9	7	36.8	24	33.3	1,836	25.3	30	20.7
Manhattan	7	10.6	6	12.8	1	5.3	3	4.2	1,096	15.1	22	15.2
Queens	12	18.2	7	14.9	5	26.3	13	18.1	1,275	17.6	18	12.4
Staten Island	1	1.5	1	2.1	0	0.0	0	0.0	177	2.4	3	2.1
Outside NYC	2	3.0	1	2.1	1	5.3	9	12.5	724	10.0	2	1.4
Unknown	1	1.5	1	2.1	0	0.0	0	0.0	48	0.7	22	15.2
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	5	7.6	1	2.1	4	21.1	9	12.5	858	11.8	14	9.7
Medium poverty (10 to <20% below FPL)	25	37.9	20	42.6	5	26.3	15	20.8	2,330	32.1	33	22.8
High poverty (20 to <30% below FPL)	16	24.2	12	25.5	4	21.1	17	23.6	1,521	21.0	30	20.7
Very high poverty (≥30% below FPL)	17	25.8	12	25.5	5	26.3	21	29.2	1,727	23.8	31	21.4
Area-based poverty level not available	3	4.5	2	4.3	1	5.3	10	13.9	812	11.2	37	25.5
Lica-nased hoverth level ting available	3	4.0		4.3		5.5	10	13.9	012	11.2	31	25.5

Table 1.6.6. Heterosexual contact, women

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSE	ES, 2019	PWH AS (_	DEATHS	, 2019
					oncurrent w				, ., _			
	Total HIV di	-	Withou			iagnoses	N	%	N	0/	NI.	0/
TOTAL	276	% 100.0	N 216	% 78.3	N 60	21.7	207	100.0	N 20,229	100.0	N 241	% 100.0
									,			
RACE/ETHNICITY												
Black	175	63.4	142	65.7	33	55.0	128	61.8	11,998	59.3	154	63.9
Latino/Hispanic White	76 16	27.5 5.8	58 11	26.9 5.1	18 5	30.0 8.3	57 15	27.5 7.2	6,471 1,298	32.0 6.4	62 20	25.7 8.3
Asian/Pacific Islander	6	2.2	4	1.9	2	3.3	15 4	1.9	339	1.7	1	0.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	49	0.2	1	0.4 0.4
Multiracial	3	1.1	1	0.5	2	3.3	3	1.4	61	0.3	3	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
AGE GROUP (YEARS)	_							_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	10	3.6	9	4.2	1	1.7	3	1.4	19	0.1	0	0.0
20-29	60	21.7	54	25.0	6	10.0	19	9.2	722	3.6	1	0.4
30-39	77	27.9	64	29.6	13	21.7	55	26.6	2,692	13.3	18	7.5
40-49	45	16.3	31	14.4	14	23.3	50	24.2	4,537	22.4	43	17.8
50-59 60+	61 23	22.1 8.3	45 13	20.8	16 10	26.7 16.7	51 29	24.6 14.0	6,831 5,428	33.8 26.8	80 99	33.2 41.1
007	25	0.5	13	0.0	10	10.7	29	14.0	3,420	20.0	33	41.1
BOROUGH OF RESIDENCE												
Bronx	81	29.3	64	29.6	17	28.3	64	30.9	6,605	32.7	58	24.1
Brooklyn Manhattan	81 30	29.3 10.9	67 23	31.0 10.6	14 7	23.3 11.7	63 26	30.4 12.6	5,828 2,501	28.8 12.4	74 34	30.7 14.1
Queens	54	19.6	23 37	17.1	7 17	28.3	31	15.0	3,023	14.9	25	10.4
Staten Island	9	3.3	6	2.8	3	5.0	6	2.9	545	2.7	8	3.3
Outside NYC	17	6.2	15	6.9	2	3.3	16	7.7	1,571	7.8	5	3.3 2.1
Unknown	4	1.4	4	1.9	0	0.0	1	0.5	156	0.8	37	15.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	36	13.0	31	14.4	5	8.3	16	7.7	1,991	9.8	11	4.6
Medium poverty (10 to <20% below FPL)	91	33.0	64	29.6	27	45.0	71	34.3	6,383	31.6	59	24.5
High poverty (20 to <30% below FPL)	62	22.5	46	21.3	16	26.7	52	25.1	4,812	23.8	47	19.5
Very high poverty (≥30% below FPL)	66	23.9	56	25.9	10	16.7	51	24.6	5,237	25.9	58	24.1
Area-based poverty level not available	21	7.6	19	8.8	2	3.3	17	8.2	1,806	8.9	66	27.4

Table 1.6.7. Transgender people with sexual contact

	Total HIV d			OSES, 20 (ut AIDS	Concurrent with	_	AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS,	, 2019
TOTAL	N 56	100.0	N 51	91.1	N 5	noses % 8.9	N 31	% 100.0	N 2,050	% 100.0	N 20	% 100.0
GENDER Men Women	2 54	3.6 96.4	2 49	3.9 96.1	0 5	0.0	0 31	0.0 100.0	27 2,023	1.3 98.7	0 20	0.0 100.0
RACE/ETHNICITY Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	30 22 2 1 0	53.6 39.3 3.6 1.8 0.0 1.8	29 19 1 1 0	56.9 37.3 2.0 2.0 0.0 2.0	1 3 1 0 0	20.0 60.0 20.0 0.0 0.0	14 15 2 0 0	45.2 48.4 6.5 0.0 0.0	1,037 805 124 44 8 32	50.6 39.3 6.0 2.1 0.4 1.6	9 9 2 0 0	45.0 45.0 10.0 0.0 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 32 14 7 1	0.0 3.6 57.1 25.0 12.5 1.8 0.0	0 2 31 12 6 0	0.0 3.9 60.8 23.5 11.8 0.0 0.0	0 0 1 2 1 1	0.0 0.0 20.0 40.0 20.0 20.0 0.0	0 1 15 9 2 4	0.0 3.2 48.4 29.0 6.5 12.9 0.0	0 10 514 754 452 255 65	0.0 0.5 25.1 36.8 22.0 12.4 3.2	0 0 0 8 5 6	0.0 0.0 0.0 40.0 25.0 30.0 5.0
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	22 9 10 6 0 6 3	39.3 16.1 17.9 10.7 0.0 10.7 5.4	20 9 9 4 0 6 3	39.2 17.6 17.6 7.8 0.0 11.8 5.9	2 0 1 2 0 0	40.0 0.0 20.0 40.0 0.0 0.0	14 4 4 4 0 5	45.2 12.9 12.9 12.9 0.0 16.1 0.0	671 417 356 256 46 204 100	32.7 20.3 17.4 12.5 2.2 10.0 4.9	4 7 1 3 1 0 4	20.0 35.0 5.0 15.0 0.0 20.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	3 14 14 16 9	5.4 25.0 25.0 28.6 16.1	1 13 13 15 9	2.0 25.5 25.5 29.4 17.6	2 1 1 1 0	40.0 20.0 20.0 20.0 0.0	4 5 10 7 5	12.9 16.1 32.3 22.6 16.1	200 565 437 539 309	9.8 27.6 21.3 26.3 15.1	0 3 5 7 5	0.0 15.0 25.0 35.0 25.0

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS,	2019
				C	oncurrent wit	th AIDS			12/01/20			İ
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	15	100.0	13	86.7	2	13.3	3	100.0	771	100.0	13	100.0
GENDER								_				
Men	12	80.0	10	76.9	2	100.0	3	100.0	531	68.9	11	84.6
Women	3	20.0	3	23.1	0	0.0	0	0.0	240	31.1	2	15.4
RACE/ETHNICITY				_				_		_		
Black	4	26.7	3	23.1	1	50.0	1	33.3	256	33.2	8	61.5
Latino/Hispanic	8	53.3	7	53.8	1	50.0	2	66.7	353	45.8	3	23.1
White	2	13.3	2	15.4	0	0.0	0	0.0	145	18.8	2	15.4
Asian/Pacific Islander	1	6.7	1	7.7	0	0.0	0	0.0	12	1.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0 0.0 7.7
20-29	6	40.0	5	38.5	1	50.0	1	33.3	43	5.6	0	0.0
30-39	8	53.3	/	53.8	1	50.0	1	33.3	132	17.1	1	7.7
40-49	0	0.0	0	0.0	0	0.0	0	0.0	119	15.4	0	0.0
50-59		6.7	1	7.7	0	0.0	0	0.0	240	31.1	11	7.7
60+	0	0.0	0	0.0	0	0.0	1	33.3	234	30.4	11	84.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	9	60.0	7	53.8	2	100.0	2	66.7	321	41.6	5	38.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	33.3	99	12.8	2	15.4
MSM-IDU	1	6.7	1	7.7	0	0.0	0	0.0	15	1.9	0	0.0
Heterosexual contact	3	20.0	3	23.1	0	0.0	0	0.0	178	23.1	3	23.1
Transgender people with sexual contact	1	6.7	1	7.7	0	0.0	0	0.0	10	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	6.7	1	7.7	0	0.0	0	0.0	128	16.6	3	23.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
	Total HIV dia	oanoooo	Withou		oncurrent with	_						
	N	agrioses %	N	% AIDS	diagn N	10ses %	N	%	N	%	N	%
TOTAL	44	100.0	36	81.8	8	18.2	28	100.0	2,764	100.0	31	100.0
GENDER		_		_				_	_	_		
Men	36	81.8	30	83.3	6	75.0	17	60.7	1,594	57.7	22	71.0
Women	8	18.2	6	16.7	2	25.0	11	39.3	1,170	42.3	9	29.0
RACE/ETHNICITY												
Black	31	70.5	25	69.4	6	75.0	18	64.3	1,793	64.9	17	54.8
Latino/Hispanic	13	29.5	11	30.6	2	25.0	9	32.1	808	29.2	13	41.9
White	0	0.0	0	0.0	0	0.0	1	3.6	114	4.1	1	3.2
Asian/Pacific Islander Native American	0	0.0	0	0.0	0	0.0	0	0.0 0.0	30 8	1.1 0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0 0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
OTINIOWIT	0	0.0	U	0.0	U	0.0	U	0.0	3	0.1	U	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0 0.0 3.2
13-19	1	2.3	1	2.8	0	0.0	0	0.0	12	0.4	0	0.0
20-29	18	40.9	16	44.4	2	25.0	9	32.1	225	8.1	1	3.2
30-39	12	27.3	11	30.6	1	12.5	6	21.4	456	16.5	4	12.9
40-49 50-59	1	2.3 13.6	3	2.8 8.3	0 3	0.0 37.5	3	10.7 14.3	496 863	17.9 31.2	3 11	9.7 35.5
60+	6	13.6	3 4	6.3 11.1	2	25.0	4 6	21.4	711	25.7	12	38.7
00+	0	13.0	4	11.1	2	25.0	Ü	21.4	711	25.7	12	30.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	20	45.5	17	47.2	3	37.5	10	35.7	733	26.5	6	19.4
Injection drug use history (IDÚ)	1	2.3	1	2.8	0	0.0	0	0.0	312	11.3	7	22.6 0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.6	71	2.6	0	0.0
Heterosexual contact	10	22.7	9	25.0	1	12.5	8	28.6	948	34.3	11	35.5 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	3.6	34	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.6	94	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	13	29.5	9	25.0	4	50.0		25.0	571	20.7		22.6

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSES	5, 2019	PWH AS 12/31/20	_	DEATHS,	2019
	Total HIV di N	agnoses %	Withou N	t AIDS %	oncurrent with a diagn N	oses %	N	%	N	%	N	%
TOTAL	82	100.0	65	79.3	17	20.7	55	100.0	5,995	100.0	82	100.0
GENDER								_				
Men Women	57 25	69.5 30.5	47 18	72.3 27.7	10 7	58.8 41.2	32 23	58.2 41.8	3,909 2,086	65.2 34.8	58 24	70.7 29.3
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	38 42 2 0 0 0	46.3 51.2 2.4 0.0 0.0 0.0 0.0	31 33 1 0 0 0	47.7 50.8 1.5 0.0 0.0 0.0	7 9 1 0 0 0	41.2 52.9 5.9 0.0 0.0 0.0	24 27 3 0 1 0	43.6 49.1 5.5 0.0 1.8 0.0 0.0	2,739 2,905 279 43 12 14	45.7 48.5 4.7 0.7 0.2 0.2 0.1	29 45 6 2 0 0	35.4 54.9 7.3 2.4 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 4 33 21 9 7 8	0.0 4.9 40.2 25.6 11.0 8.5 9.8	0 4 31 16 5 5	0.0 6.2 47.7 24.6 7.7 7.7 6.2	2	0.0 0.0 11.8 29.4 23.5 11.8 23.5	0 9 16 16 8 6	0.0 0.0 16.4 29.1 29.1 14.5 10.9	2 12 452 1,032 1,142 1,892 1,463	0.0 0.2 7.5 17.2 19.0 31.6 24.4	0 0 0 6 8 20 48	0.0 0.0 0.0 7.3 9.8 24.4 58.5
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	35 4 0 17 9 0 0	42.7 4.9 0.0 20.7 11.0 0.0 0.0 20.7	32 4 0 9 8 0 0	49.2 6.2 0.0 13.8 12.3 0.0 0.0 18.5	3 0 0 8 1 0 0	17.6 0.0 0.0 47.1 5.9 0.0 0.0 29.4	14 6 0 17 5 0 0	25.5 10.9 0.0 30.9 9.1 0.0 0.0 23.6	1,985 938 186 1,519 150 121 7 1,089	33.1 15.6 3.1 25.3 2.5 2.0 0.1 18.2	14 29 7 15 1 0 0	17.1 35.4 8.5 18.3 1.2 0.0 0.0

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 20		4100	AIDS DIAGNOSES	5, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
	Total HIV dia	agnoses %	Withou N		oncurrent with <i>i</i> diagn N		N	%	N	%	N	%
TOTAL	70	100.0	54	77.1		22.9	58	100.0	4,556	100.0	59	100.0
GENDER								_				
Men Women	52 18	74.3 25.7	40 14	74.1 25.9		75.0 25.0	42 16	72.4 27.6	2,844 1,712	62.4 37.6	41 18	69.5 30.5
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	29 36 2 2 0 1	41.4 51.4 2.9 2.9 0.0 1.4 0.0	23 26 2 2 0 1	42.6 48.1 3.7 3.7 0.0 1.9 0.0		37.5 62.5 0.0 0.0 0.0 0.0	27 28 2 1 0 0	46.6 48.3 3.4 1.7 0.0 0.0	1,869 2,324 296 44 10 10	41.0 51.0 6.5 1.0 0.2 0.2	28 25 6 0 0 0	47.5 42.4 10.2 0.0 0.0 0.0 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+ TRANSMISSION CATEGORY	0 4 23 17 8 12 6	0.0 5.7 32.9 24.3 11.4 17.1 8.6	0 4 21 13 5 6 5	0.0 7.4 38.9 24.1 9.3 11.1 9.3	4 3	0.0 0.0 12.5 25.0 18.8 37.5 6.3	0 1 4 12 13 19 9	0.0 1.7 6.9 20.7 22.4 32.8 15.5	1 14 292 712 776 1,504 1,257	0.0 0.3 6.4 15.6 17.0 33.0 27.6	0 0 0 2 6 21 30	0.0 0.0 0.0 3.4 10.2 35.6 50.8
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	29 2 1 17 1 0 0	41.4 2.9 1.4 24.3 1.4 0.0 0.0 28.6	21 1 1 13 1 0 0	38.9 1.9 1.9 24.1 1.9 0.0 0.0 31.5	1 0	50.0 6.3 0.0 25.0 0.0 0.0 0.0 18.8	18 9 0 17 0 0 0	31.0 15.5 0.0 29.3 0.0 0.0 0.0 24.1	1,312 725 116 1,275 57 140 13 918	28.8 15.9 2.5 28.0 1.3 3.1 0.3 20.1	9 20 2 18 1 0 0	15.3 33.9 3.4 30.5 1.7 0.0 0.0 15.3

Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	SES, 201			AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	-	DEATHS,	, 2019
	Total HIV dia		Withou	t AIDS		gnoses	N	0/	N	0/	N	0/
TOTAL	N 98	% 100.0	N 86	% 87.8	N 12	% 12.2	N 62	% 100.0	N 6,557	% 100.0	N 100	% 100.0
GENDER								_		_		
Men Women	70 28	71.4 28.6	62 24	72.1 27.9	8	66.7 33.3	38 24	61.3 38.7	4,013 2,544	61.2 38.8	64 36	64.0 36.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	53 42 2 0 0 1	54.1 42.9 2.0 0.0 0.0 1.0 0.0	47 37 2 0 0 0	54.7 43.0 2.3 0.0 0.0 0.0	6 5 0 0 1 0	50.0 41.7 0.0 0.0 0.0 8.3 0.0	28 32 1 0 0 1	45.2 51.6 1.6 0.0 0.0 1.6 0.0	3,180 3,115 190 35 17 17	48.5 47.5 2.9 0.5 0.3 0.0	50 46 3 0 0 1	50.0 46.0 3.0 0.0 0.0 1.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 6 36 29 11 7 8	1.0 6.1 36.7 29.6 11.2 7.1 8.2	1 6 33 27 7 5 7	1.2 7.0 38.4 31.4 8.1 5.8 8.1	0 0 3 2 4 2 1	0.0 0.0 25.0 16.7 33.3 16.7 8.3	0 1 10 14 12 13	0.0 1.6 16.1 22.6 19.4 21.0 19.4	6 31 515 1,134 1,219 2,025 1,627	0.1 0.5 7.9 17.3 18.6 30.9 24.8	0 0 4 7 10 37 42	0.0 0.0 4.0 7.0 10.0 37.0 42.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	49 6 1 20 5 1 0	50.0 6.1 1.0 20.4 5.1 1.0 0.0 16.3	43 6 1 17 4 1 0	50.0 7.0 1.2 19.8 4.7 1.2 0.0 16.3	6 0 0 3 1 0 0	50.0 0.0 0.0 25.0 8.3 0.0 0.0	14 10 3 20 2 0 0	22.6 16.1 4.8 32.3 3.2 0.0 0.0 21.0	1,742 1,197 237 1,851 198 178 3	26.6 18.3 3.6 28.2 3.0 2.7 0.0 17.6	19 42 7 20 0 1 0	19.0 42.0 7.0 20.0 0.0 1.0 0.0 11.0

Table 1.7.6. High Bridge - Morrisania (Bronx)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
				C	Concurrent with	h AIDS						İ
	Total HIV di		Withou			gnoses						
TOTAL	N 113	% 100.0	94	% 83.2	N 19	% 16.8	N 71	% 100.0	6,390	% 100.0	N 121	% 100.0
IOTAL	113	100.0	94	03.2	19	10.0	71	100.0	6,390	100.0	121	100.0
GENDER						_		_		_		
Men	87	77.0	71	75.5	16	84.2	51	71.8	3,979	62.3	79	65.3
Women	26	23.0	23	24.5	3	15.8	20	28.2	2,411	37.7	42	34.7
RACE/ETHNICITY	_							_		_		
Black	50	44.2	42	44.7	8	42.1	41	57.7	3,304	51.7	48	39.7
Latino/Hispanic	61	54.0	50	53.2	11	57.9	25	35.2	2,801	43.8	62	51.2
White	1	0.9	1	1.1	0	0.0	4	5.6	211	3.3	9	7.4
Asian/Pacific Islander	1	0.9	1	1.1	0	0.0	1	1.4	32	0.5	1	0.8
Native American Multiracial	0	0.0 0.0	0	0.0	0	0.0	0 0	0.0 0.0	15 18	0.2	0	0.8 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
CHRIOWII	U	0.0	U	0.0	O	0.0	O	0.0	3	0.1	O	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	4	3.5	4	4.3	0	0.0	0	0.0	24	0.4	0	0.0
20-29	45	39.8	41	43.6	4	21.1	12	16.9	439	6.9	2	1.7
30-39 40-49	29 18	25.7 15.9	20 15	21.3 16.0	9	47.4	19	26.8 18.3	978 1,204	15.3 18.8	8 13	6.6
50-59	14	12.4	11	11.7	3	15.8 15.8	13 19	26.8	2,021	31.6	36	10.7 29.8
60+	3	2.7	3	3.2	0	0.0	8	11.3	1.721	26.9	62	51.2
		,		0.2	· ·	0.0	Ü	11.0	1,721	20.0	02	01.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	55	48.7	45	47.9	10	52.6	28	39.4	1,649	25.8	12	9.9
Injection drug use history (IDU)	4	3.5	3	3.2	1	5.3	8	11.3	1,156	18.1	59	48.8 2.5
MSM-IDU	2	1.8	2	2.1	0	0.0	1	1.4	215	3.4	3	2.5
Heterosexual contact	24 4	21.2 3.5	20	21.3 4.3	4	21.1	17	23.9 1.4	1,790 104	28.0	25	20.7
Transgender people with sexual contact Perinatal	0	3.5 0.0	4	4.3 0.0	0	0.0	1	1.4	163	2.6	2	0.8 1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	24	21.2	20	21.3	4	21.1	15	21.1	1,305	20.4	19	15.7
				_ 1.0	•		10		.,000			10.7

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20	_	DEATHS,	2019
	Total HIV dia	aanoses	Withou		oncurrent with diac	h AIDS gnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	48	100.0	36	75.0	12	25.0	44	100.0	4,060	100.0	53	100.0
GENDER								_				
Men	37	77.1	27	75.0	10	83.3	31	70.5	2,479	61.1	35	66.0
Women	11	22.9	9	25.0	2	16.7	13	29.5	1,581	38.9	18	34.0
RACE/ETHNICITY		_	_					_		_		
Black	20	41.7	16	44.4	4	33.3	23	52.3	1,804	44.4	19	35.8
Latino/Hispanic	28	58.3	20	55.6	8	66.7	20	45.5	2,044	50.3	29	54.7
White	0	0.0	0	0.0	0	0.0	1	2.3	167	4.1	4	7.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0 1.9 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0 0.0	12 2	0.3	1 0	1.9
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	2	0.0	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	4	8.3	3	8.3	1	8.3	2	4.5	15	0.4	0	0.0
20-29	11	22.9	10	27.8	1	8.3	10	22.7	345	8.5	0	0.0
30-39 40-49	18 5	37.5 10.4	13 5	36.1 13.9	5 0	41.7 0.0	12 4	27.3 9.1	741 753	18.3 18.5	3 7	5.7 13.2
50-59	6	10.4	5 4	13.9	2	16.7	4 7	15.9	1,213	29.9	7 19	35.8
60+	4	8.3	1	2.8	3	25.0	9	20.5	990	24.4	24	45.3
		0.0		2.0	J	20.0	J	20.0	330	24.4	27	40.0
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	18	37.5	13	36.1	5	41.7	14	31.8	1,077	26.5	7	13.2
Injection drug use history (IDU)	3	6.3	3	8.3	0	0.0	6	13.6	739	18.2	15	28.3
MSM-IDU	1	2.1	1	2.8	0	0.0	0	0.0	142	3.5	6	11.3
Heterosexual contact	11	22.9	9	25.0	2	16.7	8	18.2	1,127	27.8	14	26.4
Transgender people with sexual contact	2	4.2	2	5.6	0	0.0	5	11.4	118	2.9	1	1.9
Perinatal Other	0	0.0	0	0.0	0	0.0	1	2.3	126 5	3.1	0	0.0
Unknown	13	0.0 27.1	0 8	22.2	0 5	0.0 41.7	10	0.0 22.7	5 726	0.1 17.9	10	0.0
UTINIOWIT	13	21.1	0	22.2	3	41.7	10	22.1	720	17.9	10	10.9

Table 1.8.1. Greenpoint (Brooklyn)

	HIV D		DIAGNO	OSES, 201	9 Concurrent with	MIDS	AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	-	DEATHS,	2019
	N	%	Ν	out AIDS %	diag N	noses %	N	%	N	%	N	%
TOTAL	13	100.0	12	92.3	11	7.7	3	100.0	922	100.0	5	100.0
GENDER	_							_				
Men	13	100.0	12	100.0	1	100.0	3	100.0	745	80.8	4	80.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	177	19.2	1	20.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	66.7	143	15.5	0	0.0
Latino/Hispanic	5	38.5	5	41.7	0	0.0	0	0.0	412	44.7	4	80.0
White (P. 16, 14, 14, 14, 14, 14, 14, 14, 14, 14, 14	6	46.2	6	50.0	0	0.0	0	0.0	340	36.9	1	20.0
Asian/Pacific Islander Native American	1	7.7 0.0	0	0.0 0.0	1	100.0	1	33.3 0.0	22 0	2.4	0 0	0.0
Multiracial	1	7.7	0	8.3	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0 0.0
CHRIOWII		0.0	U	0.0	0	0.0	O	0.0	'	0.1	O	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	23.1	3	25.0	0	0.0	0	0.0	52	5.6	0	0.0
30-39	8	61.5	7	58.3	1	100.0	1	33.3	222	24.1	1	20.0
40-49 50-59	2 0	15.4 0.0	2	16.7 0.0	0	0.0	1	33.3 33.3	211 258	22.9 28.0	0 3	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	258 179	28.0 19.4	ა 1	60.0 20.0
00+		0.0	U	0.0	U	0.0	U	0.0	179	19.4	ı	20.0
TRANSMISSION CATEGORY						_		_				
Men who have sex with men (MSM)	11	84.6	10	83.3	1	100.0	2	66.7	529	57.4	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	100	10.8	0	0.0
MSM-IDU	2	15.4	2	16.7	0	0.0	0	0.0	27	2.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	121	13.1	3	60.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	U	0.0	8	0.9	0	0.0
Other Unknown	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0 33.3	5 122	0.5 13.2	0	0.0 0.0
UTINTOWT	0	0.0	U	0.0	U	0.0	<u> </u>	აა.ა	122	13.2	U	0.0

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	5, 2019	PWH AS 12/31/20	_	DEATHS,	2019
	Total HIV di	agnosas	Withou		oncurrent with A diagno	_						
	N	% agrioses	N	%	N N)363 %	N	%	N	%	N	%
TOTAL	29	100.0	25	86.2		13.8	17	100.0	2,737	100.0	35	100.0
GENDER			_	_				-	_	_		
Men	17	58.6	15	60.0		50.0	8	47.1	2,132	77.9	25	71.4
Women	12	41.4	10	40.0	2	50.0	9	52.9	605	22.1	10	28.6
RACE/ETHNICITY												
Black	18	62.1	15	60.0		75.0	10	58.8	1,109	40.5	22	62.9
Latino/Hispanic	4	13.8	4	16.0	0	0.0	3	17.6	667	24.4	7	20.0
White	5	17.2	4	16.0		25.0	3	17.6	862	31.5	6	17.1
Asian/Pacific Islander	1	3.4	1	4.0	0	0.0	0	0.0	72	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial Unknown	0	3.4 0.0	0	4.0 0.0	0	0.0	0	5.9 0.0	9	0.3	0 0	0.0
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	9	0.3	U	0.0
AGE GROUP (YEARS)										_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0 0.0 2.9
13-19	2	6.9	2	8.0	0	0.0	0	0.0	13	0.5	0	0.0
20-29	9	31.0	9	36.0	0	0.0	1	5.9	167	6.1	1	2.9
30-39	8	27.6	7	28.0		25.0	6	35.3	402	14.7	1	2.9
40-49	3	10.3	2	8.0		25.0	4	23.5	480	17.5	6	17.1
50-59	4	13.8	3	12.0		25.0	4	23.5	843	30.8	9	25.7
60+	3	10.3	2	8.0	1	25.0	2	11.8	831	30.4	18	51.4
TRANSMISSION CATEGORY										_		
Men who have sex with men (MSM)	13	44.8	13	52.0	0	0.0	5	29.4	1,486	54.3	13	37.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	298	10.9	4	11.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	67	2.4	0	0.0
Heterosexual contact	9	31.0	8	32.0		25.0	5	29.4	418	15.3	6	17.1
Transgender people with sexual contact	1	3.4	1	4.0	0	0.0	1	5.9	23	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	6	20.7	3	12.0	3	75.0	5	29.4	398	14.5	12	34.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2019 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2019, NEW YORK CITY Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
	Total HIV dia		Withou	t AIDS		gnoses						
TOTAL	111	% 100.0	97	% 87.4	N 14	% 12.6	N 74	% 100.0	N 7,924	% 100.0	N 121	% 100.0
GENDER								_				
Men Women	77 34	69.4 30.6	67 30	69.1 30.9	10 4	71.4 28.6	40 34	54.1 45.9	5,160 2,764	65.1 34.9	72 49	59.5 40.5
RACE/ETHNICITY						_				_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	82 18 9 2 0 0	73.9 16.2 8.1 1.8 0.0 0.0	75 14 8 0 0 0	77.3 14.4 8.2 0.0 0.0 0.0	7 4 1 2 0 0	50.0 28.6 7.1 14.3 0.0 0.0	56 12 4 2 0 0	75.7 16.2 5.4 2.7 0.0 0.0 0.0	5,961 1,287 550 73 18 27 8	75.2 16.2 6.9 0.9 0.2 0.3 0.1	90 25 5 0 0 1	74.4 20.7 4.1 0.0 0.0 0.8 0.0
AGE GROUP (YEARS)										_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 8 43 24 18 13 5	0.0 7.2 38.7 21.6 16.2 11.7 4.5	0 8 39 21 14 12 3	0.0 8.2 40.2 21.6 14.4 12.4 3.1	0 0 4 3 4 1 2	0.0 0.0 28.6 21.4 28.6 7.1 14.3	0 0 11 22 13 15	0.0 0.0 14.9 29.7 17.6 20.3 17.6	4 28 680 1,380 1,516 2,287 2,029	0.1 0.4 8.6 17.4 19.1 28.9 25.6	0 0 4 11 18 25 63	0.0 0.0 3.3 9.1 14.9 20.7 52.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	51 0 3 36 3 0 0	45.9 0.0 2.7 32.4 2.7 0.0 0.0	45 0 3 31 3 0 0	46.4 0.0 3.1 32.0 3.1 0.0 0.0 15.5	6 0 5 0 0 0 3	42.9 0.0 0.0 35.7 0.0 0.0 21.4	20 9 1 28 2 2 0	27.0 12.2 1.4 37.8 2.7 2.7 0.0 16.2	2,829 933 184 2,097 145 199 10	35.7 11.8 2.3 26.5 1.8 2.5 0.1 19.3	20 33 4 33 4 2 0	16.5 27.3 3.3 27.3 3.3 1.7 0.0 20.7

Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 20	19	AIC	S DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
	Total HIV d	iagnoses %	Withou N		oncurrent with AI diagnos N		N	%	N	%	N	%
TOTAL	64	100.0	59	92.2	5	7.8	36	100.0	3,563	100.0	43	100.0
GENDER			_	_		-		_				
Men Women	52 12	81.3 18.8	48 11	81.4 18.6		30.0 20.0	27 9	75.0 25.0	2,072 1,491	58.2 41.8	30 13	69.8 30.2
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	42 16 3 1 0 2	65.6 25.0 4.7 1.6 0.0 3.1 0.0	38 15 3 1 0 2	64.4 25.4 5.1 1.7 0.0 3.4 0.0	1 2 0 0 0 0	80.0 20.0 0.0 0.0 0.0 0.0 0.0	25 10 0 1 0 0	69.4 27.8 0.0 2.8 0.0 0.0 0.0	2,284 1,093 119 38 12 16 1	64.1 30.7 3.3 1.1 0.3 0.4 0.0	30 12 1 0 0 0	69.8 27.9 2.3 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 29 16 10 5 3	0.0 1.6 45.3 25.0 15.6 7.8 4.7	0 0 28 15 10 3	0.0 0.0 47.5 25.4 16.9 5.1 5.1	1 2 1 2 1 2 0 2 4	0.0 20.0 20.0 20.0 0.0 40.0	0 1 6 11 7 11 0	0.0 2.8 16.7 30.6 19.4 30.6 0.0	3 15 358 642 706 1,061 778	0.1 0.4 10.0 18.0 19.8 29.8 21.8	0 0 2 2 18 21	0.0 0.0 0.0 4.7 4.7 41.9 48.8
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	36 1 0 13 3 0 0	56.3 1.6 0.0 20.3 4.7 0.0 0.0	34 1 0 11 3 0 0	57.6 1.7 0.0 18.6 5.1 0.0 0.0 16.9	0 0 2 4 0 0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	12 6 1 9 0 0 0	33.3 16.7 2.8 25.0 0.0 0.0 0.0 22.2	1,029 427 65 1,154 69 107 6 706	28.9 12.0 1.8 32.4 1.9 3.0 0.2 19.8	5 11 2 12 1 0 0	11.6 25.6 4.7 27.9 2.3 0.0 0.0 27.9

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS,	2019
					oncurrent with A	AIDS						
	Total HIV di		Withou		diagn							
TOTAL	N 14	% 400.0	N 12	%	N	%	N 6	% 400.0	N	%	N 7	%
TOTAL	14	100.0	12	85.7	2	14.3	ь	100.0	886	100.0	,	100.0
GENDER												
Men	12	85.7	10	83.3	2 1	100.0	6	100.0	673	76.0	5	71.4
Women	2	14.3	2	16.7	0	0.0	0	0.0	213	24.0	2	28.6
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	156	17.6	0	0.0
Latino/Hispanic	10	71.4	9	75.0		50.0	4	66.7	471	53.2	6	85.7
White	1	7.1	1	8.3	0	0.0	0	0.0	181	20.4	0	0.0
Asian/Pacific Islander Other/Unknown	2	14.3 7.1	1	8.3 8.3	1	50.0	0	33.3	74 4	8.4 0.5	1 0	14.3
Other/Unknown		7.1	'	8.3	U	0.0	U	0.0	4	0.5	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.1	1	8.3	0	0.0	0	0.0	2	0.2	0	0.0
20-29	5	35.7	4	33.3 16.7		50.0	1	16.7	55	6.2	0	0.0
30-39 40-49	2 3	14.3 21.4	2	25.0	0	0.0	1	16.7 50.0	150 184	16.9 20.8	0	14.3 0.0
50-59	3	7.1	ى 1	8.3	0	0.0	ა 0	0.0	264	29.8	2	28.6
60+	2	14.3	1	8.3		50.0	1	16.7	231	26.1	4	57.1
	_	1 1.0		0.0	·	00.0	•		201	20.1	•	07.11
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	8	57.1	7	58.3		50.0	3	50.0	343	38.7	2	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	153	17.3	3	42.9
MSM-IDU	1	7.1	1	8.3	0	0.0	1	16.7	49	5.5	0	0.0
Heterosexual contact	2	14.3	2	16.7	0	0.0	0	0.0	190	21.4	2	28.6
Transgender people with sexual contact Perinatal	0	0.0	0	0.0	0	0.0	U	0.0	8	0.9	0 0	0.0
Other	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	12 1	1.4 0.1	0	0.0
Unknown	3	21.4	2	16.7	~	50.0	2	33.3	130	14.7	0	0.0
OTIKHOWIT	3	41.4		10.7		30.0		55.5	130	14.7	<u> </u>	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

Table 1.8.6. Borough Park (Brooklyn)

	HIV		DIAGNO	SES, 20	19	AIDS	DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS,	2019
			14774		oncurrent with Al			_	,0.,,_0			
	Total HIV di	agnoses %	Withou N	it AIDS %	diagno N	ses %	N	%	N	%	N	%
TOTAL	12	100.0	9	75.0		5.0	10	100.0	1,140	100.0	18	100.0
GENDER						_		_		_		
Men	10	83.3	8	88.9	2 6	6.7	5	50.0	853	74.8	12	66.7
Women	2	16.7	1	11.1		3.3	5	50.0	287	25.2	6	33.3
RACE/ETHNICITY						_						
Black	3	25.0	2	22.2		3.3	2	20.0	303	26.6	7	38.9
Latino/Hispanic	1	8.3	1	11.1		0.0	2	20.0	407	35.7	3	16.7
White	3	25.0	3	33.3		0.0	3	30.0	337	29.6	7	38.9
Asian/Pacific Islander	4	33.3	3	33.3		3.3	2	20.0	81	7.1	0	0.0
Native American	0	0.0	0	0.0		0.0	0	0.0	6	0.5	0	0.0
Multiracial		8.3	0	0.0		3.3	1 0	10.0	6 0	0.5	0	0.0
Unknown	0	0.0	U	0.0	0	0.0	U	0.0	U	0.0	1	5.6
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0		0.0	0	0.0	3	0.3	0	0.0
20-29	3	25.0	2	22.2		3.3	2	20.0	58	5.1	0	0.0
30-39	5	41.7	4	44.4		3.3	5	50.0	201	17.6	0	0.0
40-49 50-59	2	16.7	2	22.2 0.0		0.0	0	0.0 10.0	226 348	19.8	1	5.6
60+	1	8.3 8.3	1	11.1		3.3 0.0	2	20.0	348	30.5 26.6	5 12	27.8 66.7
00+	'	0.3	1	11.1	U	0.0	2	20.0	303	20.0	12	00.7
TRANSMISSION CATEGORY						_						
Men who have sex with men (MSM)	4	33.3	4	44.4		0.0	1	10.0	498	43.7	3	16.7
Injection drug use history (IDU)	0	0.0	0	0.0		0.0	2	20.0	156	13.7	6	33.3
MSM-IDU	1	8.3	0	0.0		3.3	1	10.0	25	2.2	1	5.6
Heterosexual contact	3	25.0	2	22.2		3.3	4	40.0	225	19.7	4	22.2
Transgender people with sexual contact	0	0.0	0	0.0		0.0	0	0.0	16	1.4	1	5.6
Perinatal	0	0.0	0	0.0		0.0	0	0.0	15	1.3	0	0.0
Other	0	0.0	0	0.0		0.0	0	0.0	0	0.0	0	0.0
Unknown	4	33.3	3	33.3	1 3	3.3	2	20.0	205	18.0	3	16.7

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV I	DIAGNO	SES, 20		A/DC	AIDS DIAGNOSES	5, 2019	PWH AS 12/31/20	_	DEATHS,	2019
	Total HIV dia	agnoses %	Withou N	t AIDS %	oncurrent with diagr N		N	%	N	%	N	%
TOTAL	88	100.0	72	81.8	16	18.2	47	100.0	5,470	100.0	72	100.0
GENDER								_				
Men	72	81.8	60	83.3	12	75.0	31	66.0	3,534	64.6	46	63.9
Women	16	18.2	12	16.7	4	25.0	16	34.0	1,936	35.4	26	36.1
RACE/ETHNICITY										_		
Black	60	68.2	48	66.7	12	75.0	40	85.1	4,262	77.9	57	79.2
Latino/Hispanic White	16	18.2 10.2	12	16.7 12.5	4	25.0	6	12.8 2.1	759 341	13.9 6.2	11	15.3
Asian/Pacific Islander	9	0.0	9	0.0	0	0.0	0	0.0	61	1.1	2 2	2.8 2.8
Native American	ő	0.0	0	0.0	ő	0.0	0	0.0	16	0.3	0	0.0
Multiracial	3	3.4	3	4.2	0	0.0	0	0.0	25	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19 20-29	2 35	2.3 39.8	1 33	1.4 45.8	1 2	6.3 12.5	1 11	2.1 23.4	13 354	0.2	0	0.0 1.4
30-39	26	29.5	20	27.8	6	37.5	10	23.4	923	16.9	3	4.2
40-49	10	11.4	8	11.1	2	12.5	8	17.0	1,047	19.1	13	18.1
50-59	6	6.8	5	6.9	1	6.3	4	8.5	1,572	28.7	19	26.4
60+	9	10.2	5	6.9	4	25.0	13	27.7	1,558	28.5	36	50.0
TRANSMISSION CATEGORY								_		_		
Men who have sex with men (MSM)	51	58.0	45	62.5	6	37.5	15	31.9	1,862	34.0	12	16.7
Injection drug use history (IDU)	2	2.3	2	2.8	0	0.0	4	8.5	475	8.7	19	26.4 4.2
MSM-IDU Heterosexual contact	0 17	0.0 19.3	0 10	0.0 13.9	0 7	0.0 43.8	2 16	4.3 34.0	112 1,516	2.0	3 21	20.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	10	2.1	1,510 59	1.1	0	29.2 0.0
Perinatal	Ö	0.0	0	0.0	ő	0.0	2	4.3	110	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	18	20.5	15	20.8	3	18.8	7	14.9	1,323	24.2	17	23.6

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20	_	DEATHS,	2019
					oncurrent with			_				1
	Total HIV di		Withou			gnoses	N	0/	N	0/	N.I	0/
TOTAL	N 29	% 100.0	N 22	% 75.9	N 7	24.1	N 22	% 100.0	N 1,831	% 100.0	N 24	% 100.0
IOIAL	2.5	100.0		13.3		24.1	22	100.0	1,031	100.0	24	100.0
GENDER												
Men	21	72.4	16	72.7	5	71.4	14	63.6	1,013	55.3	14	58.3
Women	8	27.6	6	27.3	2	28.6	8	36.4	818	44.7	10	41.7
RACE/ETHNICITY								_		_		
Black	23	79.3	16	72.7	7	100.0	19	86.4	1,451	79.2	18	75.0
Latino/Hispanic	5	17.2	5	22.7	0	0.0	2	9.1	238	13.0	5	20.8
White	1	3.4	1	4.5	0	0.0	1	4.5	109	6.0	1	4.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
AGE GROUP (YEARS)	_		_					_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
20-29	13	44.8	11	50.0	2	28.6	3	13.6	136	7.4	0	0.0
30-39	6	20.7	4	18.2	2	28.6	4	18.2	288	15.7	4	16.7
40-49	6	20.7	4	18.2	2	28.6	6	27.3	329	18.0	3	12.5
50-59	2	6.9	2	9.1	0	0.0	5	22.7	530	28.9	6	25.0
60+	2	6.9	1	4.5	1	14.3	4	18.2	541	29.5	11	45.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	11	37.9	8	36.4	3	42.9	5	22.7	422	23.0	4	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	143	7.8	3	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1_	4.5	21	1.1	2	8.3
Heterosexual contact	8	27.6	7	31.8	1	14.3	7	31.8	678	37.0	9	37.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
Perinatal Other	0	0.0	0	0.0	0	0.0	1	4.5	60	3.3	0	0.0
Unknown	0 10	0.0 34.5	7	0.0 31.8	0 3	0.0 42.9	0 8	0.0 36.4	2 494	0.1 27.0	0 6	0.0 25.0
UTIKTIOWIT	10	34.5	- 1	31.8	3	42.9	Ŏ	30.4	494	27.0	Ö	∠5.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Men includes transgender men and women includes transgender women.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
					Concurrent with	h AIDS		_				
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	17	89.5	2	10.5	8	100.0	737	100.0	8	100.0
GENDER								_		_		
Men	16	84.2	14	82.4	2	100.0	4	50.0	565	76.7	6	75.0
Women	3	15.8	3	17.6	0	0.0	4	50.0	172	23.3	2	25.0
RACE/ETHNICITY												
Black	1	5.3	1	5.9	0	0.0	0	0.0	81	11.0	1	12.5
Latino/Hispanic	7	36.8	6	35.3	1	50.0	4	50.0	235	31.9	5	62.5
White	11	57.9	10	58.8	1	50.0	3	37.5	363	49.3	2	25.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	12.5	52	7.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	8	42.1	8	47.1	0	0.0	0	0.0	38	5.2	0	0.0
30-39	6	31.6	5	29.4	1	50.0	2	25.0	111	15.1	1	12.5
40-49	2	10.5	1	5.9	1	50.0	2	25.0	150	20.4	0	0.0
50-59 60+	2	10.5 5.3	2	11.8 5.9	0	0.0	3	12.5	221 215	30.0	6	12.5 75.0
00+	'	5.3	'	5.9	U	0.0	3	37.5	215	29.2	б	75.0
TRANSMISSION CATEGORY										_		
Men who have sex with men (MSM)	12	63.2	11	64.7	1	50.0	1	12.5	354	48.0	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	93	12.6	2	25.0
MSM-IDU	1	5.3	0	0.0	1	50.0	2	25.0	33	4.5	0	0.0
Heterosexual contact	4	21.1	4	23.5	0	0.0	4	50.0	127	17.2	1	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	2	10.5	2	11.8	0	0.0	1	12.5	115	15.6	1	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252. Men includes transgender men and women includes transgender women.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20	-	DEATHS,	2019
	T		1474		oncurrent with .	_		_				
	Total HIV dia	agnoses %	Withou N	tt AIDS %	<i>diagr</i> N	oses %	N	%	N	%	N	%
TOTAL	22	100.0	17	77.3	5	22.7	17	100.0	1,254	100.0	12	100.0
GENDER		_	_	_	_			_	_	_		
Men	15	68.2	13	76.5	2	40.0	9	52.9	807	64.4	11	91.7
Women	7	31.8	4	23.5	3	60.0	8	47.1	447	35.6	1	8.3
RACE/ETHNICITY												
Black	8	36.4	5	29.4	3	60.0	11	64.7	468	37.3	4	33.3
Latino/Hispanic	6	27.3	5	29.4	1	20.0	3	17.6	374	29.8	1_	8.3
White	8	36.4	7	41.2	1	20.0	3	17.6	349	27.8	7	58.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	50	4.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0 0	0.0
Unknown	U	0.0	U	0.0	U	0.0	U	0.0	'	0.1	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	1	5.9	6	0.5	0	0.0
20-29	7	31.8	6	35.3	1	20.0	2	11.8	88	7.0	0	0.0
30-39	5	22.7	5	29.4	0	0.0	5	29.4	216	17.2	0	0.0
40-49	2	9.1	1	5.9	1	20.0	2	11.8	237	18.9	1	8.3
50-59	6	27.3	4	23.5	2	40.0	6	35.3	344	27.4	3	25.0
60+	2	9.1	1	5.9	1	20.0	1	5.9	363	28.9	8	66.7
TRANSMISSION CATEGORY										_		
Men who have sex with men (MSM)	10	45.5	9	52.9	1	20.0	4	23.5	395	31.5	3	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	181	14.4	2	16.7
MSM-IDU	1	4.5	1	5.9	0	0.0	0	0.0	19	1.5	1	16.7 8.3 0.0 0.0
Heterosexual contact	7	31.8	4	23.5	3	60.0	7	41.2	352	28.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	33	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	4	18.2	3	17.6	1	20.0	4	23.5	255	20.3	6	50.0

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	5, 2019	PWH AS 12/31/20	-	DEATHS,	2019
	Total HIV dia	agnoses	Withou		Concurrent with A diagn	_						
TOTAL	N 55	100.0	N 47	% 85.5	N 8	% 14.5	N 31	% 100.0	N 3,838	% 100.0	N 51	% 100.0
GENDER								_				
Men	47	85.5	40	85.1		87.5	23	74.2	2,753	71.7	30	58.8
Women	8	14.5	7	14.9	1	12.5	8	25.8	1,085	28.3	21	41.2
RACE/ETHNICITY				_		_		_		_		
Black	25	45.5	23	48.9		25.0	16	51.6	1,819	47.4	31	60.8
Latino/Hispanic White	19 10	34.5 18.2	15 8	31.9 17.0		50.0 25.0	12 3	38.7 9.7	1,436 490	37.4 12.8	13 5	25.5 9.8
Asian/Pacific Islander	10	1.8	1	2.1	0	0.0	0	0.0	64	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	2	3.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 20-29	2 24	3.6 43.6	1 23	2.1 48.9		12.5 12.5	1 8	3.2 25.8	15 403	0.4	0	0.0 2.0
30-39	10	18.2	23 8	17.0		25.0	7	22.6	763	19.9	2	3.9
40-49	9	16.4	8	17.0		12.5	3	9.7	622	16.2	9	17.6
50-59	5	9.1	3	6.4		25.0	6	19.4	1,054	27.5	17	33.3
60+	5	9.1	4	8.5	1	12.5	6	19.4	981	25.6	22	43.1
TRANSMISSION CATEGORY			_							_		
Men who have sex with men (MSM)	35	63.6	30	63.8		62.5	16	51.6	1,620	42.2	14	27.5
Injection drug use history (IDU) MSM-IDU	1	1.8	1	2.1	0	0.0	3	9.7	545	14.2	9	17.6 2.0
Heterosexual contact	4	1.8 7.3	3	2.1 6.4		0.0 12.5	0 7	0.0 22.6	112 760	2.9 19.8	13	2.0 25.5
Transgender people with sexual contact	2	3.6	2	4.3	Ó	0.0	0	0.0	55	1.4	1	25.5 2.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	81	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	12	21.8	10	21.3	2	25.0	4	12.9	662	17.2	13	25.5

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 20	19 Concurrent with	AIDS	AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20	-	DEATHS,	2019
	Total HIV di	%	Withou N	t AIDS %	diagn N	oses %	N	%	N	%	N	%
TOTAL	74	100.0	64	86.5	10	13.5	40	100.0	4,913	100.0	44	100.0
GENDER								_				
Men	56	75.7	50	78.1	6	60.0	30	75.0	4,079	83.0	35	79.5
Women	18	24.3	14	21.9	4	40.0	10	25.0	834	17.0	9	20.5
RACE/ETHNICITY										_		
Black	29	39.2	24	37.5		50.0	13	32.5	1,562	31.8	19	43.2
Latino/Hispanic White	33 12	44.6 16.2	28	43.8 18.8		50.0	21 5	52.5	2,162 1,062	44.0 21.6	14	31.8
Asian/Pacific Islander	0	0.0	12 0	0.0	0	0.0	ე 1	12.5 2.5	78	1.6	11 0	25.0 0.0
Native American	ő	0.0	0	0.0	Ö	0.0	Ö	0.0	8	0.2	Ö	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	31	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.4	1	1.6	0	0.0	0	0.0	4	0.1	0	0.0
13-19 20-29	1 23	1.4 31.1	1 22	1.6 34.4	0	0.0	0 5	0.0 12.5	15 379	0.3	0	0.0
30-39	28	37.8	22 24	34.4		40.0	5 12	30.0	379 976	19.9	3	6.8
40-49	9	12.2	6	9.4		30.0	12	30.0	952	19.4	5	11.4
50-59	6	8.1	4	6.3		20.0	8	20.0	1,398	28.5	14	31.8
60+	6	8.1	6	9.4	0	0.0	3	7.5	1,189	24.2	22	50.0
TRANSMISSION CATEGORY			_	_				_		_		
Men who have sex with men (MSM)	45	60.8	40	62.5		50.0	24	60.0	2,897	59.0	17	38.6
Injection drug use history (IDU)	2	2.7	2	3.1	0	0.0	1	2.5	381	7.8	7	15.9 4.5
MSM-IDU Heterosexual contact	2 15	2.7 20.3	2 11	3.1 17.2	0 4	0.0	0 9	0.0 22.5	145 660	3.0 13.4	2 9	4.5 20.5
Transgender people with sexual contact	3	4.1	3	4.7	0	0.0	0	0.0	60	13.4	1	20.5 2.3 0.0
Perinatal	1	1.4	1	1.6	Ö	0.0	Ŏ	0.0	76	1.5	Ö	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	6	8.1	5	7.8	1	10.0	6	15.0	686	14.0	8	18.2

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	6, 2019	PWH AS 12/31/20	-	DEATHS,	2019
	Total HIV dia		Withou	t AIDS	oncurrent with diagr	noses	N	0/		24	N	0.4
TOTAL	N 77	% 100.0	N 65	% 84.4	N 12	% 15.6	N 48	% 100.0	N 4,995	% 100.0	N 61	% 100.0
GENDER								_		_		
Men Women	66 11	85.7 14.3	57 8	87.7 12.3	9 3	75.0 25.0	34 14	70.8 29.2	3,655 1,340	73.2 26.8	39 22	63.9 36.1
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	49 20 6 1 0 1	63.6 26.0 7.8 1.3 0.0 1.3 0.0	40 17 6 1 0 1	61.5 26.2 9.2 1.5 0.0 1.5 0.0	9 3 0 0 0 0	75.0 25.0 0.0 0.0 0.0 0.0 0.0	31 13 3 1 0 0	64.6 27.1 6.3 2.1 0.0 0.0	3,112 1,114 656 71 8 30 4	62.3 22.3 13.1 1.4 0.2 0.6 0.1	45 11 5 0 0 0	73.8 18.0 8.2 0.0 0.0 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 38 21 8 5	0.0 0.0 49.4 27.3 10.4 6.5 6.5	0 0 37 17 6 3 2	0.0 0.0 56.9 26.2 9.2 4.6 3.1	0 0 1 4 2 2 3	0.0 0.0 8.3 33.3 16.7 16.7 25.0	0 0 6 14 8 13 7	0.0 0.0 12.5 29.2 16.7 27.1 14.6	3 11 349 938 1,001 1,467 1,226	0.1 0.2 7.0 18.8 20.0 29.4 24.5	0 0 1 7 9 19 25	0.0 0.0 1.6 11.5 14.8 31.1 41.0
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	50 1 1 10 1 0 0	64.9 1.3 1.3 13.0 1.3 0.0 0.0 18.2	47 1 1 7 1 0 0	72.3 1.5 1.5 10.8 1.5 0.0 0.0 12.3	3 0 0 3 0 0 0	25.0 0.0 0.0 25.0 0.0 0.0 0.0 50.0	19 1 5 10 2 1 0	39.6 2.1 10.4 20.8 4.2 2.1 0.0 20.8	2,322 548 143 934 64 79 6	46.5 11.0 2.9 18.7 1.3 1.6 0.1 18.0	13 19 1 15 0 0 0	21.3 31.1 1.6 24.6 0.0 0.0 0.0 21.3

Table 1.9.3. East Harlem (Manhattan)

		HIV I	DIAGNO	SES, 20		4150	AIDS DIAGNOSES	6, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
	Total HIV di	agnoses %	Withou N		Concurrent with a diagn N	_	N	%	N	%	N	%
TOTAL	32	100.0	26	81.3	6	18.8	24	100.0	2,984	100.0	62	100.0
GENDER								_				
Men	28	87.5	22	84.6	6	100.0	16	66.7	2,105	70.5	41	66.1
Women	4	12.5	4	15.4	0	0.0	8	33.3	879	29.5	21	33.9
RACE/ETHNICITY								_				
Black	14	43.8	12	46.2	2	33.3	13	54.2	1,371	45.9	31	50.0
Latino/Hispanic White	11 5	34.4 15.6	8 4	30.8 15.4	3 1	50.0 16.7	8 3	33.3 12.5	1,170	39.2 12.8	24 7	38.7
Asian/Pacific Islander	5	3.1	4	3.8	0	0.0	3 0	0.0	381 42	12.8	0	11.3
Native American	Ö	0.0	Ö	0.0	ő	0.0	0	0.0	8	0.3	Ö	0.0
Multiracial	1	3.1	1	3.8	0	0.0	0	0.0	10	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0 8.3	5	0.2 5.8	0	0.0 1.6
20-29 30-39	11 11	34.4 34.4	10 10	38.5 38.5	1	16.7 16.7	2	16.7	174 460	15.4	1	1.6
40-49	6	18.8	4	15.4	2	33.3	5	20.8	533	17.9	5	8.1
50-59	3	9.4	2	7.7	1	16.7	6	25.0	934	31.3	13	21.0
60+	1	3.1	0	0.0	1	16.7	7	29.2	876	29.4	42	67.7
TRANSMISSION CATEGORY								_		_		
Men who have sex with men (MSM)	19	59.4	17	65.4	2	33.3	4	16.7	1,103	37.0	7	11.3
Injection drug use history (IDU) MSM-IDU	2	6.3	2	7.7	0	0.0	6 0	25.0	580	19.4	34	54.8 0.0
Heterosexual contact	2	3.1 6.3	1 2	3.8 7.7	0	0.0	0	0.0 16.7	97 620	3.3 20.8	0 13	21.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	31	1.0	0	0.0
Perinatal	Ö	0.0	ő	0.0	Ő	0.0	ő	0.0	83	2.8	Õ	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	1.6
Unknown	8	25.0	4	15.4	4	66.7	10	41.7	468	15.7	7	11.3

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	OSES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	-	DEATHS,	, 2019
				С	oncurrent wi	th AIDS			,0.,,_0			İ
	Total HIV di			ıt AIDS		agnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	21	100.0	16	76.2	5	23.8	16	100.0	3,203	100.0	30	100.0
GENDER								_				
Men	19	90.5	14	87.5	5	100.0	13	81.3	2,776	86.7	23	76.7
Women	2	9.5	2	12.5	0	0.0	3	18.8	427	13.3	23 7	23.3
RACE/ETHNICITY								_				
Black	4	19.0	4	25.0	0	0.0	4	25.0	841	26.3	14	46.7
Latino/Hispanic	9	42.9	7	43.8	2	40.0	7	43.8	852	26.6	4	13.3
White	4	19.0	4	25.0	0	0.0	1	6.3	1,392	43.5	12	40.0 0.0 0.0
Asian/Pacific Islander	3	14.3	1	6.3	2	40.0	3	18.8	81	2.5	0	0.0
Other/Unknown	1	4.8	0	0.0	1	20.0	1	6.3	37	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0 0.0 0.0 3.3 3.3 33.3
13-19	2	9.5	2	12.5	0	0.0	0	0.0	1	0.0	0	0.0
20-29	5	23.8	3	18.8	2	40.0	4	25.0	150	4.7	0	0.0
30-39	6	28.6	5	31.3	1	20.0	4	25.0	401	12.5	1	3.3
40-49	2	9.5	1	6.3	1	20.0	4	25.0	446	13.9	1	3.3
50-59	6	28.6	5	31.3	1	20.0	3	18.8	966	30.2	10	33.3
60+	0	0.0	0	0.0	0	0.0	1	6.3	1,238	38.7	18	60.0
TRANSMISSION CATEGORY										_		
Men who have sex with men (MSM)	18	85.7	13	81.3	5	100.0	11	68.8	2,064	64.4	13	43.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	274	8.6	5	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	6.3	104	3.2	3	10.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	6.3	301	9.4	5	16.7
Transgender people with sexual contact	2	9.5	2	12.5	0	0.0	1	6.3	38	1.2	0	0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	32	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	1	4.8	1	6.3	0	0.0	1	6.3	386	12.1	4	13.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGN	OSES, 2019)		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS,	2019
				Co	ncurrent with	AIDS		_				İ
	Total HIV dia			out AIDS		noses		0.4		24		
TOTAL	N 7	% 100.0	N 4	% 57.1	N 3	42.9	N 15	% 100.0	N 1,480	% 100.0	N 11	% 100.0
IOTAL	-	100.0		37.1		42.3	13	100.0	1,400	100.0	•	100.0
GENDER						_		_				
Men	6	85.7	4	100.0	2	66.7	11	73.3	1,300	87.8	9	81.8
Women	1	14.3	0	0.0	1	33.3	4	26.7	180	12.2	2	18.2
RACE/ETHNICITY								_				
Black	1	14.3	1	25.0	0	0.0	3	20.0	266	18.0	1	9.1
Latino/Hispanic	2	28.6	0	0.0	2	66.7	5	33.3	339	22.9	5	45.5
White	3	42.9	2	50.0	1	33.3	6	40.0	799	54.0	4	36.4
Asian/Pacific Islander	1	14.3	1	25.0	0	0.0	1	6.7	67	4.5	1	9.1
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	6.7	48	3.2	0	0.0
30-39 40-49	5	71.4 14.3	3	75.0	2	66.7	3	20.0 40.0	194 232	13.1	0 0	0.0
50-59	0	0.0	0	0.0 0.0	0	33.3	0	40.0 6.7	232 454	15.7 30.7	2	18.2
60+	0	14.3	1	25.0	0	0.0	1	26.7	549	30.7	9	81.8
00+		14.3	'	23.0	U	0.0	4	20.7	549	37.1	9	01.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	28.6	1	25.0	1	33.3	9	60.0	986	66.6	3	27.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	90	6.1	1	9.1
MSM-IDU	1	14.3	1	25.0	0	0.0	0	0.0	44	3.0	0	0.0
Heterosexual contact	1	14.3	0	0.0	1	33.3	3	20.0	118	8.0	2	18.2 0.0 0.0
Transgender people with sexual contact	1	14.3	0	0.0	1	33.3	1	6.7	11	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	28.6	2	50.0	0	0.0	2	13.3	219	14.8	5	45.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 20			DS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
	Total HIV di N	agnoses %	Withou N		Concurrent with Ai diagno N		N	%	N	%	N	%
TOTAL	48	100.0	43	89.6	5 1	10.4	20	100.0	7,094	100.0	45	100.0
GENDER						_		_				
Men	44	91.7	40	93.0	4 8	30.0	19	95.0	6,610	93.2	42	93.3
Women	4	8.3	3	7.0	1 2	20.0	1	5.0	484	6.8	3	6.7
RACE/ETHNICITY												
Black	9	18.8	9	20.9		0.0	4	20.0	1,201	16.9	12	26.7
Latino/Hispanic White	22	45.8 25.0	18	41.9 25.6		30.0	9	45.0	1,691	23.8	12	26.7
Asian/Pacific Islander	12 5	25.0 10.4	11 5	25.6 11.6		20.0	5 2	25.0 10.0	3,887 228	54.8 3.2	20	44.4 2.2
Native American	0	0.0	0	0.0		0.0	0	0.0	15	0.2	0	0.0
Multiracial	Ö	0.0	Ö	0.0		0.0	Ö	0.0	31	0.4	Ö	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	41	0.6	0	0.0
AGE GROUP (YEARS)		_	_	_		-		_		_		
0-12	0	0.0	0	0.0		0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.1	1	2.3		0.0	0	0.0	2	0.0	0	0.0
20-29 30-39	12 17	25.0 35.4	11 13	25.6 30.2		20.0 30.0	4	20.0 30.0	261 1,086	3.7 15.3	6	2.2 13.3
40-49	9	18.8	9	20.9		0.0	4	20.0	1,440	20.3	4	8.9
50-59	6	12.5	6	14.0		0.0	5	25.0	2,432	34.3	13	28.9
60+	3	6.3	3	7.0		0.0	1	5.0	1,873	26.4	21	46.7
TRANSMISSION CATEGORY		_	_	_		-		_		_		
Men who have sex with men (MSM)	35	72.9	32	74.4		0.06	16	80.0	5,519	77.8	30	66.7
Injection drug use history (IDU)	0	0.0	0	0.0		0.0	0	0.0	361	5.1	3	6.7
MSM-IDU	3	6.3	3 4	7.0		0.0	0	0.0	241	3.4	5	11.1
Heterosexual contact Transgender people with sexual contact	4 0	8.3 0.0	0	9.3 0.0		0.0	0	0.0 0.0	293 75	4.1	6 0	13.3 0.0
Perinatal	0	0.0	0	0.0		0.0	0	0.0	27	0.4	0	0.0
Other	0	0.0	0	0.0		0.0	0	0.0	1	0.0	0	0.0
Unknown	6	12.5	4	9.3		40.0	4	20.0	577	8.1	1	2.2

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	SES, 201	9		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS,	2019
				Co	oncurrent wi	th AIDS						
	Total HIV di	agnoses	Withou	t AIDS	dia	agnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	18	100.0	15	83.3	3	16.7	9	100.0	1,999	100.0	12	100.0
GENDER	45	00.0	40	00.0		400.0	_	400.0	4.004	04.0	40	400.0
Men	15	83.3	12	80.0	3	100.0	9	100.0	1,824	91.2	12 0	100.0
Women	3	16.7	3	20.0	0	0.0	0	0.0	175	8.8	0	0.0
RACE/ETHNICITY								_		_		
Black	4	22.2	4	26.7	0	0.0	2	22.2	399	20.0	4	33.3
Latino/Hispanic	10	55.6	7	46.7	3	100.0	4	44.4	470	23.5	1	8.3
White	4	22.2	4	26.7	0	0.0	3	33.3	1,036	51.8	7	58.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	72	3.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	1.1	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	4	22.2	4	26.7	0	0.0	0	0.0	52	2.6	0	0.0
30-39	5	27.8	3	20.0	2	66.7	4	44.4	197	9.9	1	8.3
40-49	2	11.1	2	13.3	0	0.0	1	11.1	321	16.1	1	8.3
50-59	5	27.8	4	26.7	1	33.3	3	33.3	700	35.0	4	33.3
60+	2	11.1	2	13.3	0	0.0	1	11.1	727	36.4	6	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	8	44.4	6	40.0	2	66.7	5	55.6	1,339	67.0	6	50.0
Injection drug use history (IDÙ)	1	5.6	1	6.7	0	0.0	1	11.1	162	8.1	0	0.0
MSM-IDU	1	5.6	1	6.7	0	0.0	1	11.1	88	4.4	2	16.7
Heterosexual contact	3	16.7	3	20.0	0	0.0	0	0.0	122	6.1	1	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	5	27.8	4	26.7	1	33.3	2	22.2	262	13.1	3	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171. Men includes transgender men and women includes transgender women.

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV I Total HIV diagnoses		DIAGNO	OSES, 201	9 oncurrent with	AIDS	AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS	, 2019
	N	%	N	out AIDS %	diag N	noses %	Ŋ	%	N	%	N	%
TOTAL	13	100.0	12	92.3	11	7.7	4	100.0	1,782	100.0	13	100.0
GENDER								_				
Men	13	100.0	12	100.0	1	100.0	3	75.0	1,688	94.7	12	92.3
Women	0	0.0	0	0.0	0	0.0	1	25.0	94	5.3	1	92.3 7.7
RACE/ETHNICITY								_				
Black	1	7.7	1	8.3	0	0.0	0	0.0	329	18.5	2	15.4
Latino/Hispanic	5	38.5	5	41.7	0	0.0	2	50.0	375	21.0	3	23.1
White	5	38.5	5	41.7	0	0.0	1	25.0	1,007	56.5	8	61.5
Asian/Pacific Islander Native American	1	7.7 0.0	1	8.3 0.0	0	0.0	0	0.0 0.0	53 7	3.0 0.4	0 0	0.0
Multiracial	1	7.7	0	0.0	1	100.0	1	25.0	6	0.4	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
CHRIOWII		0.0	U	0.0	0	0.0	O	0.0	3	0.5	O	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 7.7
20-29	6	46.2	6	50.0	0	0.0	0	0.0	56	3.1	1	7.7
30-39 40-49	6	46.2 0.0	5 0	41.7 0.0	0	100.0	2	50.0 0.0	200 289	11.2 16.2	0 2	0.0 15.4
50-59	0	0.0	0	0.0	0	0.0	1	25.0	634	35.6	0	0.0
60+	1	7.7	1	8.3	0	0.0	1	25.0	603	33.8	10	76.9
		• • • •		0.0	Ŭ	0.0	•	20.0	000	00.0	.0	7 0.0
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	10	76.9	9	75.0	1	100.0	2	50.0	1,260	70.7	8	61.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	50.0	124	7.0	2	15.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	58	3.3	1	15.4 7.7 7.7
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	83	4.7	1	7.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	1.7	0	0.0
Perinatal Other	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0 0.0	5	0.3	0 0	0.0
Unknown	3	23.1	3	25.0	0	0.0	0	0.0	221	12.4	1	0.0 7.7
OTIKITOWIT	3	23.1	3	25.0	U	0.0	U	0.0	221	12.4		1.1

Table 1.9.9. Union Square - Lower East Side (Manhattan)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS,	2019
	Total HIV dia	aanoses	Withou		oncurrent with	n AIDS gnoses		- 1				
	N	%	N	%	N anag	%	N	%	N	%	N	%
TOTAL	31	100.0	30	96.8	11	3.2	12	100.0	2,962	100.0	30	100.0
GENDER								_				
Men	25	80.6	24	80.0	1	100.0	11	91.7	2,442	82.4	20	66.7
Women	6	19.4	6	20.0	0	0.0	1	8.3	520	17.6	10	33.3
RACE/ETHNICITY								_		_		
Black	19	61.3	19	63.3	0	0.0	5	41.7	596	20.1	5	16.7
Latino/Hispanic	9	29.0	8	26.7	1	100.0	5	41.7	1,034	34.9	13	43.3
White	2	6.5	2	6.7	0	0.0	2	16.7	1,155	39.0	11	36.7
Asian/Pacific Islander	1	3.2	1	3.3	0	0.0	0	0.0	142	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	14	0.5	1	3.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	6.5	2	6.7	0	0.0	0	0.0	6	0.2	0	0.0
20-29	6	19.4	6	20.0	0	0.0	0	0.0	103	3.5	0	0.0
30-39	11	35.5	10	33.3	1	100.0	4	33.3	352	11.9	3	10.0
40-49	7	22.6	7	23.3	0	0.0	1	8.3	463	15.6	2	6.7
50-59 60+	4	12.9 3.2	4	13.3 3.3	0	0.0	6	8.3 50.0	1,024	34.6 34.2	10 15	33.3 50.0
00+	'	3.2	'	3.3	0	0.0	б	50.0	1,014	34.2	15	50.0
TRANSMISSION CATEGORY										_		
Men who have sex with men (MSM)	15	48.4	14	46.7	1	100.0	7	58.3	1,709	57.7	14	46.7
Injection drug use history (IDU)	2	6.5	2	6.7	0	0.0	1	8.3	367	12.4	8	26.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	110	3.7	1	3.3
Heterosexual contact	2	6.5	2	6.7	0	0.0	1	8.3	361	12.2	4	13.3 0.0
Transgender people with sexual contact	3	9.7	3	10.0	0	0.0	0	0.0	25	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	9	29.0	9	30.0	0	0.0	3	25.0	358	12.1	3	10.0

Table 1.9.10. Lower Manhattan (Manhattan)

			DIAGNO	OSES, 2019			AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS	, 2019
	Total HIV di	agnoses %	Witho	Co out AIDS %	oncurrent wit dia N	th AIDS agnoses	N	%	N	%	N	%
TOTAL	7	100.0	3	42.9	4	57.1	5	100.0	609	100.0	4	100.0
GENDER								_				
Men	7	100.0	3	100.0	4	100.0	5	100.0	522	85.7	3	75.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	87	14.3	1	25.0
RACE/ETHNICITY	_					_		-				
Black	4	57.1	1	33.3	3	75.0	2	40.0	133	21.8	2	50.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	149	24.5	0	0.0
White Asian/Pacific Islander	3 0	42.9 0.0	2	66.7 0.0	1 0	25.0 0.0	2	40.0 20.0	297 24	48.8 3.9	2 0	50.0 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	Ö	0.0	0	0.0	3	0.5	0	0.0
Unknown	ő	0.0	Ö	0.0	ő	0.0	Ö	0.0	3	0.5	Ő	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
20-29	2	28.6	2	66.7	0	0.0	0	0.0	25	4.1	0	0.0
30-39	3	42.9	1	33.3	2	50.0	1	20.0	68	11.2	0	0.0
40-49	2	28.6	0	0.0	2	50.0	3	60.0	145	23.8	0	0.0
50-59 60+	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0 20.0	225 146	36.9 24.0	3	75.0 25.0
00+	0	0.0	U	0.0	U	0.0	ı	20.0	140	24.0		25.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	5	71.4	1	33.3	4	100.0	4	80.0	400	65.7	3	75.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	50	8.2	0	0.0 0.0 0.0 0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.6	0	0.0
Heterosexual contact	0	0.0	0	0.0 0.0	0	0.0	U	0.0 0.0	59 2	9.7 0.3	0	0.0
Transgender people with sexual contact Perinatal	0	0.0	0	0.0	0	0.0	U	0.0	3	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	2	28.6	2	66.7	0	0.0	1	20.0	78	12.8	1	25.0

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	OSES, 20 ⁻	9		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS,	2019
				С	oncurrent with	AIDS		_	.2,0 .,20	. •		
	Total HIV dia	agnoses	Withou			noses		_				
	N	%	N	%	N	%	N	%	N	%	Ν	%
TOTAL	29	100.0	21	72.4	8	27.6	13	100.0	2,370	100.0	17	100.0
OF NOTE D												
GENDER	24	00.0	10	05.7	-	75.0	4.4	84.6	2.050	00 E	4.5	00.0
Men Women	24 5	82.8 17.2	18 3	85.7 14.3	6 2	25.0	11 2	15.4	2,050 320	86.5 13.5	15 2	88.2 11.8
vomen	5	17.2	3	14.3	2	25.0		15.4	320	13.5	2	11.0
RACE/ETHNICITY										_		
Black	5	17.2	4	19.0	1	12.5	1	7.7	391	16.5	4	23.5
Latino/Hispanic	19	65.5	13	61.9	6	75.0	10	76.9	977	41.2	8	47.1
White	4	13.8	3	14.3	1	12.5	2	15.4	861	36.3	5	29.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	119	5.0	0	0.0
Other/Unknown	1	3.4	1	4.8	0	0.0	0	0.0	22	0.9	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0
13-19	1	3.4	1	4.8	0	0.0	0	0.0	3	0.1	0	0.0
20-29	9	31.0	8	38.1	1	12.5	2	15.4	140	5.9	0	0.0
30-39	10	34.5	8	38.1	2	25.0	2	15.4	541	22.8	0	0.0
40-49	3	10.3	1	4.8	2	25.0	4	30.8	565	23.8	4	23.5
50-59	5	17.2	2	9.5	3	37.5	3	23.1	667	28.1	5	29.4
60+	1	3.4	1	4.8	0	0.0	2	15.4	454	19.2	8	47.1
TRANSMISSION CATEGORY			_					_		_		
Men who have sex with men (MSM)	19	65.5	14	66.7	5	62.5	7	53.8	1,633	68.9	7	41.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	121	5.1	6	35.3 0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	53	2.2	0	0.0
Heterosexual contact	5	17.2	3	14.3	2	25.0	3	23.1	273	11.5	2	11.8
Transgender people with sexual contact	1	3.4	1	4.8	0	0.0	0	0.0	29	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	4	13.8	3	14.3	1	12.5	3	23.1	242	10.2	2	11.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109. Men includes transgender men and women includes transgender women.

Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	SES, 20	19 Concurrent with	th AIDS	AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
TOTAL	Total HIV di N 101	agnoses % 100.0	Withou N 81		dia N	gnoses %	N 45	%	N 5 724	%	N 26	%
TOTAL	101	100.0	81	80.2	20	19.8	45	100.0	5,721	100.0	26	100.0
GENDER								_		_		
Men	85	84.2	70	86.4	15	75.0	38	84.4	4,694	82.0	22	84.6
Women	16	15.8	11	13.6	5	25.0	7	15.6	1,027	18.0	4	15.4
RACE/ETHNICITY	_	_	_	_				_		_		
Black	7	6.9	6	7.4	1	5.0	4	8.9	1,371	24.0	3	11.5
Latino/Hispanic	80	79.2	63	77.8	17	85.0	37	82.2	3,324	58.1	13	50.0
White	4	4.0	3	3.7	1	5.0	2	4.4	625	10.9	7	26.9 7.7
Asian/Pacific Islander Native American	10	9.9 0.0	9	11.1 0.0	0	5.0 0.0	2	4.4 0.0	374 13	6.5 0.2	2	3.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Cindionii	, and the second	0.0	Ŭ	0.0	Ŭ	0.0	Ü	0.0		0.1	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	1	1.0	1	1.2	0	0.0	1	2.2	7	0.1	0	0.0
20-29	42	41.6	40	49.4	2	10.0	6	13.3	354	6.2	1	3.8
30-39 40-49	35 13	34.7 12.9	25 8	30.9 9.9	10 5	50.0 25.0	17 7	37.8 15.6	985 1,273	17.2 22.3	3	11.5 3.8
50-59	8	7.9	6	9.9 7.4	2	10.0	10	22.2	1,273	31.7	7	26.9
60+	2	2.0	1	1.2	1	5.0	4	8.9	1,285	22.5	14	53.8
	_	2.0	•		·	0.0	•	0.0	1,200	22.0	• • •	00.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	74	73.3	61	75.3	13	65.0	28	62.2	2,811	49.1	15	57.7
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	2	4.4	778	13.6	3	11.5
MSM-IDU	1	1.0	1	1.2	0	0.0	0	0.0	154	2.7	0	0.0
Heterosexual contact	13	12.9	9	11.1	4	20.0	10	22.2	907	15.9	4	15.4
Transgender people with sexual contact Perinatal	2	2.0 0.0	1	1.2 0.0	1	5.0 0.0	1	2.2 0.0	119 64	2.1	1 0	3.8 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	1.1 0.1	0	0.0
Unknown	10	9.9	8	9.9	2	10.0	4	8.9	883	15.4	3	11.5
OTHER DESIGNATION OF THE PROPERTY OF THE PROPE	10	5.5		0.0	_	10.0		0.0	- 555	10.4		11.5

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	S, 2019	PWH AS 12/31/20	-	DEATHS,	2019
	T- (-1.1.11) (-1)		M/: (In a co		oncurrent with	_						
	Total HIV dia	agnoses %	Withou N	t AIDS %	diagn N	oses %	N	%	N	%	N	%
TOTAL	18	100.0	13	72.2	5	27.8	10	100.0	764	100.0	8	100.0
GENDER		_		_	_			_	_	_		
Men	17	94.4	12	92.3		100.0	10	100.0	574	75.1	6	75.0
Women	1	5.6	1	7.7	0	0.0	0	0.0	190	24.9	2	25.0
RACE/ETHNICITY												
Black	2	11.1	2	15.4	0	0.0	1	10.0	122	16.0	2	25.0
Latino/Hispanic	6	33.3	5	38.5	1	20.0	3	30.0	289	37.8	4	50.0
White Asian/Pacific Islander		5.6 50.0	0 6	0.0 46.2	1 3	20.0	2	20.0 40.0	193	25.3	0	0.0
Native American	9	0.0	0	0.0	0	60.0	4	0.0	149 7	19.5	2 0	25.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0

AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	8	44.4	6	46.2	2	40.0	3	30.0	50	6.5	0	0.0
30-39	1	5.6	0	0.0	1	20.0	1	10.0	101	13.2	1	12.5
40-49 50-59	4	22.2 22.2	2 4	15.4 30.8	2	40.0	2	20.0 20.0	140 247	18.3	0 4	0.0
60+	4	22.2 5.6	4	7.7	0	0.0	2	20.0	247	32.3 29.2	3	50.0 37.5
007		5.0	'	1.1	U	0.0	2	20.0	223	23.2	3	37.3
TRANSMISSION CATEGORY										_		
Men who have sex with men (MSM)	10	55.6	7	53.8	3	60.0	5	50.0	356	46.6	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	71	9.3	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.1	0	0.0
Heterosexual contact	3	16.7	2	15.4	1	20.0	1	10.0	172	22.5	2	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
Other	0 5	0.0 27.8	0 4	0.0 30.8	0	0.0	0	0.0 30.0	1 129	0.1	0	0.0
Unknown	5	27.8	4	30.8		20.0	3	30.0	129	16.9	1	12.5

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV		DIAGN	OSES, 2019			AIDS DIAGNOSES	, 2019	PWH AS 12/31/20	-	DEATHS,	2019
	Total HIV di	iaanoses	With	Co out AIDS	ncurrent with diad	h AIDS gnoses		-				İ
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	0	0.0	144	100.0	0	0.0
GENDER						_		-		_		
Men	0	0.0	0	0.0	0	0.0	0	0.0	113	78.5	0	0.0
Women	1	100.0	1	100.0	0	0.0	0	0.0	31	21.5	0	0.0
RACE/ETHNICITY						_		_		_		
Black	0	0.0	0	0.0	0	0.0	0	0.0	17	11.8	0	0.0
Latino/Hispanic	1	100.0	1	100.0	0	0.0	0	0.0	37	25.7	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	77	53.5	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	7.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	9	6.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	17	11.8	0	0.0
40-49	1	100.0	1	100.0	0	0.0	0	0.0	18	12.5	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	48	33.3	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	52	36.1	0	0.0
TRANSMISSION CATEGORY						_		_				
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	67	46.5	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	14	9.7	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Heterosexual contact	1	100.0	1	100.0	0	0.0	0	0.0	32	22.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	15.3	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
					oncurrent wit	th AIDS		_				
	Total HIV di		Withou			agnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	24	100.0	21	87.5	3	12.5	14	100.0	1,365	100.0	13	100.0
GENDER								_				
Men	23	95.8	20	95.2	3	100.0	10	71.4	1,071	78.5	11	84.6
Women	1	4.2	1	4.8	0	0.0	4	28.6	294	21.5	2	15.4
RACE/ETHNICITY										_		
Black	3	12.5	3	14.3	0	0.0	3	21.4	170	12.5	2	15.4
Latino/Hispanic	14	58.3	11	52.4	3	100.0	7	50.0	675	49.5	4	30.8
White	3	12.5	3	14.3	0	0.0	2	14.3	422	30.9	7	53.8
Asian/Pacific Islander	2	8.3	2	9.5	0	0.0	1	7.1	82	6.0	0	0.0
Other/Unknown	2	8.3	2	9.5	0	0.0	1	7.1	16	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	4	16.7	4	19.0	0	0.0	0	0.0	4	0.3	0	0.0
20-29	8	33.3	8	38.1	0	0.0	2	14.3	111	8.1	0	0.0
30-39	6	25.0	3	14.3	3	100.0	/	50.0	206	15.1	2	15.4
40-49	5	20.8	5	23.8	0	0.0	2	14.3	246	18.0	1	7.7
50-59	0	0.0	0	0.0	0	0.0	2	14.3	427	31.3	3 7	23.1
60+	1	4.2	1	4.8	0	0.0	1	7.1	370	27.1	1	53.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	20	83.3	17	81.0	3	100.0	7	50.0	768	56.3	8	61.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	83	6.1	1	7.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	33	2.4	0	0.0
Heterosexual contact	1	4.2	1	4.8	0	0.0	3	21.4	261	19.1	2	15.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Unknown	3	12.5	3	14.3	0	0.0	4	28.6	176	12.9	2	15.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385. Men includes transgender men and women includes transgender women.

Table 1.10.6. Fresh Meadows (Queens)

		HIV	DIAGN	OSES, 201	19		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
				С	oncurrent wi	th AIDS		_				
	Total HIV			ut AIDS		agnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	8	100.0	7	87.5	1	12.5	2	100.0	314	100.0	6	100.0
GENDER	_							_				
Men	5	62.5	4	57.1	1	100.0	1	50.0	198	63.1	1	16.7
Women	3	37.5	3	42.9	0	0.0	1	50.0	116	36.9	5	83.3
RACE/ETHNICITY	_											
Black	2	25.0	2	28.6	0	0.0	0	0.0	131	41.7	1	66.7
Latino/Hispanic	2	25.0	2	28.6	Ö	0.0	1	50.0	108	34.4	1	16.7
White	1	12.5	0	0.0	ĭ	100.0	1	50.0	48	15.3	1	16.7
Asian/Pacific Islander	3	37.5	3	42.9	Ö	0.0	0	0.0	26	8.3	Ö	0.0
Other/Unknown	0	0.0	0	0.0	Ö	0.0	Ö	0.0	1	0.3	Ő	0.0 0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	12.5	1	14.3	ő	0.0	0	0.0	2	0.6	ő	0.0 0.0 0.0 0.0 0.0
20-29	2	25.0	2	28.6	Ő	0.0	0	0.0	28	8.9	Ö	0.0
30-39	3	37.5	2	28.6	1	100.0	1	50.0	49	15.6	Ö	0.0
40-49	2	25.0	2	28.6	0	0.0	0	0.0	45	14.3	Ö	0.0
50-59	0	0.0	0	0.0	0	0.0	1	50.0	100	31.8	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	90	28.7	4	66.7
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	5	62.5	4	57.1	1	100.0	1	50.0	113	36.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	7.6	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.3	0	0.0
Heterosexual contact	2	25.0	2	28.6	0	0.0	1	50.0	88	28.0	3	50.0
Transgender people with sexual contact	1	12.5	1	14.3	0	0.0	0	0.0	5	1.6	0	0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	67	21.3	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367. Men includes transgender men and women includes transgender women.

Table 1.10.7. Southwest Queens (Queens)

		HIV I	DIAGNO	SES, 20	19		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS,	2019
					oncurrent with A	4 <i>IDS</i>		_				
	Total HIV dia		Withou		diagn	oses						
TOTAL	N 29	% 100.0	N 21	% 72. 4	N 8	% 27.6	N 22	% 100.0	N 1,962	% 100.0	N 21	% 100.0
IOTAL	29	100.0	21	12.4	0	27.0	22	100.0	1,902	100.0	21	100.0
GENDER						_				_		
Men	24	82.8	17	81.0	7	87.5	15	68.2	1,406	71.7	17	81.0
Women	5	17.2	4	19.0	1	12.5	7	31.8	556	28.3	4	19.0
RACE/ETHNICITY												
Black	7	24.1	4	19.0	3	37.5	6	27.3	507	25.8	5	23.8
Latino/Hispanic	12	41.4	11	52.4	1	12.5	8	36.4	925	47.1	9	42.9
White	2	6.9	1	4.8	1	12.5	<u>1</u>	4.5	288	14.7	6	28.6
Asian/Pacific Islander	7	24.1	4	19.0		37.5	7	31.8	216	11.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.9	0	0.0 4.8 0.0
Multiracial	1	3.4	1	4.8	0	0.0	0	0.0	6	0.3	1	4.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	4	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	10	34.5	7	33.3		37.5	5	22.7	128	6.5	2	9.5
30-39	4	13.8	4	19.0	0	0.0	3	13.6	319	16.3	2	9.5
40-49	6	20.7	3 4	14.3		37.5	7	31.8 27.3	399	20.3	3	14.3
50-59 60+	6	20.7	3	19.0 14.3	0	25.0	6		631 479	32.2 24.4	5 9	23.8 42.9
00+	3	10.3	3	14.3	U	0.0	Į.	4.5	479	24.4	9	42.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	14	48.3	11	52.4	3	37.5	5	22.7	840	42.8	6	28.6
Injection drug use history (IDU)	1	3.4	1	4.8	0	0.0	2	9.1	176	9.0	2	9.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	28	1.4	0	0.0
Heterosexual contact	4	13.8	3	14.3	1	12.5	5	22.7	496	25.3	5	23.8
Transgender people with sexual contact	1	3.4	0	0.0	1	12.5	2	9.1	25	1.3	1	4.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	48	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	9	31.0	6	28.6	3	37.5	8	36.4	344	17.5	7	33.3

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	5, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
	Total HIV dia		Withou	t AIDS		noses						
TOTAL	55	% 100.0	N 44	% 80.0	N 11	% 20.0	N 31	% 100.0	N 3,305	% 100.0	N 37	% 100.0
GENDER		_		_				_				
Men Women	40 15	72.7 27.3	35 9	79.5 20.5	5	45.5 54.5	17 14	54.8 45.2	2,059 1,246	62.3 37.7	28 9	75.7 24.3
RACE/ETHNICITY						_		_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	37 15 1 1 1 0	67.3 27.3 1.8 1.8 1.8 0.0	30 12 1 0 1 0	68.2 27.3 2.3 0.0 2.3 0.0 0.0	7 3 0 1 0 0	63.6 27.3 0.0 9.1 0.0 0.0	19 10 0 1 0 1	61.3 32.3 0.0 3.2 0.0 3.2 0.0	2,357 636 169 113 13 12 5	71.3 19.2 5.1 3.4 0.4 0.4 0.2	27 7 1 1 0 1 0	73.0 18.9 2.7 2.7 0.0 2.7 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 12 21 11 8 1	0.0 3.6 21.8 38.2 20.0 14.5 1.8	0 2 12 15 9 6	0.0 4.5 27.3 34.1 20.5 13.6 0.0	0 0 0 6 2 2 1	0.0 0.0 54.5 18.2 18.2 9.1	0 0 5 11 4 9 2	0.0 0.0 16.1 35.5 12.9 29.0 6.5	2 13 244 477 611 964 994	0.1 0.4 7.4 14.4 18.5 29.2 30.1	0 0 1 1 11 24	0.0 0.0 0.0 2.7 2.7 29.7 64.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	29 0 0 18 1 0 0	52.7 0.0 0.0 32.7 1.8 0.0 0.0	26 0 0 11 1 0 0	59.1 0.0 0.0 25.0 2.3 0.0 0.0	3 0 0 7 0 0	27.3 0.0 0.0 63.6 0.0 0.0 0.0 9.1	9 0 1 12 1 1 0	29.0 0.0 3.2 38.7 3.2 3.2 0.0 22.6	1,032 343 63 1,053 38 97 8 671	31.2 10.4 1.9 31.9 1.1 2.9 0.2 20.3	6 11 0 12 0 0 0	16.2 29.7 0.0 32.4 0.0 0.0 0.0 21.6

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 20	19		AIDS DIAGNOSES	5, 2019	PWH AS 12/31/20	_	DEATHS,	2019
	Total HIV dia		Withou	t AIDS	oncurrent with A diagno	ses						
TOTAL	N 30	% 100.0	N 22	% 73.3	N 8 2	% 26.7	N 15	% 100.0	N 1,356	% 100.0	N 13	% 100.0
GENDER		_		_	_			_		_		
Men Women	15 15	50.0 50.0	10 12	45.5 54.5		62.5 37.5	13 2	86.7 13.3	777 579	57.3 42.7	9 4	69.2 30.8
RACE/ETHNICITY										_		
Black Latino/Hispanic White	24 4 1	80.0 13.3 3.3	19 2 0	86.4 9.1 0.0	2 2	52.5 25.0 12.5	10 4 1	66.7 26.7 6.7	1,039 175 85	76.6 12.9 6.3	10 1 2	76.9 7.7 15.4
Asian/Pacific Islander Native American Multiracial	1 0 0	3.3 0.0 0.0	1 0 0	4.5 0.0 0.0	0 0 0	0.0 0.0 0.0	0 0 0	0.0 0.0 0.0	49 2 5	3.6 0.1 0.4	0 0 0	0.0
Unknown	0	0.0	0	0.0	0	0.0	Ö	0.0	1	0.1	ő	0.0 0.0
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 20-29	0 8	0.0 26.7	0 6	0.0 27.3	0 2 2	0.0 25.0	0 4	0.0 26.7	8 85	0.6 6.3	0	0.0 7.7
30-39 40-49 50-59	8 3 6	26.7 10.0 20.0	7 3 4	31.8 13.6 18.2	0	12.5 0.0 25.0	4 0 3	26.7 0.0 20.0	193 264 401	14.2 19.5 29.6	1 0 4	7.7 0.0 30.8
60+	5	16.7	2	9.1		37.5	4	26.7	405	29.9	7	53.8
TRANSMISSION CATEGORY							_					
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU	10 1 0	33.3 3.3 0.0	9 0 0	40.9 0.0 0.0	1 1	12.5 12.5 0.0	5 2 0	33.3 13.3 0.0	331 124 20	24.4 9.1 1.5	1 3 0	7.7 23.1 0.0
Heterosexual contact Transgender people with sexual contact Perinatal	14 0 0	46.7 0.0 0.0	10 0 0	45.5 0.0 0.0		50.0 0.0 0.0	4 0 0	26.7 0.0 0.0	511 11 42	37.7 0.8 3.1	5 0 0	38.5 0.0 0.0
Other Unknown	0 5	0.0 0.0 16.7	0	0.0	0	0.0	0 4	0.0 26.7	5 312	0.4	0 4	0.0 30.8

Table 1.10.10. Rockaway (Queens)

		HIV	DIAGNO	SES, 201	9		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20		DEATHS,	2019
				C	oncurrent wit	th AIDS			12/01/20			
	Total HIV dia	agnoses	Withou			ignoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	16	100.0	10	62.5	6	37.5	16	100.0	1,311	100.0	26	100.0
GENDER												
Men	8	50.0	6	60.0	2	33.3	7	43.8	753	57.4	16	61.5
Women	8	50.0	4	40.0	4	66.7	9	56.3	558	42.6	10	38.5
RACE/ETHNICITY								_		_		
Black	13	81.3	7	70.0	6	100.0	14	87.5	833	63.5	23	88.5
Latino/Hispanic	1	6.3	1	10.0	0	0.0	1	6.3	334	25.5	2	7.7
White	1	6.3	1	10.0	0	0.0	1	6.3	118	9.0	1	3.8
Asian/Pacific Islander	1	6.3	1	10.0	0	0.0	0	0.0	15	1.1	0	3.8 0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 3.8
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	31.3	4	40.0	1	16.7	1	6.3	86	6.6	0	0.0
30-39	2	12.5	1	10.0	1	16.7	6	37.5	181	13.8	1	3.8
40-49	3	18.8	2	20.0	1	16.7	2	12.5	233	17.8	6	23.1
50-59	4	25.0	1	10.0	3	50.0	4	25.0	419	32.0	6	23.1
60+	2	12.5	2	20.0	0	0.0	3	18.8	392	29.9	13	50.0
TRANSMISSION CATEGORY								_		_		
Men who have sex with men (MSM)	4	25.0	4	40.0	0	0.0	1	6.3	347	26.5	6	23.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	25.0	187	14.3	4	15.4 3.8
MSM-IDU	0	0.0	0	0.0	0	0.0	1	6.3	28	2.1	1	3.8
Heterosexual contact	5	31.3	2	20.0	3	50.0	5	31.3	467	35.6	8	30.8 3.8 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	1	3.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	7	43.8	4	40.0	3	50.0	5	31.3	230	17.5	6	23.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697. Men includes transgender men and women includes transgender women.

Table 1.11.1. Port Richmond (Staten Island)

		HIV	DIAGN	OSES, 2019)		AIDS DIAGNOSE	ES, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
					ncurrent wi							
	Total HIV d			out AIDS		agnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	11	100.0	8	72.7	3	27.3	9	100.0	657	100.0	6	100.0
GENDER	_											
Men	9	81.8	8	100.0	1	33.3	4	44.4	390	59.4	3	50.0
Women	2	18.2	Ö	0.0	2	66.7	5	55.6	267	40.6	3	50.0
RACE/ETHNICITY		45.5		00.5		0.0	4	44.4	0.40	50.0		00.0
Black	5	45.5	5	62.5	0	0.0	4	44.4	343	52.2	2	33.3
Latino/Hispanic	3	27.3	2	25.0	1	33.3	2	22.2	209	31.8	2	33.3
White	2	18.2	1	12.5	1	33.3	2	22.2	91	13.9	1	16.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0 16.7
Other/Unknown	1	9.1	U	0.0	1	33.3	1	11.1	10	1.5	1	16.7
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0 0.0 0.0 0.0 0.0
13-19	1	9.1	1	12.5	0	0.0	0	0.0	4	0.6	0	0.0
20-29	5	45.5	3	37.5	2	66.7	4	44.4	52	7.9	0	0.0
30-39	2	18.2	2	25.0	0	0.0	2	22.2	117	17.8	0	0.0
40-49	2	18.2	1	12.5	1	33.3	1	11.1	106	16.1	0	0.0
50-59	1	9.1	1	12.5	0	0.0	1	11.1	228	34.7	3	50.0
60+	0	0.0	0	0.0	0	0.0	1	11.1	149	22.7	3	50.0
TRANSMISSION CATEGORY	_							_				
Men who have sex with men (MSM)	5	45.5	5	62.5	0	0.0	3	33.3	186	28.3	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	107	16.3	3	50.0
MSM-IDU , , ,	0	0.0	0	0.0	0	0.0	0	0.0	19	2.9	0	0.0
Heterosexual contact	3	27.3	1	12.5	2	66.7	5	55.6	208	31.7	0	0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	1.7	1	16.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	27.3	2	25.0	1	33.3	1	11.1	102	15.5	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310. Men includes transgender men and women includes transgender women.

Table 1.11.2. Stapleton - St. George (Staten Island)

		HIV	DIAGNO	OSES, 2019)		AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS,	, 2019
			1400		oncurrent with	_		_				
	Total HIV di	agnoses %	With O	out AIDS %	diag N	noses %	N	%	N	%	N	%
TOTAL	11	100.0	11	100.0	0	0.0	5	100.0	1,238	100.0	27	100.0
GENDER								_				
Men	7	63.6	7	63.6	0	0.0	5	100.0	801	64.7	17	63.0
Women	4	36.4	4	36.4	0	0.0	0	0.0	437	35.3	10	37.0
RACE/ETHNICITY								_				
Black	8	72.7	8	72.7	0	0.0	2	40.0	580	46.8	11	40.7
Latino/Hispanic	2	18.2	2	18.2	0	0.0	1	20.0	337	27.2	11	40.7
White	1	9.1	1	9.1	0	0.0	1	20.0	292	23.6	5	18.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	20.0	14	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0 3.7
20-29	4	36.4	4	36.4	0	0.0	0	0.0	80	6.5	1	3.7
30-39	3 2	27.3	3 2	27.3 18.2	0	0.0	1	20.0	176 211	14.2	2	7.4 22.2
40-49	2	18.2	1	9.1	0	0.0	0 2	0.0	412	17.0	6	33.3
50-59 60+	1	9.1 9.1	1	9.1	0	0.0	2	40.0 40.0	357	33.3 28.8	9 9	33.3
00+	'	9.1	'	9.1	U	0.0	2	40.0	337	20.0	9	33.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	54.5	6	54.5	0	0.0	2	40.0	397	32.1	6	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	20.0	196	15.8	7	25.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	46	3.7	2	7.4
Heterosexual contact	4	36.4	4	36.4	0	0.0	0	0.0	346	27.9	9	33.3 0.0 3.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	29	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	2.0	1	3.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 7.4
Unknown	1	9.1	1	9.1	0	0.0	2	40.0	199	16.1	2	7.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

Table 1.11.3. Willowbrook (Staten Island)

		HIV	DIAGN	OSES, 2019			AIDS DIAGNOSES	5, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
					oncurrent with	-						
	Total HIV			out AIDS		gnoses	N.	0/		0/		0/
TOTAL	N 4	% 100.0	N 3	% 75.0	N 1	% 25.0	N 0	% 0.0	N 215	% 100.0	N 3	% 100.0
IOTAL	4	100.0	3	75.0	1	25.0	U	0.0	215	100.0	3	100.0
GENDER	_											
Men	3	75.0	3	100.0	0	0.0	0	0.0	151	70.2	2	66.7
Women	1	25.0	0	0.0	1	100.0	0	0.0	64	29.8	1	33.3
RACE/ETHNICITY	_									_		
Black	0	0.0	0	0.0	0	0.0	0	0.0	46	21.4	0	0.0
Latino/Hispanic	1	25.0	1	33.3	0	0.0	0	0.0	63	29.3	2	66.7
White	3	75.0	2	66.7	1	100.0	0	0.0	95	44.2	1	33.3 0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	3.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	3	75.0	2	66.7	1	100.0	0	0.0	12	5.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	38	17.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	35	16.3	0	0.0
50-59	1	25.0 0.0	1	33.3	0	0.0	0	0.0	72 57	33.5	2	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	57	26.5	1	33.3
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	1	25.0	1	33.3	0	0.0	0	0.0	83	38.6	0	0.0
Injection drug use history (IDU)	1	25.0	1	33.3	0	0.0	0	0.0	28	13.0	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.3	0	33.3 0.0
Heterosexual contact	1	25.0	0	0.0	1	100.0	0	0.0	47	21.9	1	33.3 0.0 0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	1	25.0	1	33.3	0	0.0	0	0.0	42	19.5	1	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

Table 1.11.4. South Beach - Tottenville (Staten Island)

		HIV	DIAGN	OSES, 2019			AIDS DIAGNOSE	S, 2019	PWH AS 12/31/20	_	DEATHS	, 2019
	Total I IIV di		14/:4/-	Co out AIDS	oncurrent with	_		_				
	Total HIV di	agnoses %	N	out AIDS %	diagn N	10ses %	N	%	N	%	N	%
TOTAL	5	100.0	5	100.0	0	0.0	2	100.0	434	100.0	3	100.0
GENDER												
Men	2	60.0	3	60.0	0	0.0	1	50.0	295	68.0	2	66.7
Women	3 2	40.0	2	40.0	0	0.0	1	50.0	139	32.0	2 1	33.3
	_		_	.0.0	Ŭ	0.0	·	00.0	.00	02.0	•	55.5
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	100.0	69	15.9	0	0.0
Latino/Hispanic	2	40.0	2	40.0	0	0.0	0	0.0	123	28.3	0	0.0
White	3	60.0	3	60.0	0	0.0	0	0.0	236	54.4	3	100.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	1.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	60.0	3	60.0	0	0.0	0	0.0	24	5.5	0	0.0
30-39	0	0.0	0	0.0	0	0.0	1	50.0	38	8.8	0	0.0
40-49	2	40.0	2	40.0	0	0.0	1	50.0	75	17.3	1	33.3
50-59	0	0.0	0	0.0	0	0.0	0	0.0	151	34.8	2	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	143	32.9	0	0.0
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	3	60.0	3	60.0	0	0.0	1	50.0	124	28.6	0	0.0
	0	0.0	0	0.0	0	0.0	1	0.0	72	16.6	1	33.3
Injection drug use history (IDU) MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.1	1	33.3
Heterosexual contact	2	40.0		40.0			1	50.0	121		1	33.3
	0		2		0	0.0	1			27.9 0.5	0	33.3
Transgender people with sexual contact Perinatal	0	0.0 0.0		0.0 0.0		0.0	0	0.0	2 16			0.0
Other	0		0		0	0.0	0	0.0		3.7 0.7	0	0.0
Unknown	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0 0.0	3 87	20.0	0	0.0
UTIKTIOWIT	U	0.0	0	0.0	0	0.0	U	0.0	87	20.0	U	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Men includes transgender men and women includes transgender women.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2019 Table 2.1. Overall and by gender, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PWH ³	2019 NEW YORK CITY POPULATION ⁴
TOTAL	20.5	1.5	9.7	8,824,887
GENDER				
Men	33.6	2.3	9.8	4,211,902
Women	8.5	0.8	9.3	4,612,985
RACE/ETHNICITY				
Black	42.2	3.0	11.1	1,924,429
Latino/Hispanic	27.7	1.7	9.5	2,549,543
White	6.9	0.9	7.5	2,847,058
Asian/Pacific Islander	5.4	0.2	3.1	1,321,431
Native American	18.7*	1.5	6.4*	21,382
Multiracial	11.2	0.4	23.9	161,045
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,346,128
13 - 19	9.9	0.1	0.0*	655,302
20 - 29	50.0	0.7	3.4	1,347,217
30 - 39	36.2	1.5	5.6	1,414,583
40 - 49	22.2	2.2	8.2	1,103,088
50 - 59	18.2	3.7	13.0	1,093,500
60+	6.0	1.9	26.9	1,865,069

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2019 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2019 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2019 NEW YORK CITY POPULATION ⁴
TOTAL	20.5	1.5	9.7	8,824,887
BRONX ⁵	31.3	2.1	10.2	1,500,114
Crotona - Tremont	43.4	2.9	9.5	225,999
Fordham - Bronx Park	29.5	2.2	12.6	277,772
High Bridge - Morrisania	49.9	2.8	13.2	226,380
Hunts Point - Mott Haven	32.7	2.8	7.6	146,830
Kingsbridge - Riverdale	15.4	0.8	11.7	97,616
Northeast Bronx	20.5	1.3	6.8	214,805
Pelham - Throgs Neck	22.3	1.4	8.0	314,330
BROOKLYN ⁵	16.8	1.1	9.9	2,710,352
Bedford Stuyvesant - Crown Heights	32.0	2.3	10.7	346,473
Bensonhurst - Bay Ridge	8.8	0.3	6.7*	216,549
Borough Park	3.5	0.3	12.5	343,182
Canarsie - Flatlands	13.5	0.9	11.3	215,105
Coney Island - Sheepshead Bay	7.2	0.4	7.9	305,013
Downtown - Heights - Park Slope	10.7	1.0	9.5	271,426
East Flatbush - Flatbush	28.6	1.8	9.7	307,845
East New York	32.2	1.8	9.1	198,752
Greenpoint	8.6	0.6	13.1*	150,919
Sunset Park	11.1	0.7	9.9*	125,991
Williamsburg - Bushwick	24.0	1.7	11.5	229,097
MANHATTAN ⁵	19.1	1.9	6.0	1,726,624
Central Harlem - Morningside Heights	40.5	2.6	7.3	190,344
Chelsea - Clinton	27.9	4.1	4.9	171,919
East Harlem	27.2	2.5	12.3	117,599
Gramercy Park - Murray Hill	12.6	1.4	3.0	142,881
Greenwich Village - Soho	15.0	2.1	6.1	86,719
Lower Manhattan	10.3*	0.9	3.7*	67,653
Union Square - Lower East Side	15.8	1.5	5.1	196,119
Upper East Side	3.1*	0.7	3.7	226,205
Upper West Side	9.2	1.4	5.5	229,414
Washington Heights - Inwood	26.5	1.8	6.8	279,502
QUEENS ⁵	13.1	0.8	5.7	2,384,150
Bayside - Little Neck	1.1*	0.2	0.0*	92,361
Flushing - Clearview	6.9	0.3	4.2*	262,662
Fresh Meadows	7.7*	0.3	16.7*	104,370
Jamaica	16.6	1.0	4.4	331,708
Long Island City - Astoria	13.7	1.1	4.6	211,102
Ridgewood - Forest Hills	8.8	0.5	7.3	272,045
Rockaway	11.8	1.0	11.8	135,237
Southeast Queens Southwest Queens	13.4	0.6 0.7	6.3 7.0	223,724 293,072
West Queens	21.4	1.2	4.3	472,518
STATEN ISLAND ⁵	6.2	0.5	10.2	503,647
Port Richmond	14.9	0.9	3.4*	73,787
South Beach - Tottenville	2.5*	0.2	3.3*	203,328
Stapleton - St. George	8.4	0.9	17.4	130,344
Willowbrook	4.2*	0.2	4.7*	96,189

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2019 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.