

New York City HIV Annual Surveillance Statistics 2020

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene https://www.nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page



List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 Reported HIV/AIDS diagnoses and deaths in 2020 and reported people with HIV as of 12/31/2020 in New York City

Table 1.2.1 Table 1.3.1 Table 1.3.2 Table 1.3.3 Table 1.3.4 Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.2 Table 1.4.3 Table 1.5.1 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	By Gender Men Women By Race or Ethnicity Black Men Black Women Latino/Hispanic Men Latina/Hispanic Women White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years Men 13+ years	Table 1.7.4 Table 1.7.5 Table 1.7.6 Table 1.8.1 Table 1.8.2 Table 1.8.3 Table 1.8.4 Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10 Table 1.8.11	Pelham – Throgs Neck Crotona – Tremont High Bridge – Morrisania Hunts Point – Mott Haven By UHF Neighborhood: Brooklyn Greenpoint Downtown – Heights – Park Slope Bedford Stuyvesant – Crown Heights East New York Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay Williamsburg – Bushwick
Table 1.2.1 Table 1.3.1 Table 1.3.2 Table 1.3.3 Table 1.3.4 Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.2 Table 1.4.3 Table 1.5.1 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Men Women By Race or Ethnicity Black Men Black Women Latino/Hispanic Men Latina/Hispanic Women White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.7.6 Table 1.8.1 Table 1.8.2 Table 1.8.3 Table 1.8.4 Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	High Bridge – Morrisania Hunts Point – Mott Haven By UHF Neighborhood: Brooklyn Greenpoint Downtown – Heights – Park Slope Bedford Stuyvesant – Crown Heights East New York Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.2.2 Table 1.3.1 Table 1.3.2 Table 1.3.3 Table 1.3.4 Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.2 Table 1.4.3 Table 1.5.1 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Women By Race or Ethnicity Black Men Black Women Latino/Hispanic Men Latina/Hispanic Women White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.1 Table 1.8.2 Table 1.8.3 Table 1.8.4 Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	Hunts Point – Mott Haven By UHF Neighborhood: Brooklyn Greenpoint Downtown – Heights – Park Slope Bedford Stuyvesant – Crown Heights East New York Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.1 Table 1.3.2 Table 1.3.3 Table 1.3.4 Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.2 Table 1.4.3 Table 1.5.1 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	By Race or Ethnicity Black Men Black Women Latino/Hispanic Men Latina/Hispanic Women White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.1 Table 1.8.2 Table 1.8.3 Table 1.8.4 Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	By UHF Neighborhood: Brooklyn Greenpoint Downtown – Heights – Park Slope Bedford Stuyvesant – Crown Heights East New York Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.1 Table 1.3.2 Table 1.3.3 Table 1.3.4 Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Black Men Black Women Latino/Hispanic Men Latina/Hispanic Women White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.2 Table 1.8.3 Table 1.8.4 Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	Greenpoint Downtown – Heights – Park Slope Bedford Stuyvesant – Crown Heights East New York Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.2 Table 1.3.3 Table 1.3.4 Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Black Women Latino/Hispanic Men Latina/Hispanic Women White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.2 Table 1.8.3 Table 1.8.4 Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	Downtown – Heights – Park Slope Bedford Stuyvesant – Crown Heights East New York Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.3 Table 1.3.4 Table 1.3.5 Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.2 Table 1.4.3 Table 1.5.1 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Latino/Hispanic Men Latina/Hispanic Women White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.3 Table 1.8.4 Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	Bedford Stuyvesant – Crown Heights East New York Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.4 Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Latina/Hispanic Women White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.4 Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	East New York Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.5 Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	White Men White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.5 Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	Sunset Park Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.6 Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	White Women Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.6 Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	Borough Park East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.7 Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Asian/Pacific Islander Men Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.7 Table 1.8.8 Table 1.8.9 Table 1.8.10	East Flatbush – Flatbush Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.8 Table 1.3.9 Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Asian/Pacific Islander Women Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.8 Table 1.8.9 Table 1.8.10	Canarsie – Flatlands Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.9 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Native American Men Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.9 Table 1.8.10	Bensonhurst – Bay Ridge Coney Island – Sheepshead Bay
Table 1.3.10 Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Native American Women By Age Boys 0-12 years Girls 0-12 years	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	By Age Boys 0-12 years Girls 0-12 years		
Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Boys 0-12 years Girls 0-12 years	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1 Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Boys 0-12 years Girls 0-12 years		
Table 1.4.2 Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Girls 0-12 years		
Table 1.4.3 Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6			By UHF Neighborhood: Manhattan
Table 1.4.4 Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Men 13+ years	Table 1.9.1	Washington Heights – Inwood
Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	•	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Women 13+ years	Table 1.9.3	East Harlem
Table 1.5.1 Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6		Table 1.9.4	Upper West Side
Table 1.5.2 Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	By Borough	Table 1.9.5	Upper East Side
Table 1.5.3 Table 1.5.4 Table 1.5.5 Table 1.5.6	Bronx, Men	Table 1.9.6	Chelsea – Clinton
Table 1.5.4 Table 1.5.5 Table 1.5.6	Bronx, Women	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.5 Table 1.5.6	Brooklyn, Men	Table 1.9.8	Greenwich Village – Soho
Table 1.5.6	Brooklyn, Women	Table 1.9.9	Union Square – Lower East Side
	Manhattan, Men	Table 1.9.10	Lower Manhattan
Table 1.5.7	Manhattan, Women		
	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
	By Transmission Category	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug use history (IDU), Men	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.8	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual contact, Men	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual contact, Women		·
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
		Table 1.11.1	Port Richmond
	By UHF Neighborhood: Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
Table 1.7.2	Northeast Bronx	Table 1.11.4	South Beach – Tottenville
Table 1.7.3	Fordham – Bronx Park		
oles 2.1-2.2	Rates of reported HIV diagnoses, people	e with HIV, and o	leaths among people with HIV in Ne
	York City, 2020	•	• •
Table 2.1		Table 2.2	Overall and by borough and UHF

Table 1.1. New York City (All)

			DIAGNOS	SES, 2020			AIDS DIAGNOSE	S, 2020 F	PWH AS OF 12/3	31/2020	DEATHS,	, 2020
	Total HIV di	•	Withou		Concurr AIDS dia			0.4		24		0.4
TOTAL	N 1,442	% 100.0	N 1,173	% 81.3	N 269	% 18.7	N 958	% 100.0	N 131,622	% 100.0	N 2,455	% 100.0
GENDER												
Men	1,133	78.6	917	78.2	216	80.3	702	73.3	95,878	72.8	1,709	69.6
Women	255	17.7	204	17.4	51	19.0	232	24.2	33,343	25.3	701	28.6
Transgender	54	3.7	52	4.4	2	0.7	24	2.5	2,401	1.8	45	1.8
RACE/ETHNICITY												
Black	650	45.1	529	45.1	121	45.0	455	47.5	56,506	42.9	1,246	50.8
Latino/Hispanic	522	36.2	432	36.8	90	33.5	327	34.1	44,056	33.5	769	31.3
White	192	13.3	151	12.9	41	15.2	131	13.7	26,493	20.1	382	15.6
Asian/Pacific Islander	65	4.5	51	4.3	14	5.2	34	3.5	3,361	2.6	34	1.4
Native American	1	0.1	1	0.1	0	0.0	2	0.2	307	0.2	10	0.4
Multiracial	12	0.8	9	0.8	3	1.1	9	0.9	592	0.4	12	0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	307	0.2	2	0.1
AGE GROUP (YEARS)												
0-12	2	0.1	2	0.2	0	0.0	1	0.1	52	0.0	0	0.0
13-19	63	4.4	60	5.1	3	1.1	4	0.4	320	0.2	0	0.0
20-29	489	33.9	444	37.9	45	16.7	145	15.1	8,397	6.4	43	1.8
30-39	446	30.9	364	31.0	82	30.5	268	28.0	21,958	16.7	153	6.2
40-49	198	13.7	146	12.4	52	19.3	184	19.2	23,379	17.8	244	9.9
50-59	172	11.9	114	9.7	58	21.6	202	21.1	39,460	30.0	705	28.7
60+	72	5.0	43	3.7	29	10.8	154	16.1	38,056	28.9	1,310	53.4
BOROUGH OF RESIDENCE												
Bronx	304	21.1	257	21.9	47	17.5	247	25.8	31,115	23.6	692	28.2
Brooklyn	414	28.7	319	27.2	95	35.3	248	25.9	30,537	23.2	531	21.6
Manhattan	277	19.2	229	19.5	48	17.8	198	20.7	32,672	24.8	385	15.7
Queens	280	19.4	222	18.9	58	21.6	135	14.1	18,846	14.3	246	10.0
Staten Island	30	2.1	25	2.1	5	1.9	18	1.9	2,538	1.9	54	2.2
Outside NYC	90	6.2	74	6.3	16	5.9	103	10.8	14,083	10.7	77	3.1
Unknown	47	3.3	47	4.0	0	0.0	9	0.9	1,831	1.4	470	19.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	173	12.0	145	12.4	28	10.4	97	10.1	18,736	14.2	158	6.4
Medium poverty (10 to <20% below FPL)	497	34.5	390	33.2	107	39.8	326	34.0	43,461	33.0	516	21.0
High poverty (20 to <30% below FPL)	359	24.9	289	24.6	70	26.0	212	22.1	26,655	20.3	376	15.3
Very high poverty (≥30% below FPL)	272	18.9	225	19.2	47	17.5	205	21.4	25,573	19.4	540	22.0
Area-based poverty level not available	141	9.8	124	10.6	17	6.3	118	12.3	17,197	13.1	865	35.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	737	51.1	620	52.9	117	43.5	411	42.9	59,176	45.0	631	25.7
Injection drug use history (IDU)	17	1.2	15	1.3	2	0.7	68	7.1	14,789	11.2	629	25.6
MSM-IDU	11	0.8	11	0.9	0	0.0	17	1.8	3,586	2.7	103	4.2
Heterosexual contact	218	15.1	171	14.6	47	17.5	198	20.7	27,158	20.6	587	23.9
Transgender people with sexual contact	54	3.7	52	4.4	2	0.7	22	2.3	2,103	1.6	35	1.4
Perinatal	2	0.1	2	0.2	0	0.0	13	1.4	2,558	1.9	23	0.9
Other	0	0.0	0	0.0	0	0.0	2	0.2	197	0.1	7	0.3
Unknown	403	27.9	302	25.7	101	37.5	227	23.7	22,055	16.8	440	17.9

Table 1.2.1. Men (includes transgender men)

		HIV	DIAGNO	OSES, 202		:u- AIDO	AIDS DIAGNOSE	ES, 2020	PWH AS 12/31/20	_	DEATHS,	2020
	Total HIV di	iaannsas	Withou		ncurrent w	ith AIDS agnoses						
	N	agnoses %	N	%	N	% %	N	%	N	%	N	%
TOTAL	1,134	100.0	918	81.0	216	19.0		100.0	95,924	100.0	1,709	100.0
RACE/ETHNICITY												
Black	472	41.6	384	41.8	88	40.7	307	43.7	35,945	37.5	794	46.5
Latino/Hispanic	417	36.8	343	37.4	74	34.3	241	34.3	32,301	33.7	548	32.1
White	177	15.6	139	15.1	38	17.6	115	16.4	23,916	24.9	328	19.2
Asian/Pacific Islander	58	5.1	45	4.9	13	6.0	28	4.0	2,827	2.9	26	1.5
Native American	1	0.1	1	0.1	0	0.0	2	0.3	236	0.2	5	0.3
Multiracial	9	0.8	6	0.7	3	1.4	9	1.3	463	0.5	7	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	236	0.2	1	0.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	0.0	0	0.0
13-19	52	4.6	50	5.4	2	0.9		0.4	194	0.2	Ö	0.0
20-29	411	36.2	371	40.4	40	18.5	118	16.8	6,463	6.7	32	1.9
30-39	361	31.8	291	31.7	70	32.4	208	29.6	17,483	18.2	109	6.4
40-49	148	13.1	109	11.9	39	18.1	131	18.7	16,616	17.3	156	9.1
50-59	115	10.1	68	7.4	47	21.8	142	20.2	27,933	29.1	484	28.3
60+	47	4.1	29	3.2	18	8.3	100	14.2	27,209	28.4	928	54.3
001	7,	7.1	23	0.2	10	0.5	100	17.2	21,200	20.4	320	34.3
BOROUGH OF RESIDENCE	040	40.0	405	00.0	00	45.0	450	00.0	40.400	00.0	400	05.0
Bronx	218	19.2	185	20.2	33	15.3 33.3		22.2	19,486	20.3	432	25.3
Brooklyn	319	28.1	247	26.9	72		172	24.5	20,571	21.4	367	21.5
Manhattan	234	20.6	193	21.0	41	19.0	155	22.1	27,562	28.7	303	17.7
Queens	229	20.2	176	19.2	53	24.5	112	16.0	13,880	14.5	177	10.4
Staten Island	23	2.0	18	2.0	5	2.3	17	2.4	1,642	1.7	34	2.0
Outside NYC	73	6.4	61	6.6	12	5.6		12.0	11,324	11.8	53	3.1
Unknown	38	3.4	38	4.1	0	0.0	6	0.9	1,459	1.5	343	20.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	132	11.6	108	11.8	24	11.1	80	11.4	15,219	15.9	131	7.7
Medium poverty (10 to <20% below FPL)	405	35.7	314	34.2	91	42.1	252	35.9	32,498	33.9	358	20.9
High poverty (20 to <30% below FPL)	289	25.5	232	25.3	57	26.4	152	21.7	18,151	18.9	256	15.0
Very high poverty (≥30% below FPL)	193	17.0	162	17.6	31	14.4	124	17.7	16,265	17.0	343	20.1
Area-based poverty level not available	115	10.1	102	11.1	13	6.0	94	13.4	13,791	14.4	621	36.3
TRANSMISSION CATEGORY	707	CE O	600	C7 F	447	E40	444	F0 F	E0 470	64.7	024	20.0
Men who have sex with men (MSM)	737	65.0	620	67.5	117	54.2		58.5	59,176	61.7	631	36.9
Injection drug use history (IDU)	14	1.2	13	1.4	1	0.5		5.6	9,534	9.9	422	24.7
MSM-IDU	11	1.0	11	1.2	0	0.0	17	2.4	3,586	3.7	103	6.0
Heterosexual contact	27	2.4	18	2.0	9	4.2	51	7.3	7,055	7.4	229	13.4
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	28	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	0.9	1,242	1.3	13	0.8
Other	0	0.0	0	0.0	0	0.0	1	0.1	113	0.1	3	0.2
Unknown	344	30.3	255	27.8	89	41.2	177	25.2	15,190	15.8	308	18.0

Table 1.2.2. Women (includes transgender women)

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOSE	ES, 2020	PWH AS 12/31/20	_	DEATHS	, 2020
	Total HIV d	iagnoses	Withou		oncurrent w di	ith AIDS agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	308	100.0	255	82.8	53	17.2	256	100.0	35,698	100.0	746	100.0
RACE/ETHNICITY												
Black	178	57.8	145	56.9	33	62.3	148	57.8	20,561	57.6	452	60.6
Latino/Hispanic	105	34.1	89	34.9	16	30.2	86	33.6	11,755	32.9	221	29.6
White	15	4.9	12	4.7	3	5.7	16	6.3	2,577	7.2	54	7.2
Asian/Pacific Islander	7	2.3	6	2.4	1	1.9	6	2.3	534	1.5	8	1.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	71	0.2	5	0.7
Multiracial	3	1.0	3	1.2	0	0.0	0	0.0	129	0.4	5	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	71	0.2	1	0.1
AGE GROUP (YEARS)												
0-12	2	0.6	2	0.8	0	0.0	1	0.4	26	0.1	0	0.0
13-19	11	3.6	10	3.9	1	1.9	1	0.4	126	0.4	0	0.0
20-29	78	25.3	73	28.6	5	9.4	27	10.5	1,934	5.4	11	1.5
30-39	85	27.6	73	28.6	12	22.6	60	23.4	4,475	12.5	44	5.9
40-49	50	16.2	37	14.5	13	24.5		20.7	6,763	18.9	88	11.8
50-59	57	18.5	46	18.0	11	20.8	60	23.4	11,527	32.3	221	29.6
60+	25	8.1	14	5.5	11	20.8	54	21.1	10,847	30.4	382	51.2
BOROUGH OF RESIDENCE												
Bronx	86	27.9	72	28.2	14	26.4	91	35.5	11,629	32.6	260	34.9
Brooklyn	95	30.8	72	28.2	23	43.4	76	29.7	9,966	27.9	164	22.0
Manhattan	43	14.0	36	14.1	7	13.2	43	16.8	5,110	14.3	82	11.0
Queens	51	16.6	46	18.0	5	9.4	23	9.0	4,966	13.9	69	9.2
Staten Island	7	2.3	7	2.7	0	0.0	1	0.4	896	2.5	20	2.7
Outside NYC	17	5.5	13	5.1	4	7.5		7.4	2,759	7.7	24	3.2
Unknown	9	2.9	9	3.5	0	0.0	3	1.2	372	1.0	127	17.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	41	13.3	37	14.5	4	7.5	17	6.6	3,517	9.9	27	3.6
Medium poverty (10 to <20% below FPL)	92	29.9	76	29.8	16	30.2	74	28.9	10,963	30.7	158	21.2
High poverty (20 to <30% below FPL)	70	22.7	57	22.4	13	24.5	60	23.4	8,504	23.8	120	16.1
Very high poverty (≥30% below FPL)	79	25.6	63	24.7	16	30.2	81	31.6	9,308	26.1	197	26.4
Area-based poverty level not available	26	8.4	22	8.6	4	7.5	_	9.4	3,406	9.5	244	32.7
									.,			
TRANSMISSION CATEGORY								44.0				
Injection drug use history (IDU)	3	1.0	2	0.8	1	1.9		11.3	5,255	14.7	207	27.7
Heterosexual contact	191	62.0	153	60.0	38	71.7	147	57.4	20,103	56.3	358	48.0
Transgender people with sexual contact	53	17.2	51	20.0	2	3.8		8.6	2,075	5.8	35	4.7
Perinatal	2	0.6	2	0.8	0	0.0	7	2.7	1,316	3.7	10	1.3
Other	0 59	0.0	0 47	0.0	0 12	0.0 22.6	1 50	0.4	84 6.865	0.2 19.2	4 132	0.5 17.7
Unknown	59	19.2	47	18.4	12	22.0	20	19.5	0,800	19.2	132	17.7

Table 1.3.1. Black men (includes transgender men)

	HIV DIAGNOSES, 2020 Concurrent with Al				AIDS DIAGNOSI	ES, 2020	PWH AS 12/31/20		DEATHS,	, 2020		
			1400	_								
	Total HIV di	agnoses %	Withou N	it AIDS %	aı N	agnoses %	N	%	N	%	N	%
TOTAL	472	100.0	384	81.4	88	18.6		100.0	35,945	100.0	794	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	17	0.0	0	0.0
13-19	19	4.0	18	4.7	1	1.1	2	0.7	97	0.3	0	0.0
20-29	199	42.2	178	46.4	21	23.9		20.8	2,966	8.3	12	1.5
30-39 40-49	134	28.4	112 42	29.2	22	25.0		28.7	7,112	19.8	50 70	6.3
50-59	57 43	12.1 9.1	42 24	10.9 6.3	15 19	17.0 21.6		14.7 19.9	5,684 9.676	15.8 26.9	215	8.8 27.1
60+	20	4.2	10	2.6	19	11.4		15.3	10,393	28.9	447	56.3
				2.0			"	10.0	10,000	20.0		00.0
BOROUGH OF RESIDENCE		40.4		40.0	4.0			05.7		24.0		25.0
Bronx	87	18.4	74	19.3	13	14.8		25.7	8,828	24.6	206	25.9
Brooklyn Manhattan	191 90	40.5 19.1	150 76	39.1 19.8	41 14	46.6 15.9		31.9 17.6	11,191 7,328	31.1 20.4	227 105	28.6 13.2
Queens	59	12.5	46	12.0	13	14.8		11.7	4,263	11.9	84	10.6
Staten Island	10	2.1	9	2.3	10	1.1	5	1.6	593	1.6	14	1.8
Outside NYC	25	5.3	19	4.9	6	6.8		11.1	3,451	9.6	19	2.4
Unknown	10	2.1	10	2.6	0	0.0		0.3	291	0.8	139	17.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	44	9.3	36	9.4	8	9.1	25	8.1	3,678	10.2	37	4.7
Medium poverty (10 to <20% below FPL)	143	30.3	111	28.9	32	36.4		33.6	11,656	32.4	159	20.0
High poverty (20 to <30% below FPL)	153	32.4	127	33.1	26	29.5	79	25.7	8,768	24.4	144	18.1
Very high poverty (≥30% below FPL)	96	20.3	81	21.1	15	17.0	63	20.5	7,726	21.5	171	21.5
Area-based poverty level not available	36	7.6	29	7.6	7	8.0	37	12.1	4,117	11.5	283	35.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	272	57.6	236	61.5	36	40.9		53.1	18,407	51.2	231	29.1
Injection drug use history (IDU)	4	0.8	4	1.0	0	0.0		3.6	3,818	10.6	203	25.6
MSM-IDU	4	0.8	4	1.0	0	0.0	10	3.3	1,263	3.5	38	4.8
Heterosexual contact	15	3.2	10	2.6	5	5.7		9.8	3,826	10.6	136	17.1
Transgender people with sexual contact Perinatal	1 0	0.2	1	0.3	0	0.0	0 4	0.0 1.3	18 695	0.1 1.9	0 5	0.0
Other	0	0.0	0	0.0	0	0.0		0.3	695 36	0.1	5 2	0.6 0.3
Unknown	176	37.3	129	33.6	47	53.4		28.7	7.882	21.9	179	22.5

Table 1.3.2. Black women (includes transgender women)

							AIDS DIAGNOSE	ES, 2020	PWH AS (_	DEATHS,	, 2020
					Concurrent w	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	178	100.0	145	81.5	33	18.5	148	100.0	20,561	100.0	452	100.0
AGE GROUP (YEARS)												
0-12	2	1.1	2	1.4	0	0.0	1	0.7	9	0.0	0	0.0
13-19	8	4.5	7	4.8	1	3.0	1	0.7	74	0.4	0	0.0
20-29	44	24.7	42	29.0	2	6.1	15	10.1	1,106	5.4	6	1.3
30-39	48	27.0	39	26.9	9	27.3	37	25.0	2.618	12.7	29	6.4
40-49	25	14.0	18	12.4	7	21.2	27	18.2	4.067	19.8	54	11.9
50-59	40	22.5	32	22.1	8	24.2		25.7	6,679	32.5	135	29.9
60+	11	6.2	5	3.4	6	18.2		19.6	6,008	29.2	228	50.4
DODOLLOL OF DEGIDENCE												
BOROUGH OF RESIDENCE	F.4	20.0	40	00.0	40	00.4	47	24.0	0.445	00.7	400	20.5
Bronx	54 69	30.3	42 52	29.0 35.9	12 17	36.4		31.8 36.5	6,115	29.7	138 120	30.5 26.5
Brooklyn Manhattan	18	38.8		35.9 11.7	17	51.5			6,918	33.6		
	25	10.1	17		1	3.0	23	15.5	2,730	13.3	49	10.8
Queens		14.0	23	15.9	2	6.1	13	8.8	2,736	13.3	37	8.2
Staten Island	2	1.1	2	1.4	0	0.0	1	0.7	425	2.1	15	3.3
Outside NYC	7	3.9	6	4.1	1	3.0	9	6.1	1,482	7.2	13	2.9
Unknown	3	1.7	3	2.1	0	0.0	1	0.7	155	8.0	80	17.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	27	15.2	23	15.9	4	12.1	12	8.1	1,941	9.4	17	3.8
Medium poverty (10 to <20% below FPL)	45	25.3	35	24.1	10	30.3	44	29.7	6,507	31.6	100	22.1
High poverty (20 to <30% below FPL)	44	24.7	37	25.5	7	21.2	36	24.3	5,183	25.2	69	15.3
Very high poverty (≥30% below FPL)	52	29.2	41	28.3	11	33.3	44	29.7	5,140	25.0	114	25.2
Area-based poverty level not available	10	5.6	9	6.2	1	3.0		8.1	1,790	8.7	152	33.6
TRANSMISSION CATEGORY	_	0.0		0.7		0.0		0.4	0.544	40.0	400	20.0
Injection drug use history (IDU)	1	0.6	1	0.7	0	0.0		6.1	2,511	12.2	102	22.6
Heterosexual contact	113	63.5	86	59.3	27	81.8		63.5	11,903	57.9	228	50.4
Transgender people with sexual contact	25	14.0	24	16.6	1	3.0		6.8	1,038	5.0	20	4.4
Perinatal	2	1.1	2	1.4	0	0.0	3	2.0	752	3.7	5	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	44	0.2	2	0.4
Unknown	37	20.8	32	22.1	5	15.2	32	21.6	4,313	21.0	95	21.0

Table 1.3.3. Latino/Hispanic men (includes transgender men)

		HIV DIAGNOSE					AIDS DIAGNOSI	ES, 2020	PWH AS 12/31/20		DEATHS	s, 2020
				C	oncurrent w	ith AIDS			12/3 1/20	20		
	Total HIV di	agnoses	Withou	it AIDS	di	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	417	100.0	343	82.3	74	17.7	241	100.0	32,301	100.0	548	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
13-19	26	6.2	25	7.3	1	1.4	1	0.4	81	0.3	0	0.0
20-29	139	33.3	128	37.3	11	14.9	40	16.6	2,390	7.4	14	2.6
30-39	155	37.2	124	36.2	31	41.9	79	32.8	6,329	19.6	43	7.8
40-49	52	12.5	37	10.8	15	20.3	52	21.6	6,090	18.9	56	10.2
50-59	29	7.0	18	5.2	11	14.9	42	17.4	9,327	28.9	155	28.3
60+	16	3.8	11	3.2	5	6.8	27	11.2	8,077	25.0	280	51.1
BOROUGH OF RESIDENCE												
Bronx	109	26.1	94	27.4	15	20.3	64	26.6	9,268	28.7	201	36.7
Brooklyn	72	17.3	53	15.5	19	25.7	50	20.7	5,204	16.1	102	18.6
Manhattan	76	18.2	62	18.1	14	18.9	47	19.5	7,818	24.2	92	16.8
Queens	103	24.7	79	23.0	24	32.4	50	20.7	6,035	18.7	50	9.1
Staten Island	4	1.0	4	1.2	0	0.0	5	2.1	480	1.5	8	1.5
Outside NYC	32	7.7	30	8.7	2	2.7	20	8.3	2,657	8.2	19	3.5
Unknown	21	5.0	21	6.1	0	0.0	5	2.1	839	2.6	76	13.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	45	10.8	38	11.1	7	9.5	26	10.8	4,403	13.6	39	7.1
Medium poverty (10 to <20% below FPL)	143	34.3	107	31.2	36	48.6	92	38.2	10,619	32.9	115	21.0
High poverty (20 to <30% below FPL)	92	22.1	75	21.9	17	23.0	48	19.9	6,225	19.3	93	17.0
Very high poverty (≥30% below FPL)	82	19.7	70	20.4	12	16.2	50	20.7	7,236	22.4	153	27.9
Area-based poverty level not available	55	13.2	53	15.5	2	2.7	25	10.4	3,818	11.8	148	27.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	299	71.7	253	73.8	46	62.2	138	57.3	18.885	58.5	170	31.0
Injection drug use history (IDU)	6	1.4	5	1.5	1	1.4	24	10.0	4.547	14.1	167	30.5
MSM-IDU	5	1.2	5	1.5	Ó	0.0	5	2.1	1,354	4.2	42	7.7
Heterosexual contact	8	1.9	6	1.7	2	2.7	15	6.2	2,377	7.4	75	13.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2,577	0.0	0	0.0
Perinatal	Ŏ	0.0	0	0.0	ő	0.0	1	0.4	446	1.4	7	1.3
Other	Ö	0.0	0	0.0	0	0.0	Ö	0.0	27	0.1	Ó	0.0
Unknown	99	23.7	74	21.6	25	33.8		24.1	4.659	14.4	87	15.9

Table 1.3.4. Latina/Hispanic women (includes transgender women)

		HIV E						ES, 2020	PWH AS 12/31/20		DEATHS	, 2020
					oncurrent w	ith AIDS						
	Total HIV d		Withou			iagnoses		0.4		0.4		
TOTAL	N 105	% 100.0	N 89	% 84.8	N 16	% 15.2	N 86	% 100.0	N 11,755	100.0	N 221	% 100.0
IOTAL	103	100.0	09	04.0	10	13.2	00	100.0	11,733	100.0	221	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0
13-19	3	2.9	3	3.4	0	0.0	0	0.0	41	0.3	0	0.0
20-29	32	30.5	29	32.6	3	18.8	11	12.8	682	5.8	4	1.8
30-39	29	27.6	26	29.2	3	18.8	18	20.9	1,407	12.0	9	4.1
40-49	18	17.1	15	16.9	3	18.8	16	18.6	2,082	17.7	27	12.2
50-59	14	13.3	11	12.4	3	18.8	18	20.9	3,795	32.3	64	29.0
60+	9	8.6	5	5.6	4	25.0	23	26.7	3,736	31.8	117	52.9
BOROUGH OF RESIDENCE												
Bronx	32	30.5	30	33.7	2	12.5	41	47.7	5.076	43.2	108	48.9
Brooklyn	19	18.1	14	15.7	5	31.3	15	17.4	2,286	19.4	33	14.9
Manhattan	22	21.0	17	19.1	5	31.3	16	18.6	1,746	14.9	26	11.8
Queens	17	16.2	15	16.9	2	12.5	6	7.0	1,533	13.0	21	9.5
Staten Island	3	2.9	3	3.4	0	0.0	0	0.0	262	2.2	2	0.9
Outside NYC	7	6.7	5	5.6	2	12.5	7	8.1	687	5.8	4	1.8
Unknown	5	4.8	5	5.6	0	0.0	1	1.2	165	1.4	27	12.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	9.5	10	11.2	0	0.0	3	3.5	903	7.7	6	2.7
Medium poverty (10 to <20% below FPL)	35	33.3	31	34.8	4	25.0	23	26.7	3.256	27.7	41	18.6
High poverty (20 to <30% below FPL)	22	21.0	17	19.1	5	31.3	20	23.3	2,859	24.3	44	19.9
Very high poverty (≥30% below FPL)	26	24.8	21	23.6	5	31.3	32	37.2	3,827	32.6	72	32.6
, , , ,								-				
Area-based poverty level not available	12	11.4	10	11.2	2	12.5	8	9.3	910	7.7	58	26.2
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	2	1.9	1	1.1	1	6.3	15	17.4	2,103	17.9	77	34.8
Heterosexual contact	60	57.1	52	58.4	8	50.0	41	47.7	6,444	54.8	101	45.7
Transgender people with sexual contact	27	25.7	26	29.2	1	6.3	11	12.8	831	7.1	11	5.0
Perinatal	0	0.0	0	0.0	0	0.0	4	4.7	468	4.0	4	1.8
Other	0	0.0	0	0.0	0	0.0	1	1.2	20	0.2	2	0.9
Unknown	16	15.2	10	11.2	6	37.5	14	16.3	1,889	16.1	26	11.8

Table 1.3.5. White men (includes transgender men)

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOS	ES, 2020	PWH AS 12/31/20		DEATHS	, 2020
				С	oncurrent w	ith AIDS			12/31/20	20		
	Total HIV o	liagnoses	Withou	it AIDS	di	iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	177	100.0	139	78.5	38	21.5	115	100.0	23,916	100.0	328	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	3	1.7	3	2.2	0	0.0	0	0.0	7	0.0	0	0.0
20-29	50	28.2	45	32.4	5	13.2		7.8	720	3.0	5	1.5
30-39	48	27.1	37	26.6	11	28.9		23.5	3,132	13.1	12	3.7 8.2
40-49	28	15.8	23	16.5	5	13.2		20.0	4,000	16.7	27	8.2
50-59	38	21.5	24	17.3	14	36.8		28.7	8,007	33.5	99	30.2
60+	10	5.6	7	5.0	3	7.9	23	20.0	8,049	33.7	185	56.4
BOROUGH OF RESIDENCE												
Bronx	18	10.2	14	10.1	4	10.5	9	7.8	1,093	4.6	20	6.1
Brooklyn	49	27.7	38	27.3	11	28.9	20	17.4	3,509	14.7	34	10.4
Manhattan	57	32.2	47	33.8	10	26.3	45	39.1	11,253	47.1	99	30.2
Queens	33	18.6	25	18.0	8	21.1	12	10.4	2,489	10.4	30	9.1
Staten Island	4	2.3	1	0.7	3	7.9		5.2	517	2.2	12	3.7
Outside NYC	12	6.8	10	7.2	2	5.3		20.0	4,814	20.1	14	4.3
Unknown	4	2.3	4	2.9	0	0.0	0	0.0	241	1.0	119	36.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	28	15.8	23	16.5	5	13.2		18.3	6,274	26.2	49	14.9
Medium poverty (10 to <20% below FPL)	92	52.0	74	53.2	18	47.4		39.1	8,744	36.6	71	21.6
High poverty (20 to <30% below FPL)	30	16.9	20	14.4	10	26.3	19	16.5	2,556	10.7	17	5.2
Very high poverty (≥30% below FPL)	10	5.6	7	5.0	3	7.9	5	4.3	1,050	4.4	14	4.3
Area-based poverty level not available	17	9.6	15	10.8	2	5.3	25	21.7	5,292	22.1	177	54.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	116	65.5	93	66.9	23	60.5	82	71.3	19,335	80.8	208	63.4
Injection drug use history (IDU)	3	1.7	3	2.2	0	0.0		2.6	1,075	4.5	46	14.0
MSM-IDU	2	1.1	2	1.4	0	0.0	2	1.7	878	3.7	22	6.7
Heterosexual contact	4	2.3	2	1.4	2	5.3	4	3.5	580	2.4	14	4.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.9	77	0.3	1	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	1	0.3
Unknown	52	29.4	39	28.1	13	34.2	23	20.0	1,924	8.0	36	11.0

Table 1.3.6. White women (includes transgender women)

							AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
	T-(-110)(-	r	Medical		oncurrent with				12/01/20	,20		
	Total HIV o		Withou			gnoses		0/	N.	0/	N.	0/
TOTAL	N 15	% 100.0	N 12	% 80.0	N 3	% 20.0	N 16	% 100.0	N 2,577	% 100.0	N 54	100.0
TOTAL	13	100.0	12	00.0	3	20.0	10	100.0	2,377	100.0	34	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	7	0.3	0	0.0
20-29	1	6.7	1	8.3	0	0.0		6.3	98	3.8	0	0.0 7.4
30-39	6	40.0	6	50.0	0	0.0	5	31.3	308	12.0	4	7.4
40-49	4	26.7	2	16.7	2	66.7	5	31.3	398	15.4	5	9.3
50-59	1	6.7	1	8.3	0	0.0	3	18.8	843	32.7	18	33.3
60+	3	20.0	2	16.7	1	33.3	2	12.5	921	35.7	27	50.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	3	18.8	325	12.6	12	22.2
Brooklyn	4	26.7	3	25.0	1	33.3		31.3	561	21.8	7	13.0
Manhattan	. i	6.7	1	8.3	Ö	0.0	2	12.5	521	20.2	6	11.1
Queens	5	33.3	4	33.3	1	33.3	3	18.8	425	16.5	8	14.8
Staten Island	3	6.7	7	8.3	Ó	0.0	0	0.0	195	7.6	3	5.6
Outside NYC	3	20.0	2	16.7	1	33.3	2	12.5	514	19.9	6	11.1
	3	6.7	4	8.3	0	33.3 0.0		6.3	36	19.9	12	22.2
Unknown	•	0.7		8.3	U	0.0	!	6.3	36	1.4	12	22.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	13.3	2	16.7	0	0.0		6.3	542	21.0	2	3.7
Medium poverty (10 to <20% below FPL)	8	53.3	6	50.0	2	66.7		31.3	899	34.9	14	25.9
High poverty (20 to <30% below FPL)	1	6.7	1	8.3	0	0.0	3	18.8	311	12.1	7	13.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	4	25.0	247	9.6	7	13.0
	_	26.7	3	25.0	1		3	18.8	578	22.4	24	44.4
Area-based poverty level not available	4	26.7	3	25.0	1	33.3	3	18.8	5/8	22.4	24	44.4
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0		31.3	599	23.2	26	48.1
Heterosexual contact	12	80.0	10	83.3	2	66.7		43.8	1,295	50.3	20	37.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	123	4.8	1	1.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	74	2.9	1	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Unknown	3	20.0	2	16.7	1	33.3	4	25.0	469	18.2	6	11.1

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	T-(-1110)				Concurrent with A			PWH A 12/31/2		DEATHS,	, 2020
	Total HIV di N	agnoses %	Withou N	t AIDS %	diagn N	oses %		N	%	N	%
TOTAL	58	100.0	45	77.6		22.4			100.0	26	100.0
ACE CROUP (VEARS)											
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0 0.0	1	0.0	0	0.0
13-19	3	5.2	3	6.7	Ő	0.0			0.3	Ö	0.0
20-29	21	36.2	18	40.0		23.1			10.3	1	3.8
30-39	19	32.8	15	33.3		30.8		676	23.9	3	11.5
40-49	9	15.5	6	13.3	3	23.1	7 25.0	679	24.0	2	7.7
50-59	5	8.6	2	4.4	3	23.1			24.7	10	38.5
60+	1	1.7	1	2.2	0	0.0	2 7.1	473	16.7	10	38.5
BOROUGH OF RESIDENCE											
Bronx	4	6.9	3	6.7	1	7.7	3 10.7	173	6.1	2	7.7
Brooklyn	6	10.3	5	11.1	1	7.7	4 14.3	494	17.5	3	11.5
Manhattan	7	12.1	5	11.1		15.4			29.1	4	15.4
Queens	32	55.2	24	53.3	8	61.5			34.2	11	42.3
Staten Island	3	5.2	3	6.7	0	0.0			1.1	0	0.0
Outside NYC	3	5.2	2	4.4	1	7.7			9.3	1	3.8
Unknown	3	5.2	3	6.7	0	0.0	0 0.0	76	2.7	5	19.2
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	11	19.0	8	17.8		23.1			25.0	6	23.1
Medium poverty (10 to <20% below FPL)	24	41.4	19	42.2		38.5			41.1	9	34.6
High poverty (20 to <30% below FPL)	13	22.4	10	22.2	3	23.1	5 17.9	453	16.0	1	3.8
Very high poverty (≥30% below FPL)	4	6.9	3	6.7	1	7.7	5 17.9	145	5.1	2	7.7
Area-based poverty level not available	6	10.3	5	11.1	1	7.7	3 10.7	359	12.7	8	30.8
TRANSMISSION CATEGORY											
Men who have sex with men (MSM)	42	72.4	32	71.1	10	76.9	19 67.9	1,972	69.8	15	57.7
Injection drug use history (IDU)	1	1.7	1	2.2	0	0.0			2.1	3	11.5
MSM-IDU	0	0.0	0	0.0	Ö	0.0			1.8	Ö	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0			8.0	3	11.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0 0.0	13	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0			0.1	0	0.0
Unknown	15	25.9	12	26.7	3	23.1	6 21.4	500	17.7	5	19.2

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

	HIV DIAGNOSES, 2020)20		AIDS DIAGNOSE	ES, 2020	PWH AS 12/31/20		DEATHS	, 2020
					Concurrent v	vith AIDS						
	Total HIV		Withou			liagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	7	100.0	6	85.7	1	14.3	6	100.0	534	100.0	8	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	Ö	0.0		0.0	1	0.2	Ö	0.0
20-29	1	14.3	1	16.7	Ö	0.0		0.0	24	4.5	0	0.0
30-39	1	14.3	1	16.7	0	0.0	Ö	0.0	83	15.5	2	25.0
40-49	3	42.9	2	33.3	1	100.0	5	83.3	163	30.5	0	0.0
50-59	2	28.6	2	33.3	0	0.0	1	16.7	145	27.2	3	37.5
60+	0	0.0	0	0.0	0	0.0	0	0.0	116	21.7	3	37.5
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	48	9.0	1	12.5
Brooklyn	1	14.3	1	16.7	0	0.0		33.3	121	22.7	2	25.0
Manhattan	1	14.3	0	0.0	1	100.0		33.3	71	13.3	0	0.0
Queens	4	57.1	4	66.7	0	0.0	1	16.7	228	42.7	3	37.5
Staten Island	1	14.3	1	16.7	0	0.0	0	0.0	6	1.1	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	16.7	51	9.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.7	2	25.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	14.3	1	16.7	0	0.0	1	16.7	112	21.0	1	12.5
Medium poverty (10 to <20% below FPL)	3	42.9	3	50.0	0	0.0	2	33.3	217	40.6	2	25.0
High poverty (20 to <30% below FPL)	3	42.9	2	33.3	1	100.0	1	16.7	92	17.2	0	25.0 0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	16.7	47	8.8	2	25.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		16.7	66	12.4	3	37.5
Area-based poverty level not available		0.0	O .	0.0	· ·	0.0	'	10.7	00	12.4	3	37.3
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0		0.0	20	3.7	1	12.5
Heterosexual contact	4	57.1	3	50.0	1	100.0		83.3	343	64.2	2	25.0
Transgender people with sexual contact	1	14.3	1	16.7	0	0.0		16.7	43	8.1	2	25.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	6	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	1	0.2	0	0.0
Unknown	2	28.6	2	33.3	0	0.0	0	0.0	121	22.7	3	37.5

Table 1.3.9. Native American men (includes transgender men)

		HIV	DIAGNO	OSES, 2020)		AIDS DIAGNOSES	6, 2020	PWH AS 12/31/20		DEATHS	, 2020
					oncurrent with a							
	Total HIV d			out AIDS	diagn			0/		04		0/
TOTAL	N 1	% 100.0	N 1	% 100.0	N 0	0.0		% 100.0	N 236	100.0	N 5	% 100.0
IOTAL		100.0	-	100.0		0.0		100.0	230	100.0	J	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0		0.0	17	7.2	0	0.0
30-39 40-49		100.0	•	100.0	0	0.0		100.0 0.0	45 53	19.1 22.5	0	0.0
50-59	0	0.0 0.0	0	0.0	0	0.0		0.0	69	22.5	0 2	40.0
60+	0	0.0	0	0.0	0	0.0		0.0	52	29.2	3	60.0
00+	U	0.0	U	0.0	U	0.0	U	0.0	52	22.0	3	00.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	50.0	45	19.1	1	20.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	53	22.5	1	20.0
Manhattan	0	0.0	0	0.0	0	0.0		0.0	56	23.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0		0.0	46	19.5	1	20.0
Other/Unknown	1	100.0	1	100.0	0	0.0	1	50.0	36	15.3	2	40.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	36	15.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0		0.0	80	33.9	1	20.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	51	21.6	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	37	15.7	1	20.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		50.0	32	13.6	3	60.0
Area-based poverty level flot available	U	0.0	U	0.0	U	0.0	'	30.0	32	13.0	3	00.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1	100.0	1	100.0	0	0.0	2	100.0	146	61.9	1	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0		0.0	15	6.4	2	40.0
MSM-IDU	0	0.0	0	0.0	0	0.0		0.0	12	5.1	1	20.0
Heterosexual contact	0	0.0	0	0.0	0	0.0		0.0	24	10.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	15.7	1_	20.0

Table 1.3.10. Native American women (includes transgender women)

		HIV	DIAGNO	SES, 2	020		AIDS DIAGNOSES, 2020)	PWH AS 0		DEATHS,	, 2020
	Total HIV dia	agnoses %	Without N		Concurrent with Al diagno N			%	N	%	N	%
TOTAL	0	0.0	0	0.0		0.0		%).0	71	100.0	5	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0 0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0		0.0		0.0	1	1.4	0	0.0
20-29	0	0.0	0	0.0		0.0		0.0	7	9.9	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0 0	0.0	11	15.5	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0 0	0.0	16	22.5	1	20.0
50-59	0	0.0	0	0.0	0	0.0	0 0	0.0	22	31.0	1	20.0
60+	0	0.0	0	0.0	0	0.0	0 0	0.0	14	19.7	3	60.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0 0	0.0	22	31.0	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0 0	0.0	23	32.4	1	20.0
Manhattan	0	0.0	0	0.0	0	0.0		0.0	7	9.9	0	0.0
Queens	0	0.0	0	0.0		0.0		0.0	12	16.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0 0	0.0	7	9.9	4	80.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0		0.0		0.0	5	7.0	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0		0.0		0.0	25	35.2	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0 0	0.0	18	25.4	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0 0	0.0	17	23.9	1	20.0
Area-based poverty level not available	0	0.0	0	0.0		0.0		0.0	6	8.5	4	80.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0 0	0.0	2	2.8	1	20.0
Heterosexual contact	Ö	0.0	ő	0.0		0.0		0.0	45	63.4	4	80.0
Transgender people with sexual contact	Ö	0.0	Ö	0.0		0.0		0.0	8	11.3	0	0.0
Perinatal	Ö	0.0	Ö	0.0		0.0		0.0	4	5.6	Ö	0.0
Other	Ö	0.0	Ö	0.0		0.0		0.0	Ö	0.0	Ö	0.0
Unknown	Ö	0.0	Ö	0.0		0.0		0.0	12	16.9	Ö	0.0

Table 1.4.1. Boys 0-12 Years

		HIV	DIAGNO	SES, 2	020	AIDS DIAGNOSE	ES, 2020	PWH AS 12/31/20		DEATHS,	2020
	Total HIV dia	agnoses	Without	AIDS	Concurrent with AID diagnose			12/01/20	,		
	N	%	N	%		% N	%	N	%	N	%
TOTAL	0	0.0	0	0.0	0 0.		0.0	26	100.0	0	0.0
RACE/ETHNICITY											
Black	0	0.0	0	0.0	0 0.	0 0	0.0	17	65.4	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0 0.	0 0	0.0	7	26.9	0	0.0
White	0	0.0	0	0.0	0 0.	0 0	0.0	1	3.8	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0 0.	0	0.0	1	3.8	0	0.0
Native American	0	0.0	0	0.0	0 0.	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0 0.	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE											
Bronx	0	0.0	0	0.0	0 0.		0.0	9	34.6	0	0.0
Brooklyn	0	0.0	0	0.0	0 0.	0	0.0	6	23.1	0	0.0
Manhattan	0	0.0	0	0.0	0 0.	0	0.0	4	15.4	0	0.0
Queens	0	0.0	0	0.0	0 0.	0	0.0	2	7.7	0	0.0
Staten Island	0	0.0	0	0.0	0 0.	0	0.0	1	3.8	0	0.0
Outside NYC	0	0.0	0	0.0	0 0.	0	0.0	3	11.5	0	0.0
Unknown	0	0.0	0	0.0	0 0.	0	0.0	1	3.8	0	0.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	0	0.0	0	0.0	0 0.	0 0	0.0	1	3.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0 0.	0	0.0	10	38.5	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0 0.	0	0.0	2	7.7	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0 0.	0	0.0	9	34.6	0	0.0
	_							4		0	
Area-based poverty level not available	0	0.0	0	0.0	0 0.	0	0.0	4	15.4	Ü	0.0
TRANSMISSION CATEGORY											
Men who have sex with men (MSM)	0	0.0	0	0.0	0 0.		0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0 0.		0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0 0.		0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0 0.		0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0 0.		0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0 0.		0.0	25	96.2	0	0.0 0.0
Other	0	0.0	0	0.0	0 0.		0.0	1	3.8	0	0.0
Unknown	0	0.0	0	0.0	0 0.	0	0.0	0	0.0	0	0.0

Table 1.4.2. Girls 0-12 Years

		HIV	DIAGNO	OSES, 202	20		AIDS DIAGNOSI	ES, 2020	PWH AS 12/31/20		DEATHS,	2020
				C	Concurrent with	h AIDS			12/31/20	J20		
	Total HIV d	iagnoses	Witho	out AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2	100.0	2	100.0	0	0.0	1	100.0	26	100.0	0	0.0
RACE/ETHNICITY												
Black	2	100.0	2	100.0	0	0.0	1	100.0	9	34.6		0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	12	46.2		0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	7.7		0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	7.7		0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	50.0	1	50.0	0	0.0	0	0.0	5	19.2		0.0
Brooklyn	1	50.0	1	50.0	0	0.0	1	100.0	4	15.4	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	5	19.2	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	6	23.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	3.8	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	5	19.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	15.4	0	0.0
Medium poverty (10 to <20% below FPL)	2	100.0	2	100.0	0	0.0	1	100.0	7	26.9		0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	15.4		0.0
, , , , ,		0.0	0		0	0.0	0	0.0	6	23.1	0	0.0
Very high poverty (≥30% below FPL)	0			0.0	•		0					
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	5	19.2	0	0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Perinatal	2	100.0	2	100.0	0	0.0	1	100.0	26	100.0		0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Table 1.4.3. Men 13+ Years (includes transgender men)

		HIV	DIAGNO	OSES, 202			AIDS DIAGNOSE	S, 2020	PWH AS 12/31/202	_	DEATHS,	2020
	Total HIV di	aanasas	Withou		ncurrent wi	ith AIDS agnoses						
	N	% agrioses	N	% AID3	N	agrioses %	N	%	N	%	N	%
TOTAL	1,134	100.0	918	81.0	216	19.0	702	100.0	95,898	100.0	1,709	100.0
RACE/ETHNICITY												
Black	472	41.6	384	41.8	88	40.7	307	43.7	35.928	37.5	794	46.5
Latino/Hispanic	417	36.8	343	37.4	74	34.3	241	34.3	32,294	33.7	548	32.1
White	177	15.6	139	15.1	38	17.6	115	16.4	23,915	24.9	328	19.2
Asian/Pacific Islander	58	5.1	45	4.9	13	6.0	28	4.0	2,826	2.9	26	1.5
Native American	1	0.1	1	0.1	0	0.0	2	0.3	236	0.2	5	0.3
Multiracial	9	0.8	6	0.7	3	1.4	9	1.3	463	0.5	7	0.4
Unknown	Ö	0.0	0	0.0	0	0.0	ő	0.0	236	0.2	1	0.1
LOT OPAUR (VELEN)												
AGE GROUP (YEARS) 13-19	52	4.6	50	5.4	2	0.9	3	0.4	194	0.2	0	0.0
20-29	411	36.2	371	40.4	40	18.5	118		6,463	6.7	32	
								16.8				1.9
30-39	361	31.8	291	31.7	70	32.4	208	29.6	17,483	18.2	109	6.4
40-49	148	13.1	109	11.9	39	18.1	131	18.7	16,616	17.3	156	9.1
50-59	115	10.1	68	7.4	47	21.8	142	20.2	27,933	29.1	484	28.3
60+	47	4.1	29	3.2	18	8.3	100	14.2	27,209	28.4	928	54.3
BOROUGH OF RESIDENCE												
Bronx	218	19.2	185	20.2	33	15.3	156	22.2	19,477	20.3	432	25.3
Brooklyn	319	28.1	247	26.9	72	33.3	172	24.5	20,565	21.4	367	21.5
Manhattan	234	20.6	193	21.0	41	19.0	155	22.1	27,558	28.7	303	17.7
Queens	229	20.2	176	19.2	53	24.5	112	16.0	13,878	14.5	177	10.4
Staten Island	23	2.0	18	2.0	5	2.3	17	2.4	1,641	1.7	34	2.0
Outside NYC	73	6.4	61	6.6	12	5.6	84	12.0	11,321	11.8	53	3.1
Unknown	38	3.4	38	4.1	0	0.0	6	0.9	1,458	1.5	343	20.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	132	11.6	108	11.8	24	11.1	80	11.4	15,218	15.9	131	7.7
Medium poverty (10 to <20% below FPL)	405	35.7	314	34.2	91	42.1	252	35.9	32,488	33.9	358	20.9
High poverty (20 to <30% below FPL)	289	25.5	232	25.3	57	26.4	152	21.7	18,149	18.9	256	15.0
									*			
Very high poverty (≥30% below FPL)	193	17.0	162	17.6	31	14.4	124	17.7	16,256	17.0	343	20.1
Area-based poverty level not available	115	10.1	102	11.1	13	6.0	94	13.4	13,787	14.4	621	36.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	737	65.0	620	67.5	117	54.2	411	58.5	59.176	61.7	631	36.9
Injection drug use history (IDU)	14	1.2	13	1.4	1 1	0.5	39	5.6	9,534	9.9	422	24.7
MSM-IDU	11	1.0	11	1.4	0	0.0	17	2.4	3,586	3.7	103	6.0
Heterosexual contact	27	2.4	18	2.0	9	4.2	51	7.3	7,055	7.4	229	13.4
Transgender people with sexual contact	1	0.1	10	0.1	0	0.0	0	0.0	7,033 28	0.0	0	0.0
Perinatal	0	0.1	0	0.1	0	0.0	6	0.0	1,217	1.3	13	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.9	1,217	0.1	3	0.2
Unknown	344	30.3	255	27.8	89	41.2	177	25.2	15,190	15.8	308	18.0
UIRIUWII	344	30.3	200	21.0	09	41.2	177	20.2	13,190	10.0	300	10.0

Table 1.4.4. Women 13+ Years (includes transgender women)

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSI	ES, 2020	PWH AS 12/31/20		DEATHS	, 2020
	Total HIV o	iagnoses %	Withou N		oncurrent w dia N	ith AIDS agnoses %		%	N	%	N	%
TOTAL	306	100.0	253	82.7	53	17.3		100.0	35,672	100.0	746	100.0
RACE/ETHNICITY												
Black	176	57.5	143	56.5	33	62.3	147	57.6	20,552	57.6	452	60.6
Latino/Hispanic	105	34.3	89	35.2	16	30.2		33.7	11,743	32.9	221	29.6
White	15	4.9	12	4.7	3	5.7	16	6.3	2,575	7.2	54	7.2
Asian/Pacific Islander	7	2.3	6	2.4	1	1.9	-	2.4	532	1.5	8	1.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	71	0.2	5	0.7
Multiracial	3	1.0	3	1.2	0	0.0	0	0.0	128	0.4	5	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	71	0.2	1	0.1
AGE GROUP (YEARS)												
13-19	11	3.6	10	4.0	1	1.9		0.4	126	0.4	0	0.0
20-29	78	25.5	73	28.9	5	9.4	27	10.6	1,934	5.4	11	1.5
30-39	85	27.8	73	28.9	12	22.6		23.5	4,475	12.5	44	5.9
40-49	50	16.3	37	14.6	13	24.5		20.8	6,763	19.0	88	11.8
50-59	57	18.6	46	18.2	11	20.8		23.5	11,527	32.3	221	29.6
60+	25	8.2	14	5.5	11	20.8	54	21.2	10,847	30.4	382	51.2
BOROUGH OF RESIDENCE												
Bronx	85	27.8	71	28.1	14	26.4	91	35.7	11,624	32.6	260	34.9
Brooklyn	94	30.7	71	28.1	23	43.4		29.4	9,962	27.9	164	22.0
Manhattan	43	14.1	36	14.2	7	13.2		16.9	5,105	14.3	82	11.0
Queens	51	16.7	46	18.2	5	9.4	23	9.0	4,960	13.9	69	9.2
Staten Island	7	2.3	7	2.8	0	0.0	1	0.4	895	2.5	20	2.7
Outside NYC	17	5.6 2.9	13 9	5.1 3.6	4 0	7.5 0.0	19 3	7.5 1.2	2,754 372	7.7 1.0	24 127	3.2 17.0
Unknown	9	2.9	9	3.0	U	0.0	3	1.2	312	1.0	127	17.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	41	13.4	37	14.6	4	7.5		6.7	3,513	9.8	27	3.6
Medium poverty (10 to <20% below FPL)	90	29.4	74	29.2	16	30.2	73	28.6	10,956	30.7	158	21.2
High poverty (20 to <30% below FPL)	70	22.9	57	22.5	13	24.5	60	23.5	8,500	23.8	120	16.1
Very high poverty (≥30% below FPL)	79	25.8	63	24.9	16	30.2	81	31.8	9,302	26.1	197	26.4
Area-based poverty level not available	26	8.5	22	8.7	4	7.5	24	9.4	3,401	9.5	244	32.7
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	3	1.0	2	0.8	1	1.9	29	11.4	5.255	14.7	207	27.7
Heterosexual contact	191	62.4	153	60.5	38	71.7	147	57.6	20,103	56.4	358	48.0
Transgender people with sexual contact	53	17.3	51	20.2	2	3.8		8.6	2.075	5.8	35	4.7
Perinatal	0	0.0	0	0.0	0	0.0	6	2.4	1,290	3.6	10	1.3
Other	0	0.0	0	0.0	0	0.0	1	0.4	84	0.2	4	0.5
Unknown	59	19.3	47	18.6	12	22.6	50	19.6	6,865	19.2	132	17.7

Table 1.5.1. Bronx, men (includes transgender men)

		HIV	DIAGNO	OSES, 20	20 Concurrent w	ith AIDS	AIDS DIAGNOS	ES, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
	Total HIV dia		Withou			agnoses						
TOTAL	N 218	% 100.0	N 185	% 84.9	N 33	% 15.1	N 156	% 100.0	N 19,486	% 100.0	N 432	% 100.0
									-,		,	
RACE/ETHNICITY												
Black	87	39.9	74	40.0	13	39.4	79	50.6	8,828	45.3	206	47.7
Latino/Hispanic White	109	50.0	94	50.8 7.6	15 4	45.5	64 9	41.0	9,268	47.6	201	46.5
Asian/Pacific Islander	18 4	8.3 1.8	14 3	7.6 1.6	4 1	12.1 3.0	3	5.8 1.9	1,093 173	5.6 0.9	20 2	4.6 0.5
Native American	0	0.0	0	0.0	0	0.0	3	0.6	45	0.9	1	0.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	57	0.2	2	0.2 0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Children		0.0	· ·	0.0		0.0	O	0.0	22	0.1	O	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
13-19	14	6.4	12	6.5	2	6.1	2	1.3	58	0.3	0	0.0
20-29	77	35.3	73	39.5	4	12.1	26	16.7	1,404	7.2	7	1.6
30-39	72	33.0	60	32.4	12	36.4	50	32.1	3,820	19.6	22	5.1
40-49	30	13.8	24	13.0	6	18.2	24	15.4	3,185	16.3	38	8.8
50-59	13	6.0	8	4.3	5	15.2	30	19.2	5,637	28.9	133	30.8
60+	12	5.5	8	4.3	4	12.1	24	15.4	5,373	27.6	232	53.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	1.8	4	2.2	0	0.0	2	1.3	255	1.3	8	1.9
Medium poverty (10 to <20% below FPL)	36	16.5	32	17.3	4	12.1	25	16.0	3,315	17.0	58	13.4
High poverty (20 to <30% below FPL)	51	23.4	41	22.2	10	30.3	35	22.4	4,077	20.9	58	13.4
Very high poverty (≥30% below FPL)	127	58.3	108	58.4	19	57.6	94	60.3	11,742	60.3	232	53.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	97	0.5	76	17.6
Area-based poverty level flot available		0.0	U	0.0	O	0.0	U	0.0	31	0.5	70	17.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	136	62.4	120	64.9	16	48.5	82	52.6	9,056	46.5	102	23.6
Injection drug use history (IDU)	6	2.8	6	3.2	0	0.0	17	10.9	3,087	15.8	153	35.4
MSM-IDU	2	0.9	2	1.1	0	0.0	5	3.2	947	4.9	27	6.3
Heterosexual contact	9	4.1	6	3.2	3	9.1	13	8.3	2,035	10.4	64	14.8
Transgender people with sexual contact	1	0.5	1	0.5	0	0.0	0	0.0	15	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	420	2.2	4	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	0	0.0
Unknown	64	29.4	50	27.0	14	42.4	38	24.4	3,905	20.0	82	19.0

Table 1.5.2. Bronx, women (includes transgender women)

		HI	V DIAGN	NOSES, 20)20		AIDS DIAGNOS	SES, 2020	PWH AS 12/31/20		DEATHS	, 2020
					Concurrent v	vith AIDS						
	Total H	IV diagnose		out AIDS		liagnoses						
		N 9			N	%	N	%	N	%	N	%
TOTAL		B6 100.	72	83.7	14	16.3	91	100.0	11,629	100.0	260	100.0
RACE/ETHNICITY												
Black		54 62.			12	85.7	47	51.6	6,115	52.6	138	53.1
Latino/Hispanic		32 37.			2	14.3	41	45.1	5,076	43.6	108	41.5
White		0 0.			0	0.0	3	3.3	325	2.8	12	4.6
Asian/Pacific Islander		0 0.			0	0.0	0	0.0	48	0.4	1	0.4
Native American		0 0.			0	0.0	0	0.0	22	0.2	0	0.0
Multiracial		0 0.			0	0.0	0	0.0	27	0.2	1	0.4
Unknown		0 0.	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
AGE GROUP (YEARS)												
0-12		1 1.	2 1	1.4	0	0.0	0	0.0	5	0.0	0	0.0
13-19		3 3.	5 3	4.2	0	0.0	0	0.0	42	0.4	0	0.0
20-29		21 24.	1 21	29.2	0	0.0	7	7.7	617	5.3	2	0.0
30-39		19 22.	l 16	22.2	3	21.4	17	18.7	1,514	13.0	17	6.5
40-49		14 16.	3 9	12.5	5	35.7	23	25.3	2,306	19.8	38	14.0
50-59		20 23.	3 18	25.0	2	14.3	24	26.4	3,899	33.5	78	30.0
60+		8 9.	3 4	5.6	4	28.6	20	22.0	3,246	27.9	125	48.
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)		0 0.	0	0.0	0	0.0	1	1.1	130	1.1	1	0.4
Medium poverty (10 to <20% below FPL)		12 14.) 10	13.9	2	14.3	17	18.7	2,084	17.9	31	11.9
High poverty (20 to <30% below FPL)		13 15.			1	7.1	19	20.9	2.393	20.6	39	15.0
Very high poverty (≥30% below FPL)		61 70.	9 50	69.4	11	78.6	54	59.3	6,987	60.1	145	55.8
Area-based poverty level not available		0 0.			0	0.0	0	0.0	35	0.3	44	16.9
TRANSMISSION CATEGORY Injection drug use history (IDU)		2 2.	3 1	1.4	1	7.1	17	18.7	1,900	16.3	89	34.2
Heterosexual contact		2 2. 57 66.			10	7.1	50	54.9	6,558	56.4	115	34.2 44.2
						0.0	50 3	3.3	6,558 672		115 9	
Transgender people with sexual contact					0		3			5.8	9	3.
Perinatal		1 1.			0	0.0	4	4.4	426	3.7	4	1.
Other		0 0.			0	0.0	1	1.1	15	0.1	1	0.4
Unknown		10 11.	5 7	9.7	3	21.4	16	17.6	2,058	17.7	42	16.2

Table 1.5.3. Brooklyn, men (includes transgender men)

Total HIV dia N 319 191 72 49	% 100.0 59.9	Withou N 247		oncurrent w dia N 72	agnoses % 22.6	N	%	N	%		
319 191 72	100.0 59.9	247			22.6		%	N	0/_		
191 72	59.9		77.4	72	22.6					N	%
72		450				172	100.0	20,571	100.0	367	100.0
72		4 = 0									
6 0 1 0	22.6 15.4 1.9 0.0 0.3 0.0	150 53 38 5 0 1	60.7 21.5 15.4 2.0 0.0 0.4 0.0	41 19 11 1 0 0	56.9 26.4 15.3 1.4 0.0 0.0	98 50 20 4 0 0	57.0 29.1 11.6 2.3 0.0 0.0	11,191 5,204 3,509 494 53 100 20	54.4 25.3 17.1 2.4 0.3 0.5 0.1	227 102 34 3 1 0	61.9 27.8 9.3 0.8 0.3 0.0
0 12 121 97 47 33 9	0.0 3.8 37.9 30.4 14.7 10.3 2.8	0 12 106 73 34 17 5	0.0 4.9 42.9 29.6 13.8 6.9 2.0	0 0 15 24 13 16 4	0.0 0.0 20.8 33.3 18.1 22.2 5.6	0 1 34 48 33 36 20	0.0 0.6 19.8 27.9 19.2 20.9 11.6	6 44 1,665 4,234 3,626 5,525 5,471	0.0 0.2 8.1 20.6 17.6 26.9 26.6	0 0 10 22 30 97 208	0.0 0.0 2.7 6.0 8.2 26.4 56.7
18 108 150 43	5.6 33.9 47.0 13.5	11 79 122 35	4.5 32.0 49.4 14.2	7 29 28 8	9.7 40.3 38.9 11.1	15 63 72 22	36.6 41.9 12.8	1,447 8,737 7,759 2,474	7.0 42.5 37.7 12.0	16 113 112 53	4.4 30.8 30.5 14.4 19.9
·	0.0	U	0.0	U	0.0	U	0.0	154	0.7	13	19.9
204 0 3 6 0	63.9 0.0 0.9 1.9 0.0 0.0	163 0 3 5 0	66.0 0.0 1.2 2.0 0.0 0.0	41 0 0 1 0 0	56.9 0.0 0.0 1.4 0.0 0.0	96 8 3 12 0 2	55.8 4.7 1.7 7.0 0.0 1.2 0.6	11,647 2,116 725 1,787 5 317 21	56.6 10.3 3.5 8.7 0.0 1.5	100 94 21 65 0 5	27.2 25.6 5.7 17.7 0.0 1.4 0.5 21.8
	1 0 0 12 121 97 47 33 9 18 108 150 43 0 0 204 0 3 6 6 0 0 0	1 0.3 0 0.0 12 3.8 121 37.9 97 30.4 47 14.7 33 10.3 9 2.8 18 5.6 108 33.9 150 47.0 43 13.5 0 0.0 204 63.9 0 0.0 3 0.9 6 1.9 0 0.0 0 0.0 0 0.0	1 0.3 1 0 0.0 0 12 3.8 12 121 37.9 106 97 30.4 73 47 14.7 34 33 10.3 17 9 2.8 5 18 5.6 11 108 33.9 79 150 47.0 122 43 13.5 35 0 0.0 0 204 63.9 163 0 0.0 0 3 0.9 3 6 1.9 5 0 0.0 0 0 0.0 0 0 0.0 0	1 0.3 1 0.4 0 0.0 0 0.0 12 3.8 12 4.9 121 37.9 106 42.9 97 30.4 73 29.6 47 14.7 34 13.8 33 10.3 17 6.9 9 2.8 5 2.0 18 5.6 11 4.5 108 33.9 79 32.0 150 47.0 122 49.4 43 13.5 35 14.2 0 0.0 0 0.0 3 0.9 3 1.2 6 1.9 5 2.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0	1 0.3 1 0.4 0 0 0.0 0 0.0 0 12 3.8 12 4.9 0 121 37.9 106 42.9 15 97 30.4 73 29.6 24 47 14.7 34 13.8 13 33 10.3 17 6.9 16 9 2.8 5 2.0 4 18 5.6 11 4.5 7 108 33.9 79 32.0 29 150 47.0 122 49.4 28 43 13.5 35 14.2 8 0 0.0 0 0.0 0 204 63.9 163 66.0 41 0 0.0 0 0 0 3 0.9 3 1.2 0 6 1.9 5 2.0 1 0 0.0 0 0 0 0	1 0.3 1 0.4 0 0.0 0 0.0 0 0.0 0 0.0 12 3.8 12 4.9 0 0.0 121 37.9 106 42.9 15 20.8 97 30.4 73 29.6 24 33.3 47 14.7 34 13.8 13 18.1 33 10.3 17 6.9 16 22.2 9 2.8 5 2.0 4 5.6 18 5.6 11 4.5 7 9.7 108 33.9 79 32.0 29 40.3 150 47.0 122 49.4 28 38.9 43 13.5 35 14.2 8 11.1 0 0.0 0 0.0 0 0.0 3 0.9 3 1.2 0 0.0 6 1.9 5 2.0 1 1.4 0 0.0 0 0	1 0.3 1 0.4 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0.3 1 0.4 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 12 3.8 12 4.9 0 0.0 1 0.6 121 37.9 106 42.9 15 20.8 34 19.8 97 30.4 73 29.6 24 33.3 48 27.9 47 14.7 34 13.8 13 18.1 33 19.2 33 10.3 17 6.9 16 22.2 36 20.9 9 2.8 5 2.0 4 5.6 20 11.6 18 5.6 11 4.5 7 9.7 15 8.7 108 33.9 79 32.0 29 40.3 63 36.6 150 47.0 122 49.4 28 38.9 72 41.9 43 13.5 35 14.2 8 11.1 22 12.8	1 0.3 1 0.4 0 0.0 0 0.0 100 0 0.0 0 0.0 0 0.0 0 0.0 20 0 0.0 0 0.0 0 0.0 0 0.0 6 12 3.8 12 4.9 0 0.0 1 0.6 44 121 37.9 106 42.9 15 20.8 34 19.8 1,665 97 30.4 73 29.6 24 33.3 48 27.9 4,234 47 14.7 34 13.8 13 18.1 33 19.2 3,626 33 10.3 17 6.9 16 22.2 36 20.9 5,525 9 2.8 5 2.0 4 5.6 20 11.6 5,471 18 5.6 11 4.5 7 9.7 15 8.7 1,447 108 33.9 79 32.0 29 40.3 63 36.6	1 0.3 1 0.4 0 0.0 0 0.0 100 0.5 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 6 0.0 0.0 1 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0 0 0.0 0 0 0.0 0	1 0.3 1 0.4 0 0.0 0 0.0 100 0.5 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0 0.0 0 0 0.0 0

Table 1.5.4. Brooklyn, women (includes transgender women)

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				С	oncurrent wit	th AIDS			12/01/20	,_0		
	Total HIV o	liagnoses	Withou	ıt AIDS	dia	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	95	100.0	72	75.8	23	24.2	76	100.0	9,966	100.0	164	100.0
RACE/ETHNICITY												
Black	69	72.6	52	72.2	17	73.9	54	71.1	6,918	69.4	120	73.2
Latino/Hispanic	19	20.0	14	19.4	5	21.7	15	19.7	2,286	22.9	33	20.1
White	4	4.2	3	4.2	1	4.3	5	6.6	561	5.6	7	4.3 1.2
Asian/Pacific Islander	1	1.1	1	1.4	0	0.0	2	2.6	121	1.2	2	1.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.6
Multiracial	2	2.1	2	2.8	0	0.0	0	0.0	37	0.4	1	0.6
Unknown	0	0.0	0	0.0	0	0.0		0.0	20	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	1	1.4	0	0.0	1	1.3	4	0.0	0	0.0
13-19	4	4.2	3	4.2	1	4.3		1.3	42	0.4	0	0.0
20-29	19	20.0	17	23.6	2	8.7	7	9.2	508	5.1	2	1.2
30-39	28	29.5	22	30.6	6	26.1	23	30.3	1.210	12.1	8	4.9
40-49	13	13.7	9	12.5	4	17.4		13.2	1,902	19.1	21	12.8
50-59	24	25.3	17	23.6	7	30.4	19	25.0	3,100	31.1	47	28.7
60+	6	6.3	3	4.2	3	13.0		19.7	3,200	32.1	86	52.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	15	15.8	12	16.7	3	13.0	7	9.2	718	7.2	5	3.0
Medium poverty (10 to <20% below FPL)	31	32.6	24	33.3	7	30.4		31.6	3,785	38.0	60	36.6
High poverty (20 to <30% below FPL)	38	40.0	28	38.9	10	43.5		38.2	3,958	39.7	44	26.8
, , , , ,												
Very high poverty (≥30% below FPL)	11	11.6	8	11.1	3	13.0		21.1	1,445	14.5	31	18.9
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	60	0.6	24	14.6
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	1	1.1	1	1.4	0	0.0		7.9	1,304	13.1	42	25.6
Heterosexual contact	67	70.5	47	65.3	20	87.0		69.7	5,772	57.9	78	47.6
Transgender people with sexual contact	5	5.3	5	6.9	0	0.0		2.6	433	4.3	8	4.9
Perinatal	1	1.1	1	1.4	0	0.0	3	3.9	350	3.5	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	3	1.8
Unknown	21	22.1	18	25.0	3	13.0	12	15.8	2,084	20.9	32	19.5

Table 1.5.5. Manhattan, men (includes transgender men)

		HIV	DIAGNO	SES, 20	20		AIDS DIAGNOS	ES, 2020	PWH AS 12/31/20		DEATHS	, 2020
				_	Concurrent w							1
	Total HIV di	agnoses %	Withou N	t AIDS %	di N	agnoses °/	N	%	N	%	N	%
TOTAL	234	100.0	193	82.5	41	17.5		100.0	27,562	100.0	303	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	90 76 57 7 0 4	38.5 32.5 24.4 3.0 0.0 1.7 0.0	76 62 47 5 0 3	39.4 32.1 24.4 2.6 0.0 1.6 0.0	14 14 10 2 0 1	34.1 34.1 24.4 4.9 0.0 2.4 0.0		34.8 30.3 29.0 3.9 0.0 1.9 0.0	7,328 7,818 11,253 823 56 145 139	26.6 28.4 40.8 3.0 0.2 0.5	105 92 99 4 0 3	34.7 30.4 32.7 1.3 0.0 1.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 13 83 74 22 28 14	0.0 5.6 35.5 31.6 9.4 12.0 6.0	0 13 73 64 16 17	0.0 6.7 37.8 33.2 8.3 8.8 5.2	0 0 10 10 6 11 4	0.0 0.0 24.4 24.4 14.6 26.8 9.8	31 27	0.0 0.0 14.8 29.0 20.0 17.4 18.7	4 30 1,165 4,324 4,784 8,541 8,714	0.0 0.1 4.2 15.7 17.4 31.0 31.6	0 0 3 16 23 83 178	0.0 0.0 1.0 5.3 7.6 27.4 58.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	36 107 64 23 4	15.4 45.7 27.4 9.8 1.7	31 89 51 19 3	16.1 46.1 26.4 9.8 1.6	5 18 13 4 1	12.2 43.9 31.7 9.8 2.4		17.4 52.3 23.2 5.2 1.9	7,774 11,480 5,646 2,049 613	28.2 41.7 20.5 7.4 2.2	57 84 59 52 51	18.8 27.7 19.5 17.2 16.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	154 3 5 4 0 0 0	65.8 1.3 2.1 1.7 0.0 0.0 0.0 29.1	134 2 5 3 0 0 0	69.4 1.0 2.6 1.6 0.0 0.0 0.0 25.4	20 1 0 1 0 0 0	48.8 2.4 0.0 2.4 0.0 0.0 0.0 46.3	4 5 8 0 1	65.2 2.6 3.2 5.2 0.0 0.6 0.0 23.2	19,938 1,995 1,048 1,065 3 177 16 3,320	72.3 7.2 3.8 3.9 0.0 0.6 0.1 12.0	152 62 16 33 0 0 1	50.2 20.5 5.3 10.9 0.0 0.0 0.3 12.9

Table 1.5.6. Manhattan, women (includes transgender women)

Total HIV diagnoses Without AIDS Mignoses Mithout AIDS Mithou			HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS	, 2020
N					C	oncurrent wi	ith AIDS			12/31/20	J20		
N		Total HIV o	diagnoses	Withou									
RACEETHNICITY Black 18 41.9 17 47.2 1 14.3 23 53.5 2,730 53.4 49 Latinor/Hispanic 22 51.2 17 47.2 5 71.4 16 37.2 1,746 34.2 26 White 1 2.3 1 2.8 0 0.0 2 4.7 521 10.2 6 Asian/Pacific Islander 1 2.3 0 0.0 1 14.3 2 4.7 71 14 0 Native American 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 19 0.4 1 Unknown 1 2.3 1 2.8 0 0.0 0 0.0 19 0.4 1 Unknown 1 2.3 1 2.8 0 0.0 0 0.0 19 0.4 1 Unknown 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 16 0.3 0 AGE GROUP (YEARS) 0 12 2 33.3 1 2.8 0 0.0 0 0.0 16 0.3 0 AGE GROUP (YEARS) 0 13-19 1 2.3 1 2.8 0 0.0 0 0.0 0 0.0 16 0.3 0 13-19 1 2.3 1 2.8 0 0.0 0 0.0 16 0.3 0 AGE GROUP (YEARS) 0 12 2 33.3 1 14.3 15 11.6 267 5.2 0 30-39 1 2 27.9 11 30.6 1 14.3 10 23.3 556 10.9 1 40-49 50-59 50-11 0 2.3 1 2.8 0 0.0 0 0.0 0 0.0 15 0.3 0 AREA-BASED POVERTY LEVEL Low poverty (-1.0% below FPL) A 16.3 6 16.7 1 14.3 4 9.3 647 12.7 7 Area-based poverty level naturaliable D 0 0.0 0 0.0 0.0 0.0 0.0 0.0 2 A.7 110 2.2 16 AREA-BASED POVERTY LEVEL Low poverty (-1.0% below FPL) A 2 2 3 5.5 5.5 5.5 2.0 49.0 38 AREA-BASED POVERTY LEVEL Low poverty (-1.0% below FPL) A 2 3 5.5 5.5 5.5 2.0 49.0 38 AREA-BASED POVERTY LEVEL Low poverty (-1.0% below FPL) A 5 5 11.6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5				N	%				%	N	%	N	%
Black 18	OTAL	43	100.0	36	83.7	7	16.3	43	100.0	5,110	100.0	82	100.0
Black 18	ACE/ETHNICITY												
Latino/Hispanic 22 51 2 17 47 2 5 77 4 16 37.2 1,746 34.2 26		18	41.9	17	47.2	1	14.3	23	53.5	2.730	53.4	49	59.8
White													31.7
Asian/Pacific Islander		1											7.3
Native American Native American 0 0.0 0 0.0 0 0.0 0 0		1		0									7.3 0.0 0.0 1.2
Multiracial 1 2.3 1 2.8 0 0.0 0 0.0 19 0.4 1 Unknown 0 0 0.0 0 0.0 0 0.0 15 0.4 1 Unknown 0 0 0.0 0 0 0.0 0 0 0.0 16 0.3 0 0 0.0 0 0.0 16 0.3 0 0 0.0 0 0.0 0 0.0 16 0.3 0 0 0.0 0 0.0 0 0.0 16 0.3 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 15 0.3 0 0 0.0 0 0.0 0 0.0 0 0.0 15 0.3 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 15 0.3 0 0 0.0 0.0		0		_		•							0.0
Unknown		1		_									1.1
AGE GROUP (YEARS) 0-12 0 0 0.0 0 0.0 0 0.0 0 0.0 5 0.1 0 13-19 1 1 2.3 1 2.8 0 0.0 0 0.0 15 0.3 0 20-29 30-39 1 12 27.9 11 30.6 1 14.3 5 11.6 267 5.2 0 30-39 1 12 27.9 11 30.6 1 14.3 7 16.3 838 16.4 6 50-59 5 11.6 4 11.1 1 14.3 11 25.6 16.71 32.7 29 60+ AREA-BASED POVERTY LEVEL Low poverty (-10% below FPL) 7 16.3 6 16.7 1 14.3 4 9.3 647 12.7 7 Medium poverty (10 to <20% below FPL) 7 16.3 6 16.7 1 14.3 4 9.3 647 12.7 7 Medium poverty (10 to <20% below FPL) 12 27.9 10 27.8 2 28.6 14 32.6 1.731 33.9 16 High poverty (20 to <30% below FPL) 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 0 0.0 0 0.0 0 0.0 0 0.0 2 4.7 110 2.2 16 TRANSMISSION CATEGORY Injection drug use history (IDU) 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 182 3.6 0.0 382 75.5 3 7 Heigh powering to the second of												•	0.0
0-12	TIKIOWII	U	0.0	U	0.0	O	0.0	U	0.0	10	0.5	U	0.0
13-19	GE GROUP (YEARS)								_				
20-29 30-39 13 30.2 12 33.3 1 14.3 5 11.6 267 5.2 0 30-39 12 27.9 11 30.6 1 14.3 10 23.3 556 10.9 1 40-49 50-59 60+ 5 11.6 4 11.1 1 14.3 11 25.6 1,671 32.7 29 60+ 5 11.6 2 5.6 3 42.9 10 23.3 1,758 34.4 46 AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) 7 16.3 6 16.7 1 14.3 4 9.3 647 12.7 7 Medium poverty (10 to <20% below FPL) 12 27.9 10 27.8 2 28.6 14 32.6 1,731 33.9 16 High poverty (20 to <30% below FPL) 17 39.5 15 41.7 2 28.6 12 27.9 1,746 34.2 25 Very high poverty (≥30% below FPL) 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 0 0 0.0 0 0.0 0 0.0 0 0.0 2 4.7 110 2.2 16 TRANSMISSION CATEGORY Injection drug use history (IDU) 18 0 0.0 0 0.0 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact 19 24 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Perinatal 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 182 3.6 0													0.0
30-39	3-19	1	2.3	1	2.8	0	0.0	0	0.0	15	0.3	0	0.0
40-49	0-29	13	30.2	12	33.3	1	14.3	5	11.6	267	5.2	0	0.0
50-59 60+ 5 11.6 4 11.1 1 14.3 11 25.6 1,671 32.7 29 60+ 60+ 60+ 7 11.6 2 5.6 3 42.9 10 23.3 1,758 34.4 46 60+ 60+ 60+ 60+ 60+ 60+ 60+ 60+ 60+ 60	0-39	12	27.9	11	30.6	1	14.3	10	23.3	556	10.9	1	1.2
60+ AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) 7 16.3 6 16.7 1 14.3 4 9.3 647 12.7 7 Medium poverty (10 to <20% below FPL) 12 27.9 10 27.8 2 28.6 14 32.6 1,731 33.9 16 High poverty (≥30% below FPL) 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 8 2 4 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 9 2 4 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 1 3 30.2 12 33.3 1 14.3 7 16.3 384 7 16.3 384 7 Perinatal	0-49	7	16.3	6	16.7	1	14.3	7	16.3	838	16.4	6	7.3
60+ AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) 7 16.3 6 16.7 1 14.3 4 9.3 647 12.7 7 Medium poverty (10 to <20% below FPL) 12 27.9 10 27.8 2 28.6 14 32.6 1,731 33.9 16 High poverty (≥30% below FPL) 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 8 2 4 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 9 2 4 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 1 3 30.2 12 33.3 1 14.3 7 16.3 384 7 16.3 384 7 Perinatal	0-59	5	11.6	4	11.1	1	14.3	11	25.6	1.671	32.7	29	35.4
Low poverty (<10% below FPL) 7 16.3 6 16.7 1 14.3 4 9.3 647 12.7 7 Medium poverty (10 to <20% below FPL) 12 27.9 10 27.8 2 28.6 14 32.6 1,731 33.9 16 High poverty (20 to <30% below FPL) 7 16.3 5 13.9 2 28.6 12 27.9 1,746 34.2 25 Very high poverty (≥30% below FPL) 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 25.6 876 17.1 10 2.2 16 TRANSMISSION CATEGORY Injection drug use history (IDU) 9 0 0.0 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 9 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 182 3.6 0		5		2	5.6	3	42.9	10					56.1
Low poverty (<10% below FPL) 7 16.3 6 16.7 1 14.3 4 9.3 647 12.7 7 Medium poverty (10 to <20% below FPL) 12 27.9 10 27.8 2 28.6 14 32.6 1,731 33.9 16 High poverty (20 to <30% below FPL) 7 16.3 5 13.9 2 28.6 12 27.9 1,746 34.2 25 Very high poverty (≥30% below FPL) 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 25.6 876 17.1 10 2.2 16 TRANSMISSION CATEGORY Injection drug use history (IDU) 9 0 0.0 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 9 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 182 3.6 0	DEA DASED DOVEDTY I EVEL												
Medium poverty (10 to <20% below FPL)		7	16.3	6	16.7	1	14.3	4	9.3	647	12 7	7	8.5
High poverty (20 to <30% below FPL) 17 39.5 15 41.7 2 28.6 12 27.9 1,746 34.2 25 Very high poverty (≥30% below FPL) 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 0 0.0 0 0.0 0 0.0 2 4.7 110 2.2 16 TRANSMISSION CATEGORY Injection drug use history (IDU) 0 0.0 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact Transgender people with sexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 182 3.6 0		12										16	19.5
Very high poverty (≥30% below FPL) 7 16.3 5 13.9 2 28.6 11 25.6 876 17.1 18 Area-based poverty level not available 0 0.0 0 0.0 0 0.0 2 4.7 110 2.2 16 TRANSMISSION CATEGORY Injection drug use history (IDU) 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact 24 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 <td></td> <td>30.5</td>													30.5
Area-based poverty level not available 0 0.0 0.0 0 0.0 2 4.7 110 2.2 16 TRANSMISSION CATEGORY Injection drug use history (IDU) 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact 24 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 182 3.6 0									-	, -			
TRANSMISSION CATEGORY Injection drug use history (IDU) 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact 24 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 0 0.0 0<		7	16.3	5		2	28.6			876			22.0
Injection drug use history (IDU) 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact 24 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 0 0.0 0 0.0 0 0 0.0 182 3.6 0	rea-based poverty level not available	0	0.0	0	0.0	0	0.0	2	4.7	110	2.2	16	19.5
Injection drug use history (IDU) 0 0.0 0 0.0 4 9.3 980 19.2 25 Heterosexual contact 24 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 0 0.0 0 0.0 0 0 0.0 182 3.6 0	RANSMISSION CATEGORY												
Héterosexual contact 24 55.8 20 55.6 4 57.1 23 53.5 2,502 49.0 38 Transgender people with sexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 0 0.0 0 0.0 0		0	0.0	0	0.0	0	0.0	4	9.3	980	19.2	25	30.5
Transgender people with sexual contact 13 30.2 12 33.3 1 14.3 7 16.3 384 7.5 3 Perinatal 0 0.0 0 0.0 0 0 0 0 0 182 3.6 0													46.3
Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 182 3.6 0													3.7
													0.0
													0.0
Unknown 6 14.0 4 11.1 2 28.6 9 20.9 1.048 20.5 16	· · · · · · ·											-	19.5

Table 1.5.7. Queens, men (includes transgender men)

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOS	ES, 2020	PWH AS (DEATHS	, 2020
				C	oncurrent w	ith AIDS			, _ , _ ,			
	Total HIV o	liagnoses	Withou	ıt AIDS	di	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	229	100.0	176	76.9	53	23.1	112	100.0	13,880	100.0	177	100.0
RACE/ETHNICITY												
Black	59	25.8	46	26.1	13	24.5	36	32.1	4,263	30.7	84	47.5
Latino/Hispanic	103	45.0	79	44.9	24	45.3	50	44.6	6,035	43.5	50	28.2
White	33	14.4	25	14.2	8	15.1	12	10.7	2,489	17.9	30	16.9
Asian/Pacific Islander	32	14.0	24	13.6	8	15.1	12	10.7	967	7.0	11	6.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	46	0.3	1	0.6
Multiracial	2	0.9	2	1.1	0	0.0	2	1.8	52	0.4	1	0.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	8	3.5	8	4.5	0	0.0	Ō	0.0	35	0.3	0	0.0
20-29	79	34.5	71	40.3	8	15.1	17	15.2	881	6.3	1	0.6
30-39	74	32.3	57	32.4	17	32.1	34	30.4	2.571	18.5	19	10.7
40-49	34	14.8	22	12.5	12	22.6	21	18.8	2,705	19.5	17	9.6
50-59	26	11.4	15	8.5	11	20.8	28	25.0	4,065	29.3	42	23.7
60+	8	3.5	3	1.7	5	9.4	12	10.7	3,621	26.1	98	55.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	65	28.4	56	31.8	9	17.0	28	25.0	5.187	37.4	37	20.9
Medium poverty (10 to <20% below FPL)	140	61.1	102	58.0	38	71.7	74	66.1	7,891	56.9	78	44.1
High poverty (20 to <30% below FPL)	24	10.5	18	10.2	6	11.3	9	8.0	669	4.8	20	11.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	5	2.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.9	133	1.0	37	20.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	151	65.9	121	68.8	30	56.6	62	55.4	8,462	61.0	74	41.8
Injection drug use history (IDU)	2	0.9	2	1.1	0	0.0	4	3.6	1,275	9.2	28	15.8
MSM-IDU	0	0.0	0	0.0	0	0.0	2	1.8	393	2.8	7	4.0
Heterosexual contact	6	2.6	4	2.3	2	3.8	9	8.0	1,230	8.9	27	15.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	172	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
Unknown	70	30.6	49	27.8	21	39.6	35	31.3	2,325	16.8	41	23.2

Table 1.5.8. Queens, women (includes transgender women)

		HIV	DIAGNO	OSES, 20)20		AIDS DIAGNOSE	ES, 2020	PWH AS 12/31/2		DEATHS	5, 2020
	Total HIV o	diagnasas	Mithou	ıt AIDS	Concurrent w							
	N	ilagrioses %	N	il AIDS %	N N	agnoses %		%	N	%	N	%
TOTAL	51	100.0	46	90.2	5	9.8		100.0	4,966	100.0	69	100.0
RACE/ETHNICITY												
Black	25	49.0	23	50.0	2	40.0	13	56.5	2,736	55.1	37	53.6
Latino/Hispanic	17	33.3	15	32.6	2	40.0		26.1	1,533	30.9	21	30.4
White	5	9.8	4	8.7	1	20.0		13.0	425	8.6	8	11.6
Asian/Pacific Islander	4	7.8	4	8.7	Ö	0.0		4.3	228	4.6	3	4.3
Native American	0	0.0	0	0.0	Ö	0.0		0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	Ö	0.0		0.0	18	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	•	0.0	14	0.4	0	0.0
OTIKIOWIT	U	0.0	U	0.0	U	0.0	U U	0.0	14	0.3	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	6	0.1	0	0.0
13-19	2	3.9	2	4.3	0	0.0		0.0	10	0.2	0	0.0
20-29	18	35.3	17	37.0	1	20.0	4	17.4	243	4.9	3	4.3
30-39	12	23.5	11	23.9	1	20.0	5	21.7	609	12.3	8	11.6
40-49	9	17.6	7	15.2	2	40.0	6	26.1	990	19.9	3	4.3
50-59	4	7.8	4	8.7	0	0.0	3	13.0	1,561	31.4	24	34.8
60+	6	11.8	5	10.9	1	20.0	5	21.7	1,547	31.2	31	44.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	18	35.3	18	39.1	0	0.0	5	21.7	1,743	35.1	12	17.4
Medium poverty (10 to <20% below FPL)	31	60.8	26	56.5	5	100.0		78.3	2,748	55.3	34	49.3
High poverty (20 to <30% below FPL)	2	3.9	2	4.3	ő	0.0		0.0	407	8.2	10	14.5
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0		0.0	0	0.0	1	1.4
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	68	1.4	12	17.4
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	8.7	585	11.8	10	14.5
Heterosexual contact	28	54.9	27	58.7	1	20.0		39.1	3,015	60.7	37	53.6
Transgender people with sexual contact	10	19.6	9	19.6	1	20.0		21.7	266	5.4	5	7.2
Perinatal	0	0.0	0	0.0	Ö	0.0		0.0	181	3.6	2	2.9
Other	Ö	0.0	0	0.0	ő	0.0		0.0	17	0.3	0	0.0
Unknown	13	25.5	10	21.7	3	60.0		30.4	902	18.2	15	21.7
OTHER DESIGNATION OF THE PROPERTY OF THE PROPE	10	20.0				- 00.0	· · · · · · · · · · · · · · · · · · ·	00.4	302	10.2	- 10	

Table 1.5.9. Staten Island, men (includes transgender men)

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOSES	5, 2020	PWH AS 12/31/20		DEATHS,	2020
				С	oncurrent with a	AIDS						
	Total HIV dia		Withou		diagn	oses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	23	100.0	18	78.3	5	21.7	17	100.0	1,642	100.0	34	100.0
RACE/ETHNICITY												
Black	10	43.5	9	50.0	1	20.0	5	29.4	593	36.1	14	41.2
Latino/Hispanic	4	17.4	4	22.2	0	0.0	5	29.4	480	29.2	8	23.5
White	4	17.4	1	5.6	3	60.0	6	35.3	517	31.5	12	35.3
Asian/Pacific Islander	3	13.0	3	16.7	0	0.0	0	0.0	30	1.8	0	0.0
Other/Unknown	2	8.7	1	5.6	1	20.0	1	5.9	22	1.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	30.4	6	33.3	1	20.0	2	11.8	112	6.8	0	0.0
30-39	10	43.5	8	44.4	2	40.0	5	29.4	253	15.4	1	2.9
40-49	2	8.7	1	5.6	1	20.0	4	23.5	262	16.0	4	11.8
50-59	3	13.0	2	11.1	1	20.0	4	23.5	490	29.8	5	14.7
60+	1	4.3	1	5.6	0	0.0	2	11.8	523	31.9	24	70.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	39.1	6	33.3	3	60.0	8	47.1	556	33.9	9	26.5
Medium poverty (10 to <20% below FPL)	14	60.9	12	66.7	2	40.0	9	52.9	1,075	65.5	20	58.8
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	5	14.7
TRANSMISSION CATEGORY		00.4		00.0		40.0		05.0	000	40.0		00.0
Men who have sex with men (MSM)	9	39.1	7	38.9	2	40.0	6	35.3	803	48.9	/	20.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	17.6	259	15.8	9	26.5
MSM-IDU	1	4.3	1	5.6 0.0	0	0.0	U	0.0 0.0	76 470	4.6	1	2.9 17.6
Heterosexual contact	0	0.0	0	0.0		0.0		0.0	170	10.4	6 0	
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		5.9	0	0.0 2.2	0	0.0
Perinatal Other	0	0.0	0	0.0	0	0.0		0.0	36 0	0.0	0	0.0
Unknown	13	56.5	10	55.6	3	60.0		41.2	298	18.1	11	32.4
UTIKTIOWIT	13	30.5	10	33.0	<u> </u>	00.0		41.2	290	10.1	11	3∠.4

Table 1.5.10. Staten Island, women (includes transgender women)

		HIV	DIAGN	OSES, 2020	1		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				Co	ncurrent with	h AIDS			12/31/20)ZU		
	Total HIV o	liagnoses	With	out AIDS		gnoses						
	N	%	N	%	N	°	N	%	N	%	N	%
TOTAL	7	100.0	7	100.0	0	0.0	1	100.0	896	100.0	20	100.0
RACE/ETHNICITY				20.0				400.0				
Black	2	28.6	2	28.6	0	0.0		100.0	425	47.4	15	75.0
Latino/Hispanic	3	42.9	3	42.9	0	0.0	0	0.0	262	29.2	2	10.0
White	1	14.3	1	14.3	0	0.0	0	0.0	195	21.8	3	15.0
Asian/Pacific Islander	1	14.3	1	14.3	0	0.0	0	0.0	6	0.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
20-29	1	14.3	1	14.3	0	0.0	0	0.0	38	4.2	1	5.0
30-39	2	28.6	2	28.6	Ö	0.0	0	0.0	129	14.4	0	0.0
40-49	3	42.9	3	42.9	Ö	0.0	1	100.0	166	18.5	2	10.0
50-59	1	14.3	1	14.3	Ö	0.0	Ö	0.0	305	34.0	7	35.0
60+	Ô	0.0	Ö	0.0	0	0.0	ő	0.0	253	28.2	10	50.0
ADEA DAGED DOVEDTY LEVEL												
AREA-BASED POVERTY LEVEL		14.3	4	14.3	0	0.0	0	0.0	070	31.1	2	10.0
Low poverty (<10% below FPL)		85.7	1	85.7	0	0.0	0	0.0	279 615	68.6	2 14	10.0
Medium poverty (10 to <20% below FPL)	6		6		0		1	100.0				70.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	3	15.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	133	14.8	5	25.0
Heterosexual contact	4	57.1		57.1		0.0	1	100.0	536	59.8		25.0
	4		4		0		1				12	60.0
Transgender people with sexual contact	· · · · · · · · · · · · · · · · · · ·	14.3	1	14.3	0	0.0	0	0.0	44	4.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	38	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	2	28.6	2	28.6	0	0.0	0	0.0	140	15.6	3	15.0

Table 1.6.1. Men who have sex with men (MSM)

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				С	oncurrent w	ith AIDS			12/31/20	20		ľ
	Total HIV di	agnoses	Withou			iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	737	100.0	620	84.1	117	15.9	411	100.0	59,176	100.0	631	100.0
RACE/ETHNICITY												
Black	272	36.9	236	38.1	36	30.8	163	39.7	18,407	31.1	231	36.6
Latino/Hispanic	299	40.6	253	40.8	46	39.3	138	33.6	18,885	31.9	170	26.9
White	116	15.7	93	15.0	23	19.7	82	20.0	19,335	32.7	208	33.0
Asian/Pacific Islander	42	5.7	32	5.2	10	8.5	19	4.6	1,972	3.3	15	2.4
Native American	1	0.1	1	0.2	0	0.0	2	0.5	146	0.2	1	0.2
Multiracial	7	0.9	5	0.8	2	1.7	7	1.7	358	0.6	5	8.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	73	0.1	1	0.2 0.8 0.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	42	5.7	40	6.5	2	1.7	3	0.7	87	0.1	0	0.0
20-29	308	41.8	278	44.8	30	25.6	93	22.6	5,086	8.6	19	3.0
30-39	253	34.3	207	33.4	46	39.3	153	37.2	14,235	24.1	71	11.3
40-49	73	9.9	59	9.5	14	12.0	63	15.3	11,900	20.1	88	13.9
50-59	50	6.8	29	4.7	21	17.9	66	16.1	16,213	27.4	189	30.0
60+	11	1.5	7	1.1	4	3.4	33	8.0	11,655	19.7	264	41.8
BOROUGH OF RESIDENCE												
Bronx	136	18.5	120	19.4	16	13.7	82	20.0	9,056	15.3	102	16.2
Brooklyn	204	27.7	163	26.3	41	35.0	96	23.4	11,647	19.7	100	15.8
Manhattan	154	20.9	134	21.6	20	17.1	101	24.6	19,938	33.7	152	24.1
Queens	151	20.5	121	19.5	30	25.6	62	15.1	8,462	14.3	74	11.7
Staten Island	9	1.2	7	1.1	2	1.7	6	1.5	803	1.4	7	1.1
Outside NYC	58	7.9	50	8.1	8	6.8	61	14.8	8,142	13.8	23	3.6
Unknown	25	3.4	25	4.0	0	0.0	3	0.7	1,128	1.9	173	27.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	78	10.6	66	10.6	12	10.3	45	10.9	10,271	17.4	72	11.4
Medium poverty (10 to <20% below FPL)	259	35.1	212	34.2	47	40.2	149	36.3	21,125	35.7	133	21.1
High poverty (20 to <30% below FPL)	196	26.6	160	25.8	36	30.8	94	22.9	10,568	17.9	79	12.5
Very high poverty (≥30% below FPL)	119	16.1	106	17.1	13	11.1	56	13.6	7,541	12.7	87	13.8
Area-based poverty level not available	85	11.5	76	12.3	9	7.7	67	16.3	9.671	16.3	260	41.2
Area-vaseu poverty level flot available	00	11.5	70	12.3	9	7.1	07	10.3	9,071	10.3	200	41.2

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

		HIV	DIAGNO	SES, 20	20		AIDS DIAGNOSES, 202	0	PWH AS 12/31/20		DEATHS	, 2020
	Total HIV d	aanoses	Withou		oncurrent with	n AIDS anoses						
	N	%	N	%	N N	%	N	%	N	%	N	%
TOTAL	14	100.0	13	92.9	1	7.1	39 10		9,534	100.0	422	100.0
RACE/ETHNICITY												
Black	4	28.6	4	30.8	0	0.0		3.2	3,818	40.0	203	48.1
Latino/Hispanic	6	42.9	5	38.5	1	100.0		1.5	4,547	47.7	167	39.6
White	3	21.4	3	23.1	0	0.0		7.7	1,075	11.3	46	10.9
Asian/Pacific Islander	1	7.1	1	7.7	0	0.0		2.6	60	0.6	3	0.7
Native American	0	0.0	0	0.0	0	0.0		0.0	15	0.2	2	0.5 0.2 0.0
Multiracial	0	0.0	0	0.0	0	0.0		0.0	14	0.1	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
20-29	2	14.3	2	15.4	0	0.0		2.6	20	0.2	0	0.0
30-39	5	35.7	4	30.8	1	100.0		2.8	169	1.8	4	0.9
40-49	3	21.4	3	23.1	0	0.0		5.4	545	5.7	17	4.0
50-59	2	14.3	2	15.4	0	0.0		3.3	2,694	28.3	107	25.4
60+	2	14.3	2	15.4	0	0.0	14 3	5.9	6,106	64.0	294	69.7
BOROUGH OF RESIDENCE												
Bronx	6	42.9	6	46.2	0	0.0		3.6	3,087	32.4	153	36.3
Brooklyn	0	0.0	0	0.0	0	0.0	8 2	0.5	2,116	22.2	94	22.3
Manhattan	3	21.4	2	15.4	1	100.0		0.3	1,995	20.9	62	14.7
Queens	2	14.3	2	15.4	0	0.0		0.3	1,275	13.4	28	6.6
Staten Island	0	0.0	0	0.0	0	0.0	3	7.7	259	2.7	9	2.1
Outside NYC	2	14.3	2	15.4	0	0.0		7.7	771	8.1	11	2.6
Unknown	1	7.1	1	7.7	0	0.0	0	0.0	31	0.3	65	15.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	14.3	2	15.4	0	0.0		2.8	1,208	12.7	17	4.0
Medium poverty (10 to <20% below FPL)	3	21.4	2	15.4	1	100.0	9 2	3.1	2,556	26.8	79	18.7
High poverty (20 to <30% below FPL)	2	14.3	2	15.4	0	0.0	6 1	5.4	2,027	21.3	61	14.5
Very high poverty (≥30% below FPL)	4	28.6	4	30.8	0	0.0	15 3	3.5	2,715	28.5	129	30.6
Area-based poverty level not available	3	21.4	3	23.1	0	0.0		0.3	1,028	10.8	136	32.2

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

		HIV	DIAGNO	OSES, 2020)		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
					ncurrent w				12/01/20	,		
	Total HIV d	iagnoses %	Witho N	out AIDS %	di N	agnoses %		%	N	%	N	%
TOTAL	3	100.0	2	66.7	1	33.3		100.0	5,255	100.0	207	100.0
RACE/ETHNICITY												
Black	1	33.3	1	50.0	0	0.0		31.0	2,511	47.8	102	49.3
Latino/Hispanic	2	66.7	1	50.0	1	100.0	15	51.7	2,103	40.0	77	37.2
White	0	0.0	0	0.0	0	0.0	5	17.2	599	11.4	26	12.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	1	0.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	1	0.5 0.0
Multiracial	0	0.0	0	0.0	0	0.0		0.0	16	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0		0.0	36	0.7	0	0.0
30-39	3	100.0	2	100.0	1	100.0		20.7	178	3.4	6	2.9 9.2
40-49	0	0.0	0	0.0	0	0.0	7	24.1	525	10.0	19	9.2
50-59	0	0.0	0	0.0	0	0.0		27.6	2,013	38.3	74	35.7 52.2
60+	0	0.0	0	0.0	0	0.0	8	27.6	2,503	47.6	108	52.2
BOROUGH OF RESIDENCE												
Bronx	2	66.7	1	50.0	1	100.0		58.6	1,900	36.2	89	43.0
Brooklyn	1	33.3	1	50.0	0	0.0	6	20.7	1,304	24.8	42	20.3
Manhattan	0	0.0	0	0.0	0	0.0	4	13.8	980	18.6	25	12.1
Queens	0	0.0	0	0.0	0	0.0		6.9	585	11.1	10	4.8
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	133	2.5	5	2.4
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	343	6.5	4	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	32	15.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0		10.3	495	9.4	4	1.9
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0		17.2	1,383	26.3	42	20.3
High poverty (20 to <30% below FPL)	1	33.3	1	50.0	0	0.0	6	20.7	1,329	25.3	36	17.4
Very high poverty (≥30% below FPL)	2	66.7	1	50.0	1	100.0	15	51.7	1,635	31.1	62	30.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		0.0	413	7.9	63	30.4
Vica-nased hoverth level tint available	- 0	0.0	U	0.0	U	0.0	U	0.0	413	1.9	- 03	30.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2020 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2020, NEW YORK CITY Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

		HIV	DIAGNO	OSES, 2020	1		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
	Total HIV di	agnoses	Witho	Co. out AIDS	ncurrent wit	th AIDS			12/01/20	,20		
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	11	100.0	11	100.0	0	0.0	17	100.0	3,586	100.0	103	100.0
RACE/ETHNICITY												
Black	4	36.4	4	36.4	0	0.0	10	58.8	1,263	35.2	38	36.9
Latino/Hispanic	5	45.5	5	45.5	0	0.0	5	29.4	1,354	37.8	42	40.8
White	2	18.2	2	18.2	0	0.0	2	11.8	878	24.5	22	21.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	51	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	1	1.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	27	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	6	54.5	6	54.5	0	0.0		0.0	156	4.4	2	1.9
30-39	3	27.3	3	27.3	0	0.0		41.2	605	16.9	4	3.9
40-49	0	0.0	0	0.0	0	0.0		11.8	648	18.1	10	9.7
50-59	1	9.1	1	9.1	Õ	0.0		29.4	1.142	31.8	33	32.0
60+	1	9.1	1	9.1	Ő	0.0		17.6	1,033	28.8	54	32.0 52.4
BOROUGH OF RESIDENCE												
Bronx	2	18.2	2	18.2	0	0.0	5	29.4	947	26.4	27	26.2
Brooklyn	3	27.3	3	27.3	0	0.0		17.6	725	20.2	21	20.4
Manhattan	5	45.5	5	45.5	Ö	0.0		29.4	1,048	29.2	16	15.5
Queens	0	0.0	0	0.0	Ö	0.0		11.8	393	11.0	7	6.8
Staten Island	1	9.1	1	9.1	0	0.0		0.0	76	2.1	1	1.0
Outside NYC	Ö	0.0	Ó	0.0	0	0.0		0.0	384	10.7	4	3.9
Unknown	Ö	0.0	Ö	0.0	0	0.0		11.8	13	0.4	27	26.2
AREA-BASED POVERTY LEVEL		40.0	2	40.0	0	0.0		44.0	E0.4	4.4	7	
Low poverty (<10% below FPL)	2	18.2	2	18.2	0	0.0		11.8	504	14.1	7	6.8
Medium poverty (10 to <20% below FPL)	3	27.3	3	27.3	0	0.0		23.5	1,131	31.5	18	17.5
High poverty (20 to <30% below FPL)	2	18.2	2	18.2	0	0.0	3	17.6	737	20.6	19	18.4
Very high poverty (≥30% below FPL)	4	36.4	4	36.4	0	0.0	6	35.3	795	22.2	21	20.4
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	2	11.8	419	11.7	38	36.9

Table 1.6.5. Heterosexual contact, men

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOSES	5, 2020	PWH AS 12/31/20		DEATHS	, 2020
				С	oncurrent with	h AIDS			12/01/20			1
	Total HIV d	iagnoses	Withou	ıt AIDS	diac	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	27	100.0	18	66.7	9	33.3	51	100.0	7,055	100.0	229	100.0
RACE/ETHNICITY												
Black	15	55.6	10	55.6	5	55.6	30	58.8	3,826	54.2	136	59.4
Latino/Hispanic	8	29.6	6	33.3	2	22.2	15	29.4	2,377	33.7	75	32.8
White	4	14.8	2	11.1	2	22.2	4	7.8	580	8.2	14	6.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0		3.9	227	3.2	3	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.3	Ö	0.0
Multiracial	0	0.0	0	0.0	Ö	0.0	0	0.0	16	0.2	1	0.4
Unknown	Ö	0.0	Ő	0.0	ő	0.0		0.0	5	0.1	0	0.4 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.7	1	5.6	0	0.0		0.0	2	0.0	0	0.0
20-29	7	25.9	6	33.3	1	11.1		7.8	111	1.6	1	0.4
30-39	9	33.3	6	33.3	3	33.3		13.7	492	7.0	7	3.1
40-49	2	33.3 7.4	2	33.3 11.1	0	0.0	7 12	23.5	1.078		,	9.6
	-									15.3	22	
50-59	6	22.2	2	11.1	4	44.4	16	31.4	2,758	39.1	69	30.1
60+	2	7.4	1	5.6	1	11.1	12	23.5	2,614	37.1	130	56.8
BOROUGH OF RESIDENCE												
Bronx	9	33.3	6	33.3	3	33.3		25.5	2,035	28.8	64	27.9
Brooklyn	6	22.2	5	27.8	1	11.1	12	23.5	1,787	25.3	65	28.4
Manhattan	4	14.8	3	16.7	1	11.1	8	15.7	1,065	15.1	33	14.4
Queens	6	22.2	4	22.2	2	22.2	9	17.6	1,230	17.4	27	11.8
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	170	2.4	6	2.6
Outside NYC	2	7.4	0	0.0	2	22.2	8	15.7	723	10.2	7	3.1
Unknown	0	0.0	0	0.0	0	0.0	1	2.0	45	0.6	27	11.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	11.1	3	16.7	0	0.0	3	5.9	838	11.9	14	6.1
Medium poverty (10 to <20% below FPL)	8	29.6	6	33.3	2	22.2		27.5	2,256	32.0	63	27.5
High poverty (20 to <30% below FPL)	5	18.5	4	22.2	1	11.1		19.6	1,485	21.0	43	18.8
							-		1			
Very high poverty (≥30% below FPL)	9	33.3	5	27.8	4	44.4	15	29.4	1,669	23.7	54	23.6
Area-based poverty level not available	2	7.4	0	0.0	2	22.2	9	17.6	807	11.4	55	24.0

Table 1.6.6. Heterosexual contact, women

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS (DEATHS	, 2020
				С	oncurrent w	ith AIDS			12/01/20/			
	Total HIV di	agnoses	Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	191	100.0	153	80.1	38	19.9	147	100.0	20,103	100.0	358	100.0
RACE/ETHNICITY												
Black	113	59.2	86	56.2	27	71.1	94	63.9	11,903	59.2	228	63.7
Latino/Hispanic	60	31.4	52	34.0	8	21.1	41	27.9	6,444	32.1	101	28.2
White	12	6.3	10	6.5	2	5.3	7	4.8	1,295	6.4	20	5.6
Asian/Pacific Islander	4	2.1	3	2.0	1	2.6	5	3.4	343	1.7	2	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	4	1.1
Multiracial	2	1.0	2	1.3	0	0.0	0	0.0	60	0.3	3	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	8	4.2	7	4.6	1	2.6	1	0.7	18	0.1	0	0.0
20-29	38	19.9	36	23.5	2	5.3	8	5.4	615	3.1	3	8.0
30-39	54	28.3	45	29.4	9	23.7	39	26.5	2,507	12.5	16	4.5
40-49	33	17.3	23	15.0	10	26.3	31	21.1	4.317	21.5	48	13.4
50-59	42	22.0	34	22.2	8	21.1	37	25.2	6.770	33.7	91	25.4
60+	16	8.4	8	5.2	8	21.1	31	21.1	5,876	29.2	200	55.9
BOROUGH OF RESIDENCE												
Bronx	57	29.8	47	30.7	10	26.3	50	34.0	6,558	32.6	115	32.1
Brooklyn	67	35.1	47	30.7	20	52.6	53	36.1	5,772	28.7	78	21.8
Manhattan	24	12.6	20	13.1	4	10.5	23	15.6	2,502	12.4	38	10.6
Queens	28	14.7	27	17.6	1	2.6		6.1	3,015	15.0	37	10.3
Staten Island	4	2.1	4	2.6	0	0.0	1	0.7	536	2.7	12	3.4
Outside NYC	7	3.7	4	2.6	3	7.9	10	6.8	1,587	7.9	11	3.1
Unknown	4	2.1	4	2.6	0	0.0		0.7	133	0.7	67	18.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	25	13.1	22	14.4	3	7.9	10	6.8	2.022	10.1	12	3.4
Medium poverty (10 to <20% below FPL)	55	28.8	45	29.4	10	26.3	41	27.9	6,352	31.6	79	22.1
High poverty (20 to <30% below FPL)	44	23.0	33	21.6	11	28.9		23.8	4,732	23.5	59	16.5
Very high poverty (≥30% below FPL)	56	29.3	45	29.4	11	28.9	49	33.3	5,193	25.8	86	24.0
Area-based poverty level not available	11	5.8	8	5.2	3	7.9		8.2	1,804	9.0	122	34.1
Mica-based poverty level flut available		J.0	- 0	J.Z		1.9	12	0.2	1,004	9.0	144	J4. I

Table 1.6.7. Transgender people with sexual contact

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
	Total I IIV (a)		14/:4/		oncurrent wit							
	Total HIV d	agnoses %	Withou N	It AIDS %	aia N	agnoses %	N	%	N	%	N	%
TOTAL	54	100.0	52	96.3	2	3.7	22	100.0	2,103	100.0	35	100.0
GENDER												
Men	_1	1.9	_1	1.9	0	0.0	0	0.0	28	1.3	0	0.0
Women	53	98.1	51	98.1	2	100.0	22	100.0	2,075	98.7	35	100.0
RACE/ETHNICITY												
Black	26	48.1	25	48.1	1	50.0	10	45.5	1,056	50.2	20	57.1
Latino/Hispanic White	27 0	50.0 0.0	26 0	50.0 0.0	1 0	50.0 0.0	11 0	50.0 0.0	837 125	39.8 5.9	11 1	31.4
Asian/Pacific Islander	1	1.9	1	1.9	Ö	0.0	1	4.5	44	2.1	2	2.9 5.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	33	1.6	1	2.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 20-29	2 32	3.7 59.3	2 30	3.8 57.7	0 2	0.0	0 9	0.0 40.9	11 466	0.5 22.2	0 3	0.0 8.6
30-39	11	20.4	11	21.2	0	0.0	7	31.8	807	38.4	12	34.3
40-49	7	13.0	7	13.5	0	0.0	5	22.7	469	22.3	10	28.6
50-59	2	3.7	2	3.8	0	0.0	1	4.5	275	13.1	7	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	75	3.6	3	8.6
BOROUGH OF RESIDENCE												
Bronx	17	31.5	17	32.7	0	0.0	3	13.6	687	32.7	9	25.7
Brooklyn Manhattan	5 13	9.3 24.1	5 12	9.6 23.1	0	0.0 50.0	2 7	9.1 31.8	438 387	20.8 18.4	8 3	22.9 8.6
Queens	10	18.5	9	17.3	i	50.0	5	22.7	268	12.7	5	14.3
Staten Island	1	1.9	1	1.9	0	0.0	0	0.0	44	2.1	0	0.0
Outside NYC	5	9.3	5	9.6	0	0.0	3	13.6	183	8.7	2	5.7
Unknown	3	5.6	3	5.8	0	0.0	2	9.1	96	4.6	8	22.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	18.5	9	17.3	1	50.0	2	9.1	197	9.4	2	5.7
Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	12 11	22.2 20.4	11 11	21.2 21.2	1 0	50.0 0.0	8 3	36.4 13.6	591 473	28.1 22.5	8 3	22.9 8.6
Very high poverty (≥30% below FPL)	13	24.1	13	25.0	0	0.0	3	13.6	556	26.4	8	22.9
Area-based poverty level not available	8	14.8	8	15.4	0	0.0	6	27.3	286	13.6	14	40.0

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	OSES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent w	ith AIDS						
	Total HIV di			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	4	100.0	3	75.0	1	25.0	6	100.0	796	100.0	18	100.0
GENDER												
Men	3	75.0	2	66.7	1	100.0	6	100.0	548	68.8	13	72.2
Women	1	25.0	1	33.3	Ô	0.0	0	0.0	248	31.2	5	27.8
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	3	50.0	264	33.2	6	33.3
Latino/Hispanic	3	75.0	2	66.7	1	100.0	2	33.3	368	46.2	8	44.4
White	1	25.0	1	33.3	0	0.0	1	16.7	144	18.1	4	22.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0 0.0
20-29	2	50.0	1	33.3	1	100.0	2	33.3	39	4.9	0	0.0
30-39	1	25.0	1	33.3	0	0.0	1	16.7	149	18.7	0	0.0
40-49	1	25.0	1	33.3	0	0.0	1	16.7	115	14.4	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	242	30.4	5	27.8
60+	0	0.0	0	0.0	0	0.0	2	33.3	247	31.0	13	72.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	50.0	1	33.3	1	100.0	3	50.0	339	42.6	4	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	16.7	100	12.6	5	27.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	179	22.5	2	11.1
Transgender people with sexual contact	1	25.0	1	33.3	0	0.0	0	0.0	10	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	25.0	1	33.3	0	0.0	2	33.3	130	16.3	7	38.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)

		HIV	DIAGNO	SES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
				С	oncurrent with .	AIDS			12/01/20			
	Total HIV di		Withou		diagr							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	29	100.0	25	86.2	4	13.8	27	100.0	2,797	100.0	57	100.0
GENDER												
Men	18	62.1	16	64.0	2	50.0	17	63.0	1.615	57.7	39	68.4
Women	11	37.9	9	36.0	2	50.0	10	37.0	1,182	42.3	18	31.6
RACE/ETHNICITY												
Black	15	51.7	12	48.0	3	75.0	22	81.5	1,804	64.5	39	68.4
Latino/Hispanic	13	44.8	12	48.0	1	25.0	5	18.5	842	30.1	15	26.3
White	1	3.4	1	4.0	0	0.0	0	0.0	105	3.8	3	5.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	27	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	3.4	1	4.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	3.4	1	4.0	0	0.0	0	0.0	8	0.3	0	0.0
20-29	8	27.6	8	32.0	0	0.0	3	11.1	187	6.7	0	0.0
30-39	9	31.0	8	32.0	1	25.0	8	29.6	493	17.6	3	5.3
40-49	4	13.8	3	12.0	1	25.0	4	14.8	491	17.6	5	8.8
50-59	3	10.3	2	8.0	1	25.0	6	22.2	846	30.2	24	42.1
60+	3	10.3	2	8.0	1	25.0	6	22.2	770	27.5	25	43.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	13	44.8	11	44.0	2	50.0	10	37.0	753	26.9	8	14.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	7.4	294	10.5	19	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	72	2.6	5	8.8
Heterosexual contact	9	31.0	7	28.0	2	50.0	9	33.3	961	34.4	14	24.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	38	1.4	1	1.8
Perinatal	1	3.4	1	4.0	0	0.0	1	3.7	97	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	20.7	6	24.0	0	0.0	5	18.5	582	20.8	10	17.5

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	OSES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
				С	oncurrent with	h AIDS			12/31/20	,20		
	Total HIV di			ıt AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	54	100.0	43	79.6	11	20.4	44	100.0	5,985	100.0	110	100.0
GENDER												
Men	40	74.1	33	76.7	7	63.6	26	59.1	3,921	65.5	63	57.3
Women	14	25.9	10	23.3	4	36.4	18	40.9	2,064	34.5	47	42.7
RACE/ETHNICITY												
Black	23	42.6	17	39.5	6	54.5	21	47.7	2,731	45.6	58	52.7
Latino/Hispanic	27	50.0	24	55.8	3	27.3	18	40.9	2,894	48.4	44	40.0
White	3	5.6	1	2.3	2	18.2	3	6.8	286	4.8	8	7.3
Asian/Pacific Islander	1	1.9	1	2.3	0	0.0	1	2.3	43	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	2.3	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	3.7	2	4.7	0	0.0	0	0.0	13	0.2	0	0.0
20-29	19	35.2	17	39.5	2	18.2	7	15.9	396	6.6	1	0.9
30-39	15	27.8	12	27.9	3	27.3	14	31.8	1,055	17.6	5	4.5
40-49	6	11.1	3	7.0	3	27.3	6	13.6	1,125	18.8	17	15.5
50-59	6	11.1	5	11.6	1	9.1	8	18.2	1,829	30.6	30	27.3
60+	6	11.1	4	9.3	2	18.2	9	20.5	1,566	26.2	57	51.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	25	46.3	22	51.2	3	27.3	16	36.4	2,040	34.1	15	13.6
Injection drug use history (IDU)	1	1.9	1	2.3	0	0.0	4	9.1	906	15.1	25	22.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	182	3.0	6	5.5
Heterosexual contact	10	18.5	6	14.0	4	36.4	12	27.3	1,485	24.8	35	31.8
Transgender people with sexual contact	5	9.3	5	11.6	0	0.0	0	0.0	155	2.6	2	1.8
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	126	2.1	2	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	13	24.1	9	20.9	4	36.4	11	25.0	1,084	18.1	25	22.7

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				C	oncurrent with A	NDS			12/01/20			
	Total HIV di		Withou		diagno							
TOTAL	N 58	% 400.0	N 48	%	N	47.0	N 33	% 400.0	N	%	N 74	%
TOTAL	58	100.0	48	82.8	10	17.2	33	100.0	4,498	100.0	74	100.0
GENDER												
Men	48	82.8	39	81.3	9	90.0	16	48.5	2,810	62.5	48	64.9
Women	10	17.2	9	18.8	1	10.0	17	51.5	1,688	37.5	26	35.1
RACE/ETHNICITY												
Black	25	43.1	20	41.7		50.0	14	42.4	1,860	41.4	34	45.9
Latino/Hispanic	26	44.8	21	43.8		50.0	18	54.5	2,277	50.6	38	51.4
White	6	10.3	6	12.5	0	0.0	1	3.0	295	6.6	2	2.7
Asian/Pacific Islander	1	1.7	1	2.1	0	0.0	0	0.0	43	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	5	8.6	4	8.3		10.0	1_	3.0	16	0.4	0	0.0
20-29	21	36.2	20	41.7		10.0	5	15.2	274	6.1	0	0.0
30-39	15	25.9	12	25.0		30.0	/	21.2	693	15.4	7	9.5
40-49 50-59	10	17.2	8 4	16.7		20.0	8	24.2	720	16.0	9 17	12.2 23.0
60+	5 2	8.6 3.4	0	8.3 0.0		10.0 20.0	8	12.1 24.2	1,450 1,345	32.2 29.9	41	55.4
00+	2	3.4	U	0.0	2	20.0	O	24.2	1,345	29.9	41	55.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	31	53.4	26	54.2		50.0	10	30.3	1,313	29.2	9	12.2
Injection drug use history (IDU)	2	3.4	2	4.2	0	0.0	2	6.1	690	15.3	24	32.4 2.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	112	2.5	2	2.7
Heterosexual contact	7	12.1	5	10.4		20.0	10	30.3	1,253	27.9	22	29.7
Transgender people with sexual contact	2	3.4	2	4.2	0	0.0	1	3.0	57	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	6.1	142	3.2	1	1.4
Other	0 16	0.0	0 13	0.0	0	0.0	1 7	3.0	12 919	0.3	1	1.4
Unknown	16	27.6	13	27.1	3	30.0		21.2	919	20.4	15	20.3

Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	OSES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent with	AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	59	100.0	52	88.1	7	11.9	60	100.0	6,501	100.0	176	100.0
GENDER												
Men	42	71.2	38	73.1	4	57.1	43	71.7	4,004	61.6	111	63.1
Women	17	28.8	14	26.9	3	42.9	17	28.3	2,497	38.4	65	36.9
Women	• •	20.0		20.0	O .	72.0	.,,	20.0	2,401	JU1	00	00.0
RACE/ETHNICITY												
Black	27	45.8	24	46.2	3	42.9	30	50.0	3,147	48.4	82	46.6
Latino/Hispanic	29	49.2	26	50.0	3	42.9	27	45.0	3,083	47.4	87	49.4
White	1	1.7	1	1.9	0	0.0	2	3.3	195	3.0	5	2.8 0.6 0.6
Asian/Pacific Islander	2	3.4	1	1.9	1	14.3	1	1.7	43	0.7	1	0.6
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	33	0.5	1	0.6
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0 0.0 1.7
13-19	2	3.4	2	3.8	0	0.0	0	0.0	25	0.4	0	0.0
20-29	16	27.1	16	30.8	0	0.0	6	10.0	449	6.9	3	1.7
30-39	22	37.3	18	34.6	4	57.1	16	26.7	1,170	18.0	9	5.1
40-49	7	11.9	6	11.5	1	14.3	13	21.7	1,165	17.9	19	10.8
50-59	6	10.2	5	9.6	1	14.3	18	30.0	1,957	30.1	56	31.8
60+	6	10.2	5	9.6	1	14.3	7	11.7	1,729	26.6	89	50.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	26	44.1	23	44.2	3	42.9	21	35.0	1,802	27.7	26	14.8
Injection drug use history (IDU)	3	5.1	3	5.8	0	0.0	10	16.7	1,140	17.5	68	38.6 1.7
MSM-IDU	0	0.0	0	0.0	0	0.0	2	3.3	222	3.4	3	1.7
Heterosexual contact	12	20.3	10	19.2	2	28.6	15	25.0	1,825	28.1	47	26.7
Transgender people with sexual contact	5	8.5	5	9.6	0	0.0	0	0.0	192	3.0	5	2.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	170	2.6	2	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	13	22.0	11_	21.2	2	28.6	12	20.0	1,147	17.6	25	14.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

Men includes transgender men and women includes transgender women.

Table 1.7.6. High Bridge - Morrisania (Bronx)

		HIV	DIAGNO	OSES, 20	20		AIDS DIAGNOS	ES, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent wi							1
	Total HIV d		Withou			agnoses						
TOTAL	N	%	N	%	N	40.0	N	%	N	%	N	%
TOTAL	60	100.0	49	81.7	11	18.3	46	100.0	6,355	100.0	174	100.0
GENDER								_				
Men	40	66.7	32	65.3	8	72.7	28	60.9	3,995	62.9	106	60.9
Women	20	33.3	17	34.7	3	27.3	18	39.1	2,360	37.1	68	39.1
							-		,			
RACE/ETHNICITY												
Black	35	58.3	28	57.1	7	63.6	26	56.5	3,290	51.8	91	52.3
Latino/Hispanic	21	35.0	19	38.8	2	18.2	16	34.8	2,783	43.8	71	40.8
White	4	6.7	2	4.1	2	18.2	4	8.7	211	3.3	7	4.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	29	0.5	2	1.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	1	0.6 1.1
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	2	1.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	6.7	4	8.2	0	0.0	0	0.0	23	0.4	0	0.0
20-29	16	26.7	16	32.7	0	0.0	6	13.0	392	6.2	2	1.1
30-39	19	31.7	17	34.7	2	18.2	11	23.9	1,025	16.1	8	4.6
40-49	11	18.3	7	14.3	4	36.4	12	26.1	1,128	17.7	19	10.9
50-59	7	11.7	4	8.2	3	27.3	11	23.9	1,975	31.1	52	29.9
60+	3	5.0	1	2.0	2	18.2	6	13.0	1,810	28.5	93	53.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	23	38.3	22	44.9	1	9.1	11	23.9	1,704	26.8	32	18.4
Injection drug use history (IDU)	1	1.7	1	2.0	0	0.0	4	8.7	1,090	17.2	68	39.1
MSM-IDU	0	0.0	0	0.0	0	0.0	3	6.5	206	3.2	7	4.0
Heterosexual contact	18	30.0	15	30.6	3	27.3	15	32.6	1,755	27.6	42	24.1
Transgender people with sexual contact	3	5.0	3	6.1	0	0.0	1	2.2	118	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	163	2.6	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	15	25.0	8	16.3	7	63.6	12	26.1	1,311	20.6	24	13.8

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HI		DIAGNO	OSES, 20	20		AIDS DIAGNOSE	ES, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					concurrent with	th AIDS						
	Total HIV d		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	40	100.0	37	92.5	3	7.5	31	100.0	4,051	100.0	82	100.0
GENDER												
Men	27	67.5	25	67.6	2	66.7	20	64.5	2,496	61.6	52	63.4
Women	13	32.5	12	32.4	1	33.3	11	35.5	1,555	38.4	30	36.6
Tromon	.0	02.0		02.1	•	00.0	• •	00.0	1,000	00.1	00	00.0
RACE/ETHNICITY												
Black	16	40.0	15	40.5	1	33.3	10	32.3	1,801	44.5	33	40.2
Latino/Hispanic	22	55.0	20	54.1	2	66.7	19	61.3	2,040	50.4	46	56.1
White	2	5.0	2	5.4	0	0.0	1	3.2	167	4.1	3	3.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.2	22	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	3	7.5	2	5.4	1	33.3	1	3.2	11	0.3	0	0.0
20-29	16	40.0	16	43.2	0	0.0	4	12.9	284	7.0	3	3.7
30-39	10	25.0	8	21.6	2	66.7	10	32.3	749	18.5	7	8.5
40-49	5	12.5	5	13.5	0	0.0	3	9.7	737	18.2	7	8.5
50-59	6	15.0	6	16.2	0	0.0	7	22.6	1,181	29.2	27	32.9
60+	0	0.0	0	0.0	0	0.0	6	19.4	1,086	26.8	38	46.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	16	40.0	15	40.5	1	33.3	11	35.5	1,095	27.0	8	9.8
Injection drug use history (IDU)	1	2.5	0	0.0	1	33.3	11	35.5	717	17.7	32	39.0
MSM-IDU	2	5.0	2	5.4	0	0.0	0	0.0	135	3.3	4	4.9
Heterosexual contact	10	25.0	10	27.0	0	0.0	2	6.5	1,126	27.8	17	20.7
Transgender people with sexual contact	1	2.5	1	2.7	0	0.0	1	3.2	117	2.9	1	1.2
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	126	3.1	2	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	10	25.0	9	24.3	1	33.3	5	16.1	730	18.0	18	22.0

Table 1.8.1. Greenpoint (Brooklyn)

		HIV	DIAGNO	SES, 20	20		AIDS DIAGNOSES,	2020	PWH AS 12/31/20		DEATHS	, 2020
					Concurrent with I							
	Total HIV di		Withou		diagn	oses		0.4		24		
TOTAL	N 11	% 100.0	N 9	% 81.8	N 2	% 18.2	N 4	% 100.0	N 917	100.0	N 9	% 100.0
TOTAL		100.0	9	01.0		10.2	4	100.0	917	100.0	9	100.0
GENDER												
Men	9	81.8	7	77.8	2	100.0	4	100.0	744	81.1	7	77.8
Women	2	18.2	2	22.2	0	0.0	0	0.0	173	18.9	2	22.2
RACE/ETHNICITY												
Black	5	45.5	4	44.4	1	50.0	2	50.0	148	16.1	2 5	22.2
Latino/Hispanic	3	27.3	2	22.2	1	50.0	2	50.0	416	45.4		55.6
White	3	27.3	3	33.3	0	0.0	0	0.0	329	35.9	2	22.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	18.2	2	22.2	0	0.0	0	0.0	54	5.9	0	0.0
30-39	6	54.5	5	55.6	1	50.0	1	25.0	218	23.8	1	11.1
40-49	1	9.1	0	0.0	1	50.0	2	50.0	188	20.5	2	22.2
50-59 60+	1	9.1 9.1	1	11.1 11.1	0	0.0	0	0.0	263 194	28.7 21.2	3 3	33.3 33.3
00+	1	9.1	'	11.1	U	0.0	ı	25.0	194	21.2	3	33.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	5	45.5	4	44.4	1	50.0	2	50.0	522	56.9	3	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	100	10.9	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	27	2.9	2	22.2
Heterosexual contact	1	9.1	1	11.1	0	0.0	0	0.0	119	13.0	1	11.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	1.3	1	11.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	1	11.1
Unknown	5	45.5	4	44.4	1	50.0	2	50.0	125	13.6	1	11.1

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HI		DIAGNO	SES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent with	AIDS						
	Total HIV di		Withou			gnoses						
TOTAL	N	%	N	%	<u>N</u>	%	N	%	N 700	%	N	%
TOTAL	33	100.0	26	78.8	7	21.2	14	100.0	2,726	100.0	47	100.0
GENDER												
Men	25	75.8	21	80.8	4	57.1	7	50.0	2,121	77.8	30	63.8
Women	8	24.2	5	19.2	3	42.9	7	50.0	605	22.2	17	36.2
RACE/ETHNICITY												
Black	13	39.4	9	34.6	4	57.1	8	57.1	1,096	40.2	26	55.3
Latino/Hispanic	7	21.2	5	19.2	2	28.6	4	28.6	677	24.8	11	23.4
White	12	36.4	11	42.3	1	14.3	1	7.1	856	31.4	9	19.1
Asian/Pacific Islander	1	3.0	1	3.8	0	0.0	1	7.1	72	2.6	1	2.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0 0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
20-29	12	36.4	10	38.5	2	28.6	2	14.3	150	5.5	1	2.1
30-39	9	27.3	8	30.8	1	14.3	4	28.6	404	14.8	3	6.4
40-49	6	18.2	3	11.5	3	42.9	3	21.4	451	16.5	3	6.4
50-59	4	12.1	3	11.5	1	14.3	2	14.3	826	30.3	9	19.1
60+	2	6.1	2	7.7	0	0.0	3	21.4	889	32.6	31	66.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	14	42.4	13	50.0	1	14.3	3	21.4	1,488	54.6	13	27.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	280	10.3	15	31.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	73	2.7	1	2.1
Heterosexual contact	6	18.2	3	11.5	3	42.9	7	50.0	416	15.3	12	25.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	44	1.6	1	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	13	39.4	10	38.5	3	42.9	4	28.6	398	14.6	5	10.6

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 202	20		AIDS DIAGNOSE	ES, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent w	ith AIDS						
	Total HIV di		Withou			iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	103	100.0	80	77.7	23	22.3	64	100.0	7,884	100.0	168	100.0
GENDER												
Men	85	82.5	66	82.5	19	82.6	41	64.1	5,185	65.8	100	59.5
Women	18	17.5	14	17.5	4	17.4	23	35.9	2,699	34.2	68	40.5
									,			
RACE/ETHNICITY												
Black	82	79.6	65	81.3	17	73.9		68.8	5,908	74.9	127	75.6
Latino/Hispanic	13	12.6	8	10.0	5	21.7	17	26.6	1,299	16.5	33	19.6
White	6	5.8	5	6.3	1	4.3		4.7	551	7.0	6	3.6 0.6 0.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	67	0.8	1	0.6
Other/Unknown	2	1.9	2	2.5	0	0.0	0	0.0	59	0.7	1	0.6
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0 0.0 3.0 4.2
13-19	1	1.0	1	1.3	0	0.0	0	0.0	17	0.2	0	0.0
20-29	42	40.8	36	45.0	6	26.1	12	18.8	598	7.6	5	3.0
30-39	29	28.2	22	27.5	7	30.4	18	28.1	1,437	18.2	7	4.2
40-49	15	14.6	13	16.3	2	8.7	8	12.5	1,429	18.1	19	11.3
50-59	13	12.6	6	7.5	7	30.4	18	28.1	2,231	28.3	57	33.9
60+	3	2.9	2	2.5	1	4.3	8	12.5	2,168	27.5	80	47.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	53	51.5	38	47.5	15	65.2	26	40.6	2,886	36.6	25	14.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	6.3	907	11.5	44	26.2
MSM-IDU	1	1.0	1	1.3	0	0.0	2	3.1	196	2.5	4	2.4
Heterosexual contact	16	15.5	12	15.0	4	17.4	20	31.3	2,044	25.9	46	27.4 3.6 0.6
Transgender people with sexual contact	1	1.0	1	1.3	0	0.0	Ó	0.0	146	1.9	6	3.6
Perinatal	0	0.0	0	0.0	0	0.0	ĺĺĺ	1.6	188	2.4	1	0.6
Other	Ö	0.0	0	0.0	0	0.0	1	1.6	10	0.1	0	0.0
Unknown	32	31.1	28	35.0	4	17.4	10	15.6	1,507	19.1	42	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Men includes transgender men and women includes transgender women.

Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	OSES, 20	20	AIDS DI	AGNOS	ES, 2020	PWH AS 12/31/20		DEATHS	, 2020
				C	Concurrent with AIL	os			12/01/20			
	Total HIV di		Withou		diagnos	es						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	63	100.0	57	90.5	6 9	9.5	25	100.0	3,596	100.0	68	100.0
GENDER												
Men	46	73.0	41	71.9	5 83	3.3	17	68.0	2,139	59.5	51	75.0
Women	17	27.0	16	28.1	1 16		8	32.0	1,457	40.5	17	25.0
RACE/ETHNICITY												
Black	45	71.4	40	70.2	5 83	3.3	16	64.0	2,302	64.0	49	72.1
Latino/Hispanic	17	27.0	16	28.1	1 16	6.7	9	36.0	1,111	30.9	17	25.0
White	0	0.0	0	0.0	0 (0.0	0	0.0	115	3.2	2	2.9
Asian/Pacific Islander	1	1.6	1	1.8	0 (0.0	0	0.0	41	1.1	0	0.0
Native American	0	0.0	0	0.0		0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0		0.0	0	0.0	14	0.4	0	0.0
Unknown	0	0.0	0	0.0	0 (0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		0.0	0	0.0	2	0.1	0	0.0
13-19	3	4.8	3	5.3		0.0	0	0.0	16	0.4	0	0.0
20-29	23	36.5	22	38.6	1 16		4	16.0	352	9.8	1	1.5
30-39	21	33.3	20	35.1	1 16		8	32.0	675	18.8	5	7.4
40-49	8	12.7	8	14.0		0.0	3	12.0	684	19.0	11	16.2
50-59	8	12.7 0.0	4	7.0 0.0	4 66		8 2	32.0	1,010 857	28.1	16 35	23.5 51.5
60+	U	0.0	U	0.0	0 (0.0	2	8.0	837	23.8	35	51.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	33	52.4	32	56.1	1 16		7	28.0	1,108	30.8	12	17.6
Injection drug use history (IDU)	1	1.6	1	1.8		0.0	1	4.0	391	10.9	22	32.4 1.5
MSM-IDU	0	0.0	0	0.0		0.0	0	0.0	71	2.0	1	1.5
Heterosexual contact	12	19.0	11	19.3	1 16		8	32.0	1,116	31.0	18	26.5
Transgender people with sexual contact	3	4.8	3	5.3		0.0	1	4.0	69	1.9	0	0.0
Perinatal	0	0.0	0	0.0		0.0	0	0.0	107	3.0	1	1.5
Other	0	0.0	0	0.0		0.0	0	0.0	6	0.2	0	0.0
Unknown	14	22.2	10	17.5	4 66	0.7	8	32.0	728	20.2	14	20.6

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	OSES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
				C	oncurrent wi	ith AIDS						
	Total HIV di			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	8	100.0	6	75.0	2	25.0	4	100.0	877	100.0	8	100.0
GENDER												
Men	4	50.0	4	66.7	0	0.0	2	50.0	657	74.9	6	75.0
Women	4	50.0	2	33.3	2	100.0	2	50.0	220	25.1	2	25.0
RACE/ETHNICITY		40.5		40.7		0.0		05.0	450	47.0		
Black	1	12.5	1	16.7	0	0.0	1	25.0	156	17.8	0	0.0
Latino/Hispanic	6	75.0	4	66.7	2	100.0	2	50.0	467	53.2	8	100.0
White	0	0.0	0	0.0	0	0.0	1	25.0	174	19.8	0	0.0 0.0 0.0
Asian/Pacific Islander	1	12.5	1	16.7	0	0.0	0	0.0	76	8.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0 0.0
20-29	4	50.0	3	50.0	1	50.0	2	50.0	49	5.6	0	0.0
30-39	2	25.0	2	33.3	0	0.0	0	0.0	140	16.0	1	12.5
40-49	1	12.5	1	16.7	0	0.0	1	25.0	179	20.4	0	12.5 0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	268	30.6	2	25.0
60+	1	12.5	0	0.0	1	50.0	1	25.0	238	27.1	5	62.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	4	50.0	4	66.7	0	0.0	2	50.0	336	38.3	3	37.5
Injection drug use history (IDU)	0	0.0	0	0.0	Ö	0.0	0	0.0	149	17.0	1	12.5
MSM-IDU	Ö	0.0	Ő	0.0	ő	0.0	0	0.0	44	5.0	1	12.5
Heterosexual contact	2	25.0	1	16.7	1	50.0	1	25.0	195	22.2	2	25.0
Transgender people with sexual contact	1	12.5	1	16.7	0	0.0	0	0.0	11	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	1.4	0	0.0 0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown		12.5	0	0.0	1	50.0	1	25.0	130	14.8	1	12.5
OHKHOWH		12.5	U	0.0		50.0	I	25.0	130	14.8		12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	OSES, 2020)		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				Co	ncurrent with	AIDS			12/31/20	,20		
	Total HIV d	iagnoses	With	out AIDS	diag	noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	13	100.0	9	69.2	4	30.8	12	100.0	1,144	100.0	14	100.0
GENDER												
Men	13	100.0	9	100.0	4	100.0	9	75.0	850	74.3	10	85.7
Women	0	0.0	0	0.0	0	0.0	3	25.0	294	25.7	12 2	14.3
Women		0.0	U	0.0	U	0.0	3	25.0	294	25.7	2	14.3
RACE/ETHNICITY												
Black	1	7.7	1	11.1	0	0.0	1	8.3	303	26.5	2	14.3
Latino/Hispanic	6	46.2	2	22.2	4	100.0	5	41.7	404	35.3	9	64.3
White	4	30.8	4	44.4	0	0.0	4	33.3	349	30.5	2	14.3
Asian/Pacific Islander	2	15.4	2	22.2	0	0.0	2	16.7	74	6.5	1	7.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	3	23.1	3	33.3	0	0.0	3	25.0	53	4.6	0	0.0
30-39	6	46.2	3	33.3	3	75.0	6	50.0	202	17.7	2	14.3
40-49	4	30.8	3	33.3	1	25.0	2	16.7	231	20.2	2	14.3
50-59	0	0.0	0	0.0	0	0.0	1	8.3	336	29.4	3	21.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	319	27.9	7	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	10	76.9	7	77.8	3	75.0	6	50.0	501	43.8	5	35.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	149	13.0	4	28.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	24	2.1	1	7.1
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	8.3	231	20.2	2	14.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	1	7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	23.1	2	22.2	1	25.0	4	33.3	212	18.5	1	7.1

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
					Concurrent w	ith AIDS						
	Total HIV di		Withou			agnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	76	100.0	56	73.7	20	26.3	46	100.0	5,490	100.0	86	100.0
GENDER												
Men	53	69.7	39	69.6	14	70.0	32	69.6	3.546	64.6	63	73.3
Women	23	30.3	17	30.4	6	30.0	14	30.4	1,944	35.4	23	26.7
									.,			
RACE/ETHNICITY												
Black	62	81.6	45	80.4	17	85.0	36	78.3	4,260	77.6	61	70.9
Latino/Hispanic	11	14.5	9	16.1	2	10.0	9	19.6	775	14.1	20	23.3
White	2	2.6	1	1.8	1	5.0	1	2.2	339	6.2	5	5.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	66	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	1	1.3	1	1.8	0	0.0	0	0.0	28	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	5.3	4	7.1	0	0.0	1	2.2	14	0.3	0	0.0
20-29	21	27.6	18	32.1	3	15.0	9	19.6	328	6.0	1	1.2
30-39	23	30.3	15	26.8	8	40.0	15	32.6	920	16.8	4	4.7
40-49	12	15.8	8	14.3	4	20.0	9	19.6	1,027	18.7	6	7.0
50-59	9	11.8	8	14.3	1	5.0	5	10.9	1,536	28.0	21	24.4
60+	7	9.2	3	5.4	4	20.0	7	15.2	1,663	30.3	54	62.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	30	39.5	23	41.1	7	35.0	18	39.1	1,894	34.5	16	18.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	8.7	454	8.3	15	17.4
MSM-IDU	1	1.3	1	1.8	0	0.0	0	0.0	110	2.0	5	5.8
Heterosexual contact	17	22.4	12	21.4	5	25.0	9	19.6	1,521	27.7	26	30.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.2	67	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.3	109	2.0	2	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	28	36.8	20	35.7	8	40.0	12	26.1	1,322	24.1	22	25.6

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	2020
					oncurrent with	_			,			
	Total HIV di		Withou			gnoses						
	N	%	N	%	<u>N</u>	%	N	%	N	%	N	%
TOTAL	26	100.0	19	73.1	7	26.9	21	100.0	1,847	100.0	35	100.0
GENDER												
Men	15	57.7	9	47.4	6	85.7	16	76.2	1,029	55.7	23	65.7
Women	11	42.3	10	52.6	1	14.3	5	23.8	818	44.3	12	34.3
RACE/ETHNICITY												
Black	22	84.6	15	78.9	7	100.0	18	85.7	1,475	79.9	29	82.9
Latino/Hispanic	2	7.7	2	10.5	0	0.0	3	14.3	228	12.3	5	14.3 2.9 0.0 0.0
White	2	7.7	2	10.5	0	0.0	0	0.0	107	5.8	1	2.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	1.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	1	3.8	1	5.3	0	0.0	1	4.8	1	0.1	0	0.0
13-19	2	7.7	2	10.5	0	0.0	0	0.0	4	0.2	0	0.0 2.9 8.6 8.6
20-29	6	23.1	5	26.3	1	14.3	3	14.3	124	6.7	1	2.9
30-39	6	23.1	4	21.1	2	28.6	6	28.6	304	16.5	3	8.6
40-49	4	15.4	2	10.5	2	28.6	4	19.0	315	17.1	3	8.6
50-59	7	26.9	5	26.3	2	28.6	5	23.8	522	28.3	9	25.7
60+	0	0.0	0	0.0	0	0.0	2	9.5	577	31.2	19	54.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	23.1	5	26.3	1	14.3	7	33.3	433	23.4	6	17.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	142	7.7	8	22.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.1	0	0.0
Heterosexual contact	7	26.9	6	31.6	1	14.3	3	14.3	675	36.5	8	22.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
Perinatal	1	3.8	1	5.3	0	0.0	1	4.8	62	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	12	46.2	7	36.8	5	71.4	10	47.6	500	27.1	13	37.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Men includes transgender men and women includes transgender women.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

		HIV		OSES, 202	0		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent wit							
	Total HIV di			out AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	5	100.0	4	80.0	1	20.0	5	100.0	723	100.0	14	100.0
GENDER												
Men	5	100.0	4	100.0	1	100.0	5	100.0	554	76.6	12	85.7
Women	Ö	0.0	0	0.0	Ó	0.0	0	0.0	169	23.4	2	14.3
Tromon		0.0	Ŭ	0.0	Ŭ	0.0	Ŭ	0.0	100	20.1	_	
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0		20.0	75	10.4	2	14.3
Latino/Hispanic	2	40.0	1	25.0	1	100.0	2	40.0	242	33.5	3	21.4
White	3	60.0	3	75.0	0	0.0	2	40.0	346	47.9	8	57.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	55	7.6	1	7.1
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 7.1
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	30	4.1	1	7.1
30-39	3	60.0	2	50.0	1	100.0	1	20.0	106	14.7	0	0.0 7.1
40-49	1	20.0	1	25.0	0	0.0	0	0.0	148	20.5	1	7.1
50-59	1	20.0	1	25.0	0	0.0	2	40.0	206	28.5	3	21.4
60+	0	0.0	0	0.0	0	0.0	2	40.0	230	31.8	9	64.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	3	60.0	2	50.0	1	100.0	4	80.0	349	48.3	4	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	90	12.4	1	7.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	33	4.6	2	14.3
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	118	16.3	5	14.3 35.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0 7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.4	1	7.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	1	7.1
Unknown	2	40.0	2	50.0	0	0.0	1	20.0	117	16.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252. Men includes transgender men and women includes transgender women.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
					oncurrent wi	th AIDS						
	Total HIV d		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	12	63.2	7	36.8	14	100.0	1,242	100.0	26	100.0
GENDER												
Men	17	89.5	11	91.7	6	85.7	10	71.4	802	64.6	16	61.5
Women	2	10.5	1	8.3	1	14.3	4	28.6	440	35.4	10	38.5
RACE/ETHNICITY												
Black	4	21.1	2	16.7	2	28.6	5	35.7	460	37.0	12	46.2
Latino/Hispanic	6	31.6	5	41.7	1	14.3	2	14.3	365	29.4	9	34.6
White	9	47.4	5	41.7	4	57.1	6	42.9	356	28.7	3	11.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	7.1	49	3.9	1	3.8
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	1.0	1	3.8 3.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0 0.0 3.8 3.8
20-29	1	5.3	1	8.3	0	0.0	0	0.0	71	5.7	0	0.0
30-39	6	31.6	5	41.7	1	14.3	4	28.6	213	17.1	1	3.8
40-49	6	31.6	3	25.0	3	42.9	5	35.7	233	18.8	1	3.8
50-59	5	26.3	3	25.0	2	28.6	4	28.6	341	27.5	10	38.5
60+	1	5.3	0	0.0	1	14.3	1	7.1	379	30.5	14	53.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	7	36.8	5	41.7	2	28.6	4	28.6	407	32.8	3	11.5
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	174	14.0	10	38.5
MSM-IDU , , , ,	0	0.0	0	0.0	0	0.0	0	0.0	18	1.4	0	0.0
Heterosexual contact	2	10.5	1	8.3	1	14.3	4	28.6	341	27.5	9	34.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	1.4	Ó	0.0
Perinatal	0	0.0	0	0.0	Ö	0.0	0	0.0	29	2.3	Ö	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	1	3.8
Unknown	10	52.6	6	50.0	4	57.1	6	42.9	255	20.5	3	11.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Men includes transgender men and women includes transgender women.

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV		DIAGNO	SES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
					oncurrent witi				12/01/20			
	Total HIV di		Withou			gnoses	N	0/		0/	N.I.	0/
TOTAL	N 57	% 100.0	N 41	% 71.9	N 16	% 28.1	N 39	% 100.0	N 3,877	100.0	N 56	% 100.0
GENDER												
Men	47	82.5	36	87.8	11	68.8	29	74.4	2.790	72.0	47	83.9
Women	10	17.5	5	12.2	5	31.3	10	25.6	1,087	28.0	9	16.1
RACE/ETHNICITY												
Black	25	43.9	20	48.8	5	31.3	20	51.3	1,803	46.5	37	66.1
Latino/Hispanic	18	31.6	13	31.7	5	31.3	10	25.6	1,456	37.6	15	26.8
White	12	21.1	7	17.1	5	31.3	7	17.9	517	13.3	3	5.4
Asian/Pacific Islander	2	3.5	1	2.4	1	6.3	2	5.1	72	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	1	1.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	18	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	6	10.5	5	12.2	1	6.3	1	2.6	16	0.4	0	0.0
20-29	26	45.6	23	56.1	3	18.8	6	15.4	364	9.4	2	3.6
30-39	14	24.6	9	22.0	5	31.3	8	20.5	811	20.9	3	5.4
40-49	2	3.5	1	2.4	1	6.3	6	15.4	615	15.9	3	5.4
50-59	9	15.8	3	7.3	6	37.5	10	25.6	1,032	26.6	11	19.6
60+	0	0.0	0	0.0	0	0.0	8	20.5	1,039	26.8	37	66.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	39	68.4	30	73.2	9	56.3	17	43.6	1,680	43.3	10	17.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	10.3	528	13.6	16	28.6
MSM-IDU	1	1.8	1	2.4	0	0.0	1	2.6	106	2.7	4	7.1
Heterosexual contact	10	17.5	5	12.2	5	31.3	12	30.8	756	19.5	14	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	61	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	80	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	2	3.6
Unknown	7	12.3	5	12.2	2	12.5	4	10.3	664	17.1	10	17.9

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV		DIAGNO	SES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent with				12/01/20			
	Total HIV di		Withou			gnoses	N.	0/	N.	0/	N.I.	0/
TOTAL	N 56	% 100.0	N 46	% 82.1	N 10	% 17.9	N 31	% 100.0	N 4,903	100.0	N 45	% 100.0
GENDER												
Men	49	87.5	41	89.1	8	80.0	21	67.7	4.077	83.2	35	77.8
Women	7	12.5	5	10.9	2	20.0	10	32.3	826	16.8	10	22.2
RACE/ETHNICITY												
Black	19	33.9	17	37.0	2	20.0	11	35.5	1,546	31.5	17	37.8
Latino/Hispanic	28	50.0	23	50.0	5	50.0	14	45.2	2,161	44.1	17	37.8
White	7	12.5	5	10.9	2	20.0	4	12.9	1,069	21.8	8	17.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.2	77	1.6	1	2.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	2	3.6	1	2.2	1	10.0	1	3.2	31	0.6	2	4.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0 0.0 2.2 2.2
13-19	3	5.4	3	6.5	0	0.0	0	0.0	13	0.3	0	0.0
20-29	21	37.5	20	43.5	1	10.0	2	6.5	341	7.0	1	2.2
30-39	21	37.5	17	37.0	4	40.0	13	41.9	983	20.0	1_	2.2
40-49	3	5.4	2	4.3	1	10.0	6	19.4	894	18.2	/	15.6
50-59	5	8.9	2	4.3	3	30.0	6	19.4	1,389	28.3	19	42.2
60+	3	5.4	2	4.3	1	10.0	4	12.9	1,281	26.1	17	37.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	38	67.9	33	71.7	5	50.0	14	45.2	2,922	59.6	14	31.1
Injection drug use history (IDU)	1	1.8	0	0.0	1	10.0	1	3.2	361	7.4	8	17.8
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.2	144	2.9	2	4.4
Heterosexual contact	7	12.5	5	10.9	2	20.0	9	29.0	637	13.0	14	31.1
Transgender people with sexual contact	1	1.8	1	2.2	0	0.0	1	3.2	65	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	Ü	0.0	73	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	Ü	0.0	8	0.2	0	0.0
Unknown	9	16.1		15.2	2	20.0	5	16.1	693	14.1		15.6

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	SES, 20	20		AIDS DIAGNOSES,	2020	PWH AS 12/31/20		DEATHS	, 2020
					Concurrent with A							
	Total HIV di		Withou		diagno	ses						
TOTAL	N 55	400.0	N 48	%	N 7 1	% 12.7	N 38	% 400.0	N 5 000	400.0	N 79	400.0
TOTAL	33	100.0	40	87.3	/	12.7	36	100.0	5,009	100.0	19	100.0
GENDER												
Men	44	80.0	37	77.1	7 10	0.00	29	76.3	3,676	73.4	50	63.3
Women	11	20.0	11	22.9	0	0.0	9	23.7	1,333	26.6	29	36.7
RACE/ETHNICITY												
Black	38	69.1	33	68.8		71.4	30	78.9	3,100	61.9	53	67.1
Latino/Hispanic	12	21.8	10	20.8		28.6	5	13.2	1,109	22.1	24	30.4
White	4	7.3	4	8.3		0.0	3	7.9	678	13.5	2	2.5
Asian/Pacific Islander	1	1.8	1	2.1		0.0	0	0.0	78	1.6	0	0.0
Native American	0	0.0	0	0.0		0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0		0.0	0	0.0	31	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		0.0	0	0.0	3	0.1	0	0.0
13-19	5	9.1	5	10.4		0.0	0	0.0	13	0.3	0	0.0
20-29	20	36.4	18	37.5		28.6	9	23.7	296	5.9	0	0.0
30-39	15	27.3	15	31.3		0.0	/	18.4	961	19.2	7	8.9
40-49	9	16.4	6	12.5		12.9	8	21.1	959	19.1	7	8.9
50-59	4	7.3	2 2	4.2		28.6	/ 7	18.4	1,461	29.2	24	30.4
60+	2	3.6	2	4.2	0	0.0	/	18.4	1,316	26.3	41	51.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	31	56.4	29	60.4		28.6	15	39.5	2,349	46.9	22	27.8
Injection drug use history (IDU)	0	0.0	0	0.0		0.0	1	2.6	534	10.7	19	24.1
MSM-IDU	0	0.0	0	0.0		0.0	1	2.6	148	3.0	2	2.5
Heterosexual contact	8	14.5	8	16.7		0.0	6	15.8	935	18.7	24	30.4
Transgender people with sexual contact	2	3.6	2	4.2		0.0	1	2.6	76	1.5	1	1.3
Perinatal	0	0.0	0	0.0		0.0	0	0.0	80	1.6	0	0.0
Other	0	0.0	0	0.0		0.0	0	0.0	5	0.1	1	1.3
Unknown	14	25.5	9	18.8	5 7	71.4	14	36.8	882	17.6	10	12.7

Table 1.9.3. East Harlem (Manhattan)

	HIV		DIAGNO	SES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
				C	oncurrent with	h AIDS			.2,0.,20			1
	Total HIV di		Withou	ıt AIDS	dia	gnoses						-
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	30	100.0	24	80.0	6	20.0	19	100.0	2,925	100.0	71	100.0
GENDER												
Men	23	76.7	19	79.2	4	66.7	8	42.1	2,049	70.1	52	73.2
Women	7	23.3	5	20.8	2	33.3	11	57.9	876	29.9	19	26.8
RACE/ETHNICITY												
Black	14	46.7	13	54.2	1	16.7	8	42.1	1,343	45.9	39	54.9
Latino/Hispanic	16	53.3	11	45.8	5	83.3	8	42.1	1,146	39.2	26	36.6
White	0	0.0	0	0.0	0	0.0	1	5.3	379	13.0	6	8.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	10.5	39	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	3.3	1	4.2	0	0.0	0	0.0	4	0.1	0	0.0
20-29	13	43.3	12	50.0	1	16.7	2	10.5	166	5.7	0	0.0
30-39	9	30.0	7	29.2	2	33.3	4	21.1	450	15.4	3	4.2
40-49	1	3.3	1	4.2	0	0.0	5	26.3	503	17.2	4	4.2 5.6
50-59	5	16.7	3	12.5	2	33.3	5	26.3	883	30.2	23	32.4
60+	1	3.3	0	0.0	1	16.7	3	15.8	916	31.3	41	57.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	14	46.7	12	50.0	2	33.3	4	21.1	1,096	37.5	16	22.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.5	541	18.5	24	33.8
MSM-IDU	2	6.7	2	8.3	Ö	0.0	0	0.0	94	3.2	4	5.6
Heterosexual contact	5	16.7	4	16.7	1	16.7	7	36.8	608	20.8	15	21.1
Transgender people with sexual contact	0	0.0	0	0.0	Ó	0.0	1	5.3	32	1.1	13	1.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	85	2.9	'n	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	9	30.0	6	25.0	3	50.0	5	26.3	467	16.0	11	15.5
OTIMIOWIT	9	30.0	U	25.0		30.0	J	20.3	407	10.0		13.5

Table 1.9.4. Upper West Side (Manhattan)

	HIV		DIAGNO	OSES, 202	:0		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
					oncurrent w	ith AIDS						
	Total HIV di			ıt AIDS		iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	13	68.4	6	31.6	23	100.0	3,205	100.0	37	100.0
GENDER												
Men	17	89.5	11	84.6	6	100.0	21	91.3	2,772	86.5	32	86.5
Women	2	10.5	2	15.4	0	0.0	2	8.7	433	13.5	32 5	13.5
	_		_			0.0	_	0	.00		· ·	
RACE/ETHNICITY												
Black	6	31.6	5	38.5	1	16.7		21.7	841	26.2	11	29.7
Latino/Hispanic	3	15.8	2	15.4	1	16.7		43.5	857	26.7	8	21.6
White	7	36.8	4	30.8	3	50.0	6	26.1	1,375	42.9	16	43.2 0.0
Asian/Pacific Islander	1	5.3	0	0.0	1	16.7	2	8.7	90	2.8	0	0.0
Other/Unknown	2	10.5	2	15.4	0	0.0	0	0.0	42	1.3	2	5.4
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.0	0	0.0
13-19	1	5.3	1	7.7	0	0.0	0	0.0	1	0.0	0	0.0 0.0 5.4 2.7
20-29	2	10.5	2	15.4	0	0.0	2	8.7	127	4.0	0	0.0
30-39	6	31.6	5	38.5	1	16.7	5	21.7	381	11.9	2	5.4
40-49	3	15.8	2	15.4	1	16.7	3	13.0	433	13.5	1	2.7
50-59	2	10.5	1	7.7	1	16.7	3	13.0	917	28.6	9	24.3
60+	5	26.3	2	15.4	3	50.0	10	43.5	1,345	42.0	25	67.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	10	52.6	7	53.8	3	50.0	9	39.1	2,052	64.0	18	48.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.3	268	8.4	7	18.9 2.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.3	104	3.2	1	2.7
Heterosexual contact	0	0.0	0	0.0	0	0.0	4	17.4	310	9.7	4	10.8
Transgender people with sexual contact	1	5.3	1	7.7	0	0.0	0	0.0	44	1.4	1	10.8 2.7 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	1.1	0	0.0
Other	Ö	0.0	Õ	0.0	Ö	0.0	0	0.0	3	0.1	0	0.0
Unknown	8	42.1	5	38.5	3	50.0	8	34.8	390	12.2	6	16.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

Table 1.9.5. Upper East Side (Manhattan)

		HIV		OSES, 2020		Al	DS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				Co	ncurrent with Al	DS			12/31/20	20		
	Total HIV d	iagnoses	With	out AIDS	diagno	ses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	8	100.0	8	100.0	0	0.0	6	100.0	1,472	100.0	20	100.0
GENDER												
Men	6	75.0	6	75.0	0	0.0	6	100.0	1,298	88.2	15	75.0
Women	2	25.0	2	25.0		0.0	0	0.0	1,290	11.8	5	25.0
VVoitien		25.0		25.0	U	0.0	U	0.0	174	11.0	3	25.0
RACE/ETHNICITY												
Black	1	12.5	1	12.5	0	0.0	2	33.3	259	17.6	8	40.0
Latino/Hispanic	3	37.5	3	37.5	0	0.0	3	50.0	345	23.4	4	20.0
White	4	50.0	4	50.0	0	0.0	1	16.7	792	53.8	8	40.0
Asian/Pacific Islander	0	0.0	0	0.0		0.0	0	0.0	67	4.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0		0.0	0	0.0	2	0.1	0	0.0
20-29	2	25.0	2	25.0		0.0	0	0.0	44	3.0	0	0.0
30-39	5	62.5	5	62.5		0.0	2	33.3	189	12.8	0	0.0
40-49	0	0.0	0	0.0		0.0	0	0.0	227	15.4	1	5.0
50-59	1	12.5	1	12.5		0.0	3	50.0	435	29.6	4	20.0
60+	0	0.0	0	0.0	0	0.0	1	16.7	575	39.1	15	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	4	50.0	4	50.0		0.0	5	83.3	985	66.9	6	30.0
Injection drug use history (IDU)	0	0.0	0	0.0		0.0	0	0.0	89	6.0	4	20.0
MSM-IDU	0	0.0	0	0.0		0.0	0	0.0	38	2.6	2	10.0
Heterosexual contact	1	12.5	1	12.5		0.0	0	0.0	119	8.1	3	15.0
Transgender people with sexual contact	1	12.5	1	12.5		0.0	0	0.0	11	0.7	0	0.0
Perinatal	0	0.0	0	0.0		0.0	0	0.0	11	0.7	0	0.0
Other	0	0.0	0	0.0		0.0	0	0.0	1	0.1	0	0.0
Unknown	2	25.0	2	25.0	0	0.0	11	16.7	218	14.8	5	25.0

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 202	! 0		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				C	oncurrent with A	NDS			12/31/20	20		1
	Total HIV di			ıt AIDS	diagno							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	51	100.0	42	82.4	9	17.6	43	100.0	7,107	100.0	74	100.0
GENDER												
Men	46	90.2	38	90.5	8	88.9	38	88.4	6,629	93.3	70	94.6
Women	5	90.2	4	90.5		11.1	5	11.6	478	6.7	4	5.4
Wolliett	3	9.0	7	9.5	•		3	11.0	470	0.7	4	5.4
RACE/ETHNICITY												
Black	15	29.4	11	26.2	4	44.4	9	20.9	1,231	17.3	11	14.9
Latino/Hispanic	20	39.2	18	42.9		22.2	14	32.6	1,717	24.2	19	25.7
White	14	27.5	12	28.6	2	22.2	16	37.2	3,832	53.9	42	56.8
Asian/Pacific Islander	1	2.0	0	0.0	1	11.1	2	4.7	235	3.3	2	2.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	1	2.0	1	2.4	0	0.0	2	4.7	38	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	40	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	5.9	3	7.1	0	0.0	0	0.0	2	0.0	0	0.0
20-29	19	37.3	14	33.3		55.6	8	18.6	238	3.3	2	2.7
30-39	14	27.5	12	28.6		22.2	17	39.5	1,086	15.3	1	1.4
40-49	5	9.8	5	11.9	0	0.0	8	18.6	1,388	19.5	5	6.8
50-59	8	15.7	6	14.3		22.2	6	14.0	2,392	33.7	19	25.7
60+	2	3.9	2	4.8	0	0.0	4	9.3	2,001	28.2	47	63.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	32	62.7	28	66.7	4	44.4	30	69.8	5,530	77.8	48	64.9
Injection drug use history (IDU)	1	2.0	1	2.4	0	0.0	1	2.3	343	4.8	13	17.6 2.7
MSM-IDU	1	2.0	1	2.4	0	0.0	1	2.3	245	3.4	2	2.7
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	4.7	291	4.1	2	2.7
Transgender people with sexual contact	4	7.8	3	7.1		11.1	2	4.7	80	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	13	25.5	9	21.4	4	44.4	7	16.3	587	8.3	9	12.2

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV		OSES, 2020)		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	2020
					oncurrent with	AIDS						
	Total HIV d	iagnoses	With	out AIDS	diag	noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	15	100.0	15	100.0	0	0.0	9	100.0	2,043	100.0	14	100.0
GENDER												
Men	13	86.7	13	86.7	0	0.0	7	77.8	1,864	91.2	12	85.7
Women	2	13.3	2	13.3	0	0.0		22.2	179	8.8	2	14.3
VVOITICIT	_	13.3		13.3	U	0.0	۷	22.2	179	0.0	2	14.5
RACE/ETHNICITY												
Black	2	13.3	2	13.3	0	0.0		44.4	417	20.4	4	28.6
Latino/Hispanic	5	33.3	5	33.3	0	0.0	2	22.2	490	24.0	3	21.4
White	7	46.7	7	46.7	0	0.0	3	33.3	1,040	50.9	7	50.0
Asian/Pacific Islander	1	6.7	1	6.7	0	0.0	0	0.0	71	3.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 7.1 7.1
13-19	1	6.7	1	6.7	0	0.0	0	0.0	3	0.1	0	0.0
20-29	5	33.3	5	33.3	0	0.0	2	22.2	53	2.6	0	0.0
30-39	3	20.0	3	20.0	0	0.0	2	22.2	199	9.7	1	7.1
40-49	2	13.3	2	13.3	0	0.0	1	11.1	306	15.0	1	7.1
50-59	3	20.0	3	20.0	0	0.0	2	22.2	678	33.2	2	14.3
60+	1	6.7	1	6.7	0	0.0	2	22.2	804	39.4	10	71.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	9	60.0	9	60.0	0	0.0	4	44.4	1,365	66.8	9	64.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	22.2	166	8.1	3	21.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	11.1	90	4.4	1	7.1
Heterosexual contact	2	13.3	2	13.3	0	0.0	0	0.0	125	6.1	1	7.1
Transgender people with sexual contact	1	6.7	1	6.7	0	0.0	1	11.1	17	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	11.1	8	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0 0.0 0.0 0.0
Unknown	3	20.0	3	20.0	0	0.0	0	0.0	270	13.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171. Men includes transgender men and women includes transgender women.

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV		DIAGNO	OSES, 2020	ı		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS	, 2020
					ncurrent wit	th AIDS						
	Total HIV d			out AIDS		ignoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	12	100.0	10	83.3	2	16.7	7	100.0	1,727	100.0	9	100.0
GENDER												
Men	12	100.0	10	100.0	2	100.0	7	100.0	1,636	94.7	9	100.0
Women	0	0.0	0	0.0	0	0.0	Ó	0.0	91	5.3	0	0.0
RACE/ETHNICITY												
Black	3	25.0	2	20.0	1	50.0	2	28.6	312	18.1	1	11.1
Latino/Hispanic	1	8.3	1	10.0	Ö	0.0	0	0.0	364	21.1	2	22.2
White	8	66.7	7	70.0	ĭ	50.0	5	71.4	978	56.6	6	66.7
Asian/Pacific Islander	0	0.0	0	0.0	ó	0.0	0	0.0	56	3.2	Ö	0.0
Other/Unknown	Ö	0.0	Ö	0.0	Ö	0.0	0	0.0	17	1.0	Ö	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	33.3	3	30.0	1	50.0	2	28.6	50	2.9	0	0.0
30-39	4	33.3	4	40.0	0	0.0	0	0.0	175	10.1	1	11.1
40-49	2	16.7	1	10.0	1	50.0	1	14.3	263	15.2	0	0.0
50-59	1	8.3	1	10.0	0	0.0	2	28.6	591	34.2	0	0.0
60+	1	8.3	1	10.0	0	0.0	2	28.6	648	37.5	8	88.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	4	33.3	3	30.0	1	50.0	6	85.7	1,216	70.4	9	100.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	124	7.2	0	0.0
MSM-IDU ,	1	8.3	1	10.0	0	0.0	0	0.0	55	3.2	0	0.0
Heterosexual contact	1	8.3	1	10.0	0	0.0	0	0.0	76	4.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	28	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	6	50.0	5	50.0	1	50.0	1	14.3	221	12.8	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014. Men includes transgender men and women includes transgender women.

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV		DIAGNO	OSES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
				С	oncurrent with i	AIDS			12/31/20	20		
	Total HIV di			ıt AIDS	diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	20	100.0	13	65.0	7	35.0	15	100.0	2,946	100.0	33	100.0
GENDER												
Men	15	75.0	10	76.9	5	71.4	13	86.7	2,420	82.1	26	78.8
Women	5	25.0	3	23.1	2	28.6	2	13.3	526	17.9	7	21.2
RACE/ETHNICITY												
Black	6	30.0	6	46.2	0	0.0	1	6.7	606	20.6	7	21.2
Latino/Hispanic	7	35.0	3	23.1	4	57.1	6	40.0	1,020	34.6	15	45.5
White	4	20.0	2	15.4	2	28.6	7	46.7	1,152	39.1	10	30.3
Asian/Pacific Islander	3	15.0	2	15.4	1	14.3	1	6.7	137	4.7	1	3.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
20-29	7	35.0	6	46.2	1	14.3	1	6.7	89	3.0	0	0.0
30-39	6	30.0	4	30.8	2	28.6	3	20.0	339	11.5	0	0.0
40-49	2	10.0	1	7.7	1	14.3	5	33.3	412	14.0	3	9.1
50-59	3	15.0	1	7.7	2	28.6	2	13.3	1,003	34.0	11	33.3
60+	2	10.0	1	7.7	1	14.3	4	26.7	1,096	37.2	19	57.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	9	45.0	7	53.8	2	28.6	10	66.7	1,704	57.8	9	27.3
Injection drug use history (IDU)	1	5.0	1	7.7	0	0.0	0	0.0	371	12.6	8	24.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	99	3.4	2	6.1
Heterosexual contact	3	15.0	1	7.7	2	28.6	2	13.3	363	12.3	8	24.2
Transgender people with sexual contact	2	10.0	2	15.4	0	0.0	0	0.0	25	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	5	25.0	2	15.4	3	42.9	3	20.0	353	12.0	6	18.2

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV		OSES, 2020			AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				Co	ncurrent with	AIDS			12/01/20			
	Total HIV d	iagnoses	With	out AIDS	diag	noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	7	100.0	7	100.0	0	0.0	2	100.0	612	100.0	2	100.0
GENDER												
Men	5	71.4	5	71.4	0	0.0	2	100.0	528	86.3	1	50.0
Women	2	28.6	2	28.6	0	0.0	0	0.0	84	13.7	1	50.0
RACE/ETHNICITY												
Black	3	42.9	3	42.9	0	0.0	1	50.0	132	21.6	2	100.0
Latino/Hispanic	1	14.3	1	14.3	0	0.0	1	50.0	154	25.2	0	0.0
White	2	28.6	2	28.6	0	0.0	0	0.0	292	47.7	0	0.0
Asian/Pacific Islander	1	14.3	1	14.3	0	0.0	0	0.0	26	4.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	1.3	0	0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	28.6	2	28.6	0	0.0	0	0.0	24	3.9	0	0.0
30-39	3	42.9	3	42.9	0	0.0	1	50.0	71	11.6	1	50.0
40-49	1	14.3	1	14.3	0	0.0	0	0.0	134	21.9	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	50.0	221	36.1	1	50.0
60+	1	14.3	1	14.3	0	0.0	0	0.0	162	26.5	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	1	14.3	1	14.3	0	0.0	1	50.0	409	66.8	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	44	7.2	0	0.0
MSM-IDU	1	14.3	1	14.3	0	0.0	0	0.0	16	2.6	0	0.0
Heterosexual contact	1	14.3	1	14.3	0	0.0	0	0.0	57	9.3	0	0.0
Transgender people with sexual contact	1	14.3	1	14.3	0	0.0	0	0.0	4	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	42.9	3	42.9	0	0.0	1	50.0	78	12.7	1	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282. Men includes transgender men and women includes transgender women.

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	OSES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
					oncurrent with							
	Total HIV di			ıt AIDS		gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	33	100.0	25	75.8	8	24.2	20	100.0	2,433	100.0	23	100.0
GENDER												
Men	28	84.8	21	84.0	7	87.5	19	95.0	2,113	86.8	18	78.3
Women	5	15.2	4	16.0	1	12.5	1	5.0	320	13.2	5	21.7
RACE/ETHNICITY												
Black	4	12.1	3	12.0	1	12.5	7	35.0	409	16.8	2	8.7
Latino/Hispanic	12	36.4	10	40.0	2	25.0	7	35.0	998	41.0	11	47.8
White	11	33.3	8	32.0	3	37.5	3	15.0	870	35.8	7	30.4
Asian/Pacific Islander	6	18.2	4	16.0	2	25.0	2	10.0	135	5.5	2	8.7
Other/Unknown	0	0.0	0	0.0	0	0.0	1	5.0	21	0.9	1	30.4 8.7 4.3
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	6.1	2	8.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	7	21.2	6	24.0	1	12.5	5	25.0	125	5.1	0	0.0
30-39	14	42.4	9	36.0	5	62.5	9	45.0	548	22.5	4	17.4
40-49	4	12.1	3	12.0	1	12.5	2	10.0	576	23.7	4	17.4
50-59	6	18.2	5	20.0	1	12.5	3	15.0	673	27.7	5	21.7
60+	0	0.0	0	0.0	0	0.0	1	5.0	508	20.9	10	43.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	22	66.7	17	68.0	5	62.5	14	70.0	1,693	69.6	13	56.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	122	5.0	1	4.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	54	2.2	0	0.0
Heterosexual contact	3	9.1	2	8.0	1	12.5	1	5.0	269	11.1	5	21.7
Transgender people with sexual contact	1	3.0	1	4.0	0	0.0	0	0.0	26	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	7	21.2	5	20.0	2	25.0	5	25.0	250	10.3	4	17.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109. Men includes transgender men and women includes transgender women.

Table 1.10.2. West Queens (Queens)

	HIV		DIAGNO	SES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
	Total I IIV di		14/:4/		oncurrent wit							
	Total HIV di N	agnoses %	Withou N	t AIDS %	N ala	agnoses %	N	%	N	%	N	%
TOTAL	78	100.0	60	76.9	18	23.1	39	100.0	5,577	100.0	35	100.0
GENDER												
Men	67	85.9	50	83.3	17	94.4	31	79.5	4,569	81.9	29	82.9
Women	11	14.1	10	16.7	1	5.6	8	20.5	1,008	18.1	6	17.1
RACE/ETHNICITY												
Black	4	5.1	4	6.7	0	0.0	5	12.8	1,296	23.2	6	17.1
Latino/Hispanic	55	70.5	41	68.3	14	77.8	27	69.2	3,273	58.7	22	62.9
White Asian/Pacific Islander	12	15.4	10	16.7	2	11.1	4	10.3	612	11.0	2	5.7
Native American	7	9.0 0.0	5 0	8.3 0.0	2	11.1	3 0	7.7 0.0	371 11	6.7 0.2	5 0	14.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	5.1	4	6.7	0	0.0	0	0.0	12	0.2	0	0.0
20-29	29	37.2	26	43.3	3	16.7	5	12.8	304	5.5	0	0.0
30-39	24	30.8	19	31.7	5	27.8	14	35.9	948	17.0	3	8.6
40-49	11	14.1	5	8.3	6	33.3	8	20.5	1,168	20.9	9	25.7
50-59	4	5.1	1	1.7	3	16.7	10	25.6	1,752	31.4	9	25.7
60+	6	7.7	5	8.3	1	5.6	2	5.1	1,391	24.9	14	40.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	46	59.0	35	58.3	11	61.1	20	51.3	2,763	49.5	18	51.4
Injection drug use history (IDU)	2	2.6	2	3.3	0	0.0	0	0.0	720	12.9	2	5.7
MSM-IDU	0	0.0	0 7	0.0	0	0.0 5.6	1	2.6	144 882	2.6	0	0.0
Heterosexual contact Transgender people with sexual contact	3	10.3 3.8	3	11.7 5.0	1 0	5.6 0.0	4	10.3 5.1	882 113	15.8 2.0	5	14.3 2.9 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	58	1.0	0	2.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	19	24.4	13	21.7	6	33.3	12	30.8	891	16.0	9	25.7

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 20	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	_	DEATHS,	, 2020
				C	concurrent with	AIDS						İ
	Total HIV o		Withou			noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	17	100.0	14	82.4	3	17.6	5	100.0	790	100.0	17	100.0
GENDER												
Men	16	94.1	13	92.9	3	100.0	5	100.0	597	75.6	12	70.6
Women	1	5.9	1	7.1	0	0.0	0	0.0	193	24.4	5	29.4
RACE/ETHNICITY												
Black	2	11.8	1	7.1	1	33.3		20.0	131	16.6	4	23.5
Latino/Hispanic	8	47.1	7	50.0	1	33.3	1	20.0	300	38.0	6	35.3
White	1	5.9	1	7.1	0	0.0	1	20.0	190	24.1	4	23.5
Asian/Pacific Islander	6	35.3	5	35.7	1	33.3	2	40.0	159	20.1	2	11.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	1	5.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	_1	0.1	0	0.0
20-29	5	29.4	5	35.7	0	0.0	0	0.0	52	6.6	2	11.8
30-39	5	29.4	4	28.6	1	33.3		20.0	127	16.1	1	5.9
40-49	3	17.6	2	14.3	1	33.3	1	20.0	132	16.7	0	0.0
50-59	3	17.6	3	21.4	0	0.0	1	20.0	244	30.9	2	11.8
60+	1	5.9	0	0.0	1	33.3	2	40.0	234	29.6	12	70.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	8	47.1	7	50.0	1	33.3		40.0	370	46.8	7	41.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	20.0	64	8.1	2	11.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	.19	2.4	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	177	22.4	4	23.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	1	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	9	52.9	7	50.0	2	66.7	2	40.0	141	17.8	3	17.6

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGNO	SES, 2	020		AIDS DIAGNOSES	, 2020	PWH AS 12/31/20	_	DEATHS,	2020
		diagnoses	Without			agnoses	N	0/		 0	N	0/
TOTAL	N	% 0.0	N 0	% 0.0	N 0	0.0	N 0	% 0.0	N 140	100.0	N 0	% 0.0
GENDER												
Men	0	0.0	0	0.0	0	0.0	0	0.0	109	77.9	0	0.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	31	22.1	0	0.0
RACE/ETHNICITY												
Black	0		0	0.0	0	0.0	0	0.0	17	12.1	0	0.0
Latino/Hispanic White	0	0.0	0	0.0	0	0.0	0	0.0	37	26.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0 0.0	72 12	51.4 8.6	0 0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.7	0	0.0
Multiracial	0	0.0	0	0.0	ő	0.0	0	0.0	1	0.7	ő	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	7	5.0	0	0.0
30-39 40-49	0	0.0	0	0.0	0	0.0	0	0.0 0.0	16 16	11.4 11.4	0 0	0.0 0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	44	31.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	57	40.7	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	64	45.7	0	0.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	14	10.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0 0.0 0.0 0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	21.4	0	0.0
Transgender people with sexual c	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0 0.0	2 23	1.4 16.4	0 0	0.0 0.0
UTIKITOWIT	U	0.0	U	0.0	U	0.0	U	0.0		10.4	U	0.0

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV		DIAGNO	SES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20	-	DEATHS,	, 2020
					oncurrent w	ith AIDS						
	Total HIV d		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	28	100.0	23	82.1	5	17.9	8	100.0	1,367	100.0	19	100.0
GENDER												
Men	25	89.3	20	87.0	5	100.0	8	100.0	1,081	79.1	17	89.5
Women	3	10.7	3	13.0	0	0.0	0	0.0	286	20.9	2	10.5
RACE/ETHNICITY												
Black	5	17.9	4	17.4	1	20.0	1	12.5	179	13.1	1	5.3
Latino/Hispanic	13	46.4	11	47.8	2	40.0	5	62.5	673	49.2	7	36.8
White	9	32.1	7	30.4	2	40.0	2	25.0	417	30.5	9	47.4
Asian/Pacific Islander	1	3.6	1	4.3	0	0.0	0	0.0	85	6.2	2	10.5
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
20-29	10	35.7	8	34.8	2	40.0	2	25.0	98	7.2	0	0.0
30-39	12	42.9	11	47.8	1	20.0	1	12.5	233	17.0	3	15.8
40-49	4	14.3	3	13.0	1	20.0	3	37.5	243	17.8	1	5.3
50-59	2	7.1	1	4.3	1	20.0	2	25.0	392	28.7	6	31.6
60+	0	0.0	0	0.0	0	0.0	0	0.0	396	29.0	9	47.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	17	60.7	15	65.2	2	40.0	4	50.0	780	57.1	9	47.4
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	12.5	80	5.9	3	15.8
MSM-IDU , , , ,	0	0.0	0	0.0	0	0.0	0	0.0	31	2.3	1	5.3
Heterosexual contact	4	14.3	4	17.4	0	0.0	0	0.0	249	18.2	3	15.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	Õ	0.0
Perinatal	0	0.0	Ō	0.0	0	0.0	0	0.0	26	1.9	Ö	0.0
Other	0	0.0	Ō	0.0	0	0.0	0	0.0	6	0.4	Ö	0.0
Unknown	7	25.0	4	17.4	3	60.0	3	37.5	182	13.3	3	15.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Men includes transgender men and women includes transgender women.

Table 1.10.6. Fresh Meadows (Queens)

	HIV I		DIAGN	OSES, 2020)		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent with				12/01/20			
	Total HIV d			out AIDS		noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	3	100.0	1	33.3	2	66.7	3	100.0	328	100.0	5	100.0
GENDER												
Men	3	100.0	1	100.0	2	100.0	3	100.0	205	62.5	3	60.0
Women	Ö	0.0	Ö	0.0	0	0.0	Ő	0.0	123	37.5	2	40.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	33.3	139	42.4	4	80.0
Latino/Hispanic	2	66.7	1	100.0	1	50.0	1	33.3	112	34.1	0	0.0
White	0	0.0	Ö	0.0	Ö	0.0	'n	0.0	47	14.3	1	20.0
Asian/Pacific Islander	1	33.3	ő	0.0	ĭ	50.0	1	33.3	29	8.8	0	20.0 0.0
Other/Unknown	0	0.0	Õ	0.0	Ö	0.0	0	0.0	1	0.3	Ő	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	Ō	0.0	0	0.0	0	0.0	1	0.3	Ō	0.0
20-29	0	0.0	0	0.0	0	0.0	1	33.3	28	8.5	1	20.0
30-39	2	66.7	1	100.0	1	50.0	1	33.3	51	15.5	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	50	15.2	0	0.0
50-59	1	33.3	0	0.0	1	50.0	1	33.3	106	32.3	1	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	92	28.0	3	60.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	3	100.0	1	100.0	2	100.0	3	100.0	116	35.4	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	7.3	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.2	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	95	29.0	2	40.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	2.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	66	20.1	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367. Men includes transgender men and women includes transgender women.

Table 1.10.7. Southwest Queens (Queens)

	HIV		DIAGNO	OSES, 202	20		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
					oncurrent with	h AIDS			12/01/20			
	Total HIV di		Withou			gnoses						
TOTAL	N 31	%	N	%	N 7	%	N 12	% 400.0	N	400.0	N	%
TOTAL	31	100.0	24	77.4		22.6	12	100.0	2,024	100.0	16	100.0
GENDER												
Men	23	74.2	18	75.0	5	71.4	10	83.3	1,461	72.2	8	50.0
Women	8	25.8	6	25.0	2	28.6	2	16.7	563	27.8	8	50.0
RACE/ETHNICITY												
Black	11	35.5	8	33.3	3	42.9	4	33.3	522	25.8	6	37.5
Latino/Hispanic	11	35.5	8	33.3	3	42.9	5	41.7	958	47.3	5	31.3
White	1	3.2	0	0.0	1	14.3	2	16.7	293	14.5	3	18.8
Asian/Pacific Islander	7	22.6	7	29.2	0	0.0	1	8.3	222	11.0	2	12.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.8	0	0.0
Multiracial	1	3.2	1	4.2	0	0.0	0	0.0	9	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	9	29.0	8	33.3	1	14.3	2	16.7	118	5.8	0	0.0
30-39	12	38.7	11	45.8	1	14.3	1	8.3	353	17.4	0	0.0
40-49	5	16.1	3	12.5	2	28.6	4	33.3	391	19.3	1	6.3
50-59	3	9.7	1	4.2	2	28.6	4	33.3	630	31.1	7	43.8
60+	2	6.5	1	4.2	1	14.3	1	8.3	527	26.0	8	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	16	51.6	13	54.2	3	42.9	5	41.7	889	43.9	5	31.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	172	8.5	2	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	27	1.3	1	6.3
Heterosexual contact	4	12.9	4	16.7	0	0.0	1	8.3	507	25.0	5	31.3
Transgender people with sexual contact	3	9.7	2	8.3	1	14.3	1	8.3	25	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	8	25.8	5	20.8	3	42.9	4	33.3	353	17.4	3	18.8

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 202	20		AIDS DIAGNOSES,	2020	PWH AS 12/31/20	-	DEATHS,	, 2020
					oncurrent with A							
	Total HIV di		Withou		diagno	oses						
TOTAL	N 47	% 100.0	N 38	% 80.9	N 9	% 19.1	N 30	% 100.0	N 3,316	100.0	N 63	% 100.0
IOTAL	47	100.0	30	00.9	9	19.1	30	100.0	3,316	100.0	63	100.0
GENDER												
Men	35	74.5	27	71.1		88.9	20	66.7	2,065	62.3	47	74.6
Women	12	25.5	11	28.9	1	11.1	10	33.3	1,251	37.7	16	25.4
RACE/ETHNICITY												
Black	28	59.6	23	60.5		55.6	18	60.0	2,346	70.7	54	85.7
Latino/Hispanic	10	21.3	8	21.1		22.2	7	23.3	642	19.4	8	12.7
White	1	2.1	0	0.0		11.1	2	6.7	183	5.5	1	1.6
Asian/Pacific Islander	7	14.9	6	15.8		11.1	3	10.0	112	3.4	0	0.0
Native American	0	0.0 2.1	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Multiracial Unknown	0	0.0	0	2.6 0.0	0 0	0.0	0	0.0	15 5	0.5	0 0	0.0
OTIKTIOWIT	U	0.0	U	0.0	U	0.0	U	0.0	3	0.2	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	4.3	2	5.3	0	0.0	0	0.0	11	0.3	0	0.0
20-29	22	46.8	21	55.3		11.1	4	13.3	229	6.9	0	0.0
30-39	10	21.3	7	18.4		33.3	10 6	33.3	498	15.0	11	17.5
40-49 50-59	4	8.5 12.8	3 5	7.9 13.2		11.1 11.1	6	20.0 13.3	615 922	18.5	3 13	4.8
60+	3	6.4	ე 0	0.0		33.3	6	20.0	1,038	27.8 31.3	36	20.6 57.1
00+	3	0.4	U	0.0	3	33.3	U	20.0	1,036	31.3	30	37.1
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	18	38.3	16	42.1		22.2	7	23.3	1,061	32.0	9	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.3	325	9.8	12	19.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	56	1.7	4	6.3
Heterosexual contact	8	17.0	7	18.4		11.1	10	33.3	1,027	31.0	24	38.1
Transgender people with sexual contact	1	2.1	1	2.6	0	0.0	2	6.7	54	1.6	3	4.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	94	2.8	0	0.0
Other	0 20	0.0 42.6	0 14	0.0	0 6	0.0	0 10	0.0	8 691	0.2	0 11	0.0
Unknown	20	42.0	14	36.8	Ö	66.7	10	33.3	691	20.8	- 11	17.5

Table 1.10.9. Southeast Queens (Queens)

	HIV		DIAGNO	OSES, 202	:0		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS	, 2020
				С	oncurrent with	AIDS			12/01/20			
	Total HIV di			ıt AIDS		noses						
	N	%	N	%	N	%	Ŋ	%	N	%	N	%
TOTAL	23	100.0	21	91.3	2	8.7	6	100.0	1,354	100.0	16	100.0
GENDER												
Men	15	65.2	13	61.9	2	100.0	5	83.3	777	57.4	11	68.8
Women	8	34.8	8	38.1	0	0.0	1	16.7	577	42.6	5	31.3
RACE/ETHNICITY												
Black	18	78.3	16	76.2	2	100.0	5	83.3	1,037	76.6	13	81.3
Latino/Hispanic	5	21.7	5	23.8	0	0.0	1	16.7	179	13.2	2	12.5
White	0	0.0	0	0.0	0	0.0	0	0.0	81	6.0	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	49	3.6	1	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	8.7	2	9.5	0	0.0	0	0.0	9	0.7	0	0.0
20-29	8	34.8	7	33.3	1	50.0	1	16.7	75	5.5	0	0.0
30-39	5	21.7	5	23.8	0	0.0	0	0.0	191	14.1	1	6.3
40-49	7	30.4	7	33.3	0	0.0	1	16.7	249	18.4	0	0.0
50-59	1	4.3	0	0.0	1	50.0	2	33.3	403	29.8	5	31.3
60+	0	0.0	0	0.0	0	0.0	2	33.3	427	31.5	10	62.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	8	34.8	7	33.3	1	50.0	1	16.7	320	23.6	4	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	119	8.8	4	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.6	0	0.0
Heterosexual contact	6	26.1	6	28.6	0	0.0	1	16.7	515	38.0	3	18.8
Transgender people with sexual contact	2	8.7	2	9.5	0	0.0	0	0.0	11	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	7	30.4	6	28.6	1	50.0	4	66.7	322	23.8	5	31.3

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2020						AIDS DIAGNOSES, 2020		PWH AS OF 12/31/2020		DEATHS,	, 2020
					oncurrent with	th AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	20	100.0	16	80.0	4	20.0	11	100.0	1,316	100.0	50	100.0
GENDER												
Men	17	85.0	13	81.3	4	100.0	10	90.9	770	58.5	30	60.0
Women	3	15.0	3	18.8	0	0.0	1	9.1	546	41.5	20	40.0
RACE/ETHNICITY												
Black	12	60.0	10	62.5	2	50.0	7	63.6	839	63.8	30	60.0
Latino/Hispanic	4	20.0	3	18.8	1	25.0	2	18.2	329	25.0	9	18.0
White	3	15.0	3	18.8	0	0.0	0	0.0	120	9.1	11	22.0
Asian/Pacific Islander	1	5.0	0	0.0	1	25.0	1	9.1	15	1.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	9.1	13	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 2.0
20-29	7	35.0	7	43.8	0	0.0	0	0.0	83	6.3	1	2.0
30-39	2	10.0	1	6.3	1	25.0	2	18.2	203	15.4	3	6.0
40-49	5	25.0	3	18.8	2	50.0	2	18.2	228	17.3	2	4.0
50-59	4	20.0	3	18.8	1	25.0	4	36.4	388	29.5	18	36.0
60+	2	10.0	2	12.5	0	0.0	3	27.3	414	31.5	26	52.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	13	65.0	10	62.5	3	75.0	6	54.5	368	28.0	8	16.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	9.1	177	13.4	12	24.0
MSM-IDU))	0	0.0	0	0.0	0	0.0	1	9.1	30	2.3	1	2.0
Heterosexual contact	1	5.0	1	6.3	0	0.0	1	9.1	453	34.4	13	26.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	40	3.0	2	4.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	6	30.0	5	31.3	1	25.0	2	18.2	236	17.9	14	28.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

Table 1.11.1. Port Richmond (Staten Island)

		HIV DIAGNOSES, 2020					AIDS DIAGNOSES, 2020		PWH AS OF 12/31/2020		DEATHS, 2020	
				Co	ncurrent with	AIDS			12/01/20			-
	Total HIV d	iagnoses	Witho	out AIDS	diagr	noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	8	100.0	8	100.0	0	0.0	2	100.0	658	100.0	9	100.0
GENDER												
Men	6	75.0	6	75.0	0	0.0	1	50.0	390	59.3	6	66.7
Women	2	25.0	2	25.0	0	0.0	1	50.0	268	40.7	3	33.3
RACE/ETHNICITY												
Black	4	50.0	4	50.0	0	0.0	2	100.0	348	52.9	7	77.8
Latino/Hispanic	2	25.0	2	25.0	0	0.0	0	0.0	205	31.2	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	88	13.4	2	22.2
Asian/Pacific Islander	2	25.0	2	25.0	0	0.0	0	0.0	6	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	1.7	0	22.2 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	4	50.0	4	50.0	0	0.0	0	0.0	49	7.4	1	11.1
30-39	2	25.0	2	25.0	0	0.0	0	0.0	125	19.0	0	0.0
40-49	1	12.5	1	12.5	0	0.0	1	50.0	109	16.6	2	22.2
50-59	0	0.0	0	0.0	0	0.0	0	0.0	202	30.7	2	22.2
60+	1	12.5	1	12.5	0	0.0	1	50.0	171	26.0	4	44.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	25.0	2	25.0	0	0.0	0	0.0	183	27.8	1	11.1
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	105	16.0	3	33.3
MSM-IDU , , ,	0	0.0	0	0.0	0	0.0	0	0.0	17	2.6	1	11.1
Heterosexual contact	2	25.0	2	25.0	0	0.0	1	50.0	208	31.6	3	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	4	50.0	4	50.0	0	0.0	1	50.0	107	16.3	1	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310. Men includes transgender men and women includes transgender women.

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2020				AIDS DIAGNOSES, 2020		PWH AS OF 12/31/2020		DEATHS,	, 2020		
					oncurrent wi	th AIDS			,,,,_,			
	Total HIV di			it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	13	100.0	10	76.9	3	23.1	9	100.0	1,202	100.0	33	100.0
GENDER												
Men	9	69.2	6	60.0	3	100.0	9	100.0	785	65.3	20	60.6
Women	4	30.8	4	40.0	0	0.0	0	0.0	417	34.7	13	39.4
	•	00.0	•	10.0	Ŭ	0.0	Ŭ	0.0	• • • •	0 17	10	00.1
RACE/ETHNICITY												
Black	7	53.8	6	60.0	1	33.3	2	22.2	548	45.6	19	57.6
Latino/Hispanic	3	23.1	3	30.0	0	0.0	3	33.3	339	28.2	9	27.3
White	3	23.1	1	10.0	2	66.7	4	44.4	287	23.9	5	15.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0 0.0
20-29	4	30.8	3	30.0	1	33.3	1	11.1	67	5.6	0	0.0
30-39	3	23.1	3	30.0	0	0.0	0	0.0	173	14.4	0	0.0
40-49	4	30.8	3	30.0	1	33.3	4	44.4	211	17.6	3	9.1
50-59	2	15.4	1	10.0	1	33.3	3	33.3	374	31.1	9	27.3
60+	0	0.0	0	0.0	0	0.0	1	11.1	376	31.3	21	63.6
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	4	30.8	2	20.0	2	66.7	3	33.3	405	33.7	4	12.1
Injection drug use history (IDU)	Ô	0.0	0	0.0	0	0.0	3	33.3	181	15.1	7	21.2
MSM-IDU	1	7.7	1	10.0	0	0.0	0	0.0	44	3.7	0	0.0
Heterosexual contact	1	7.7	1	10.0	0	0.0	0	0.0	324	27.0	13	39.4
Transgender people with sexual contact	1	7.7	1	10.0	0	0.0	0	0.0	25	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	46.2	5	50.0	1	33.3	3	33.3	197	16.4	9	27.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

Table 1.11.3. Willowbrook (Staten Island)

		HIV	DIAGNO	OSES, 2020			AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
				Co.	ncurrent with	AIDS			12/31/20	20		
	Total HIV d	iagnoses	With	out AIDS	diag	noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2	100.0	2	100.0	0	0.0	2	100.0	227	100.0	4	100.0
GENDER												
Men	1	50.0	1	50.0	0	0.0	2	100.0	158	69.6	3	75.0
Women	1	50.0	1	50.0	0	0.0	0	0.0	69	30.4	3 1	25.0
vvoillen	•	50.0	' '	50.0	U	0.0	U	0.0	69	30.4	1	25.0
RACE/ETHNICITY												
Black	1	50.0	1	50.0	0	0.0	2	100.0	51	22.5	3	75.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	66	29.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	98	43.2	1	25.0
Asian/Pacific Islander	1	50.0	1	50.0	0	0.0	0	0.0	9	4.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.3	0	25.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	50.0	11	4.8	0	0.0
30-39	1	50.0	1	50.0	0	0.0	1	50.0	42	18.5	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	37	16.3	1	25.0
50-59	1	50.0	1	50.0	0	0.0	0	0.0	72	31.7	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	65	28.6	3	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	2	100.0	89	39.2	1	25.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	32	14.1	2	50.0
MSM-IDU ,	0	0.0	0	0.0	0	0.0	0	0.0	4	1.8	0	0.0
Heterosexual contact	1	50.0	1	50.0	0	0.0	0	0.0	51	22.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	1.8	0	0.0 0.0 0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Unknown	1	50.0	1	50.0	0	0.0	0	0.0	41	18.1	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

Table 1.11.4. South Beach - Tottenville (Staten Island)

		HIV	DIAGN	OSES, 2020)		AIDS DIAGNOSE	S, 2020	PWH AS 12/31/20		DEATHS,	, 2020
				Co	oncurrent with	h AIDS			12/01/20			
	Total HIV d	iagnoses	With	out AIDS	dia	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	7	100.0	5	71.4	2	28.6	5	100.0	438	100.0	8	100.0
GENDER												
Men	7	100.0	5	100.0	2	100.0	5	100.0	298	68.0	5	62.5
Women	0	0.0	0	0.0	0	0.0	0	0.0	140	32.0	3	37.5
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	67	15.3	0	0.0
Latino/Hispanic	2	28.6	2	40.0	0	0.0	2	40.0	127	29.0	1	12.5
White	2	28.6	1	20.0	1	50.0	2	40.0	236	53.9	7	87.5
Asian/Pacific Islander	1	14.3	1	20.0	0	0.0	0	0.0	6	1.4	0	0.0
Other/Unknown	2	28.6	1	20.0	1	50.0	1	20.0	2	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	23	5.3	0	0.0
30-39	6	85.7	4	80.0	2	100.0	4	80.0	41	9.4	1	12.5
40-49	0	0.0	0	0.0	0	0.0	0	0.0	70	16.0	0	0.0
50-59	1	14.3	1	20.0	0	0.0	1	20.0	142	32.4	1	12.5
60+	0	0.0	0	0.0	0	0.0	0	0.0	158	36.1	6	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	3	42.9	3	60.0	0	0.0	1	20.0	126	28.8	1	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	71	16.2	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	2.5	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	123	28.1	2	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	20.0	18	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	4	57.1	2	40.0	2	100.0	3	60.0	83	18.9	3	37.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Men includes transgender men and women includes transgender women.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2020 Table 2.1. Overall and by gender, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PWH ³	2020 NEW YORK CITY POPULATION⁴
TOTAL	16.4	1.5	12.5	8,772,978
GENDER				
Men	26.9	2.3	12.2	4,213,542
Women	6.8	0.8	13.4	4,559,436
RACE/ETHNICITY				
Black	34.2	3.0	14.8	1,898,492
Latino/Hispanic	20.6	1.7	12.2	2,529,108
White	6.7	0.9	9.0	2,846,186
Asian/Pacific Islander	4.9	0.3	7.2	1,313,383
Native American	4.6*	1.4	21.1*	21,619
Multiracial	7.3	0.4	36.3	164,190
AGE GROUP (YEARS)				
0 - 12	0.1*	0.0	0.0*	1,339,683
13 - 19	9.4	0.0	0.0*	668,427
20 - 29	38.2	0.7	4.8	1,280,586
30 - 39	31.4	1.5	6.7	1,419,774
40 - 49	18.0	2.1	10.0	1,101,958
50 - 59	15.7	3.6	17.6	1,096,967
60+	3.9	2.0	35.8	1,865,583

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2020 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2020 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2020 NEW YORK CITY POPULATION ⁴
TOTAL	16.4	1.5	12.5	8,772,978
BRONX⁵	20.7	2.1	14.8	1 466 420
Crotona - Tremont	27.1	3.0	16.7	1,466,438 217,678
Fordham - Bronx Park	19.8	2.2	13.5	273,194
High Bridge - Morrisania	27.1	2.9	18.2	221,123
Hunts Point - Mott Haven	28.0	2.8	14.0	142,764
Kingsbridge - Riverdale	4.2*	0.8	9.8	94,834
Northeast Bronx	13.7	1.3	14.3	211,278
Pelham - Throgs Neck	18.7	1.5	11.9	309,920
BROOKLYN⁵	15.2	1.1	11.9	2,727,393
Bedford Stuyvesant - Crown Heights	29.3	2.2	12.9	351,637
Bensonhurst - Bay Ridge	2.3*	0.3	15.5	216,843
Borough Park	3.7	0.3	9.1	347,708
Canarsie - Flatlands	12.2	0.9	16.6	213,208
Coney Island - Sheepshead Bay	6.3	0.4	11.2	303,995
Downtown - Heights - Park Slope	11.9	1.0	10.2	277,801
East Flatbush - Flatbush	24.7	1.8	11.0	307,277
East New York	31.0	1.8	18.8	203,020
Greenpoint	7.3	0.6	6.0*	150,125
Sunset Park	6.4*	0.7	6.0*	124,256
Williamsburg - Bushwick	24.6	1.7	10.0	231,523
MANHATTAN ⁵	16.4	1.9	7.7	1,687,834
Central Harlem - Morningside Heights	29.4	2.7	10.9	187,214
Chelsea - Clinton	31.3	4.4	9.3	162,999
East Harlem	26.0	2.5	15.3	115,333
Gramercy Park - Murray Hill	10.7	1.5	3.3	140,131
Greenwich Village - Soho	14.3	2.1	4.3*	83,857
Lower Manhattan	10.8*	0.9	2.8*	64,605
Union Square - Lower East Side	10.3	1.5	7.4	193,684
Upper East Side	3.6*	0.7	6.0	223,364
Upper West Side	8.3	1.4	6.4	229,142
Washington Heights - Inwood	20.4	1.8	7.1	274,029
QUEENS ⁵	11.7	0.8	8.9	2,395,791
Bayside - Little Neck	0.0*	0.1	0.0*	94,377
Flushing - Clearview	6.4	0.3	13.9	264,812
Fresh Meadows	2.9*	0.3	18.7*	102,782
Jamaica	14.2	1.0	14.1	331,636
Long Island City - Astoria	15.5	1.1	6.9	212,845
Ridgewood - Forest Hills	10.2	0.5	8.2	273,187
Rockaway	14.5	1.0	24.9	138,192
Southeast Queens	10.3	0.6	6.9	223,227
Southwest Queens West Queens	10.7 16.5	0.7 1.2	5.2 3.9	290,294 473,564
STATEN ISLAND ⁵	6.1	0.5	14.9	495,522
Port Richmond	11.0*	0.9	9.9*	72,448
South Beach - Tottenville	3.5*	0.2	13.1*	200,003
Stapleton - St. George	10.1	0.9	18.1	128,580
Willowbrook	2.1*	0.2	12.3*	94,492

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2020 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.