



New York City HIV Annual Surveillance Statistics 2021

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene

<https://www.nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page>



List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 Reported HIV/AIDS diagnoses and deaths in 2021 and reported people with HIV as of 12/31/2021 in New York City

| | | | |
|--------------|---|---------------|---|
| Table 1.1 | New York City (All) | Table 1.7.4 | Pelham – Throgs Neck |
| | By Gender | Table 1.7.5 | Crotona – Tremont |
| Table 1.2.1 | Men | Table 1.7.6 | High Bridge – Morrisania |
| Table 1.2.2 | Women | Table 1.7.7 | Hunts Point – Mott Haven |
| | By Race or Ethnicity | | By UHF Neighborhood: Brooklyn |
| Table 1.3.1 | Black Men | Table 1.8.1 | Greenpoint |
| Table 1.3.2 | Black Women | Table 1.8.2 | Downtown – Heights – Park Slope |
| Table 1.3.3 | Latino/Hispanic Men | Table 1.8.3 | Bedford Stuyvesant – Crown Heights |
| Table 1.3.4 | Latina/Hispanic Women | Table 1.8.4 | East New York |
| Table 1.3.5 | White Men | Table 1.8.5 | Sunset Park |
| Table 1.3.6 | White Women | Table 1.8.6 | Borough Park |
| Table 1.3.7 | Asian/Pacific Islander Men | Table 1.8.7 | East Flatbush – Flatbush |
| Table 1.3.8 | Asian/Pacific Islander Women | Table 1.8.8 | Canarsie – Flatlands |
| Table 1.3.9 | Native American Men | Table 1.8.9 | Bensonhurst – Bay Ridge |
| Table 1.3.10 | Native American Women | Table 1.8.10 | Coney Island – Sheepshead Bay |
| | By Age | Table 1.8.11 | Williamsburg – Bushwick |
| Table 1.4.1 | Boys 0-12 years | | By UHF Neighborhood: Manhattan |
| Table 1.4.2 | Girls 0-12 years | Table 1.9.1 | Washington Heights – Inwood |
| Table 1.4.3 | Men 13+ years | Table 1.9.2 | Central Harlem – Morningside Heights |
| Table 1.4.4 | Women 13+ years | Table 1.9.3 | East Harlem |
| | By Borough | Table 1.9.4 | Upper West Side |
| Table 1.5.1 | Bronx, Men | Table 1.9.5 | Upper East Side |
| Table 1.5.2 | Bronx, Women | Table 1.9.6 | Chelsea – Clinton |
| Table 1.5.3 | Brooklyn, Men | Table 1.9.7 | Gramercy Park – Murray Hill |
| Table 1.5.4 | Brooklyn, Women | Table 1.9.8 | Greenwich Village – Soho |
| Table 1.5.5 | Manhattan, Men | Table 1.9.9 | Union Square – Lower East Side |
| Table 1.5.6 | Manhattan, Women | Table 1.9.10 | Lower Manhattan |
| Table 1.5.7 | Queens, Men | | By UHF Neighborhood: Queens |
| Table 1.5.8 | Queens, Women | Table 1.10.1 | Long Island City – Astoria |
| Table 1.5.9 | Staten Island, Men | Table 1.10.2 | West Queens |
| Table 1.5.10 | Staten Island, Women | Table 1.10.3 | Flushing – Clearview |
| | By Transmission Category | Table 1.10.4 | Bayside – Little Neck |
| Table 1.6.1 | Men who have sex with men (MSM) | Table 1.10.5 | Ridgewood – Forest Hills |
| Table 1.6.2 | Injection drug use history (IDU), Men | Table 1.10.6 | Fresh Meadows |
| Table 1.6.3 | Injection drug use history (IDU), Women | Table 1.10.7 | Southwest Queens |
| Table 1.6.4 | MSM and IDU | Table 1.10.8 | Jamaica |
| Table 1.6.5 | Heterosexual contact, Men | Table 1.10.9 | Southeast Queens |
| Table 1.6.6 | Heterosexual contact, Women | Table 1.10.10 | Rockaway |
| Table 1.6.7 | Transgender people with sexual contact | | By UHF Neighborhood: Staten Island |
| | By UHF Neighborhood: Bronx | Table 1.11.1 | Port Richmond |
| Table 1.7.1 | Kingsbridge – Riverdale | Table 1.11.2 | Stapleton – St. George |
| Table 1.7.2 | Northeast Bronx | Table 1.11.3 | Willowbrook |
| Table 1.7.3 | Fordham – Bronx Park | Table 1.11.4 | South Beach – Tottenville |

Tables 2.1-2.2 Rates of reported HIV diagnoses, people with HIV, and deaths among people with HIV in New York City, 2021

| | | | |
|-----------|--|-----------|--|
| Table 2.1 | Overall and by gender, age, and race/ethnicity | Table 2.2 | Overall and by borough and UHF neighborhood of residence |
|-----------|--|-----------|--|

For a glossary of terms, see [nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page](https://www.nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page)

Suggested citation: *New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2023. Accessed [access date] at [nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page](https://www.nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page).*

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.1. New York City (All)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 1,645 | 100.0 | 1,338 | 81.3 | 307 | 18.7 | 1,082 | 100.0 | 131,529 | 100.0 | 2,233 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 1,290 | 78.4 | 1,050 | 78.5 | 240 | 78.2 | 779 | 72.0 | 95,963 | 73.0 | 1,599 | 71.6 |
| Women | 290 | 17.6 | 227 | 17.0 | 63 | 20.5 | 268 | 24.8 | 33,114 | 25.2 | 600 | 26.9 |
| Transgender | 65 | 4.0 | 61 | 4.6 | 4 | 1.3 | 35 | 3.2 | 2,452 | 1.9 | 34 | 1.5 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 700 | 42.6 | 575 | 43.0 | 125 | 40.7 | 521 | 48.2 | 56,211 | 42.7 | 1,141 | 51.1 |
| Latino/Hispanic | 646 | 39.3 | 522 | 39.0 | 124 | 40.4 | 390 | 36.0 | 44,277 | 33.7 | 679 | 30.4 |
| White | 180 | 10.9 | 152 | 11.4 | 28 | 9.1 | 113 | 10.4 | 26,371 | 20.0 | 369 | 16.5 |
| Asian/Pacific Islander | 100 | 6.1 | 74 | 5.5 | 26 | 8.5 | 42 | 3.9 | 3,456 | 2.6 | 27 | 1.2 |
| Native American | 2 | 0.1 | 2 | 0.1 | 0 | 0.0 | 3 | 0.3 | 303 | 0.2 | 6 | 0.3 |
| Multiracial | 17 | 1.0 | 13 | 1.0 | 4 | 1.3 | 12 | 1.1 | 605 | 0.5 | 10 | 0.4 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 306 | 0.2 | 1 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 2 | 0.1 | 1 | 0.1 | 1 | 0.3 | 1 | 0.1 | 42 | 0.0 | 0 | 0.0 |
| 13-19 | 60 | 3.6 | 56 | 4.2 | 4 | 1.3 | 7 | 0.6 | 264 | 0.2 | 0 | 0.0 |
| 20-29 | 544 | 33.1 | 500 | 37.4 | 44 | 14.3 | 136 | 12.6 | 7,410 | 5.6 | 30 | 1.3 |
| 30-39 | 514 | 31.2 | 422 | 31.5 | 92 | 30.0 | 325 | 30.0 | 22,113 | 16.8 | 154 | 6.9 |
| 40-49 | 243 | 14.8 | 173 | 12.9 | 70 | 22.8 | 213 | 19.7 | 22,909 | 17.4 | 219 | 9.8 |
| 50-59 | 188 | 11.4 | 120 | 9.0 | 68 | 22.1 | 226 | 20.9 | 37,799 | 28.7 | 672 | 30.1 |
| 60+ | 94 | 5.7 | 66 | 4.9 | 28 | 9.1 | 174 | 16.1 | 40,992 | 31.2 | 1,158 | 51.9 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 388 | 23.6 | 312 | 23.3 | 76 | 24.8 | 309 | 28.6 | 31,021 | 23.6 | 626 | 28.0 |
| Brooklyn | 427 | 26.0 | 343 | 25.6 | 84 | 27.4 | 245 | 22.6 | 30,802 | 23.4 | 451 | 20.2 |
| Manhattan | 302 | 18.4 | 245 | 18.3 | 57 | 18.6 | 190 | 17.6 | 32,737 | 24.9 | 387 | 17.3 |
| Queens | 295 | 17.9 | 231 | 17.3 | 64 | 20.8 | 180 | 16.6 | 19,145 | 14.6 | 159 | 7.1 |
| Staten Island | 39 | 2.4 | 29 | 2.2 | 10 | 3.3 | 29 | 2.7 | 2,539 | 1.9 | 38 | 1.7 |
| Outside NYC | 135 | 8.2 | 119 | 8.9 | 16 | 5.2 | 117 | 10.8 | 13,943 | 10.6 | 79 | 3.5 |
| Unknown | 59 | 3.6 | 59 | 4.4 | 0 | 0.0 | 12 | 1.1 | 1,342 | 1.0 | 493 | 22.1 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 209 | 12.7 | 161 | 12.0 | 48 | 15.6 | 118 | 10.9 | 18,898 | 14.4 | 142 | 6.4 |
| Medium poverty (10 to <20% below FPL) | 556 | 33.8 | 451 | 33.7 | 105 | 34.2 | 346 | 32.0 | 43,936 | 33.4 | 529 | 23.7 |
| High poverty (20 to <30% below FPL) | 376 | 22.9 | 298 | 22.3 | 78 | 25.4 | 245 | 22.6 | 26,810 | 20.4 | 410 | 18.4 |
| Very high poverty (≥30% below FPL) | 309 | 18.8 | 250 | 18.7 | 59 | 19.2 | 240 | 22.2 | 25,348 | 19.3 | 550 | 24.6 |
| Area-based poverty level not available | 195 | 11.9 | 178 | 13.3 | 17 | 5.5 | 133 | 12.3 | 16,537 | 12.6 | 602 | 27.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 826 | 50.2 | 699 | 52.2 | 127 | 41.4 | 436 | 40.3 | 59,647 | 45.3 | 636 | 28.5 |
| Injection drug use history (IDU) | 23 | 1.4 | 20 | 1.5 | 3 | 1.0 | 58 | 5.4 | 14,271 | 10.9 | 548 | 24.5 |
| MSM-IDU | 27 | 1.6 | 25 | 1.9 | 2 | 0.7 | 27 | 2.5 | 3,505 | 2.7 | 114 | 5.1 |
| Heterosexual contact | 284 | 17.3 | 212 | 15.8 | 72 | 23.5 | 255 | 23.6 | 27,015 | 20.5 | 489 | 21.9 |
| Transgender people with sexual contact | 60 | 3.6 | 56 | 4.2 | 4 | 1.3 | 34 | 3.1 | 2,157 | 1.6 | 25 | 1.1 |
| Perinatal | 2 | 0.1 | 1 | 0.1 | 1 | 0.3 | 15 | 1.4 | 2,539 | 1.9 | 21 | 0.9 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 193 | 0.1 | 4 | 0.2 |
| Unknown | 423 | 25.7 | 325 | 24.3 | 98 | 31.9 | 257 | 23.8 | 22,202 | 16.9 | 396 | 17.7 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.2.1. Men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 1,296 | 100.0 | 1,056 | 81.5 | 240 | 18.5 | 780 | 100.0 | 96,015 | 100.0 | 1,599 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 508 | 39.2 | 421 | 39.9 | 87 | 36.3 | 338 | 43.3 | 35,794 | 37.3 | 765 | 47.8 |
| Latino/Hispanic | 528 | 40.7 | 423 | 40.1 | 105 | 43.8 | 296 | 37.9 | 32,551 | 33.9 | 479 | 30.0 |
| White | 157 | 12.1 | 132 | 12.5 | 25 | 10.4 | 101 | 12.9 | 23,813 | 24.8 | 322 | 20.1 |
| Asian/Pacific Islander | 88 | 6.8 | 68 | 6.4 | 20 | 8.3 | 33 | 4.2 | 2,914 | 3.0 | 22 | 1.4 |
| Native American | 2 | 0.2 | 2 | 0.2 | 0 | 0.0 | 3 | 0.4 | 234 | 0.2 | 4 | 0.3 |
| Multiracial | 13 | 1.0 | 10 | 0.9 | 3 | 1.3 | 9 | 1.2 | 473 | 0.5 | 7 | 0.4 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 236 | 0.2 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 1 | 0.1 | 1 | 0.1 | 0 | 0.0 | 0 | 0.0 | 17 | 0.0 | 0 | 0.0 |
| 13-19 | 45 | 3.5 | 42 | 4.0 | 3 | 1.3 | 4 | 0.5 | 151 | 0.2 | 0 | 0.0 |
| 20-29 | 458 | 35.3 | 420 | 39.8 | 38 | 15.8 | 104 | 13.3 | 5,696 | 5.9 | 19 | 1.2 |
| 30-39 | 427 | 32.9 | 347 | 32.9 | 80 | 33.3 | 259 | 33.2 | 17,732 | 18.5 | 116 | 7.3 |
| 40-49 | 179 | 13.8 | 123 | 11.6 | 56 | 23.3 | 151 | 19.4 | 16,408 | 17.1 | 155 | 9.7 |
| 50-59 | 124 | 9.6 | 83 | 7.9 | 41 | 17.1 | 144 | 18.5 | 26,772 | 27.9 | 456 | 28.5 |
| 60+ | 62 | 4.8 | 40 | 3.8 | 22 | 9.2 | 118 | 15.1 | 29,239 | 30.5 | 853 | 53.3 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 284 | 21.9 | 230 | 21.8 | 54 | 22.5 | 210 | 26.9 | 19,467 | 20.3 | 418 | 26.1 |
| Brooklyn | 342 | 26.4 | 273 | 25.9 | 69 | 28.8 | 166 | 21.3 | 20,823 | 21.7 | 294 | 18.4 |
| Manhattan | 265 | 20.4 | 213 | 20.2 | 52 | 21.7 | 151 | 19.4 | 27,710 | 28.9 | 296 | 18.5 |
| Queens | 235 | 18.1 | 186 | 17.6 | 49 | 20.4 | 138 | 17.7 | 14,128 | 14.7 | 113 | 7.1 |
| Staten Island | 26 | 2.0 | 21 | 2.0 | 5 | 2.1 | 14 | 1.8 | 1,630 | 1.7 | 28 | 1.8 |
| Outside NYC | 100 | 7.7 | 89 | 8.4 | 11 | 4.6 | 92 | 11.8 | 11,165 | 11.6 | 60 | 3.8 |
| Unknown | 44 | 3.4 | 44 | 4.2 | 0 | 0.0 | 9 | 1.2 | 1,092 | 1.1 | 390 | 24.4 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 172 | 13.3 | 136 | 12.9 | 36 | 15.0 | 87 | 11.2 | 15,370 | 16.0 | 108 | 6.8 |
| Medium poverty (10 to <20% below FPL) | 435 | 33.6 | 356 | 33.7 | 79 | 32.9 | 246 | 31.5 | 32,856 | 34.2 | 385 | 24.1 |
| High poverty (20 to <30% below FPL) | 315 | 24.3 | 247 | 23.4 | 68 | 28.3 | 179 | 22.9 | 18,396 | 19.2 | 265 | 16.6 |
| Very high poverty (≥30% below FPL) | 229 | 17.7 | 184 | 17.4 | 45 | 18.8 | 165 | 21.2 | 16,155 | 16.8 | 368 | 23.0 |
| Area-based poverty level not available | 145 | 11.2 | 133 | 12.6 | 12 | 5.0 | 103 | 13.2 | 13,238 | 13.8 | 473 | 29.6 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 826 | 63.7 | 699 | 66.2 | 127 | 52.9 | 436 | 55.9 | 59,647 | 62.1 | 636 | 39.8 |
| Injection drug use history (IDU) | 12 | 0.9 | 9 | 0.9 | 3 | 1.3 | 40 | 5.1 | 9,170 | 9.6 | 382 | 23.9 |
| MSM-IDU | 27 | 2.1 | 25 | 2.4 | 2 | 0.8 | 27 | 3.5 | 3,505 | 3.7 | 114 | 7.1 |
| Heterosexual contact | 50 | 3.9 | 30 | 2.8 | 20 | 8.3 | 60 | 7.7 | 6,955 | 7.2 | 161 | 10.1 |
| Transgender people with sexual contact | 6 | 0.5 | 6 | 0.6 | 0 | 0.0 | 1 | 0.1 | 34 | 0.0 | 0 | 0.0 |
| Perinatal | 1 | 0.1 | 1 | 0.1 | 0 | 0.0 | 4 | 0.5 | 1,233 | 1.3 | 10 | 0.6 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 110 | 0.1 | 3 | 0.2 |
| Unknown | 374 | 28.9 | 286 | 27.1 | 88 | 36.7 | 212 | 27.2 | 15,361 | 16.0 | 293 | 18.3 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.2.2. Women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 349 | 100.0 | 282 | 80.8 | 67 | 19.2 | 302 | 100.0 | 35,514 | 100.0 | 634 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 192 | 55.0 | 154 | 54.6 | 38 | 56.7 | 183 | 60.6 | 20,417 | 57.5 | 376 | 59.3 |
| Latino/Hispanic | 118 | 33.8 | 99 | 35.1 | 19 | 28.4 | 94 | 31.1 | 11,726 | 33.0 | 200 | 31.5 |
| White | 23 | 6.6 | 20 | 7.1 | 3 | 4.5 | 12 | 4.0 | 2,558 | 7.2 | 47 | 7.4 |
| Asian/Pacific Islander | 12 | 3.4 | 6 | 2.1 | 6 | 9.0 | 9 | 3.0 | 542 | 1.5 | 5 | 0.8 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 69 | 0.2 | 2 | 0.3 |
| Multiracial | 4 | 1.1 | 3 | 1.1 | 1 | 1.5 | 3 | 1.0 | 132 | 0.4 | 3 | 0.5 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 70 | 0.2 | 1 | 0.2 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 1 | 0.3 | 0 | 0.0 | 1 | 1.5 | 1 | 0.3 | 25 | 0.1 | 0 | 0.0 |
| 13-19 | 15 | 4.3 | 14 | 5.0 | 1 | 1.5 | 3 | 1.0 | 113 | 0.3 | 0 | 0.0 |
| 20-29 | 86 | 24.6 | 80 | 28.4 | 6 | 9.0 | 32 | 10.6 | 1,714 | 4.8 | 11 | 1.7 |
| 30-39 | 87 | 24.9 | 75 | 26.6 | 12 | 17.9 | 66 | 21.9 | 4,381 | 12.3 | 38 | 6.0 |
| 40-49 | 64 | 18.3 | 50 | 17.7 | 14 | 20.9 | 62 | 20.5 | 6,501 | 18.3 | 64 | 10.1 |
| 50-59 | 64 | 18.3 | 37 | 13.1 | 27 | 40.3 | 82 | 27.2 | 11,027 | 31.0 | 216 | 34.1 |
| 60+ | 32 | 9.2 | 26 | 9.2 | 6 | 9.0 | 56 | 18.5 | 11,753 | 33.1 | 305 | 48.1 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 104 | 29.8 | 82 | 29.1 | 22 | 32.8 | 99 | 32.8 | 11,554 | 32.5 | 208 | 32.8 |
| Brooklyn | 85 | 24.4 | 70 | 24.8 | 15 | 22.4 | 79 | 26.2 | 9,979 | 28.1 | 157 | 24.8 |
| Manhattan | 37 | 10.6 | 32 | 11.3 | 5 | 7.5 | 39 | 12.9 | 5,027 | 14.2 | 91 | 14.4 |
| Queens | 60 | 17.2 | 45 | 16.0 | 15 | 22.4 | 42 | 13.9 | 5,017 | 14.1 | 46 | 7.3 |
| Staten Island | 13 | 3.7 | 8 | 2.8 | 5 | 7.5 | 15 | 5.0 | 909 | 2.6 | 10 | 1.6 |
| Outside NYC | 35 | 10.0 | 30 | 10.6 | 5 | 7.5 | 25 | 8.3 | 2,778 | 7.8 | 19 | 3.0 |
| Unknown | 15 | 4.3 | 15 | 5.3 | 0 | 0.0 | 3 | 1.0 | 250 | 0.7 | 103 | 16.2 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 37 | 10.6 | 25 | 8.9 | 12 | 17.9 | 31 | 10.3 | 3,528 | 9.9 | 34 | 5.4 |
| Medium poverty (10 to <20% below FPL) | 121 | 34.7 | 95 | 33.7 | 26 | 38.8 | 100 | 33.1 | 11,080 | 31.2 | 144 | 22.7 |
| High poverty (20 to <30% below FPL) | 61 | 17.5 | 51 | 18.1 | 10 | 14.9 | 66 | 21.9 | 8,414 | 23.7 | 145 | 22.9 |
| Very high poverty (≥30% below FPL) | 80 | 22.9 | 66 | 23.4 | 14 | 20.9 | 75 | 24.8 | 9,193 | 25.9 | 182 | 28.7 |
| Area-based poverty level not available | 50 | 14.3 | 45 | 16.0 | 5 | 7.5 | 30 | 9.9 | 3,299 | 9.3 | 129 | 20.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 11 | 3.2 | 11 | 3.9 | 0 | 0.0 | 18 | 6.0 | 5,101 | 14.4 | 166 | 26.2 |
| Heterosexual contact | 234 | 67.0 | 182 | 64.5 | 52 | 77.6 | 195 | 64.6 | 20,060 | 56.5 | 328 | 51.7 |
| Transgender people with sexual contact | 54 | 15.5 | 50 | 17.7 | 4 | 6.0 | 33 | 10.9 | 2,123 | 6.0 | 25 | 3.9 |
| Perinatal | 1 | 0.3 | 0 | 0.0 | 1 | 1.5 | 11 | 3.6 | 1,306 | 3.7 | 11 | 1.7 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 83 | 0.2 | 1 | 0.2 |
| Unknown | 49 | 14.0 | 39 | 13.8 | 10 | 14.9 | 45 | 14.9 | 6,841 | 19.3 | 103 | 16.2 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.3.1. Black men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 508 | 100.0 | 421 | 82.9 | 87 | 17.1 | 338 | 100.0 | 35,794 | 100.0 | 765 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 1 | 0.2 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 12 | 0.0 | 0 | 0.0 |
| 13-19 | 23 | 4.5 | 21 | 5.0 | 2 | 2.3 | 3 | 0.9 | 76 | 0.2 | 0 | 0.0 |
| 20-29 | 177 | 34.8 | 161 | 38.2 | 16 | 18.4 | 49 | 14.5 | 2,588 | 7.2 | 12 | 1.6 |
| 30-39 | 174 | 34.3 | 153 | 36.3 | 21 | 24.1 | 106 | 31.4 | 7,282 | 20.3 | 65 | 8.5 |
| 40-49 | 60 | 11.8 | 40 | 9.5 | 20 | 23.0 | 63 | 18.6 | 5,684 | 15.9 | 65 | 8.5 |
| 50-59 | 45 | 8.9 | 29 | 6.9 | 16 | 18.4 | 60 | 17.8 | 9,130 | 25.5 | 219 | 28.6 |
| 60+ | 28 | 5.5 | 16 | 3.8 | 12 | 13.8 | 57 | 16.9 | 11,022 | 30.8 | 404 | 52.8 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 98 | 19.3 | 81 | 19.2 | 17 | 19.5 | 93 | 27.5 | 8,786 | 24.5 | 202 | 26.4 |
| Brooklyn | 199 | 39.2 | 160 | 38.0 | 39 | 44.8 | 101 | 29.9 | 11,297 | 31.6 | 186 | 24.3 |
| Manhattan | 97 | 19.1 | 79 | 18.8 | 18 | 20.7 | 57 | 16.9 | 7,316 | 20.4 | 120 | 15.7 |
| Queens | 57 | 11.2 | 48 | 11.4 | 9 | 10.3 | 36 | 10.7 | 4,275 | 11.9 | 55 | 7.2 |
| Staten Island | 10 | 2.0 | 9 | 2.1 | 1 | 1.1 | 3 | 0.9 | 588 | 1.6 | 14 | 1.8 |
| Outside NYC | 32 | 6.3 | 29 | 6.9 | 3 | 3.4 | 45 | 13.3 | 3,323 | 9.3 | 20 | 2.6 |
| Unknown | 15 | 3.0 | 15 | 3.6 | 0 | 0.0 | 3 | 0.9 | 209 | 0.6 | 168 | 22.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 50 | 9.8 | 39 | 9.3 | 11 | 12.6 | 29 | 8.6 | 3,702 | 10.3 | 31 | 4.1 |
| Medium poverty (10 to <20% below FPL) | 160 | 31.5 | 135 | 32.1 | 25 | 28.7 | 96 | 28.4 | 11,700 | 32.7 | 182 | 23.8 |
| High poverty (20 to <30% below FPL) | 159 | 31.3 | 128 | 30.4 | 31 | 35.6 | 89 | 26.3 | 8,886 | 24.8 | 152 | 19.9 |
| Very high poverty (≥30% below FPL) | 92 | 18.1 | 75 | 17.8 | 17 | 19.5 | 76 | 22.5 | 7,611 | 21.3 | 197 | 25.8 |
| Area-based poverty level not available | 47 | 9.3 | 44 | 10.5 | 3 | 3.4 | 48 | 14.2 | 3,895 | 10.9 | 203 | 26.5 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 291 | 57.3 | 260 | 61.8 | 31 | 35.6 | 165 | 48.8 | 18,497 | 51.7 | 264 | 34.5 |
| Injection drug use history (IDU) | 3 | 0.6 | 2 | 0.5 | 1 | 1.1 | 12 | 3.6 | 3,651 | 10.2 | 170 | 22.2 |
| MSM-IDU | 10 | 2.0 | 9 | 2.1 | 1 | 1.1 | 11 | 3.3 | 1,220 | 3.4 | 54 | 7.1 |
| Heterosexual contact | 22 | 4.3 | 15 | 3.6 | 7 | 8.0 | 32 | 9.5 | 3,762 | 10.5 | 93 | 12.2 |
| Transgender people with sexual contact | 4 | 0.8 | 4 | 1.0 | 0 | 0.0 | 1 | 0.3 | 22 | 0.1 | 0 | 0.0 |
| Perinatal | 1 | 0.2 | 1 | 0.2 | 0 | 0.0 | 4 | 1.2 | 693 | 1.9 | 3 | 0.4 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 36 | 0.1 | 0 | 0.0 |
| Unknown | 177 | 34.8 | 130 | 30.9 | 47 | 54.0 | 113 | 33.4 | 7,913 | 22.1 | 181 | 23.7 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.3.2. Black women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 192 | 100.0 | 154 | 80.2 | 38 | 19.8 | 183 | 100.0 | 20,417 | 100.0 | 376 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 1 | 0.5 | 0 | 0.0 | 1 | 2.6 | 1 | 0.5 | 8 | 0.0 | 0 | 0.0 |
| 13-19 | 11 | 5.7 | 11 | 7.1 | 0 | 0.0 | 1 | 0.5 | 68 | 0.3 | 0 | 0.0 |
| 20-29 | 48 | 25.0 | 44 | 28.6 | 4 | 10.5 | 21 | 11.5 | 958 | 4.7 | 7 | 1.9 |
| 30-39 | 42 | 21.9 | 35 | 22.7 | 7 | 18.4 | 39 | 21.3 | 2,558 | 12.5 | 20 | 5.3 |
| 40-49 | 35 | 18.2 | 26 | 16.9 | 9 | 23.7 | 37 | 20.2 | 3,936 | 19.3 | 33 | 8.8 |
| 50-59 | 39 | 20.3 | 25 | 16.2 | 14 | 36.8 | 51 | 27.9 | 6,392 | 31.3 | 132 | 35.1 |
| 60+ | 16 | 8.3 | 13 | 8.4 | 3 | 7.9 | 33 | 18.0 | 6,497 | 31.8 | 184 | 48.9 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 55 | 28.6 | 43 | 27.9 | 12 | 31.6 | 57 | 31.1 | 6,061 | 29.7 | 111 | 29.5 |
| Brooklyn | 54 | 28.1 | 45 | 29.2 | 9 | 23.7 | 56 | 30.6 | 6,900 | 33.8 | 111 | 29.5 |
| Manhattan | 21 | 10.9 | 18 | 11.7 | 3 | 7.9 | 21 | 11.5 | 2,688 | 13.2 | 54 | 14.4 |
| Queens | 31 | 16.1 | 23 | 14.9 | 8 | 21.1 | 21 | 11.5 | 2,765 | 13.5 | 21 | 5.6 |
| Staten Island | 7 | 3.6 | 4 | 2.6 | 3 | 7.9 | 9 | 4.9 | 436 | 2.1 | 2 | 0.5 |
| Outside NYC | 19 | 9.9 | 16 | 10.4 | 3 | 7.9 | 17 | 9.3 | 1,469 | 7.2 | 13 | 3.5 |
| Unknown | 5 | 2.6 | 5 | 3.2 | 0 | 0.0 | 2 | 1.1 | 98 | 0.5 | 64 | 17.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 20 | 10.4 | 15 | 9.7 | 5 | 13.2 | 16 | 8.7 | 1,958 | 9.6 | 18 | 4.8 |
| Medium poverty (10 to <20% below FPL) | 73 | 38.0 | 56 | 36.4 | 17 | 44.7 | 57 | 31.1 | 6,563 | 32.1 | 93 | 24.7 |
| High poverty (20 to <30% below FPL) | 37 | 19.3 | 30 | 19.5 | 7 | 18.4 | 43 | 23.5 | 5,115 | 25.1 | 86 | 22.9 |
| Very high poverty (≥30% below FPL) | 38 | 19.8 | 32 | 20.8 | 6 | 15.8 | 47 | 25.7 | 5,062 | 24.8 | 101 | 26.9 |
| Area-based poverty level not available | 24 | 12.5 | 21 | 13.6 | 3 | 7.9 | 20 | 10.9 | 1,719 | 8.4 | 78 | 20.7 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 5 | 2.6 | 5 | 3.2 | 0 | 0.0 | 10 | 5.5 | 2,446 | 12.0 | 70 | 18.6 |
| Heterosexual contact | 135 | 70.3 | 105 | 68.2 | 30 | 78.9 | 126 | 68.9 | 11,838 | 58.0 | 221 | 58.8 |
| Transgender people with sexual contact | 24 | 12.5 | 24 | 15.6 | 0 | 0.0 | 10 | 5.5 | 1,050 | 5.1 | 15 | 4.0 |
| Perinatal | 1 | 0.5 | 0 | 0.0 | 1 | 2.6 | 9 | 4.9 | 745 | 3.6 | 8 | 2.1 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 43 | 0.2 | 1 | 0.3 |
| Unknown | 27 | 14.1 | 20 | 13.0 | 7 | 18.4 | 28 | 15.3 | 4,295 | 21.0 | 61 | 16.2 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.3.3. Latino/Hispanic men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 528 | 100.0 | 423 | 80.1 | 105 | 19.9 | 296 | 100.0 | 32,551 | 100.0 | 479 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.0 | 0 | 0.0 |
| 13-19 | 19 | 3.6 | 18 | 4.3 | 1 | 1.0 | 1 | 0.3 | 60 | 0.2 | 0 | 0.0 |
| 20-29 | 209 | 39.6 | 194 | 45.9 | 15 | 14.3 | 40 | 13.5 | 2,170 | 6.7 | 7 | 1.5 |
| 30-39 | 156 | 29.5 | 113 | 26.7 | 43 | 41.0 | 111 | 37.5 | 6,466 | 19.9 | 36 | 7.5 |
| 40-49 | 80 | 15.2 | 54 | 12.8 | 26 | 24.8 | 60 | 20.3 | 6,052 | 18.6 | 54 | 11.3 |
| 50-59 | 42 | 8.0 | 29 | 6.9 | 13 | 12.4 | 51 | 17.2 | 9,070 | 27.9 | 144 | 30.1 |
| 60+ | 22 | 4.2 | 15 | 3.5 | 7 | 6.7 | 33 | 11.1 | 8,729 | 26.8 | 238 | 49.7 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 167 | 31.6 | 136 | 32.2 | 31 | 29.5 | 97 | 32.8 | 9,295 | 28.6 | 182 | 38.0 |
| Brooklyn | 83 | 15.7 | 64 | 15.1 | 19 | 18.1 | 42 | 14.2 | 5,297 | 16.3 | 76 | 15.9 |
| Manhattan | 87 | 16.5 | 69 | 16.3 | 18 | 17.1 | 54 | 18.2 | 7,915 | 24.3 | 81 | 16.9 |
| Queens | 122 | 23.1 | 92 | 21.7 | 30 | 28.6 | 69 | 23.3 | 6,257 | 19.2 | 27 | 5.6 |
| Staten Island | 7 | 1.3 | 4 | 0.9 | 3 | 2.9 | 6 | 2.0 | 476 | 1.5 | 4 | 0.8 |
| Outside NYC | 39 | 7.4 | 35 | 8.3 | 4 | 3.8 | 26 | 8.8 | 2,655 | 8.2 | 13 | 2.7 |
| Unknown | 23 | 4.4 | 23 | 5.4 | 0 | 0.0 | 2 | 0.7 | 656 | 2.0 | 96 | 20.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 64 | 12.1 | 47 | 11.1 | 17 | 16.2 | 31 | 10.5 | 4,526 | 13.9 | 26 | 5.4 |
| Medium poverty (10 to <20% below FPL) | 170 | 32.2 | 138 | 32.6 | 32 | 30.5 | 95 | 32.1 | 10,871 | 33.4 | 110 | 23.0 |
| High poverty (20 to <30% below FPL) | 109 | 20.6 | 81 | 19.1 | 28 | 26.7 | 67 | 22.6 | 6,296 | 19.3 | 83 | 17.3 |
| Very high poverty (≥30% below FPL) | 123 | 23.3 | 99 | 23.4 | 24 | 22.9 | 74 | 25.0 | 7,228 | 22.2 | 148 | 30.9 |
| Area-based poverty level not available | 62 | 11.7 | 58 | 13.7 | 4 | 3.8 | 29 | 9.8 | 3,630 | 11.2 | 112 | 23.4 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 375 | 71.0 | 304 | 71.9 | 71 | 67.6 | 178 | 60.1 | 19,267 | 59.2 | 149 | 31.1 |
| Injection drug use history (IDU) | 4 | 0.8 | 3 | 0.7 | 1 | 1.0 | 21 | 7.1 | 4,386 | 13.5 | 169 | 35.3 |
| MSM-IDU | 9 | 1.7 | 8 | 1.9 | 1 | 1.0 | 13 | 4.4 | 1,328 | 4.1 | 38 | 7.9 |
| Heterosexual contact | 21 | 4.0 | 13 | 3.1 | 8 | 7.6 | 22 | 7.4 | 2,352 | 7.2 | 49 | 10.2 |
| Transgender people with sexual contact | 1 | 0.2 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 7 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 439 | 1.3 | 7 | 1.5 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 26 | 0.1 | 1 | 0.2 |
| Unknown | 118 | 22.3 | 94 | 22.2 | 24 | 22.9 | 62 | 20.9 | 4,746 | 14.6 | 66 | 13.8 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.3.4. Latina/Hispanic women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 118 | 100.0 | 99 | 83.9 | 19 | 16.1 | 94 | 100.0 | 11,726 | 100.0 | 200 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 0.1 | 0 | 0.0 |
| 13-19 | 3 | 2.5 | 2 | 2.0 | 1 | 5.3 | 2 | 2.1 | 34 | 0.3 | 0 | 0.0 |
| 20-29 | 33 | 28.0 | 31 | 31.3 | 2 | 10.5 | 10 | 10.6 | 626 | 5.3 | 2 | 1.0 |
| 30-39 | 31 | 26.3 | 30 | 30.3 | 1 | 5.3 | 20 | 21.3 | 1,399 | 11.9 | 12 | 6.0 |
| 40-49 | 19 | 16.1 | 17 | 17.2 | 2 | 10.5 | 17 | 18.1 | 1,969 | 16.8 | 25 | 12.5 |
| 50-59 | 21 | 17.8 | 9 | 9.1 | 12 | 63.2 | 27 | 28.7 | 3,619 | 30.9 | 67 | 33.5 |
| 60+ | 11 | 9.3 | 10 | 10.1 | 1 | 5.3 | 18 | 19.1 | 4,067 | 34.7 | 94 | 47.0 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 46 | 39.0 | 36 | 36.4 | 10 | 52.6 | 38 | 40.4 | 5,052 | 43.1 | 90 | 45.0 |
| Brooklyn | 17 | 14.4 | 15 | 15.2 | 2 | 10.5 | 17 | 18.1 | 2,305 | 19.7 | 37 | 18.5 |
| Manhattan | 12 | 10.2 | 10 | 10.1 | 2 | 10.5 | 14 | 14.9 | 1,709 | 14.6 | 26 | 13.0 |
| Queens | 22 | 18.6 | 18 | 18.2 | 4 | 21.1 | 14 | 14.9 | 1,558 | 13.3 | 18 | 9.0 |
| Staten Island | 2 | 1.7 | 2 | 2.0 | 0 | 0.0 | 4 | 4.3 | 264 | 2.3 | 2 | 1.0 |
| Outside NYC | 10 | 8.5 | 9 | 9.1 | 1 | 5.3 | 6 | 6.4 | 716 | 6.1 | 2 | 1.0 |
| Unknown | 9 | 7.6 | 9 | 9.1 | 0 | 0.0 | 1 | 1.1 | 122 | 1.0 | 25 | 12.5 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 9 | 7.6 | 6 | 6.1 | 3 | 15.8 | 7 | 7.4 | 894 | 7.6 | 6 | 3.0 |
| Medium poverty (10 to <20% below FPL) | 31 | 26.3 | 26 | 26.3 | 5 | 26.3 | 35 | 37.2 | 3,302 | 28.2 | 39 | 19.5 |
| High poverty (20 to <30% below FPL) | 21 | 17.8 | 18 | 18.2 | 3 | 15.8 | 20 | 21.3 | 2,843 | 24.2 | 52 | 26.0 |
| Very high poverty (≥30% below FPL) | 38 | 32.2 | 31 | 31.3 | 7 | 36.8 | 24 | 25.5 | 3,791 | 32.3 | 73 | 36.5 |
| Area-based poverty level not available | 19 | 16.1 | 18 | 18.2 | 1 | 5.3 | 8 | 8.5 | 896 | 7.6 | 30 | 15.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 4 | 3.4 | 4 | 4.0 | 0 | 0.0 | 5 | 5.3 | 2,033 | 17.3 | 75 | 37.5 |
| Heterosexual contact | 75 | 63.6 | 61 | 61.6 | 14 | 73.7 | 54 | 57.4 | 6,457 | 55.1 | 86 | 43.0 |
| Transgender people with sexual contact | 26 | 22.0 | 24 | 24.2 | 2 | 10.5 | 20 | 21.3 | 866 | 7.4 | 7 | 3.5 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.1 | 465 | 4.0 | 3 | 1.5 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 0.2 | 0 | 0.0 |
| Unknown | 13 | 11.0 | 10 | 10.1 | 3 | 15.8 | 14 | 14.9 | 1,885 | 16.1 | 29 | 14.5 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.3.5. White men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 157 | 100.0 | 132 | 84.1 | 25 | 15.9 | 101 | 100.0 | 23,813 | 100.0 | 322 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 0.6 | 1 | 0.8 | 0 | 0.0 | 0 | 0.0 | 6 | 0.0 | 0 | 0.0 |
| 20-29 | 37 | 23.6 | 36 | 27.3 | 1 | 4.0 | 7 | 6.9 | 590 | 2.5 | 0 | 0.0 |
| 30-39 | 61 | 38.9 | 54 | 40.9 | 7 | 28.0 | 27 | 26.7 | 3,036 | 12.7 | 11 | 3.4 |
| 40-49 | 22 | 14.0 | 14 | 10.6 | 8 | 32.0 | 20 | 19.8 | 3,811 | 16.0 | 30 | 9.3 |
| 50-59 | 29 | 18.5 | 22 | 16.7 | 7 | 28.0 | 25 | 24.8 | 7,650 | 32.1 | 81 | 25.2 |
| 60+ | 7 | 4.5 | 5 | 3.8 | 2 | 8.0 | 22 | 21.8 | 8,719 | 36.6 | 200 | 62.1 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 10 | 6.4 | 8 | 6.1 | 2 | 8.0 | 11 | 10.9 | 1,075 | 4.5 | 27 | 8.4 |
| Brooklyn | 36 | 22.9 | 29 | 22.0 | 7 | 28.0 | 18 | 17.8 | 3,539 | 14.9 | 28 | 8.7 |
| Manhattan | 63 | 40.1 | 52 | 39.4 | 11 | 44.0 | 36 | 35.6 | 11,266 | 47.3 | 89 | 27.6 |
| Queens | 19 | 12.1 | 16 | 12.1 | 3 | 12.0 | 12 | 11.9 | 2,465 | 10.4 | 27 | 8.4 |
| Staten Island | 6 | 3.8 | 5 | 3.8 | 1 | 4.0 | 4 | 4.0 | 512 | 2.2 | 10 | 3.1 |
| Outside NYC | 18 | 11.5 | 17 | 12.9 | 1 | 4.0 | 16 | 15.8 | 4,776 | 20.1 | 25 | 7.8 |
| Unknown | 5 | 3.2 | 5 | 3.8 | 0 | 0.0 | 4 | 4.0 | 180 | 0.8 | 116 | 36.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 34 | 21.7 | 31 | 23.5 | 3 | 12.0 | 17 | 16.8 | 6,254 | 26.3 | 48 | 14.9 |
| Medium poverty (10 to <20% below FPL) | 61 | 38.9 | 46 | 34.8 | 15 | 60.0 | 41 | 40.6 | 8,741 | 36.7 | 85 | 26.4 |
| High poverty (20 to <30% below FPL) | 30 | 19.1 | 26 | 19.7 | 4 | 16.0 | 14 | 13.9 | 2,583 | 10.8 | 23 | 7.1 |
| Very high poverty (≥30% below FPL) | 9 | 5.7 | 7 | 5.3 | 2 | 8.0 | 9 | 8.9 | 1,054 | 4.4 | 20 | 6.2 |
| Area-based poverty level not available | 23 | 14.6 | 22 | 16.7 | 1 | 4.0 | 20 | 19.8 | 5,181 | 21.8 | 146 | 45.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 102 | 65.0 | 91 | 68.9 | 11 | 44.0 | 63 | 62.4 | 19,269 | 80.9 | 210 | 65.2 |
| Injection drug use history (IDU) | 5 | 3.2 | 4 | 3.0 | 1 | 4.0 | 7 | 6.9 | 1,041 | 4.4 | 40 | 12.4 |
| MSM-IDU | 7 | 4.5 | 7 | 5.3 | 0 | 0.0 | 3 | 3.0 | 866 | 3.6 | 21 | 6.5 |
| Heterosexual contact | 1 | 0.6 | 1 | 0.8 | 0 | 0.0 | 0 | 0.0 | 568 | 2.4 | 14 | 4.3 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 77 | 0.3 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 43 | 0.2 | 2 | 0.6 |
| Unknown | 42 | 26.8 | 29 | 22.0 | 13 | 52.0 | 28 | 27.7 | 1,947 | 8.2 | 35 | 10.9 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.3.6. White women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 23 | 100.0 | 20 | 87.0 | 3 | 13.0 | 12 | 100.0 | 2,558 | 100.0 | 47 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| 13-19 | 1 | 4.3 | 1 | 5.0 | 0 | 0.0 | 0 | 0.0 | 7 | 0.3 | 0 | 0.0 |
| 20-29 | 4 | 17.4 | 4 | 20.0 | 0 | 0.0 | 0 | 0.0 | 89 | 3.5 | 2 | 4.3 |
| 30-39 | 9 | 39.1 | 8 | 40.0 | 1 | 33.3 | 2 | 16.7 | 284 | 11.1 | 5 | 10.6 |
| 40-49 | 4 | 17.4 | 4 | 20.0 | 0 | 0.0 | 2 | 16.7 | 384 | 15.0 | 3 | 6.4 |
| 50-59 | 1 | 4.3 | 1 | 5.0 | 0 | 0.0 | 3 | 25.0 | 804 | 31.4 | 14 | 29.8 |
| 60+ | 4 | 17.4 | 2 | 10.0 | 2 | 66.7 | 5 | 41.7 | 988 | 38.6 | 23 | 48.9 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 3 | 13.0 | 3 | 15.0 | 0 | 0.0 | 3 | 25.0 | 327 | 12.8 | 6 | 12.8 |
| Brooklyn | 8 | 34.8 | 7 | 35.0 | 1 | 33.3 | 3 | 25.0 | 572 | 22.4 | 7 | 14.9 |
| Manhattan | 3 | 13.0 | 3 | 15.0 | 0 | 0.0 | 3 | 25.0 | 514 | 20.1 | 10 | 21.3 |
| Queens | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 412 | 16.1 | 3 | 6.4 |
| Staten Island | 4 | 17.4 | 2 | 10.0 | 2 | 66.7 | 2 | 16.7 | 193 | 7.5 | 5 | 10.6 |
| Outside NYC | 4 | 17.4 | 4 | 20.0 | 0 | 0.0 | 1 | 8.3 | 518 | 20.3 | 3 | 6.4 |
| Unknown | 1 | 4.3 | 1 | 5.0 | 0 | 0.0 | 0 | 0.0 | 22 | 0.9 | 13 | 27.7 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 3 | 13.0 | 2 | 10.0 | 1 | 33.3 | 2 | 16.7 | 537 | 21.0 | 6 | 12.8 |
| Medium poverty (10 to <20% below FPL) | 9 | 39.1 | 7 | 35.0 | 2 | 66.7 | 3 | 25.0 | 903 | 35.3 | 8 | 17.0 |
| High poverty (20 to <30% below FPL) | 3 | 13.0 | 3 | 15.0 | 0 | 0.0 | 3 | 25.0 | 308 | 12.0 | 7 | 14.9 |
| Very high poverty (≥30% below FPL) | 3 | 13.0 | 3 | 15.0 | 0 | 0.0 | 3 | 25.0 | 243 | 9.5 | 7 | 14.9 |
| Area-based poverty level not available | 5 | 21.7 | 5 | 25.0 | 0 | 0.0 | 1 | 8.3 | 567 | 22.2 | 19 | 40.4 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 2 | 8.7 | 2 | 10.0 | 0 | 0.0 | 3 | 25.0 | 582 | 22.8 | 19 | 40.4 |
| Heterosexual contact | 12 | 52.2 | 9 | 45.0 | 3 | 100.0 | 7 | 58.3 | 1,297 | 50.7 | 14 | 29.8 |
| Transgender people with sexual contact | 2 | 8.7 | 2 | 10.0 | 0 | 0.0 | 0 | 0.0 | 122 | 4.8 | 3 | 6.4 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 74 | 2.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 0.7 | 0 | 0.0 |
| Unknown | 7 | 30.4 | 7 | 35.0 | 0 | 0.0 | 2 | 16.7 | 466 | 18.2 | 11 | 23.4 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 88 | 100.0 | 68 | 77.3 | 20 | 22.7 | 33 | 100.0 | 2,914 | 100.0 | 22 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 2.3 | 2 | 2.9 | 0 | 0.0 | 0 | 0.0 | 8 | 0.3 | 0 | 0.0 |
| 20-29 | 27 | 30.7 | 24 | 35.3 | 3 | 15.0 | 5 | 15.2 | 257 | 8.8 | 0 | 0.0 |
| 30-39 | 32 | 36.4 | 23 | 33.8 | 9 | 45.0 | 11 | 33.3 | 710 | 24.4 | 2 | 9.1 |
| 40-49 | 14 | 15.9 | 12 | 17.6 | 2 | 10.0 | 5 | 15.2 | 702 | 24.1 | 4 | 18.2 |
| 50-59 | 8 | 9.1 | 3 | 4.4 | 5 | 25.0 | 7 | 21.2 | 710 | 24.4 | 9 | 40.9 |
| 60+ | 5 | 5.7 | 4 | 5.9 | 1 | 5.0 | 5 | 15.2 | 527 | 18.1 | 7 | 31.8 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 6 | 6.8 | 2 | 2.9 | 4 | 20.0 | 6 | 18.2 | 176 | 6.0 | 6 | 27.3 |
| Brooklyn | 20 | 22.7 | 17 | 25.0 | 3 | 15.0 | 3 | 9.1 | 515 | 17.7 | 1 | 4.5 |
| Manhattan | 14 | 15.9 | 11 | 16.2 | 3 | 15.0 | 3 | 9.1 | 863 | 29.6 | 6 | 27.3 |
| Queens | 34 | 38.6 | 27 | 39.7 | 7 | 35.0 | 18 | 54.5 | 1,005 | 34.5 | 3 | 13.6 |
| Staten Island | 3 | 3.4 | 3 | 4.4 | 0 | 0.0 | 0 | 0.0 | 33 | 1.1 | 0 | 0.0 |
| Outside NYC | 10 | 11.4 | 7 | 10.3 | 3 | 15.0 | 3 | 9.1 | 280 | 9.6 | 1 | 4.5 |
| Unknown | 1 | 1.1 | 1 | 1.5 | 0 | 0.0 | 0 | 0.0 | 42 | 1.4 | 5 | 22.7 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 22 | 25.0 | 17 | 25.0 | 5 | 25.0 | 7 | 21.2 | 729 | 25.0 | 2 | 9.1 |
| Medium poverty (10 to <20% below FPL) | 39 | 44.3 | 33 | 48.5 | 6 | 30.0 | 13 | 39.4 | 1,227 | 42.1 | 6 | 27.3 |
| High poverty (20 to <30% below FPL) | 12 | 13.6 | 8 | 11.8 | 4 | 20.0 | 7 | 21.2 | 471 | 16.2 | 5 | 22.7 |
| Very high poverty (≥30% below FPL) | 3 | 3.4 | 2 | 2.9 | 1 | 5.0 | 2 | 6.1 | 146 | 5.0 | 3 | 13.6 |
| Area-based poverty level not available | 12 | 13.6 | 8 | 11.8 | 4 | 20.0 | 4 | 12.1 | 341 | 11.7 | 6 | 27.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 50 | 56.8 | 39 | 57.4 | 11 | 55.0 | 20 | 60.6 | 2,031 | 69.7 | 8 | 36.4 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 58 | 2.0 | 2 | 9.1 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 51 | 1.8 | 0 | 0.0 |
| Heterosexual contact | 5 | 5.7 | 0 | 0.0 | 5 | 25.0 | 6 | 18.2 | 229 | 7.9 | 3 | 13.6 |
| Transgender people with sexual contact | 1 | 1.1 | 1 | 1.5 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 0.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| Unknown | 32 | 36.4 | 28 | 41.2 | 4 | 20.0 | 7 | 21.2 | 527 | 18.1 | 9 | 40.9 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 12 | 100.0 | 6 | 50.0 | 6 | 50.0 | 9 | 100.0 | 542 | 100.0 | 5 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.4 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 |
| 20-29 | 1 | 8.3 | 1 | 16.7 | 0 | 0.0 | 0 | 0.0 | 22 | 4.1 | 0 | 0.0 |
| 30-39 | 4 | 33.3 | 2 | 33.3 | 2 | 33.3 | 2 | 22.2 | 76 | 14.0 | 1 | 20.0 |
| 40-49 | 5 | 41.7 | 2 | 33.3 | 3 | 50.0 | 6 | 66.7 | 160 | 29.5 | 3 | 60.0 |
| 50-59 | 2 | 16.7 | 1 | 16.7 | 1 | 16.7 | 1 | 11.1 | 150 | 27.7 | 1 | 20.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 131 | 24.2 | 0 | 0.0 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 47 | 8.7 | 0 | 0.0 |
| Brooklyn | 5 | 41.7 | 2 | 33.3 | 3 | 50.0 | 3 | 33.3 | 124 | 22.9 | 0 | 0.0 |
| Manhattan | 1 | 8.3 | 1 | 16.7 | 0 | 0.0 | 0 | 0.0 | 75 | 13.8 | 0 | 0.0 |
| Queens | 4 | 33.3 | 2 | 33.3 | 2 | 33.3 | 5 | 55.6 | 232 | 42.8 | 4 | 80.0 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 1.5 | 1 | 20.0 |
| Outside NYC | 2 | 16.7 | 1 | 16.7 | 1 | 16.7 | 1 | 11.1 | 54 | 10.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.4 | 0 | 0.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 3 | 25.0 | 1 | 16.7 | 2 | 33.3 | 4 | 44.4 | 120 | 22.1 | 3 | 60.0 |
| Medium poverty (10 to <20% below FPL) | 6 | 50.0 | 4 | 66.7 | 2 | 33.3 | 3 | 33.3 | 221 | 40.8 | 2 | 40.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 91 | 16.8 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 1 | 8.3 | 0 | 0.0 | 1 | 16.7 | 1 | 11.1 | 49 | 9.0 | 0 | 0.0 |
| Area-based poverty level not available | 2 | 16.7 | 1 | 16.7 | 1 | 16.7 | 1 | 11.1 | 61 | 11.3 | 0 | 0.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 3.7 | 0 | 0.0 |
| Heterosexual contact | 8 | 66.7 | 4 | 66.7 | 4 | 66.7 | 6 | 66.7 | 347 | 64.0 | 5 | 100.0 |
| Transgender people with sexual contact | 2 | 16.7 | 0 | 0.0 | 2 | 33.3 | 3 | 33.3 | 45 | 8.3 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 1.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 |
| Unknown | 2 | 16.7 | 2 | 33.3 | 0 | 0.0 | 0 | 0.0 | 123 | 22.7 | 0 | 0.0 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.3.9. Native American men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|--------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 2 | 100.0 | 2 | 100.0 | 0 | 0.0 | 3 | 100.0 | 234 | 100.0 | 4 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 5.6 | 0 | 0.0 |
| 30-39 | 2 | 100.0 | 2 | 100.0 | 0 | 0.0 | 1 | 33.3 | 47 | 20.1 | 1 | 25.0 |
| 40-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 48 | 20.5 | 0 | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 33.3 | 65 | 27.8 | 1 | 25.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 33.3 | 61 | 26.1 | 2 | 50.0 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 47 | 20.1 | 1 | 25.0 |
| Brooklyn | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 33.3 | 52 | 22.2 | 1 | 25.0 |
| Manhattan | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 54 | 23.1 | 0 | 0.0 |
| Queens | 1 | 50.0 | 1 | 50.0 | 0 | 0.0 | 1 | 33.3 | 49 | 20.9 | 0 | 0.0 |
| Other/Unknown | 1 | 50.0 | 1 | 50.0 | 0 | 0.0 | 1 | 33.3 | 32 | 13.7 | 2 | 50.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 1 | 50.0 | 1 | 50.0 | 0 | 0.0 | 2 | 66.7 | 38 | 16.2 | 0 | 0.0 |
| Medium poverty (10 to <20% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 82 | 35.0 | 1 | 25.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 33.3 | 50 | 21.4 | 1 | 25.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 36 | 15.4 | 0 | 0.0 |
| Area-based poverty level not available | 1 | 50.0 | 1 | 50.0 | 0 | 0.0 | 0 | 0.0 | 28 | 12.0 | 2 | 50.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 1 | 50.0 | 1 | 50.0 | 0 | 0.0 | 2 | 66.7 | 145 | 62.0 | 2 | 50.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 15 | 6.4 | 0 | 0.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 5.1 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 23 | 9.8 | 1 | 25.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.9 | 0 | 0.0 |
| Unknown | 1 | 50.0 | 1 | 50.0 | 0 | 0.0 | 1 | 33.3 | 37 | 15.8 | 1 | 25.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.3.10. Native American women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|------------|--------------|------------|--------------------------------|------------|----------------------|------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 69 | 100.0 | 2 | 100.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.4 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 7.2 | 0 | 0.0 |
| 30-39 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 17.4 | 0 | 0.0 |
| 40-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 16 | 23.2 | 0 | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 29.0 | 1 | 50.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 15 | 21.7 | 1 | 50.0 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 24 | 34.8 | 0 | 0.0 |
| Brooklyn | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 29.0 | 1 | 50.0 |
| Manhattan | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 11.6 | 0 | 0.0 |
| Queens | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 17.4 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 7.2 | 1 | 50.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 5.8 | 0 | 0.0 |
| Medium poverty (10 to <20% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 25 | 36.2 | 1 | 50.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 16 | 23.2 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 21 | 30.4 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 4.3 | 1 | 50.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 2.9 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 44 | 63.8 | 1 | 50.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 11.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 5.8 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 15.9 | 1 | 50.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.4.1. Boys 0-12 Years

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|--------------|--------------------------------|------------|----------------------|------------|----------------------|--------------|--------------|------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 1 | 100.0 | 1 | 100.0 | 0 | 0.0 | 0 | 0.0 | 17 | 100.0 | 0 | 0.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 1 | 100.0 | 1 | 100.0 | 0 | 0.0 | 0 | 0.0 | 12 | 70.6 | 0 | 0.0 |
| Latino/Hispanic | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 23.5 | 0 | 0.0 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.9 | 0 | 0.0 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 47.1 | 0 | 0.0 |
| Brooklyn | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 17.6 | 0 | 0.0 |
| Manhattan | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 11.8 | 0 | 0.0 |
| Queens | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.9 | 0 | 0.0 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Outside NYC | 1 | 100.0 | 1 | 100.0 | 0 | 0.0 | 0 | 0.0 | 2 | 11.8 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.9 | 0 | 0.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Medium poverty (10 to <20% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 23.5 | 0 | 0.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 11.8 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 47.1 | 0 | 0.0 |
| Area-based poverty level not available | 1 | 100.0 | 1 | 100.0 | 0 | 0.0 | 0 | 0.0 | 3 | 17.6 | 0 | 0.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Perinatal | 1 | 100.0 | 1 | 100.0 | 0 | 0.0 | 0 | 0.0 | 16 | 94.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.9 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.4.2. Girls 0-12 Years

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|------------|--------------------------------|--------------|----------------------|--------------|----------------------|--------------|--------------|------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 1 | 100.0 | 0 | 0.0 | 1 | 100.0 | 1 | 100.0 | 25 | 100.0 | 0 | 0.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 1 | 100.0 | 0 | 0.0 | 1 | 100.0 | 1 | 100.0 | 8 | 32.0 | 0 | 0.0 |
| Latino/Hispanic | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 48.0 | 0 | 0.0 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 8.0 | 0 | 0.0 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 8.0 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 4.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 20.0 | 0 | 0.0 |
| Brooklyn | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 12.0 | 0 | 0.0 |
| Manhattan | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 20.0 | 0 | 0.0 |
| Queens | 1 | 100.0 | 0 | 0.0 | 1 | 100.0 | 1 | 100.0 | 8 | 32.0 | 0 | 0.0 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 4.0 | 0 | 0.0 |
| Outside NYC | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 12.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 1 | 100.0 | 0 | 0.0 | 1 | 100.0 | 1 | 100.0 | 5 | 20.0 | 0 | 0.0 |
| Medium poverty (10 to <20% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 28.0 | 0 | 0.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 20.0 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 20.0 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 12.0 | 0 | 0.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Perinatal | 1 | 100.0 | 0 | 0.0 | 1 | 100.0 | 1 | 100.0 | 25 | 100.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.4.3. Men 13+ Years (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 1,295 | 100.0 | 1,055 | 81.5 | 240 | 18.5 | 780 | 100.0 | 95,998 | 100.0 | 1,599 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 507 | 39.2 | 420 | 39.8 | 87 | 36.3 | 338 | 43.3 | 35,782 | 37.3 | 765 | 47.8 |
| Latino/Hispanic | 528 | 40.8 | 423 | 40.1 | 105 | 43.8 | 296 | 37.9 | 32,547 | 33.9 | 479 | 30.0 |
| White | 157 | 12.1 | 132 | 12.5 | 25 | 10.4 | 101 | 12.9 | 23,812 | 24.8 | 322 | 20.1 |
| Asian/Pacific Islander | 88 | 6.8 | 68 | 6.4 | 20 | 8.3 | 33 | 4.2 | 2,914 | 3.0 | 22 | 1.4 |
| Native American | 2 | 0.2 | 2 | 0.2 | 0 | 0.0 | 3 | 0.4 | 234 | 0.2 | 4 | 0.3 |
| Multiracial | 13 | 1.0 | 10 | 0.9 | 3 | 1.3 | 9 | 1.2 | 473 | 0.5 | 7 | 0.4 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 236 | 0.2 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 13-19 | 45 | 3.5 | 42 | 4.0 | 3 | 1.3 | 4 | 0.5 | 151 | 0.2 | 0 | 0.0 |
| 20-29 | 458 | 35.4 | 420 | 39.8 | 38 | 15.8 | 104 | 13.3 | 5,696 | 5.9 | 19 | 1.2 |
| 30-39 | 427 | 33.0 | 347 | 32.9 | 80 | 33.3 | 259 | 33.2 | 17,732 | 18.5 | 116 | 7.3 |
| 40-49 | 179 | 13.8 | 123 | 11.7 | 56 | 23.3 | 151 | 19.4 | 16,408 | 17.1 | 155 | 9.7 |
| 50-59 | 124 | 9.6 | 83 | 7.9 | 41 | 17.1 | 144 | 18.5 | 26,772 | 27.9 | 456 | 28.5 |
| 60+ | 62 | 4.8 | 40 | 3.8 | 22 | 9.2 | 118 | 15.1 | 29,239 | 30.5 | 853 | 53.3 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 284 | 21.9 | 230 | 21.8 | 54 | 22.5 | 210 | 26.9 | 19,459 | 20.3 | 418 | 26.1 |
| Brooklyn | 342 | 26.4 | 273 | 25.9 | 69 | 28.8 | 166 | 21.3 | 20,820 | 21.7 | 294 | 18.4 |
| Manhattan | 265 | 20.5 | 213 | 20.2 | 52 | 21.7 | 151 | 19.4 | 27,708 | 28.9 | 296 | 18.5 |
| Queens | 235 | 18.1 | 186 | 17.6 | 49 | 20.4 | 138 | 17.7 | 14,127 | 14.7 | 113 | 7.1 |
| Staten Island | 26 | 2.0 | 21 | 2.0 | 5 | 2.1 | 14 | 1.8 | 1,630 | 1.7 | 28 | 1.8 |
| Outside NYC | 99 | 7.6 | 88 | 8.3 | 11 | 4.6 | 92 | 11.8 | 11,163 | 11.6 | 60 | 3.8 |
| Unknown | 44 | 3.4 | 44 | 4.2 | 0 | 0.0 | 9 | 1.2 | 1,091 | 1.1 | 390 | 24.4 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 172 | 13.3 | 136 | 12.9 | 36 | 15.0 | 87 | 11.2 | 15,370 | 16.0 | 108 | 6.8 |
| Medium poverty (10 to <20% below FPL) | 435 | 33.6 | 356 | 33.7 | 79 | 32.9 | 246 | 31.5 | 32,852 | 34.2 | 385 | 24.1 |
| High poverty (20 to <30% below FPL) | 315 | 24.3 | 247 | 23.4 | 68 | 28.3 | 179 | 22.9 | 18,394 | 19.2 | 265 | 16.6 |
| Very high poverty (≥30% below FPL) | 229 | 17.7 | 184 | 17.4 | 45 | 18.8 | 165 | 21.2 | 16,147 | 16.8 | 368 | 23.0 |
| Area-based poverty level not available | 144 | 11.1 | 132 | 12.5 | 12 | 5.0 | 103 | 13.2 | 13,235 | 13.8 | 473 | 29.6 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 826 | 63.8 | 699 | 66.3 | 127 | 52.9 | 436 | 55.9 | 59,647 | 62.1 | 636 | 39.8 |
| Injection drug use history (IDU) | 12 | 0.9 | 9 | 0.9 | 3 | 1.3 | 40 | 5.1 | 9,170 | 9.6 | 382 | 23.9 |
| MSM-IDU | 27 | 2.1 | 25 | 2.4 | 2 | 0.8 | 27 | 3.5 | 3,505 | 3.7 | 114 | 7.1 |
| Heterosexual contact | 50 | 3.9 | 30 | 2.8 | 20 | 8.3 | 60 | 7.7 | 6,955 | 7.2 | 161 | 10.1 |
| Transgender people with sexual contact | 6 | 0.5 | 6 | 0.6 | 0 | 0.0 | 1 | 0.1 | 34 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.5 | 1,217 | 1.3 | 10 | 0.6 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 109 | 0.1 | 3 | 0.2 |
| Unknown | 374 | 28.9 | 286 | 27.1 | 88 | 36.7 | 212 | 27.2 | 15,361 | 16.0 | 293 | 18.3 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.4.4. Women 13+ Years (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 348 | 100.0 | 282 | 81.0 | 66 | 19.0 | 301 | 100.0 | 35,489 | 100.0 | 634 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 191 | 54.9 | 154 | 54.6 | 37 | 56.1 | 182 | 60.5 | 20,409 | 57.5 | 376 | 59.3 |
| Latino/Hispanic | 118 | 33.9 | 99 | 35.1 | 19 | 28.8 | 94 | 31.2 | 11,714 | 33.0 | 200 | 31.5 |
| White | 23 | 6.6 | 20 | 7.1 | 3 | 4.5 | 12 | 4.0 | 2,556 | 7.2 | 47 | 7.4 |
| Asian/Pacific Islander | 12 | 3.4 | 6 | 2.1 | 6 | 9.1 | 9 | 3.0 | 540 | 1.5 | 5 | 0.8 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 69 | 0.2 | 2 | 0.3 |
| Multiracial | 4 | 1.1 | 3 | 1.1 | 1 | 1.5 | 3 | 1.0 | 131 | 0.4 | 3 | 0.5 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 70 | 0.2 | 1 | 0.2 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 13-19 | 15 | 4.3 | 14 | 5.0 | 1 | 1.5 | 3 | 1.0 | 113 | 0.3 | 0 | 0.0 |
| 20-29 | 86 | 24.7 | 80 | 28.4 | 6 | 9.1 | 32 | 10.6 | 1,714 | 4.8 | 11 | 1.7 |
| 30-39 | 87 | 25.0 | 75 | 26.6 | 12 | 18.2 | 66 | 21.9 | 4,381 | 12.3 | 38 | 6.0 |
| 40-49 | 64 | 18.4 | 50 | 17.7 | 14 | 21.2 | 62 | 20.6 | 6,501 | 18.3 | 64 | 10.1 |
| 50-59 | 64 | 18.4 | 37 | 13.1 | 27 | 40.9 | 82 | 27.2 | 11,027 | 31.1 | 216 | 34.1 |
| 60+ | 32 | 9.2 | 26 | 9.2 | 6 | 9.1 | 56 | 18.6 | 11,753 | 33.1 | 305 | 48.1 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 104 | 29.9 | 82 | 29.1 | 22 | 33.3 | 99 | 32.9 | 11,549 | 32.5 | 208 | 32.8 |
| Brooklyn | 85 | 24.4 | 70 | 24.8 | 15 | 22.7 | 79 | 26.2 | 9,976 | 28.1 | 157 | 24.8 |
| Manhattan | 37 | 10.6 | 32 | 11.3 | 5 | 7.6 | 39 | 13.0 | 5,022 | 14.2 | 91 | 14.4 |
| Queens | 59 | 17.0 | 45 | 16.0 | 14 | 21.2 | 41 | 13.6 | 5,009 | 14.1 | 46 | 7.3 |
| Staten Island | 13 | 3.7 | 8 | 2.8 | 5 | 7.6 | 15 | 5.0 | 908 | 2.6 | 10 | 1.6 |
| Outside NYC | 35 | 10.1 | 30 | 10.6 | 5 | 7.6 | 25 | 8.3 | 2,775 | 7.8 | 19 | 3.0 |
| Unknown | 15 | 4.3 | 15 | 5.3 | 0 | 0.0 | 3 | 1.0 | 250 | 0.7 | 103 | 16.2 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 36 | 10.3 | 25 | 8.9 | 11 | 16.7 | 30 | 10.0 | 3,523 | 9.9 | 34 | 5.4 |
| Medium poverty (10 to <20% below FPL) | 121 | 34.8 | 95 | 33.7 | 26 | 39.4 | 100 | 33.2 | 11,073 | 31.2 | 144 | 22.7 |
| High poverty (20 to <30% below FPL) | 61 | 17.5 | 51 | 18.1 | 10 | 15.2 | 66 | 21.9 | 8,409 | 23.7 | 145 | 22.9 |
| Very high poverty (≥30% below FPL) | 80 | 23.0 | 66 | 23.4 | 14 | 21.2 | 75 | 24.9 | 9,188 | 25.9 | 182 | 28.7 |
| Area-based poverty level not available | 50 | 14.4 | 45 | 16.0 | 5 | 7.6 | 30 | 10.0 | 3,296 | 9.3 | 129 | 20.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 11 | 3.2 | 11 | 3.9 | 0 | 0.0 | 18 | 6.0 | 5,101 | 14.4 | 166 | 26.2 |
| Heterosexual contact | 234 | 67.2 | 182 | 64.5 | 52 | 78.8 | 195 | 64.8 | 20,060 | 56.5 | 328 | 51.7 |
| Transgender people with sexual contact | 54 | 15.5 | 50 | 17.7 | 4 | 6.1 | 33 | 11.0 | 2,123 | 6.0 | 25 | 3.9 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 3.3 | 1,281 | 3.6 | 11 | 1.7 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 83 | 0.2 | 1 | 0.2 |
| Unknown | 49 | 14.1 | 39 | 13.8 | 10 | 15.2 | 45 | 15.0 | 6,841 | 19.3 | 103 | 16.2 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.5.1. Bronx, men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 284 | 100.0 | 230 | 81.0 | 54 | 19.0 | 210 | 100.0 | 19,467 | 100.0 | 418 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 98 | 34.5 | 81 | 35.2 | 17 | 31.5 | 93 | 44.3 | 8,786 | 45.1 | 202 | 48.3 |
| Latino/Hispanic | 167 | 58.8 | 136 | 59.1 | 31 | 57.4 | 97 | 46.2 | 9,295 | 47.7 | 182 | 43.5 |
| White | 10 | 3.5 | 8 | 3.5 | 2 | 3.7 | 11 | 5.2 | 1,075 | 5.5 | 27 | 6.5 |
| Asian/Pacific Islander | 6 | 2.1 | 2 | 0.9 | 4 | 7.4 | 6 | 2.9 | 176 | 0.9 | 6 | 1.4 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 47 | 0.2 | 1 | 0.2 |
| Multiracial | 3 | 1.1 | 3 | 1.3 | 0 | 0.0 | 3 | 1.4 | 66 | 0.3 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 22 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.0 | 0 | 0.0 |
| 13-19 | 13 | 4.6 | 13 | 5.7 | 0 | 0.0 | 1 | 0.5 | 42 | 0.2 | 0 | 0.0 |
| 20-29 | 98 | 34.5 | 90 | 39.1 | 8 | 14.8 | 23 | 11.0 | 1,267 | 6.5 | 4 | 1.0 |
| 30-39 | 82 | 28.9 | 67 | 29.1 | 15 | 27.8 | 66 | 31.4 | 3,900 | 20.0 | 30 | 7.2 |
| 40-49 | 41 | 14.4 | 27 | 11.7 | 14 | 25.9 | 46 | 21.9 | 3,136 | 16.1 | 45 | 10.8 |
| 50-59 | 34 | 12.0 | 24 | 10.4 | 10 | 18.5 | 40 | 19.0 | 5,376 | 27.6 | 141 | 33.7 |
| 60+ | 16 | 5.6 | 9 | 3.9 | 7 | 13.0 | 34 | 16.2 | 5,738 | 29.5 | 198 | 47.4 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 4 | 1.4 | 3 | 1.3 | 1 | 1.9 | 3 | 1.4 | 269 | 1.4 | 5 | 1.2 |
| Medium poverty (10 to <20% below FPL) | 59 | 20.8 | 52 | 22.6 | 7 | 13.0 | 30 | 14.3 | 3,364 | 17.3 | 51 | 12.2 |
| High poverty (20 to <30% below FPL) | 62 | 21.8 | 47 | 20.4 | 15 | 27.8 | 48 | 22.9 | 4,094 | 21.0 | 75 | 17.9 |
| Very high poverty (≥30% below FPL) | 159 | 56.0 | 128 | 55.7 | 31 | 57.4 | 128 | 61.0 | 11,643 | 59.8 | 279 | 66.7 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.5 | 97 | 0.5 | 8 | 1.9 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 168 | 59.2 | 145 | 63.0 | 23 | 42.6 | 103 | 49.0 | 9,152 | 47.0 | 127 | 30.4 |
| Injection drug use history (IDU) | 2 | 0.7 | 2 | 0.9 | 0 | 0.0 | 18 | 8.6 | 2,966 | 15.2 | 124 | 29.7 |
| MSM-IDU | 6 | 2.1 | 6 | 2.6 | 0 | 0.0 | 9 | 4.3 | 930 | 4.8 | 33 | 7.9 |
| Heterosexual contact | 17 | 6.0 | 8 | 3.5 | 9 | 16.7 | 24 | 11.4 | 2,021 | 10.4 | 50 | 12.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.5 | 17 | 0.1 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 422 | 2.2 | 1 | 0.2 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 0.1 | 1 | 0.2 |
| Unknown | 91 | 32.0 | 69 | 30.0 | 22 | 40.7 | 55 | 26.2 | 3,939 | 20.2 | 82 | 19.6 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.5.2. Bronx, women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 104 | 100.0 | 82 | 78.8 | 22 | 21.2 | 99 | 100.0 | 11,554 | 100.0 | 208 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 55 | 52.9 | 43 | 52.4 | 12 | 54.5 | 57 | 57.6 | 6,061 | 52.5 | 111 | 53.4 |
| Latino/Hispanic | 46 | 44.2 | 36 | 43.9 | 10 | 45.5 | 38 | 38.4 | 5,052 | 43.7 | 90 | 43.3 |
| White | 3 | 2.9 | 3 | 3.7 | 0 | 0.0 | 3 | 3.0 | 327 | 2.8 | 6 | 2.9 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 47 | 0.4 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 24 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.0 | 28 | 0.2 | 1 | 0.5 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 15 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 2.0 | 30 | 0.3 | 0 | 0.0 |
| 20-29 | 21 | 20.2 | 20 | 24.4 | 1 | 4.5 | 12 | 12.1 | 540 | 4.7 | 4 | 1.9 |
| 30-39 | 30 | 28.8 | 25 | 30.5 | 5 | 22.7 | 21 | 21.2 | 1,476 | 12.8 | 11 | 5.3 |
| 40-49 | 18 | 17.3 | 15 | 18.3 | 3 | 13.6 | 16 | 16.2 | 2,225 | 19.3 | 27 | 13.0 |
| 50-59 | 22 | 21.2 | 11 | 13.4 | 11 | 50.0 | 33 | 33.3 | 3,730 | 32.3 | 76 | 36.5 |
| 60+ | 13 | 12.5 | 11 | 13.4 | 2 | 9.1 | 15 | 15.2 | 3,548 | 30.7 | 90 | 43.3 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 2 | 1.9 | 2 | 2.4 | 0 | 0.0 | 1 | 1.0 | 132 | 1.1 | 4 | 1.9 |
| Medium poverty (10 to <20% below FPL) | 23 | 22.1 | 16 | 19.5 | 7 | 31.8 | 23 | 23.2 | 2,129 | 18.4 | 32 | 15.4 |
| High poverty (20 to <30% below FPL) | 17 | 16.3 | 14 | 17.1 | 3 | 13.6 | 21 | 21.2 | 2,371 | 20.5 | 45 | 21.6 |
| Very high poverty (≥30% below FPL) | 62 | 59.6 | 50 | 61.0 | 12 | 54.5 | 54 | 54.5 | 6,887 | 59.6 | 123 | 59.1 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 35 | 0.3 | 4 | 1.9 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 4 | 3.8 | 4 | 4.9 | 0 | 0.0 | 13 | 13.1 | 1,830 | 15.8 | 59 | 28.4 |
| Heterosexual contact | 77 | 74.0 | 59 | 72.0 | 18 | 81.8 | 56 | 56.6 | 6,528 | 56.5 | 111 | 53.4 |
| Transgender people with sexual contact | 14 | 13.5 | 13 | 15.9 | 1 | 4.5 | 10 | 10.1 | 693 | 6.0 | 6 | 2.9 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 4.0 | 425 | 3.7 | 5 | 2.4 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 15 | 0.1 | 0 | 0.0 |
| Unknown | 9 | 8.7 | 6 | 7.3 | 3 | 13.6 | 16 | 16.2 | 2,063 | 17.9 | 27 | 13.0 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.5.3. Brooklyn, men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 342 | 100.0 | 273 | 79.8 | 69 | 20.2 | 166 | 100.0 | 20,823 | 100.0 | 294 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 199 | 58.2 | 160 | 58.6 | 39 | 56.5 | 101 | 60.8 | 11,297 | 54.3 | 186 | 63.3 |
| Latino/Hispanic | 83 | 24.3 | 64 | 23.4 | 19 | 27.5 | 42 | 25.3 | 5,297 | 25.4 | 76 | 25.9 |
| White | 36 | 10.5 | 29 | 10.6 | 7 | 10.1 | 18 | 10.8 | 3,539 | 17.0 | 28 | 9.5 |
| Asian/Pacific Islander | 20 | 5.8 | 17 | 6.2 | 3 | 4.3 | 3 | 1.8 | 515 | 2.5 | 1 | 0.3 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.6 | 52 | 0.2 | 1 | 0.3 |
| Multiracial | 4 | 1.2 | 3 | 1.1 | 1 | 1.4 | 1 | 0.6 | 104 | 0.5 | 2 | 0.7 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 19 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.0 | 0 | 0.0 |
| 13-19 | 11 | 3.2 | 11 | 4.0 | 0 | 0.0 | 0 | 0.0 | 35 | 0.2 | 0 | 0.0 |
| 20-29 | 126 | 36.8 | 114 | 41.8 | 12 | 17.4 | 28 | 16.9 | 1,557 | 7.5 | 9 | 3.1 |
| 30-39 | 119 | 34.8 | 95 | 34.8 | 24 | 34.8 | 55 | 33.1 | 4,444 | 21.3 | 22 | 7.5 |
| 40-49 | 42 | 12.3 | 27 | 9.9 | 15 | 21.7 | 33 | 19.9 | 3,616 | 17.4 | 25 | 8.5 |
| 50-59 | 26 | 7.6 | 14 | 5.1 | 12 | 17.4 | 31 | 18.7 | 5,343 | 25.7 | 80 | 27.2 |
| 60+ | 18 | 5.3 | 12 | 4.4 | 6 | 8.7 | 19 | 11.4 | 5,825 | 28.0 | 158 | 53.7 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 23 | 6.7 | 19 | 7.0 | 4 | 5.8 | 5 | 3.0 | 1,455 | 7.0 | 12 | 4.1 |
| Medium poverty (10 to <20% below FPL) | 109 | 31.9 | 88 | 32.2 | 21 | 30.4 | 61 | 36.7 | 8,843 | 42.5 | 115 | 39.1 |
| High poverty (20 to <30% below FPL) | 166 | 48.5 | 130 | 47.6 | 36 | 52.2 | 76 | 45.8 | 7,892 | 37.9 | 112 | 38.1 |
| Very high poverty (≥30% below FPL) | 44 | 12.9 | 36 | 13.2 | 8 | 11.6 | 24 | 14.5 | 2,485 | 11.9 | 49 | 16.7 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 148 | 0.7 | 6 | 2.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 218 | 63.7 | 179 | 65.6 | 39 | 56.5 | 86 | 51.8 | 11,940 | 57.3 | 97 | 33.0 |
| Injection drug use history (IDU) | 3 | 0.9 | 2 | 0.7 | 1 | 1.4 | 5 | 3.0 | 2,030 | 9.7 | 83 | 28.2 |
| MSM-IDU | 8 | 2.3 | 7 | 2.6 | 1 | 1.4 | 7 | 4.2 | 721 | 3.5 | 20 | 6.8 |
| Heterosexual contact | 15 | 4.4 | 11 | 4.0 | 4 | 5.8 | 12 | 7.2 | 1,753 | 8.4 | 27 | 9.2 |
| Transgender people with sexual contact | 3 | 0.9 | 3 | 1.1 | 0 | 0.0 | 0 | 0.0 | 10 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 309 | 1.5 | 4 | 1.4 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 21 | 0.1 | 0 | 0.0 |
| Unknown | 95 | 27.8 | 71 | 26.0 | 24 | 34.8 | 56 | 33.7 | 4,039 | 19.4 | 63 | 21.4 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.5.4. Brooklyn, women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 85 | 100.0 | 70 | 82.4 | 15 | 17.6 | 79 | 100.0 | 9,979 | 100.0 | 157 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 54 | 63.5 | 45 | 64.3 | 9 | 60.0 | 56 | 70.9 | 6,900 | 69.1 | 111 | 70.7 |
| Latino/Hispanic | 17 | 20.0 | 15 | 21.4 | 2 | 13.3 | 17 | 21.5 | 2,305 | 23.1 | 37 | 23.6 |
| White | 8 | 9.4 | 7 | 10.0 | 1 | 6.7 | 3 | 3.8 | 572 | 5.7 | 7 | 4.5 |
| Asian/Pacific Islander | 5 | 5.9 | 2 | 2.9 | 3 | 20.0 | 3 | 3.8 | 124 | 1.2 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 0.2 | 1 | 0.6 |
| Multiracial | 1 | 1.2 | 1 | 1.4 | 0 | 0.0 | 0 | 0.0 | 37 | 0.4 | 1 | 0.6 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 21 | 0.2 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.0 | 0 | 0.0 |
| 13-19 | 6 | 7.1 | 6 | 8.6 | 0 | 0.0 | 0 | 0.0 | 44 | 0.4 | 0 | 0.0 |
| 20-29 | 23 | 27.1 | 20 | 28.6 | 3 | 20.0 | 12 | 15.2 | 467 | 4.7 | 4 | 2.5 |
| 30-39 | 25 | 29.4 | 22 | 31.4 | 3 | 20.0 | 14 | 17.7 | 1,209 | 12.1 | 7 | 4.5 |
| 40-49 | 9 | 10.6 | 7 | 10.0 | 2 | 13.3 | 14 | 17.7 | 1,823 | 18.3 | 15 | 9.6 |
| 50-59 | 14 | 16.5 | 8 | 11.4 | 6 | 40.0 | 21 | 26.6 | 3,002 | 30.1 | 51 | 32.5 |
| 60+ | 8 | 9.4 | 7 | 10.0 | 1 | 6.7 | 18 | 22.8 | 3,431 | 34.4 | 80 | 51.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 7 | 8.2 | 4 | 5.7 | 3 | 20.0 | 8 | 10.1 | 714 | 7.2 | 7 | 4.5 |
| Medium poverty (10 to <20% below FPL) | 36 | 42.4 | 31 | 44.3 | 5 | 33.3 | 25 | 31.6 | 3,812 | 38.2 | 47 | 29.9 |
| High poverty (20 to <30% below FPL) | 29 | 34.1 | 23 | 32.9 | 6 | 40.0 | 33 | 41.8 | 3,934 | 39.4 | 66 | 42.0 |
| Very high poverty (≥30% below FPL) | 13 | 15.3 | 12 | 17.1 | 1 | 6.7 | 12 | 15.2 | 1,458 | 14.6 | 35 | 22.3 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.3 | 61 | 0.6 | 2 | 1.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 2 | 2.4 | 2 | 2.9 | 0 | 0.0 | 4 | 5.1 | 1,274 | 12.8 | 41 | 26.1 |
| Heterosexual contact | 57 | 67.1 | 47 | 67.1 | 10 | 66.7 | 54 | 68.4 | 5,787 | 58.0 | 80 | 51.0 |
| Transgender people with sexual contact | 12 | 14.1 | 10 | 14.3 | 2 | 13.3 | 5 | 6.3 | 457 | 4.6 | 5 | 3.2 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 2.5 | 351 | 3.5 | 2 | 1.3 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 23 | 0.2 | 0 | 0.0 |
| Unknown | 14 | 16.5 | 11 | 15.7 | 3 | 20.0 | 14 | 17.7 | 2,087 | 20.9 | 29 | 18.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.5.5. Manhattan, men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 265 | 100.0 | 213 | 80.4 | 52 | 19.6 | 151 | 100.0 | 27,710 | 100.0 | 296 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 97 | 36.6 | 79 | 37.1 | 18 | 34.6 | 57 | 37.7 | 7,316 | 26.4 | 120 | 40.5 |
| Latino/Hispanic | 87 | 32.8 | 69 | 32.4 | 18 | 34.6 | 54 | 35.8 | 7,915 | 28.6 | 81 | 27.4 |
| White | 63 | 23.8 | 52 | 24.4 | 11 | 21.2 | 36 | 23.8 | 11,266 | 40.7 | 89 | 30.1 |
| Asian/Pacific Islander | 14 | 5.3 | 11 | 5.2 | 3 | 5.8 | 3 | 2.0 | 863 | 3.1 | 6 | 2.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 54 | 0.2 | 0 | 0.0 |
| Multiracial | 4 | 1.5 | 2 | 0.9 | 2 | 3.8 | 1 | 0.7 | 158 | 0.6 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 138 | 0.5 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| 13-19 | 7 | 2.6 | 6 | 2.8 | 1 | 1.9 | 1 | 0.7 | 27 | 0.1 | 0 | 0.0 |
| 20-29 | 86 | 32.5 | 79 | 37.1 | 7 | 13.5 | 12 | 7.9 | 1,048 | 3.8 | 4 | 1.4 |
| 30-39 | 101 | 38.1 | 81 | 38.0 | 20 | 38.5 | 59 | 39.1 | 4,407 | 15.9 | 23 | 7.8 |
| 40-49 | 32 | 12.1 | 20 | 9.4 | 12 | 23.1 | 27 | 17.9 | 4,722 | 17.0 | 23 | 7.8 |
| 50-59 | 29 | 10.9 | 20 | 9.4 | 9 | 17.3 | 28 | 18.5 | 8,150 | 29.4 | 69 | 23.3 |
| 60+ | 10 | 3.8 | 7 | 3.3 | 3 | 5.8 | 24 | 15.9 | 9,354 | 33.8 | 177 | 59.8 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 61 | 23.0 | 47 | 22.1 | 14 | 26.9 | 25 | 16.6 | 7,804 | 28.2 | 60 | 20.3 |
| Medium poverty (10 to <20% below FPL) | 105 | 39.6 | 87 | 40.8 | 18 | 34.6 | 67 | 44.4 | 11,573 | 41.8 | 118 | 39.9 |
| High poverty (20 to <30% below FPL) | 72 | 27.2 | 59 | 27.7 | 13 | 25.0 | 45 | 29.8 | 5,713 | 20.6 | 72 | 24.3 |
| Very high poverty (≥30% below FPL) | 26 | 9.8 | 20 | 9.4 | 6 | 11.5 | 13 | 8.6 | 2,027 | 7.3 | 38 | 12.8 |
| Area-based poverty level not available | 1 | 0.4 | 0 | 0.0 | 1 | 1.9 | 1 | 0.7 | 593 | 2.1 | 8 | 2.7 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 168 | 63.4 | 141 | 66.2 | 27 | 51.9 | 87 | 57.6 | 20,160 | 72.8 | 156 | 52.7 |
| Injection drug use history (IDU) | 5 | 1.9 | 4 | 1.9 | 1 | 1.9 | 6 | 4.0 | 1,908 | 6.9 | 56 | 18.9 |
| MSM-IDU | 5 | 1.9 | 4 | 1.9 | 1 | 1.9 | 7 | 4.6 | 1,041 | 3.8 | 17 | 5.7 |
| Heterosexual contact | 5 | 1.9 | 3 | 1.4 | 2 | 3.8 | 10 | 6.6 | 1,037 | 3.7 | 19 | 6.4 |
| Transgender people with sexual contact | 1 | 0.4 | 1 | 0.5 | 0 | 0.0 | 0 | 0.0 | 3 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.7 | 179 | 0.6 | 2 | 0.7 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 16 | 0.1 | 0 | 0.0 |
| Unknown | 81 | 30.6 | 60 | 28.2 | 21 | 40.4 | 40 | 26.5 | 3,366 | 12.1 | 46 | 15.5 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.5.6. Manhattan, women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 37 | 100.0 | 32 | 86.5 | 5 | 13.5 | 39 | 100.0 | 5,027 | 100.0 | 91 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 21 | 56.8 | 18 | 56.3 | 3 | 60.0 | 21 | 53.8 | 2,688 | 53.5 | 54 | 59.3 |
| Latino/Hispanic | 12 | 32.4 | 10 | 31.3 | 2 | 40.0 | 14 | 35.9 | 1,709 | 34.0 | 26 | 28.6 |
| White | 3 | 8.1 | 3 | 9.4 | 0 | 0.0 | 3 | 7.7 | 514 | 10.2 | 10 | 11.0 |
| Asian/Pacific Islander | 1 | 2.7 | 1 | 3.1 | 0 | 0.0 | 0 | 0.0 | 75 | 1.5 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.6 | 18 | 0.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 15 | 0.3 | 1 | 1.1 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| 13-19 | 3 | 8.1 | 3 | 9.4 | 0 | 0.0 | 0 | 0.0 | 12 | 0.2 | 0 | 0.0 |
| 20-29 | 10 | 27.0 | 10 | 31.3 | 0 | 0.0 | 3 | 7.7 | 222 | 4.4 | 1 | 1.1 |
| 30-39 | 5 | 13.5 | 5 | 15.6 | 0 | 0.0 | 6 | 15.4 | 543 | 10.8 | 5 | 5.5 |
| 40-49 | 8 | 21.6 | 8 | 25.0 | 0 | 0.0 | 7 | 17.9 | 827 | 16.5 | 8 | 8.8 |
| 50-59 | 9 | 24.3 | 4 | 12.5 | 5 | 100.0 | 13 | 33.3 | 1,511 | 30.1 | 35 | 38.5 |
| 60+ | 2 | 5.4 | 2 | 6.3 | 0 | 0.0 | 10 | 25.6 | 1,907 | 37.9 | 42 | 46.2 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 5 | 13.5 | 4 | 12.5 | 1 | 20.0 | 4 | 10.3 | 647 | 12.9 | 10 | 11.0 |
| Medium poverty (10 to <20% below FPL) | 13 | 35.1 | 11 | 34.4 | 2 | 40.0 | 13 | 33.3 | 1,713 | 34.1 | 32 | 35.2 |
| High poverty (20 to <30% below FPL) | 14 | 37.8 | 13 | 40.6 | 1 | 20.0 | 12 | 30.8 | 1,711 | 34.0 | 23 | 25.3 |
| Very high poverty (≥30% below FPL) | 5 | 13.5 | 4 | 12.5 | 1 | 20.0 | 9 | 23.1 | 848 | 16.9 | 23 | 25.3 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.6 | 108 | 2.1 | 3 | 3.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 1 | 2.7 | 1 | 3.1 | 0 | 0.0 | 0 | 0.0 | 950 | 18.9 | 27 | 29.7 |
| Heterosexual contact | 19 | 51.4 | 16 | 50.0 | 3 | 60.0 | 24 | 61.5 | 2,460 | 48.9 | 37 | 40.7 |
| Transgender people with sexual contact | 8 | 21.6 | 8 | 25.0 | 0 | 0.0 | 5 | 12.8 | 397 | 7.9 | 8 | 8.8 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.6 | 166 | 3.3 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 0.3 | 0 | 0.0 |
| Unknown | 9 | 24.3 | 7 | 21.9 | 2 | 40.0 | 9 | 23.1 | 1,040 | 20.7 | 19 | 20.9 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.5.7. Queens, men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 235 | 100.0 | 186 | 79.1 | 49 | 20.9 | 138 | 100.0 | 14,128 | 100.0 | 113 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 57 | 24.3 | 48 | 25.8 | 9 | 18.4 | 36 | 26.1 | 4,275 | 30.3 | 55 | 48.7 |
| Latino/Hispanic | 122 | 51.9 | 92 | 49.5 | 30 | 61.2 | 69 | 50.0 | 6,257 | 44.3 | 27 | 23.9 |
| White | 19 | 8.1 | 16 | 8.6 | 3 | 6.1 | 12 | 8.7 | 2,465 | 17.4 | 27 | 23.9 |
| Asian/Pacific Islander | 34 | 14.5 | 27 | 14.5 | 7 | 14.3 | 18 | 13.0 | 1,005 | 7.1 | 3 | 2.7 |
| Native American | 1 | 0.4 | 1 | 0.5 | 0 | 0.0 | 1 | 0.7 | 49 | 0.3 | 0 | 0.0 |
| Multiracial | 2 | 0.9 | 2 | 1.1 | 0 | 0.0 | 2 | 1.4 | 52 | 0.4 | 1 | 0.9 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 25 | 0.2 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 13-19 | 9 | 3.8 | 7 | 3.8 | 2 | 4.1 | 2 | 1.4 | 27 | 0.2 | 0 | 0.0 |
| 20-29 | 88 | 37.4 | 79 | 42.5 | 9 | 18.4 | 20 | 14.5 | 817 | 5.8 | 0 | 0.0 |
| 30-39 | 73 | 31.1 | 58 | 31.2 | 15 | 30.6 | 41 | 29.7 | 2,674 | 18.9 | 3 | 2.7 |
| 40-49 | 34 | 14.5 | 24 | 12.9 | 10 | 20.4 | 23 | 16.7 | 2,704 | 19.1 | 15 | 13.3 |
| 50-59 | 23 | 9.8 | 15 | 8.1 | 8 | 16.3 | 28 | 20.3 | 3,966 | 28.1 | 22 | 19.5 |
| 60+ | 8 | 3.4 | 3 | 1.6 | 5 | 10.2 | 24 | 17.4 | 3,939 | 27.9 | 73 | 64.6 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 74 | 31.5 | 60 | 32.3 | 14 | 28.6 | 46 | 33.3 | 5,268 | 37.3 | 26 | 23.0 |
| Medium poverty (10 to <20% below FPL) | 146 | 62.1 | 115 | 61.8 | 31 | 63.3 | 82 | 59.4 | 8,031 | 56.8 | 77 | 68.1 |
| High poverty (20 to <30% below FPL) | 15 | 6.4 | 11 | 5.9 | 4 | 8.2 | 10 | 7.2 | 697 | 4.9 | 5 | 4.4 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 1.8 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 132 | 0.9 | 3 | 2.7 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 156 | 66.4 | 127 | 68.3 | 29 | 59.2 | 81 | 58.7 | 8,703 | 61.6 | 39 | 34.5 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 2.9 | 1,246 | 8.8 | 26 | 23.0 |
| MSM-IDU | 2 | 0.9 | 2 | 1.1 | 0 | 0.0 | 3 | 2.2 | 381 | 2.7 | 9 | 8.0 |
| Heterosexual contact | 9 | 3.8 | 5 | 2.7 | 4 | 8.2 | 11 | 8.0 | 1,234 | 8.7 | 14 | 12.4 |
| Transgender people with sexual contact | 1 | 0.4 | 1 | 0.5 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.7 | 165 | 1.2 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 19 | 0.1 | 0 | 0.0 |
| Unknown | 67 | 28.5 | 51 | 27.4 | 16 | 32.7 | 38 | 27.5 | 2,379 | 16.8 | 25 | 22.1 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.5.8. Queens, women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 60 | 100.0 | 45 | 75.0 | 15 | 25.0 | 42 | 100.0 | 5,017 | 100.0 | 46 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 31 | 51.7 | 23 | 51.1 | 8 | 53.3 | 21 | 50.0 | 2,765 | 55.1 | 21 | 45.7 |
| Latino/Hispanic | 22 | 36.7 | 18 | 40.0 | 4 | 26.7 | 14 | 33.3 | 1,558 | 31.1 | 18 | 39.1 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 412 | 8.2 | 3 | 6.5 |
| Asian/Pacific Islander | 4 | 6.7 | 2 | 4.4 | 2 | 13.3 | 5 | 11.9 | 232 | 4.6 | 4 | 8.7 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 0.2 | 0 | 0.0 |
| Multiracial | 3 | 5.0 | 2 | 4.4 | 1 | 6.7 | 1 | 2.4 | 24 | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.4 | 14 | 0.3 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 1 | 1.7 | 0 | 0.0 | 1 | 6.7 | 1 | 2.4 | 8 | 0.2 | 0 | 0.0 |
| 13-19 | 3 | 5.0 | 2 | 4.4 | 1 | 6.7 | 1 | 2.4 | 12 | 0.2 | 0 | 0.0 |
| 20-29 | 13 | 21.7 | 12 | 26.7 | 1 | 6.7 | 3 | 7.1 | 230 | 4.6 | 0 | 0.0 |
| 30-39 | 11 | 18.3 | 10 | 22.2 | 1 | 6.7 | 12 | 28.6 | 630 | 12.6 | 4 | 8.7 |
| 40-49 | 17 | 28.3 | 9 | 20.0 | 8 | 53.3 | 14 | 33.3 | 942 | 18.8 | 9 | 19.6 |
| 50-59 | 14 | 23.3 | 11 | 24.4 | 3 | 20.0 | 6 | 14.3 | 1,525 | 30.4 | 15 | 32.6 |
| 60+ | 1 | 1.7 | 1 | 2.2 | 0 | 0.0 | 5 | 11.9 | 1,670 | 33.3 | 18 | 39.1 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 18 | 30.0 | 12 | 26.7 | 6 | 40.0 | 15 | 35.7 | 1,751 | 34.9 | 8 | 17.4 |
| Medium poverty (10 to <20% below FPL) | 41 | 68.3 | 32 | 71.1 | 9 | 60.0 | 27 | 64.3 | 2,803 | 55.9 | 28 | 60.9 |
| High poverty (20 to <30% below FPL) | 1 | 1.7 | 1 | 2.2 | 0 | 0.0 | 0 | 0.0 | 398 | 7.9 | 10 | 21.7 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 65 | 1.3 | 0 | 0.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 1 | 1.7 | 1 | 2.2 | 0 | 0.0 | 1 | 2.4 | 568 | 11.3 | 12 | 26.1 |
| Heterosexual contact | 47 | 78.3 | 36 | 80.0 | 11 | 73.3 | 26 | 61.9 | 3,038 | 60.6 | 23 | 50.0 |
| Transgender people with sexual contact | 6 | 10.0 | 5 | 11.1 | 1 | 6.7 | 9 | 21.4 | 311 | 6.2 | 2 | 4.3 |
| Perinatal | 1 | 1.7 | 0 | 0.0 | 1 | 6.7 | 3 | 7.1 | 187 | 3.7 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 16 | 0.3 | 1 | 2.2 |
| Unknown | 5 | 8.3 | 3 | 6.7 | 2 | 13.3 | 3 | 7.1 | 897 | 17.9 | 8 | 17.4 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.5.9. Staten Island, men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 26 | 100.0 | 21 | 80.8 | 5 | 19.2 | 14 | 100.0 | 1,630 | 100.0 | 28 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 10 | 38.5 | 9 | 42.9 | 1 | 20.0 | 3 | 21.4 | 588 | 36.1 | 14 | 50.0 |
| Latino/Hispanic | 7 | 26.9 | 4 | 19.0 | 3 | 60.0 | 6 | 42.9 | 476 | 29.2 | 4 | 14.3 |
| White | 6 | 23.1 | 5 | 23.8 | 1 | 20.0 | 4 | 28.6 | 512 | 31.4 | 10 | 35.7 |
| Asian/Pacific Islander | 3 | 11.5 | 3 | 14.3 | 0 | 0.0 | 0 | 0.0 | 33 | 2.0 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.1 | 21 | 1.3 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 3.8 | 1 | 4.8 | 0 | 0.0 | 0 | 0.0 | 3 | 0.2 | 0 | 0.0 |
| 20-29 | 9 | 34.6 | 7 | 33.3 | 2 | 40.0 | 2 | 14.3 | 99 | 6.1 | 0 | 0.0 |
| 30-39 | 9 | 34.6 | 8 | 38.1 | 1 | 20.0 | 3 | 21.4 | 245 | 15.0 | 2 | 7.1 |
| 40-49 | 5 | 19.2 | 3 | 14.3 | 2 | 40.0 | 3 | 21.4 | 251 | 15.4 | 0 | 0.0 |
| 50-59 | 2 | 7.7 | 2 | 9.5 | 0 | 0.0 | 2 | 14.3 | 464 | 28.5 | 12 | 42.9 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 28.6 | 568 | 34.8 | 14 | 50.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 10 | 38.5 | 7 | 33.3 | 3 | 60.0 | 8 | 57.1 | 574 | 35.2 | 5 | 17.9 |
| Medium poverty (10 to <20% below FPL) | 16 | 61.5 | 14 | 66.7 | 2 | 40.0 | 6 | 42.9 | 1,045 | 64.1 | 22 | 78.6 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.7 | 1 | 3.6 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 13 | 50.0 | 12 | 57.1 | 1 | 20.0 | 5 | 35.7 | 793 | 48.7 | 13 | 46.4 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 21.4 | 259 | 15.9 | 5 | 17.9 |
| MSM-IDU | 1 | 3.8 | 1 | 4.8 | 0 | 0.0 | 0 | 0.0 | 72 | 4.4 | 2 | 7.1 |
| Heterosexual contact | 2 | 7.7 | 1 | 4.8 | 1 | 20.0 | 1 | 7.1 | 165 | 10.1 | 3 | 10.7 |
| Transgender people with sexual contact | 1 | 3.8 | 1 | 4.8 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 34 | 2.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 9 | 34.6 | 6 | 28.6 | 3 | 60.0 | 5 | 35.7 | 306 | 18.8 | 5 | 17.9 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.5.10. Staten Island, women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 13 | 100.0 | 8 | 61.5 | 5 | 38.5 | 15 | 100.0 | 909 | 100.0 | 10 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 7 | 53.8 | 4 | 50.0 | 3 | 60.0 | 9 | 60.0 | 436 | 48.0 | 2 | 20.0 |
| Latino/Hispanic | 2 | 15.4 | 2 | 25.0 | 0 | 0.0 | 4 | 26.7 | 264 | 29.0 | 2 | 20.0 |
| White | 4 | 30.8 | 2 | 25.0 | 2 | 40.0 | 2 | 13.3 | 193 | 21.2 | 5 | 50.0 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.9 | 1 | 10.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.9 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.4 | 0 | 0.0 |
| 20-29 | 2 | 15.4 | 1 | 12.5 | 1 | 20.0 | 2 | 13.3 | 36 | 4.0 | 0 | 0.0 |
| 30-39 | 6 | 46.2 | 5 | 62.5 | 1 | 20.0 | 2 | 13.3 | 123 | 13.5 | 1 | 10.0 |
| 40-49 | 1 | 7.7 | 1 | 12.5 | 0 | 0.0 | 4 | 26.7 | 163 | 17.9 | 0 | 0.0 |
| 50-59 | 1 | 7.7 | 0 | 0.0 | 1 | 20.0 | 2 | 13.3 | 298 | 32.8 | 3 | 30.0 |
| 60+ | 3 | 23.1 | 1 | 12.5 | 2 | 40.0 | 5 | 33.3 | 284 | 31.2 | 6 | 60.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 5 | 38.5 | 3 | 37.5 | 2 | 40.0 | 3 | 20.0 | 284 | 31.2 | 5 | 50.0 |
| Medium poverty (10 to <20% below FPL) | 8 | 61.5 | 5 | 62.5 | 3 | 60.0 | 12 | 80.0 | 623 | 68.5 | 5 | 50.0 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Very high poverty (≥30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Area-based poverty level not available | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 0 | 0.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Injection drug use history (IDU) | 1 | 7.7 | 1 | 12.5 | 0 | 0.0 | 0 | 0.0 | 132 | 14.5 | 2 | 20.0 |
| Heterosexual contact | 9 | 69.2 | 4 | 50.0 | 5 | 100.0 | 13 | 86.7 | 542 | 59.6 | 6 | 60.0 |
| Transgender people with sexual contact | 1 | 7.7 | 1 | 12.5 | 0 | 0.0 | 0 | 0.0 | 48 | 5.3 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 6.7 | 38 | 4.2 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.6 | 0 | 0.0 |
| Unknown | 2 | 15.4 | 2 | 25.0 | 0 | 0.0 | 1 | 6.7 | 144 | 15.8 | 2 | 20.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.6.1. Men who have sex with men (MSM)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 826 | 100.0 | 699 | 84.6 | 127 | 15.4 | 436 | 100.0 | 59,647 | 100.0 | 636 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 291 | 35.2 | 260 | 37.2 | 31 | 24.4 | 165 | 37.8 | 18,497 | 31.0 | 264 | 41.5 |
| Latino/Hispanic | 375 | 45.4 | 304 | 43.5 | 71 | 55.9 | 178 | 40.8 | 19,267 | 32.3 | 149 | 23.4 |
| White | 102 | 12.3 | 91 | 13.0 | 11 | 8.7 | 63 | 14.4 | 19,269 | 32.3 | 210 | 33.0 |
| Asian/Pacific Islander | 50 | 6.1 | 39 | 5.6 | 11 | 8.7 | 20 | 4.6 | 2,031 | 3.4 | 8 | 1.3 |
| Native American | 1 | 0.1 | 1 | 0.1 | 0 | 0.0 | 2 | 0.5 | 145 | 0.2 | 2 | 0.3 |
| Multiracial | 7 | 0.8 | 4 | 0.6 | 3 | 2.4 | 8 | 1.8 | 365 | 0.6 | 3 | 0.5 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 73 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 37 | 4.5 | 35 | 5.0 | 2 | 1.6 | 3 | 0.7 | 58 | 0.1 | 0 | 0.0 |
| 20-29 | 360 | 43.6 | 330 | 47.2 | 30 | 23.6 | 78 | 17.9 | 4,452 | 7.5 | 14 | 2.2 |
| 30-39 | 284 | 34.4 | 231 | 33.0 | 53 | 41.7 | 181 | 41.5 | 14,417 | 24.2 | 78 | 12.3 |
| 40-49 | 84 | 10.2 | 59 | 8.4 | 25 | 19.7 | 75 | 17.2 | 11,921 | 20.0 | 95 | 14.9 |
| 50-59 | 50 | 6.1 | 36 | 5.2 | 14 | 11.0 | 67 | 15.4 | 15,955 | 26.7 | 198 | 31.1 |
| 60+ | 11 | 1.3 | 8 | 1.1 | 3 | 2.4 | 32 | 7.3 | 12,844 | 21.5 | 251 | 39.5 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 168 | 20.3 | 145 | 20.7 | 23 | 18.1 | 103 | 23.6 | 9,152 | 15.3 | 127 | 20.0 |
| Brooklyn | 218 | 26.4 | 179 | 25.6 | 39 | 30.7 | 86 | 19.7 | 11,940 | 20.0 | 97 | 15.3 |
| Manhattan | 168 | 20.3 | 141 | 20.2 | 27 | 21.3 | 87 | 20.0 | 20,160 | 33.8 | 156 | 24.5 |
| Queens | 156 | 18.9 | 127 | 18.2 | 29 | 22.8 | 81 | 18.6 | 8,703 | 14.6 | 39 | 6.1 |
| Staten Island | 13 | 1.6 | 12 | 1.7 | 1 | 0.8 | 5 | 1.1 | 793 | 1.3 | 13 | 2.0 |
| Outside NYC | 76 | 9.2 | 68 | 9.7 | 8 | 6.3 | 66 | 15.1 | 8,047 | 13.5 | 21 | 3.3 |
| Unknown | 27 | 3.3 | 27 | 3.9 | 0 | 0.0 | 8 | 1.8 | 852 | 1.4 | 183 | 28.8 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 111 | 13.4 | 94 | 13.4 | 17 | 13.4 | 44 | 10.1 | 10,437 | 17.5 | 55 | 8.6 |
| Medium poverty (10 to <20% below FPL) | 273 | 33.1 | 228 | 32.6 | 45 | 35.4 | 138 | 31.7 | 21,540 | 36.1 | 156 | 24.5 |
| High poverty (20 to <30% below FPL) | 215 | 26.0 | 179 | 25.6 | 36 | 28.3 | 96 | 22.0 | 10,837 | 18.2 | 105 | 16.5 |
| Very high poverty (≥30% below FPL) | 123 | 14.9 | 103 | 14.7 | 20 | 15.7 | 82 | 18.8 | 7,552 | 12.7 | 107 | 16.8 |
| Area-based poverty level not available | 104 | 12.6 | 95 | 13.6 | 9 | 7.1 | 76 | 17.4 | 9,281 | 15.6 | 213 | 33.5 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 12 | 100.0 | 9 | 75.0 | 3 | 25.0 | 40 | 100.0 | 9,170 | 100.0 | 382 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 3 | 25.0 | 2 | 22.2 | 1 | 33.3 | 12 | 30.0 | 3,651 | 39.8 | 170 | 44.5 |
| Latino/Hispanic | 4 | 33.3 | 3 | 33.3 | 1 | 33.3 | 21 | 52.5 | 4,386 | 47.8 | 169 | 44.2 |
| White | 5 | 41.7 | 4 | 44.4 | 1 | 33.3 | 7 | 17.5 | 1,041 | 11.4 | 40 | 10.5 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 58 | 0.6 | 2 | 0.5 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 15 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 0.2 | 1 | 0.3 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 3 | 25.0 | 3 | 33.3 | 0 | 0.0 | 0 | 0.0 | 21 | 0.2 | 0 | 0.0 |
| 30-39 | 4 | 33.3 | 4 | 44.4 | 0 | 0.0 | 5 | 12.5 | 149 | 1.6 | 6 | 1.6 |
| 40-49 | 2 | 16.7 | 1 | 11.1 | 1 | 33.3 | 6 | 15.0 | 482 | 5.3 | 18 | 4.7 |
| 50-59 | 1 | 8.3 | 0 | 0.0 | 1 | 33.3 | 11 | 27.5 | 2,287 | 24.9 | 90 | 23.6 |
| 60+ | 2 | 16.7 | 1 | 11.1 | 1 | 33.3 | 18 | 45.0 | 6,231 | 67.9 | 268 | 70.2 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 2 | 16.7 | 2 | 22.2 | 0 | 0.0 | 18 | 45.0 | 2,966 | 32.3 | 124 | 32.5 |
| Brooklyn | 3 | 25.0 | 2 | 22.2 | 1 | 33.3 | 5 | 12.5 | 2,030 | 22.1 | 83 | 21.7 |
| Manhattan | 5 | 41.7 | 4 | 44.4 | 1 | 33.3 | 6 | 15.0 | 1,908 | 20.8 | 56 | 14.7 |
| Queens | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 10.0 | 1,246 | 13.6 | 26 | 6.8 |
| Staten Island | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 7.5 | 259 | 2.8 | 5 | 1.3 |
| Outside NYC | 2 | 16.7 | 1 | 11.1 | 1 | 33.3 | 4 | 10.0 | 737 | 8.0 | 13 | 3.4 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 24 | 0.3 | 75 | 19.6 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 1 | 8.3 | 1 | 11.1 | 0 | 0.0 | 3 | 7.5 | 1,196 | 13.0 | 17 | 4.5 |
| Medium poverty (10 to <20% below FPL) | 4 | 33.3 | 3 | 33.3 | 1 | 33.3 | 11 | 27.5 | 2,460 | 26.8 | 88 | 23.0 |
| High poverty (20 to <30% below FPL) | 4 | 33.3 | 3 | 33.3 | 1 | 33.3 | 8 | 20.0 | 1,948 | 21.2 | 66 | 17.3 |
| Very high poverty (≥30% below FPL) | 1 | 8.3 | 1 | 11.1 | 0 | 0.0 | 14 | 35.0 | 2,581 | 28.1 | 117 | 30.6 |
| Area-based poverty level not available | 2 | 16.7 | 1 | 11.1 | 1 | 33.3 | 4 | 10.0 | 985 | 10.7 | 94 | 24.6 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|--------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 11 | 100.0 | 11 | 100.0 | 0 | 0.0 | 18 | 100.0 | 5,101 | 100.0 | 166 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 5 | 45.5 | 5 | 45.5 | 0 | 0.0 | 10 | 55.6 | 2,446 | 48.0 | 70 | 42.2 |
| Latino/Hispanic | 4 | 36.4 | 4 | 36.4 | 0 | 0.0 | 5 | 27.8 | 2,033 | 39.9 | 75 | 45.2 |
| White | 2 | 18.2 | 2 | 18.2 | 0 | 0.0 | 3 | 16.7 | 582 | 11.4 | 19 | 11.4 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 0.4 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 0.3 | 2 | 1.2 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 1 | 9.1 | 1 | 9.1 | 0 | 0.0 | 0 | 0.0 | 29 | 0.6 | 2 | 1.2 |
| 30-39 | 3 | 27.3 | 3 | 27.3 | 0 | 0.0 | 1 | 5.6 | 153 | 3.0 | 5 | 3.0 |
| 40-49 | 3 | 27.3 | 3 | 27.3 | 0 | 0.0 | 3 | 16.7 | 453 | 8.9 | 17 | 10.2 |
| 50-59 | 2 | 18.2 | 2 | 18.2 | 0 | 0.0 | 8 | 44.4 | 1,782 | 34.9 | 69 | 41.6 |
| 60+ | 2 | 18.2 | 2 | 18.2 | 0 | 0.0 | 6 | 33.3 | 2,684 | 52.6 | 73 | 44.0 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 4 | 36.4 | 4 | 36.4 | 0 | 0.0 | 13 | 72.2 | 1,830 | 35.9 | 59 | 35.5 |
| Brooklyn | 2 | 18.2 | 2 | 18.2 | 0 | 0.0 | 4 | 22.2 | 1,274 | 25.0 | 41 | 24.7 |
| Manhattan | 1 | 9.1 | 1 | 9.1 | 0 | 0.0 | 0 | 0.0 | 950 | 18.6 | 27 | 16.3 |
| Queens | 1 | 9.1 | 1 | 9.1 | 0 | 0.0 | 1 | 5.6 | 568 | 11.1 | 12 | 7.2 |
| Staten Island | 1 | 9.1 | 1 | 9.1 | 0 | 0.0 | 0 | 0.0 | 132 | 2.6 | 2 | 1.2 |
| Outside NYC | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 337 | 6.6 | 5 | 3.0 |
| Unknown | 2 | 18.2 | 2 | 18.2 | 0 | 0.0 | 0 | 0.0 | 10 | 0.2 | 20 | 12.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 482 | 9.4 | 6 | 3.6 |
| Medium poverty (10 to <20% below FPL) | 4 | 36.4 | 4 | 36.4 | 0 | 0.0 | 5 | 27.8 | 1,359 | 26.6 | 34 | 20.5 |
| High poverty (20 to <30% below FPL) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 11.1 | 1,286 | 25.2 | 39 | 23.5 |
| Very high poverty (≥30% below FPL) | 5 | 45.5 | 5 | 45.5 | 0 | 0.0 | 10 | 55.6 | 1,566 | 30.7 | 60 | 36.1 |
| Area-based poverty level not available | 2 | 18.2 | 2 | 18.2 | 0 | 0.0 | 1 | 5.6 | 408 | 8.0 | 27 | 16.3 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 27 | 100.0 | 25 | 92.6 | 2 | 7.4 | 27 | 100.0 | 3,505 | 100.0 | 114 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 10 | 37.0 | 9 | 36.0 | 1 | 50.0 | 11 | 40.7 | 1,220 | 34.8 | 54 | 47.4 |
| Latino/Hispanic | 9 | 33.3 | 8 | 32.0 | 1 | 50.0 | 13 | 48.1 | 1,328 | 37.9 | 38 | 33.3 |
| White | 7 | 25.9 | 7 | 28.0 | 0 | 0.0 | 3 | 11.1 | 866 | 24.7 | 21 | 18.4 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 51 | 1.5 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 0.3 | 0 | 0.0 |
| Multiracial | 1 | 3.7 | 1 | 4.0 | 0 | 0.0 | 0 | 0.0 | 27 | 0.8 | 1 | 0.9 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 3.7 | 1 | 4.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| 20-29 | 12 | 44.4 | 12 | 48.0 | 0 | 0.0 | 4 | 14.8 | 119 | 3.4 | 0 | 0.0 |
| 30-39 | 7 | 25.9 | 6 | 24.0 | 1 | 50.0 | 10 | 37.0 | 591 | 16.9 | 11 | 9.6 |
| 40-49 | 6 | 22.2 | 5 | 20.0 | 1 | 50.0 | 7 | 25.9 | 640 | 18.3 | 10 | 8.8 |
| 50-59 | 1 | 3.7 | 1 | 4.0 | 0 | 0.0 | 3 | 11.1 | 1,058 | 30.2 | 41 | 36.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 11.1 | 1,095 | 31.2 | 52 | 45.6 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 6 | 22.2 | 6 | 24.0 | 0 | 0.0 | 9 | 33.3 | 930 | 26.5 | 33 | 28.9 |
| Brooklyn | 8 | 29.6 | 7 | 28.0 | 1 | 50.0 | 7 | 25.9 | 721 | 20.6 | 20 | 17.5 |
| Manhattan | 5 | 18.5 | 4 | 16.0 | 1 | 50.0 | 7 | 25.9 | 1,041 | 29.7 | 17 | 14.9 |
| Queens | 2 | 7.4 | 2 | 8.0 | 0 | 0.0 | 3 | 11.1 | 381 | 10.9 | 9 | 7.9 |
| Staten Island | 1 | 3.7 | 1 | 4.0 | 0 | 0.0 | 0 | 0.0 | 72 | 2.1 | 2 | 1.8 |
| Outside NYC | 3 | 11.1 | 3 | 12.0 | 0 | 0.0 | 1 | 3.7 | 352 | 10.0 | 4 | 3.5 |
| Unknown | 2 | 7.4 | 2 | 8.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.2 | 29 | 25.4 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 4 | 14.8 | 3 | 12.0 | 1 | 50.0 | 2 | 7.4 | 491 | 14.0 | 7 | 6.1 |
| Medium poverty (10 to <20% below FPL) | 6 | 22.2 | 6 | 24.0 | 0 | 0.0 | 12 | 44.4 | 1,129 | 32.2 | 27 | 23.7 |
| High poverty (20 to <30% below FPL) | 7 | 25.9 | 6 | 24.0 | 1 | 50.0 | 6 | 22.2 | 732 | 20.9 | 18 | 15.8 |
| Very high poverty (≥30% below FPL) | 5 | 18.5 | 5 | 20.0 | 0 | 0.0 | 6 | 22.2 | 772 | 22.0 | 28 | 24.6 |
| Area-based poverty level not available | 5 | 18.5 | 5 | 20.0 | 0 | 0.0 | 1 | 3.7 | 381 | 10.9 | 34 | 29.8 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.6.5. Heterosexual contact, men

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 50 | 100.0 | 30 | 60.0 | 20 | 40.0 | 60 | 100.0 | 6,955 | 100.0 | 161 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 22 | 44.0 | 15 | 50.0 | 7 | 35.0 | 32 | 53.3 | 3,762 | 54.1 | 93 | 57.8 |
| Latino/Hispanic | 21 | 42.0 | 13 | 43.3 | 8 | 40.0 | 22 | 36.7 | 2,352 | 33.8 | 49 | 30.4 |
| White | 1 | 2.0 | 1 | 3.3 | 0 | 0.0 | 0 | 0.0 | 568 | 8.2 | 14 | 8.7 |
| Asian/Pacific Islander | 5 | 10.0 | 0 | 0.0 | 5 | 25.0 | 6 | 10.0 | 229 | 3.3 | 3 | 1.9 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 23 | 0.3 | 1 | 0.6 |
| Multiracial | 1 | 2.0 | 1 | 3.3 | 0 | 0.0 | 0 | 0.0 | 16 | 0.2 | 1 | 0.6 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 4.0 | 2 | 6.7 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 20-29 | 8 | 16.0 | 6 | 20.0 | 2 | 10.0 | 5 | 8.3 | 103 | 1.5 | 1 | 0.6 |
| 30-39 | 18 | 36.0 | 13 | 43.3 | 5 | 25.0 | 11 | 18.3 | 451 | 6.5 | 2 | 1.2 |
| 40-49 | 8 | 16.0 | 3 | 10.0 | 5 | 25.0 | 13 | 21.7 | 1,019 | 14.7 | 5 | 3.1 |
| 50-59 | 10 | 20.0 | 4 | 13.3 | 6 | 30.0 | 18 | 30.0 | 2,567 | 36.9 | 52 | 32.3 |
| 60+ | 4 | 8.0 | 2 | 6.7 | 2 | 10.0 | 13 | 21.7 | 2,814 | 40.5 | 101 | 62.7 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 17 | 34.0 | 8 | 26.7 | 9 | 45.0 | 24 | 40.0 | 2,021 | 29.1 | 50 | 31.1 |
| Brooklyn | 15 | 30.0 | 11 | 36.7 | 4 | 20.0 | 12 | 20.0 | 1,753 | 25.2 | 27 | 16.8 |
| Manhattan | 5 | 10.0 | 3 | 10.0 | 2 | 10.0 | 10 | 16.7 | 1,037 | 14.9 | 19 | 11.8 |
| Queens | 9 | 18.0 | 5 | 16.7 | 4 | 20.0 | 11 | 18.3 | 1,234 | 17.7 | 14 | 8.7 |
| Staten Island | 2 | 4.0 | 1 | 3.3 | 1 | 5.0 | 1 | 1.7 | 165 | 2.4 | 3 | 1.9 |
| Outside NYC | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 3.3 | 710 | 10.2 | 6 | 3.7 |
| Unknown | 2 | 4.0 | 2 | 6.7 | 0 | 0.0 | 0 | 0.0 | 35 | 0.5 | 42 | 26.1 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 8 | 16.0 | 4 | 13.3 | 4 | 20.0 | 6 | 10.0 | 842 | 12.1 | 10 | 6.2 |
| Medium poverty (10 to <20% below FPL) | 16 | 32.0 | 12 | 40.0 | 4 | 20.0 | 16 | 26.7 | 2,204 | 31.7 | 34 | 21.1 |
| High poverty (20 to <30% below FPL) | 13 | 26.0 | 5 | 16.7 | 8 | 40.0 | 22 | 36.7 | 1,476 | 21.2 | 25 | 15.5 |
| Very high poverty (≥30% below FPL) | 11 | 22.0 | 7 | 23.3 | 4 | 20.0 | 14 | 23.3 | 1,649 | 23.7 | 43 | 26.7 |
| Area-based poverty level not available | 2 | 4.0 | 2 | 6.7 | 0 | 0.0 | 2 | 3.3 | 784 | 11.3 | 49 | 30.4 |

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.6.6. Heterosexual contact, women

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 234 | 100.0 | 182 | 77.8 | 52 | 22.2 | 195 | 100.0 | 20,060 | 100.0 | 328 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 135 | 57.7 | 105 | 57.7 | 30 | 57.7 | 126 | 64.6 | 11,838 | 59.0 | 221 | 67.4 |
| Latino/Hispanic | 75 | 32.1 | 61 | 33.5 | 14 | 26.9 | 54 | 27.7 | 6,457 | 32.2 | 86 | 26.2 |
| White | 12 | 5.1 | 9 | 4.9 | 3 | 5.8 | 7 | 3.6 | 1,297 | 6.5 | 14 | 4.3 |
| Asian/Pacific Islander | 8 | 3.4 | 4 | 2.2 | 4 | 7.7 | 6 | 3.1 | 347 | 1.7 | 5 | 1.5 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 44 | 0.2 | 1 | 0.3 |
| Multiracial | 4 | 1.7 | 3 | 1.6 | 1 | 1.9 | 2 | 1.0 | 64 | 0.3 | 1 | 0.3 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 9 | 3.8 | 9 | 4.9 | 0 | 0.0 | 0 | 0.0 | 23 | 0.1 | 0 | 0.0 |
| 20-29 | 48 | 20.5 | 43 | 23.6 | 5 | 9.6 | 14 | 7.2 | 547 | 2.7 | 0 | 0.0 |
| 30-39 | 61 | 26.1 | 51 | 28.0 | 10 | 19.2 | 42 | 21.5 | 2,332 | 11.6 | 17 | 5.2 |
| 40-49 | 50 | 21.4 | 39 | 21.4 | 11 | 21.2 | 45 | 23.1 | 4,201 | 20.9 | 36 | 11.0 |
| 50-59 | 46 | 19.7 | 26 | 14.3 | 20 | 38.5 | 56 | 28.7 | 6,547 | 32.6 | 109 | 33.2 |
| 60+ | 20 | 8.5 | 14 | 7.7 | 6 | 11.5 | 38 | 19.5 | 6,410 | 32.0 | 166 | 50.6 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 77 | 32.9 | 59 | 32.4 | 18 | 34.6 | 56 | 28.7 | 6,528 | 32.5 | 111 | 33.8 |
| Brooklyn | 57 | 24.4 | 47 | 25.8 | 10 | 19.2 | 54 | 27.7 | 5,787 | 28.8 | 80 | 24.4 |
| Manhattan | 19 | 8.1 | 16 | 8.8 | 3 | 5.8 | 24 | 12.3 | 2,460 | 12.3 | 37 | 11.3 |
| Queens | 47 | 20.1 | 36 | 19.8 | 11 | 21.2 | 26 | 13.3 | 3,038 | 15.1 | 23 | 7.0 |
| Staten Island | 9 | 3.8 | 4 | 2.2 | 5 | 9.6 | 13 | 6.7 | 542 | 2.7 | 6 | 1.8 |
| Outside NYC | 21 | 9.0 | 16 | 8.8 | 5 | 9.6 | 20 | 10.3 | 1,628 | 8.1 | 13 | 4.0 |
| Unknown | 4 | 1.7 | 4 | 2.2 | 0 | 0.0 | 2 | 1.0 | 77 | 0.4 | 58 | 17.7 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 25 | 10.7 | 15 | 8.2 | 10 | 19.2 | 22 | 11.3 | 2,040 | 10.2 | 20 | 6.1 |
| Medium poverty (10 to <20% below FPL) | 91 | 38.9 | 71 | 39.0 | 20 | 38.5 | 64 | 32.8 | 6,406 | 31.9 | 79 | 24.1 |
| High poverty (20 to <30% below FPL) | 39 | 16.7 | 32 | 17.6 | 7 | 13.5 | 43 | 22.1 | 4,679 | 23.3 | 72 | 22.0 |
| Very high poverty (≥30% below FPL) | 54 | 23.1 | 44 | 24.2 | 10 | 19.2 | 44 | 22.6 | 5,150 | 25.7 | 84 | 25.6 |
| Area-based poverty level not available | 25 | 10.7 | 20 | 11.0 | 5 | 9.6 | 22 | 11.3 | 1,785 | 8.9 | 73 | 22.3 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.6.7. Transgender people with sexual contact

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 60 | 100.0 | 56 | 93.3 | 4 | 6.7 | 34 | 100.0 | 2,157 | 100.0 | 25 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 6 | 10.0 | 6 | 10.7 | 0 | 0.0 | 0 | 0.0 | 34 | 1.6 | 0 | 0.0 |
| Women | 54 | 90.0 | 50 | 89.3 | 4 | 100.0 | 34 | 100.0 | 2,123 | 98.4 | 25 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 28 | 46.7 | 28 | 50.0 | 0 | 0.0 | 11 | 32.4 | 1,072 | 49.7 | 15 | 60.0 |
| Latino/Hispanic | 27 | 45.0 | 25 | 44.6 | 2 | 50.0 | 20 | 58.8 | 873 | 40.5 | 7 | 28.0 |
| White | 2 | 3.3 | 2 | 3.6 | 0 | 0.0 | 0 | 0.0 | 124 | 5.7 | 3 | 12.0 |
| Asian/Pacific Islander | 3 | 5.0 | 1 | 1.8 | 2 | 50.0 | 3 | 8.8 | 47 | 2.2 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.4 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 33 | 1.5 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 6 | 10.0 | 6 | 10.7 | 0 | 0.0 | 1 | 2.9 | 8 | 0.4 | 0 | 0.0 |
| 20-29 | 32 | 53.3 | 32 | 57.1 | 0 | 0.0 | 7 | 20.6 | 430 | 19.9 | 1 | 4.0 |
| 30-39 | 15 | 25.0 | 13 | 23.2 | 2 | 50.0 | 16 | 47.1 | 851 | 39.5 | 8 | 32.0 |
| 40-49 | 4 | 6.7 | 2 | 3.6 | 2 | 50.0 | 8 | 23.5 | 500 | 23.2 | 5 | 20.0 |
| 50-59 | 3 | 5.0 | 3 | 5.4 | 0 | 0.0 | 1 | 2.9 | 279 | 12.9 | 8 | 32.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.9 | 89 | 4.1 | 3 | 12.0 |
| BOROUGH OF RESIDENCE | | | | | | | | | | | | |
| Bronx | 14 | 23.3 | 13 | 23.2 | 1 | 25.0 | 11 | 32.4 | 710 | 32.9 | 6 | 24.0 |
| Brooklyn | 15 | 25.0 | 13 | 23.2 | 2 | 50.0 | 5 | 14.7 | 467 | 21.7 | 5 | 20.0 |
| Manhattan | 9 | 15.0 | 9 | 16.1 | 0 | 0.0 | 5 | 14.7 | 400 | 18.5 | 8 | 32.0 |
| Queens | 7 | 11.7 | 6 | 10.7 | 1 | 25.0 | 9 | 26.5 | 312 | 14.5 | 2 | 8.0 |
| Staten Island | 2 | 3.3 | 2 | 3.6 | 0 | 0.0 | 0 | 0.0 | 49 | 2.3 | 0 | 0.0 |
| Outside NYC | 10 | 16.7 | 10 | 17.9 | 0 | 0.0 | 3 | 8.8 | 159 | 7.4 | 1 | 4.0 |
| Unknown | 3 | 5.0 | 3 | 5.4 | 0 | 0.0 | 1 | 2.9 | 60 | 2.8 | 3 | 12.0 |
| AREA-BASED POVERTY LEVEL | | | | | | | | | | | | |
| Low poverty (<10% below FPL) | 4 | 6.7 | 4 | 7.1 | 0 | 0.0 | 4 | 11.8 | 215 | 10.0 | 0 | 0.0 |
| Medium poverty (10 to <20% below FPL) | 16 | 26.7 | 12 | 21.4 | 4 | 100.0 | 15 | 44.1 | 670 | 31.1 | 7 | 28.0 |
| High poverty (20 to <30% below FPL) | 16 | 26.7 | 16 | 28.6 | 0 | 0.0 | 4 | 11.8 | 486 | 22.5 | 5 | 20.0 |
| Very high poverty (≥30% below FPL) | 11 | 18.3 | 11 | 19.6 | 0 | 0.0 | 7 | 20.6 | 560 | 26.0 | 9 | 36.0 |
| Area-based poverty level not available | 13 | 21.7 | 13 | 23.2 | 0 | 0.0 | 4 | 11.8 | 226 | 10.5 | 4 | 16.0 |

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 12 | 100.0 | 11 | 91.7 | 1 | 8.3 | 7 | 100.0 | 827 | 100.0 | 19 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 10 | 83.3 | 9 | 81.8 | 1 | 100.0 | 3 | 42.9 | 579 | 70.0 | 7 | 36.8 |
| Women | 2 | 16.7 | 2 | 18.2 | 0 | 0.0 | 4 | 57.1 | 248 | 30.0 | 12 | 63.2 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 1 | 8.3 | 1 | 9.1 | 0 | 0.0 | 4 | 57.1 | 289 | 34.9 | 9 | 47.4 |
| Latino/Hispanic | 11 | 91.7 | 10 | 90.9 | 1 | 100.0 | 2 | 28.6 | 378 | 45.7 | 8 | 42.1 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 141 | 17.0 | 2 | 10.5 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 1.6 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.7 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 0 | 0.0 |
| 20-29 | 8 | 66.7 | 8 | 72.7 | 0 | 0.0 | 1 | 14.3 | 44 | 5.3 | 0 | 0.0 |
| 30-39 | 2 | 16.7 | 1 | 9.1 | 1 | 100.0 | 2 | 28.6 | 137 | 16.6 | 0 | 0.0 |
| 40-49 | 2 | 16.7 | 2 | 18.2 | 0 | 0.0 | 1 | 14.3 | 121 | 14.6 | 2 | 10.5 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 28.6 | 233 | 28.2 | 2 | 10.5 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 290 | 35.1 | 15 | 78.9 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 9 | 75.0 | 8 | 72.7 | 1 | 100.0 | 1 | 14.3 | 354 | 42.8 | 1 | 5.3 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 102 | 12.3 | 4 | 21.1 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 18 | 2.2 | 3 | 15.8 |
| Heterosexual contact | 3 | 25.0 | 3 | 27.3 | 0 | 0.0 | 2 | 28.6 | 184 | 22.2 | 9 | 47.4 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 1.1 | 1 | 5.3 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 24 | 2.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 28.6 | 135 | 16.3 | 1 | 5.3 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 54 | 100.0 | 43 | 79.6 | 11 | 20.4 | 32 | 100.0 | 2,867 | 100.0 | 40 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 36 | 66.7 | 32 | 74.4 | 4 | 36.4 | 19 | 59.4 | 1,655 | 57.7 | 23 | 57.5 |
| Women | 18 | 33.3 | 11 | 25.6 | 7 | 63.6 | 13 | 40.6 | 1,212 | 42.3 | 17 | 42.5 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 39 | 72.2 | 30 | 69.8 | 9 | 81.8 | 23 | 71.9 | 1,832 | 63.9 | 30 | 75.0 |
| Latino/Hispanic | 12 | 22.2 | 10 | 23.3 | 2 | 18.2 | 9 | 28.1 | 880 | 30.7 | 8 | 20.0 |
| White | 1 | 1.9 | 1 | 2.3 | 0 | 0.0 | 0 | 0.0 | 107 | 3.7 | 0 | 0.0 |
| Asian/Pacific Islander | 1 | 1.9 | 1 | 2.3 | 0 | 0.0 | 0 | 0.0 | 26 | 0.9 | 1 | 2.5 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 0.3 | 1 | 2.5 |
| Multiracial | 1 | 1.9 | 1 | 2.3 | 0 | 0.0 | 0 | 0.0 | 11 | 0.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| 13-19 | 2 | 3.7 | 2 | 4.7 | 0 | 0.0 | 2 | 6.3 | 10 | 0.3 | 0 | 0.0 |
| 20-29 | 16 | 29.6 | 15 | 34.9 | 1 | 9.1 | 2 | 6.3 | 174 | 6.1 | 2 | 5.0 |
| 30-39 | 17 | 31.5 | 15 | 34.9 | 2 | 18.2 | 12 | 37.5 | 513 | 17.9 | 3 | 7.5 |
| 40-49 | 7 | 13.0 | 5 | 11.6 | 2 | 18.2 | 4 | 12.5 | 514 | 17.9 | 3 | 7.5 |
| 50-59 | 7 | 13.0 | 4 | 9.3 | 3 | 27.3 | 6 | 18.8 | 790 | 27.6 | 17 | 42.5 |
| 60+ | 5 | 9.3 | 2 | 4.7 | 3 | 27.3 | 6 | 18.8 | 864 | 30.1 | 15 | 37.5 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 25 | 46.3 | 23 | 53.5 | 2 | 18.2 | 10 | 31.3 | 799 | 27.9 | 5 | 12.5 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 6.3 | 298 | 10.4 | 7 | 17.5 |
| MSM-IDU | 1 | 1.9 | 1 | 2.3 | 0 | 0.0 | 0 | 0.0 | 65 | 2.3 | 2 | 5.0 |
| Heterosexual contact | 19 | 35.2 | 12 | 27.9 | 7 | 63.6 | 13 | 40.6 | 977 | 34.1 | 19 | 47.5 |
| Transgender people with sexual contact | 1 | 1.9 | 0 | 0.0 | 1 | 9.1 | 1 | 3.1 | 49 | 1.7 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 3.1 | 89 | 3.1 | 2 | 5.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| Unknown | 8 | 14.8 | 7 | 16.3 | 1 | 9.1 | 5 | 15.6 | 589 | 20.5 | 5 | 12.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.7.3. Fordham - Bronx Park (Bronx)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 73 | 100.0 | 56 | 76.7 | 17 | 23.3 | 71 | 100.0 | 5,957 | 100.0 | 109 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 55 | 75.3 | 41 | 73.2 | 14 | 82.4 | 52 | 73.2 | 3,901 | 65.5 | 85 | 78.0 |
| Women | 18 | 24.7 | 15 | 26.8 | 3 | 17.6 | 19 | 26.8 | 2,056 | 34.5 | 24 | 22.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 25 | 34.2 | 20 | 35.7 | 5 | 29.4 | 34 | 47.9 | 2,694 | 45.2 | 48 | 44.0 |
| Latino/Hispanic | 46 | 63.0 | 35 | 62.5 | 11 | 64.7 | 33 | 46.5 | 2,916 | 49.0 | 54 | 49.5 |
| White | 1 | 1.4 | 1 | 1.8 | 0 | 0.0 | 2 | 2.8 | 269 | 4.5 | 6 | 5.5 |
| Asian/Pacific Islander | 1 | 1.4 | 0 | 0.0 | 1 | 5.9 | 2 | 2.8 | 41 | 0.7 | 1 | 0.9 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 0.3 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 0.3 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 13-19 | 3 | 4.1 | 3 | 5.4 | 0 | 0.0 | 0 | 0.0 | 8 | 0.1 | 0 | 0.0 |
| 20-29 | 19 | 26.0 | 16 | 28.6 | 3 | 17.6 | 10 | 14.1 | 336 | 5.6 | 0 | 0.0 |
| 30-39 | 22 | 30.1 | 17 | 30.4 | 5 | 29.4 | 24 | 33.8 | 1,104 | 18.5 | 7 | 6.4 |
| 40-49 | 12 | 16.4 | 8 | 14.3 | 4 | 23.5 | 14 | 19.7 | 1,078 | 18.1 | 14 | 12.8 |
| 50-59 | 13 | 17.8 | 9 | 16.1 | 4 | 23.5 | 17 | 23.9 | 1,745 | 29.3 | 35 | 32.1 |
| 60+ | 4 | 5.5 | 3 | 5.4 | 1 | 5.9 | 6 | 8.5 | 1,685 | 28.3 | 53 | 48.6 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 34 | 46.6 | 27 | 48.2 | 7 | 41.2 | 26 | 36.6 | 2,057 | 34.5 | 31 | 28.4 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 5.6 | 858 | 14.4 | 31 | 28.4 |
| MSM-IDU | 2 | 2.7 | 2 | 3.6 | 0 | 0.0 | 1 | 1.4 | 178 | 3.0 | 7 | 6.4 |
| Heterosexual contact | 18 | 24.7 | 12 | 21.4 | 6 | 35.3 | 21 | 29.6 | 1,490 | 25.0 | 22 | 20.2 |
| Transgender people with sexual contact | 4 | 5.5 | 4 | 7.1 | 0 | 0.0 | 3 | 4.2 | 161 | 2.7 | 2 | 1.8 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 126 | 2.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| Unknown | 15 | 20.5 | 11 | 19.6 | 4 | 23.5 | 16 | 22.5 | 1,082 | 18.2 | 16 | 14.7 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.7.4. Pelham - Throgs Neck (Bronx)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 49 | 100.0 | 38 | 77.6 | 11 | 22.4 | 38 | 100.0 | 4,444 | 100.0 | 77 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 38 | 77.6 | 29 | 76.3 | 9 | 81.8 | 26 | 68.4 | 2,752 | 61.9 | 46 | 59.7 |
| Women | 11 | 22.4 | 9 | 23.7 | 2 | 18.2 | 12 | 31.6 | 1,692 | 38.1 | 31 | 40.3 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 20 | 40.8 | 14 | 36.8 | 6 | 54.5 | 20 | 52.6 | 1,828 | 41.1 | 34 | 44.2 |
| Latino/Hispanic | 23 | 46.9 | 20 | 52.6 | 3 | 27.3 | 15 | 39.5 | 2,255 | 50.7 | 33 | 42.9 |
| White | 4 | 8.2 | 3 | 7.9 | 1 | 9.1 | 1 | 2.6 | 290 | 6.5 | 9 | 11.7 |
| Asian/Pacific Islander | 2 | 4.1 | 1 | 2.6 | 1 | 9.1 | 1 | 2.6 | 48 | 1.1 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.6 | 11 | 0.2 | 1 | 1.3 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 2.0 | 1 | 2.6 | 0 | 0.0 | 1 | 2.6 | 10 | 0.2 | 0 | 0.0 |
| 20-29 | 18 | 36.7 | 18 | 47.4 | 0 | 0.0 | 4 | 10.5 | 249 | 5.6 | 1 | 1.3 |
| 30-39 | 11 | 22.4 | 7 | 18.4 | 4 | 36.4 | 11 | 28.9 | 670 | 15.1 | 4 | 5.2 |
| 40-49 | 5 | 10.2 | 5 | 13.2 | 0 | 0.0 | 3 | 7.9 | 707 | 15.9 | 5 | 6.5 |
| 50-59 | 8 | 16.3 | 4 | 10.5 | 4 | 36.4 | 12 | 31.6 | 1,377 | 31.0 | 25 | 32.5 |
| 60+ | 6 | 12.2 | 3 | 7.9 | 3 | 27.3 | 7 | 18.4 | 1,431 | 32.2 | 42 | 54.5 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 23 | 46.9 | 21 | 55.3 | 2 | 18.2 | 15 | 39.5 | 1,303 | 29.3 | 15 | 19.5 |
| Injection drug use history (IDU) | 1 | 2.0 | 1 | 2.6 | 0 | 0.0 | 2 | 5.3 | 661 | 14.9 | 21 | 27.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 112 | 2.5 | 4 | 5.2 |
| Heterosexual contact | 9 | 18.4 | 6 | 15.8 | 3 | 27.3 | 8 | 21.1 | 1,238 | 27.9 | 20 | 26.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 5.3 | 61 | 1.4 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.6 | 137 | 3.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.2 | 0 | 0.0 |
| Unknown | 16 | 32.7 | 10 | 26.3 | 6 | 54.5 | 10 | 26.3 | 921 | 20.7 | 17 | 22.1 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 78 | 100.0 | 63 | 80.8 | 15 | 19.2 | 76 | 100.0 | 6,399 | 100.0 | 148 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 53 | 67.9 | 44 | 69.8 | 9 | 60.0 | 50 | 65.8 | 3,940 | 61.6 | 95 | 64.2 |
| Women | 25 | 32.1 | 19 | 30.2 | 6 | 40.0 | 26 | 34.2 | 2,459 | 38.4 | 53 | 35.8 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 27 | 34.6 | 24 | 38.1 | 3 | 20.0 | 33 | 43.4 | 3,062 | 47.9 | 76 | 51.4 |
| Latino/Hispanic | 47 | 60.3 | 37 | 58.7 | 10 | 66.7 | 34 | 44.7 | 3,065 | 47.9 | 63 | 42.6 |
| White | 3 | 3.8 | 2 | 3.2 | 1 | 6.7 | 6 | 7.9 | 194 | 3.0 | 6 | 4.1 |
| Asian/Pacific Islander | 1 | 1.3 | 0 | 0.0 | 1 | 6.7 | 2 | 2.6 | 43 | 0.7 | 3 | 2.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.3 | 35 | 0.5 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.1 | 0 | 0.0 |
| 13-19 | 3 | 3.8 | 3 | 4.8 | 0 | 0.0 | 0 | 0.0 | 15 | 0.2 | 0 | 0.0 |
| 20-29 | 16 | 20.5 | 15 | 23.8 | 1 | 6.7 | 9 | 11.8 | 384 | 6.0 | 2 | 1.4 |
| 30-39 | 29 | 37.2 | 28 | 44.4 | 1 | 6.7 | 17 | 22.4 | 1,142 | 17.8 | 10 | 6.8 |
| 40-49 | 15 | 19.2 | 9 | 14.3 | 6 | 40.0 | 20 | 26.3 | 1,120 | 17.5 | 18 | 12.2 |
| 50-59 | 11 | 14.1 | 5 | 7.9 | 6 | 40.0 | 16 | 21.1 | 1,871 | 29.2 | 57 | 38.5 |
| 60+ | 4 | 5.1 | 3 | 4.8 | 1 | 6.7 | 14 | 18.4 | 1,861 | 29.1 | 61 | 41.2 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 30 | 38.5 | 27 | 42.9 | 3 | 20.0 | 26 | 34.2 | 1,747 | 27.3 | 24 | 16.2 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 13.2 | 1,093 | 17.1 | 43 | 29.1 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.3 | 211 | 3.3 | 6 | 4.1 |
| Heterosexual contact | 22 | 28.2 | 17 | 27.0 | 5 | 33.3 | 17 | 22.4 | 1,805 | 28.2 | 44 | 29.7 |
| Transgender people with sexual contact | 3 | 3.8 | 3 | 4.8 | 0 | 0.0 | 3 | 3.9 | 190 | 3.0 | 2 | 1.4 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 2.6 | 182 | 2.8 | 1 | 0.7 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.1 | 1 | 0.7 |
| Unknown | 23 | 29.5 | 16 | 25.4 | 7 | 46.7 | 17 | 22.4 | 1,167 | 18.2 | 27 | 18.2 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.7.6. High Bridge - Morrisania (Bronx)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 71 | 100.0 | 54 | 76.1 | 17 | 23.9 | 48 | 100.0 | 6,350 | 100.0 | 149 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 48 | 67.6 | 34 | 63.0 | 14 | 82.4 | 36 | 75.0 | 4,012 | 63.2 | 108 | 72.5 |
| Women | 23 | 32.4 | 20 | 37.0 | 3 | 17.6 | 12 | 25.0 | 2,338 | 36.8 | 41 | 27.5 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 22 | 31.0 | 17 | 31.5 | 5 | 29.4 | 22 | 45.8 | 3,281 | 51.7 | 83 | 55.7 |
| Latino/Hispanic | 48 | 67.6 | 36 | 66.7 | 12 | 70.6 | 23 | 47.9 | 2,787 | 43.9 | 59 | 39.6 |
| White | 1 | 1.4 | 1 | 1.9 | 0 | 0.0 | 1 | 2.1 | 215 | 3.4 | 7 | 4.7 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 26 | 0.4 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 4.2 | 20 | 0.3 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 1.4 | 1 | 1.9 | 0 | 0.0 | 0 | 0.0 | 17 | 0.3 | 0 | 0.0 |
| 20-29 | 18 | 25.4 | 14 | 25.9 | 4 | 23.5 | 8 | 16.7 | 350 | 5.5 | 3 | 2.0 |
| 30-39 | 19 | 26.8 | 14 | 25.9 | 5 | 29.4 | 12 | 25.0 | 1,049 | 16.5 | 7 | 4.7 |
| 40-49 | 10 | 14.1 | 6 | 11.1 | 4 | 23.5 | 8 | 16.7 | 1,098 | 17.3 | 16 | 10.7 |
| 50-59 | 14 | 19.7 | 11 | 20.4 | 3 | 17.6 | 11 | 22.9 | 1,881 | 29.6 | 54 | 36.2 |
| 60+ | 9 | 12.7 | 8 | 14.8 | 1 | 5.9 | 9 | 18.8 | 1,954 | 30.8 | 69 | 46.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 22 | 31.0 | 16 | 29.6 | 6 | 35.3 | 14 | 29.2 | 1,740 | 27.4 | 31 | 20.8 |
| Injection drug use history (IDU) | 4 | 5.6 | 4 | 7.4 | 0 | 0.0 | 6 | 12.5 | 1,046 | 16.5 | 50 | 33.6 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 6.3 | 212 | 3.3 | 9 | 6.0 |
| Heterosexual contact | 18 | 25.4 | 13 | 24.1 | 5 | 29.4 | 12 | 25.0 | 1,747 | 27.5 | 25 | 16.8 |
| Transgender people with sexual contact | 5 | 7.0 | 5 | 9.3 | 0 | 0.0 | 0 | 0.0 | 121 | 1.9 | 1 | 0.7 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 163 | 2.6 | 3 | 2.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.1 | 0 | 0.0 |
| Unknown | 22 | 31.0 | 16 | 29.6 | 6 | 35.3 | 13 | 27.1 | 1,313 | 20.7 | 30 | 20.1 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 51 | 100.0 | 47 | 92.2 | 4 | 7.8 | 36 | 100.0 | 4,045 | 100.0 | 84 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 44 | 86.3 | 41 | 87.2 | 3 | 75.0 | 23 | 63.9 | 2,531 | 62.6 | 54 | 64.3 |
| Women | 7 | 13.7 | 6 | 12.8 | 1 | 25.0 | 13 | 36.1 | 1,514 | 37.4 | 30 | 35.7 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 19 | 37.3 | 18 | 38.3 | 1 | 25.0 | 14 | 38.9 | 1,815 | 44.9 | 33 | 39.3 |
| Latino/Hispanic | 26 | 51.0 | 24 | 51.1 | 2 | 50.0 | 18 | 50.0 | 2,009 | 49.7 | 47 | 56.0 |
| White | 3 | 5.9 | 3 | 6.4 | 0 | 0.0 | 3 | 8.3 | 171 | 4.2 | 3 | 3.6 |
| Asian/Pacific Islander | 1 | 2.0 | 0 | 0.0 | 1 | 25.0 | 1 | 2.8 | 26 | 0.6 | 1 | 1.2 |
| Other/Unknown | 2 | 3.9 | 2 | 4.3 | 0 | 0.0 | 0 | 0.0 | 24 | 0.6 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| 13-19 | 3 | 5.9 | 3 | 6.4 | 0 | 0.0 | 0 | 0.0 | 10 | 0.2 | 0 | 0.0 |
| 20-29 | 24 | 47.1 | 24 | 51.1 | 0 | 0.0 | 1 | 2.8 | 270 | 6.7 | 0 | 0.0 |
| 30-39 | 12 | 23.5 | 10 | 21.3 | 2 | 50.0 | 8 | 22.2 | 761 | 18.8 | 10 | 11.9 |
| 40-49 | 8 | 15.7 | 7 | 14.9 | 1 | 25.0 | 12 | 33.3 | 714 | 17.7 | 14 | 16.7 |
| 50-59 | 3 | 5.9 | 2 | 4.3 | 1 | 25.0 | 9 | 25.0 | 1,159 | 28.7 | 27 | 32.1 |
| 60+ | 1 | 2.0 | 1 | 2.1 | 0 | 0.0 | 6 | 16.7 | 1,128 | 27.9 | 33 | 39.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 25 | 49.0 | 23 | 48.9 | 2 | 50.0 | 10 | 27.8 | 1,142 | 28.2 | 20 | 23.8 |
| Injection drug use history (IDU) | 1 | 2.0 | 1 | 2.1 | 0 | 0.0 | 6 | 16.7 | 688 | 17.0 | 27 | 32.1 |
| MSM-IDU | 3 | 5.9 | 3 | 6.4 | 0 | 0.0 | 3 | 8.3 | 132 | 3.3 | 2 | 2.4 |
| Heterosexual contact | 5 | 9.8 | 4 | 8.5 | 1 | 25.0 | 7 | 19.4 | 1,099 | 27.2 | 22 | 26.2 |
| Transgender people with sexual contact | 1 | 2.0 | 1 | 2.1 | 0 | 0.0 | 2 | 5.6 | 119 | 2.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 125 | 3.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| Unknown | 16 | 31.4 | 15 | 31.9 | 1 | 25.0 | 8 | 22.2 | 735 | 18.2 | 13 | 15.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 10 | 100.0 | 8 | 80.0 | 2 | 20.0 | 3 | 100.0 | 908 | 100.0 | 6 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 9 | 90.0 | 7 | 87.5 | 2 | 100.0 | 3 | 100.0 | 744 | 81.9 | 6 | 100.0 |
| Women | 1 | 10.0 | 1 | 12.5 | 0 | 0.0 | 0 | 0.0 | 164 | 18.1 | 0 | 0.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 3 | 30.0 | 3 | 37.5 | 0 | 0.0 | 1 | 33.3 | 142 | 15.6 | 2 | 33.3 |
| Latino/Hispanic | 3 | 30.0 | 2 | 25.0 | 1 | 50.0 | 2 | 66.7 | 400 | 44.1 | 2 | 33.3 |
| White | 3 | 30.0 | 3 | 37.5 | 0 | 0.0 | 0 | 0.0 | 337 | 37.1 | 2 | 33.3 |
| Asian/Pacific Islander | 1 | 10.0 | 0 | 0.0 | 1 | 50.0 | 0 | 0.0 | 21 | 2.3 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 0.8 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 2 | 20.0 | 2 | 25.0 | 0 | 0.0 | 1 | 33.3 | 45 | 5.0 | 1 | 16.7 |
| 30-39 | 5 | 50.0 | 4 | 50.0 | 1 | 50.0 | 1 | 33.3 | 207 | 22.8 | 2 | 33.3 |
| 40-49 | 1 | 10.0 | 1 | 12.5 | 0 | 0.0 | 0 | 0.0 | 202 | 22.2 | 0 | 0.0 |
| 50-59 | 2 | 20.0 | 1 | 12.5 | 1 | 50.0 | 1 | 33.3 | 252 | 27.8 | 0 | 0.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 202 | 22.2 | 3 | 50.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 7 | 70.0 | 6 | 75.0 | 1 | 50.0 | 2 | 66.7 | 533 | 58.7 | 4 | 66.7 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 103 | 11.3 | 1 | 16.7 |
| MSM-IDU | 1 | 10.0 | 1 | 12.5 | 0 | 0.0 | 0 | 0.0 | 24 | 2.6 | 0 | 0.0 |
| Heterosexual contact | 2 | 20.0 | 1 | 12.5 | 1 | 50.0 | 0 | 0.0 | 108 | 11.9 | 0 | 0.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 1.2 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 33.3 | 117 | 12.9 | 1 | 16.7 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 25 | 100.0 | 22 | 88.0 | 3 | 12.0 | 14 | 100.0 | 2,715 | 100.0 | 21 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 21 | 84.0 | 20 | 90.9 | 1 | 33.3 | 8 | 57.1 | 2,115 | 77.9 | 17 | 81.0 |
| Women | 4 | 16.0 | 2 | 9.1 | 2 | 66.7 | 6 | 42.9 | 600 | 22.1 | 4 | 19.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 9 | 36.0 | 8 | 36.4 | 1 | 33.3 | 7 | 50.0 | 1,072 | 39.5 | 11 | 52.4 |
| Latino/Hispanic | 9 | 36.0 | 8 | 36.4 | 1 | 33.3 | 4 | 28.6 | 694 | 25.6 | 7 | 33.3 |
| White | 5 | 20.0 | 5 | 22.7 | 0 | 0.0 | 1 | 7.1 | 850 | 31.3 | 3 | 14.3 |
| Asian/Pacific Islander | 2 | 8.0 | 1 | 4.5 | 1 | 33.3 | 1 | 7.1 | 75 | 2.8 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.1 | 6 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 0.3 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.1 | 0 | 0.0 |
| 20-29 | 5 | 20.0 | 5 | 22.7 | 0 | 0.0 | 1 | 7.1 | 132 | 4.9 | 0 | 0.0 |
| 30-39 | 14 | 56.0 | 13 | 59.1 | 1 | 33.3 | 3 | 21.4 | 406 | 15.0 | 0 | 0.0 |
| 40-49 | 2 | 8.0 | 2 | 9.1 | 0 | 0.0 | 1 | 7.1 | 439 | 16.2 | 1 | 4.8 |
| 50-59 | 3 | 12.0 | 1 | 4.5 | 2 | 66.7 | 5 | 35.7 | 773 | 28.5 | 7 | 33.3 |
| 60+ | 1 | 4.0 | 1 | 4.5 | 0 | 0.0 | 4 | 28.6 | 961 | 35.4 | 13 | 61.9 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 13 | 52.0 | 12 | 54.5 | 1 | 33.3 | 6 | 42.9 | 1,495 | 55.1 | 6 | 28.6 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 14.3 | 276 | 10.2 | 8 | 38.1 |
| MSM-IDU | 1 | 4.0 | 1 | 4.5 | 0 | 0.0 | 0 | 0.0 | 60 | 2.2 | 0 | 0.0 |
| Heterosexual contact | 5 | 20.0 | 4 | 18.2 | 1 | 33.3 | 2 | 14.3 | 417 | 15.4 | 3 | 14.3 |
| Transgender people with sexual contact | 1 | 4.0 | 0 | 0.0 | 1 | 33.3 | 1 | 7.1 | 25 | 0.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.1 | 45 | 1.7 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Unknown | 5 | 20.0 | 5 | 22.7 | 0 | 0.0 | 2 | 14.3 | 395 | 14.5 | 4 | 19.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 120 | 100.0 | 92 | 76.7 | 28 | 23.3 | 69 | 100.0 | 7,965 | 100.0 | 148 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 98 | 81.7 | 72 | 78.3 | 26 | 92.9 | 52 | 75.4 | 5,247 | 65.9 | 100 | 67.6 |
| Women | 22 | 18.3 | 20 | 21.7 | 2 | 7.1 | 17 | 24.6 | 2,718 | 34.1 | 48 | 32.4 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 88 | 73.3 | 65 | 70.7 | 23 | 82.1 | 55 | 79.7 | 5,963 | 74.9 | 111 | 75.0 |
| Latino/Hispanic | 23 | 19.2 | 20 | 21.7 | 3 | 10.7 | 8 | 11.6 | 1,328 | 16.7 | 31 | 20.9 |
| White | 5 | 4.2 | 3 | 3.3 | 2 | 7.1 | 5 | 7.2 | 546 | 6.9 | 5 | 3.4 |
| Asian/Pacific Islander | 3 | 2.5 | 3 | 3.3 | 0 | 0.0 | 1 | 1.4 | 68 | 0.9 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 16 | 0.2 | 0 | 0.0 |
| Multiracial | 1 | 0.8 | 1 | 1.1 | 0 | 0.0 | 0 | 0.0 | 36 | 0.5 | 1 | 0.7 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| 13-19 | 5 | 4.2 | 5 | 5.4 | 0 | 0.0 | 0 | 0.0 | 21 | 0.3 | 0 | 0.0 |
| 20-29 | 43 | 35.8 | 39 | 42.4 | 4 | 14.3 | 11 | 15.9 | 574 | 7.2 | 4 | 2.7 |
| 30-39 | 37 | 30.8 | 26 | 28.3 | 11 | 39.3 | 26 | 37.7 | 1,537 | 19.3 | 10 | 6.8 |
| 40-49 | 12 | 10.0 | 8 | 8.7 | 4 | 14.3 | 11 | 15.9 | 1,364 | 17.1 | 8 | 5.4 |
| 50-59 | 13 | 10.8 | 7 | 7.6 | 6 | 21.4 | 15 | 21.7 | 2,182 | 27.4 | 55 | 37.2 |
| 60+ | 10 | 8.3 | 7 | 7.6 | 3 | 10.7 | 6 | 8.7 | 2,285 | 28.7 | 71 | 48.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 51 | 42.5 | 40 | 43.5 | 11 | 39.3 | 28 | 40.6 | 2,943 | 36.9 | 30 | 20.3 |
| Injection drug use history (IDU) | 3 | 2.5 | 2 | 2.2 | 1 | 3.6 | 1 | 1.4 | 874 | 11.0 | 46 | 31.1 |
| MSM-IDU | 3 | 2.5 | 2 | 2.2 | 1 | 3.6 | 3 | 4.3 | 198 | 2.5 | 8 | 5.4 |
| Heterosexual contact | 24 | 20.0 | 20 | 21.7 | 4 | 14.3 | 16 | 23.2 | 2,046 | 25.7 | 29 | 19.6 |
| Transgender people with sexual contact | 4 | 3.3 | 4 | 4.3 | 0 | 0.0 | 1 | 1.4 | 165 | 2.1 | 3 | 2.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.4 | 191 | 2.4 | 2 | 1.4 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 0.1 | 0 | 0.0 |
| Unknown | 35 | 29.2 | 24 | 26.1 | 11 | 39.3 | 19 | 27.5 | 1,539 | 19.3 | 30 | 20.3 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.8.4. East New York (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 62 | 100.0 | 46 | 74.2 | 16 | 25.8 | 38 | 100.0 | 3,610 | 100.0 | 68 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 54 | 87.1 | 42 | 91.3 | 12 | 75.0 | 24 | 63.2 | 2,154 | 59.7 | 41 | 60.3 |
| Women | 8 | 12.9 | 4 | 8.7 | 4 | 25.0 | 14 | 36.8 | 1,456 | 40.3 | 27 | 39.7 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 40 | 64.5 | 30 | 65.2 | 10 | 62.5 | 26 | 68.4 | 2,298 | 63.7 | 48 | 70.6 |
| Latino/Hispanic | 19 | 30.6 | 13 | 28.3 | 6 | 37.5 | 10 | 26.3 | 1,119 | 31.0 | 20 | 29.4 |
| White | 2 | 3.2 | 2 | 4.3 | 0 | 0.0 | 2 | 5.3 | 122 | 3.4 | 0 | 0.0 |
| Asian/Pacific Islander | 1 | 1.6 | 1 | 2.2 | 0 | 0.0 | 0 | 0.0 | 44 | 1.2 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 0.3 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 16 | 0.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| 13-19 | 6 | 9.7 | 6 | 13.0 | 0 | 0.0 | 0 | 0.0 | 13 | 0.4 | 0 | 0.0 |
| 20-29 | 26 | 41.9 | 23 | 50.0 | 3 | 18.8 | 6 | 15.8 | 329 | 9.1 | 5 | 7.4 |
| 30-39 | 14 | 22.6 | 11 | 23.9 | 3 | 18.8 | 6 | 15.8 | 687 | 19.0 | 1 | 1.5 |
| 40-49 | 9 | 14.5 | 4 | 8.7 | 5 | 31.3 | 11 | 28.9 | 676 | 18.7 | 12 | 17.6 |
| 50-59 | 6 | 9.7 | 1 | 2.2 | 5 | 31.3 | 9 | 23.7 | 966 | 26.8 | 19 | 27.9 |
| 60+ | 1 | 1.6 | 1 | 2.2 | 0 | 0.0 | 6 | 15.8 | 937 | 26.0 | 31 | 45.6 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 41 | 66.1 | 34 | 73.9 | 7 | 43.8 | 11 | 28.9 | 1,128 | 31.2 | 13 | 19.1 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 5.3 | 375 | 10.4 | 16 | 23.5 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 71 | 2.0 | 2 | 2.9 |
| Heterosexual contact | 5 | 8.1 | 3 | 6.5 | 2 | 12.5 | 12 | 31.6 | 1,116 | 30.9 | 17 | 25.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 63 | 1.7 | 1 | 1.5 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 102 | 2.8 | 1 | 1.5 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.2 | 0 | 0.0 |
| Unknown | 16 | 25.8 | 9 | 19.6 | 7 | 43.8 | 13 | 34.2 | 749 | 20.7 | 18 | 26.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 8 | 100.0 | 7 | 87.5 | 1 | 12.5 | 5 | 100.0 | 875 | 100.0 | 7 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 8 | 100.0 | 7 | 100.0 | 1 | 100.0 | 3 | 60.0 | 666 | 76.1 | 4 | 57.1 |
| Women | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 40.0 | 209 | 23.9 | 3 | 42.9 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 0 | 0.0 | 162 | 18.5 | 0 | 0.0 |
| Latino/Hispanic | 4 | 50.0 | 3 | 42.9 | 1 | 100.0 | 5 | 100.0 | 464 | 53.0 | 5 | 71.4 |
| White | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 0 | 0.0 | 168 | 19.2 | 2 | 28.6 |
| Asian/Pacific Islander | 2 | 25.0 | 2 | 28.6 | 0 | 0.0 | 0 | 0.0 | 77 | 8.8 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.5 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| 20-29 | 3 | 37.5 | 3 | 42.9 | 0 | 0.0 | 1 | 20.0 | 47 | 5.4 | 0 | 0.0 |
| 30-39 | 4 | 50.0 | 3 | 42.9 | 1 | 100.0 | 2 | 40.0 | 143 | 16.3 | 0 | 0.0 |
| 40-49 | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 0 | 0.0 | 176 | 20.1 | 2 | 28.6 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | 250 | 28.6 | 1 | 14.3 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | 258 | 29.5 | 4 | 57.1 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 6 | 75.0 | 5 | 71.4 | 1 | 100.0 | 2 | 40.0 | 352 | 40.2 | 2 | 28.6 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 139 | 15.9 | 1 | 14.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | 39 | 4.5 | 1 | 14.3 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | 185 | 21.1 | 3 | 42.9 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | 12 | 1.4 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 1.6 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 2 | 25.0 | 2 | 28.6 | 0 | 0.0 | 0 | 0.0 | 134 | 15.3 | 0 | 0.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.8.6. Borough Park (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 17 | 100.0 | 13 | 76.5 | 4 | 23.5 | 7 | 100.0 | 1,174 | 100.0 | 10 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 12 | 70.6 | 9 | 69.2 | 3 | 75.0 | 6 | 85.7 | 875 | 74.5 | 6 | 60.0 |
| Women | 5 | 29.4 | 4 | 30.8 | 1 | 25.0 | 1 | 14.3 | 299 | 25.5 | 4 | 40.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 9 | 52.9 | 8 | 61.5 | 1 | 25.0 | 3 | 42.9 | 314 | 26.7 | 4 | 40.0 |
| Latino/Hispanic | 1 | 5.9 | 1 | 7.7 | 0 | 0.0 | 0 | 0.0 | 422 | 35.9 | 2 | 20.0 |
| White | 4 | 23.5 | 3 | 23.1 | 1 | 25.0 | 2 | 28.6 | 353 | 30.1 | 3 | 30.0 |
| Asian/Pacific Islander | 3 | 17.6 | 1 | 7.7 | 2 | 50.0 | 2 | 28.6 | 74 | 6.3 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.4 | 1 | 10.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 5.9 | 1 | 7.7 | 0 | 0.0 | 0 | 0.0 | 4 | 0.3 | 0 | 0.0 |
| 20-29 | 2 | 11.8 | 2 | 15.4 | 0 | 0.0 | 1 | 14.3 | 50 | 4.3 | 0 | 0.0 |
| 30-39 | 5 | 29.4 | 4 | 30.8 | 1 | 25.0 | 2 | 28.6 | 202 | 17.2 | 1 | 10.0 |
| 40-49 | 4 | 23.5 | 2 | 15.4 | 2 | 50.0 | 3 | 42.9 | 238 | 20.3 | 0 | 0.0 |
| 50-59 | 4 | 23.5 | 3 | 23.1 | 1 | 25.0 | 1 | 14.3 | 322 | 27.4 | 4 | 40.0 |
| 60+ | 1 | 5.9 | 1 | 7.7 | 0 | 0.0 | 0 | 0.0 | 358 | 30.5 | 5 | 50.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 9 | 52.9 | 7 | 53.8 | 2 | 50.0 | 4 | 57.1 | 513 | 43.7 | 3 | 30.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 145 | 12.4 | 2 | 20.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 29 | 2.5 | 0 | 0.0 |
| Heterosexual contact | 2 | 11.8 | 1 | 7.7 | 1 | 25.0 | 1 | 14.3 | 236 | 20.1 | 2 | 20.0 |
| Transgender people with sexual contact | 1 | 5.9 | 1 | 7.7 | 0 | 0.0 | 0 | 0.0 | 15 | 1.3 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 15 | 1.3 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Unknown | 5 | 29.4 | 4 | 30.8 | 1 | 25.0 | 2 | 28.6 | 220 | 18.7 | 3 | 30.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 60 | 100.0 | 49 | 81.7 | 11 | 18.3 | 40 | 100.0 | 5,623 | 100.0 | 77 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 42 | 70.0 | 34 | 69.4 | 8 | 72.7 | 22 | 55.0 | 3,645 | 64.8 | 46 | 59.7 |
| Women | 18 | 30.0 | 15 | 30.6 | 3 | 27.3 | 18 | 45.0 | 1,978 | 35.2 | 31 | 40.3 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 44 | 73.3 | 36 | 73.5 | 8 | 72.7 | 31 | 77.5 | 4,341 | 77.2 | 58 | 75.3 |
| Latino/Hispanic | 8 | 13.3 | 6 | 12.2 | 2 | 18.2 | 7 | 17.5 | 790 | 14.0 | 16 | 20.8 |
| White | 4 | 6.7 | 4 | 8.2 | 0 | 0.0 | 1 | 2.5 | 377 | 6.7 | 2 | 2.6 |
| Asian/Pacific Islander | 2 | 3.3 | 1 | 2.0 | 1 | 9.1 | 1 | 2.5 | 67 | 1.2 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 18 | 0.3 | 0 | 0.0 |
| Multiracial | 2 | 3.3 | 2 | 4.1 | 0 | 0.0 | 0 | 0.0 | 24 | 0.4 | 1 | 1.3 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 1.7 | 1 | 2.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.2 | 0 | 0.0 |
| 20-29 | 21 | 35.0 | 18 | 36.7 | 3 | 27.3 | 5 | 12.5 | 328 | 5.8 | 2 | 2.6 |
| 30-39 | 21 | 35.0 | 18 | 36.7 | 3 | 27.3 | 11 | 27.5 | 946 | 16.8 | 10 | 13.0 |
| 40-49 | 10 | 16.7 | 7 | 14.3 | 3 | 27.3 | 9 | 22.5 | 1,029 | 18.3 | 4 | 5.2 |
| 50-59 | 4 | 6.7 | 3 | 6.1 | 1 | 9.1 | 6 | 15.0 | 1,548 | 27.5 | 18 | 23.4 |
| 60+ | 3 | 5.0 | 2 | 4.1 | 1 | 9.1 | 9 | 22.5 | 1,760 | 31.3 | 43 | 55.8 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 23 | 38.3 | 19 | 38.8 | 4 | 36.4 | 10 | 25.0 | 1,969 | 35.0 | 14 | 18.2 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 7.5 | 447 | 7.9 | 20 | 26.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.5 | 123 | 2.2 | 2 | 2.6 |
| Heterosexual contact | 15 | 25.0 | 13 | 26.5 | 2 | 18.2 | 15 | 37.5 | 1,536 | 27.3 | 26 | 33.8 |
| Transgender people with sexual contact | 2 | 3.3 | 1 | 2.0 | 1 | 9.1 | 2 | 5.0 | 81 | 1.4 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 103 | 1.8 | 2 | 2.6 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 0.2 | 0 | 0.0 |
| Unknown | 20 | 33.3 | 16 | 32.7 | 4 | 36.4 | 9 | 22.5 | 1,351 | 24.0 | 13 | 16.9 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 29 | 100.0 | 25 | 86.2 | 4 | 13.8 | 12 | 100.0 | 1,829 | 100.0 | 28 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 19 | 65.5 | 17 | 68.0 | 2 | 50.0 | 7 | 58.3 | 1,022 | 55.9 | 18 | 64.3 |
| Women | 10 | 34.5 | 8 | 32.0 | 2 | 50.0 | 5 | 41.7 | 807 | 44.1 | 10 | 35.7 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 23 | 79.3 | 20 | 80.0 | 3 | 75.0 | 11 | 91.7 | 1,464 | 80.0 | 20 | 71.4 |
| Latino/Hispanic | 5 | 17.2 | 4 | 16.0 | 1 | 25.0 | 1 | 8.3 | 227 | 12.4 | 3 | 10.7 |
| White | 1 | 3.4 | 1 | 4.0 | 0 | 0.0 | 0 | 0.0 | 101 | 5.5 | 4 | 14.3 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 25 | 1.4 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 0.7 | 1 | 3.6 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.2 | 0 | 0.0 |
| 20-29 | 9 | 31.0 | 8 | 32.0 | 1 | 25.0 | 2 | 16.7 | 114 | 6.2 | 1 | 3.6 |
| 30-39 | 10 | 34.5 | 9 | 36.0 | 1 | 25.0 | 2 | 16.7 | 295 | 16.1 | 2 | 7.1 |
| 40-49 | 4 | 13.8 | 4 | 16.0 | 0 | 0.0 | 3 | 25.0 | 301 | 16.5 | 3 | 10.7 |
| 50-59 | 5 | 17.2 | 4 | 16.0 | 1 | 25.0 | 3 | 25.0 | 489 | 26.7 | 3 | 10.7 |
| 60+ | 1 | 3.4 | 0 | 0.0 | 1 | 25.0 | 2 | 16.7 | 626 | 34.2 | 19 | 67.9 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 13 | 44.8 | 12 | 48.0 | 1 | 25.0 | 1 | 8.3 | 437 | 23.9 | 5 | 17.9 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 139 | 7.6 | 6 | 21.4 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 18 | 1.0 | 2 | 7.1 |
| Heterosexual contact | 10 | 34.5 | 8 | 32.0 | 2 | 50.0 | 6 | 50.0 | 657 | 35.9 | 7 | 25.0 |
| Transgender people with sexual contact | 1 | 3.4 | 1 | 4.0 | 0 | 0.0 | 0 | 0.0 | 9 | 0.5 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 63 | 3.4 | 1 | 3.6 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Unknown | 5 | 17.2 | 4 | 16.0 | 1 | 25.0 | 5 | 41.7 | 504 | 27.6 | 7 | 25.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 8 | 100.0 | 7 | 87.5 | 1 | 12.5 | 5 | 100.0 | 739 | 100.0 | 7 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 4 | 50.0 | 4 | 57.1 | 0 | 0.0 | 3 | 60.0 | 555 | 75.1 | 7 | 100.0 |
| Women | 4 | 50.0 | 3 | 42.9 | 1 | 100.0 | 2 | 40.0 | 184 | 24.9 | 0 | 0.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 1 | 20.0 | 88 | 11.9 | 0 | 0.0 |
| Latino/Hispanic | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 2 | 40.0 | 247 | 33.4 | 2 | 28.6 |
| White | 2 | 25.0 | 1 | 14.3 | 1 | 100.0 | 2 | 40.0 | 341 | 46.1 | 4 | 57.1 |
| Asian/Pacific Islander | 4 | 50.0 | 4 | 57.1 | 0 | 0.0 | 0 | 0.0 | 59 | 8.0 | 1 | 14.3 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.5 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.3 | 0 | 0.0 |
| 20-29 | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 1 | 20.0 | 26 | 3.5 | 0 | 0.0 |
| 30-39 | 3 | 37.5 | 2 | 28.6 | 1 | 100.0 | 1 | 20.0 | 116 | 15.7 | 0 | 0.0 |
| 40-49 | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 1 | 20.0 | 136 | 18.4 | 2 | 28.6 |
| 50-59 | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 2 | 40.0 | 209 | 28.3 | 2 | 28.6 |
| 60+ | 2 | 25.0 | 2 | 28.6 | 0 | 0.0 | 0 | 0.0 | 250 | 33.8 | 3 | 42.9 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 2 | 40.0 | 357 | 48.3 | 3 | 42.9 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 88 | 11.9 | 2 | 28.6 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 29 | 3.9 | 1 | 14.3 |
| Heterosexual contact | 3 | 37.5 | 2 | 28.6 | 1 | 100.0 | 1 | 20.0 | 129 | 17.5 | 0 | 0.0 |
| Transgender people with sexual contact | 1 | 12.5 | 1 | 14.3 | 0 | 0.0 | 0 | 0.0 | 5 | 0.7 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 1.6 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.3 | 0 | 0.0 |
| Unknown | 3 | 37.5 | 3 | 42.9 | 0 | 0.0 | 2 | 40.0 | 117 | 15.8 | 1 | 14.3 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 25 | 100.0 | 21 | 84.0 | 4 | 16.0 | 18 | 100.0 | 1,269 | 100.0 | 27 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 20 | 80.0 | 16 | 76.2 | 4 | 100.0 | 13 | 72.2 | 835 | 65.8 | 15 | 55.6 |
| Women | 5 | 20.0 | 5 | 23.8 | 0 | 0.0 | 5 | 27.8 | 434 | 34.2 | 12 | 44.4 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 8 | 32.0 | 8 | 38.1 | 0 | 0.0 | 6 | 33.3 | 463 | 36.5 | 8 | 29.6 |
| Latino/Hispanic | 5 | 20.0 | 5 | 23.8 | 0 | 0.0 | 4 | 22.2 | 375 | 29.6 | 10 | 37.0 |
| White | 7 | 28.0 | 4 | 19.0 | 3 | 75.0 | 7 | 38.9 | 364 | 28.7 | 9 | 33.3 |
| Asian/Pacific Islander | 5 | 20.0 | 4 | 19.0 | 1 | 25.0 | 1 | 5.6 | 53 | 4.2 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 1.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 8.0 | 2 | 9.5 | 0 | 0.0 | 0 | 0.0 | 6 | 0.5 | 0 | 0.0 |
| 20-29 | 6 | 24.0 | 5 | 23.8 | 1 | 25.0 | 5 | 27.8 | 67 | 5.3 | 0 | 0.0 |
| 30-39 | 12 | 48.0 | 11 | 52.4 | 1 | 25.0 | 4 | 22.2 | 228 | 18.0 | 2 | 7.4 |
| 40-49 | 2 | 8.0 | 1 | 4.8 | 1 | 25.0 | 2 | 11.1 | 250 | 19.7 | 2 | 7.4 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 16.7 | 330 | 26.0 | 5 | 18.5 |
| 60+ | 3 | 12.0 | 2 | 9.5 | 1 | 25.0 | 4 | 22.2 | 388 | 30.6 | 18 | 66.7 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 13 | 52.0 | 11 | 52.4 | 2 | 50.0 | 5 | 27.8 | 442 | 34.8 | 2 | 7.4 |
| Injection drug use history (IDU) | 1 | 4.0 | 1 | 4.8 | 0 | 0.0 | 0 | 0.0 | 159 | 12.5 | 7 | 25.9 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.6 | 21 | 1.7 | 1 | 3.7 |
| Heterosexual contact | 4 | 16.0 | 4 | 19.0 | 0 | 0.0 | 5 | 27.8 | 342 | 27.0 | 5 | 18.5 |
| Transgender people with sexual contact | 1 | 4.0 | 1 | 4.8 | 0 | 0.0 | 0 | 0.0 | 18 | 1.4 | 1 | 3.7 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 30 | 2.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Unknown | 6 | 24.0 | 4 | 19.0 | 2 | 50.0 | 7 | 38.9 | 256 | 20.2 | 11 | 40.7 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 63 | 100.0 | 53 | 84.1 | 10 | 15.9 | 33 | 100.0 | 3,886 | 100.0 | 52 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 55 | 87.3 | 45 | 84.9 | 10 | 100.0 | 25 | 75.8 | 2,817 | 72.5 | 34 | 65.4 |
| Women | 8 | 12.7 | 8 | 15.1 | 0 | 0.0 | 8 | 24.2 | 1,069 | 27.5 | 18 | 34.6 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 27 | 42.9 | 25 | 47.2 | 2 | 20.0 | 15 | 45.5 | 1,773 | 45.6 | 35 | 67.3 |
| Latino/Hispanic | 22 | 34.9 | 16 | 30.2 | 6 | 60.0 | 16 | 48.5 | 1,484 | 38.2 | 15 | 28.8 |
| White | 10 | 15.9 | 9 | 17.0 | 1 | 10.0 | 1 | 3.0 | 522 | 13.4 | 1 | 1.9 |
| Asian/Pacific Islander | 2 | 3.2 | 2 | 3.8 | 0 | 0.0 | 0 | 0.0 | 75 | 1.9 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 0.3 | 1 | 1.9 |
| Multiracial | 2 | 3.2 | 1 | 1.9 | 1 | 10.0 | 1 | 3.0 | 20 | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 3.2 | 2 | 3.8 | 0 | 0.0 | 0 | 0.0 | 13 | 0.3 | 0 | 0.0 |
| 20-29 | 31 | 49.2 | 28 | 52.8 | 3 | 30.0 | 6 | 18.2 | 312 | 8.0 | 0 | 0.0 |
| 30-39 | 19 | 30.2 | 16 | 30.2 | 3 | 30.0 | 11 | 33.3 | 875 | 22.5 | 1 | 1.9 |
| 40-49 | 5 | 7.9 | 3 | 5.7 | 2 | 20.0 | 6 | 18.2 | 605 | 15.6 | 6 | 11.5 |
| 50-59 | 2 | 3.2 | 1 | 1.9 | 1 | 10.0 | 6 | 18.2 | 971 | 25.0 | 17 | 32.7 |
| 60+ | 4 | 6.3 | 3 | 5.7 | 1 | 10.0 | 4 | 12.1 | 1,110 | 28.6 | 28 | 53.8 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 41 | 65.1 | 32 | 60.4 | 9 | 90.0 | 15 | 45.5 | 1,733 | 44.6 | 15 | 28.8 |
| Injection drug use history (IDU) | 1 | 1.6 | 1 | 1.9 | 0 | 0.0 | 0 | 0.0 | 502 | 12.9 | 15 | 28.8 |
| MSM-IDU | 3 | 4.8 | 3 | 5.7 | 0 | 0.0 | 1 | 3.0 | 107 | 2.8 | 3 | 5.8 |
| Heterosexual contact | 2 | 3.2 | 2 | 3.8 | 0 | 0.0 | 7 | 21.2 | 741 | 19.1 | 15 | 28.8 |
| Transgender people with sexual contact | 4 | 6.3 | 4 | 7.5 | 0 | 0.0 | 0 | 0.0 | 62 | 1.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 72 | 1.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| Unknown | 12 | 19.0 | 11 | 20.8 | 1 | 10.0 | 10 | 30.3 | 666 | 17.1 | 4 | 7.7 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 53 | 100.0 | 48 | 90.6 | 5 | 9.4 | 30 | 100.0 | 4,918 | 100.0 | 55 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 45 | 84.9 | 43 | 89.6 | 2 | 40.0 | 21 | 70.0 | 4,087 | 83.1 | 39 | 70.9 |
| Women | 8 | 15.1 | 5 | 10.4 | 3 | 60.0 | 9 | 30.0 | 831 | 16.9 | 16 | 29.1 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 18 | 34.0 | 15 | 31.3 | 3 | 60.0 | 12 | 40.0 | 1,594 | 32.4 | 25 | 45.5 |
| Latino/Hispanic | 29 | 54.7 | 27 | 56.3 | 2 | 40.0 | 17 | 56.7 | 2,135 | 43.4 | 21 | 38.2 |
| White | 4 | 7.5 | 4 | 8.3 | 0 | 0.0 | 1 | 3.3 | 1,069 | 21.7 | 9 | 16.4 |
| Asian/Pacific Islander | 2 | 3.8 | 2 | 4.2 | 0 | 0.0 | 0 | 0.0 | 74 | 1.5 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 46 | 0.9 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 1.9 | 1 | 2.1 | 0 | 0.0 | 0 | 0.0 | 9 | 0.2 | 0 | 0.0 |
| 20-29 | 16 | 30.2 | 16 | 33.3 | 0 | 0.0 | 0 | 0.0 | 260 | 5.3 | 1 | 1.8 |
| 30-39 | 19 | 35.8 | 17 | 35.4 | 2 | 40.0 | 15 | 50.0 | 1,016 | 20.7 | 7 | 12.7 |
| 40-49 | 7 | 13.2 | 7 | 14.6 | 0 | 0.0 | 5 | 16.7 | 908 | 18.5 | 7 | 12.7 |
| 50-59 | 6 | 11.3 | 3 | 6.3 | 3 | 60.0 | 6 | 20.0 | 1,332 | 27.1 | 14 | 25.5 |
| 60+ | 4 | 7.5 | 4 | 8.3 | 0 | 0.0 | 4 | 13.3 | 1,391 | 28.3 | 26 | 47.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 32 | 60.4 | 30 | 62.5 | 2 | 40.0 | 14 | 46.7 | 2,948 | 59.9 | 20 | 36.4 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 3.3 | 344 | 7.0 | 12 | 21.8 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 133 | 2.7 | 6 | 10.9 |
| Heterosexual contact | 8 | 15.1 | 5 | 10.4 | 3 | 60.0 | 7 | 23.3 | 650 | 13.2 | 6 | 10.9 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 10.0 | 68 | 1.4 | 3 | 5.5 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 3.3 | 60 | 1.2 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.2 | 0 | 0.0 |
| Unknown | 13 | 24.5 | 13 | 27.1 | 0 | 0.0 | 4 | 13.3 | 707 | 14.4 | 8 | 14.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 63 | 100.0 | 49 | 77.8 | 14 | 22.2 | 44 | 100.0 | 5,013 | 100.0 | 78 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 51 | 81.0 | 37 | 75.5 | 14 | 100.0 | 37 | 84.1 | 3,720 | 74.2 | 56 | 71.8 |
| Women | 12 | 19.0 | 12 | 24.5 | 0 | 0.0 | 7 | 15.9 | 1,293 | 25.8 | 22 | 28.2 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 38 | 60.3 | 32 | 65.3 | 6 | 42.9 | 28 | 63.6 | 3,059 | 61.0 | 57 | 73.1 |
| Latino/Hispanic | 16 | 25.4 | 11 | 22.4 | 5 | 35.7 | 10 | 22.7 | 1,127 | 22.5 | 15 | 19.2 |
| White | 7 | 11.1 | 6 | 12.2 | 1 | 7.1 | 5 | 11.4 | 692 | 13.8 | 6 | 7.7 |
| Asian/Pacific Islander | 1 | 1.6 | 0 | 0.0 | 1 | 7.1 | 1 | 2.3 | 81 | 1.6 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 0.2 | 0 | 0.0 |
| Multiracial | 1 | 1.6 | 0 | 0.0 | 1 | 7.1 | 0 | 0.0 | 39 | 0.8 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| 13-19 | 3 | 4.8 | 3 | 6.1 | 0 | 0.0 | 0 | 0.0 | 13 | 0.3 | 0 | 0.0 |
| 20-29 | 22 | 34.9 | 18 | 36.7 | 4 | 28.6 | 4 | 9.1 | 270 | 5.4 | 0 | 0.0 |
| 30-39 | 15 | 23.8 | 13 | 26.5 | 2 | 14.3 | 14 | 31.8 | 953 | 19.0 | 5 | 6.4 |
| 40-49 | 13 | 20.6 | 10 | 20.4 | 3 | 21.4 | 10 | 22.7 | 980 | 19.5 | 6 | 7.7 |
| 50-59 | 7 | 11.1 | 4 | 8.2 | 3 | 21.4 | 12 | 27.3 | 1,394 | 27.8 | 23 | 29.5 |
| 60+ | 3 | 4.8 | 1 | 2.0 | 2 | 14.3 | 4 | 9.1 | 1,400 | 27.9 | 44 | 56.4 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 37 | 58.7 | 29 | 59.2 | 8 | 57.1 | 22 | 50.0 | 2,385 | 47.6 | 22 | 28.2 |
| Injection drug use history (IDU) | 1 | 1.6 | 1 | 2.0 | 0 | 0.0 | 0 | 0.0 | 523 | 10.4 | 21 | 26.9 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.3 | 157 | 3.1 | 2 | 2.6 |
| Heterosexual contact | 8 | 12.7 | 7 | 14.3 | 1 | 7.1 | 11 | 25.0 | 892 | 17.8 | 14 | 17.9 |
| Transgender people with sexual contact | 4 | 6.3 | 4 | 8.2 | 0 | 0.0 | 0 | 0.0 | 77 | 1.5 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 76 | 1.5 | 1 | 1.3 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| Unknown | 13 | 20.6 | 8 | 16.3 | 5 | 35.7 | 10 | 22.7 | 898 | 17.9 | 18 | 23.1 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.9.3. East Harlem (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 31 | 100.0 | 24 | 77.4 | 7 | 22.6 | 22 | 100.0 | 2,875 | 100.0 | 59 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 26 | 83.9 | 20 | 83.3 | 6 | 85.7 | 13 | 59.1 | 2,027 | 70.5 | 37 | 62.7 |
| Women | 5 | 16.1 | 4 | 16.7 | 1 | 14.3 | 9 | 40.9 | 848 | 29.5 | 22 | 37.3 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 16 | 51.6 | 13 | 54.2 | 3 | 42.9 | 9 | 40.9 | 1,297 | 45.1 | 33 | 55.9 |
| Latino/Hispanic | 12 | 38.7 | 9 | 37.5 | 3 | 42.9 | 12 | 54.5 | 1,135 | 39.5 | 19 | 32.2 |
| White | 2 | 6.5 | 1 | 4.2 | 1 | 14.3 | 1 | 4.5 | 379 | 13.2 | 7 | 11.9 |
| Asian/Pacific Islander | 1 | 3.2 | 1 | 4.2 | 0 | 0.0 | 0 | 0.0 | 42 | 1.5 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| 13-19 | 1 | 3.2 | 1 | 4.2 | 0 | 0.0 | 0 | 0.0 | 5 | 0.2 | 0 | 0.0 |
| 20-29 | 9 | 29.0 | 9 | 37.5 | 0 | 0.0 | 1 | 4.5 | 148 | 5.1 | 2 | 3.4 |
| 30-39 | 9 | 29.0 | 7 | 29.2 | 2 | 28.6 | 6 | 27.3 | 436 | 15.2 | 5 | 8.5 |
| 40-49 | 9 | 29.0 | 5 | 20.8 | 4 | 57.1 | 6 | 27.3 | 481 | 16.7 | 2 | 3.4 |
| 50-59 | 3 | 9.7 | 2 | 8.3 | 1 | 14.3 | 3 | 13.6 | 820 | 28.5 | 19 | 32.2 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 27.3 | 983 | 34.2 | 31 | 52.5 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 14 | 45.2 | 11 | 45.8 | 3 | 42.9 | 8 | 36.4 | 1,098 | 38.2 | 10 | 16.9 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 4.5 | 511 | 17.8 | 19 | 32.2 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 87 | 3.0 | 2 | 3.4 |
| Heterosexual contact | 5 | 16.1 | 5 | 20.8 | 0 | 0.0 | 7 | 31.8 | 593 | 20.6 | 17 | 28.8 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 29 | 1.0 | 3 | 5.1 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 83 | 2.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Unknown | 12 | 38.7 | 8 | 33.3 | 4 | 57.1 | 6 | 27.3 | 472 | 16.4 | 8 | 13.6 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Harlem: 10029, 10035.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 23 | 100.0 | 20 | 87.0 | 3 | 13.0 | 13 | 100.0 | 3,192 | 100.0 | 33 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 22 | 95.7 | 19 | 95.0 | 3 | 100.0 | 10 | 76.9 | 2,788 | 87.3 | 27 | 81.8 |
| Women | 1 | 4.3 | 1 | 5.0 | 0 | 0.0 | 3 | 23.1 | 404 | 12.7 | 6 | 18.2 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 8 | 34.8 | 7 | 35.0 | 1 | 33.3 | 8 | 61.5 | 810 | 25.4 | 16 | 48.5 |
| Latino/Hispanic | 7 | 30.4 | 6 | 30.0 | 1 | 33.3 | 3 | 23.1 | 862 | 27.0 | 6 | 18.2 |
| White | 8 | 34.8 | 7 | 35.0 | 1 | 33.3 | 1 | 7.7 | 1,388 | 43.5 | 11 | 33.3 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 98 | 3.1 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.7 | 34 | 1.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 4.3 | 0 | 0.0 | 1 | 33.3 | 1 | 7.7 | 1 | 0.0 | 0 | 0.0 |
| 20-29 | 5 | 21.7 | 5 | 25.0 | 0 | 0.0 | 1 | 7.7 | 106 | 3.3 | 0 | 0.0 |
| 30-39 | 10 | 43.5 | 9 | 45.0 | 1 | 33.3 | 4 | 30.8 | 375 | 11.7 | 2 | 6.1 |
| 40-49 | 2 | 8.7 | 1 | 5.0 | 1 | 33.3 | 1 | 7.7 | 429 | 13.4 | 3 | 9.1 |
| 50-59 | 3 | 13.0 | 3 | 15.0 | 0 | 0.0 | 3 | 23.1 | 878 | 27.5 | 9 | 27.3 |
| 60+ | 2 | 8.7 | 2 | 10.0 | 0 | 0.0 | 3 | 23.1 | 1,403 | 44.0 | 19 | 57.6 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 13 | 56.5 | 11 | 55.0 | 2 | 66.7 | 6 | 46.2 | 2,079 | 65.1 | 18 | 54.5 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 260 | 8.1 | 5 | 15.2 |
| MSM-IDU | 2 | 8.7 | 1 | 5.0 | 1 | 33.3 | 3 | 23.1 | 100 | 3.1 | 2 | 6.1 |
| Heterosexual contact | 1 | 4.3 | 1 | 5.0 | 0 | 0.0 | 2 | 15.4 | 300 | 9.4 | 5 | 15.2 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 32 | 1.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 34 | 1.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| Unknown | 7 | 30.4 | 7 | 35.0 | 0 | 0.0 | 2 | 15.4 | 384 | 12.0 | 3 | 9.1 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.9.5. Upper East Side (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 22 | 100.0 | 17 | 77.3 | 5 | 22.7 | 9 | 100.0 | 1,536 | 100.0 | 17 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 20 | 90.9 | 15 | 88.2 | 5 | 100.0 | 8 | 88.9 | 1,356 | 88.3 | 13 | 76.5 |
| Women | 2 | 9.1 | 2 | 11.8 | 0 | 0.0 | 1 | 11.1 | 180 | 11.7 | 4 | 23.5 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 8 | 36.4 | 6 | 35.3 | 2 | 40.0 | 3 | 33.3 | 287 | 18.7 | 4 | 23.5 |
| Latino/Hispanic | 5 | 22.7 | 4 | 23.5 | 1 | 20.0 | 1 | 11.1 | 373 | 24.3 | 5 | 29.4 |
| White | 7 | 31.8 | 6 | 35.3 | 1 | 20.0 | 4 | 44.4 | 793 | 51.6 | 8 | 47.1 |
| Asian/Pacific Islander | 2 | 9.1 | 1 | 5.9 | 1 | 20.0 | 1 | 11.1 | 72 | 4.7 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.3 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.3 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| 20-29 | 5 | 22.7 | 4 | 23.5 | 1 | 20.0 | 1 | 11.1 | 47 | 3.1 | 0 | 0.0 |
| 30-39 | 10 | 45.5 | 9 | 52.9 | 1 | 20.0 | 2 | 22.2 | 204 | 13.3 | 2 | 11.8 |
| 40-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 22.2 | 227 | 14.8 | 1 | 5.9 |
| 50-59 | 6 | 27.3 | 3 | 17.6 | 3 | 60.0 | 3 | 33.3 | 434 | 28.3 | 2 | 11.8 |
| 60+ | 1 | 4.5 | 1 | 5.9 | 0 | 0.0 | 1 | 11.1 | 622 | 40.5 | 12 | 70.6 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 12 | 54.5 | 11 | 64.7 | 1 | 20.0 | 2 | 22.2 | 1,035 | 67.4 | 6 | 35.3 |
| Injection drug use history (IDU) | 1 | 4.5 | 1 | 5.9 | 0 | 0.0 | 0 | 0.0 | 89 | 5.8 | 1 | 5.9 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 42 | 2.7 | 1 | 5.9 |
| Heterosexual contact | 1 | 4.5 | 0 | 0.0 | 1 | 20.0 | 1 | 11.1 | 116 | 7.6 | 2 | 11.8 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 1.1 | 1 | 5.9 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 11.1 | 12 | 0.8 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Unknown | 8 | 36.4 | 5 | 29.4 | 3 | 60.0 | 5 | 55.6 | 224 | 14.6 | 6 | 35.3 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.9.6. Chelsea - Clinton (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 54 | 100.0 | 45 | 83.3 | 9 | 16.7 | 34 | 100.0 | 7,206 | 100.0 | 76 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 50 | 92.6 | 41 | 91.1 | 9 | 100.0 | 30 | 88.2 | 6,714 | 93.2 | 66 | 86.8 |
| Women | 4 | 7.4 | 4 | 8.9 | 0 | 0.0 | 4 | 11.8 | 492 | 6.8 | 10 | 13.2 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 11 | 20.4 | 10 | 22.2 | 1 | 11.1 | 6 | 17.6 | 1,245 | 17.3 | 20 | 26.3 |
| Latino/Hispanic | 16 | 29.6 | 13 | 28.9 | 3 | 33.3 | 13 | 38.2 | 1,758 | 24.4 | 26 | 34.2 |
| White | 23 | 42.6 | 18 | 40.0 | 5 | 55.6 | 15 | 44.1 | 3,853 | 53.5 | 28 | 36.8 |
| Asian/Pacific Islander | 3 | 5.6 | 3 | 6.7 | 0 | 0.0 | 0 | 0.0 | 255 | 3.5 | 2 | 2.6 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 0.2 | 0 | 0.0 |
| Multiracial | 1 | 1.9 | 1 | 2.2 | 0 | 0.0 | 0 | 0.0 | 42 | 0.6 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 39 | 0.5 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 20-29 | 19 | 35.2 | 18 | 40.0 | 1 | 11.1 | 5 | 14.7 | 232 | 3.2 | 2 | 2.6 |
| 30-39 | 25 | 46.3 | 19 | 42.2 | 6 | 66.7 | 14 | 41.2 | 1,135 | 15.8 | 5 | 6.6 |
| 40-49 | 5 | 9.3 | 4 | 8.9 | 1 | 11.1 | 4 | 11.8 | 1,371 | 19.0 | 6 | 7.9 |
| 50-59 | 4 | 7.4 | 3 | 6.7 | 1 | 11.1 | 6 | 17.6 | 2,274 | 31.6 | 18 | 23.7 |
| 60+ | 1 | 1.9 | 1 | 2.2 | 0 | 0.0 | 5 | 14.7 | 2,193 | 30.4 | 45 | 59.2 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 30 | 55.6 | 25 | 55.6 | 5 | 55.6 | 21 | 61.8 | 5,613 | 77.9 | 44 | 57.9 |
| Injection drug use history (IDU) | 2 | 3.7 | 2 | 4.4 | 0 | 0.0 | 0 | 0.0 | 329 | 4.6 | 10 | 13.2 |
| MSM-IDU | 2 | 3.7 | 2 | 4.4 | 0 | 0.0 | 1 | 2.9 | 252 | 3.5 | 2 | 2.6 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 5.9 | 285 | 4.0 | 7 | 9.2 |
| Transgender people with sexual contact | 3 | 5.6 | 3 | 6.7 | 0 | 0.0 | 2 | 5.9 | 96 | 1.3 | 1 | 1.3 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 34 | 0.5 | 1 | 1.3 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| Unknown | 17 | 31.5 | 13 | 28.9 | 4 | 44.4 | 8 | 23.5 | 595 | 8.3 | 11 | 14.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 23 | 100.0 | 16 | 69.6 | 7 | 30.4 | 11 | 100.0 | 2,036 | 100.0 | 20 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 21 | 91.3 | 15 | 93.8 | 6 | 85.7 | 10 | 90.9 | 1,862 | 91.5 | 16 | 80.0 |
| Women | 2 | 8.7 | 1 | 6.3 | 1 | 14.3 | 1 | 9.1 | 174 | 8.5 | 4 | 20.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 10 | 43.5 | 7 | 43.8 | 3 | 42.9 | 3 | 27.3 | 410 | 20.1 | 5 | 25.0 |
| Latino/Hispanic | 6 | 26.1 | 3 | 18.8 | 3 | 42.9 | 5 | 45.5 | 498 | 24.5 | 5 | 25.0 |
| White | 5 | 21.7 | 4 | 25.0 | 1 | 14.3 | 3 | 27.3 | 1,027 | 50.4 | 9 | 45.0 |
| Asian/Pacific Islander | 2 | 8.7 | 2 | 12.5 | 0 | 0.0 | 0 | 0.0 | 75 | 3.7 | 1 | 5.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 26 | 1.3 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 8.7 | 2 | 12.5 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 20-29 | 9 | 39.1 | 9 | 56.3 | 0 | 0.0 | 0 | 0.0 | 58 | 2.8 | 0 | 0.0 |
| 30-39 | 6 | 26.1 | 2 | 12.5 | 4 | 57.1 | 5 | 45.5 | 195 | 9.6 | 0 | 0.0 |
| 40-49 | 2 | 8.7 | 1 | 6.3 | 1 | 14.3 | 2 | 18.2 | 305 | 15.0 | 1 | 5.0 |
| 50-59 | 3 | 13.0 | 2 | 12.5 | 1 | 14.3 | 2 | 18.2 | 637 | 31.3 | 5 | 25.0 |
| 60+ | 1 | 4.3 | 0 | 0.0 | 1 | 14.3 | 2 | 18.2 | 840 | 41.3 | 14 | 70.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 8 | 34.8 | 7 | 43.8 | 1 | 14.3 | 3 | 27.3 | 1,363 | 66.9 | 8 | 40.0 |
| Injection drug use history (IDU) | 1 | 4.3 | 1 | 6.3 | 0 | 0.0 | 0 | 0.0 | 160 | 7.9 | 3 | 15.0 |
| MSM-IDU | 1 | 4.3 | 1 | 6.3 | 0 | 0.0 | 0 | 0.0 | 88 | 4.3 | 2 | 10.0 |
| Heterosexual contact | 1 | 4.3 | 1 | 6.3 | 0 | 0.0 | 0 | 0.0 | 121 | 5.9 | 3 | 15.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 0.7 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 0.3 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 |
| Unknown | 12 | 52.2 | 6 | 37.5 | 6 | 85.7 | 8 | 72.7 | 281 | 13.8 | 4 | 20.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|--------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 7 | 100.0 | 7 | 100.0 | 0 | 0.0 | 3 | 100.0 | 1,690 | 100.0 | 9 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 6 | 85.7 | 6 | 85.7 | 0 | 0.0 | 3 | 100.0 | 1,597 | 94.5 | 8 | 88.9 |
| Women | 1 | 14.3 | 1 | 14.3 | 0 | 0.0 | 0 | 0.0 | 93 | 5.5 | 1 | 11.1 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 1 | 14.3 | 1 | 14.3 | 0 | 0.0 | 2 | 66.7 | 297 | 17.6 | 1 | 11.1 |
| Latino/Hispanic | 2 | 28.6 | 2 | 28.6 | 0 | 0.0 | 0 | 0.0 | 360 | 21.3 | 2 | 22.2 |
| White | 4 | 57.1 | 4 | 57.1 | 0 | 0.0 | 1 | 33.3 | 957 | 56.6 | 6 | 66.7 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 61 | 3.6 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 15 | 0.9 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 2 | 28.6 | 2 | 28.6 | 0 | 0.0 | 0 | 0.0 | 41 | 2.4 | 0 | 0.0 |
| 30-39 | 3 | 42.9 | 3 | 42.9 | 0 | 0.0 | 1 | 33.3 | 157 | 9.3 | 0 | 0.0 |
| 40-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 254 | 15.0 | 0 | 0.0 |
| 50-59 | 2 | 28.6 | 2 | 28.6 | 0 | 0.0 | 0 | 0.0 | 528 | 31.2 | 3 | 33.3 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 66.7 | 710 | 42.0 | 6 | 66.7 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 5 | 71.4 | 5 | 71.4 | 0 | 0.0 | 1 | 33.3 | 1,199 | 70.9 | 8 | 88.9 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 33.3 | 121 | 7.2 | 0 | 0.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 50 | 3.0 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 72 | 4.3 | 1 | 11.1 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 27 | 1.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.3 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Unknown | 2 | 28.6 | 2 | 28.6 | 0 | 0.0 | 1 | 33.3 | 215 | 12.7 | 0 | 0.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 21 | 100.0 | 16 | 76.2 | 5 | 23.8 | 17 | 100.0 | 2,951 | 100.0 | 32 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 19 | 90.5 | 14 | 87.5 | 5 | 100.0 | 13 | 76.5 | 2,429 | 82.3 | 27 | 84.4 |
| Women | 2 | 9.5 | 2 | 12.5 | 0 | 0.0 | 4 | 23.5 | 522 | 17.7 | 5 | 15.6 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 6 | 28.6 | 5 | 31.3 | 1 | 20.0 | 5 | 29.4 | 609 | 20.6 | 8 | 25.0 |
| Latino/Hispanic | 6 | 28.6 | 4 | 25.0 | 2 | 40.0 | 4 | 23.5 | 1,019 | 34.5 | 8 | 25.0 |
| White | 4 | 19.0 | 3 | 18.8 | 1 | 20.0 | 7 | 41.2 | 1,154 | 39.1 | 12 | 37.5 |
| Asian/Pacific Islander | 3 | 14.3 | 3 | 18.8 | 0 | 0.0 | 0 | 0.0 | 136 | 4.6 | 3 | 9.4 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 0.3 | 0 | 0.0 |
| Multiracial | 2 | 9.5 | 1 | 6.3 | 1 | 20.0 | 1 | 5.9 | 14 | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 0.3 | 1 | 3.1 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 4.8 | 1 | 6.3 | 0 | 0.0 | 0 | 0.0 | 7 | 0.2 | 0 | 0.0 |
| 20-29 | 9 | 42.9 | 8 | 50.0 | 1 | 20.0 | 1 | 5.9 | 84 | 2.8 | 0 | 0.0 |
| 30-39 | 7 | 33.3 | 5 | 31.3 | 2 | 40.0 | 3 | 17.6 | 355 | 12.0 | 1 | 3.1 |
| 40-49 | 1 | 4.8 | 0 | 0.0 | 1 | 20.0 | 3 | 17.6 | 384 | 13.0 | 4 | 12.5 |
| 50-59 | 3 | 14.3 | 2 | 12.5 | 1 | 20.0 | 4 | 23.5 | 928 | 31.4 | 8 | 25.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 35.3 | 1,193 | 40.4 | 19 | 59.4 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 14 | 66.7 | 10 | 62.5 | 4 | 80.0 | 8 | 47.1 | 1,724 | 58.4 | 16 | 50.0 |
| Injection drug use history (IDU) | 1 | 4.8 | 0 | 0.0 | 1 | 20.0 | 3 | 17.6 | 348 | 11.8 | 10 | 31.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 98 | 3.3 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 17.6 | 367 | 12.4 | 1 | 3.1 |
| Transgender people with sexual contact | 2 | 9.5 | 2 | 12.5 | 0 | 0.0 | 0 | 0.0 | 30 | 1.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 26 | 0.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.2 | 0 | 0.0 |
| Unknown | 4 | 19.0 | 4 | 25.0 | 0 | 0.0 | 3 | 17.6 | 353 | 12.0 | 5 | 15.6 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.9.10. Lower Manhattan (Manhattan)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 4 | 100.0 | 3 | 75.0 | 1 | 25.0 | 5 | 100.0 | 619 | 100.0 | 6 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 4 | 100.0 | 3 | 100.0 | 1 | 100.0 | 5 | 100.0 | 537 | 86.8 | 5 | 83.3 |
| Women | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 82 | 13.2 | 1 | 16.7 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 2 | 50.0 | 1 | 33.3 | 1 | 100.0 | 2 | 40.0 | 131 | 21.2 | 5 | 83.3 |
| Latino/Hispanic | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 40.0 | 161 | 26.0 | 0 | 0.0 |
| White | 2 | 50.0 | 2 | 66.7 | 0 | 0.0 | 1 | 20.0 | 293 | 47.3 | 1 | 16.7 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 25 | 4.0 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 1.5 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 25.0 | 1 | 33.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 40.0 | 19 | 3.1 | 0 | 0.0 |
| 30-39 | 2 | 50.0 | 2 | 66.7 | 0 | 0.0 | 1 | 20.0 | 90 | 14.5 | 1 | 16.7 |
| 40-49 | 1 | 25.0 | 0 | 0.0 | 1 | 100.0 | 1 | 20.0 | 119 | 19.2 | 1 | 16.7 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 218 | 35.2 | 2 | 33.3 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | 173 | 27.9 | 2 | 33.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 2 | 50.0 | 2 | 66.7 | 0 | 0.0 | 1 | 20.0 | 420 | 67.9 | 2 | 33.3 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 41 | 6.6 | 2 | 33.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 40.0 | 20 | 3.2 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 20.0 | 55 | 8.9 | 0 | 0.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.8 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.5 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 |
| Unknown | 2 | 50.0 | 1 | 33.3 | 1 | 100.0 | 1 | 20.0 | 74 | 12.0 | 2 | 33.3 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 42 | 100.0 | 34 | 81.0 | 8 | 19.0 | 28 | 100.0 | 2,494 | 100.0 | 16 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 37 | 88.1 | 31 | 91.2 | 6 | 75.0 | 22 | 78.6 | 2,161 | 86.6 | 13 | 81.3 |
| Women | 5 | 11.9 | 3 | 8.8 | 2 | 25.0 | 6 | 21.4 | 333 | 13.4 | 3 | 18.8 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 8 | 19.0 | 6 | 17.6 | 2 | 25.0 | 8 | 28.6 | 422 | 16.9 | 5 | 31.3 |
| Latino/Hispanic | 23 | 54.8 | 19 | 55.9 | 4 | 50.0 | 12 | 42.9 | 1,043 | 41.8 | 5 | 31.3 |
| White | 7 | 16.7 | 6 | 17.6 | 1 | 12.5 | 4 | 14.3 | 867 | 34.8 | 5 | 31.3 |
| Asian/Pacific Islander | 4 | 9.5 | 3 | 8.8 | 1 | 12.5 | 3 | 10.7 | 140 | 5.6 | 1 | 6.3 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 3.6 | 10 | 0.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.2 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 2.4 | 0 | 0.0 | 1 | 12.5 | 1 | 3.6 | 4 | 0.2 | 0 | 0.0 |
| 20-29 | 14 | 33.3 | 12 | 35.3 | 2 | 25.0 | 7 | 25.0 | 126 | 5.1 | 0 | 0.0 |
| 30-39 | 16 | 38.1 | 13 | 38.2 | 3 | 37.5 | 8 | 28.6 | 535 | 21.5 | 2 | 12.5 |
| 40-49 | 4 | 9.5 | 4 | 11.8 | 0 | 0.0 | 3 | 10.7 | 594 | 23.8 | 2 | 12.5 |
| 50-59 | 5 | 11.9 | 4 | 11.8 | 1 | 12.5 | 4 | 14.3 | 668 | 26.8 | 3 | 18.8 |
| 60+ | 2 | 4.8 | 1 | 2.9 | 1 | 12.5 | 5 | 17.9 | 567 | 22.7 | 9 | 56.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 24 | 57.1 | 21 | 61.8 | 3 | 37.5 | 15 | 53.6 | 1,729 | 69.3 | 7 | 43.8 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 3.6 | 124 | 5.0 | 3 | 18.8 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 50 | 2.0 | 3 | 18.8 |
| Heterosexual contact | 4 | 9.5 | 3 | 8.8 | 1 | 12.5 | 2 | 7.1 | 271 | 10.9 | 0 | 0.0 |
| Transgender people with sexual contact | 2 | 4.8 | 2 | 5.9 | 0 | 0.0 | 0 | 0.0 | 32 | 1.3 | 1 | 6.3 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 3.6 | 20 | 0.8 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| Unknown | 12 | 28.6 | 8 | 23.5 | 4 | 50.0 | 9 | 32.1 | 267 | 10.7 | 2 | 12.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.10.2. West Queens (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 83 | 100.0 | 62 | 74.7 | 21 | 25.3 | 55 | 100.0 | 5,647 | 100.0 | 27 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 73 | 88.0 | 54 | 87.1 | 19 | 90.5 | 45 | 81.8 | 4,630 | 82.0 | 23 | 85.2 |
| Women | 10 | 12.0 | 8 | 12.9 | 2 | 9.5 | 10 | 18.2 | 1,017 | 18.0 | 4 | 14.8 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 5 | 6.0 | 5 | 8.1 | 0 | 0.0 | 10 | 18.2 | 1,282 | 22.7 | 7 | 25.9 |
| Latino/Hispanic | 61 | 73.5 | 46 | 74.2 | 15 | 71.4 | 37 | 67.3 | 3,371 | 59.7 | 11 | 40.7 |
| White | 1 | 1.2 | 1 | 1.6 | 0 | 0.0 | 0 | 0.0 | 598 | 10.6 | 5 | 18.5 |
| Asian/Pacific Islander | 16 | 19.3 | 10 | 16.1 | 6 | 28.6 | 8 | 14.5 | 372 | 6.6 | 4 | 14.8 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.2 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.1 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 3 | 3.6 | 2 | 3.2 | 1 | 4.8 | 1 | 1.8 | 8 | 0.1 | 0 | 0.0 |
| 20-29 | 27 | 32.5 | 23 | 37.1 | 4 | 19.0 | 8 | 14.5 | 283 | 5.0 | 0 | 0.0 |
| 30-39 | 25 | 30.1 | 18 | 29.0 | 7 | 33.3 | 22 | 40.0 | 947 | 16.8 | 2 | 7.4 |
| 40-49 | 20 | 24.1 | 13 | 21.0 | 7 | 33.3 | 14 | 25.5 | 1,171 | 20.7 | 6 | 22.2 |
| 50-59 | 7 | 8.4 | 5 | 8.1 | 2 | 9.5 | 9 | 16.4 | 1,715 | 30.4 | 4 | 14.8 |
| 60+ | 1 | 1.2 | 1 | 1.6 | 0 | 0.0 | 1 | 1.8 | 1,523 | 27.0 | 15 | 55.6 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 52 | 62.7 | 37 | 59.7 | 15 | 71.4 | 33 | 60.0 | 2,851 | 50.5 | 9 | 33.3 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.8 | 697 | 12.3 | 3 | 11.1 |
| MSM-IDU | 1 | 1.2 | 1 | 1.6 | 0 | 0.0 | 1 | 1.8 | 140 | 2.5 | 2 | 7.4 |
| Heterosexual contact | 14 | 16.9 | 10 | 16.1 | 4 | 19.0 | 9 | 16.4 | 893 | 15.8 | 7 | 25.9 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 10.9 | 131 | 2.3 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 49 | 0.9 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 | 0 | 0.0 |
| Unknown | 16 | 19.3 | 14 | 22.6 | 2 | 9.5 | 5 | 9.1 | 881 | 15.6 | 6 | 22.2 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.10.3. Flushing - Clearview (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 14 | 100.0 | 11 | 78.6 | 3 | 21.4 | 10 | 100.0 | 829 | 100.0 | 8 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 13 | 92.9 | 10 | 90.9 | 3 | 100.0 | 10 | 100.0 | 632 | 76.2 | 6 | 75.0 |
| Women | 1 | 7.1 | 1 | 9.1 | 0 | 0.0 | 0 | 0.0 | 197 | 23.8 | 2 | 25.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 4 | 28.6 | 4 | 36.4 | 0 | 0.0 | 1 | 10.0 | 141 | 17.0 | 2 | 25.0 |
| Latino/Hispanic | 5 | 35.7 | 3 | 27.3 | 2 | 66.7 | 4 | 40.0 | 320 | 38.6 | 3 | 37.5 |
| White | 1 | 7.1 | 1 | 9.1 | 0 | 0.0 | 2 | 20.0 | 186 | 22.4 | 3 | 37.5 |
| Asian/Pacific Islander | 4 | 28.6 | 3 | 27.3 | 1 | 33.3 | 3 | 30.0 | 169 | 20.4 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 1.0 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.4 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 3 | 21.4 | 3 | 27.3 | 0 | 0.0 | 0 | 0.0 | 54 | 6.5 | 0 | 0.0 |
| 30-39 | 2 | 14.3 | 2 | 18.2 | 0 | 0.0 | 2 | 20.0 | 141 | 17.0 | 0 | 0.0 |
| 40-49 | 4 | 28.6 | 3 | 27.3 | 1 | 33.3 | 2 | 20.0 | 142 | 17.1 | 2 | 25.0 |
| 50-59 | 5 | 35.7 | 3 | 27.3 | 2 | 66.7 | 2 | 20.0 | 236 | 28.5 | 1 | 12.5 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 40.0 | 256 | 30.9 | 5 | 62.5 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 8 | 57.1 | 6 | 54.5 | 2 | 66.7 | 5 | 50.0 | 394 | 47.5 | 4 | 50.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 10.0 | 67 | 8.1 | 1 | 12.5 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 10.0 | 20 | 2.4 | 0 | 0.0 |
| Heterosexual contact | 2 | 14.3 | 1 | 9.1 | 1 | 33.3 | 1 | 10.0 | 176 | 21.2 | 1 | 12.5 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 1.3 | 1 | 12.5 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 1.3 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Unknown | 4 | 28.6 | 4 | 36.4 | 0 | 0.0 | 2 | 20.0 | 149 | 18.0 | 1 | 12.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|------------|--------------|------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 100.0 | 142 | 100.0 | 3 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 100.0 | 113 | 79.6 | 1 | 33.3 |
| Women | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 29 | 20.4 | 2 | 66.7 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 50.0 | 17 | 12.0 | 1 | 33.3 |
| Latino/Hispanic | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 39 | 27.5 | 0 | 0.0 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 71 | 50.0 | 2 | 66.7 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 50.0 | 12 | 8.5 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.7 | 0 | 0.0 |
| Multiracial | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 1.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 2.8 | 0 | 0.0 |
| 30-39 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 21 | 14.8 | 0 | 0.0 |
| 40-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 12.0 | 1 | 33.3 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 50.0 | 44 | 31.0 | 0 | 0.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 50.0 | 56 | 39.4 | 2 | 66.7 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 100.0 | 68 | 47.9 | 1 | 33.3 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 9.2 | 1 | 33.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 2.8 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 30 | 21.1 | 1 | 33.3 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 2.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 1.4 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 22 | 15.5 | 0 | 0.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.10.5. Ridgewood - Forest Hills (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 29 | 100.0 | 23 | 79.3 | 6 | 20.7 | 14 | 100.0 | 1,431 | 100.0 | 12 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 22 | 75.9 | 18 | 78.3 | 4 | 66.7 | 11 | 78.6 | 1,127 | 78.8 | 10 | 83.3 |
| Women | 7 | 24.1 | 5 | 21.7 | 2 | 33.3 | 3 | 21.4 | 304 | 21.2 | 2 | 16.7 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 3 | 10.3 | 3 | 13.0 | 0 | 0.0 | 0 | 0.0 | 205 | 14.3 | 2 | 16.7 |
| Latino/Hispanic | 20 | 69.0 | 15 | 65.2 | 5 | 83.3 | 9 | 64.3 | 712 | 49.8 | 5 | 41.7 |
| White | 5 | 17.2 | 4 | 17.4 | 1 | 16.7 | 2 | 14.3 | 415 | 29.0 | 5 | 41.7 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.1 | 88 | 6.1 | 0 | 0.0 |
| Other/Unknown | 1 | 3.4 | 1 | 4.3 | 0 | 0.0 | 2 | 14.3 | 11 | 0.8 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| 13-19 | 1 | 3.4 | 1 | 4.3 | 0 | 0.0 | 0 | 0.0 | 3 | 0.2 | 0 | 0.0 |
| 20-29 | 8 | 27.6 | 7 | 30.4 | 1 | 16.7 | 2 | 14.3 | 95 | 6.6 | 0 | 0.0 |
| 30-39 | 11 | 37.9 | 10 | 43.5 | 1 | 16.7 | 4 | 28.6 | 258 | 18.0 | 0 | 0.0 |
| 40-49 | 6 | 20.7 | 3 | 13.0 | 3 | 50.0 | 4 | 28.6 | 242 | 16.9 | 2 | 16.7 |
| 50-59 | 3 | 10.3 | 2 | 8.7 | 1 | 16.7 | 3 | 21.4 | 396 | 27.7 | 2 | 16.7 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.1 | 436 | 30.5 | 8 | 66.7 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 17 | 58.6 | 14 | 60.9 | 3 | 50.0 | 6 | 42.9 | 815 | 57.0 | 4 | 33.3 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 87 | 6.1 | 3 | 25.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.1 | 30 | 2.1 | 1 | 8.3 |
| Heterosexual contact | 6 | 20.7 | 5 | 21.7 | 1 | 16.7 | 2 | 14.3 | 263 | 18.4 | 0 | 0.0 |
| Transgender people with sexual contact | 1 | 3.4 | 0 | 0.0 | 1 | 16.7 | 1 | 7.1 | 15 | 1.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 29 | 2.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.3 | 0 | 0.0 |
| Unknown | 5 | 17.2 | 4 | 17.4 | 1 | 16.7 | 4 | 28.6 | 188 | 13.1 | 4 | 33.3 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 7 | 100.0 | 5 | 71.4 | 2 | 28.6 | 3 | 100.0 | 319 | 100.0 | 3 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 5 | 71.4 | 3 | 60.0 | 2 | 100.0 | 2 | 66.7 | 203 | 63.6 | 0 | 0.0 |
| Women | 2 | 28.6 | 2 | 40.0 | 0 | 0.0 | 1 | 33.3 | 116 | 36.4 | 3 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 4 | 57.1 | 3 | 60.0 | 1 | 50.0 | 1 | 33.3 | 137 | 42.9 | 1 | 33.3 |
| Latino/Hispanic | 1 | 14.3 | 0 | 0.0 | 1 | 50.0 | 1 | 33.3 | 105 | 32.9 | 1 | 33.3 |
| White | 1 | 14.3 | 1 | 20.0 | 0 | 0.0 | 0 | 0.0 | 49 | 15.4 | 0 | 0.0 |
| Asian/Pacific Islander | 1 | 14.3 | 1 | 20.0 | 0 | 0.0 | 1 | 33.3 | 27 | 8.5 | 1 | 33.3 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 |
| 20-29 | 2 | 28.6 | 2 | 40.0 | 0 | 0.0 | 0 | 0.0 | 21 | 6.6 | 0 | 0.0 |
| 30-39 | 3 | 42.9 | 2 | 40.0 | 1 | 50.0 | 1 | 33.3 | 51 | 16.0 | 0 | 0.0 |
| 40-49 | 1 | 14.3 | 1 | 20.0 | 0 | 0.0 | 1 | 33.3 | 50 | 15.7 | 1 | 33.3 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 98 | 30.7 | 1 | 33.3 |
| 60+ | 1 | 14.3 | 0 | 0.0 | 1 | 50.0 | 1 | 33.3 | 98 | 30.7 | 1 | 33.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 2 | 28.6 | 1 | 20.0 | 1 | 50.0 | 1 | 33.3 | 113 | 35.4 | 0 | 0.0 |
| Injection drug use history (IDU) | 1 | 14.3 | 1 | 20.0 | 0 | 0.0 | 0 | 0.0 | 24 | 7.5 | 1 | 33.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 1.6 | 0 | 0.0 |
| Heterosexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 33.3 | 90 | 28.2 | 1 | 33.3 |
| Transgender people with sexual contact | 1 | 14.3 | 1 | 20.0 | 0 | 0.0 | 0 | 0.0 | 6 | 1.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 3.8 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 |
| Unknown | 3 | 42.9 | 2 | 40.0 | 1 | 50.0 | 1 | 33.3 | 68 | 21.3 | 1 | 33.3 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.10.7. Southwest Queens (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 28 | 100.0 | 24 | 85.7 | 4 | 14.3 | 15 | 100.0 | 2,065 | 100.0 | 16 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 21 | 75.0 | 18 | 75.0 | 3 | 75.0 | 12 | 80.0 | 1,490 | 72.2 | 13 | 81.3 |
| Women | 7 | 25.0 | 6 | 25.0 | 1 | 25.0 | 3 | 20.0 | 575 | 27.8 | 3 | 18.8 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 4 | 14.3 | 4 | 16.7 | 0 | 0.0 | 3 | 20.0 | 525 | 25.4 | 5 | 31.3 |
| Latino/Hispanic | 16 | 57.1 | 12 | 50.0 | 4 | 100.0 | 6 | 40.0 | 983 | 47.6 | 4 | 25.0 |
| White | 1 | 3.6 | 1 | 4.2 | 0 | 0.0 | 3 | 20.0 | 294 | 14.2 | 6 | 37.5 |
| Asian/Pacific Islander | 6 | 21.4 | 6 | 25.0 | 0 | 0.0 | 3 | 20.0 | 233 | 11.3 | 1 | 6.3 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 0.8 | 0 | 0.0 |
| Multiracial | 1 | 3.6 | 1 | 4.2 | 0 | 0.0 | 0 | 0.0 | 10 | 0.5 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| 20-29 | 15 | 53.6 | 14 | 58.3 | 1 | 25.0 | 2 | 13.3 | 109 | 5.3 | 0 | 0.0 |
| 30-39 | 7 | 25.0 | 6 | 25.0 | 1 | 25.0 | 3 | 20.0 | 386 | 18.7 | 0 | 0.0 |
| 40-49 | 1 | 3.6 | 0 | 0.0 | 1 | 25.0 | 3 | 20.0 | 371 | 18.0 | 1 | 6.3 |
| 50-59 | 4 | 14.3 | 3 | 12.5 | 1 | 25.0 | 2 | 13.3 | 637 | 30.8 | 2 | 12.5 |
| 60+ | 1 | 3.6 | 1 | 4.2 | 0 | 0.0 | 5 | 33.3 | 556 | 26.9 | 13 | 81.3 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 13 | 46.4 | 11 | 45.8 | 2 | 50.0 | 5 | 33.3 | 905 | 43.8 | 4 | 25.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 6.7 | 171 | 8.3 | 4 | 25.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 27 | 1.3 | 1 | 6.3 |
| Heterosexual contact | 6 | 21.4 | 5 | 20.8 | 1 | 25.0 | 4 | 26.7 | 510 | 24.7 | 5 | 31.3 |
| Transgender people with sexual contact | 1 | 3.6 | 1 | 4.2 | 0 | 0.0 | 0 | 0.0 | 30 | 1.5 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 49 | 2.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 0.3 | 0 | 0.0 |
| Unknown | 8 | 28.6 | 7 | 29.2 | 1 | 25.0 | 5 | 33.3 | 367 | 17.8 | 2 | 12.5 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.10.8. Jamaica (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 58 | 100.0 | 43 | 74.1 | 15 | 25.9 | 35 | 100.0 | 3,319 | 100.0 | 33 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 37 | 63.8 | 28 | 65.1 | 9 | 60.0 | 22 | 62.9 | 2,058 | 62.0 | 24 | 72.7 |
| Women | 21 | 36.2 | 15 | 34.9 | 6 | 40.0 | 13 | 37.1 | 1,261 | 38.0 | 9 | 27.3 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 37 | 63.8 | 26 | 60.5 | 11 | 73.3 | 22 | 62.9 | 2,336 | 70.4 | 26 | 78.8 |
| Latino/Hispanic | 13 | 22.4 | 11 | 25.6 | 2 | 13.3 | 10 | 28.6 | 658 | 19.8 | 6 | 18.2 |
| White | 2 | 3.4 | 1 | 2.3 | 1 | 6.7 | 1 | 2.9 | 166 | 5.0 | 1 | 3.0 |
| Asian/Pacific Islander | 5 | 8.6 | 4 | 9.3 | 1 | 6.7 | 1 | 2.9 | 123 | 3.7 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 0.4 | 0 | 0.0 |
| Multiracial | 1 | 1.7 | 1 | 2.3 | 0 | 0.0 | 0 | 0.0 | 19 | 0.6 | 0 | 0.0 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.9 | 5 | 0.2 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 | 0 | 0.0 |
| 13-19 | 4 | 6.9 | 3 | 7.0 | 1 | 6.7 | 1 | 2.9 | 11 | 0.3 | 0 | 0.0 |
| 20-29 | 18 | 31.0 | 17 | 39.5 | 1 | 6.7 | 1 | 2.9 | 201 | 6.1 | 0 | 0.0 |
| 30-39 | 12 | 20.7 | 11 | 25.6 | 1 | 6.7 | 8 | 22.9 | 544 | 16.4 | 2 | 6.1 |
| 40-49 | 11 | 19.0 | 5 | 11.6 | 6 | 40.0 | 9 | 25.7 | 563 | 17.0 | 4 | 12.1 |
| 50-59 | 10 | 17.2 | 6 | 14.0 | 4 | 26.7 | 8 | 22.9 | 897 | 27.0 | 12 | 36.4 |
| 60+ | 3 | 5.2 | 1 | 2.3 | 2 | 13.3 | 8 | 22.9 | 1,100 | 33.1 | 15 | 45.5 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 26 | 44.8 | 23 | 53.5 | 3 | 20.0 | 9 | 25.7 | 1,072 | 32.3 | 3 | 9.1 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 301 | 9.1 | 10 | 30.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 53 | 1.6 | 2 | 6.1 |
| Heterosexual contact | 17 | 29.3 | 12 | 27.9 | 5 | 33.3 | 12 | 34.3 | 1,021 | 30.8 | 10 | 30.3 |
| Transgender people with sexual contact | 2 | 3.4 | 2 | 4.7 | 0 | 0.0 | 1 | 2.9 | 61 | 1.8 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 2.9 | 93 | 2.8 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.2 | 0 | 0.0 |
| Unknown | 13 | 22.4 | 6 | 14.0 | 7 | 46.7 | 12 | 34.3 | 710 | 21.4 | 8 | 24.2 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.10.9. Southeast Queens (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 20 | 100.0 | 17 | 85.0 | 3 | 15.0 | 11 | 100.0 | 1,372 | 100.0 | 9 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 14 | 70.0 | 13 | 76.5 | 1 | 33.3 | 5 | 45.5 | 782 | 57.0 | 6 | 66.7 |
| Women | 6 | 30.0 | 4 | 23.5 | 2 | 66.7 | 6 | 54.5 | 590 | 43.0 | 3 | 33.3 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 15 | 75.0 | 13 | 76.5 | 2 | 66.7 | 8 | 72.7 | 1,050 | 76.5 | 8 | 88.9 |
| Latino/Hispanic | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 9.1 | 178 | 13.0 | 0 | 0.0 |
| White | 1 | 5.0 | 1 | 5.9 | 0 | 0.0 | 0 | 0.0 | 83 | 6.0 | 0 | 0.0 |
| Asian/Pacific Islander | 1 | 5.0 | 1 | 5.9 | 0 | 0.0 | 1 | 9.1 | 52 | 3.8 | 0 | 0.0 |
| Native American | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| Multiracial | 3 | 15.0 | 2 | 11.8 | 1 | 33.3 | 1 | 9.1 | 8 | 0.6 | 1 | 11.1 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 1 | 5.0 | 0 | 0.0 | 1 | 33.3 | 1 | 9.1 | 2 | 0.1 | 0 | 0.0 |
| 13-19 | 1 | 5.0 | 1 | 5.9 | 0 | 0.0 | 0 | 0.0 | 7 | 0.5 | 0 | 0.0 |
| 20-29 | 8 | 40.0 | 7 | 41.2 | 1 | 33.3 | 2 | 18.2 | 67 | 4.9 | 0 | 0.0 |
| 30-39 | 6 | 30.0 | 5 | 29.4 | 1 | 33.3 | 3 | 27.3 | 198 | 14.4 | 1 | 11.1 |
| 40-49 | 1 | 5.0 | 1 | 5.9 | 0 | 0.0 | 1 | 9.1 | 245 | 17.9 | 2 | 22.2 |
| 50-59 | 3 | 15.0 | 3 | 17.6 | 0 | 0.0 | 3 | 27.3 | 374 | 27.3 | 2 | 22.2 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 9.1 | 479 | 34.9 | 4 | 44.4 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 9 | 45.0 | 9 | 52.9 | 0 | 0.0 | 2 | 18.2 | 323 | 23.5 | 2 | 22.2 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 117 | 8.5 | 3 | 33.3 |
| MSM-IDU | 1 | 5.0 | 1 | 5.9 | 0 | 0.0 | 0 | 0.0 | 21 | 1.5 | 0 | 0.0 |
| Heterosexual contact | 5 | 25.0 | 4 | 23.5 | 1 | 33.3 | 4 | 36.4 | 529 | 38.6 | 3 | 33.3 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 9.1 | 12 | 0.9 | 0 | 0.0 |
| Perinatal | 1 | 5.0 | 0 | 0.0 | 1 | 33.3 | 2 | 18.2 | 44 | 3.2 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.4 | 0 | 0.0 |
| Unknown | 4 | 20.0 | 3 | 17.6 | 1 | 33.3 | 2 | 18.2 | 321 | 23.4 | 1 | 11.1 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.10.10. Rockaway (Queens)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 14 | 100.0 | 12 | 85.7 | 2 | 14.3 | 7 | 100.0 | 1,330 | 100.0 | 32 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 13 | 92.9 | 11 | 91.7 | 2 | 100.0 | 7 | 100.0 | 800 | 60.2 | 17 | 53.1 |
| Women | 1 | 7.1 | 1 | 8.3 | 0 | 0.0 | 0 | 0.0 | 530 | 39.8 | 15 | 46.9 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 8 | 57.1 | 7 | 58.3 | 1 | 50.0 | 3 | 42.9 | 842 | 63.3 | 19 | 59.4 |
| Latino/Hispanic | 5 | 35.7 | 4 | 33.3 | 1 | 50.0 | 3 | 42.9 | 339 | 25.5 | 10 | 31.3 |
| White | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 119 | 8.9 | 3 | 9.4 |
| Asian/Pacific Islander | 1 | 7.1 | 1 | 8.3 | 0 | 0.0 | 1 | 14.3 | 17 | 1.3 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 1.0 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 2 | 14.3 | 2 | 16.7 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 0 | 0.0 |
| 20-29 | 6 | 42.9 | 6 | 50.0 | 0 | 0.0 | 1 | 14.3 | 83 | 6.2 | 0 | 0.0 |
| 30-39 | 2 | 14.3 | 1 | 8.3 | 1 | 50.0 | 2 | 28.6 | 211 | 15.9 | 0 | 0.0 |
| 40-49 | 3 | 21.4 | 3 | 25.0 | 0 | 0.0 | 0 | 0.0 | 223 | 16.8 | 3 | 9.4 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 28.6 | 361 | 27.1 | 10 | 31.3 |
| 60+ | 1 | 7.1 | 0 | 0.0 | 1 | 50.0 | 2 | 28.6 | 450 | 33.8 | 19 | 59.4 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 5 | 35.7 | 5 | 41.7 | 0 | 0.0 | 3 | 42.9 | 395 | 29.7 | 5 | 15.6 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 170 | 12.8 | 9 | 28.1 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 28 | 2.1 | 0 | 0.0 |
| Heterosexual contact | 2 | 14.3 | 1 | 8.3 | 1 | 50.0 | 2 | 28.6 | 452 | 34.0 | 9 | 28.1 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 1.0 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 40 | 3.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 1 | 3.1 |
| Unknown | 7 | 50.0 | 6 | 50.0 | 1 | 50.0 | 1 | 14.3 | 230 | 17.3 | 8 | 25.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.11.1. Port Richmond (Staten Island)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 9 | 100.0 | 6 | 66.7 | 3 | 33.3 | 7 | 100.0 | 639 | 100.0 | 7 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 6 | 66.7 | 5 | 83.3 | 1 | 33.3 | 2 | 28.6 | 367 | 57.4 | 5 | 71.4 |
| Women | 3 | 33.3 | 1 | 16.7 | 2 | 66.7 | 5 | 71.4 | 272 | 42.6 | 2 | 28.6 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 5 | 55.6 | 4 | 66.7 | 1 | 33.3 | 4 | 57.1 | 340 | 53.2 | 4 | 57.1 |
| Latino/Hispanic | 2 | 22.2 | 1 | 16.7 | 1 | 33.3 | 2 | 28.6 | 199 | 31.1 | 0 | 0.0 |
| White | 2 | 22.2 | 1 | 16.7 | 1 | 33.3 | 1 | 14.3 | 85 | 13.3 | 3 | 42.9 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.8 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 1.6 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.3 | 0 | 0.0 |
| 20-29 | 5 | 55.6 | 5 | 83.3 | 0 | 0.0 | 1 | 14.3 | 35 | 5.5 | 0 | 0.0 |
| 30-39 | 3 | 33.3 | 1 | 16.7 | 2 | 66.7 | 2 | 28.6 | 108 | 16.9 | 0 | 0.0 |
| 40-49 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 112 | 17.5 | 0 | 0.0 |
| 50-59 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 28.6 | 178 | 27.9 | 4 | 57.1 |
| 60+ | 1 | 11.1 | 0 | 0.0 | 1 | 33.3 | 1 | 14.3 | 204 | 31.9 | 3 | 42.9 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 5 | 55.6 | 5 | 83.3 | 0 | 0.0 | 0 | 0.0 | 172 | 26.9 | 4 | 57.1 |
| Injection drug use history (IDU) | 1 | 11.1 | 1 | 16.7 | 0 | 0.0 | 1 | 14.3 | 113 | 17.7 | 0 | 0.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 16 | 2.5 | 0 | 0.0 |
| Heterosexual contact | 2 | 22.2 | 0 | 0.0 | 2 | 66.7 | 4 | 57.1 | 207 | 32.4 | 1 | 14.3 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 1.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 14.3 | 22 | 3.4 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 |
| Unknown | 1 | 11.1 | 0 | 0.0 | 1 | 33.3 | 1 | 14.3 | 98 | 15.3 | 2 | 28.6 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 17 | 100.0 | 14 | 82.4 | 3 | 17.6 | 13 | 100.0 | 1,206 | 100.0 | 21 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 12 | 70.6 | 10 | 71.4 | 2 | 66.7 | 5 | 38.5 | 781 | 64.8 | 18 | 85.7 |
| Women | 5 | 29.4 | 4 | 28.6 | 1 | 33.3 | 8 | 61.5 | 425 | 35.2 | 3 | 14.3 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 10 | 58.8 | 8 | 57.1 | 2 | 66.7 | 7 | 53.8 | 562 | 46.6 | 9 | 42.9 |
| Latino/Hispanic | 4 | 23.5 | 3 | 21.4 | 1 | 33.3 | 6 | 46.2 | 338 | 28.0 | 3 | 14.3 |
| White | 2 | 11.8 | 2 | 14.3 | 0 | 0.0 | 0 | 0.0 | 277 | 23.0 | 8 | 38.1 |
| Asian/Pacific Islander | 1 | 5.9 | 1 | 7.1 | 0 | 0.0 | 0 | 0.0 | 17 | 1.4 | 1 | 4.8 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12 | 1.0 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 1 | 5.9 | 1 | 7.1 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 | 0 | 0.0 |
| 20-29 | 4 | 23.5 | 2 | 14.3 | 2 | 66.7 | 2 | 15.4 | 65 | 5.4 | 0 | 0.0 |
| 30-39 | 7 | 41.2 | 7 | 50.0 | 0 | 0.0 | 2 | 15.4 | 174 | 14.4 | 3 | 14.3 |
| 40-49 | 4 | 23.5 | 3 | 21.4 | 1 | 33.3 | 4 | 30.8 | 205 | 17.0 | 0 | 0.0 |
| 50-59 | 1 | 5.9 | 1 | 7.1 | 0 | 0.0 | 0 | 0.0 | 360 | 29.9 | 5 | 23.8 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 38.5 | 400 | 33.2 | 13 | 61.9 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 3 | 17.6 | 3 | 21.4 | 0 | 0.0 | 1 | 7.7 | 400 | 33.2 | 8 | 38.1 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.7 | 174 | 14.4 | 3 | 14.3 |
| MSM-IDU | 1 | 5.9 | 1 | 7.1 | 0 | 0.0 | 0 | 0.0 | 40 | 3.3 | 2 | 9.5 |
| Heterosexual contact | 5 | 29.4 | 3 | 21.4 | 2 | 66.7 | 8 | 61.5 | 325 | 26.9 | 4 | 19.0 |
| Transgender people with sexual contact | 2 | 11.8 | 2 | 14.3 | 0 | 0.0 | 0 | 0.0 | 31 | 2.6 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 27 | 2.2 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unknown | 6 | 35.3 | 5 | 35.7 | 1 | 33.3 | 3 | 23.1 | 209 | 17.3 | 4 | 19.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.11.3. Willowbrook (Staten Island)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|--------------|--------------------------------|------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 4 | 100.0 | 4 | 100.0 | 0 | 0.0 | 4 | 100.0 | 235 | 100.0 | 1 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 3 | 75.0 | 3 | 75.0 | 0 | 0.0 | 4 | 100.0 | 162 | 68.9 | 0 | 0.0 |
| Women | 1 | 25.0 | 1 | 25.0 | 0 | 0.0 | 0 | 0.0 | 73 | 31.1 | 1 | 100.0 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 50 | 21.3 | 0 | 0.0 |
| Latino/Hispanic | 1 | 25.0 | 1 | 25.0 | 0 | 0.0 | 0 | 0.0 | 74 | 31.5 | 1 | 100.0 |
| White | 1 | 25.0 | 1 | 25.0 | 0 | 0.0 | 3 | 75.0 | 95 | 40.4 | 0 | 0.0 |
| Asian/Pacific Islander | 2 | 50.0 | 2 | 50.0 | 0 | 0.0 | 0 | 0.0 | 12 | 5.1 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 25.0 | 4 | 1.7 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 20-29 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9 | 3.8 | 0 | 0.0 |
| 30-39 | 2 | 50.0 | 2 | 50.0 | 0 | 0.0 | 1 | 25.0 | 40 | 17.0 | 0 | 0.0 |
| 40-49 | 1 | 25.0 | 1 | 25.0 | 0 | 0.0 | 0 | 0.0 | 34 | 14.5 | 0 | 0.0 |
| 50-59 | 1 | 25.0 | 1 | 25.0 | 0 | 0.0 | 1 | 25.0 | 80 | 34.0 | 1 | 100.0 |
| 60+ | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 50.0 | 72 | 30.6 | 0 | 0.0 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 2 | 50.0 | 2 | 50.0 | 0 | 0.0 | 2 | 50.0 | 89 | 37.9 | 0 | 0.0 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 25.0 | 33 | 14.0 | 1 | 100.0 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 2.6 | 0 | 0.0 |
| Heterosexual contact | 1 | 25.0 | 1 | 25.0 | 0 | 0.0 | 0 | 0.0 | 55 | 23.4 | 0 | 0.0 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 1.7 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 2.1 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 |
| Unknown | 1 | 25.0 | 1 | 25.0 | 0 | 0.0 | 1 | 25.0 | 42 | 17.9 | 0 | 0.0 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2021 and
REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2021, NEW YORK CITY**

Table 1.11.4. South Beach - Tottenville (Staten Island)

| | HIV DIAGNOSES, 2021 | | | | | | AIDS DIAGNOSES, 2021 | | PWH AS OF 12/31/2021 | | DEATHS, 2021 | |
|--|---------------------|--------------|--------------|-------------|--------------------------------|-------------|----------------------|--------------|----------------------|--------------|--------------|--------------|
| | Total HIV diagnoses | | Without AIDS | | Concurrent with AIDS diagnoses | | N | % | N | % | N | % |
| | N | % | N | % | N | % | | | | | | |
| TOTAL | 9 | 100.0 | 5 | 55.6 | 4 | 44.4 | 5 | 100.0 | 446 | 100.0 | 9 | 100.0 |
| GENDER | | | | | | | | | | | | |
| Men | 5 | 55.6 | 3 | 60.0 | 2 | 50.0 | 3 | 60.0 | 309 | 69.3 | 5 | 55.6 |
| Women | 4 | 44.4 | 2 | 40.0 | 2 | 50.0 | 2 | 40.0 | 137 | 30.7 | 4 | 44.4 |
| RACE/ETHNICITY | | | | | | | | | | | | |
| Black | 2 | 22.2 | 1 | 20.0 | 1 | 25.0 | 1 | 20.0 | 68 | 15.2 | 3 | 33.3 |
| Latino/Hispanic | 2 | 22.2 | 1 | 20.0 | 1 | 25.0 | 2 | 40.0 | 124 | 27.8 | 2 | 22.2 |
| White | 5 | 55.6 | 3 | 60.0 | 2 | 50.0 | 2 | 40.0 | 245 | 54.9 | 4 | 44.4 |
| Asian/Pacific Islander | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 1.6 | 0 | 0.0 |
| Other/Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.4 | 0 | 0.0 |
| AGE GROUP (YEARS) | | | | | | | | | | | | |
| 0-12 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 |
| 13-19 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.7 | 0 | 0.0 |
| 20-29 | 2 | 22.2 | 1 | 20.0 | 1 | 25.0 | 1 | 20.0 | 26 | 5.8 | 0 | 0.0 |
| 30-39 | 3 | 33.3 | 3 | 60.0 | 0 | 0.0 | 0 | 0.0 | 46 | 10.3 | 0 | 0.0 |
| 40-49 | 1 | 11.1 | 0 | 0.0 | 1 | 25.0 | 2 | 40.0 | 61 | 13.7 | 0 | 0.0 |
| 50-59 | 1 | 11.1 | 0 | 0.0 | 1 | 25.0 | 1 | 20.0 | 139 | 31.2 | 5 | 55.6 |
| 60+ | 2 | 22.2 | 1 | 20.0 | 1 | 25.0 | 1 | 20.0 | 170 | 38.1 | 4 | 44.4 |
| TRANSMISSION CATEGORY | | | | | | | | | | | | |
| Men who have sex with men (MSM) | 3 | 33.3 | 2 | 40.0 | 1 | 25.0 | 2 | 40.0 | 132 | 29.6 | 1 | 11.1 |
| Injection drug use history (IDU) | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 68 | 15.2 | 3 | 33.3 |
| MSM-IDU | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 2.2 | 0 | 0.0 |
| Heterosexual contact | 3 | 33.3 | 1 | 20.0 | 2 | 50.0 | 2 | 40.0 | 120 | 26.9 | 4 | 44.4 |
| Transgender people with sexual contact | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.9 | 0 | 0.0 |
| Perinatal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 18 | 4.0 | 0 | 0.0 |
| Other | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.7 | 0 | 0.0 |
| Unknown | 3 | 33.3 | 2 | 40.0 | 1 | 25.0 | 1 | 20.0 | 91 | 20.4 | 1 | 11.1 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2021**Table 2.1. Overall and by gender, age, and race/ethnicity**

| | HIV DIAGNOSES PER 100,000 POPULATION ^{1,2} | PWH AS PERCENT OF POPULATION ² | AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PWH ³ | 2021 NEW YORK CITY POPULATION ⁴ |
|--------------------------|---|---|---|--|
| TOTAL | 19.4 | 1.6 | 11.1 | 8,467,513 |
| GENDER | | | | |
| Men | 31.9 | 2.4 | 10.9 | 4,064,170 |
| Women | 7.9 | 0.8 | 11.8 | 4,403,343 |
| RACE/ETHNICITY | | | | |
| Black | 37.9 | 3.0 | 13.4 | 1,847,192 |
| Latino/Hispanic | 26.2 | 1.8 | 10.0 | 2,464,120 |
| White | 6.7 | 1.0 | 8.7 | 2,686,836 |
| Asian/Pacific Islander | 7.8 | 0.3 | 5.6 | 1,287,365 |
| Native American | 9.5* | 1.4 | 9.0* | 21,084 |
| Multiracial | 10.6 | 0.4 | 43.5* | 160,916 |
| AGE GROUP (YEARS) | | | | |
| 0 - 12 | 0.2* | 0.0 | 0.0* | 1,278,796 |
| 13 - 19 | 9.2 | 0.0 | 0.0* | 654,380 |
| 20 - 29 | 46.4 | 0.6 | 3.8 | 1,171,677 |
| 30 - 39 | 38.2 | 1.6 | 6.8 | 1,346,972 |
| 40 - 49 | 22.9 | 2.2 | 9.3 | 1,059,379 |
| 50 - 59 | 17.5 | 3.5 | 17.2 | 1,071,378 |
| 60+ | 5.0 | 2.2 | 29.3 | 1,884,931 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2021 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2021
Table 2.2. Overall and by borough and UHF neighborhood of residence

| | HIV DIAGNOSES PER 100,000 POPULATION ^{1,2} | PLWH AS PERCENT OF POPULATION ² | AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³ | 2021 NEW YORK CITY POPULATION ⁴ |
|--------------------------------------|---|--|--|--|
| TOTAL | 19.4 | 1.6 | 11.1 | 8,467,513 |
| BRONX⁵ | 27.2 | 2.2 | 12.8 | 1,424,948 |
| Crotona - Tremont | 36.9 | 3.0 | 13.4 | 211,310 |
| Fordham - Bronx Park | 27.5 | 2.2 | 12.1 | 265,037 |
| High Bridge - Morrisania | 33.0 | 3.0 | 13.9 | 214,871 |
| Hunts Point - Mott Haven | 36.8 | 2.9 | 12.3 | 138,661 |
| Kingsbridge - Riverdale | 13.0 | 0.9 | 19.0 | 92,018 |
| Northeast Bronx | 26.2 | 1.4 | 10.7 | 205,930 |
| Pelham - Throgs Neck | 16.3 | 1.5 | 11.8 | 301,321 |
| BROOKLYN⁵ | 16.2 | 1.2 | 10.0 | 2,641,052 |
| Bedford Stuyvesant - Crown Heights | 35.3 | 2.3 | 12.0 | 339,580 |
| Bensonhurst - Bay Ridge | 3.8* | 0.4 | 5.9* | 210,990 |
| Borough Park | 5.0 | 0.3 | 4.0* | 337,045 |
| Canarsie - Flatlands | 14.0 | 0.9 | 14.6 | 207,321 |
| Coney Island - Sheepshead Bay | 8.4 | 0.4 | 13.7 | 296,128 |
| Downtown - Heights - Park Slope | 9.4 | 1.0 | 4.6 | 266,787 |
| East Flatbush - Flatbush | 20.1 | 1.9 | 9.4 | 298,302 |
| East New York | 31.4 | 1.8 | 16.9 | 197,189 |
| Greenpoint | 7.0* | 0.6 | 7.4* | 143,643 |
| Sunset Park | 6.6* | 0.7 | 5.3* | 120,817 |
| Williamsburg - Bushwick | 28.2 | 1.7 | 7.8 | 223,250 |
| MANHATTAN⁵ | 19.2 | 2.1 | 7.5 | 1,576,876 |
| Central Harlem - Morningside Heights | 35.3 | 2.8 | 10.0 | 178,258 |
| Chelsea - Clinton | 36.0 | 4.8 | 7.7 | 149,877 |
| East Harlem | 28.1 | 2.6 | 12.9 | 110,429 |
| Gramercy Park - Murray Hill | 17.9 | 1.6 | 5.2 | 128,551 |
| Greenwich Village - Soho | 9.1* | 2.2 | 3.7* | 76,680 |
| Lower Manhattan | 6.8* | 1.1 | 6.3* | 58,641 |
| Union Square - Lower East Side | 11.6 | 1.6 | 8.0 | 181,009 |
| Upper East Side | 10.7 | 0.7 | 5.9 | 206,534 |
| Upper West Side | 10.8 | 1.5 | 5.7 | 212,968 |
| Washington Heights - Inwood | 20.3 | 1.9 | 8.1 | 260,945 |
| QUEENS⁵ | 12.7 | 0.8 | 5.8 | 2,331,143 |
| Bayside - Little Neck | 0.0* | 0.2 | 11.8* | 92,038 |
| Flushing - Clearview | 5.4 | 0.3 | 7.4* | 259,113 |
| Fresh Meadows | 7.0* | 0.3 | 5.2* | 99,993 |
| Jamaica | 17.9 | 1.0 | 7.0 | 323,750 |
| Long Island City - Astoria | 20.6 | 1.2 | 5.9 | 204,321 |
| Ridgewood - Forest Hills | 11.0 | 0.5 | 6.5 | 264,512 |
| Rockaway | 10.4 | 1.0 | 10.3 | 134,148 |
| Southeast Queens | 9.2 | 0.6 | 3.9* | 218,009 |
| Southwest Queens | 9.9 | 0.7 | 5.3 | 282,821 |
| West Queens | 18.0 | 1.2 | 4.3 | 461,223 |
| STATEN ISLAND⁵ | 7.9 | 0.5 | 10.5 | 493,494 |
| Port Richmond | 12.5* | 0.9 | 3.8* | 72,279 |
| South Beach - Tottenville | 4.5* | 0.2 | 8.0* | 198,048 |
| Stapleton - St. George | 13.2 | 0.9 | 14.8 | 128,464 |
| Willowbrook | 4.2* | 0.2 | 1.5* | 94,704 |

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2021 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.