

New York City HIV Annual Surveillance Statistics 2022

HIV Epidemiology Program, New York City Department of Health and Mental Hygiene https://www.nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page



List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 Reported HIV/AIDS diagnoses and deaths in 2022 and reported people with HIV as of 12/31/2022 in New York City

Table 1.1	New York City (All)		- II - I
		Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race or Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
		Table 1.8.11	Williamsburg – Bushwick
	By Age		
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Height
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
		Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, Men	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, Women	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, Men	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, Women	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, Men	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, Women		
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
	By Transmission Category	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug use history (IDU), Men	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.8	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual contact, Men	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual contact, Women		•
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
		Table 1.11.1	Port Richmond
	By UHF Neighborhood: Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
Table 1.7.2	Northeast Bronx	Table 1.11.4	South Beach – Tottenville
Table 1.7.3	Fordham – Bronx Park		
		o with UIV and a	doaths among poople with HIV in N
oles 2.1-2.2	Rates of reported HIV diagnoses, peopl	e with niv, and t	deaths among people with firv in No
oles 2.1-2.2	Rates of reported HIV diagnoses, peopl York City, 2022	e with file, and t	reachs among people with filv in w

Table 1.1. New York City (All)

		DIAGNOS	SES, 2022			IDS DIAGNOS	ES, 2022 P\	WH AS OF 12/	31/2022	DEATHS,	, 2022	
	Total HIV d	iagnoses	Withou	t AIDS	Concuri AIDS dia							
TOTAL	N 1,624	% 100.0	N 1,331	% 82.0	N 293	% 18.0	N 1,038	% 100.0	N 132,003	% 100.0	1,603	% 100.0
GENDER												
Men	1,280	78.8	1.061	79.7	219	74.7	764	73.6	96.472	73.1	1,128	70.4
Women	289	17.8	220	16.5	69	23.5	246	23.7	33,047	25.0	443	27.6
Transgender	55	3.4	50	3.8	5	1.7	28	2.7	2,484	1.9	32	2.0
RACE/ETHNICITY												
Black	695	42.8	588	44.2	107	36.5	474	45.7	56,232	42.6	837	52.2
Latino/Hispanic	651	40.1	527	39.6	124	42.3	401	38.6	44,584	33.8	545	34.0
White Asian/Pacific Islander	196 64	12.1 3.9	156 44	11.7 3.3	40 20	13.7 6.8	119 35	11.5 3.4	26,437 3,529	20.0	190 16	11.9 1.0
Native American	3	0.2	2	3.3 0.2	1	0.3	35 4	0.4	303	0.2	4	0.2
Multiracial	15	0.2	14	1.1	1	0.3	5	0.5	612	0.5	11	0.7
Unknown	0	0.0	0	0.0	Ö	0.0	0	0.0	306	0.2	0	0.0
AGE GROUP (YEARS)								_				
0-12	3	0.2	3	0.2	0	0.0	0	0.0	37	0.0	0	0.0
13-19	49	3.0	45	3.4	4	1.4	9	0.9	236	0.2	0	0.0
20-29	530 540	32.6	462 443	34.7 33.3	68	23.2 33.1	156	15.0	6,519	4.9 16.7	30	1.9 9.4
30-39 40-49	242	33.3 14.9	443 187	33.3 14.0	97 55	18.8	291 194	28.0 18.7	22,002 22,733	16.7	151 169	9.4 10.5
50-59	162	10.0	121	9.1	41	14.0	203	19.6	36,071	27.3	406	25.3
60+	98	6.0	70	5.3	28	9.6	185	17.8	44,405	33.6	847	52.8
BOROUGH OF RESIDENCE								_				
Bronx	363	22.4	304	22.8	59	20.1	281	27.1	31,254	23.7	562	35.1
Brooklyn	452	27.8	372	27.9	80	27.3	251	24.2	31,149	23.6	409	25.5
Manhattan	310	19.1	253	19.0	57	19.5	213	20.5	32,957	25.0	319	19.9
Queens	298	18.3	230	17.3	68	23.2	174	16.8	19,779	15.0	151	9.4
Staten Island	33	2.0	26	2.0	7	2.4	17	1.6	2,542	1.9	41	2.6
Outside NYC	147	9.1	125	9.4	22	7.5	95	9.2	14,136	10.7	78	4.9
Unknown	21	1.3	21	1.6	0	0.0	7	0.7	186	0.1	43	2.7
AREA-BASED POVERTY LEVEL	194	11.9	152	11.4	42	14.3	107	12.2	19,158	14.5	1.12	8.9
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL)	598	36.8	472	35.5	42 126	43.0	127 382	36.8	44,795	33.9	143 456	28.4
High poverty (20 to <30% below FPL)	357	22.0	302	22.7	55	18.8	187	18.0	26,987	20.4	394	24.6
Very high poverty (≥30% below FPL)				19.2		16.4					485	30.3
1	304	18.7	256		48		240	23.1	25,504	19.3	485 125	
Area-based poverty level not available	171	10.5	149	11.2	22	7.5	102	9.8	15,559	11.8	125	7.8
TRANSMISSION CATEGORY Men who have sex with men (MSM)	797	49.1	670	50.3	127	43.3	418	40.3	60.247	45.6	446	27.8
Injection drug use history (IDU)	15	0.9	13	1.0	2	0.7	418 66	40.3 6.4	13,917	10.5	373	27.8
MSM-IDU	8	0.5	7	0.5	1	0.7	21	2.0	3,432	2.6	82	5.1
Heterosexual contact	231	14.2	180	13.5	51	17.4	208	20.0	26,904	20.4	382	23.8
Transgender people with sexual contact	50	3.1	45	3.4	5	1.7	26	2.5	2,185	1.7	28	1.7
Perinatal	1	0.1	1	0.1	0	0.0	13	1.3	2,517	1.9	26	1.6
Other	1	0.1		0.1	0	0.0	0	0.0	192	0.1	2	0.1
Unknown	521	32.1	414	31.1	107	36.5	286	27.6	22,609	17.1	264	16.5

Table 1.2.1. Men (includes transgender men)

		HIV	DIAGNOS			ith AIDC		S, 2022			DEATHS,	, 2022
	523 40.8 447 42.0 76 34.7 320 41.9 35.889 37.2 542 4 536 41.8 438 41.2 98 44.7 312 40.8 32.865 34.0 390 3 157 12.2 129 12.1 28 12.8 99 13.0 22.865 24.7 169 1 55 43 38 36 17 7.8 29 3.8 2.975 3.1 13 2 0.2 2 0.2 0.0 0.0 3 0.4 233 0.2 4 10 0.8 10 0.9 0 0.0 1 0.1 476 0.5 10 0 0.0 0 0.0 0 0.0 0 0 0.0 1 0.1 476 0.5 10 0 0.0 0 0.0 0 0 0.0 0 0 0.0 236 0.2 0 2 0.2 2 0.2 0 0 0.0 1 0.1 476 0.5 10 0 0 0.0 1 0.1 476 0.5 10 0 0 0.0 1 0.1 476 0.5 10 0 0 0.0 1 0.1 476 0.5 10 0 0 0.0 1 0.1 476 0.5 10 0 0 0.0 1 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0											
	N	%	N	%	N	%	N					%
TOTAL	1,283	100.0	1,064	82.9	219	17.1	764	100.0	96,527	100.0	1,128	100.0
RACE/ETHNICITY	_											
Black		40.8		42.0	76	34.7	320	41.9		37.2		48.0
Latino/Hispanic												34.6
White												15.0
Asian/Pacific Islander												1.2
Native American Multiracial								-			-	0.4 0.9
Unknown												0.9
OTINIOWIT		0.0	U	0.0	U	0.0	· ·	0.0	230	0.2	U	0.0
AGE GROUP (YEARS)	_							_				
0-12												0.0
13-19												0.0
20-29										-		2.1
30-39 40-49												9.3 9.8
50-59												9.8 25.2
60+												53.6
	01	4.0	71	7.7		0.4	117	10.0	31,303	52.7	005	33.0
BOROUGH OF RESIDENCE												
Bronx												34.6
Brooklyn												23.0
Manhattan												21.4
Queens Staten Island												9.8 2.3
Outside NYC									,			5.7
Unknown												3.2
							-			• • •		
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)												9.8
Medium poverty (10 to <20% below FPL)												29.0
High poverty (20 to <30% below FPL)									•			23.8
Very high poverty (≥30% below FPL)	231								16,296		321	28.5
Area-based poverty level not available	148	11.5	127	11.9	21	9.6	75	9.8	12,439	12.9	101	9.0
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	797	62.1	670	63.0	127	58.0	418	54.7	60 247	62.4	446	39.5
Injection drug use history (IDU)												22.0
MSM-IDU												7.3
Heterosexual contact	47	3.7	33	3.1	14	6.4		8.9	6,877	7.1	133	11.8
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0		0.0	35	0.0	0	0.0
Perinatal	1	0.1	1	0.1	0	0.0		0.5	1,218	1.3	17	1.5
Other	1	0.1	1	0.1	0	0.0		0.0	111	0.1	0	0.0
Unknown	416	32.4	341	32.0	75	34.2	208	27.2	15,670	16.2	202	17.9

Table 1.2.2. Women (includes transgender women)

		DIAGNO	OSES, 202			AIDS DIAGNOSI	ES, 2022	PWH AS 12/31/20		DEATHS	, 2022	
	Total HIV di		Withou	it AIDS		ith AIDS agnoses				24		
TOTAL	N 341	100.0	N 267	% 78.3	N 74	% 21.7	N 274	% 100.0	N 35,476	% 100.0	N 475	% 100.0
DA OF JET LINIOITY												
RACE/ETHNICITY Black	172	50.4	141	52.8	31	41.9	154	56.2	20.343	57.3	295	62.1
Latino/Hispanic	115	33.7	89	33.3	26	35.1	89	32.5	11.719	33.0	155	32.6
White	39	11.4	27	10.1	12	16.2	20	7.3	2,584	7.3	21	4.4
Asian/Pacific Islander	9	2.6	6	2.2	3	4.1	6	2.2	554	1.6	3	0.6
Native American	1	0.3	0	0.0	1	1.4	1	0.4	70	0.2	0	0.0
Multiracial	5	1.5	4	1.5	1	1.4	4	1.5	136	0.4	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	70	0.2	0	0.0
AGE GROUP (YEARS)	_											
0-12	1	0.3	1	0.4	0	0.0		0.0	22	0.1	0	0.0
13-19	11	3.2	9	3.4	2	2.7	4	1.5	94	0.3	0	0.0
20-29 30-39	83	24.3	71	26.6	12	16.2	33	12.0	1,544	4.4	6	1.3 9.7
40-49	84 70	24.6 20.5	66 57	24.7 21.3	18 13	24.3 17.6		20.8 20.8	4,226 6,227	11.9 17.6	46 59	9.7 12.4
50-59	55	16.1	40	15.0	15	20.3		20.8	10,547	29.7	122	25.7
60+	37	10.1	23	8.6	14	18.9		24.8	12,816	36.1	242	50.9
									, , ,			
BOROUGH OF RESIDENCE Bronx	93	27.3	75	28.1	18	24.3	83	30.3	11,608	32.7	172	36.2
Brooklyn	97	28.4	75 75	28.1	22	29.7	71	25.9	10,012	28.2	149	31.4
Manhattan	56	16.4	45	16.9	11	14.9		15.7	5,003	14.1	78	16.4
Queens	66	19.4	45	16.9	21	28.4	43	15.7	5,119	14.4	40	8.4
Staten Island	6	1.8	5	1.9	1	1.4	7	2.6	889	2.5	15	3.2
Outside NYC	18	5.3	17	6.4	1	1.4	23	8.4	2,808	7.9	14	2.9
Unknown	5	1.5	5	1.9	0	0.0	4	1.5	37	0.1	7	1.5
AREA-BASED POVERTY LEVEL	_							_				
Low poverty (<10% below FPL)	34	10.0	24	9.0	10	13.5		9.9	3,579	10.1	33	6.9
Medium poverty (10 to <20% below FPL)	146	42.8	107	40.1	39	52.7	107	39.1	11,185	31.5	129	27.2
High poverty (20 to <30% below FPL)	65	19.1	58	21.7	7	9.5	43	15.7	8,384	23.6	125	26.3
Very high poverty (≥30% below FPL)	73	21.4	56	21.0	17	23.0	70	25.5	9,208	26.0	164	34.5
Area-based poverty level not available	23	6.7	22	8.2	1	1.4	27	9.9	3,120	8.8	24	5.1
TRANSMISSION CATEGORY								_				
Injection drug use history (IDU)	3	0.9	3	1.1	0	0.0	21	7.7	4,980	14.0	125	26.3
Heterosexual contact	184	54.0	147	55.1	37	50.0		51.1	20,027	56.5	249	52.4
Transgender people with sexual contact	49	14.4	44	16.5	5	6.8		9.5	2,150	6.1	28	5.9
Perinatal	0	0.0	0	0.0	0	0.0	9	3.3	1,299	3.7	9	1.9
Other	0	0.0	0	0.0	0	0.0		0.0	81	0.2	2	0.4
Unknown	105	30.8	73	27.3	32	43.2	78	28.5	6,939	19.6	62	13.1

Table 1.3.1. Black men (includes transgender men)

	Total HIV diagnoses				oncurrent wi		AIDS DIAGNOSI	ES, 2022	PWH AS (12/31/202	_	DEATHS,	, 2022
	l otal HIV dia N	agnoses %	Withou N	t AIDS %	dia N	agnoses	N	%	N	%	N	%
TOTAL	523	100.0	447	85.5	76	14.5		100.0	35,889	100.0	542	100.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	2 21 195 171 54 49 31	0.4 4.0 37.3 32.7 10.3 9.4 5.9	2 19 169 150 41 39 27	0.4 4.3 37.8 33.6 9.2 8.7 6.0	0 2 26 21 13 10 4	0.0 2.6 34.2 27.6 17.1 13.2 5.3	0 3 58 88 46 64 61	0.0 0.9 18.1 27.5 14.4 20.0 19.1	12 79 2,239 7,386 5,706 8,680 11,787	0.0 0.2 6.2 20.6 15.9 24.2 32.8	0 0 13 56 55 129 289	0.0 0.0 2.4 10.3 10.1 23.8 53.3
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	122 192 101 54 10 37 7	23.3 36.7 19.3 10.3 1.9 7.1 1.3	105 165 84 47 9 30 7	23.5 36.9 18.8 10.5 2.0 6.7 1.6	17 27 17 7 1 7	22.4 35.5 22.4 9.2 1.3 9.2 0.0	88 100 70 31 2 29	27.5 31.3 21.9 9.7 0.6 9.1 0.0	8,838 11,398 7,385 4,362 591 3,266 49	24.6 31.8 20.6 12.2 1.6 9.1 0.1	187 164 88 44 8 30 21	34.5 30.3 16.2 8.1 1.5 5.5 3.9
AREA-BASED POVERTY LEVEL	47	0.0	44	0.0		7.0	27	8.4	3.783	10 E	20	E 4
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	47 167 154 110	9.0 31.9 29.4 21.0	41 146 126 96	9.2 32.7 28.2 21.5	6 21 28 14	7.9 27.6 36.8 18.4	27 101 86 77	31.6 26.9 24.1	3,783 11,841 8,952 7,650	10.5 33.0 24.9 21.3	29 148 155 159	5.4 27.3 28.6 29.3
Area-based poverty level not available	45	8.6	38	8.5	7	9.2	29	9.1	3,663	10.2	51	9.4
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	284 4 2 21 0 1	54.3 0.8 0.4 4.0 0.0 0.2	249 4 2 16 0 1	55.7 0.9 0.4 3.6 0.0 0.2 0.2	35 0 0 5 0 0	46.1 0.0 0.0 6.6 0.0 0.0	158 15 4 34 0 2	49.4 4.7 1.3 10.6 0.0 0.6 0.0	18,647 3,560 1,194 3,699 22 685 37	52.0 9.9 3.3 10.3 0.1 1.9 0.1	201 96 28 88 0 9	37.1 17.7 5.2 16.2 0.0 1.7 0.0
Unknown	210	40.2	174	38.9	36	47.4	107	33.4	8,045	22.4	120	22.1

Table 1.3.2. Black women (includes transgender women)

		HIV DIAGNOSES, 2022 Concurrent with AIDS			22		AIDS DIAGNOSI	ES, 2022	PWH AS 12/31/20	_	DEATHS	5, 2022
					concurrent w	ith AIDS						
	Total HIV d		Withou			iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	172	100.0	141	82.0	31	18.0	154	100.0	20,343	100.0	295	100.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	0	0.0
13-19	5	2.9	4	2.8	1	3.2	3	1.9	50	0.2	0	0.0
20-29	33	19.2	29	20.6	4	12.9	18	11.7	852	4.2	5	1.7
30-39	38	22.1	34	24.1	4	12.9	25	16.2	2,425	11.9	30	10.2
40-49	42	24.4	33	23.4	9	29.0	37	24.0	3,775	18.6	41	13.9
50-59	34	19.8	27	19.1	7	22.6	34	22.1	6,140	30.2	76	25.8
60+	20	11.6	14	9.9	6	19.4	37	24.0	7,093	34.9	143	48.5
BOROUGH OF RESIDENCE								_				
Bronx	47	27.3	38	27.0	9	29.0	43	27.9	6,075	29.9	95	32.2
Brooklyn	64	37.2	52	36.9	12	38.7	47	30.5	6,875	33.8	109	36.9
Manhattan	16	9.3	13	9.2	3	9.7	21	13.6	2,657	13.1	45	15.3 7.8 3.1
Queens	30	17.4	24	17.0	6	19.4	21	13.6	2,804	13.8	23	7.8
Staten Island	5	2.9	4	2.8	1	3.2	5	3.2	431	2.1	9	3.1
Outside NYC	8	4.7	8	5.7	0	0.0	15	9.7	1.487	7.3	11	3.7
Unknown	2	1.2	2	1.4	0	0.0		1.3	14	0.1	3	1.0
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL)	21	12.2	17	12.1	4	12.9	14	9.1	1,970	9.7	21	7.1
Medium poverty (10 to <20% below FPL)	70	40.7	55	39.0	15	48.4	59	38.3	6,583	32.4	76	25.8
High poverty (20 to <30% below FPL)	38	22.1	34	24.1	4	12.9	28	18.2	5,080	25.0	81	27.5
Very high poverty (≥30% below FPL)	33	19.2	25	17.7	8	25.8	36	23.4	5,051	24.8	101	34.2
, , , , , , , , , , , , , , , , , , , ,									•	_		
Area-based poverty level not available	10	5.8	10	7.1	0	0.0	17	11.0	1,659	8.2	16	5.4
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	2	1.2	2	1.4	0	0.0		5.2	2,379	11.7	70	23.7
Heterosexual contact	94	54.7	79	56.0	15	48.4	78	50.6	11,794	58.0	160	54.2
Transgender people with sexual contact	13	7.6	13	9.2	0	0.0	13	8.4	1,050	5.2	15	5.1
Perinatal	0	0.0	0	0.0	0	0.0	5	3.2	740	3.6	7	2.4 0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	41	0.2	2	0.7
Unknown	63	36.6	47	33.3	16	51.6	50	32.5	4,339	21.3	41	13.9

Table 1.3.3. Latino/Hispanic men (includes transgender men)

		DIAGNO	OSES, 20	22		AIDS DIAGNOSI	ES, 2022	PWH AS 12/31/20	_	DEATHS	, 2022	
				С	oncurrent w	ith AIDS			12,01,20			
	Total HIV di	agnoses	Withou	it AIDS	di	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	536	100.0	438	81.7	98	18.3	312	100.0	32,865	100.0	390	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	14	2.6	14	3.2	0	0.0	2	0.6	50	0.2	0	0.0
20-29	197	36.8	175	40.0	22	22.4	52	16.7	1,960	6.0	9	2.3
30-39	203	37.9	155	35.4	48	49.0	116	37.2	6,546	19.9	33	8.5 9.7
40-49	75	14.0	55	12.6	20	20.4	59	18.9	6,117	18.6	38	
50-59	33	6.2	26	5.9	7	7.1	54	17.3	8,707	26.5	108	27.7
60+	14	2.6	13	3.0	1	1.0	29	9.3	9,483	28.9	202	51.8
BOROUGH OF RESIDENCE	_											
Bronx	135	25.2	112	25.6	23	23.5	98	31.4	9,431	28.7	172	44.1
Brooklyn	111	20.7	91	20.8	20	20.4	56	17.9	5,449	16.6	70	17.9
Manhattan	92	17.2	76	17.4	16	16.3	56	17.9	8,104	24.7	75	19.2
Queens	131	24.4	103	23.5	28	28.6		22.8	6,610	20.1	43	11.0
Staten Island	9	1.7	7	1.6	2	2.0		1.3	495	1.5	8	2.1
Outside NYC	52	9.7	43	9.8	9	9.2	27	8.7	2,729	8.3	13	3.3
Unknown	6	1.1	6	1.4	0	0.0	0	0.0	47	0.1	9	2.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	68	12.7	51	11.6	17	17.3		13.1	4,664	14.2	33	8.5
Medium poverty (10 to <20% below FPL)	194	36.2	155	35.4	39	39.8		36.2	11,360	34.6	107	27.4
High poverty (20 to <30% below FPL)	109	20.3	93	21.2	16	16.3	49	15.7	6,433	19.6	93	23.8
Very high poverty (≥30% below FPL)	106	19.8	89	20.3	17	17.3	82	26.3	7,311	22.2	135	34.6
Area-based poverty level not available	59	11.0	50	11.4	9	9.2	27	8.7	3,097	9.4	22	5.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	376	70.1	311	71.0	65	66.3	187	59.9	19.640	59.8	133	34.1
Injection drug use history (IDU)	4	0.7	4	0.9	0	0.0	21	6.7	4.270	13.0	122	31.3
MSM-IDU	1	0.2	1	0.2	Ö	0.0	5	1.6	1,291	3.9	39	10.0
Heterosexual contact	18	3.4	12	2.7	6	6.1	25	8.0	2,342	7.1	31	7.9
Transgender people with sexual contact	0	0.0	0	0.0	Ö	0.0	0	0.0	7	0.0	0	0.0
Perinatal	0	0.0	Ō	0.0	0	0.0	2	0.6	433	1.3	7	1.8
Other	0	0.0	0	0.0	0	0.0		0.0	26	0.1	0	0.0
Unknown	137	25.6	110	25.1	27	27.6	72	23.1	4,856	14.8	58	14.9

Table 1.3.4. Latina/Hispanic women (includes transgender women)

		DIAGNO	OSES, 20			AIDS DIAGNOSI	ES, 2022	PWH AS 12/31/20	_	DEATHS	, 2022	
	TatallIIV		14/ithan		oncurrent w							
	Total HIV d	agnoses %	Withou N	It AIDS %	N N	iagnoses ~	N	%	N	%	N	%
TOTAL	115	100.0	89	77.4	26	22.6		100.0	11,719	100.0	155	100.0
AGE GROUP (YEARS)								_				
0-12	1	0.9	1	1.1	0	0.0	0	0.0	9	0.1	0	0.0
13-19	5	4.3	5	5.6	0	0.0	0	0.0	35	0.3	0	0.0
20-29	40	34.8	34	38.2	6	23.1	12	13.5	575	4.9	0	0.0
30-39	32	27.8	24	27.0	8	30.8	24	27.0	1,372	11.7	13	8.4 9.0
40-49	18	15.7	15	16.9	3	11.5	16	18.0	1,878	16.0	14	9.0
50-59	12	10.4	6	6.7	6	23.1	15	16.9	3,435	29.3	41	26.5
60+	7	6.1	4	4.5	3	11.5	22	24.7	4,415	37.7	87	56.1
BOROUGH OF RESIDENCE												
Bronx	39	33.9	31	34.8	8	30.8	36	40.4	5,079	43.3	71	45.8
Brooklyn	15	13.0	13	14.6	2	7.7	11	12.4	2,321	19.8	37	23.9
Manhattan	29	25.2	25	28.1	4	15.4	17	19.1	1,718	14.7	26	16.8
Queens	25	21.7	14 1	15.7	11	42.3	15	16.9	1,601	13.7	13	8.4
Staten Island Outside NYC	1	0.9	4	1.1	0	0.0	2	2.2	258 726	2.2 6.2	4 1	2.6
Unknown	5	4.3 0.9	4	4.5 1.1	0	3.8 0.0	1	7.9 1.1	16	0.∠ 0.1	3	0.6 1.9
OTKHOWH	•	0.9	ı	1.1	U	0.0	'	1.1	10	0.1	3	1.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	7.8	5	5.6	4	15.4	8	9.0	934	8.0	7	4.5
Medium poverty (10 to <20% below FPL)	51	44.3	38	42.7	13	50.0	32	36.0	3,340	28.5	46	29.7
High poverty (20 to <30% below FPL)	21	18.3	19	21.3	2	7.7	12	13.5	2,844	24.3	40	25.8
Very high poverty (≥30% below FPL)	28	24.3	22	24.7	6	23.1	29	32.6	3,801	32.4	58	37.4
Area-based poverty level not available	6	5.2	5	5.6	1	3.8	8	9.0	800	6.8	4	2.6
TRANSMISSION CATEGORY								_				
Injection drug use history (IDU)	1	0.9	1	1.1	0	0.0	11	12.4	1,987	17.0	47	30.3
Heterosexual contact	62	53.9	47	52.8	15	57.7	46	51.7	6,448	55.0	78	50.3
Transgender people with sexual contact	27	23.5	23	25.8	4	15.4	10	11.2	886	7.6	11	7.1
Perinatal	0	0.0	0	0.0	0	0.0	4	4.5	463	4.0	2	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
Unknown	25	21.7	18	20.2	7	26.9	18	20.2	1,915	16.3	17	11.0

Table 1.3.5. White men (includes transgender men)

					oncurrent w			ES, 2022	PWH AS 12/31/20	_	DEATHS,	, 2022
	Total HIV d		Withou			agnoses		0.4		0.4		
TOTAL	N 157	% 100.0	N 129	% 82.2	N 28	% 17.8	N 99	% 100.0	N 23,853	% 100.0	N 169	% 100.0
IOTAL	137	100.0	123	02.2	20	17.0	99	100.0	23,033	100.0	109	100.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0		0.0	1	0.0	0	0.0
13-19	2	1.3	2	1.6	0	0.0		0.0	4	0.0	0	0.0
20-29	31	19.7	27	20.9	4	14.3	8	8.1	480	2.0	2	1.2
30-39	61	38.9	54	41.9	7	25.0	24	24.2	2,872	12.0	14	8.3
40-49	31	19.7	25	19.4	6	21.4	23	23.2	3,819	16.0	12	7.1
50-59 60+	19	12.1 8.3	15 6	11.6 4.7	4 7	14.3		23.2 21.2	7,205	30.2 39.7	41 100	24.3
00+	13	8.3	6	4.7	/	25.0	21	21.2	9,472	39.7	100	59.2
BOROUGH OF RESIDENCE	_							_				
Bronx	9	5.7	9	7.0	0	0.0	9	9.1	1.067	4.5	28	16.6
Brooklyn	40	25.5	33	25.6	7	25.0	16	16.2	3.587	15.0	24	14.2
Manhattan	48	30.6	39	30.2	9	32.1	37	37.4	11,218	47.0	71	42.0
Queens	19	12.1	13	10.1	6	21.4	17	17.2	2,513	10.5	17	10.1
Staten Island	6	3.8	4	3.1	2	7.1	3	3.0	513	2.2	8	4.7
Outside NYC	32	20.4	28	21.7	4	14.3	14	14.1	4,906	20.6	16	9.5
Unknown	3	1.9	3	2.3	0	0.0	3	3.0	49	0.2	5	3.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	31	19.7	25	19.4	6	21.4	25	25.3	6,200	26.0	43	25.4
Medium poverty (10 to <20% below FPL)	60	38.2	43	33.3	17	60.7	42	42.4	8,827	37.0	62	36.7
High poverty (20 to <30% below FPL)	18	11.5	17	13.2	1	3.6	4	4.0	2,577	10.8	17	10.1
Very high poverty (≥30% below FPL)	12	7.6	12	9.3	0	0.0	11	11.1	1,071	4.5	25	14.8
Area-based poverty level not available	36	22.9	32	24.8	4	14.3	17	17.2	5,178	21.7	22	13.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	93	59.2	76	58.9	17	60.7	55	55.6	19,297	80.9		57.4
Injection drug use history (IDU)	4	2.5	2	1.6	2	7.1	7	7.1	1,018	4.3	27	16.0
MSM-IDU	5	3.2	4	3.1	1	3.6		12.1	859	3.6	12	7.1
Heterosexual contact	4	2.5	4	3.1	0	0.0	5	5.1	565	2.4	8	4.7
Transgender people with sexual contact	1	0.6	1	8.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal Other	0	0.0	0	0.0	0	0.0	0	0.0	76	0.3 0.2	1 0	0.6
Unknown	0 50	0.0 31.8	0 42	0.0 32.6	0 8	0.0 28.6		0.0 20.2	43 1.992	0.2 8.4	0 24	0.0 14.2
UTIKITOWIT	50	31.8	42	32.0	0	20.0	20	20.2	1,992	0.4		14.2

Table 1.3.6. White women (includes transgender women)

		HIV						ES, 2022	PWH AS 12/31/20		DEATHS	, 2022
	-		14.0.4		oncurrent w							
	Total HIV o		Withou			agnoses		%	N	0/	N	0/
TOTAL	N 39	% 100.0	N 27	% 69.2	N 12	% 30.8		100.0	2,584	% 100.0	21	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	2.6	Ö	0.0	1	8.3		5.0	7	0.3	0	0.0
20-29	8	20.5	7	25.9	1	8.3		10.0	78	3.0	ő	0.0
30-39	9	23.1	5	18.5	4	33.3		20.0	294	11.4	2	9.5
40-49	7	17.9	6	22.2	1	8.3		5.0	368	14.2	4	19.0
50-59	6	15.4	5	18.5	1	8.3		25.0	750	29.0	4	19.0
60+	8	20.5	4	14.8	4	33.3		35.0	1,085	42.0	11	52.4
BOROUGH OF RESIDENCE	_											
Bronx	6	15.4	5	18.5	1	8.3	2	10.0	337	13.0	4	19.0
Brooklyn	12	30.8	7	25.9	5	41.7		30.0	608	23.5	3	14.3
Manhattan	9	23.1	6	22.2	3	25.0	4	20.0	510	19.7	7	33.3
Queens	6	15.4	3	11.1	3	25.0	6	30.0	417	16.1	4	19.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	184	7.1	2	9.5
Outside NYC	4	10.3	4	14.8	0	0.0	1	5.0	523	20.2	1	9.5 4.8
Unknown	2	5.1	2	7.4	0	0.0	1	5.0	5	0.2	0	0.0
AREA-BASED POVERTY LEVEL	_											
Low poverty (<10% below FPL)	3	7.7	2	7.4	1	8.3		20.0	530	20.5	5	23.8
Medium poverty (10 to <20% below FPL)	17	43.6	8	29.6	9	75.0		50.0	932	36.1	7	33.3
High poverty (20 to <30% below FPL)	4	10.3	3	11.1	1	8.3	2	10.0	311	12.0	3	14.3
Very high poverty (≥30% below FPL)	9	23.1	8	29.6	1	8.3	2	10.0	257	9.9	4	19.0
Area-based poverty level not available	6	15.4	6	22.2	0	0.0		10.0	554	21.4	2	9.5
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.0	575	22.3	7	33.3
Heterosexual contact	18	46.2	14	51.9	4	33.3		40.0	1,307	50.6	8	38.1
Transgender people with sexual contact	7	17.9	6	22.2	1	8.3		15.0	127	4.9	2	9.5
Perinatal	0	0.0	Ö	0.0	Ö	0.0		0.0	74	2.9	0	0.0
Other	Ö	0.0	Ö	0.0	Ö	0.0		0.0	17	0.7	Ö	0.0
Unknown	14	35.9	7	25.9	7	58.3		35.0	484	18.7	4	19.0

Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	Total HIV di	DIAGNO Withou		Concurrent with		AIDS DIAGNOSES, 2022		AS OF 1/2022	DEATHS	, 2022	
	N	agnoses %	N	l AIDS %	uiay N	noses %	N	% I	V %	N	%
TOTAL	55	100.0	38	69.1	17	30.9	29 100		5 100.0	13	100.0
ACE CROUP (VEARS)											
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0 0	.0	0.0	0	0.0
13-19	ő	0.0	0	0.0	ő	0.0	0 0		7 0.2	ő	0.0
20-29	18	32.7	14	36.8	4	23.5	5 17			0	0.0
30-39	17	30.9	14	36.8	3	17.6	5 17			0	0.0
40-49	12	21.8	9	23.7	3	17.6	8 27			1	7.7
50-59	6	10.9	1	2.6	5	29.4	6 20			2	15.4
60+	2	3.6	0	0.0	2	11.8	5 17	.2 58	7 19.7	10	76.9
BOROUGH OF RESIDENCE											
Bronx	2	3.6	1	2.6	1	5.9	2 6	.9 17	2 5.8	1	7.7
Brooklyn	9	16.4	5	13.2	4	23.5	6 20	.7 51	9 17.4	1	7.7
Manhattan	9	16.4	5	13.2	4	23.5	6 20			3	23.1
Queens	26	47.3	20	52.6	6	35.3	12 41			7	53.8
Staten Island	2	3.6	1	2.6	1	5.9	1 3			1	7.7
Outside NYC	7	12.7	6	15.8	1	5.9	2 6			0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0 0	.0	1 0.0	Ü	0.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	13	23.6	10	26.3	3	17.6	6 20			3	23.1
Medium poverty (10 to <20% below FPL)	27	49.1	17	44.7	10	58.8	16 55			6	46.2
High poverty (20 to <30% below FPL)	6	10.9	3	7.9	3	17.6	5 17	.2 46	3 15.6	3	23.1
Very high poverty (≥30% below FPL)	2	3.6	2	5.3	0	0.0	0 0	.0 15	2 5.1	1	7.7
Area-based poverty level not available	7	12.7	6	15.8	1	5.9	2 6	.9 32	1 10.8	0	0.0
TRANSMISSION CATEGORY											
Men who have sex with men (MSM)	34	61.8	24	63.2	10	58.8	16 55	.2 2,07	2 69.6	9	69.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0 0			Ö	0.0
MSM-IDU	Ö	0.0	Ö	0.0	Ö	0.0	0 0			Ö	0.0
Heterosexual contact	3	5.5	0	0.0	3	17.6	4 13	.8 22		4	30.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0 0		2 0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0 0		3 0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0 0		3 0.1	0	0.0
Unknown	18	32.7	14	36.8	4	23.5	9 31	.0 54	8 18.4	0	0.0

Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

		HIV	DIAGNO	SES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS	, 2022
					oncurrent with							
	Total HIV o		Withou			gnoses	N1	0/	N	0/	NI.	0/
TOTAL	N 9	% 100.0	N 6	% 66.7	N 3	% 33.3	N 6	% 100.0	N 554	% 100.0	N 3	% 100.0
AGE GROUP (YEARS)		0.0		0.0		0.0		0.0		0.4		0.0
0-12 13-19	0	0.0	0	0.0	0	0.0	0	0.0 0.0	2 0	0.4	0	0.0
20-29	0	0.0	0	0.0	0 0	0.0	0	0.0	19	0.0 3.4	0 1	0.0
30-39	3	33.3	2	33.3	1	33.3	1	16.7	74	13.4	0	33.3 0.0
40-49	2	22.2	2	33.3	0	0.0	2	33.3	157	28.3	0	0.0
50-59	2	22.2	1	33.3 16.7	1	33.3	1	16.7	154	27.8	1	33.3
60+	2	22.2	1	16.7	1	33.3	2	33.3	148	26.7	1	33.3
004		22.2	'	10.7		55.5	2	33.3	140	20.7		33.3
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	46	8.3	1	33.3
Brooklyn	3	33.3	1	16.7	2	66.7	5	83.3	126	22.7	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	74	13.4	0	0.0
Queens	5	55.6	4	66.7	1	33.3	1	16.7	246	44.4	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	8	1.4	0	0.0
Outside NYC	1	11.1	1	16.7	0	0.0	0	0.0	54	9.7	1	33.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	11.1	0	0.0	1	33.3	1	16.7	122	22.0	0	0.0
Medium poverty (10 to <20% below FPL)	6	66.7	5	83.3	1	33.3	3	50.0	235	42.4	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	16.7	91	16.4	0	0.0
Very high poverty (≥30% below FPL)	1	11.1	0	0.0	1	33.3	1	16.7	48	8.7	1	33.3
Area-based poverty level not available	1	11.1	1	16.7	0	0.0	0	0.0	58	10.5	2	66.7
Area-based poverty level flot available	•	11.1	'	10.7	U	0.0	U	0.0	56	10.5	2	00.7
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	19	3.4	1	33.3
Heterosexual contact	7	77.8	5	83.3	2	66.7	4	66.7	355	64.1	2	66.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	45	8.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0 0.0
Unknown	2	22.2	1	16.7	1	33.3	2	33.3	128	23.1	0	0.0

Table 1.3.9. Native American men (includes transgender men)

		HIV	DIAGNO	OSES, 2022 Co	ncurrent with	h AIDS	AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS	, 2022
	Total HIV di			out AIDS	diag	gnoses						
	N	%	N	%	N	%	N	%	N	%	Ŋ	%
TOTAL	2	100.0	2	100.0	0	0.0	3	100.0	233	100.0	4	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	50.0	1	50.0	0	0.0	0	0.0	11	4.7	0	0.0
30-39	1	50.0	1	50.0	0	0.0	1	33.3	47	20.2	0	0.0
40-49 50-59	0	0.0	0	0.0	0	0.0	0	0.0 33.3	45 66	19.3 28.3		25.0 50.0
60+	0	0.0 0.0	0	0.0 0.0	0	0.0	1	33.3	64	27.5	2	25.0
00+	U	0.0	U	0.0	U	0.0	'	33.3	04	21.5	'	25.0
BOROUGH OF RESIDENCE												
Bronx	1	50.0	1	50.0	0	0.0	1	33.3	47	20.2	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	2	66.7	55	23.6	0	0.0
Manhattan	1	50.0	1	50.0	0	0.0	0	0.0	53	22.7	1	25.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	46	19.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	13.7	3	75.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	50.0	1	50.0	0	0.0		33.3	35	15.0	1	25.0
Medium poverty (10 to <20% below FPL)	1	50.0	1	50.0	0	0.0	2	66.7	84	36.1	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	55	23.6	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	31	13.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	28	12.0	3	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	100.0	2	100.0	0	0.0		33.3	146	62.7	2	50.0
Injection drug use history (IDU) MSM-IDU	0	0.0	0	0.0	0	0.0	2 0	66.7	14	6.0	1	25.0
Heterosexual contact	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0 0.0	11 23	4.7 9.9	1	25.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	23	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	15.9	0	0.0

Table 1.3.10. Native American women (includes transgender women)

		HIV	DIAGNO	SES, 2	2022	AIDS DIAGNO	SES, 2022	PWH AS 12/31/2	-	DEATHS,	2022
	N	diagnoses %	N	%	Concurrent with AIDS diagnose N %	s 6 N	%	N	%	N	%
TOTAL	1	100.0	0	0.0	1 100.0	0 1	100.0	70	100.0	0	0.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 0 1 0 0	0.0 0.0 0.0 100.0 0.0 0.0	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0.0 0 0.1 0 0.1 1 100.0 0 0.1 0 0.0	0 0 0 0 1 0 0 0	0.0 0.0 0.0 100.0 0.0 0.0	0 1 5 9 16 23 16	0.0 1.4 7.1 12.9 22.9 32.9 22.9	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Other/Unknown	0 1 0 0 0	0.0 100.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0 0.0 1 100.0 0 0.0 0 0.0	0 1 0 0 0 0	0.0 100.0 0.0 0.0 0.0	25 22 8 11 4	35.7 31.4 11.4 15.7 5.7	0 0 0 0	0.0 0.0 0.0 0.0 0.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	0 0 0 1	0.0 0.0 0.0 100.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	0 0.0 0 0.0 0 0.1 1 100.0 0 0.0	0 0 0 1	0.0 0.0 0.0 100.0 0.0	3 26 17 22 2	4.3 37.1 24.3 31.4 2.9	0 0 0 0	0.0 0.0 0.0 0.0 0.0
TRANSMISSION CATEGORY Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	0 1 0 0 0	0.0 100.0 0.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0.0 1 100.0 0 0.0 0 0.0 0 0.0	0 1 0 0 0 0 0 0	0.0 100.0 0.0 0.0 0.0 0.0	2 45 8 4 0	2.9 64.3 11.4 5.7 0.0 15.7	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0

Table 1.4.1. Boys 0-12 Years

		HIV	DIAGNO	OSES, 202	22		AIDS DIAGNOSES	, 2022	PWH AS 12/31/20	-	DEATHS,	2022
				C	concurrent with	AIDS						
	Total HIV di	agnoses	Witho	out AIDS	diagr	noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2	100.0	2	100.0	0	0.0	0	0.0	15	100.0	0	0.0
RACE/ETHNICITY								_				
Black	2	100.0	2	100.0	0	0.0	0	0.0	12	80.0	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	2	13.3	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	1	6.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE								_				
Bronx	1	50.0	1	50.0	0	0.0	0	0.0	6	40.0	0	0.0
Brooklyn	1	50.0	1	50.0	0	0.0	0	0.0	3	20.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	2	13.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	1	6.7	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	20.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	50.0	1	50.0	0	0.0	0	0.0	1	6.7	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	20.0	0	0.0
High poverty (20 to <30% below FPL)	1	50.0	1	50.0	0	0.0	0	0.0	3	20.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	5	33.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	20.0	0	0.0
TRANSMISSION CATEGORY		0.0		0.0		0.0		0.0		0.0		0.0
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0 0	0.0
Transgender people with sexual contact	0	0.0	0 1	0.0	•	0.0	0	0.0		0.0	-	0.0 0.0
Perinatal	1	50.0	1	50.0	0	0.0	•	0.0	13	86.7	0	0.0
Other Unknown	0	50.0 0.0	1 0	50.0 0.0	0	0.0	0	0.0 0.0	2	13.3 0.0	0	0.0
UIIKIIUWII	U	0.0	U	0.0	U	0.0	U	0.0	U	0.0	U	0.0

Table 1.4.2. Girls 0-12 Years

		HIV	DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS,	2022
				C	Concurrent wit	th AIDS			12/31/20	,,,,		
	Total HIV di	iaanoses	Witho	out AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	0	0.0	22	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	8	36.4	0	0.0
Latino/Hispanic	1	100.0	1	100.0	0	0.0	0	0.0	9	40.9		0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	9.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	9.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	4.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE	_							_				
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	4	18.2	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	3	13.6	0	0.0
Manhattan	1	100.0	1	100.0	0	0.0	0	0.0	5	22.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	7	31.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	13.6		0.0
Unknown	0	0.0	Ō	0.0	0	0.0	0	0.0	0	0.0		0.0
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	18.2	0	0.0
Medium poverty (10 to <20% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	8	36.4	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	13.6		0.0
	0	0.0	0	0.0	0	0.0	•	0.0				
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0		0		4	18.2	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	13.6	0	0.0
TRANSMISSION CATEGORY	_							_				
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	95.5		0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0		0.0
Unknown	1	100.0	1	100.0	0	0.0	0	0.0	1	4.5	0	0.0

Table 1.4.3. Men 13+ Years (includes transgender men)

		HIV	DIAGNOS	SES, 202	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS	, 2022
	Total HIV d	iagnoses %	Withou N		oncurrent wi dia N	ith AIDS agnoses		%	N	%	N	%
TOTAL	1,281	100.0	1,062	82.9	219	17.1		100.0	96,512	100.0	1,128	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	521 536 157 55 2 10	40.7 41.8 12.3 4.3 0.2 0.8 0.0	445 438 129 38 2 10	41.9 41.2 12.1 3.6 0.2 0.9 0.0	76 98 28 17 0 0	34.7 44.7 12.8 7.8 0.0 0.0	312 99 29 3 1	41.9 40.8 13.0 3.8 0.4 0.1	35,877 32,863 23,852 2,975 233 476 236	37.2 34.1 24.7 3.1 0.2 0.5 0.2	542 390 169 13 4 10 0	48.0 34.6 15.0 1.2 0.4 0.9 0.0
AGE GROUP (YEARS) 13-19 20-29 30-39 40-49 50-59 60+	38 447 456 172 107 61	3.0 34.9 35.6 13.4 8.4 4.8	36 391 377 130 81 47	3.4 36.8 35.5 12.2 7.6 4.4	2 56 79 42 26 14	0.9 25.6 36.1 19.2 11.9 6.4	123 234 137	0.7 16.1 30.6 17.9 19.4 15.3	142 4,975 17,776 16,506 25,524 31,589	0.1 5.2 18.4 17.1 26.4 32.7	0 24 105 110 284 605	0.0 2.1 9.3 9.8 25.2 53.6
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	269 354 254 232 27 129 16	21.0 27.6 19.8 18.1 2.1 10.1 1.2	228 296 208 185 21 108 16	21.5 27.9 19.6 17.4 2.0 10.2 1.5	41 58 46 47 6 21 0	18.7 26.5 21.0 21.5 2.7 9.6 0.0	170 131 10 72	25.9 23.6 22.3 17.1 1.3 9.4 0.4	19,640 21,134 27,952 14,659 1,653 11,325 149	20.3 21.9 29.0 15.2 1.7 11.7 0.2	390 260 241 111 26 64 36	34.6 23.0 21.4 9.8 2.3 5.7 3.2
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	159 452 291 231 148	12.4 35.3 22.7 18.0 11.6	127 365 243 200 127	12.0 34.4 22.9 18.8 12.0	32 87 48 31 21	14.6 39.7 21.9 14.2 9.6	275 144 170	13.1 36.0 18.8 22.3 9.8	15,578 33,607 18,600 16,291 12,436	16.1 34.8 19.3 16.9 12.9	110 327 269 321 101	9.8 29.0 23.8 28.5 9.0
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	797 12 8 47 1 0 0	62.2 0.9 0.6 3.7 0.1 0.0 0.0 32.5	670 10 7 33 1 0 0 341	63.1 0.9 0.7 3.1 0.1 0.0 0.0 32.1	127 2 1 14 0 0 0	58.0 0.9 0.5 6.4 0.0 0.0 34.2	45 21 68 0 4 0	54.7 5.9 2.7 8.9 0.0 0.5 0.0 27.2	60,247 8,937 3,432 6,877 35 1,205 109 15,670	62.4 9.3 3.6 7.1 0.0 1.2 0.1 16.2	446 248 82 133 0 17 0	39.5 22.0 7.3 11.8 0.0 1.5 0.0

Table 1.4.4. Women 13+ Years (includes transgender women)

		HIV	DIAGNO	OSES, 202			AIDS DIAGNOSE	ES, 2022	PWH AS 12/31/20		DEATHS	, 2022
	Total HIV di	agnoses %	Withou N		oncurrent wi dia N	ith AIDS agnoses °/	N	%	N	%	N	%
TOTAL	340	100.0	266	78.2	74	21.8		100.0	35,454	100.0	475	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	172 114 39 9 1 5	50.6 33.5 11.5 2.6 0.3 1.5 0.0	141 88 27 6 0 4	53.0 33.1 10.2 2.3 0.0 1.5 0.0	31 26 12 3 1 1	41.9 35.1 16.2 4.1 1.4 1.4 0.0	154 89 20 6 1 4	56.2 32.5 7.3 2.2 0.4 1.5 0.0	20,335 11,710 2,582 552 70 135 70	57.4 33.0 7.3 1.6 0.2 0.4 0.2	295 155 21 3 0 1	62.1 32.6 4.4 0.6 0.0 0.2 0.0
AGE GROUP (YEARS) 13-19	11	3.2	9	3.4	2	2.7	4	1.5	94	0.3	0	0.0
20-29 30-39 40-49 50-59 60+	83 84 70 55 37	24.4 24.7 20.6 16.2 10.9	71 66 57 40 23	26.7 24.8 21.4 15.0 8.6	12 18 13 15 14	16.2 24.3 17.6 20.3 18.9	33 57 57 55	12.0 20.8 20.8 20.1 24.8	1,544 4,226 6,227 10,547 12,816	4.4 11.9 17.6 29.7 36.1	6 46 59 122 242	1.3 9.7 12.4 25.7 50.9
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	93 97 55 66 6 18 5	27.4 28.5 16.2 19.4 1.8 5.3 1.5	75 75 44 45 5 17	28.2 28.2 16.5 16.9 1.9 6.4 1.9	18 22 11 21 1 1	24.3 29.7 14.9 28.4 1.4 1.4 0.0	83 71 43 43 7 23 4	30.3 25.9 15.7 15.7 2.6 8.4 1.5	11,604 10,009 4,998 5,112 889 2,805 37	32.7 28.2 14.1 14.4 2.5 7.9 0.1	172 149 78 40 15 14 7	36.2 31.4 16.4 8.4 3.2 2.9 1.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	34 145 65	10.0 42.6 19.1	24 106 58	9.0 39.8 21.8	10 39 7	13.5 52.7 9.5	107 43	9.9 39.1 15.7	3,575 11,177 8,381	10.1 31.5 23.6	33 129 125	6.9 27.2 26.3
Very high poverty (≥30% below FPL) Area-based poverty level not available	73 23	21.5 6.8	56 22	21.1 8.3	17 1	23.0 1.4	70 27	25.5 9.9	9,204 3,117	26.0 8.8	164 24	34.5 5.1
TRANSMISSION CATEGORY Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	3 184 49 0 0	0.9 54.1 14.4 0.0 0.0 30.6	3 147 44 0 0 72	1.1 55.3 16.5 0.0 0.0 27.1	0 37 5 0 0	0.0 50.0 6.8 0.0 0.0 43.2	21 140 26 9 0 78	7.7 51.1 9.5 3.3 0.0 28.5	4,980 20,027 2,150 1,278 81 6,938	14.0 56.5 6.1 3.6 0.2 19.6	125 249 28 9 2	26.3 52.4 5.9 1.9 0.4 13.1

Table 1.5.1. Bronx, men (includes transgender men)

			Ć	oncurrent wi	-	AIDS DIAGNOSE	S, 2022			DEATHS	, 2022
					agnoses	N.I.	0/	N	0/	N.	0/
270	100.0	229	% 84.8	N 41	% 15.2		100.0	19,646	100.0	390	% 100.0
122 135 9 2 1 1 0	45.2 50.0 3.3 0.7 0.4 0.4	105 112 9 1 1 1 0	45.9 48.9 3.9 0.4 0.4 0.4 0.0	17 23 0 1 0 0	41.5 56.1 0.0 2.4 0.0 0.0 0.0	88 98 9 2 1 0	44.4 49.5 4.5 1.0 0.5 0.0	8,838 9,431 1,067 172 47 68 23	45.0 48.0 5.4 0.9 0.2 0.3 0.1	187 172 28 1 0 2	47.9 44.1 7.2 0.3 0.0 0.5 0.0
1 5 100 91 37 24 12	0.4 1.9 37.0 33.7 13.7 8.9 4.4	1 5 87 76 25 23 12	0.4 2.2 38.0 33.2 10.9 10.0 5.2	0 0 13 15 12 1 0	0.0 0.0 31.7 36.6 29.3 2.4 0.0	0 1 28 59 38 39 33	0.0 0.5 14.1 29.8 19.2 19.7 16.7	6 33 1,189 3,993 3,237 5,013 6,175	0.0 0.2 6.1 20.3 16.5 25.5 31.4	0 0 5 40 41 118 186	0.0 0.0 1.3 10.3 10.5 30.3 47.7
1 49 59	18.1 21.9	1 40 52	17.5 22.7	0 9 7	22.0 17.1	2 30 34	15.2 17.2	3,389 4,166	17.3 21.2	8 59 96	2.1 15.1 24.6
160	0.4	135	59.0 0.4	25 0	0.0	132 0	0.0	11,744 97	59.8 0.5	0	58.2 0.0
148 4 1 10 0 0	54.8 1.5 0.4 3.7 0.0 0.0	126 4 1 8 0 0	55.0 1.7 0.4 3.5 0.0 0.0	22 0 0 2 0 0	53.7 0.0 0.0 4.9 0.0 0.0	92 20 6 24 0 1	46.5 10.1 3.0 12.1 0.0 0.5 0.0	9,398 2,858 921 2,007 16 406 22	47.8 14.5 4.7 10.2 0.1 2.1	129 114 28 49 0 9	33.1 29.2 7.2 12.6 0.0 2.3 0.0 15.6
	122 135 9 2 1 1 0 1 5 100 91 37 24 12 1 49 59 160 1	Total HIV diagnoses N 270 100.0 122 45.2 135 50.0 9 3.3 2 0.7 1 0.4 1 0.4 0 0.0 1 0.4 5 1.9 100 37.0 91 33.7 37 13.7 24 8.9 12 4.4 1 0.4 49 18.1 59 21.9 160 59.3 1 0.4 148 54.8 4 1.5 1 0.4 10 3.7 0 0.0 0 0.0 1 0.4	Total HIV diagnoses N without N % 270 100.0 229 122 45.2 105 135 50.0 112 9 3.3 9 2 0.7 1 1 0.4 1 1 0.4 1 1 0.4 1 0 0.0 0 1 0.4 1 5 1.9 5 100 37.0 87 91 33.7 76 37 13.7 25 24 8.9 23 12 4.4 12 1 0.4 1 49 18.1 40 59 21.9 52 160 59.3 135 1 0.4 1 10 3.7 8 0 10 0.0 0 1 0.4 1 10 3.7 8 0 0.0 0 1 0.4 1	Total HIV diagnoses N without AIDS N % 270 100.0 229 84.8 122 45.2 105 45.9 135 50.0 112 48.9 9 3.3 9 2 0.7 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.4 1 0.5 1.9 5 2.2 100 37.0 87 38.0 91 33.7 76 33.2 37 13.7 25 10.9 24 8.9 23 10.0 12 4.4 12 5.2 1 0.4 1 0.4 1 0.4 4 12 5.2 1 0.4 1 0.4 12 5.2 1 0.4 1 0.4 1 0.4 12 5.2 1 0.4 1 0.4 1 0.4 1 0.4 12 5.2 1 1 0.4	Total HIV diagnoses N without AIDS N % N % N % N % N % N % N % N % N % N	Total HIV diagnoses N	Total HIV diagnoses Nithout AIDS diagnoses N % N % N % N % N % N % N % N % N % N	Concurrent with AIDS Total HIV diagnoses Without AIDS diagnoses N % A 4 <t< td=""><td>Total HIV diagnoses Without AIDS N % N % N % N % N % N % N % N % N % N</td><td>Total HIV diagnoses</td><td>Total HIV DIAGNOSES, 2022 Total HIV diagnoses N</td></t<>	Total HIV diagnoses Without AIDS N % N % N % N % N % N % N % N % N % N	Total HIV diagnoses	Total HIV DIAGNOSES, 2022 Total HIV diagnoses N

Table 1.5.2. Bronx, women (includes transgender women)

		HIV	DIAGNO	OSES, 20	22		AIDS DIAGNOS	ES, 2022	PWH AS 12/31/20		DEATHS	5, 2022
					oncurrent w							
	Total HIV o			ıt AIDS		iagnoses						
	N	%	N	%	N	%	N	%	N	%		%
TOTAL	93	100.0	75	80.6	18	19.4	83	100.0	11,608	100.0	172	100.0
RACE/ETHNICITY	_							_				
Black	47	50.5	38	50.7	9	50.0	43	51.8	6,075	52.3	95	55.2
Latino/Hispanic	39	41.9	31	41.3	8	44.4	36	43.4	5,079	43.8		41.3
White	6	6.5	5	6.7	1	5.6	2	2.4	337	2.9	4	2.3
Asian/Pacific Islander	0	0.0	0	0.0	Ö	0.0	0	0.0	46	0.4	1	2.3
Native American	Ö	0.0	0	0.0	Ö	0.0	0	0.0	25	0.2	0	0.0
Multiracial	1	1.1	1	1.3	Ö	0.0	2	2.4	31	0.3	1	0.6
Unknown	Ö	0.0	0	0.0	Ö	0.0		0.0	15	0.1	0	0.0
		0.0	· ·	0.0		0.0	Ĭ	0.0		• • • • • • • • • • • • • • • • • • • •	· ·	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0		0.0
13-19	5	5.4	5	6.7	0	0.0	0	0.0	25	0.2	0	0.0
20-29	25	26.9	21	28.0	4	22.2	11	13.3	497	4.3	3	1.7
30-39	18	19.4	12	16.0	6	33.3	19	22.9	1,449	12.5	18	10.5 6.4
40-49	25	26.9	19	25.3	6	33.3	23	27.7	2,149	18.5	11	6.4
50-59	6	6.5	5	6.7	1	5.6		16.9	3,608	31.1	51	29.7
60+	14	15.1	13	17.3	1	5.6	16	19.3	3,876	33.4	89	51.7
AREA-BASED POVERTY LEVEL				4.0		0.0		0.0	407	4.0		4.0
Low poverty (<10% below FPL)	1	1.1	1	1.3	0	0.0	0	0.0	137	1.2		1.2
Medium poverty (10 to <20% below FPL)	23	24.7	19	25.3	4	22.2	21	25.3	2,141	18.4	20	11.6
High poverty (20 to <30% below FPL)	16	17.2	14	18.7	2	11.1	12	14.5	2,363	20.4	36	20.9
Very high poverty (≥30% below FPL)	53	57.0	41	54.7	12	66.7	50	60.2	6,932	59.7	113	65.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	35	0.3	1	0.6
,												
TRANSMISSION CATEGORY												
Injection drug use history (IDU)	2	2.2	2	2.7	0	0.0		10.8	1,783	15.4		29.7
Heterosexual contact	55	59.1	48	64.0	7	38.9		55.4	6,529	56.2		52.3
Transgender people with sexual contact	9	9.7	6	8.0	3	16.7	8	9.6	728	6.3	10	5.8
Perinatal	0	0.0	0	0.0	0	0.0	2	2.4	429	3.7	3	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Unknown	27	29.0	19	25.3	8	44.4	18	21.7	2,124	18.3	18	10.5

Table 1.5.3. Brooklyn, men (includes transgender men)

	Total LIIV di		DIAGNO Withou		oncurrent w	-	AIDS DIAGNOSE	ES, 2022	PWH AS 12/31/20	_	DEATHS,	, 2022
TOTAL	Total HIV di N 355	% 100.0	N 297	83.7	N 58	agnoses % 16.3	N 180	% 100.0	N 21,137	% 100.0	N 260	% 100.0
									, -			
RACE/ETHNICITY Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	192 111 40 9 0 3 0	54.1 31.3 11.3 2.5 0.0 0.8 0.0	165 91 33 5 0	55.6 30.6 11.1 1.7 0.0 1.0 0.0	27 20 7 4 0 0	46.6 34.5 12.1 6.9 0.0 0.0		55.6 31.1 8.9 3.3 1.1 0.0 0.0	11,398 5,449 3,587 519 55 109 20	53.9 25.8 17.0 2.5 0.3 0.5	164 70 24 1 0 1	63.1 26.9 9.2 0.4 0.0 0.4 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	1 15 138 117 47 24 13	0.3 4.2 38.9 33.0 13.2 6.8 3.7	1 14 117 101 36 18 10	0.3 4.7 39.4 34.0 12.1 6.1 3.4	0 1 21 16 11 6 3	0.0 1.7 36.2 27.6 19.0 10.3 5.2	0 2 35 56 26 30 31	0.0 1.1 19.4 31.1 14.4 16.7 17.2	3 37 1,455 4,570 3,690 5,182 6,200	0.0 0.2 6.9 21.6 17.5 24.5 29.3	0 0 11 21 22 52 154	0.0 0.0 4.2 8.1 8.5 20.0 59.2
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	20 147 149 39 0	5.6 41.4 42.0 11.0 0.0	17 123 123 34 0	5.7 41.4 41.4 11.4 0.0	3 24 26 5 0	5.2 41.4 44.8 8.6 0.0	10 86 61 23 0	5.6 47.8 33.9 12.8 0.0	1,490 9,085 7,967 2,449 146	7.0 43.0 37.7 11.6 0.7	13 98 96 53 0	5.0 37.7 36.9 20.4 0.0
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	221 5 1 11 0 1 0	62.3 1.4 0.3 3.1 0.0 0.3 0.0 32.7	192 3 1 6 0 1 0 94	64.6 1.0 0.3 2.0 0.0 0.3 0.0 31.6	29 2 0 5 0 0 0 22	50.0 3.4 0.0 8.6 0.0 0.0 0.0 37.9	92 7 2 14 0 1 0 64	51.1 3.9 1.1 7.8 0.0 0.6 0.0 35.6	12,287 1,979 705 1,727 11 308 20 4,100	58.1 9.4 3.3 8.2 0.1 1.5 0.1 19.4	85 53 17 41 0 2 0 62	32.7 20.4 6.5 15.8 0.0 0.8 0.0 23.8

Table 1.5.4. Brooklyn, women (includes transgender women)

		HIV		OSES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS (_	DEATHS	, 2022
					oncurrent w	ith AIDS						
	Total H	V diagnoses		ıt AIDS		agnoses						
		N %	N	%	N	%	N	%	N	%	N	%
TOTAL		7 100.0	75	77.3	22	22.7	71	100.0	10,012	100.0	149	100.0
RACE/ETHNICITY												
Black		66.0	52	69.3	12	54.5	47	66.2	6,875	68.7	109	73.2
Latino/Hispanic		15.5	13	17.3	2	9.1	11	15.5	2,321	23.2	37	24.8
White		12.4	7	9.3	5	22.7	6	8.5	608	6.1	3	2.0
Asian/Pacific Islander		3 3.1	1	1.3	2	9.1	5	7.0	126	1.3	0	0.0
Native American		1 1.0	0	0.0	1	4.5	1	1.4	22	0.2	0	0.0
Multiracial		2 2.1	2	2.7	0	0.0	1	1.4	39	0.4	0	0.0
Unknown		0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
AGE GROUP (YEARS)	_							_				
0-12		0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19		1 1.0	0	0.0	1	4.5	2	2.8	33	0.3	0	0.0
20-29		22 22.7	19	25.3	3	13.6	10	14.1	456	4.6	2	1.3
30-39		22 22.7	18	24.0	4	18.2	12	16.9	1,175	11.7	13	8.7
40-49		22 22.7	17	22.7	5	22.7	16	22.5	1,764	17.6	25	16.8
50-59		20 20.6	16	21.3	4	18.2	11	15.5	2,873	28.7	41	27.5
60+		10.3	5	6.7	5	22.7	20	28.2	3,708	37.0	68	45.6
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)		4 4.1	3	4.0	1	4.5	5	7.0	707	7.1	7	4.7
Medium poverty (10 to <20% below FPL)	4	49.5	34	45.3	14	63.6	34	47.9	3,866	38.6	48	32.2
High poverty (20 to <30% below FPL)		33.0	29	38.7	3	13.6	20	28.2	3,946	39.4	60	40.3
Very high poverty (≥30% below FPL)		3 13.4	9	12.0	4	18.2	12	16.9	1,434	14.3	34	22.8
, , , ,					•							
Area-based poverty level not available		0.0	0	0.0	0	0.0	0	0.0	59	0.6	0	0.0
TRANSMISSION CATEGORY												
Injection drug use history (IDU)		1 1.0	1	1.3	0	0.0	1	1.4	1,245	12.4	28	18.8
Heterosexual contact		18 49.5	37	49.3	11	50.0	38	53.5	5,770	57.6	87	58.4
Transgender people with sexual contact		10.3	10	13.3	0	0.0	4	5.6	488	4.9	8	5.4
Perinatal		0.0	0	0.0	0	0.0	5	7.0	353	3.5	2	1.3
Other		0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.7
Unknown		39.2	27	36.0	11	50.0	23	32.4	2,133	21.3	23	15.4

Table 1.5.5. Manhattan, men (includes transgender men)

		HIV	DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS (_	DEATHS,	, 2022
				-	oncurrent w							
	Total HIV di	agnoses %	Withou N	it AIDS %	dia N	agnoses %	N	%	N	%	N	%
TOTAL	254	100.0	208	81.9	46	18.1	170	100.0	27,954	100.0	241	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	101 92 48 9 1	39.8 36.2 18.9 3.5 0.4 1.2	84 76 39 5 1	40.4 36.5 18.8 2.4 0.5	17 16 9 4 0	37.0 34.8 19.6 8.7 0.0	70 56 37 6 0	41.2 32.9 21.8 3.5 0.0	7,385 8,104 11,218 893 53 162	26.4 29.0 40.1 3.2 0.2 0.6	88 75 71 3 1	36.5 31.1 29.5 1.2 0.4 1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	139	0.5	0	0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+ AREA-BASED POVERTY LEVEL	0 5 85 93 31 23 17	0.0 2.0 33.5 36.6 12.2 9.1 6.7	0 4 79 74 24 15 12	0.0 1.9 38.0 35.6 11.5 7.2 5.8	0 1 6 19 7 8 5	0.0 2.2 13.0 41.3 15.2 17.4 10.9	0 1 18 54 32 36 29	0.0 0.6 10.6 31.8 18.8 21.2 17.1	2 30 944 4,467 4,729 7,748 10,034	0.0 0.1 3.4 16.0 16.9 27.7 35.9	0 0 0 18 27 53 143	0.0 0.0 0.0 7.5 11.2 22.0 59.3
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	42 104 74 32 2	16.5 40.9 29.1 12.6 0.8	34 80 61 31 2	16.3 38.5 29.3 14.9 1.0	8 24 13 1 0	17.4 52.2 28.3 2.2 0.0	37 75 43 15 0	21.8 44.1 25.3 8.8 0.0	7,786 11,729 5,754 2,103 582	27.9 42.0 20.6 7.5 2.1	57 82 60 41 1	23.7 34.0 24.9 17.0 0.4
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	158 1 3 7 1 0 0	62.2 0.4 1.2 2.8 0.4 0.0 0.0 33.1	133 1 3 6 1 0 0	63.9 0.5 1.4 2.9 0.5 0.0 0.0 30.8	25 0 0 1 0 0 0 0	54.3 0.0 0.0 2.2 0.0 0.0 0.0 43.5	102 9 10 8 0 0 0	60.0 5.3 5.9 4.7 0.0 0.0 0.0 24.1	20,383 1,887 1,018 1,009 3 177 15 3,462	72.9 6.8 3.6 3.6 0.0 0.6 0.1 12.4	124 42 20 16 0 1 0	51.5 17.4 8.3 6.6 0.0 0.4 0.0

Table 1.5.6. Manhattan, women (includes transgender women)

		HIV	DIAGNO	OSES, 20)22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS	, 2022
					Concurrent wi	th AIDS			12/01/20			
	Total HIV d		Withou	ıt AIDS	dia	agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	56	100.0	45	80.4	11	19.6	43	100.0	5,003	100.0	78	100.0
RACE/ETHNICITY	_											
Black	16	28.6	13	28.9	3	27.3	21	48.8	2,657	53.1	45	57.7
Latino/Hispanic	29	51.8	25	55.6	4	36.4	17	39.5	1,718	34.3	26	33.3
White	9	16.1	6	13.3	3	27.3	4	9.3	510	10.2	7	9.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	74	1.5	0	0.0
Native American	Ö	0.0	Ö	0.0	Ö	0.0	0	0.0	8	0.2	Ö	0.0
Multiracial	2	3.6	1	2.2	ĭ	9.1	1	2.3	21	0.4	Ö	0.0
Unknown	0	0.0	Ó	0.0	Ó	0.0	0	0.0	15	0.3	0	0.0
OTINIOWIT	U	0.0	U	0.0	U	0.0	U	0.0	15	0.3	U	0.0
AGE GROUP (YEARS)												
0-12	1	1.8	1	2.2	0	0.0	0	0.0	5	0.1	0	0.0
13-19	1	1.8	1	2.2	0	0.0	1	2.3	9	0.2	0	0.0
20-29	18	32.1	16	35.6	2	18.2	5	11.6	196	3.9	0	0.0
30-39	17	30.4	16	35.6	1	9.1	8	18.6	553	11.1	6	7.7
40-49	6	10.7	5	11.1	1	9.1	6	14.0	756	15.1	12	15.4
50-59	10	17.9	5	11.1	5	45.5	12	27.9	1,422	28.4	16	20.5
60+	3	5.4	1	2.2	2	18.2		25.6	2,062	41.2	44	56.4
		0	·		_		•	20.0	_,00_			00
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	8.9	4	8.9	1	9.1	4	9.3	654	13.1	9	11.5
Medium poverty (10 to <20% below FPL)	31	55.4	23	51.1	8	72.7	21	48.8	1,707	34.1	27	34.6
High poverty (20 to <30% below FPL)	13	23.2	12	26.7	1	9.1	10	23.3	1,689	33.8	23	29.5
Very high poverty (≥30% below FPL)	7	12.5	6	13.3	1	9.1	8	18.6	842	16.8	17	21.8
, , , , ,	0	0.0	0	0.0	0	0.0	_	0.0	111	2.2	2	2.6
Area-based poverty level not available	U	0.0	U	0.0	U	0.0	U	0.0	111	2.2	2	2.0
TRANSMISSION CATEGORY	_											
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	9.3	921	18.4	25	32.1
Heterosexual contact	25	44.6	21	46.7	4	36.4	18	41.9	2,436	48.7	34	43.6
Transgender people with sexual contact	13	23.2	13	28.9	0	0.0	5	11.6	412	8.2	5	6.4
Perinatal	0	0.0	0	0.0	Ö	0.0	1	2.3	162	3.2	2	2.6
Other	Ö	0.0	0	0.0	Ö	0.0	0	0.0	13	0.3	0	0.0
Unknown	18	32.1	11	24.4	7	63.6	-	34.9	1,059	21.2	12	15.4
OTHER PROPERTY OF THE PROPERTY	10	02.1		27.7		00.0	10	0-1.0	1,000	21.2	12	10.4

Table 1.5.7. Queens, men (includes transgender men)

	T- (-1111) (-1				Concurrent wi	-	AIDS DIAGNOS	ES, 2022	PWH AS (12/31/202		DEATHS	, 2022
	Total HIV dia	agnoses %	Withou N	t AIDS %	ala N	agnoses %	N	%	N	%	N	%
TOTAL	232	100.0	185	79.7	47	20.3		100.0	14,660	100.0	111	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	54 131 19 26 0 2	23.3 56.5 8.2 11.2 0.0 0.9	47 103 13 20 0 2	25.4 55.7 7.0 10.8 0.0 1.1 0.0	7 28 6 6 0 0	14.9 59.6 12.8 12.8 0.0 0.0	31 71 17 12 0 0	23.7 54.2 13.0 9.2 0.0 0.0 0.0	4,362 6,610 2,513 1,051 46 54 24	29.8 45.1 17.1 7.2 0.3 0.4 0.2	44 43 17 7 0 0	39.6 38.7 15.3 6.3 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 6 79 86 37 16 8	0.0 2.6 34.1 37.1 15.9 6.9 3.4	0 6 67 71 29 9 3	0.0 3.2 36.2 38.4 15.7 4.9 1.6	0 0 12 15 8 7 5	0.0 0.0 25.5 31.9 17.0 14.9 10.6	0 0 31 33 23 28 16	0.0 0.0 23.7 25.2 17.6 21.4 12.2	1 25 818 2,891 2,764 3,841 4,320	0.0 0.2 5.6 19.7 18.9 26.2 29.5	0 0 5 12 11 25 58	0.0 0.0 4.5 10.8 9.9 22.5 52.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	90 132 10 0	38.8 56.9 4.3 0.0	70 107 8 0	37.8 57.8 4.3 0.0	20 25 2 0	42.6 53.2 4.3 0.0	48 77 6 0	36.6 58.8 4.6 0.0	5,471 8,347 716 0	37.3 56.9 4.9 0.0	27 67 17 0	24.3 60.4 15.3 0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	126	0.9	0	0.0
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	152 1 0 15 0 0	65.5 0.4 0.0 6.5 0.0 0.0	119 1 0 10 0 0	64.3 0.5 0.0 5.4 0.0 0.0	33 0 0 5 0 0	70.2 0.0 0.0 10.6 0.0 0.0	78 4 2 17 0 2	59.5 3.1 1.5 13.0 0.0 1.5 0.0	9,114 1,226 381 1,249 2 173 18	62.2 8.4 2.6 8.5 0.0 1.2 0.1	54 15 6 8 0 4	48.6 13.5 5.4 7.2 0.0 3.6 0.0
Unknown	64	27.6	55	29.7	9	19.1	28	21.4	2,497	17.0	24	21.6

Table 1.5.8. Queens, women (includes transgender women)

	HIV		DIAGNO	OSES, 20	22		AIDS DIAGNOSI	ES, 2022	PWH AS 12/31/20		DEATHS	, 2022
				С	oncurrent w	vith AIDS						
	Total HIV d			ıt AIDS	d	iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	66	100.0	45	68.2	21	31.8	43	100.0	5,119	100.0	40	100.0
RACE/ETHNICITY	_											
Black	30	45.5	24	53.3	6	28.6	21	48.8	2,804	54.8	23	57.5
Latino/Hispanic	25	37.9	14	31.1	11	52.4	15	34.9	1,601	31.3	13	32.5
White	6	9.1	3	6.7	3	14.3	6	14.0	417	8.1	4	10.0
Asian/Pacific Islander	5	7.6	4	8.9	1	4.8	1	2.3	246	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	26	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	2	3.0	1	2.2	1	4.8		2.3	10	0.2	0	0.0
20-29	15	22.7	12	26.7	3	14.3		11.6	219	4.3	Ö	0.0
30-39	19	28.8	12	26.7	7	33.3		30.2	629	12.3	2	5.0
40-49	13	19.7	12	26.7	1	4.8		11.6	923	18.0	5	12.5
50-59	10	15.2	6	13.3	4	19.0		18.6	1,478	28.9	9	22.5
60+	7	10.6	2	4.4	5	23.8		25.6	1,853	36.2	24	60.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	23	34.8	15	33.3	8	38.1	16	37.2	1,800	35.2	12	30.0
Medium poverty (10 to <20% below FPL)	39	59.1	27	60.0	12	57.1	26	60.5	2,865	56.0	22	55.0
High poverty (20 to <30% below FPL)	39	6.1	3	6.7	1	4.8		2.3	386	7.5	6	15.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	68	1.3	0	0.0
TRANSMISSION CATEGORY	_											
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	7.0	561	11.0	12	30.0
Heterosexual contact	42	63.6	27	60.0	15	71.4		55.8	3,092	60.4	21	52.5
Transgender people with sexual contact	9	13.6	8	17.8	1	4.8		14.0	338	6.6	1	2.5
Perinatal	0	0.0	0	0.0	0	0.0		0.0	186	3.6	2	5.0
Other	Ö	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Unknown	15	22.7	10	22.2	5	23.8		23.3	926	18.1	4	10.0

Table 1.5.9. Staten Island, men (includes transgender men)

		HIV	DIAGNO	OSES, 20	22		AIDS DIAGNOSES, 2022	PWH A		DEATHS,	2022
					oncurrent with A	AIDS					
	Total HIV di		Withou		diagno	oses					
	N	%	N	%	N	%		6 N	%	N	%
TOTAL	27	100.0	21	77.8	6	22.2	10 100.	0 1,653	100.0	26	100.0
RACE/ETHNICITY											
Black	10	37.0	9	42.9	1	16.7	2 20.	0 591	35.8	8	30.8
Latino/Hispanic	9	33.3	7	33.3	2	33.3	4 40.	0 495	29.9	8	30.8
White	6	22.2	4	19.0		33.3			31.0	8	30.8
Asian/Pacific Islander	2	7.4	1	4.8		16.7	1 10.		2.1	1	3.8
Other/Unknown	0	0.0	0	0.0	0	0.0	0 0.	0 19	1.1	1	3.8
AGE GROUP (YEARS)											
0-12	0	0.0	0	0.0	0	0.0	0 0.	0 0	0.0	0	0.0
13-19	2	7.4	2	9.5	0	0.0			0.2	0	0.0
20-29	7	25.9	6	28.6	1	16.7	1 10.	0 90	5.4	0	0.0
30-39	9	33.3	6	28.6	3	50.0	4 40.	0 259	15.7	1	3.8
40-49	4	14.8	3	14.3		16.7	2 20.		15.7	1	3.8
50-59	4	14.8	3	14.3		16.7	2 20.		25.6	7	26.9
60+	1	3.7	1	4.8	0	0.0	1 10.	0 618	37.4	17	65.4
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	7	25.9	6	28.6	1	16.7	3 30.	0 582	35.2	5	19.2
Medium poverty (10 to <20% below FPL)	20	74.1	15	71.4	5	83.3	7 70.	0 1,060	64.1	21	80.8
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0 0.	0 0	0.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0 0.	0 0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		-	0.7	0	0.0
		0.0	, in the second	0.0	ŭ	0.0			0		0.0
TRANSMISSION CATEGORY											
Men who have sex with men (MSM)	13	48.1	11	52.4		33.3			49.4	7	26.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0			14.9	8	30.8
MSM-IDU	2	7.4	1	4.8		16.7	1 10.		4.4	6	23.1
Heterosexual contact	0	0.0	0	0.0	0	0.0	0 0.		9.7	2	7.7
Transgender people with sexual contact	0	0.0	0	0.0	0 0	0.0	0 0. 0 0.		0.1	0 0	0.0
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0			1.9 0.0	0	0.0
Unknown	12	44.4	9	42.9		50.0			19.5	3	11.5
Ulikilowii	12	44.4	9	42.9	3	50.0	4 40.	323	19.5	<u> </u>	11.5

Table 1.5.10. Staten Island, women (includes transgender women)

			DIAGNO	OSES, 20			AIDS DIAGNOSES	S, 2022	PWH AS 12/31/20	_	DEATHS	, 2022
	Total HIV di	%	Withou N	ıt AIDS %	N	gnoses %	N	%	N	%	N	%
TOTAL	6	100.0	5	83.3	1	16.7	7	100.0	889	100.0	15	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	5 1 0 0	83.3 16.7 0.0 0.0 0.0	4 1 0 0 0	80.0 20.0 0.0 0.0 0.0	1 0 0 0 0	100.0 0.0 0.0 0.0 0.0	5 2 0 0 0	71.4 28.6 0.0 0.0 0.0	431 258 184 8 8	48.5 29.0 20.7 0.9 0.9	9 4 2 0 0	60.0 26.7 13.3 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 1 0 0 2 1	0.0 33.3 16.7 0.0 0.0 33.3 16.7	0 2 1 0 0 2 0	0.0 40.0 20.0 0.0 0.0 40.0 0.0	0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0 100.0		0.0 0.0 14.3 14.3 14.3 14.3 42.9	0 7 34 112 159 277 300	0.0 0.8 3.8 12.6 17.9 31.2 33.7	0 0 0 3 2 3 7	0.0 0.0 20.0 13.3 20.0 46.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	1 5 0 0	16.7 83.3 0.0 0.0 0.0	1 4 0 0 0	20.0 80.0 0.0 0.0 0.0	0 1 0 0	0.0 100.0 0.0 0.0	2 5 0 0	28.6 71.4 0.0 0.0 0.0	281 606 0 0 2	31.6 68.2 0.0 0.0 0.2	3 12 0 0	20.0 80.0 0.0 0.0 0.0
TRANSMISSION CATEGORY								_				
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	0 4 1 0 0	0.0 66.7 16.7 0.0 0.0 16.7	0 4 1 0 0	0.0 80.0 20.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 100.0		0.0 14.3 0.0 14.3 0.0 71.4	126 531 50 36 4 142	14.2 59.7 5.6 4.0 0.4 16.0	5 6 0 0 1 3	33.3 40.0 0.0 0.0 6.7 20.0

Table 1.6.1. Men who have sex with men (MSM)

	HIV		DIAGNO	OSES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS (DEATHS	, 2022
					oncurrent w	ith AIDS						
	Total HIV dia		Withou			iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	797	100.0	670	84.1	127	15.9	418	100.0	60,247	100.0	446	100.0
RACE/ETHNICITY												
Black	284	35.6	249	37.2	35	27.6	158	37.8	18,647	31.0	201	45.1
Latino/Hispanic	376	47.2	311	46.4	65	51.2	187	44.7	19,640	32.6	133	29.8
White	93	11.7	76	11.3	17	13.4	55	13.2	19,297	32.0	97	21.7
Asian/Pacific Islander	34	4.3	24	3.6	10	7.9	16	3.8	2,072	3.4	9	2.0
Native American	2	0.3	2	0.3	0	0.0	1	0.2	146	0.2	2	0.4 0.9
Multiracial	8	1.0	8	1.2	0	0.0	1	0.2	372	0.6	4	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	73	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	32	4.0	30	4.5	2	1.6	5	1.2	59	0.1	0	0.0
20-29	327	41.0	289	43.1	38	29.9	87	20.8	3,842	6.4	17	3.8
30-39	296	37.1	251	37.5	45	35.4	155	37.1	14,408	23.9	66	14.8
40-49	81	10.2	60	9.0	21	16.5	83	19.9	12,192	20.2	67	15.0
50-59	46	5.8	32	4.8	14	11.0	61	14.6	15,532	25.8	109	24.4
60+	15	1.9	8	1.2	7	5.5	27	6.5	14,214	23.6	187	41.9
BOROUGH OF RESIDENCE								_				
Bronx	148	18.6	126	18.8	22	17.3	92	22.0	9,398	15.6	129	28.9
Brooklyn	221	27.7	192	28.7	29	22.8	92	22.0	12,287	20.4	85	19.1
Manhattan	158	19.8	133	19.9	25	19.7	102	24.4	20,383	33.8	124	27.8
Queens	152	19.1	119	17.8	33	26.0	78	18.7	9,114	15.1	54	12.1
Staten Island	13	1.6	11	1.6	2	1.6	4	1.0	817	1.4	7	1.6
Outside NYC	98	12.3	82	12.2	16	12.6	47	11.2	8,168	13.6	30	6.7
Unknown	7	0.9	7	1.0	0	0.0	3	0.7	80	0.1	17	3.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	99	12.4	79	11.8	20	15.7	59	14.1	10,566	17.5	68	15.2
Medium poverty (10 to <20% below FPL)	268	33.6	220	32.8	48	37.8	153	36.6	22,196	36.8	137	30.7
High poverty (20 to <30% below FPL)	197	24.7	170	25.4	27	21.3	77	18.4	11,102	18.4	94	21.1
Very high poverty (≥30% below FPL)	127	15.9	111	16.6	16	12.6	79	18.9	7,762	12.9	100	22.4
Area-based poverty level not available	106	13.3	90	13.4	16	12.6	50	12.0	8,621	14.3	47	10.5

Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

			DIAGNO	SES, 20			AIDS DIAGNOSES,	2022	PWH AS 12/31/20		DEATHS	, 2022
	Total HIV di	agnoses	Withou		oncurrent with diagr	AIDS noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	12	100.0	10	83.3	2	16.7	45	100.0	8,937	100.0	248	100.0
RACE/ETHNICITY												
Black	4	33.3	4	40.0	0	0.0		33.3	3,560	39.8	96	38.7
Latino/Hispanic	4	33.3	4	40.0	0	0.0	21	46.7	4,270	47.8	122	49.2
White	4	33.3	2	20.0	2	100.0	7	15.6	1,018	11.4	27	10.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	58	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	2	4.4	14	0.2	1	0.4
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	2	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.4 0.8 0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	Ö	0.0	0	0.0	0	0.0		0.0	0	0.0	Ō	0.0
20-29	3	25.0	2	20.0	1	50.0		2.2	17	0.2	1	0.4
30-39	2	16.7	2	20.0	Ö	0.0		6.7	124	1.4	5	2.0
40-49	4	33.3	4	40.0	Ö	0.0	1	8.9	438	4.9	8	3.2
50-59	2	16.7	1	10.0	1	50.0	14	31.1	1,923	21.5	66	26.6
60+	1	8.3	1	10.0	0	0.0		51.1	6,435	72.0	168	67.7
	•	0.0	•	10.0	· ·	0.0	20	01.1	0,400	72.0	100	07.7
BOROUGH OF RESIDENCE				40.0					0.050	22.0		40.0
Bronx	4	33.3	4	40.0	0	0.0		44.4	2,858	32.0	114	46.0
Brooklyn	5	41.7	3	30.0		100.0		15.6	1,979	22.1	53	21.4
Manhattan	1	8.3	1	10.0	0	0.0		20.0	1,887	21.1	42	16.9
Queens	1	8.3	1	10.0	0	0.0		8.9	1,226	13.7	15	6.0
Staten Island	0	0.0	0	0.0	0	0.0		2.2	246	2.8	8	3.2 4.8 1.6
Outside NYC	1	8.3	1	10.0	0	0.0		8.9	728	8.1	12	4.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	4	1.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	16.7	1	10.0	1	50.0	7	15.6	1,171	13.1	14	5.6
Medium poverty (10 to <20% below FPL)	4	33.3	3	30.0	1	50.0	12	26.7	2,410	27.0	62	25.0
High poverty (20 to <30% below FPL)	2	16.7	2	20.0	0	0.0		15.6	1,903	21.3	60	24.2
Very high poverty (≥30% below FPL)	3	25.0	3	30.0	0	0.0	15	33.3	2,490	27.9	95	38.3
Area-based poverty level not available		8.3	1	10.0	0	0.0		8.9	963	10.8	17	6.9
Prica-pased poverty level flot available		0.3	- 1	10.0	U	0.0	4	0.9	903	10.0	17	0.9

Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

	HIV I		DIAGNO	OSES, 2022	2 oncurrent with	h AIDS	AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS	, 2022
	Total HIV di	agnoses	With	out AIDS		gnoses						
	N	%	N	%	N Ì	°	N	%	N	%	N	%
TOTAL	3	100.0	3	100.0	0	0.0	21	100.0	4,980	100.0	125	100.0
RACE/ETHNICITY												
Black	2	66.7	2	66.7	0	0.0		38.1	2,379	47.8	70	56.0
Latino/Hispanic	1	33.3	1	33.3	0	0.0		52.4	1,987	39.9	47	37.6
White	0	0.0	0	0.0	0	0.0		9.5	575	11.5	7	5.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0		0.0	14	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	1	33.3	1	33.3	0	0.0		0.0	0	0.0	0	0.0
20-29	1	33.3	1	33.3	0	0.0	0	0.0	28	0.6	1	0.8
30-39	1	33.3	1	33.3	0	0.0	2	9.5	132	2.7	1	0.8
40-49	0	0.0	0	0.0	0	0.0	6	28.6	392	7.9	7	5.6
50-59	0	0.0	0	0.0	0	0.0	4	19.0	1,573	31.6	38	30.4
60+	0	0.0	0	0.0	0	0.0	9	42.9	2,855	57.3	78	62.4
BOROUGH OF RESIDENCE								_				
Bronx	2	66.7	2	66.7	0	0.0	9	42.9	1,783	35.8	51	40.8
Brooklyn	1	33.3	1	33.3	0	0.0	1	4.8	1,245	25.0	28	22.4
Manhattan	0	0.0	0	0.0	0	0.0	4	19.0	921	18.5	25	20.0
Queens	0	0.0	0	0.0	0	0.0	3	14.3	561	11.3	12	9.6
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	126	2.5	5	4.0
Outside NYC	0	0.0	0	0.0	0	0.0		9.5	336	6.7	3	2.4 0.8
Unknown	0	0.0	0	0.0	0	0.0	2	9.5	8	0.2	1	0.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	2	9.5	474	9.5	8	6.4
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	5	23.8	1,336	26.8	35	28.0
High poverty (20 to <30% below FPL)	1	33.3	1	33.3	0	0.0		9.5	1,239	24.9	33	26.4
Very high poverty (≥30% below FPL)	2	66.7	2	66.7	0	0.0	8	38.1	1,529	30.7	44	35.2
Area-based poverty level not available	0	0.0	0	0.0	0	0.0		19.0	402	8.1	5	4.0
Area-based poverty level flot available	U	0.0	U	0.0	U	0.0	4	19.0	402	0.1	<u> </u>	4.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2022 and REPORTED PEOPLE WITH HIV (PWH) AS OF 12/31/2022, NEW YORK CITY Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV Total HIV diagnoses		DIAGNO	OSES, 20	1 22 Concurrent w	ith AIDS	AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS	, 2022
	Total HIV di	aanoses	Withou	ıt AIDS		iagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	8	100.0	7	87.5	1	12.5	21	100.0	3,432	100.0	82	100.0
RACE/ETHNICITY								_				
Black	2	25.0	2	28.6	0	0.0	4	19.0	1,194	34.8	28	34.1
Latino/Hispanic	1	12.5	1	14.3	0	0.0	5	23.8	1,291	37.6	39	47.6
White	5	62.5	4	57.1	1	100.0	12	57.1	859	25.0	12	14.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	51	1.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	1	1.2
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	25	0.7	2	1.2 2.4
Unknown	0	0.0	0	0.0	0	0.0		0.0	1	0.0	0	0.0
107 000110 0/2 100												
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	ő	0.0	Ö	0.0	0	0.0		0.0	ő	0.0	0	0.0
20-29	4	50.0	3	42.9	1	100.0		4.8	89	2.6	0	0.0
30-39	1	12.5	1	14.3	Ó	0.0		42.9	554	16.1	9	11.0
40-49	0	0.0	0	0.0	0	0.0	1	4.8	626	18.2	13	15.9
50-59	2	25.0	2	28.6	0	0.0	5	23.8	1,009	29.4	75	
60 +		12.5	1	14.3	0	0.0		23.8	1,009	33.6	25 35	30.5 42.7
00+	•	12.5		14.3	U	0.0	3	23.0	1,154	33.0	33	42.1
BOROUGH OF RESIDENCE												
Bronx	1	12.5	1	14.3	0	0.0		28.6	921	26.8	28	34.1
Brooklyn	1	12.5	1	14.3	0	0.0		9.5	705	20.5	17	20.7
Manhattan	3	37.5	3	42.9	0	0.0	10	47.6	1,018	29.7	20	24.4
Queens	0	0.0	0	0.0	0	0.0	2	9.5	381	11.1	6	7.3
Staten Island	2	25.0	1	14.3	1	100.0	1	4.8	73	2.1	6	7.3
Outside NYC	1	12.5	1	14.3	0	0.0	0	0.0	332	9.7	3	3.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	2	7.3 7.3 3.7 2.4
AREA DACED BOVERTY LEVEL												
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL)	1	12.5	1	14.3	0	0.0	5	23.8	500	14.6	6	7.3
Medium poverty (10 to <20% below FPL)	4	50.0	3	42.9	1	100.0		33.3	1,104	32.2	25	30.5
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0		14.3	716	20.9	20	24.4
Very high poverty (≥30% below FPL)	4	12.5	1	14.3	0	0.0		28.6	758	22.1		31.7
, , , ,			1								26	
Area-based poverty level not available	2	25.0	2	28.6	0	0.0	0	0.0	354	10.3	5	6.1

Table 1.6.5. Heterosexual contact, men

	HIV		DIAGNO	OSES, 20			AIDS DIAGNOSES, 202	22	PWH AS 12/31/20		DEATHS	, 2022
			14.00		Concurrent with							1
	Total HIV di N	agnoses %	Withou N	it AIDS %	diagr N	noses %	N	%	N	%	N	%
TOTAL	47	100.0	33	70.2	14	29.8		0.0	6,877	100.0	133	100.0
DA OF JET INJOITY												
RACE/ETHNICITY Black	21	44.7	16	48.5	5	35.7	34 5	0.0	3,699	53.8	88	66.2
Latino/Hispanic	18	38.3	12	36.4	6	42.9		6.8	2,342	34.1	31	23.3
White	4	8.5	4	12.1	Ö	0.0		7.4	565	8.2	8	6.0
Asian/Pacific Islander	3	6.4	0	0.0	3	21.4		5.9	228	3.3	4	3.0
Native American	0	0.0	Õ	0.0	Ö	0.0		0.0	23	0.3	0	0.0
Multiracial	1	2.1	1	3.0	Ö	0.0		0.0	15	0.2	2	0.0 1.5
Unknown	0	0.0	0	0.0	Ö	0.0		0.0	5	0.1	0	0.0
							·				_	
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	1	0.0	0	0.0
20-29	9	19.1	6	18.2	3	21.4		0.3	80	1.2	0	0.0
30-39	14	29.8	8	24.2	6	42.9		7.6	440	6.4	2	1.5
40-49	9	19.1	7	21.2	2	14.3		0.3	931	13.5	8	6.0
50-59	7	14.9	6	18.2	1	7.1		5.0	2,399	34.9	40	30.1
60+	8	17.0	6	18.2	2	14.3	25 3	6.8	3,026	44.0	83	62.4
BOROUGH OF RESIDENCE												
Bronx	10	21.3	8	24.2	2	14.3	24 3	5.3	2,007	29.2	49	36.8
Brooklyn	11	23.4	6	18.2	5	35.7	14 2	0.6	1,727	25.1	41	30.8
Manhattan	7	14.9	6	18.2	1	7.1		1.8	1,009	14.7	16	12.0
Queens	15	31.9	10	30.3	5	35.7	17 2	5.0	1,249	18.2	8	6.0
Staten Island	0	0.0	0	0.0	0	0.0		0.0	161	2.3	2	1.5
Outside NYC	4	8.5	3	9.1	1	7.1		7.4	719	10.5	11	8.3 4.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	6	4.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	17.0	4	12.1	4	28.6	12 1	7.6	832	12.1	6	4.5
Medium poverty (10 to <20% below FPL)	19	40.4	13	39.4	6	42.9		7.9	2,216	32.2	32	24.1
High poverty (20 to <30% below FPL)	10	21.3	8	24.2	2	14.3		9.1	1,431	20.8	40	30.1
					4				· ·			
Very high poverty (≥30% below FPL)	6	12.8	5	15.2		7.1		7.9	1,637	23.8	38	28.6
Area-based poverty level not available	4	8.5	3	9.1	1	7.1	5	7.4	761	11.1	17	12.8

Table 1.6.6. Heterosexual contact, women

			DIAGNO	OSES, 20		iu- AIDO	AIDS DIAGNOSE	S, 2022	PWH AS (DEATHS	5, 2022
	Total HIV di	agnosas	Withou		oncurrent w	ith AIDS iagnoses						
	N	aynoses %	N	" AIDS	N U	aynoses %	N	%	N	%	N	%
TOTAL	184	100.0	147	79.9	37	20.1	140	100.0	20,027	100.0	249	100.0
RACE/ETHNICITY												
Black	94	51.1	79	53.7	15	40.5	78	55.7	11,794	58.9	160	64.3
Latino/Hispanic	62	33.7	47	32.0	15	40.5	46	32.9	6,448	32.2	78	31.3
White	18	9.8	14	9.5	4	10.8	8	5.7	1,307	6.5	8	3.2
Asian/Pacific Islander	7	3.8	5	3.4	2	5.4	4	2.9	355	1.8	2	0.8
Native American	1	0.5	0	0.0	1	2.7	1	0.7	45	0.2	0	0.0
Multiracial	2	1.1	2	1.4	0	0.0	3	2.1	65	0.3	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	8	4.3	7	4.8	1	2.7	2	1.4	22	0.1	0	0.0
20-29	43	23.4	36	24.5	7	18.9	13	9.3	480	2.4	2	0.8
30-39	41	22.3	35	23.8	6	16.2	27	19.3	2,146	10.7	16	6.4
40-49	38	20.7	32	21.8	6	16.2	31	22.1	4,046	20.2	39	15.7
50-59	33	17.9	23	15.6	10	27.0	33	23.6	6,311	31.5	65	26.1
60+	21	11.4	14	9.5	7	18.9	34	24.3	7,022	35.1	127	51.0
BOROUGH OF RESIDENCE								_				
Bronx	55	29.9	48	32.7	7	18.9	46	32.9	6,529	32.6	90	36.1
Brooklyn	48	26.1	37	25.2	11	29.7	38	27.1	5,770	28.8	87	34.9
Manhattan	25	13.6	21	14.3	4	10.8	18	12.9	2,436	12.2	34	13.7
Queens	42	22.8	27	18.4	15	40.5	24	17.1	3,092	15.4	21	8.4
Staten Island	4	2.2	4	2.7	0	0.0	1	0.7	531	2.7	6	8.4 2.4
Outside NYC	8	4.3	8	5.4	0	0.0	13	9.3	1,662	8.3	5	2.0
Unknown	2	1.1	2	1.4	0	0.0	0	0.0	7	0.0	6	2.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	24	13.0	16	10.9	8	21.6	18	12.9	2,055	10.3	18	7.2
Medium poverty (10 to <20% below FPL)	74	40.2	58	39.5	16	43.2	48	34.3	6,464	32.3	59	23.7
High poverty (20 to <30% below FPL)	33	17.9	28	19.0	5	13.5	25	17.9	4,637	23.2	72	28.9
Very high poverty (≥30% below FPL)	43	23.4	35	23.8	8	21.6	36	25.7	5,120	25.6	88	35.3
Area-based poverty level not available	10	5.4	10	6.8	0	0.0	13	9.3	1,751	8.7	12	4.8

Table 1.6.7. Transgender people with sexual contact

			DIAGNO	OSES, 20			AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS,	2022
	Total HIV d			it AIDS		gnoses						
TOTAL	N 50	% 100.0	N 45	% 90.0	N 5	% 10.0	N 26	% 100.0	N 2,185	% 100.0	N 28	% 100.0
GENDER								_				
Men Women	1 49	2.0 98.0	1 44	2.2 97.8	0 5	0.0	0 26	0.0 100.0	35 2,150	1.6 98.4	0 28	0.0 100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	13 27 8 0 0 2	26.0 54.0 16.0 0.0 0.0 4.0	13 23 7 0 0 2	28.9 51.1 15.6 0.0 0.0 4.4	0 4 1 0 0	0.0 80.0 20.0 0.0 0.0	13 10 3 0 0	50.0 38.5 11.5 0.0 0.0 0.0	1,072 893 130 47 8 35	49.1 40.9 5.9 2.2 0.4 1.6	15 11 2 0 0	53.6 39.3 7.1 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 22 18 5 3 1	0.0 2.0 44.0 36.0 10.0 6.0 2.0	0 1 21 15 5 2 1	0.0 2.2 46.7 33.3 11.1 4.4 2.2	0 0 1 3 0 1	0.0 0.0 20.0 60.0 0.0 20.0	0 0 9 10 3 3 1	0.0 0.0 34.6 38.5 11.5 11.5	0 3 384 872 521 299 106	0.0 0.1 17.6 39.9 23.8 13.7 4.9	0 0 1 17 5 4 1	0.0 0.0 3.6 60.7 17.9 14.3 3.6
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	9 10 14 9 1 6	18.0 20.0 28.0 18.0 2.0 12.0 2.0	6 10 14 8 1 5	13.3 22.2 31.1 17.8 2.2 11.1 2.2	3 0 0 1 0 1	60.0 0.0 20.0 0.0 20.0 0.0	8 4 5 6 0 2 1	30.8 15.4 19.2 23.1 0.0 7.7 3.8	744 499 415 340 51 136 0	34.1 22.8 19.0 15.6 2.3 6.2 0.0	10 8 5 1 0 4	35.7 28.6 17.9 3.6 0.0 14.3 0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	4 18 11	8.0 36.0 22.0	4 16 11	8.9 35.6 24.4	0 2 0	0.0 40.0 0.0	3 11 2	11.5 42.3 7.7	235 686 526	10.8 31.4 24.1	3 7 5	10.7 25.0 17.9
Very high poverty (≥30% below FPL) Area-based poverty level not available	10 7	20.0 14.0	8 6	17.8 13.3	2	40.0 20.0	7 3	26.9 11.5	594 144	27.2 6.6	9	32.1 14.3

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV		DIAGNO	SES, 202	22		AIDS DIAGNOSES	5, 2022	PWH AS 12/31/20	-	DEATHS,	2022
					oncurrent with	AIDS			,0,,_0			
	Total HIV di		Withou			noses						
	N	%	N	%	N	%	N_	%	N	%	N	%
TOTAL	11	100.0	10	90.9	11	9.1	5	100.0	841	100.0	21	100.0
GENDER								_				
Men	8	72.7	7	70.0	1	100.0	4	80.0	579	68.8	14	66.7
Women	3	27.3	3	30.0	Ö	0.0	1	20.0	262	31.2	7	33.3
		2	ŭ	00.0	· ·	0.0	·	_0.0	0_	02	•	00.0
RACE/ETHNICITY												
Black	3	27.3	3	30.0	0	0.0	0	0.0	298	35.4	6	28.6
Latino/Hispanic	8	72.7	7	70.0	1	100.0	3	60.0	390	46.4	12	57.1
White	0	0.0	0	0.0	0	0.0	2	40.0	135	16.1	3	14.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	1.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
ACE CROUP (VEARS)												
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	4	36.4	4	40.0	0	0.0	0	0.0	41	4.9	1	0.0 4.8 0.0 4.8
30-39	4	36.4	4	40.0	ő	0.0	0	0.0	132	15.7	'n	0.0
40-49	1	9.1	0	0.0	1	100.0	2	40.0	113	13.4	1	4.8
50-59	i 1	9.1	1	10.0	Ö	0.0	1	20.0	229	27.2	7	33.3
60+	1	9.1	1	10.0	Ö	0.0	2	40.0	325	38.6	12	57.1
												-
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	5	45.5	4	40.0	1	100.0	2	40.0	351	41.7	5	23.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	107	12.7	8	38.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	2.0	1	4.8
Heterosexual contact	2	18.2	2	20.0	0	0.0	1	20.0	187	22.2	3	14.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	36.4	4	40.0	0	0.0	2	40.0	143	17.0	4	19.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471. Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)

	HIV		DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS,	, 2022
				С	oncurrent wit	th AIDS						
	Total HIV di	agnoses	Withou	it AIDS	dia	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	36	100.0	29	80.6	7	19.4	27	100.0	2,856	100.0	40	100.0
GENDER												
Men	23	63.9	19	65.5	4	57.1	15	55.6	1,637	57.3	33	82.5
Women	13	36.1	10	34.5	3	42.9	12	44.4	1,219	42.7	33 7	17.5
Wonen	13	30.1	10	34.3	3	42.5	12	44.4	1,219	42.7	,	17.5
RACE/ETHNICITY												
Black	26	72.2	22	75.9	4	57.1	17	63.0	1,837	64.3	23	57.5
Latino/Hispanic	8	22.2	6	20.7	2	28.6	7	25.9	872	30.5	17	42.5
White	1	2.8	1	3.4	0	0.0	0	0.0	100	3.5	0	0.0
Asian/Pacific Islander	1	2.8	0	0.0	1	14.3	1	3.7	24	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	3.7	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	3.7	12	0.4	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
20-29	16	44.4	11	37.9	5	71.4	6	22.2	170	6.0	1	2.5
30-39	6	16.7	6	20.7	0	0.0	5	18.5	499	17.5	4	10.0
40-49	6	16.7	5	17.2	1	14.3	6	22.2	504	17.6	1	2.5
50-59	1	2.8	1	3.4	0	0.0	5	18.5	753	26.4	8	20.0
60+	7	19.4	6	20.7	1	14.3	5	18.5	922	32.3	26	65.0
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	10	27.8	8	27.6	2	28.6	5	18.5	783	27.4	11	27.5
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	3.7	275	9.6	12	30.0
MSM-IDU TO TO THE STATE OF THE	0	0.0	0	0.0	0	0.0	0	0.0	65	2.3	1	2.5
Heterosexual contact	9	25.0	7	24.1	2	28.6	9	33.3	996	34.9	8	20.0
Transgender people with sexual contact	1	2.8	0	0.0	1	14.3	2	7.4	51	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	85	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	16	44.4	14	48.3	2	28.6	10	37.0	600	21.0	8	20.0

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	SES, 202	22		AIDS DIAGNOSES	S, 2022	PWH AS 12/31/20	_	DEATHS,	2022
				С	oncurrent with	n AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	72	100.0	65	90.3	7	9.7	47	100.0	6,105	100.0	114	100.0
GENDER												
Men	58	80.6	52	80.0	6	85.7	33	70.2	4,023	65.9	86	75.4
Women	14	19.4	13	20.0	1	14.3	14	29.8	2,082	34.1	28	24.6
RACE/ETHNICITY												
Black	30	41.7	27	41.5	3	42.9	26	55.3	2,739	44.9	56	49.1
Latino/Hispanic	39	54.2	35	53.8	4	57.1	19	40.4	3,000	49.1	50	43.9
White	1	1.4	1	1.5	0	0.0	2	4.3	280	4.6	7	6.1
Asian/Pacific Islander	Ö	0.0	Ö	0.0	0	0.0	0	0.0	42	0.7	1	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	0	0.0
Multiracial	2	2.8	2	3.1	0	0.0	0	0.0	22	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	2.8	2	3.1	0	0.0	0	0.0	8	0.1	0	0.0
20-29	21	29.2	20	30.8	1	14.3	6	12.8	323	5.3	2	1.8
30-39	23	31.9	19	29.2	4	57.1	14	29.8	1,156	18.9	9	7.9
40-49	13	18.1	12	18.5	1	14.3	8	17.0	1,117	18.3	11	9.6
50-59	9	12.5	8	12.3	1	14.3	14	29.8	1,656	27.1	36	31.6
60+	4	5.6	4	6.2	0	0.0	5	10.6	1,845	30.2	56	49.1
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	31	43.1	27	41.5	4	57.1	22	46.8	2,150	35.2	34	29.8
Injection drug use history (IDU)	1	1.4	1	1.5	0	0.0	6	12.8	830	13.6	30	26.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.1	188	3.1	3	2.6
Heterosexual contact	11	15.3	9	13.8	2	28.6	9	19.1	1,499	24.6	29	25.4
Transgender people with sexual contact	1	1.4	1	1.5	0	0.0	1	2.1	167	2.7	2	1.8
Perinatal	0	0.0	0	0.0	0	0.0	1	2.1	135	2.2	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	28	38.9	27	41.5	1	14.3	7	14.9	1,130	18.5	15	13.2

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 20	22		AIDS DIAGNOSES	2022	PWH AS 12/31/20	_	DEATHS,	2022
					oncurrent with A							
	Total HIV di		Withou		diagn	oses						
TOTAL	N 49	% 100.0	N 41	% 83.7	N 8	% 16.3	N 31	% 100.0	N 4,414	100.0	N 63	% 100.0
TOTAL	49	100.0	41	03.7	0	10.3	31	100.0	4,414	100.0	03	100.0
GENDER												
Men	37	75.5	31	75.6		75.0	19	61.3	2,737	62.0	44	69.8
Women	12	24.5	10	24.4	2	25.0	12	38.7	1,677	38.0	19	30.2
RACE/ETHNICITY								_				
Black	18	36.7	18	43.9	0	0.0	10	32.3	1,797	40.7	28	44.4
Latino/Hispanic	26	53.1	19	46.3		87.5	18	58.1	2,262	51.2	28	44.4
White (P. 17)	4	8.2	3	7.3	1	12.5	2	6.5	287	6.5	6	9.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	44	1.0	0	0.0
Native American Multiracial	0	2.0 0.0	0	2.4 0.0	0	0.0	0	0.0 3.2	11 11	0.2	0	0.0 1.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Chiclowit	U	0.0	U	0.0	O	0.0	U	0.0	_	0.0	O	0.0
AGE GROUP (YEARS)												
0-12	1	2.0	1	2.4	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	4.1	2	4.9	0	0.0	0	0.0	6	0.1	0	0.0
20-29	19	38.8	19	46.3	0	0.0	1	3.2	241	5.5	0	0.0
30-39	11	22.4	8 7	19.5		37.5	8	25.8	635	14.4	5	7.9
40-49 50-59	12 1	24.5 2.0	1	17.1 2.4	5 0	62.5	10 8	32.3 25.8	702 1,270	15.9 28.8	6 22	9.5 34.9
60+	3	6.1	3	7.3	0	0.0	0 1	12.9	1,270	35.3	30	47.6
004	3	0.1	3	7.5	U	0.0	7	12.5	1,559	33.3	30	47.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	18	36.7	15	36.6	3	37.5	11	35.5	1,318	29.9	14	22.2
Injection drug use history (IDU)	1	2.0	1	2.4	0	0.0	2	6.5	629	14.3	23	36.5
MSM-IDU	1	2.0	1	2.4	0	0.0	0	0.0	110	2.5	3	4.8
Heterosexual contact	13	26.5	11	26.8		25.0	10	32.3	1,220	27.6	13	20.6
Transgender people with sexual contact	1	2.0	1	2.4	0	0.0	1	3.2	60	1.4	2	3.2
Perinatal Other	0	0.0 2.0	0	0.0 2.4	0	0.0	0	0.0 0.0	137 12	3.1 0.3	1 0	1.6 0.0
Unknown	14	2.0 28.6	11	2.4 26.8		0.0 37.5	0 7	22.6	928	21.0	0 7	11.1
OTINTOWIT	14	20.0	- 11	20.0	3	37.5	ı	22.0	920	21.0	- 1	11.1

Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS	, 2022
					oncurrent w	ith AIDS						
	Total HIV of			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	73	100.0	59	80.8	14	19.2	70	100.0	6,400	100.0	127	100.0
GENDER								_				
Men	56	76.7	43	72.9	13	92.9	55	78.6	3,948	61.7	95	66.9
Women	17	23.3	43 16	72.9 27.1	13	92.9 7.1	55 15	21.4	3,946 2,452	38.3	85 42	33.1
vvoitien	17	23.3	10	27.1	'	7.1	15	21.4	2,452	30.3	42	33.1
RACE/ETHNICITY	_											
Black	36	49.3	31	52.5	5	35.7	27	38.6	3,051	47.7	69	54.3
Latino/Hispanic	33	45.2	24	40.7	9	64.3	40	57.1	3,086	48.2	53	41.7
White	4	5.5	4	6.8	0	0.0	3	4.3	194	3.0	5	3.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	38	0.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.5	0	3.9 0.0 0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	3	4.1	3	5.1	0	0.0	0	0.0	14	0.2	0	0.0
20-29	30	41.1	24	40.7	6	42.9	11	15.7	336	5.3	1	0.8
30-39	21	28.8	16	27.1	5	35.7	21	30.0	1,164	18.2	19	15.0
40-49	12	16.4	9	15.3	3	21.4	15	21.4	1,121	17.5	11	8.7
50-59	4	5.5	4	6.8	0	0.0	9	12.9	1,747	27.3	34	26.8
60+	3	4.1	3	5.1	0	0.0	14	20.0	2,013	31.5	62	48.8
TRANSMISSION CATEGORY	_											
Men who have sex with men (MSM)	36	49.3	27	45.8	9	64.3	23	32.9	1,806	28.2	27	21.3
Injection drug use history (IDU)	2	2.7	2	3.4	0	0.0	7	10.0	1,047	16.4	36	28.3
MSM-IDU	0	0.0	0	0.0	0	0.0	3	4.3	199	3.1	9	7.1
Heterosexual contact	11	15.1	11	18.6	0	0.0	16	22.9	1,796	28.1	33	26.0
Transgender people with sexual contact	2	2.7	2	3.4	0	0.0	1	1.4	194	3.0	3	2.4 3.1
Perinatal	0	0.0	0	0.0	0	0.0	1	1.4	169	2.6	4	3.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	22	30.1	17	28.8	5	35.7	19	27.1	1,185	18.5	15	11.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

Men includes transgender men and women includes transgender women.

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV		DIAGNO	SES, 202	22		AIDS DIAGNOSE	ES, 2022	PWH AS 12/31/20	-	DEATHS,	, 2022
				С	oncurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	72	100.0	56	77.8	16	22.2	63	100.0	6,451	100.0	115	100.0
GENDER								_				
Men	51	70.8	42	75.0	9	56.3	46	73.0	4,086	63.3	74	64.3
Women	21	29.2	14	25.0	7	43.8		27.0	2,365	36.7	41	35.7
RACE/ETHNICITY								_				
Black	30	41.7	21	37.5	9	56.3	32	50.8	3,310	51.3	62	53.9
Latino/Hispanic	40	55.6	33	58.9	7	43.8	29	46.0	2,839	44.0	44	38.3
White	2	2.8	2	3.6	0	0.0	2	3.2	226	3.5	7	6.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	32	0.5	1	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	23	0.4	1	0.9 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	. 1	0.0	0	0.0
13-19	1	1.4	1	1.8	0	0.0		1.6	12	0.2	0	0.0
20-29	22	30.6	18	32.1	4	25.0		11.1	322	5.0	1	0.9
30-39	26	36.1	19	33.9	7	43.8		31.7	1,069	16.6	13	11.3
40-49	10	13.9	6	10.7	4	25.0		20.6	1,116	17.3	14	12.2
50-59	10	13.9	9	16.1	1	6.3		17.5	1,830	28.4	29 58	25.2
60+	3	4.2	3	5.4	0	0.0	11	17.5	2,101	32.6	58	50.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	30	41.7	27	48.2	3	18.8		30.2	1,819	28.2	18	15.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0		9.5	1,040	16.1	33	28.7
MSM-IDU	0	0.0	0	0.0	0	0.0		1.6	201	3.1	7	6.1
Heterosexual contact	12	16.7	10	17.9	2	12.5		23.8	1,742	27.0	28	24.3
Transgender people with sexual contact	3	4.2	1	1.8	2	12.5	3	4.8	138	2.1	3	2.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	162	2.5	4	3.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	27	37.5	18	32.1	9	56.3	19	30.2	1,341	20.8	22	19.1

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

		HIV	DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
					oncurrent wi	th AIDS						
	Total HIV d			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	49	100.0	43	87.8	6	12.2	38	100.0	4,055	100.0	81	100.0
GENDER	00	70.5	0.4	70.4	0	22.2	00	00.4	0.500	00.0	5 4	00.7
Men	36	73.5	34 9	79.1	2	33.3	26	68.4	2,539	62.6	54	66.7
Women	13	26.5	9	20.9	4	66.7	12	31.6	1,516	37.4	27	33.3
RACE/ETHNICITY	_											
Black	26	53.1	21	48.8	5	83.3	19	50.0	1,835	45.3	37	45.7
Latino/Hispanic	19	38.8	18	41.9	1	16.7	18	47.4	2,004	49.4	39	48.1
White	3	6.1	3	7.0	0	0.0	0	0.0	167	4.1	4	4.9
Asian/Pacific Islander	1	2.0	1	2.3	0	0.0	1	2.6	26	0.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.6	1	4.9 0.0 1.2
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0 0.0 2.5 9.9 9.9
13-19	2	4.1	2	4.7	0	0.0	0	0.0	10	0.2	0	0.0
20-29	12	24.5	11	25.6	1	16.7	8	21.1	253	6.2	2	2.5
30-39	18	36.7	16	37.2	2	33.3	10	26.3	787	19.4	8	9.9
40-49	8	16.3	5	11.6	3	50.0	7	18.4	707	17.4	8	9.9
50-59	4	8.2	4	9.3	0	0.0	5	13.2	1,089	26.9	32	39.5
60+	5	10.2	5	11.6	0	0.0	8	21.1	1,207	29.8	31	38.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	18	36.7	18	41.9	0	0.0	10	26.3	1,161	28.6	20	24.7
Injection drug use history (IDU)	2	4.1	2	4.7	0	0.0	7	18.4	663	16.4	23	28.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.6	139	3.4	4	4.9
Heterosexual contact	7	14.3	6	14.0	1	16.7	10	26.3	1,087	26.8	24	29.6
Transgender people with sexual contact	1	2.0	1	2.3	0	0.0	0	0.0	123	3.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	122	3.0	2	2.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0 2.5 0.0 9.9
Unknown	21	42.9	16	37.2	5	83.3	9	23.7	755	18.6	8	9.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Men includes transgender men and women includes transgender women.

Table 1.8.1. Greenpoint (Brooklyn)

		HIV	DIAGNO	OSES, 2022	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS	, 2022
	Total HIV di	'agnasaa	Mitho	Co out AIDS	oncurrent wit	th AIDS			12/01/20			
	N	ayrioses %	N	% MIDS	N UIA	191103E3 %	N	%	N	%	N	%
TOTAL	5	100.0	4	80.0	1	20.0		100.0	909	100.0	3	100.0
GENDER												
Men	5	100.0	4	100.0	1	100.0	2	100.0	745	82.0	1	33.3
Women	Ö	0.0	0	0.0	Ö	0.0		0.0	164	18.0	2	66.7
RACE/ETHNICITY												
Black	2	40.0	1	25.0	1	100.0	1	50.0	145	16.0	0	0.0
Latino/Hispanic	2	40.0	2	50.0	0	0.0	1	50.0	401	44.1	3	100.0
White	1	20.0	1	25.0	0	0.0	0	0.0	335	36.9	0	0.0
Asian/Pacific Islander Native American	0	0.0 0.0	0	0.0 0.0	0	0.0 0.0	0	0.0 0.0	21	2.3 0.0	0 0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0 6	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	-	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	40.0	1	25.0	1	100.0	1	50.0	42	4.6	0	0.0
30-39	3	60.0	3	75.0	0	0.0	0	0.0	205	22.6	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	191	21.0	1	33.3
50-59 60+	0	0.0 0.0	0	0.0	0	0.0	1 0	50.0 0.0	249 222	27.4	0 2	0.0 66.7
80+	U	0.0	U	0.0	U	0.0	U	0.0	222	24.4	2	00.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	3	60.0	3	75.0	0	0.0	0	0.0	536	59.0	1	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	50.0	102	11.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	26	2.9	0	0.0
Heterosexual contact	0	0.0 0.0	0	0.0 0.0	0 0	0.0 0.0	0	0.0 0.0	106 10	11.7 1.1	1 0	33.3
Transgender people with sexual contact Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	2	40.0	1	25.0	1	100.0	1	50.0	114	12.5	1	33.3

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV		DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS,	2022
	Total HIV di	agnosos	Withou		oncurrent with	_						
	N	aynoses %	N	% AIDS	N Ulay	gnoses %	N	%	N	%	N	%
TOTAL	31	100.0	26	83.9	5	16.1	11	100.0	2,707	100.0	37	100.0
GENDER								_				
Men	27	87.1	22	84.6	5	100.0	10	90.9	2,111	78.0	27	73.0
Women	4	12.9	4	15.4	0	0.0	1	9.1	596	22.0	10	27.0
RACE/ETHNICITY												
Black	11	35.5	9	34.6	2	40.0	4	36.4	1,071	39.6	20	54.1
Latino/Hispanic	14	45.2	12	46.2	2	40.0	5	45.5	691	25.5	11	29.7
White Control of the	5	16.1	4	15.4	1	20.0	2	18.2	841	31.1	6	16.2
Asian/Pacific Islander	1	3.2	1	3.8	0	0.0	0	0.0	79	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11 7	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	/	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
13-19	2	6.5	2	7.7	0	0.0	0	0.0	7	0.3	0	0.0
20-29	13	41.9	11	42.3	2	40.0	2	18.2	119	4.4	0	0.0
30-39	13	41.9	12	46.2	1	20.0	1	9.1	418	15.4	1	2.7
40-49	2	6.5	1	3.8	1	20.0	4	36.4	433	16.0	4	10.8
50-59	1	3.2	0	0.0	1	20.0	2	18.2	724	26.7	10	27.0
60+	0	0.0	0	0.0	0	0.0	2	18.2	1,006	37.2	22	59.5
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	20	64.5	17	65.4	3	60.0	6	54.5	1,514	55.9	10	27.0
Injection drug use history (IDU)	1	3.2	0	0.0	1	20.0	1	9.1	273	10.1	3	8.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	63	2.3	2	5.4
Heterosexual contact	1	3.2	1	3.8	0	0.0	0	0.0	398	14.7	14	37.8 2.7
Transgender people with sexual contact	1	3.2	1	3.8	0	0.0	0	0.0	24	0.9	1	2.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	8	25.8	7	26.9	1	20.0	4	36.4	387	14.3	7	18.9

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV		DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS,	, 2022
					oncurrent wit	th AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	110	100.0	96	87.3	14	12.7	58	100.0	7,951	100.0	126	100.0
GENDER												
Men	91	82.7	82	85.4	9	64.3	39	67.2	5,277	66.4	79	62.7
Women	19	17.3	14	14.6	5	35.7	19	32.8	2,674	33.6	47	37.3
Women	10	17.0		14.0	Ŭ	00.7	10	02.0	2,074	00.0	71	07.0
RACE/ETHNICITY												
Black	75	68.2	64	66.7	11	78.6	47	81.0	5,916	74.4	98	77.8
Latino/Hispanic	25	22.7	23	24.0	2	14.3	7	12.1	1,349	17.0	24	19.0
White	7	6.4	7	7.3	0	0.0	1	1.7	549	6.9	4	3.2
Asian/Pacific Islander	1	0.9	1	1.0	0	0.0	0	0.0	74	0.9	0	3.2 0.0 0.0
Other/Unknown	2	1.8	1	1.0	1	7.1	3	5.2	63	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0 0.0 1.6
13-19	4	3.6	4	4.2	0	0.0	0	0.0	14	0.2	0	0.0
20-29	38	34.5	34	35.4	4	28.6	11	19.0	530	6.7	2	1.6
30-39	39	35.5	34	35.4	5	35.7	20	34.5	1,533	19.3	15	11.9
40-49	11	10.0	7	7.3	4	28.6	10	17.2	1,363	17.1	15	11.9
50-59	11	10.0	11	11.5	0	0.0	8	13.8	2,056	25.9	34	27.0
60+	7	6.4	6	6.3	1	7.1	9	15.5	2,453	30.9	60	47.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	60	54.5	57	59.4	3	21.4	18	31.0	3,004	37.8	22	17.5
Injection drug use history (IDU)	1	0.9	1	1.0	0	0.0	0	0.0	836	10.5	28	22.2 5.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.7	195	2.5	7	5.6
Heterosexual contact	13	11.8	9	9.4	4	28.6	13	22.4	2,009	25.3	35	27.8 2.4 1.6
Transgender people with sexual contact	3	2.7	3	3.1	0	0.0	3	5.2	169	2.1	3	2.4
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	182	2.3	2	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0		0.1	0	0.0
Unknown	33	30.0	26	27.1	7	50.0	22	37.9	1,547	19.5	29	23.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Men includes transgender men and women includes transgender women.

Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
				С	oncurrent with A	IDS			.2,0.,20			
	Total HIV di		Withou		diagno							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	66	100.0	57	86.4	9	13.6	28	100.0	3,671	100.0	53	100.0
GENDER								_				
Men	51	77.3	44	77.2	7	77.8	20	71.4	2,209	60.2	30	56.6
Women	15	22.7	13	22.8		22.2	8	28.6	1,462	39.8	23	43.4
RACE/ETHNICITY												
Black	46	69.7	40	70.2		66.7	18	64.3	2,318	63.1	35	66.0
Latino/Hispanic	18	27.3	16	28.1		22.2	9	32.1	1,152	31.4	16	30.2
White	1	1.5	0	0.0		11.1	1	3.6	132	3.6	2	3.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	40	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	1.5	1	1.8	0	0.0	0	0.0	18	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	4.5	2	3.5		11.1	1	3.6	11	0.3	0	0.0
20-29	24	36.4	21	36.8		33.3	5	17.9	325	8.9	2	3.8
30-39	20	30.3	17	29.8		33.3	8	28.6	700	19.1	2	3.8
40-49	8	12.1	8	14.0		0.0	4	14.3	665	18.1	7	13.2
50-59	8	12.1	7	12.3		11.1	5 5	17.9	970	26.4	14	26.4
60+	3	4.5	2	3.5	1	11.1	5	17.9	1,000	27.2	28	52.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	35	53.0	31	54.4		44.4	11	39.3	1,187	32.3	10	18.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	363	9.9	11	20.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	71	1.9	2	3.8
Heterosexual contact	8	12.1	6	10.5		22.2	6	21.4	1,107	30.2	23	43.4
Transgender people with sexual contact	3	4.5	3	5.3	0	0.0	0	0.0	76	2.1	1	1.9
Perinatal	0	0.0	0	0.0	0	0.0	2	7.1	104	2.8	1	1.9
Other	0 20	0.0	0 17	0.0	0	0.0	9	0.0	6	0.2	0 5	0.0
Unknown	20	30.3	17	29.8	3	33.3	9	32.1	757	20.6	5	9.4

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
					oncurrent with	AIDS						
	Total HIV di		Withou			noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	19	100.0	13	68.4	6	31.6	11	100.0	895	100.0	5	100.0
GENDER								_				
Men	16	84.2	10	76.9	6	100.0	9	81.8	685	76.5	3	60.0
Women	3	15.8	3	23.1	ő	0.0	2	18.2	210	23.5	2	40.0
Tromon		10.0	Ŭ	20.1	Ŭ	0.0	_	10.2	2.0	20.0	_	10.0
RACE/ETHNICITY												
Black	4	21.1	3	23.1	1	16.7	1	9.1	168	18.8	0	0.0
Latino/Hispanic	12	63.2	9	69.2	3	50.0	5	45.5	475	53.1	5	100.0
White	1	5.3	1	7.7	0	0.0	1	9.1	171	19.1	0	0.0
Asian/Pacific Islander	2	10.5	0	0.0	2	33.3	4	36.4	74	8.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0
ACE CROUP (VEARS)								_				
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	7	36.8	5	38.5	2	33.3	2	18.2	38	4.2	0	0.0
30-39	4	21.1	3	23.1	1	16.7	3	27.3	159	17.8	1	20.0
40-49	5	26.3	4	30.8	1	16.7	3	27.3	167	18.7	Ó	0.0
50-59	2	10.5	<u>i</u>	7.7	1	16.7	1	9.1	243	27.2	1	20.0
60+	1	5.3	0	0.0	1	16.7	2	18.2	287	32.1	3	60.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	11	57.9	7	53.8	4	66.7	5	45.5	370	41.3	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	136	15.2	2	40.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	38	4.2	0	0.0
Heterosexual contact	2	10.5	2	15.4	0	0.0	1	9.1	186	20.8	2	40.0
Transgender people with sexual contact	1	5.3	1	7.7	0	0.0	0	0.0	11	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	26.3	3	23.1	2	33.3	5	45.5	141	15.8	1	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS,	, 2022
				С	oncurrent with	n AIDS			12/01/20			
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	26	100.0	16	61.5	10	38.5	19	100.0	1,226	100.0	17	100.0
GENDER								_				
Men	19	73.1	12	75.0	7	70.0	14	73.7	916	74.7	11	64.7
Women	7	26.9	4	25.0	3	30.0	5	26.3	310	25.3	6	35.3
RACE/ETHNICITY								_				
Black	5	19.2	4	25.0	1	10.0	3	15.8	325	26.5	6	35.3
Latino/Hispanic	13	50.0	6	37.5	7	70.0	12	63.2	446	36.4	5	29.4
White	6	23.1	6	37.5	0	0.0	2	10.5	371	30.3	6	35.3
Asian/Pacific Islander	2	7.7	0	0.0	2	20.0	2	10.5	72	5.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Unknown	0	0.0	Ü	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	5	19.2	2	12.5	3	30.0	3	15.8	54	4.4	2	11.8
30-39	10	38.5	5	31.3	5	50.0	9	47.4	213	17.4	1	5.9
40-49	8	30.8	7	43.8	1	10.0	2	10.5	256	20.9	0	0.0
50-59	2	7.7	1	6.3	1	10.0	4	21.1	316	25.8	5	29.4
60+	1	3.8	1	6.3	0	0.0	1	5.3	384	31.3	9	52.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	9	34.6	3	18.8	6	60.0	10	52.6	557	45.4	4	23.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	146	11.9	3	17.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	24	2.0	2	11.8
Heterosexual contact	4	15.4	2	12.5	2	20.0	4	21.1	239	19.5	5	29.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	1.4	0	0.0
Perinatal Other	0	0.0	0	0.0	0	0.0	0	0.0	14 1	1.1	0	0.0
Unknown	0 13	0.0 50.0	0 11	0.0 68.8	0	0.0 20.0	0 5	0.0 26.3	1 228	0.1 18.6	0 3	0.0
UTIKTOWIT	13	50.0	- 11	08.8		20.0	5	26.3	228	18.6	3	17.6

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV		DIAGNO	SES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS,	, 2022
					oncurrent with	_						
	Total HIV di N	agnoses %	Withou N	ıt AIDS %	<i>diag</i> N	gnoses %	N	%	N	%	N	0/
TOTAL	77	100.0	66	% 85.7	11	14.3	51	100.0	5,773	100.0	68	% 100.0
GENDER								_				
Men	55	71.4	51	77.3	4	36.4	35	68.6	3,765	65.2	43	63.2
Women	22	28.6	15	22.7	7	63.6	16	31.4	2,008	34.8	25	36.8
RACE/ETHNICITY												
Black	64	83.1	55	83.3	9	81.8		80.4	4,430	76.7	54	79.4
Latino/Hispanic	8	10.4	8	12.1	0	0.0	5	9.8	835	14.5	12	17.6
White (Paris, 1)	4	5.2	2	3.0	2	18.2	3	5.9	390	6.8	2	2.9
Asian/Pacific Islander	1	1.3	1	1.5	0	0.0	1	2.0	66	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	2.0	19	0.3	0	0.0
Multiracial Unknown	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	27 6	0.5	0 0	0.0 0.0
OTIKIOWII	U	0.0	U	0.0	U	0.0	U	0.0	O	0.1	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0 0.0
13-19	5	6.5	5	7.6	0	0.0	1	2.0	9	0.2	0	0.0
20-29	25	32.5	22	33.3	3	27.3	6	11.8	330	5.7	2	2.9
30-39	20	26.0	20	30.3	0	0.0	10	19.6	984	17.0	3	4.4
40-49	13	16.9	9	13.6	4	36.4	10	19.6	1,038	18.0	9	13.2
50-59	11	14.3	8	12.1	3	27.3	8	15.7	1,511	26.2	12	17.6
60+	3	3.9	2	3.0	1	9.1	16	31.4	1,899	32.9	42	61.8
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	35	45.5	34	51.5	1	9.1	17	33.3	2,084	36.1	12	17.6
Injection drug use history (IDU)	1	1.3	1	1.5	0	0.0	3	5.9	445	7.7	13	19.1
MSM-IDU	1	1.3	1	1.5	0	0.0	1	2.0	120	2.1	1	1.5
Heterosexual contact	12	15.6	9	13.6	3	27.3	13	25.5	1,544	26.7	21	30.9 2.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	86	1.5	2	2.9
Perinatal	0	0.0	0	0.0	0	0.0	1	2.0	111	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	28	36.4	21	31.8	7	63.6	16	31.4	1,370	23.7	19	27.9

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 202	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS,	2022
				C	oncurrent with	n AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	27	100.0	22	81.5	5	18.5	19	100.0	1,828	100.0	18	100.0
GENDER												
Men	19	70.4	14	63.6	5	100.0	13	68.4	1,016	55.6	11	61.1
Women	8	29.6	8	36.4	ő	0.0	6	31.6	812	44.4	7	38.9
Tromon		20.0	Ŭ	00.1	Ŭ	0.0	Ü	01.0	0.2	• • • •	•	00.0
RACE/ETHNICITY												
Black	19	70.4	16	72.7	3	60.0	13	68.4	1,462	80.0	15	83.3
Latino/Hispanic	6	22.2	5	22.7	1	20.0	4	21.1	227	12.4	3	16.7
White	2	7.4	1	4.5	1	20.0	2	10.5	104	5.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	1.4	0	0.0 0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	1	3.7	1	4.5	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
20-29	11	40.7	10	45.5	1	20.0	3	15.8	98	5.4	2	11.1
30-39	4	14.8	3	13.6	1	20.0	2	10.5	273	14.9	3	16.7
40-49	6	22.2	4	18.2	2	40.0	5	26.3	304	16.6	1	5.6
50-59	1	3.7	1	4.5	0	0.0	3	15.8	485	26.5	2	11.1
60+	4	14.8	3	13.6	1	20.0	6	31.6	661	36.2	10	55.6
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	8	29.6	6	27.3	2	40.0	4	21.1	437	23.9	3	16.7
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	2	10.5	135	7.4	4	22.2
MSM-IDU ,	0	0.0	0	0.0	0	0.0	0	0.0	17	0.9	0	0.0
Heterosexual contact	5	18.5	5	22.7	0	0.0	4	21.1	659	36.1	7	38.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.5	0	38.9 0.0 5.6
Perinatal	1	3.7	1	4.5	0	0.0	1	5.3	58	3.2	1	5.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	13	48.1	10	45.5	3	60.0	8	42.1	511	28.0	3	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Men includes transgender men and women includes transgender women.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV		DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS,	2022
					oncurrent with	h AIDS						ĺ
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	13	100.0	9	69.2	4	30.8	12	100.0	782	100.0	4	100.0
GENDER								_				
Men	9	69.2	6	66.7	3	75.0	10	83.3	585	74.8	1	25.0
Women	4	30.8	3	33.3	1	25.0	2	16.7	197	25.2	3	75.0
VVOITICIT	7	30.0	3	55.5		25.0	2	10.7	197	25.2	3	7 3.0
RACE/ETHNICITY								_				
Black	1	7.7	1	11.1	0	0.0	1	8.3	89	11.4	2	50.0
Latino/Hispanic	4	30.8	4	44.4	0	0.0	6	50.0	260	33.2	1	25.0
White	6	46.2	3	33.3	3	75.0	3	25.0	362	46.3	1	25.0
Asian/Pacific Islander	2	15.4	1	11.1	1	25.0	2	16.7	67	8.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0
13-19	1	7.7	0	0.0	1	25.0	1	8.3	3	0.4	0	0.0
20-29	3	23.1	2	22.2	1	25.0	3	25.0	31	4.0	0	0.0
30-39	5	38.5	4	44.4	1	25.0	3	25.0	121	15.5	0	0.0
40-49	3	23.1	3	33.3	0	0.0	0	0.0	134	17.1	1	25.0 0.0
50-59	0	0.0	0	0.0	0	0.0	2	16.7	217	27.7	0	0.0
60+	1	7.7	0	0.0	1	25.0	3	25.0	276	35.3	3	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	5	38.5	4	44.4	1	25.0	6	50.0	376	48.1	0	0.0
Injection drug use history (IDU)	1	7.7	0	0.0	1	25.0	1	8.3	82	10.5	1	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	29	3.7	0	25.0 0.0
Heterosexual contact	3	23.1	2	22.2	1	25.0	2	16.7	144	18.4	1	25.0 0.0
Transgender people with sexual contact	1	7.7	1	11.1	0	0.0	0	0.0	8	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	1	25.0
Unknown	3	23.1	2	22.2	1	25.0	3	25.0	131	16.8	1_	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252. Men includes transgender men and women includes transgender women.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV		DIAGNO	SES, 202	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS,	2022
				С	oncurrent with	n AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	27	100.0	20	74.1	7	25.9	17	100.0	1,349	100.0	20	100.0
GENDER												
Men	21	77.8	16	80.0	5	71.4	11	64.7	890	66.0	15	75.0
Women	6	22.2	4	20.0	2	28.6	6	35.3	459	34.0	5	25.0
Tromon			•	20.0	_	20.0	Ŭ	00.0	.00	01.0	Ü	20.0
RACE/ETHNICITY												
Black	9	33.3	7	35.0	2	28.6	7	41.2	484	35.9	9	45.0
Latino/Hispanic	4	14.8	4	20.0	0	0.0	3	17.6	393	29.1	5	25.0
White	11	40.7	7	35.0	4	57.1	5	29.4	403	29.9	5	25.0
Asian/Pacific Islander	2	7.4	1	5.0	1	14.3	2	11.8	55	4.1	0	0.0
Other/Unknown	1	3.7	1	5.0	0	0.0	0	0.0	14	1.0	1	5.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 5.0
13-19	0	0.0	0	0.0	0	0.0	1	5.9	6	0.4	0	0.0
20-29	8	29.6	7	35.0	1	14.3	3	17.6	72	5.3	0	0.0
30-39	4	14.8	2	10.0	2	28.6	5	29.4	244	18.1	1	5.0
40-49	10	37.0	8	40.0	2	28.6	2	11.8	272	20.2	2	10.0
50-59	3	11.1	2	10.0	1	14.3	2	11.8	327	24.2	7	35.0
60+	2	7.4	1	5.0	1	14.3	4	23.5	428	31.7	10	50.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	22.2	5	25.0	1	14.3	5	29.4	471	34.9	7	35.0
Injection drug use history (IDÙ)	1	3.7	1	5.0	0	0.0	0	0.0	160	11.9	4	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	23	1.7	0	0.0
Heterosexual contact	4	14.8	2	10.0	2	28.6	3	17.6	351	26.0	4	20.0 0.0 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	5.9	18	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	32	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	16	59.3	12	60.0	4	57.1	7	41.2	293	21.7	5	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Men includes transgender men and women includes transgender women.

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	OSES, 20	22		AIDS DIAGNOSES	5, 2022	PWH AS 12/31/20	_	DEATHS,	2022
					oncurrent with A							
	Total HIV di		Withou		diagn	oses						
TOTAL	N	%	N	%	N	45.7	N	%	N	%	N	%
TOTAL	51	100.0	43	84.3	8	15.7	23	100.0	3,853	100.0	58	100.0
GENDER												
Men	42	82.4	36	83.7	6	75.0	17	73.9	2,792	72.5	39	67.2
Women	9	17.6	7	16.3		25.0	6	26.1	1,061	27.5	19	32.8
RACE/ETHNICITY								_				
Black	20	39.2	17	39.5	3	37.5	11	47.8	1,751	45.4	34	58.6
Latino/Hispanic	20	39.2	15	34.9		62.5	10	43.5	1,489	38.6	22	37.9
White	8	15.7	8	18.6	0	0.0	2	8.7	507	13.2	1	1.7
Asian/Pacific Islander	1	2.0	1	2.3	0	0.0	0	0.0	72	1.9	1	1.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0 0.0 0.0
Multiracial	2	3.9	2	4.7	0	0.0	0	0.0	22	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.0	1	2.3	0	0.0	0	0.0	10	0.3	0	0.0
20-29	24	47.1	21	48.8		37.5	6	26.1	272	7.1	3	5.2
30-39	17	33.3	16	37.2		12.5	7	30.4	887	23.0	7	12.1
40-49	3	5.9	2	4.7		12.5	2	8.7	610	15.8	7	12.1
50-59	5	9.8	3	7.0		25.0	5	21.7	908	23.6	8	13.8
60+	1	2.0	0	0.0	1	12.5	3	13.0	1,166	30.3	33	56.9
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	29	56.9	25	58.1		50.0	10	43.5	1,714	44.5	16	27.6
Injection drug use history (IDU)	1	2.0	1	2.3	0	0.0	0	0.0	490	12.7	12	20.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	97	2.5	3	5.2
Heterosexual contact	7	13.7	5	11.6		25.0	6	26.1	729	18.9	15	25.9
Transgender people with sexual contact	1	2.0	1	2.3	0	0.0	0	0.0	70	1.8	1	1.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	74	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	13	25.5	11	25.6	2	25.0	1	30.4	676	17.5	11	19.0

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 202			AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS,	2022
	Total HIV di N	%	Withou N	t AIDS %	N	agnoses %	N	%	N	%	N	%
TOTAL	81	100.0	61	75.3	20	24.7	50	100.0	4,989	100.0	43	100.0
GENDER								_				
Men	63	77.8	48	78.7	15	75.0	37	74.0	4,170	83.6	33	76.7
Women	18	22.2	13	21.3	5	25.0	13	26.0	819	16.4	10	23.3
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	17 48 11 3 0 2	21.0 59.3 13.6 3.7 0.0 2.5 0.0	12 37 9 1 0 2	19.7 60.7 14.8 1.6 0.0 3.3 0.0	5 11 2 2 0 0	25.0 55.0 10.0 10.0 0.0 0.0	17 26 5 2 0 0	34.0 52.0 10.0 4.0 0.0 0.0	1,586 2,193 1,079 86 6 29 10	31.8 44.0 21.6 1.7 0.1 0.6 0.2	17 20 5 1 0 0	39.5 46.5 11.6 2.3 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 0 27 35 4 10 4	1.2 0.0 33.3 43.2 4.9 12.3 4.9	1 0 23 25 2 7 3	1.6 0.0 37.7 41.0 3.3 11.5 4.9	0 0 4 10 2 3 1	0.0 0.0 20.0 50.0 10.0 15.0	0 0 7 25 6 6 6	0.0 0.0 14.0 50.0 12.0 12.0	3 6 259 1,044 917 1,274 1,486	0.1 0.1 5.2 20.9 18.4 25.5 29.8	0 0 4 8 12 19	0.0 0.0 0.0 9.3 18.6 27.9 44.2
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	42 0 0 8 4 0 0 27	51.9 0.0 0.0 9.9 4.9 0.0 0.0 33.3	34 0 0 5 4 0 0	55.7 0.0 0.0 8.2 6.6 0.0 0.0 29.5	8 0 0 3 0 0 0	40.0 0.0 0.0 15.0 0.0 0.0 0.0 45.0	20 2 1 7 1 0 0	40.0 4.0 2.0 14.0 2.0 0.0 0.0 38.0	3,017 330 135 640 70 59 8 730	60.5 6.6 2.7 12.8 1.4 1.2 0.2	14 13 1 2 1 0 0	32.6 30.2 2.3 4.7 2.3 0.0 0.0 27.9

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	OSES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
					Concurrent wi	ith AIDS						
	Total HIV di		Withou			agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	64	100.0	53	82.8	11	17.2	44	100.0	5,042	100.0	52	100.0
GENDER												
Men	52	81.3	42	79.2	10	90.9	34	77.3	3,773	74.8	30	57.7
Women	12	18.8	11	20.8	1	9.1	10	22.7	1,269	25.2	22	42.3
						•	. •		,,			
RACE/ETHNICITY												
Black	40	62.5	30	56.6	10	90.9	36	81.8	3,071	60.9	42	80.8
Latino/Hispanic	16	25.0	15	28.3	1	9.1	6	13.6	1,151	22.8	6	11.5
White	5	7.8	5	9.4	0	0.0	2	4.5	688	13.6	3	5.8
Asian/Pacific Islander	1	1.6	1	1.9	0	0.0	0	0.0	81	1.6	1	1.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0 0.0
Multiracial	2	3.1	2	3.8	0	0.0	0	0.0	37	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	3	4.7	2	3.8	1	9.1	2	4.5	13	0.3	Ö	0.0
20-29	22	34.4	20	37.7	2	18.2	7	15.9	219	4.3	Ö	0.0
30-39	23	35.9	19	35.8	4	36.4	8	18.2	977	19.4	1	1.9
40-49	6	9.4	5	9.4	1	9.1	7	15.9	968	19.2	12	23.1
50-59	6	9.4	4	7.5	2	18.2	12	27.3	1,341	26.6	11	21.2
60+	4	6.3	3	5.7	1	9.1	8	18.2	1,520	30.1	28	53.8
TRANSMISSION CATEGORY		40.0						10.0		40.0		20.0
Men who have sex with men (MSM)	28	43.8	22	41.5	6	54.5	19	43.2	2,435	48.3	14	26.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.5	511	10.1	9	17.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.3	140	2.8	5	9.6
Heterosexual contact	10	15.6	10	18.9	0	0.0	/	15.9	878	17.4	16	30.8
Transgender people with sexual contact	2	3.1	2	3.8	0	0.0	1	2.3	78	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	77	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	24	37.5	19	35.8	5	45.5	13	29.5	920	18.2	8	15.4

Table 1.9.3. East Harlem (Manhattan)

		HIV	DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS,	, 2022
					oncurrent wi	th AIDS						
	Total HIV d			it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	39	100.0	37	94.9	2	5.1	23	100.0	2,945	100.0	58	100.0
GENDER												
Men	32	82.1	31	83.8	1	50.0	15	65.2	2,103	71.4	41	70.7
Women	7	17.9	6	16.2	1	50.0	8	34.8	842	28.6	17	29.3
RACE/ETHNICITY												
Black	17	43.6	16	43.2	1	50.0	11	47.8	1,332	45.2	32	55.2
Latino/Hispanic	16	41.0	16	43.2	0	0.0	9	39.1	1,150	39.0	19	32.8
White	6	15.4	5	13.5	1	50.0	3	13.0	395	13.4	7	12.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	46	1.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.7	0	0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.6	1	2.7	0	0.0	0	0.0	4	0.1	0	0.0 0.0
20-29	16	41.0	15	40.5	1	50.0	5	21.7	142	4.8	0	0.0
30-39	14	35.9	14	37.8	0	0.0	2	8.7	486	16.5	3	5.2
40-49	4	10.3	4	10.8	0	0.0	3	13.0	445	15.1	6	10.3
50-59	1	2.6	1	2.7	0	0.0	8	34.8	799	27.1	14	24.1
60+	3	7.7	2	5.4	1	50.0	5	21.7	1,069	36.3	35	60.3
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	19	48.7	18	48.6	1	50.0	11	47.8	1,152	39.1	16	27.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	13.0	509	17.3	17	29.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	90	3.1	3	5.2
Heterosexual contact	4	10.3	4	10.8	0	0.0	4	17.4	588	20.0	13	22.4
Transgender people with sexual contact	2	5.1	2	5.4	0	0.0	0	0.0	35	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	85	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	14	35.9	13	35.1	1	50.0	5	21.7	484	16.4	9	15.5
Olikilowii	14	35.9	13	JJ. I		30.0	<u>ა</u>	21.7	404	10.4	9	15.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in East Harlem: 10029, 10035.

Men includes transgender men and women includes transgender women.

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS,	2022
					oncurrent wi	th AIDS						
	Total HIV d			it AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	17	100.0	16	94.1	1	5.9	20	100.0	3,220	100.0	35	100.0
GENDER												
Men	13	76.5	12	75.0	1	100.0	17	85.0	2,808	87.2	31	88.6
Women	4	23.5	4	25.0	0	0.0	3	15.0	2,808 412	12.8	4	11.4
Wollieff	7	25.5	-	23.0	U	0.0	3	13.0	412	12.0	4	11.4
RACE/ETHNICITY												
Black	7	41.2	7	43.8	0	0.0	5	25.0	810	25.2	9	25.7
Latino/Hispanic	3	17.6	2	12.5	1	100.0	7	35.0	888	27.6	14	40.0
White	5	29.4	5	31.3	0	0.0	7	35.0	1,375	42.7	10	28.6
Asian/Pacific Islander	1	5.9	1	6.3	0	0.0	0	0.0	104	3.2	0	0.0
Other/Unknown	1	5.9	1	6.3	0	0.0	1	5.0	43	1.3	2	28.6 0.0 5.7
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	11.8	2	12.5	0	0.0	0	0.0	2	0.0	0	0.0
20-29	8	47.1	8	50.0	Ö	0.0	1	5.0	117	3.6	0	0.0 0.0 8.6 8.6
30-39	1	5.9	1	6.3	0	0.0	3	15.0	375	11.6	3	8.6
40-49	3	17.6	3	18.8	0	0.0	4	20.0	419	13.0	3	8.6
50-59	2	11.8	1	6.3	1	100.0	6	30.0	820	25.5	7	20.0
60+	1	5.9	1	6.3	Ó	0.0	6	30.0	1,487	46.2	22	62.9
	•	0.0	•	0.0	Ŭ	0.0	· ·	00.0	1, 107	10.2		02.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	11	64.7	10	62.5	1	100.0	12	60.0	2,106	65.4	17	48.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.0	255	7.9	6	17.1
MSM-IDU	1	5.9	1	6.3	0	0.0	1	5.0	95	3.0	3	8.6
Heterosexual contact	2	11.8	2	12.5	0	0.0	3	15.0	290	9.0	7	20.0
Transgender people with sexual contact	1	5.9	1	6.3	0	0.0	1	5.0	40	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	2	11.8	2	12.5	0	0.0	1	5.0	399	12.4	2	5.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069. Men includes transgender men and women includes transgender women.

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGNO	OSES, 202	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
				С	oncurrent with i	AIDS			12/01/20			
	Total HIV di	agnoses	Withou	ıt AIDS	diagn	oses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	12	100.0	8	66.7	4	33.3	10	100.0	1,582	100.0	15	100.0
GENDER								_				
Men	9	75.0	7	87.5	2	50.0	6	60.0	1,395	88.2	12	80.0
Women	3	25.0	1	12.5	2	50.0	4	40.0	1,393	11.8	3	20.0
Wollen	Ŭ	20.0		12.0	_	00.0	7	40.0	107	11.0	Ū	20.0
RACE/ETHNICITY												
Black	5	41.7	4	50.0	1	25.0	2	20.0	298	18.8	6	40.0
Latino/Hispanic	2	16.7	2	25.0	0	0.0	3	30.0	390	24.7	4	26.7
White	3	25.0	1	12.5	2	50.0	4	40.0	800	50.6	5	33.3
Asian/Pacific Islander	1	8.3	1	12.5	0	0.0	0	0.0	78	4.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	1	8.3	0	0.0	1	25.0	1	10.0	8	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	7	58.3	6	75.0	1	25.0	1	10.0	41	2.6	0	0.0
30-39	2	16.7	1	12.5	1	25.0	3	30.0	214	13.5	3	20.0
40-49	1	8.3	1	12.5	0	0.0	1	10.0	249	15.7	1	6.7
50-59	2	16.7	0	0.0	2	50.0	4	40.0	419	26.5	5	33.3
60+	0	0.0	0	0.0	0	0.0	1	10.0	657	41.5	6	40.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	7	58.3	6	75.0	1	25.0	4	40.0	1,058	66.9	9	60.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	91	5.8	1	6.7
MSM-IDU ' ' '	0	0.0	0	0.0	0	0.0	0	0.0	49	3.1	0	0.0
Heterosexual contact	2	16.7	1	12.5	1	25.0	2	20.0	125	7.9	1	6.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	10.0	11	0.7	1	6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	25.0	1	12.5	2	50.0	3	30.0	236	14.9	3	20.0

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
				С	oncurrent with A	AIDS			12/01/20			
	Total HIV di		Withou		diagn	oses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	49	100.0	42	85.7	7	14.3	22	100.0	7,198	100.0	47	100.0
GENDER								_				
Men	41	83.7	34	81.0	7 1	100.0	22	100.0	6,710	93.2	39	83.0
Women	8	16.3	8	19.0	Ó	0.0		0.0	488	6.8	8	17.0
RACE/ETHNICITY								_				
Black	14	28.6	14	33.3	0	0.0	7	31.8	1,232	17.1	13	27.7
Latino/Hispanic	19	38.8	16	38.1	3	42.9		18.2	1,798	25.0	11	23.4
White	14	28.6	11	26.2	3	42.9	10	45.5	3,823	53.1	22	46.8
Asian/Pacific Islander	2	4.1	1	2.4	1	14.3	1	4.5	252	3.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	39	0.5	1	2.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	40	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
20-29	10	20.4	10	23.8	0	0.0	0	0.0	188	2.6	0	0.0
30-39	19	38.8	17	40.5	2	28.6	5	22.7	1,094	15.2	6	12.8
40-49	13	26.5	11	26.2	2	28.6	6	27.3	1,355	18.8	3	6.4
50-59	4	8.2	3	7.1	1	14.3	5	22.7	2,156	30.0	7	14.9
60+	3	6.1	1	2.4	2	28.6	6	27.3	2,403	33.4	31	66.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	27	55.1	23	54.8	4	57.1	14	63.6	5,609	77.9	24	51.1
Injection drug use history (IDU)	1	2.0	1	2.4	0	0.0	1	4.5	336	4.7	4	8.5
MSM-IDU	0	0.0	0	0.0	0	0.0	2	9.1	240	3.3	6	12.8
Heterosexual contact	4	8.2	4	9.5	0	0.0	0	0.0	275	3.8	4	8.5
Transgender people with sexual contact	3	6.1	3	7.1	0	0.0	0	0.0	90	1.3	3	6.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	0.4	2	4.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	14	28.6	11	26.2	3	42.9	5	22.7	616	8.6	4	8.5

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	OSES, 2022	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS,	2022
					oncurrent witi							
	Total HIV di			out AIDS	diag	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	22	100.0	16	72.7	6	27.3	17	100.0	2,062	100.0	16	100.0
GENDER												
Men	22	100.0	16	100.0	6	100.0	17	100.0	1,883	91.3	13	81.3
Women	0	0.0	0	0.0	0	0.0	0	0.0	179	8.7	3	18.8
RACE/ETHNICITY								_				
Black	8	36.4	7	43.8	1	16.7	4	23.5	422	20.5	3	18.8
Latino/Hispanic	8	36.4	6	37.5	2	33.3	6	35.3	510	24.7	4	25.0
White	6	27.3	3	18.8	3	50.0	6	35.3	1,020	49.5	9	56.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	5.9	83	4.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	1.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	5 8	22.7 36.4	5 6	31.3 37.5	0 2	0.0 33.3	0	0.0	58 206	2.8 10.0	0	0.0
30-39 40-49	4	36.4 18.2	2	37.5 12.5	2	33.3	5	29.4 35.3	308	14.9	0 2	12.5
50-59	2	9.1	1	6.3	1	16.7	2	11.8	591	28.7	2	12.5
60+	3	13.6	2	12.5	1	16.7	4	23.5	897	43.5	12	75.0
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	12	54.5	9	56.3	3	50.0	9	52.9	1,381	67.0	10	62.5
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	2	11.8	159	7.7	3	18.8 0.0 6.3 0.0 0.0
MSM-IDU TO THE METERS OF THE M	0	0.0	0	0.0	0	0.0	2	11.8	85	4.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	5.9	121	5.9	1	6.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	19	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	10	45.5	7	43.8	3	50.0	3	17.6	288	14.0	2	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171. Men includes transgender men and women includes transgender women.

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV		DIAGNO	SES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS,	2022
					Concurrent wit							İ
	Total HIV di					ignoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2	100.0	0	0.0	2	100.0	6	100.0	1,652	100.0	8	100.0
GENDER												
Men	2	100.0	0	0.0	2	100.0	6	100.0	1,562	94.6	7	87.5
Women	0	0.0	0	0.0	0	0.0	0	0.0	90	5.4	1	12.5
RACE/ETHNICITY								_				
Black	0	0.0	0	0.0	0	0.0	0	0.0	285	17.3	1	12.5
Latino/Hispanic	1	50.0	0	0.0	1	50.0	3	50.0	352	21.3	1	12.5
White	0	0.0	0	0.0	0	0.0	3	50.0	942	57.0	5	62.5
Asian/Pacific Islander	1	50.0	0	0.0	1	50.0	0	0.0	58	3.5	1	12.5
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	27	1.6	0	0.0
30-39	1	50.0	0	0.0	1	50.0	4	66.7	158	9.6	1	12.5
40-49	1	50.0	0	0.0	1	50.0	0	0.0	234	14.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	16.7	486	29.4	1	12.5
60+	0	0.0	0	0.0	0	0.0	1	16.7	747	45.2	6	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	3	50.0	1,175	71.1	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	115	7.0	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	2	33.3	49	3.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	64	3.9	1	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	28	1.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	100.0	0	0.0	2	100.0	1	16.7	216	13.1	1	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014. Men includes transgender men and women includes transgender women.

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV		DIAGNO	SES, 20	22		AIDS DIAGNOSES	5, 2022	PWH AS 12/31/20	_	DEATHS	, 2022
					oncurrent with	AIDS						
	Total HIV di		Withou			noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	16	100.0	14	87.5	2	12.5	16	100.0	2,954	100.0	37	100.0
GENDER												
Men	13	81.3	12	85.7	1	50.0	13	81.3	2,429	82.2	30	81.1
Women	3	18.8	2	14.3	1	50.0	3	18.8	525	17.8	7	18.9
Tronion		10.0	_	1 1.0	•	00.0	ŭ	10.0	020	17.0	•	10.0
RACE/ETHNICITY												
Black	6	37.5	5	35.7	1	50.0	6	37.5	607	20.5	9	24.3
Latino/Hispanic	7	43.8	6	42.9	1	50.0	8	50.0	1,034	35.0	19	51.4
White	3	18.8	3	21.4	0	0.0	0	0.0	1,146	38.8	8	21.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	12.5	135	4.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0 2.7 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	1	2.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	Ö	0.0	ő	0.0	ő	0.0	0	0.0	7	0.2	Ö	0.0
20-29	5	31.3	5	35.7	Ö	0.0	1	6.3	64	2.2	Ö	0.0
30-39	5	31.3	5	35.7	0	0.0	6	37.5	360	12.2	3	8.1
40-49	1	6.3	1	7.1	0	0.0	4	25.0	382	12.9	2	5.4
50-59	4	25.0	2	14.3	2	100.0	3	18.8	871	29.5	8	21.6
60+	1	6.3	1	7.1	0	0.0	2	12.5	1,270	43.0	24	64.9
TRANSMISSION CATEGORY		50.0		040			-	40.0	4 740	50.0	40	05.4
Men who have sex with men (MSM)	9	56.3	9	64.3	0	0.0	/	43.8	1,740	58.9	13	35.1
Injection drug use history (IDU) MSM-IDU	0	0.0	0	0.0	0	0.0	1	6.3 6.3	334 102	11.3	8 2	21.6 5.4
Heterosexual contact	2	0.0 12.5	0	7.1	0 1	0.0 50.0	1	12.5	363	3.5 12.3	2 5	12.5
Transgender people with sexual contact	2	12.5	2	14.3	0	0.0	0	0.0	303	12.3	0	13.5 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	0.9	1	2.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Unknown	3	18.8	2	14.3	1	50.0	5	31.3	352	11.9	8	21.6
OTIKHOWII	3	10.0		14.0		30.0	J	31.3	332	11.9	0	21.0

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV		DIAGNO	OSES, 2022	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS,	, 2022
				Co	oncurrent with	h AIDS			12/01/20			
	Total HIV di	agnoses	With	out AIDS	diag	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	6	100.0	4	66.7	2	33.3	5	100.0	620	100.0	6	100.0
GENDER												
Men	5	83.3	4	100.0	1	50.0	3	60.0	539	86.9	4	66.7
Women	1	16.7	Ö	0.0	i	50.0	2	40.0	81	13.1	2	33.3
RACE/ETHNICITY								_				
Black	2	33.3	1	25.0	1	50.0	3	60.0	137	22.1	1	16.7
Latino/Hispanic	1	16.7	1	25.0	0	0.0	1	20.0	160	25.8	3	50.0
White	3	50.0	2	50.0	1	50.0	1	20.0	288	46.5	2	33.3 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	26	4.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	33.3	2	50.0	0	0.0	1	20.0	22	3.5	0	0.0
30-39	2	33.3	2	50.0	0	0.0	1	20.0	79	12.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	20.0	116	18.7	2	33.3
50-59	1	16.7	0	0.0	1	50.0	1	20.0	218	35.2	2	33.3
60+	1	16.7	0	0.0	1	50.0	1	20.0	185	29.8	2	33.3
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	33.3	1	25.0	1	50.0	3	60.0	421	67.9	3	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	37	6.0	2	33.3
MSM-IDU	1	16.7	1	25.0	0	0.0	0	0.0	20	3.2	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	56	9.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	20.0	6	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	50.0	2	50.0	1	50.0	1	20.0	76	12.3	1	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282. Men includes transgender men and women includes transgender women.

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV		DIAGNO	SES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS	, 2022
					oncurrent with	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	30	100.0	22	73.3	8	26.7	19	100.0	2,586	100.0	14	100.0
GENDER								_				
Men	25	83.3	17	77.3	8	100.0	18	94.7	2,252	87.1	14	100.0
Women	5	16.7	5	22.7	0	0.0	1	5.3	334	12.9	0	0.0
RACE/ETHNICITY												
Black	7	23.3	6	27.3	1	12.5	4	21.1	434	16.8	1	7.1
Latino/Hispanic	16	53.3	11	50.0	5	62.5	9	47.4	1,094	42.3	6	42.9
White Communication of the com	6	20.0	4	18.2	2	25.0	6	31.6	885	34.2	7	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	148	5.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial		3.3	1	4.5	0	0.0	0	0.0	13 6	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	б	0.2	0	0.0
AGE GROUP (YEARS)						_		_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
20-29	12	40.0	10	45.5	2	25.0	3	15.8	109	4.2	1	7.1
30-39	7	23.3	4	18.2	3	37.5	8	42.1	555	21.5	3	21.4
40-49	9	30.0	7	31.8	2	25.0	4	21.1	615	23.8	0	0.0
50-59	2	6.7	1	4.5	1	12.5	2	10.5	671	25.9	5	35.7
60+	0	0.0	0	0.0	0	0.0	2	10.5	632	24.4	5	35.7
TRANSMISSION CATEGORY	16	53.3	- 11	50.0		62.5	0	42.1	1,803	69.7	10	71.1
Men who have sex with men (MSM) Injection drug use history (IDU)	0	0.0	11 0	0.0	5 0	0.0	8 3	15.8	1,803	4.7	10 2	71.4 14.3
MSM-IDU	0	0.0	0	0.0	0	0.0	ა 0	0.0	54	2.1		7.1
Heterosexual contact	3	10.0	3	13.6	0	0.0	0	0.0	269	10.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	5.3	34	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	11	36.7	8	36.4	3	37.5	7	36.8	282	10.9	1	7.1
O'IIIII O'III	- ''	55.1		50. 4	9	01.0		55.0	202	10.0		

Table 1.10.2. West Queens (Queens)

	HIV		DIAGNO	SES, 20	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS,	2022
					Concurrent with	n AIDS						
	Total HIV di		Withou			gnoses						
TOTAL	N 111	400.0	N 83	%	N	% 25.2	N 62	400.0	N 5 000	400.0	N 26	400.0
TOTAL	111	100.0	03	74.8	28	25.2	02	100.0	5,898	100.0	20	100.0
GENDER								_				
Men	94	84.7	72	86.7	22	78.6	52	83.9	4,860	82.4	20	76.9
Women	17	15.3	11	13.3	6	21.4	10	16.1	1,038	17.6	6	23.1
RACE/ETHNICITY												
Black	17	15.3	15	18.1	2	7.1	4	6.5	1,339	22.7	6	23.1
Latino/Hispanic	79	71.2	60	72.3	19	67.9	43	69.4	3,546	60.1	14	53.8
White	7	6.3	4	4.8	3	10.7	9	14.5	607	10.3	4	15.4
Asian/Pacific Islander	8	7.2	4	4.8	4	14.3	6	9.7	381	6.5	2	7.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	3.6	4	4.8	0	0.0	0	0.0	9	0.2	0	0.0
20-29	32	28.8	27	32.5	5	17.9	16	25.8	300	5.1	0	0.0
30-39	41	36.9	34	41.0	7	25.0	12	19.4	1,036	17.6	5	19.2
40-49 50-59	18 12	16.2 10.8	13 5	15.7 6.0	5 7	17.9 25.0	14 12	22.6 19.4	1,180 1,663	20.0 28.2	5 4	19.2 15.4
60+	4	3.6	0	0.0	4	14.3	8	12.9	1,710	29.0	12	46.2
00+	7	3.0	U	0.0	7	14.5	0	12.5	1,710	29.0	12	40.2
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	66	59.5	49	59.0	17	60.7	35	56.5	3,015	51.1	12	46.2
Injection drug use history (IDU)	1	0.9	1	1.2	0	0.0	2	3.2	698	11.8	2	7.7
MSM-IDU	0	0.0	0	0.0	0	0.0	2	3.2	140	2.4	1	3.8
Heterosexual contact	18	16.2	11	13.3	7	25.0	12	19.4	908	15.4	4	15.4
Transgender people with sexual contact	2	1.8	2	2.4	0	0.0	1	1.6	139	2.4	1	3.8
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0	0	1.6 0.0	53 5	0.9	0	3.8 0.0
Unknown	24	21.6	20	24.1	4	14.3	9	14.5	940	15.9	5	19.2
OTINTOWIT	24	21.0	20	24.1	4	14.3	<u> </u>	14.3	340	15.9		19.2

Table 1.10.3. Flushing - Clearview (Queens)

Men		HIV		DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS,	2022
TOTAL 18 100.0 13 72.2 5 27.8 9 100.0 859 100.0 9 100.0 GENDER Men Men 16 88.9 11 84.6 5 100.0 9 100.0 655 76.3 7 77.8 Women 2 11.1 2 15.4 0 0 0 0 0 0.0 204 23.7 2 22.2 RACE/ETHNICITY Black 13 72.2 9 69.2 4 80.0 5 55.6 344 40.0 2 22.2 White 2 11.1 1 7.7 1 20.0 2 22.2 187 21.8 1 11.1 Native Armerican 0 0.0 0 0.0 0 0 1 11.1 175 20.4 1 11.1 Native Armerican 0 0.0 0 0.0 0 0 0 0 0 1 11.1 175 20.4 1 11.1 Native Armerican 0 0.0 0 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0		-		14.00									
TOTAL 18 100.0 13 72.2 5 27.8 9 100.0 859 100.0 9 100.0								N	0/	N	0/	N	0/
Mem	TOTAL												100.0
Mem	GENDER								_				
Vome		16	88.9	11	84.6	5	100.0	9	100.0	655	76.3	7	77.8
Black	Women		11.1	2	15.4		0.0	0	0.0	204		2	22.2
Latino/Hispanic													
White								1					55.6
Asian/Pacific Islander 3 16.7 3 23.1 0 0.0 1 11.1 175 20.4 1 11.1 Native American 0 0.0 0								5				2	
Native American 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0								2				1	
Multiracial 0 0.0 0.0 <t< td=""><th></th><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td>1</td><td></td></t<>								1				1	
Unknown 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 3 0.3 0 0 0.0 AGE GROUP (YEARS) 0-12 0 0 0.0 0.0								0					0.0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								0		•			0.0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AGE GROUP (YEARS)								_				
13-19		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30-39								0		0		0	0.0
40-49	20-29											1	11.1
50-59 3 16.7 2 15.4 1 20.0 3 33.3 232 27.0 3 33.3 50.4 3 33.3 23.6 3 33.3 23.6 3 33.3 23.6 3 33.3 23.6 3 33.3 23.6 3 33.3 23.0 27.0 3 33.3 23.3 23.0 27.0 3 23.3 23.3 23.0 27.0 3 23.3 23.3 23.0 27.0 3 23.3 23.3 23.0 27.0 3 23.3 23.3 23.0 27.0 32.0 27.0 3 23.3 23.3 23.0 27.0 27.0 27.0 27.0 27.0 27.0 27.0 27		6						3					
60+ 2 11.1 1 7.7 1 20.0 1 11.1 280 32.6 3 33.3 TRANSMISSION CATEGORY Men who have sex with men (MSM) 9 50.0 6 46.2 3 60.0 5 55.6 414 48.2 4 44.4 Injection drug use history (IDU) 0 0.0 0 0.0 0 0.0 0 0.0 66 7.7 0 0.0 MSM-IDU 0 0.0 0 0.0 0 0.0 0 0.0 18 2.1 0 0.0 MSM-IDU 0 0.0 0 0.0 0 0.0 0 0.0 18 2.1 0 0.0 Heterosexual contact 5 27.8 4 30.8 1 20.0 2 22.2 183 21.3 1 11.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 0 0.0 12 1.4 0 0.0 Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 11 1.3 1 11.1 Other 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 1 0.0 1 1.3 1 11.1 Other								0					22.2
TRANSMISSION CATEGORY Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU O 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0		3		2				3					
Men who have sex with men (MSM) 9 50.0 6 46.2 3 60.0 5 55.6 414 48.2 4 44.4 Injection drug use history (IDU) 0 0.0 0 0.0 0 0.0 0 0.0 66 7.7 0 0.0 MSM-IDU 0 0.0 0 0.0 0 0.0 0 0.0 18 2.1 0 0.0 Heterosexual contact 5 27.8 4 30.8 1 20.0 2 22.2 183 21.3 1 11.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 1 1.3 1 11.1 Other 0 0 0 0 0 0 0.0 0 0.0 0 0.0 1 1.3 1 11.1 Other 0 0 0 0	60+	2	11.1	1	7.7	1	20.0	1	11.1	280	32.6	3	33.3
Injection drug use history (IDÚ)													
MSM-IDU 0 0.0 0 0.0 0 0.0 18 2.1 0 0.0 Heterosexual contact 5 27.8 4 30.8 1 20.0 2 22.2 183 21.3 1 11.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 12 1.4 0 0.0 Perinatal 0 0.0 0 0.0 0 0.0 11 1.3 1 11.1 Other 0 0.0 0 0.0 0 0.0 0 0.0 1 0.1 0 0.0													
Heterosexual contact 5 27.8 4 30.8 1 20.0 2 22.2 183 21.3 1 11.1 Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 0 0.0 12 1.4 0 0.0 Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 11 1.3 1 11.1 Other 0 0.0 0 0.0 0 0.0 0 0.0 1 0.1 0 0.0								•				-	0.0
Transgender people with sexual contact 0 0.0 0 0.0 0 0.0 12 1.4 0 0.0 Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 11 1.3 1 11.1 Other 0 <td< td=""><th></th><td></td><td></td><td>_</td><td></td><td></td><td></td><td>0</td><td></td><td></td><td></td><td>0</td><td></td></td<>				_				0				0	
Perinatal 0 0.0 0 0.0 0 0.0 0 0.0 11 1.3 1 11.1 Other 0 0.0 0 0.0 0 0.0 1 0.1 0 0.0						•		2				1	
Other 0 0.0 0 0.0 0 0.0 0 0.0 1 0.1 0 0.0								0				0	
								0				1	
	Unknown	4	22.2	3	23.1	1	20.0	2	22.2	154	17.9	3	33.3

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGN	OSES, 202	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS,	2022
				C	oncurrent with A	NDS			12/31/20			-
	Total HIV d	iagnoses	With	out AIDS	diagn							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2	100.0	1	50.0	1	50.0	1	100.0	164	100.0	0	0.0
OFNIDED												
GENDER Men	2	100.0	1	100.0	1 1	00.0	1	100.0	132	80.5		0.0
Women	2	0.0	0	0.0	0	0.0		0.0	32	19.5	0 0	0.0 0.0
Women	U	0.0	U	0.0	U	0.0	U	0.0	32	19.5	U	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	21	12.8	0	0.0
Latino/Hispanic	1	50.0	0	0.0		0.00		100.0	47	28.7	0	0.0
White	1	50.0	1	100.0	0	0.0	0	0.0	77	47.0	0	0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	9.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0		0.0	1	0.6	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0		0.0	2	1.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
20-29	1	50.0	0	0.0	1 1	0.00	1	100.0	9	5.5	0	0.0
30-39	1	50.0	1	100.0	0	0.0	0	0.0	24	14.6	0	0.0
40-49	0	0.0	0	0.0	0	0.0		0.0	21	12.8	0	0.0 0.0 0.0 0.0
50-59	0	0.0	0	0.0	0	0.0		0.0	44	26.8	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	66	40.2	0	0.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	100.0	1	100.0	1 1	0.00	1	100.0	84	51.2	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	13	7.9	0	0.0
MSM-IDU TO TO THE STATE OF THE	0	0.0	0	0.0	0	0.0	0	0.0	5	3.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0		0.0	32	19.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0		0.0	3	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0		0.0	2	1.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	15.2	0	0.0

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV		OSES, 2022	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS,	, 2022
				Co	oncurrent witi	h AIDS			12/01/20			
	Total HIV d	iagnoses	With	out AIDS	diag	gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	11	100.0	7	63.6	4	36.4	10	100.0	1,465	100.0	8	100.0
OFNIDED												
GENDER Men	0	72.7	7	100.0	1	25.0	E	50.0	1,158	79.0	6	75.0
Women	8	72.7 27.3	0	0.0	1 3	25.0 75.0	5 5	50.0	307	79.0 21.0	6 2	75.0 25.0
vvoitien	3	21.3	U	0.0	3	75.0	5	50.0	307	21.0	2	25.0
RACE/ETHNICITY	_											
Black	1	9.1	1	14.3	0	0.0	2	20.0	205	14.0	1	12.5
Latino/Hispanic	7	63.6	5	71.4	2	50.0	5	50.0	730	49.8	5	62.5
White	3	27.3	1	14.3	2	50.0	2	20.0	423	28.9	2	25.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	10.0	96	6.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
AGE GROUP (YEARS)	_											
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0 0 2	0.0	0	0.0	3	0.2	0	0.0
20-29	4	36.4	4	57.1	0	0.0	1	10.0	82	5.6	0	0.0
30-39	4	36.4	2	28.6	2	50.0	4	40.0	291	19.9	1	12.5
40-49	0	0.0	0	0.0	0	0.0	1	10.0	243	16.6	1	12.5
50-59	2	18.2	1	14.3	1	25.0	2	20.0	375	25.6	0	0.0
60+	1	9.1	0	0.0	1	25.0	2	20.0	470	32.1	6	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	7	63.6	6	85.7	1	25.0	3	30.0	843	57.5	2	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	83	5.7	1	12.5
MSM-IDU , , ,	0	0.0	0	0.0	0	0.0	0	0.0	33	2.3	0	0.0
Heterosexual contact	1	9.1	0	0.0	1	25.0	1	10.0	261	17.8	1	12.5
Transgender people with sexual contact	1	9.1	0	0.0	1	25.0	2	20.0	16	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	2.0	1	12.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	2	18.2	1	14.3	1	25.0	4	40.0	195	13.3	3	37.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385. Men includes transgender men and women includes transgender women.

Table 1.10.6. Fresh Meadows (Queens)

	HIV		DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	_	DEATHS	, 2022
					oncurrent wit	th AIDS						
	Total HIV di			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	7	100.0	5	71.4	2	28.6	4	100.0	327	100.0	3	100.0
GENDER												
Men	6	85.7	4	80.0	2	100.0	4	100.0	208	63.6	2	66.7
Women	1	14.3	1	20.0	0	0.0	Ö	0.0	119	36.4	1	33.3
RACE/ETHNICITY								_				
Black	0	0.0	0	0.0	0	0.0	0	0.0	140	42.8	0	0.0
Latino/Hispanic	3	42.9	2	40.0	1	50.0	2	50.0	108	33.0	3	100.0
White	0	0.0	0	0.0	0	0.0	0	0.0	47	14.4	0	0.0 0.0
Asian/Pacific Islander	3	42.9	2	40.0	1	50.0	2	50.0	31	9.5	0	0.0
Other/Unknown	1	14.3	1	20.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0 0.0
20-29	5	71.4	4	80.0	1	50.0	1	25.0	19	5.8	0	0.0
30-39	2	28.6	1	20.0	1	50.0	3	75.0	58	17.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	48	14.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	92	28.1	1	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	109	33.3	2	66.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	5	71.4	3	60.0	2	100.0	4	100.0	121	37.0	1	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	22	6.7	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.2	0	0.0
Heterosexual contact	1	14.3	1	20.0	0	0.0	0	0.0	98	30.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	1	14.3	1	20.0	0	0.0	0	0.0	65	19.9	1	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367. Men includes transgender men and women includes transgender women.

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	SES, 202	22	AID	S DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
				С	oncurrent with Al	IDS			12/01/20			
	Total HIV di		Withou		diagno							-
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	40	100.0	35	87.5	5 1	2.5	14	100.0	2,146	100.0	14	100.0
GENDER								_				
Men	32	80.0	30	85.7	2 4	0.0	11	78.6	1,549	72.2	14	100.0
Women	8	20.0	5	14.3		0.0	3	21.4	597	27.8	0	0.0
Tronion		20.0	Ŭ	1 1.0	, , ,	70.0	· ·		001	27.0	Ü	0.0
RACE/ETHNICITY												
Black	7	17.5	7	20.0		0.0	3	21.4	546	25.4	2	14.3
Latino/Hispanic	16	40.0	14	40.0		0.04	7	50.0	1,023	47.7	8	57.1
White	3	7.5	2	5.7		20.0	1	7.1	298	13.9	2	14.3
Asian/Pacific Islander	14	35.0	12	34.3		0.0	3	21.4	252	11.7	2	14.3
Native American	0	0.0	0	0.0		0.0	0	0.0	14	0.7	0	0.0
Multiracial	0	0.0	0	0.0		0.0	0	0.0	10	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	2.5	1	2.9		0.0	0	0.0	2	0.1	0	0.0
20-29	10	25.0	10	28.6	0	0.0	2	14.3	114	5.3	1	7.1
30-39	17	42.5	15	42.9		0.0	2	14.3	400	18.6	1	7.1
40-49	6	15.0	6	17.1		0.0	2	14.3	388	18.1	2	14.3
50-59	2	5.0	2	5.7		0.0	4	28.6	605	28.2	4	28.6
60+	4	10.0	1	2.9	3 6	0.0	4	28.6	634	29.5	6	42.9
TRANSMISSION CATEGORY						_		_				
Men who have sex with men (MSM)	20	50.0	19	54.3	1 2	20.0	6	42.9	934	43.5	8	57.1
Injection drug use history (IDU)	0	0.0	0	0.0		0.0	0	0.0	167	7.8	2	14.3
MSM-IDU	Ö	0.0	Ö	0.0		0.0	Ō	0.0	31	1.4	1	7.1
Heterosexual contact	8	20.0	5	14.3		0.0	4	28.6	527	24.6	2	14.3
Transgender people with sexual contact	0	0.0	0	0.0		0.0	0	0.0	35	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	50	2.3	1	7.1
Other	0	0.0	0	0.0		0.0	0	0.0	5	0.2	0	0.0
Unknown	12	30.0	11	31.4	1 2	20.0	4	28.6	397	18.5	0	0.0

Table 1.10.8. Jamaica (Queens)

	HIV		DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
					oncurrent wi	th AIDS						
	Total HIV di		Withou			agnoses						-
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	50	100.0	40	80.0	10	20.0	37	100.0	3,423	100.0	32	100.0
GENDER												
Men	32	64.0	28	70.0	4	40.0	20	54.1	2,130	62.2	21	65.6
Women	18	36.0	12	30.0	6	60.0	17	45.9	1,293	37.8	11	34.4
RACE/ETHNICITY												
Black	31	62.0	25	62.5	6	60.0	24	64.9	2,365	69.1	23	71.9
Latino/Hispanic	16	32.0	12	30.0	4	40.0	11	29.7	733	21.4	6	18.8
White	2	4.0	2	5.0	0	0.0	2	5.4	170	5.0	1	3.1
Asian/Pacific Islander	1	2.0	1	2.5	0	0.0	0	0.0	121	3.5	2	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14 16	0.4	0	0.0
Multiracial Unknown	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	4	0.5	0 0	0.0 0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	2.0	0	0.0	1	10.0	1	2.7	8	0.2	0	0.0
20-29	16	32.0	13	32.5	3	30.0	8	21.6	217	6.3	2	6.3
30-39	16	32.0	13	32.5	3	30.0	9	24.3	585	17.1	4	12.5
40-49	12	24.0	10	25.0	2	20.0	4	10.8	560	16.4	1	3.1
50-59	3	6.0	3	7.5	0	0.0	8	21.6	859	25.1	6	18.8
60+	2	4.0	1	2.5	1	10.0	7	18.9	1,192	34.8	19	59.4
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	17	34.0	16	40.0	1	10.0	9	24.3	1,133	33.1	10	31.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	5.4	301	8.8	5	15.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	45	1.3	1	3.1
Heterosexual contact	15	30.0	9	22.5	6	60.0	15	40.5	1,037	30.3	8	25.0
Transgender people with sexual contact	3	6.0	3	7.5	0	0.0	2	5.4	71	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	97	2.8	2	6.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	15	30.0	12	30.0	3	30.0	9	24.3	731	21.4	6	18.8

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 202			AIDS DIAGNOSES, 2	022	PWH AS 12/31/20	_	DEATHS,	2022
	Total HIV di	%	Withou N	t AIDS %	oncurrent with A diagno N		N	%	N	%	N	%
TOTAL	16	100.0	13	81.3	3	18.8	10	100.0	1,391	100.0	10	100.0
GENDER								_				
Men	8	50.0	7	53.8	1 ;	33.3	6	60.0	791	56.9	4	40.0
Women	8	50.0	6	46.2	2	66.7	4	40.0	600	43.1	6	60.0
RACE/ETHNICITY												
Black	12	75.0	10	76.9		66.7	7	70.0	1,057	76.0	9	90.0
Latino/Hispanic	3	18.8	2	15.4		33.3	2	20.0	184	13.2	1	10.0
White Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	10.0	84	6.0	0	0.0
Native American	0	6.3 0.0	0	7.7 0.0	0	0.0	0	0.0	58 1	4.2 0.1	0 0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	ő	0.0	Ö	0.0	Ö	0.0	Ó	0.0	0	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	12.5	2	15.4	0	0.0	0	0.0	5	0.4	0	0.0
20-29	5	31.3	4	30.8		33.3	2	20.0	61	4.4	0	0.0
30-39	4	25.0	3	23.1		33.3	2	20.0	191	13.7	0	0.0
40-49	2	12.5	2	15.4	0	0.0	1	10.0	253	18.2	2	20.0
50-59	1	6.3	0	0.0		33.3	4	40.0	360	25.9	2	20.0
60+	2	12.5	2	15.4	0	0.0	1	10.0	519	37.3	6	60.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	4	25.0	3	23.1		33.3	4	40.0	330	23.7	1	10.0
Injection drug use history (IDU) MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	113	8.1	2	20.0
Heterosexual contact	0 5	0.0 31.3	0 4	0.0 30.8	0	0.0 33.3	0	0.0 30.0	20 540	1.4 38.8	1 4	10.0
Transgender people with sexual contact	2	12.5	2	30.6 15.4	0	0.0	0	0.0	13	0.9	0	40.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	10.0	43	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	Ö	0.0	5	0.4	0	0.0
Unknown	5	31.3	4	30.8		33.3	2	20.0	327	23.5	ž	20.0

Table 1.10.10. Rockaway (Queens)

		HIV	DIAGNO	OSES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS,	, 2022
				C	oncurrent wi	ith AIDS						İ
	Total HIV di			ıt AIDS		agnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	13	100.0	11	84.6	2	15.4	8	100.0	1,326	100.0	35	100.0
GENDER												
Men	9	69.2	8	72.7	1	50.0	5	62.5	799	60.3	23	65.7
Women	4	30.8	3	27.3	1	50.0	3	37.5	527	39.7	12	34.3
Women	7	00.0	J	27.0	•	00.0	· ·	07.0	OZI	00.7	12	04.0
RACE/ETHNICITY												
Black	9	69.2	7	63.6	2	100.0	7	87.5	840	63.3	20	57.1
Latino/Hispanic	2	15.4	2	18.2	0	0.0	1	12.5	333	25.1	11	31.4
White	1	7.7	1	9.1	0	0.0	0	0.0	123	9.3	4	11.4
Asian/Pacific Islander	1	7.7	1	9.1	0	0.0	0	0.0	17	1.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0 8.6
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	4	30.8	4	36.4	0	0.0	0	0.0	73	5.5	0	0.0
30-39	7	53.8	5	45.5	2	100.0	3	37.5	212	16.0	0	0.0
40-49	1	7.7	1	9.1	0	0.0	2	25.0	218	16.4	3	8.6
50-59	1	7.7	1	9.1	0	0.0	1	12.5	353	26.6	9	25.7
60+	0	0.0	0	0.0	0	0.0	2	25.0	467	35.2	23	65.7
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	6	46.2	5	45.5	1	50.0	3	37.5	400	30.2	6	17.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	163	12.3	12	34.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	28	2.1	1	2.9
Heterosexual contact	1	7.7	0	0.0	1	50.0	4	50.0	446	33.6	9	34.3 2.9 25.7
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	14	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	36	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	5	38.5	5	45.5	0	0.0	1	12.5	237	17.9	7	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

Table 1.11.1. Port Richmond (Staten Island)

		HIV	DIAGNO	OSES, 202	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
					oncurrent w	ith AIDS						
	Total HIV o			ıt AIDS		agnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	12	100.0	9	75.0	3	25.0	5	100.0	635	100.0	13	100.0
GENDER												
Men	0	75.0	7	77.8	2	66.7	2	40.0	379	59.7	6	46.2
Women	9	25.0	2	22.2	2 1	33.3	2 3	60.0	256	40.3	6 7	53.8
vvoitien	3	25.0	2	22.2	'	აა.ა	ა	60.0	236	40.3	,	55.0
RACE/ETHNICITY												
Black	9	75.0	7	77.8	2	66.7	3	60.0	335	52.8	5	38.5
Latino/Hispanic	2	16.7	2	22.2	0	0.0	1	20.0	195	30.7	7	53.8
White	1	8.3	0	0.0	1	33.3	1	20.0	89	14.0	1	7.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	1.7	0	7.7 0.0 0.0
AGE GROUP (YEARS)	_							_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
13-19	3	25.0	3	33.3	0	0.0	0	0.0	3	0.5	0	0.0
20-29	4	33.3	3	33.3	1	33.3	2	40.0	29	4.6	0	0.0
30-39	3	25.0	2	22.2	1	33.3	1	20.0	107	16.9	3	23.1
40-49	0	0.0	0	0.0	0	0.0	0	0.0	114	18.0	1	7.7
50-59	1	8.3	1	11.1	0	0.0	0	0.0	165	26.0	4	30.8
60+	1	8.3	0	0.0	1	33.3	2	40.0	217	34.2	5	38.5
TRANSMISSION CATEGORY	_											
Men who have sex with men (MSM)	6	50.0	5	55.6	1	33.3	1	20.0	181	28.5	2	15.4
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	109	17.2	3	23.1
MSM-IDU	1	8.3	0	0.0	1	33.3	1	20.0	17	2.7	2	15.4
Heterosexual contact	1	8.3	1	11.1	0	0.0	0	0.0	200	31.5	1	7.7
Transgender people with sexual contact	1	8.3	1	11.1	0	0.0	0	0.0	10	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	20.0	18	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0 0.0 7.7
Unknown	3	25.0	2	22.2	1	33.3	2	40.0	100	15.7	4	30.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

Table 1.11.2. Stapleton - St. George (Staten Island)

		HIV	DIAGNO	SES, 202	22		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS,	2022
					oncurrent with	h AIDS						
	Total HIV di		Withou			gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	14	100.0	11	78.6	3	21.4	9	100.0	1,203	100.0	20	100.0
GENDER												
Men	12	85.7	9	81.8	3	100.0	6	66.7	783	65.1	15	75.0
Women	2	14.3	2	18.2	ő	0.0	3	33.3	420	34.9	5	25.0
Tromon	_	1 1.0	_	10.2	Ŭ	0.0	Ŭ	00.0	120	01.0	Ŭ	20.0
RACE/ETHNICITY												
Black	4	28.6	4	36.4	0	0.0	4	44.4	563	46.8	10	50.0
Latino/Hispanic	6	42.9	5	45.5	1	33.3	2	22.2	348	28.9	4	20.0
White	2	14.3	1	9.1	1	33.3	2	22.2	265	22.0	4	20.0
Asian/Pacific Islander	2	14.3	1	9.1	1	33.3	1	11.1	17	1.4	1	5.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	1	5.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.1	1	9.1	ő	0.0	0	0.0	4	0.3	0	0.0
20-29	3	21.4	3	27.3	Ö	0.0	0	0.0	64	5.3	0	0.0
30-39	3	21.4	2	18.2	1	33.3	2	22.2	173	14.4	1	5.0
40-49	3	21.4	2	18.2	1	33.3	3	33.3	195	16.2	2	10.0
50-59	3	21.4	2	18.2	1	33.3	2	22.2	332	27.6	4	20.0
60+	1	7.1	1	9.1	0	0.0	2	22.2	435	36.2	13	65.0
TRANSMISSION CATEGORY				07.0					400			45.0
Men who have sex with men (MSM)	4	28.6	3	27.3	1	33.3	3	33.3	408	33.9	3	15.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	11.1	163	13.5	/	35.0
MSM-IDU Heterosexual contact		7.1 14.3	1 2	9.1 18.2	0	0.0	U	0.0 0.0	40 318	3.3	4 5	20.0
Transgender people with sexual contact	2 0	0.0	0	0.0	0	0.0	0	0.0	318	26.4 2.8	5 0	25.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	7	50.0	5	45.5	2	66.7	5	55.6	214	17.8	1	0.0 5.0
Officiowit	<u>'</u>	30.0		70.0		00.7		55.0	217	17.0		3.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305. Men includes transgender men and women includes transgender women.

Table 1.11.3. Willowbrook (Staten Island)

		HIV	DIAGNO	OSES, 202	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20	-	DEATHS	, 2022
					oncurrent w	ith AIDS						
	Total HIV di			ıt AIDS		iagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	4	100.0	3	75.0	1	25.0	2	100.0	238	100.0	4	100.0
OFNIDED												
GENDER	2	75.0	2	66.7		100.0	2	100.0	101	60.0	2	75.0
Men	3	75.0	2	66.7	1	100.0		100.0 0.0	164 74	68.9 31.1	3 1	75.0 25.0
Women	1	25.0	1	33.3	0	0.0	0	0.0	74	31.1	1	25.0
RACE/ETHNICITY												
Black	2	50.0	2	66.7	0	0.0	0	0.0	54	22.7	0	0.0
Latino/Hispanic	1	25.0	0	0.0	1	100.0	2	100.0	75	31.5	1	25.0
White	1	25.0	1	33.3	0	0.0	0	0.0	93	39.1	3	75.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	13	5.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.3	0	75.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0 0.0 0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	11	4.6	0	0.0
30-39	2	50.0	1	33.3	1	100.0	1	50.0	41	17.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	39	16.4	0	0.0
50-59	2	50.0	2	66.7	0	0.0	1	50.0	67	28.2	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	80	33.6	3	75.0
TRANSMISSION CATEGORY								_				
Men who have sex with men (MSM)	1	25.0	1	33.3	0	0.0	0	0.0	90	37.8	2	50.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	32	13.4	1	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	7	2.9	0	0.0
Heterosexual contact	1	25.0	1	33.3	0	0.0		0.0	54	22.7	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	Ö	0.0	Ö	0.0	4	1.7	0	0.0 0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	Ö	0.0	Ö	0.0	6	2.5	Ö	0.0
Other	Ö	0.0	0	0.0	0	0.0	0	0.0	1	0.4	Ö	0.0
Unknown	2	50.0	1	33.3	1	100.0	2	100.0	44	18.5	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

Table 1.11.4. South Beach - Tottenville (Staten Island)

		HIV	DIAGN	OSES, 2022	2		AIDS DIAGNOSE	S, 2022	PWH AS 12/31/20		DEATHS,	, 2022
					oncurrent with	_			12/01/20			
	Total HIV di			out AIDS		noses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	3	100.0	3	100.0	0	0.0	1	100.0	453	100.0	4	100.0
GENDER												
Men	3	100.0	3	100.0	0	0.0	0	0.0	316	69.8	2	50.0
Women	0	0.0	Ō	0.0	Ö	0.0	1	100.0	137	30.2	2	50.0
RACE/ETHNICITY								_				
Black	0	0.0	0	0.0	0	0.0	0	0.0	66	14.6	2	50.0
Latino/Hispanic	1	33.3	1	33.3	0	0.0	1	100.0	130	28.7	0	0.0
White	2	66.7	2	66.7	0	0.0	0	0.0	247	54.5	2	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	1.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8 2	0.4	0	50.0 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0 0.0
20-29	1	33.3	1	33.3	0	0.0	0	0.0	20	4.4	0	0.0
30-39	1	33.3	1	33.3	0	0.0	1	100.0	50	11.0	0	0.0
40-49	1	33.3	1	33.3	0	0.0	0	0.0	68	15.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	132	29.1	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	179	39.5	3	75.0
TRANSMISSION CATEGORY												
Men who have sex with men (MSM)	2	66.7	2	66.7	0	0.0	0	0.0	138	30.5	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	65	14.3	2	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	100.0	120	26.5	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	U	0.0	18	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	1	33.3	T	33.3	0	0.0	U	0.0	97	21.4	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Men includes transgender men and women includes transgender women.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2022 Table 2.1. Overall and by gender, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PWH ³	2021 NEW YORK CITY POPULATION⁴
TOTAL	19.2	1.6	7.6	8,467,513
GENDER				
Men	31.6	2.4	7.3	4,064,170
Women	7.7	0.8	8.4	4,403,343
RACE/ETHNICITY				
Black	37.6	3.0	9.2	1,847,192
Latino/Hispanic	26.4	1.8	7.8	2,464,120
White	7.3	1.0	4.6	2,686,836
Asian/Pacific Islander	5.0	0.3	3.8	1,287,365
Native American	14.2*	1.4	6.3*	21,084
Multiracial	9.3	0.4	14.4	160,916
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,278,796
13 - 19	7.5	0.0	0.0*	654,380
20 - 29	45.2	0.6	4.2	1,171,677
30 - 39	40.1	1.6	6.9	1,346,972
40 - 49	22.8	2.1	7.4	1,059,379
50 - 59	15.1	3.4	10.9	1,071,378
60+	5.2	2.4	19.7	1,884,931

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2021 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2022 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2021 NEW YORK CITY POPULATION ⁴
TOTAL	19.2	1.6	7.6	8,467,513
BRONX⁵	25.5	2.2	11.2	1 424 049
Crotona - Tremont	34.5	3.0	12.1	1,424,948 211,310
Fordham - Bronx Park	27.2	2.3	11.6	265,037
High Bridge - Morrisania	33.5	3.0	11.5	214,871
Hunts Point - Mott Haven	35.3	2.9	12.0	138,661
Kingsbridge - Riverdale	12.0	0.9	17.2	92,018
Northeast Bronx	17.5	1.4	7.1	205,930
Pelham - Throgs Neck	16.3	1.5	10.3	301,321
BROOKLYN ⁵	17.1	1.2	8.3	2,641,052
Bedford Stuyvesant - Crown Heights	32.4	2.3	9.7	339,580
Bensonhurst - Bay Ridge	6.2	0.4	4.1*	210,990
Borough Park	7.7	0.4	11.7	337,045
Canarsie - Flatlands	13.0	0.9	7.6	207,321
Coney Island - Sheepshead Bay	9.1	0.5	7.4	296,128
Downtown - Heights - Park Slope	11.6	1.0	7.7	266,787
East Flatbush - Flatbush	25.8	1.9	7.5	298,302
East New York	33.5	1.9	8.1	197,189
Greenpoint	3.5*	0.6	1.7*	143,643
Sunset Park	15.7	0.7	3.8*	120,817
Williamsburg - Bushwick	22.8	1.7	10.3	223,250
MANHATTAN ⁵	19.7	2.1	5.5	1,576,876
Central Harlem - Morningside Heights	35.9	2.8	6.1	178,258
Chelsea - Clinton	32.7	4.8	4.5	149,877
East Harlem	35.3	2.7	11.0	110,429
Gramercy Park - Murray Hill	17.1	1.6	3.8	128,551
Greenwich Village - Soho	2.6*	2.2	3.0*	76,680
Lower Manhattan	10.2*	1.1	4.6*	58,641
Union Square - Lower East Side	8.8	1.6	6.9	181,009
Upper East Side	5.8	0.8	6.1	206,534
Upper West Side	8.0	1.5	5.8	212,968
Washington Heights - Inwood	31.0	1.9	4.9	260,945
QUEENS ⁵	12.8	0.8	5.5	2,331,143
Bayside - Little Neck	2.2*	0.2	0.0*	92,038
Flushing - Clearview	6.9	0.3	8.2*	259,113
Fresh Meadows	7.0*	0.3	4.6*	99,993
Jamaica	15.4	1.1	6.7	323,750
Long Island City - Astoria	14.7	1.3	4.2	204,321
Ridgewood - Forest Hills	4.2	0.6	6.8*	264,512
Rockaway	9.7	1.0	12.2	134,148
Southeast Queens Southwest Queens	7.3 14.1	0.6 0.8	3.4* 4.5	218,009 282,821
West Queens	24.1	1.3	3.7	461,223
STATEN ISLAND ⁵	6.7	0.5	8.0	493,494
Port Richmond	16.6	0.9	13.2	72,279
South Beach - Tottenville	1.5*	0.2	2.4*	198,048
Stapleton - St. George	10.9	0.9	7.2	128,464
Willowbrook	4.2*	0.3	8.0*	94,704

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2023. Table generated August 22, 2023. Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2021 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2022.

³Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.