

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	10	0.8
		2	13 years old	42	2.8
		3	14 years old	320	22.3
		4	15 years old	437	25.5
		5	16 years old	380	22.7
		6	17 years old	361	17.7
		7	18 years old or older	180	8.3
		Missing	9		
18-18	Q2	What is your sex?			
		1	Female	907	47.2
		2	Male	811	52.8
			Missing	21	
19-19	Q3	In what grade are you?			
		1	9th grade	433	30.9
		2	10th grade	494	27.9
		3	11th grade	354	21.4
		4	12th grade	433	19.5
		5	Ungraded or other grade	4	0.3
		Missing	21		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	959	55.9
		2	No	719	44.1
			Missing	61	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
21-28	Q5	What is your race?		
		H	3	0.2
		G	2	0.1
		F	3	0.2
		E	157	16.9
		D	123	9.5
		DE	5	0.7
		C	580	53.0
		C E	9	0.7
		CD	13	0.5
		B	127	10.2
		B E	4	0.1
		B D	4	0.1
		BC	4	0.1
		BC E	2	0.1
		A	82	5.7
		A E	1	0.2
		A C	15	0.8
		A C E	3	0.1
		A CD	1	0.0
		A CDE	1	0.0
		AB E	1	0.0
		ABCD	1	0.1
		ABCDE	3	0.3
		ABCDEF	2	0.1
		ABCDEFG	1	0.1
			592	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	718	41.7
		2 Never wore a helmet	770	44.0
		3 Rarely wore a helmet	98	6.0
		4 Sometimes wore a helmet	65	3.8
		5 Most of the time wore a helmet	36	2.5
		6 Always wore a helmet	33	2.1
		Missing	19	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	1,139	68.0
		2 0 times	487	30.0
		3 1 time	14	0.6
		4 2 or 3 times	7	0.3
		5 4 or 5 times	4	0.3
		6 6 or more times	12	0.9
		Missing	76	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,501	89.4
		2 1 day	33	1.9
		3 2 or 3 days	42	3.0
		4 4 or 5 days	14	0.7
		5 6 or more days	67	4.9
		Missing	82	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,636	95.8
		2 1 day	28	1.5
		3 2 or 3 days	5	0.8
		4 4 or 5 days	3	0.1
		5 6 or more days	22	1.7
		Missing	45	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,607	95.6
		2	1 day	26	1.0
		3	2 or 3 days	11	0.6
		4	4 or 5 days	9	0.7
		5	6 or more days	31	2.2
			Missing	55	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,492	87.2
		2	1 day	119	6.8
		3	2 or 3 days	51	3.0
		4	4 or 5 days	17	1.0
		5	6 or more days	30	2.1
			Missing	30	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,582	90.9
		2	1 time	73	3.9
		3	2 or 3 times	30	1.9
		4	4 or 5 times	14	1.1
		5	6 or 7 times	9	0.6
		6	8 or 9 times	6	0.2
		7	10 or 11 times	3	0.1
		8	12 or more times	15	1.3
	Missing	7			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,192	67.0
		2	1 time	233	14.0
		3	2 or 3 times	162	10.6
		4	4 or 5 times	56	3.3
		5	6 or 7 times	26	1.7
		6	8 or 9 times	16	0.9
		7	10 or 11 times	8	0.4
		8	12 or more times	34	2.1
	Missing	12			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	536	34.2
		2 0 times	895	58.1
		3 1 time	44	2.5
		4 2 or 3 times	36	1.9
		5 4 or 5 times	12	1.0
		6 6 or more times	27	2.4
		Missing	189	
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	552	34.5
		2 0 times	900	57.2
		3 1 time	55	3.4
		4 2 or 3 times	35	2.0
		5 4 or 5 times	12	0.6
		6 6 or more times	34	2.3
		Missing	151	
55-55	Q24	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	221	11.9
		2 No	1,472	88.1
		Missing	46	
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	155	8.5
		2 No	1,550	91.5
		Missing	34	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	472	26.2
		2	No	1,218	73.8
			Missing	49	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	194	9.7
		2	No	1,498	90.3
			Missing	47	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	1,175	90.6
		2	1 time	75	5.0
		3	2 or 3 times	34	2.2
		4	4 or 5 times	15	0.9
		5	6 or more times	15	1.3
	Missing	425			
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	1,158	90.9
		2	Yes	39	2.5
		3	No	93	6.6
	Missing	449			
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	356	22.0
		2	No	1,275	78.0
	Missing	108			
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	1,533	93.0
		2	1 or 2 days	32	2.0
		3	3 to 5 days	32	2.1
		4	6 to 9 days	12	0.7
		5	10 to 19 days	15	0.8
		6	20 to 29 days	5	0.3
		7	All 30 days	17	1.2
	Missing	93			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	1,516	93.2
		2	Less than 1 cigarette per day	41	2.5
		3	1 cigarette per day	31	1.7
		4	2 to 5 cigarettes per day	23	1.5
		5	6 to 10 cigarettes per day	6	0.3
		6	11 to 20 cigarettes per day	4	0.2
		7	More than 20 cigarettes per day	5	0.7
		Missing	113		
68-68	Q37	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?			
		1	Yes	63	4.5
		2	No	1,561	95.5
		Missing	115		
70-70	Q39	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	1,603	94.4
		2	1 or 2 days	53	2.9
		3	3 to 5 days	20	0.9
		4	6 to 9 days	9	0.5
		5	10 to 19 days	5	0.2
		6	20 to 29 days	5	0.4
7	All 30 days	8	0.7		
		Missing	36		
71-71	Q40	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,546	92.5
		2	1 or 2 days	67	3.6
		3	3 to 5 days	27	1.5
		4	6 to 9 days	16	0.7
		5	10 to 19 days	11	0.8
		6	20 to 29 days	5	0.2
7	All 30 days	14	0.7		
		Missing	53		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1            0 days	1,073	74.2
		2            1 or 2 days	222	14.2
		3            3 to 5 days	83	4.6
		4            6 to 9 days	54	3.7
		5            10 to 19 days	20	1.5
		6            20 to 29 days	11	0.6
		7            All 30 days	22	1.3
	Missing	254		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1            0 days	1,383	86.4
		2            1 day	99	6.4
		3            2 days	57	3.1
		4            3 to 5 days	27	1.5
		5            6 to 9 days	15	1.0
		6            10 to 19 days	11	0.7
		7            20 or more days	15	0.9
	Missing	132		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1            I did not drink alcohol during the past 30 days	1,090	74.5
		2            1 or 2 drinks	191	12.0
		3            3 drinks	69	4.2
		4            4 drinks	45	2.7
		5            5 drinks	35	2.4
		6            6 or 7 drinks	27	1.6
		7            8 or 9 drinks	17	1.2
		8            10 or more drinks	29	1.4
	Missing	236		



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,046	72.5
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	69	4.2
		3 I bought it at a restaurant, bar, or club	20	1.0
		4 I bought it at a public event such as a concert or sporting event	17	0.9
		5 I gave someone else money to buy it for me	52	3.8
		6 Someone gave it to me	116	6.8
		7 I took it from a store or family member	74	4.4
		8 I got it some other way	96	6.4
		Missing	249	
79-79	Q48	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,108	69.6
		2 8 years old or younger	33	2.0
		3 9 or 10 years old	35	2.2
		4 11 or 12 years old	70	4.2
		5 13 or 14 years old	214	11.6
		6 15 or 16 years old	146	8.4
		7 17 years old or older	38	2.0
		Missing	95	
80-80	Q49	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,329	82.6
		2 1 or 2 times	115	7.1
		3 3 to 9 times	83	4.7
		4 10 to 19 times	36	1.7
		5 20 to 39 times	18	1.1
		6 40 or more times	50	2.9
		Missing	108	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1            0 times	1,542	94.8
		2            1 or 2 times	46	2.5
		3            3 to 9 times	19	0.8
		4            10 to 19 times	10	0.4
		5            20 to 39 times	9	0.7
		6            40 or more times	13	0.9
	Missing	100		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1            0 times	1,594	95.9
		2            1 or 2 times	26	1.5
		3            3 to 9 times	20	1.3
		4            10 to 19 times	12	0.5
		5            20 to 39 times	2	0.0
		6            40 or more times	10	0.8
	Missing	75		
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1            0 times	1,570	95.7
		2            1 or 2 times	37	1.8
		3            3 to 9 times	17	0.8
		4            10 to 19 times	12	0.6
		5            20 to 39 times	3	0.1
		6            40 or more times	12	0.9
	Missing	88		
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1            0 times	1,550	94.9
		2            1 or 2 times	35	2.0
		3            3 to 9 times	22	1.5
		4            10 to 19 times	7	0.3
		5            20 to 39 times	7	0.5
		6            40 or more times	10	0.8
	Missing	108		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1            0 times	1,558	96.9
		2            1 time	35	1.9
		3            2 or more times	24	1.2
		Missing	122	
90-90	Q59	Have you ever had sexual intercourse?		
		1            Yes	532	37.5
		2            No	836	62.5
		Missing	371	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1            I have never had sexual intercourse	830	62.2
		2            11 years old or younger	45	3.1
		3            12 years old	61	5.0
		4            13 years old	100	7.8
		5            14 years old	134	9.1
		6            15 years old	97	7.0
		7            16 years old	67	4.0
		8            17 years old or older	32	1.7
Missing	373			
92-92	Q61	During your life, with how many people have you had sexual intercourse?		
		1            I have never had sexual intercourse	819	63.0
		2            1 person	170	11.5
		3            2 people	97	7.2
		4            3 people	61	4.5
		5            4 people	47	3.6
		6            5 people	34	2.2
		7            6 or more people	109	8.0
Missing	402			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	825	62.6
		2	I have had sexual intercourse, but not during the past 3 months	179	12.7
		3	1 person	235	16.2
		4	2 people	51	3.6
		5	3 people	23	1.7
		6	4 people	9	0.7
		7	5 people	7	0.3
		8	6 or more people	20	2.1
		Missing	390		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	824	62.7
		2	Yes	87	5.9
		3	No	438	31.4
		Missing	390		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	822	64.9
		2	Yes	330	25.2
		3	No	149	9.9
		Missing	438		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	815	64.6
		2	No method was used to prevent pregnancy	84	5.4
		3	Birth control pills	52	4.3
		4	Condoms	244	18.8
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	17	1.1
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	36	2.9
		7	Withdrawal or some other method	24	1.7
		8	Not sure	16	1.1
		Missing	451		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
97-97	Q66	How do you describe your weight?			
		1	Very underweight	120	7.0
		2	Slightly underweight	200	13.6
		3	About the right weight	777	50.4
		4	Slightly overweight	340	23.1
		5	Very overweight	82	5.9
		Missing	220		
98-98	Q67	Which of the following are you trying to do about your weight?			
		1	Lose weight	693	46.6
		2	Gain weight	311	19.2
		3	Stay the same weight	276	18.5
		4	I am not trying to do anything about my weight	224	15.6
		Missing	235		
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	318	19.6
		2	1 to 3 times during the past 7 days	521	33.9
		3	4 to 6 times during the past 7 days	263	19.1
		4	1 time per day	90	5.9
		5	2 times per day	109	7.0
		6	3 times per day	68	4.4
		7	4 or more times per day	144	10.0
		Missing	226		
103-103	Q72	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	298	19.7
		2	1 to 3 times during the past 7 days	598	38.5
		3	4 to 6 times during the past 7 days	257	17.9
		4	1 time per day	105	7.1
		5	2 times per day	99	7.0
		6	3 times per day	39	2.8
		7	4 or more times per day	113	7.1
		Missing	230		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	379	27.2
		2 1 to 3 times during the past 7 days	577	37.3
		3 4 to 6 times during the past 7 days	249	16.3
		4 1 time per day	74	5.8
		5 2 times per day	71	4.7
		6 3 times per day	53	3.9
		7 4 or more times per day	79	4.8
		Missing	257	
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	411	27.2
		2 1 to 3 glasses during the past 7 days	475	32.3
		3 4 to 6 glasses during the past 7 days	230	15.5
		4 1 glass per day	148	10.8
		5 2 glasses per day	86	6.5
		6 3 glasses per day	42	3.4
		7 4 or more glasses per day	59	4.3
		Missing	288	
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	241	16.3
		2 1 day	163	9.9
		3 2 days	186	13.2
		4 3 days	145	11.6
		5 4 days	113	7.4
		6 5 days	106	6.8
		7 6 days	67	4.5
		8 7 days	429	30.1
Missing	289			
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	284	20.6
		2 1 day	146	11.5
		3 2 days	176	12.4
		4 3 days	183	14.4
		5 4 days	110	7.5
		6 5 days	158	11.1
		7 6 days	57	3.7
		8 7 days	251	18.8
Missing	374			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
112-112	Q81	On an average school day, how many hours do you watch TV?			
		1	I do not watch TV on an average school day	274	21.2
		2	Less than 1 hour per day	194	15.4
		3	1 hour per day	136	11.4
		4	2 hours per day	219	16.0
		5	3 hours per day	191	12.8
		6	4 hours per day	127	8.3
		7	5 or more hours per day	216	14.8
		Missing	382		
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	254	18.6
		2	Less than 1 hour per day	166	12.8
		3	1 hour per day	140	10.1
		4	2 hours per day	184	14.5
		5	3 hours per day	166	12.7
		6	4 hours per day	112	7.5
		7	5 or more hours per day	313	23.9
		Missing	404		
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	208	14.0
		2	1 day	73	5.3
		3	2 days	277	18.0
		4	3 days	335	33.3
		5	4 days	37	2.6
		6	5 days	383	26.9
		Missing	426		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	403	29.9
		2 No	809	64.0
		3 Not sure	73	6.1
		Missing	454	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	1,539	87.7
		2 Brooklyn	24	1.4
		3 Manhattan	69	4.3
		4 Queens	83	5.8
		5 Staten Island	11	0.8
Missing	13			
119-119	Q88	How long have you lived in the United States?		
		1 I have always lived in the United States	1,127	67.9
		2 Less than 1 year	46	2.6
		3 1 to 3 years	107	6.2
		4 4 to 6 years	115	6.3
		5 More than 6 years but not my whole life	318	17.1
Missing	26			
120-120	Q89	How often do the people in your home speak a language other than English?		
		1 Never	302	17.6
		2 Rarely	165	9.3
		3 Sometimes	365	22.3
		4 Most of the time	416	24.6
		5 Always	464	26.2
Missing	27			
121-121	Q90	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,459	86.0
		2 1 time	120	6.9
		3 2 or 3 times	77	3.7
		4 4 or 5 times	28	1.5
		5 6 or more times	42	1.9
Missing	13			



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
122-122	Q91	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	Yes	326	19.8
		2	No	1,298	80.2
			Missing	115	
123-123	Q92	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,247	80.7
		2	Less than 1 month ago	41	2.7
		3	1 to 3 months ago	42	2.1
		4	4 to 6 months ago	42	2.3
		5	7 to 12 months ago	36	1.9
		6	13 or more months ago	155	10.3
	Missing	176			
124-124	Q93	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,468	91.6
		2	I bought them in a store such as a convenience store, supermarket, or gas station	52	3.1
		3	I bought them on the Internet	16	0.7
		4	I bummed them	9	0.6
		5	Someone gave them to me or bought them for me	47	2.3
		6	I stole them	10	0.9
		7	I got them some other way	8	0.7
	Missing	129			
125-125	Q94	Have you ever tried smoking menthol cigarettes, even one or two puffs?			
		1	Yes	86	4.8
		2	No	1,490	95.2
		Missing	163		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
126-126	Q95	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	249	14.9
		2 No	1,410	85.1
		Missing	80	
127-127	Q96	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	1,160	72.0
		2 I do not have a usual type	79	4.0
		3 Beer	62	3.2
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	65	3.4
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	29	1.6
		6 Wine	18	1.0
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	215	13.0
		8 Some other type	39	1.8
		Missing	72	
128-128	Q97	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,523	92.2
		2 1 time	47	3.0
		3 2 or 3 times	32	1.8
		4 4 or 5 times	12	0.6
		5 6 or 7 times	10	0.7
		6 8 or 9 times	6	0.5
		7 10 or 11 times	4	0.2
		8 12 or more times	16	0.9
		Missing	89	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
129-129	Q98	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?			
		1	0 times	1,534	93.2
		2	1 time	48	3.1
		3	2 or 3 times	25	1.3
		4	4 or 5 times	13	0.5
		5	6 or 7 times	8	0.9
		6	8 or 9 times	3	0.3
		7	10 or 11 times	2	0.1
		8	12 or more times	9	0.7
	Missing	97			
130-130	Q99	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	842	60.4
		2	I have had sexual intercourse, but not during the past 3 months	149	9.5
		3	Never	85	5.5
		4	Rarely	30	1.9
		5	Sometimes	51	2.9
		6	Most of the time	66	4.3
		7	Always	206	15.5
	Missing	310			
131-131	Q100	The last time you used a condom, did it break, tear, or slip off during sexual intercourse?			
		1	I have never had sexual intercourse	849	61.2
		2	I have had sexual intercourse, but I have never used a condom	86	5.0
		3	Yes, the condom broke, tore, or slipped off	55	3.4
		4	No, the condom did not break, tear, or slip off	400	28.0
		5	Not sure	33	2.4
	Missing	316			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
132-132	Q101	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	846	61.4
		2 Yes	76	5.0
		3 No	420	27.3
		4 Not sure	76	6.3
		Missing	321	
133-133	Q102	The last time you used birth control, including condoms, from where did you or your partner get it?  <i>DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatrequest@health.nyc.gov">epidatrequest@health.nyc.gov</a> with requests for data related to school-based health centers.</i>		
134-134	Q103	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	363	23.4
		2 6th grade or earlier	274	19.0
		3 7th grade	227	14.7
		4 8th grade	210	12.9
		5 9th grade	210	15.4
		6 10th grade	68	3.9
		7 11th or 12th grade	45	2.2
		8 Not sure	121	8.5
		Missing	221	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
135-135	Q104	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	61	4.1
		2 No	1,329	92.4
		3 Not sure	58	3.6
		Missing	291	
136-136	Q105	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	685	49.3
		2 Females	391	27.0
		3 Males	287	17.2
		4 Females and males	88	6.5
Missing	288			
137-137	Q106	Which of the following best describes you?		
		1 Heterosexual (straight)	1,251	83.5
		2 Gay or lesbian	63	4.2
		3 Bisexual	146	9.4
		4 Not sure	50	2.9
Missing	229			
138-138	Q107	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	365	24.6
		2 1 to 3 times during the past 7 days	548	36.4
		3 4 to 6 times during the past 7 days	255	16.8
		4 1 time per day	128	8.9
		5 2 times per day	83	5.6
		6 3 times per day	38	2.3
		7 4 or more times per day	82	5.3
Missing	240			
139-139	Q108	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	291	20.3
		2 1 to 3 times during the past 7 days	739	51.3
		3 4 to 6 times during the past 7 days	232	14.3
		4 1 time per day	85	5.4
		5 2 times per day	53	3.0
		6 3 times per day	27	2.5
		7 4 or more times per day	45	3.3
Missing	267			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
140-140	Q109	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	333	24.0
		2	1 to 3 times during the past 7 days	599	41.6
		3	4 to 6 times during the past 7 days	256	17.3
		4	1 time per day	89	5.3
		5	2 times per day	71	4.6
		6	3 times per day	45	2.9
		7	4 or more times per day	74	4.3
		Missing	272		
141-141	Q110	What kind of milk do you usually drink?			
		1	I do not drink milk	217	14.0
		2	Whole milk	471	30.8
		3	2% milk or reduced fat milk	330	23.4
		4	1% milk or low-fat milk	200	15.9
		5	Skim milk or non-fat milk	36	2.8
		6	Soy milk	45	2.9
		7	Not sure	150	10.2
		Missing	290		
142-142	Q111	In an average week when you are in school, how do you usually get to school?			
		1	I walk all the way to school	283	20.8
		2	I ride a bike all the way to school	32	2.1
		3	I use public transportation, such as a subway or city bus	789	60.6
		4	I ride a school bus	74	7.8
		5	I drive or ride in a car or other private vehicle	107	8.6
		Missing	454		
143-143	Q112	If you usually walk or bike all the way to school, how long does it take?			
		1	I do not walk or bike all the way to school	747	57.8
		2	Less than 10 minutes	148	10.8
		3	10 to 20 minutes	239	18.5
		4	21 to 29 minutes	67	4.2
		5	30 or more minutes	120	8.7
		Missing	418		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
144-144	Q113	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?			
		1	I do not take the bus or use public transportation to get to school	351	28.2
		2	I do not walk or bike to a bus stop or subway station to get to school	48	3.4
		3	I walk to the bus stop or subway station	820	67.0
		4	I ride a bike to the bus stop or subway station	20	1.5
		Missing	500		
145-145	Q114	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?			
		1	I do not walk or bike to a bus stop or subway station to get to school	350	28.1
		2	Less than 10 minutes	579	45.0
		3	10 to 20 minutes	221	16.5
		4	21 to 29 minutes	47	4.7
		5	30 or more minutes	68	5.6
		Missing	474		
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?			
		1	Several times a month	223	17.2
		2	At least once a month	107	7.7
		3	A few times a year	285	20.8
		4	Never	755	54.3
		Missing	369		
147-147	Q116	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?			
		1	0 days	363	26.0
		2	1 day	162	12.2
		3	2 days	197	13.6
		4	3 days	204	15.1
		5	4 days	98	9.3
		6	5 days	151	10.8
		7	6 days	48	2.8
		8	7 days	140	10.2
		Missing	376		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
148-148	Q117	Outside of PE classes, in an average week during the school year, on how many weekdays do you play sports or do other physical activities that increase your heart rate or breathing?			
		1	0 days	488	38.1
		2	1 day	181	13.7
		3	2 days	181	13.7
		4	3 days	154	12.2
		5	4 days	76	5.5
		6	5 days	236	16.8
		Missing	423		
149-149	Q118	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	109	8.7
		2	Yes	944	72.6
		3	No	220	18.6
		Missing	466		
150-150	Q119	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	377	29.9
		2	No	741	58.7
		3	Not sure	143	11.4
		Missing	478		
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?			
		1	I have never had asthma	479	36.6
		2	Yes	236	18.5
		3	No	534	41.9
		4	Not sure	41	3.1
		Missing	449		
152-152	Q121	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?			
		1	Never	729	57.7
		2	Rarely	289	22.9
		3	Sometimes	175	12.9
		4	Most of the time	63	4.6
		5	Always	29	1.9
		Missing	454		



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
153-153	Q122	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?			
		1	0 times	1,150	90.4
		2	1 or 2 times	71	4.4
		3	3 to 9 times	33	3.1
		4	10 to 19 times	15	0.8
		5	20 to 39 times	13	0.9
		6	40 or more times	8	0.5
		Missing	449		
154-154	Q123	In an average week, about how many hours do you listen to a personal music player, such as an MP3 player or iPod, with headphones?			
		1	I do not listen to a personal music player with head phones	102	10.0
		2	Less than one hour	158	12.2
		3	1 to 4 hours (for example, 1 hour per day for 3 days per week)	289	23.0
		4	5 to 9 hours (for example, 1 hour per day for 7 days per week)	193	16.2
		5	10 or more hours (for example, at least 2 hours per day for 5 days per week)	372	31.6
		6	Not sure	86	7.1
		Missing	539		
155-155	Q124	At what volume do you normally listen to a personal music player such as an MP3 player or iPod with headphones?			
		1	I do not listen to a personal music player with head phones	101	10.0
		2	Lower than 1/2 maximum volume	124	10.1
		3	About 1/2 maximum volume	235	18.8
		4	About 3/4 maximum volume	292	24.4
		5	At the maximum volume	397	33.6
		6	Not sure	38	3.1
		Missing	552		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?  DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores? 1 0 times 2 1 time per week 3 2 times per week 4 3 times per week 5 4 times per week 6 5 times per week 7 6 times per week 8 7 or more times per week Missing	406 170 141 132 99 93 37 201 460	33.8 13.1 11.1 9.6 7.6 6.7 2.5 15.5
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet 1 Yes 2 No Missing	868 134 737	85.7 14.3
188-188	QN11	Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days 1 Yes 2 No Missing	37 487 1,215	6.4 93.6
190-190	QN13	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days 1 Yes 2 No Missing	156 1,501 82	10.6 89.4

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
191-191	QN14	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	58	4.2
		2 No	1,636	95.8
		Missing	45	
192-192	QN15	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	77	4.4
		2 No	1,607	95.6
		Missing	55	
193-193	QN16	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	217	12.8
		2 No	1,492	87.2
		Missing	30	
194-194	QN17	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	150	9.1
		2 No	1,582	90.9
		Missing	7	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	535	33.0
		2 No	1,192	67.0
		Missing	12	
199-199	QN22	Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months		
		1 Yes	119	11.7
		2 No	895	88.3
		Missing	725	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
200-200	QN23	Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months		
		1 Yes	136	12.6
		2 No	900	87.4
		Missing	703	
201-201	QN24	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	221	11.9
		2 No	1,472	88.1
		Missing	46	
202-202	QN25	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	155	8.5
		2 No	1,550	91.5
		Missing	34	
203-203	QN26	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	472	26.2
		2 No	1,218	73.8
		Missing	49	
204-204	QN27	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	194	9.7
		2 No	1,498	90.3
		Missing	47	
206-206	QN29	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	139	9.4
		2 No	1,175	90.6
		Missing	425	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
207-207	QN30	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	39	2.5
		2 No	1,251	97.5
		Missing	449	
208-208	QN31	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	356	22.0
		2 No	1,275	78.0
		Missing	108	
210-210	QN33	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	113	7.0
		2 No	1,533	93.0
		Missing	93	
211-211	QN34	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	9	12.6
		2 No	98	87.4
		Missing	1,632	
214-214	QN37	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	63	4.5
		2 No	1,561	95.5
		Missing	115	
216-216	QN39	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	100	5.6
		2 No	1,603	94.4
		Missing	36	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
217-217	QN40	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	140	7.5
		2 No	1,546	92.5
		Missing	53	
220-220	QN43	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	412	25.8
		2 No	1,073	74.2
		Missing	254	
221-221	QN44	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	224	13.6
		2 No	1,383	86.4
		Missing	132	
222-222	QN45	Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	29	1.4
		2 No	1,474	98.6
		Missing	236	
223-223	QN46	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	110	25.3
		2 No	289	74.7
		Missing	1,340	
225-225	QN48	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	138	8.4
		2 No	1,506	91.6
		Missing	95	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
226-226	QN49	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	302	17.4
		2 No	1,329	82.6
		Missing	108	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	97	5.2
		2 No	1,542	94.8
		Missing	100	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	70	4.1
		2 No	1,594	95.9
		Missing	75	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	81	4.3
		2 No	1,570	95.7
		Missing	88	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	81	5.1
		2 No	1,550	94.9
		Missing	108	
234-234	QN57	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	59	3.1
		2 No	1,558	96.9
		Missing	122	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	532	37.5
		2 No	836	62.5
		Missing	371	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	106	8.1
		2 No	1,260	91.9
		Missing	373	
238-238	QN61	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	190	13.8
		2 No	1,147	86.2
		Missing	402	
239-239	QN62	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	345	24.6
		2 No	1,004	75.4
		Missing	390	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	69	19.4
		2 No	267	80.6
		Missing	1,403	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	205	69.4
		2 No	104	30.6
		Missing	1,430	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	33	9.6
		2 No	275	90.4
		Missing	1,431	



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
243-243	QN66	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	422	29.1
		2 No	1,097	70.9
		Missing	220	
244-244	QN67	Percentage of students who were trying to lose weight		
		1 Yes	693	46.6
		2 No	811	53.4
		Missing	235	
248-248	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,195	80.4
		2 No	318	19.6
		Missing	226	
249-249	QN72	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,211	80.3
		2 No	298	19.7
		Missing	230	
254-254	QN77	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	277	19.2
		2 No	1,205	80.8
		Missing	257	
255-255	QN78	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	101	7.7
		2 No	1,350	92.3
		Missing	288	
256-256	QN79	Percentage of students who ate breakfast on all of the past seven days		
		1 Yes	429	30.1
		2 No	1,021	69.9
		Missing	289	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	466	33.6
		2 No	899	66.4
		Missing	374	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	534	35.9
		2 No	823	64.1
		Missing	382	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	591	44.1
		2 No	744	55.9
		Missing	404	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,105	86.0
		2 No	208	14.0
		Missing	426	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	403	29.9
		2 No	882	70.1
		Missing	454	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,657	95.7
		2 No	69	4.3
		Missing	13	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
265-265	QN88	Percentage of students who have lived in the United States less than one year		
		1 Yes	46	2.6
		2 No	1,667	97.4
		Missing	26	
266-266	QN89	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	880	50.7
		2 No	832	49.3
		Missing	27	
267-267	QN90	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	267	14.0
		2 No	1,459	86.0
		Missing	13	
268-268	QN91	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	326	19.8
		2 No	1,298	80.2
		Missing	115	
269-269	QN92	Percentage of students who tried cigarette smoking for the first time during the past 12 months		
		1 Yes	161	9.0
		2 No	1,402	91.0
		Missing	176	
270-270	QN93	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	52	3.1
		2 No	1,558	96.9
		Missing	129	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
271-271	QN94	Percentage of students who have ever tried smoking menthol cigarettes, even one or two puffs		
		1            Yes	86	4.8
		2            No	1,490	95.2
		Missing	163	
272-272	QN95	Percentage of students who have ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars		
		1            Yes	249	14.9
		2            No	1,410	85.1
		Missing	80	
273-273	QN96	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days		
		1            Yes	215	54.0
		2            No	213	46.0
		Missing	1,311	
274-274	QN97	Percentage of students who have taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, without a doctor's prescription one or more times during the past 12 months		
		1            Yes	127	7.8
		2            No	1,523	92.2
		Missing	89	
275-275	QN98	Percentage of students who have taken other prescription drugs, such as Xanax, Adderall, or Ritalin, without a doctor's prescription one or more times during the past 12 months		
		1            Yes	108	6.8
		2            No	1,534	93.2
		Missing	97	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
276-276	QN99	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	206	51.6
		2 No	232	48.4
			Missing	1,301
277-277	QN100	Percentage of students whose condom broke, tore or slipped off the last time they used a condom during sexual intercourse		
		1 Yes	55	3.4
		2 No	1,368	96.6
			Missing	316
278-278	QN101	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse		
		1 Yes	76	5.0
		2 No	1,342	95.0
			Missing	321
279-279	QN102	Percentage of students who responded that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
280-280	QN103	Percentage of students who have ever been taught a class by a teacher about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms		
		1 Yes	1,034	68.1
		2 No	484	31.9
			Missing	221
281-281	QN104	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	61	4.1
		2 No	1,387	95.9
			Missing	291

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
282-282	QN105	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	88	6.5
		2 No	1,363	93.5
		Missing	288	
283-283	QN106	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	209	13.6
		2 No	1,301	86.4
		Missing	229	
284-284	QN107	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	331	22.1
		2 No	1,168	77.9
		Missing	240	
285-285	QN108	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	210	14.1
		2 No	1,262	85.9
		Missing	267	
286-286	QN109	Percentage of students who drank other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas one or more times per day during the past seven days		
		1 Yes	279	17.1
		2 No	1,188	82.9
		Missing	272	
287-287	QN110	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	236	18.7
		2 No	1,213	81.3
		Missing	290	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
288-288	QN111	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	315	23.0
		2 No	970	77.0
		Missing	454	
289-289	QN112	Percentage of students who usually walk or bike more than 20 minutes all the way to school		
		1 Yes	187	12.9
		2 No	1,134	87.1
		Missing	418	
290-290	QN113	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	840	68.5
		2 No	399	31.5
		Missing	500	
291-291	QN114	Percentage of students who walk or bike 10 or more minutes to a bus stop or subway station to get to school		
		1 Yes	336	26.8
		2 No	929	73.2
		Missing	474	
292-292	QN115	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City at least a few times a year during the past 12 months		
		1 Yes	615	45.7
		2 No	755	54.3
		Missing	369	
293-293	QN116	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	641	48.1
		2 No	722	51.9
		Missing	376	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
294-294	QN117	Percentage of students who play sports or do other physical activities outside of PE classes that increase their heart rate or breathing on one or more days in an average week during the school year		
		1 Yes	828	61.9
		2 No	488	38.1
			Missing	423
295-295	QN118	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	944	72.6
		2 No	329	27.4
			Missing	466
296-296	QN119	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	377	29.9
		2 No	884	70.1
			Missing	478
297-297	QN120	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	236	18.5
		2 No	1,054	81.5
			Missing	449
298-298	QN121	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	92	6.5
		2 No	1,193	93.5
			Missing	454
299-299	QN122	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	140	9.6
		2 No	1,150	90.4
			Missing	449



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
300-300	QN123	Percentage of students who listen to a personal music player, such as an MP3 player or iPod, with headphones 5 or more hours in an average week		
		1 Yes	565	47.8
		2 No	635	52.2
		Missing	539	
301-301	QN124	Percentage of students who normally listen to a personal music player such as an MP3 player or iPod with headphones at about 1/2 maximum or higher volume		
		1 Yes	924	76.7
		2 No	263	23.3
		Missing	552	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	703	53.1
		2 No	576	46.9
		Missing	460	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	22	1.5
		2 No	1,624	98.5
		Missing	93	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	176	10.7
		2 No	1,423	89.3
		Missing	140	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
352-352	QNOTHH	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1            Yes	44	14.4
		2            No	264	85.6
			Missing	1,431
353-353	QNOTHHPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1            Yes	77	24.0
		2            No	231	76.0
			Missing	1,431
354-354	QNDUALBC	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1            Yes	29	9.3
		2            No	272	90.7
			Missing	1,438
355-355	QNBCNONE	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse		
		1            Yes	58	16.2
		2            No	250	83.8
			Missing	1,431
357-357	QNFRUIT	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days		
		1            Yes	457	31.9
		2            No	1,027	68.1
			Missing	255

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
358-358	QNFR0	Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days		
		1 Yes	122	7.7
		2 No	1,362	92.3
		Missing	255	
359-359	QNFR1	Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days		
		1 Yes	849	59.5
		2 No	635	40.5
		Missing	255	
360-360	QNFR3	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days		
		1 Yes	319	21.7
		2 No	1,165	78.3
		Missing	255	
366-366	QNSODA0	Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days		
		1 Yes	379	27.2
		2 No	1,103	72.8
		Missing	257	
367-367	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days		
		1 Yes	203	13.4
		2 No	1,279	86.6
		Missing	257	
368-368	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days		
		1 Yes	132	8.7
		2 No	1,350	91.3
		Missing	257	
369-369	QNMILK0	Percentage of students who drank 0 glasses per day of milk during the past seven days		
		1 Yes	411	27.2
		2 No	1,040	72.8
		Missing	288	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
370-370	QNMILK1	Percentage of students who drank one or more glasses per day of milk during the past seven days		
		1 Yes	335	24.9
		2 No	1,116	75.1
		Missing	288	
371-371	QNMILK2	Percentage of students who drank two or more glasses per day of milk during the past seven days		
		1 Yes	187	14.2
		2 No	1,264	85.8
		Missing	288	
372-372	QNNOBKFT	Percentage of students who ate breakfast on none of the past seven days		
		1 Yes	241	16.3
		2 No	1,209	83.7
		Missing	289	
373-373	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	383	26.9
		2 No	930	73.1
		Missing	426	
374-374	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	284	20.6
		2 No	1,081	79.4
		Missing	374	
375-375	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	251	18.8
		2 No	1,114	81.2
		Missing	374	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Bronx High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
376-376	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)			
		1	Yes	272	18.2
		2	No	1,235	81.8
			Missing	232	
377-377	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)			
		1	Yes	205	13.4
		2	No	1,302	86.6
			Missing	232	
378-387	WEIGHT				
388-390	STRATUM				
391-396	PSU				
397-401	BMIPCT				
402-403	RACEETH	1	Am Indian / Alaska Native	11	0.2
		2	Asian	108	6.2
		3	Black or African American	455	30.7
		4	Native Hawaiian/other PI	22	0.4
		5	White	43	4.2
		6	Hispanic/Latino	520	31.4
		7	Multiple - Hispanic	432	26.4
		8	Multiple - Non-Hispanic	38	0.6
			Missing	110	
404-406	Q6ORIG				
407-409	Q7ORIG				