

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	9	0.6
		2	13 years old	26	2.3
		3	14 years old	283	22.0
		4	15 years old	459	28.2
		5	16 years old	470	23.0
		6	17 years old	438	18.7
		7	18 years old or older	114	5.3
		Missing	5		
18-18	Q2	What is your sex?			
		1	Female	897	46.8
		2	Male	893	53.2
		Missing	14		
19-19	Q3	In what grade are you?			
		1	9th grade	373	31.6
		2	10th grade	464	27.6
		3	11th grade	469	20.8
		4	12th grade	476	19.6
		Ungraded or other grade	6	0.3	
		Missing	16		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,063	56.3
		2	No	688	43.7
		Missing	53		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
21-28	Q5	What is your race?		
		H	3	0.2
		G	1	0.1
		F	3	0.2
		FGH	2	0.2
		E	237	18.3
		D	108	8.3
		DE	4	0.3
		C	497	53.7
		C E	20	1.2
		CD	14	0.7
		CDE	1	0.1
		B	172	10.8
		B E	4	0.2
		B D	3	0.1
		BC	3	0.1
		BC E	1	0.0
		A	55	4.0
		A D	2	0.2
		A C	17	0.9
		A C E	4	0.2
		A CDE	1	0.1
		AB	3	0.2
		ABC E	1	0.0
		ABCDE	1	0.1
			647	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
		1	I did not ride a bicycle during the past 12 months	756	41.5
		2	Never wore a helmet	771	44.1
		3	Rarely wore a helmet	108	6.0
		4	Sometimes wore a helmet	51	3.3
		5	Most of the time wore a helmet	37	2.3
		6	Always wore a helmet	49	2.7
		Missing	32		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	I did not drive a car or other vehicle during the past 30 days	1,276	76.6
		2	0 times	366	21.4
		3	1 time	9	0.6
		4	2 or 3 times	5	0.5
		5	4 or 5 times	2	0.2
		6	6 or more times	9	0.7
		Missing	137		
43-43	Q12	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
		1	I did not drive a car or other vehicle during the past 30 days	1,273	75.1
		2	0 days	363	21.4
		3	1 or 2 days	19	1.1
		4	3 to 5 days	11	0.7
		5	6 to 9 days	1	0.1
		6	10 to 19 days	4	0.2
		7	20 to 29 days	0	0.0
		8	All 30 days	20	1.4
		Missing	113		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1            0 days	1,586	92.2
		2            1 day	37	2.0
		3            2 or 3 days	34	2.1
		4            4 or 5 days	13	0.7
		5            6 or more days	51	3.0
		Missing	83	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?		
		1            0 days	1,719	97.4
		2            1 day	12	0.6
		3            2 or 3 days	8	0.5
		4            4 or 5 days	1	0.1
		5            6 or more days	21	1.3
		Missing	43	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1            0 days	1,702	96.8
		2            1 day	7	0.2
		3            2 or 3 days	13	0.8
		4            4 or 5 days	6	0.4
		5            6 or more days	27	1.8
		Missing	49	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1            0 days	1,641	93.0
		2            1 day	56	3.2
		3            2 or 3 days	28	1.6
		4            4 or 5 days	13	0.8
		5            6 or more days	21	1.4
		Missing	45	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,686	94.0
		2	1 time	52	2.9
		3	2 or 3 times	15	1.0
		4	4 or 5 times	8	0.4
		5	6 or 7 times	9	0.9
		6	8 or 9 times	0	0.0
		7	10 or 11 times	0	0.0
		8	12 or more times	15	0.9
	Missing	19			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,393	76.5
		2	1 time	187	11.4
		3	2 or 3 times	117	6.6
		4	4 or 5 times	33	2.2
		5	6 or 7 times	9	0.5
		6	8 or 9 times	5	0.2
		7	10 or 11 times	5	0.3
		8	12 or more times	34	2.3
	Missing	21			
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	772	45.7
		2	0 times	782	48.3
		3	1 time	49	2.8
		4	2 or 3 times	19	1.1
		5	4 or 5 times	9	0.5
		6	6 or more times	25	1.5
	Missing	148			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	777	46.0
		2 0 times	793	48.7
		3 1 time	40	2.0
		4 2 or 3 times	25	1.5
		5 4 or 5 times	6	0.5
		6 6 or more times	20	1.2
55-55	Q24	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	241	14.3
		2 No	1,527	85.7
		Missing	36	
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	203	12.1
		2 No	1,565	87.9
		Missing	36	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	542	29.5
		2 No	1,198	70.5
		Missing	64	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	242	13.3
		2 No	1,504	86.7
		Missing	58	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,365	91.1
		2 1 time	65	4.6
		3 2 or 3 times	38	2.7
		4 4 or 5 times	9	0.6
		5 6 or more times	10	0.9
		Missing	317	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	1,347	91.6
		2	Yes	44	3.6
		3	No	71	4.8
		Missing	342		
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	328	18.1
		2	No	1,393	81.9
		Missing	83		
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	1,626	96.8
		2	1 or 2 days	20	1.1
		3	3 to 5 days	8	0.4
		4	6 to 9 days	4	0.2
		5	10 to 19 days	7	0.4
		6	20 to 29 days	2	0.1
		7	All 30 days	13	1.0
		Missing	124		
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	1,619	96.6
		2	Less than 1 cigarette per day	14	0.7
		3	1 cigarette per day	13	0.8
		4	2 to 5 cigarettes per day	12	0.7
		5	6 to 10 cigarettes per day	5	0.3
		6	11 to 20 cigarettes per day	3	0.2
		7	More than 20 cigarettes per day	9	0.8
		Missing	129		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	1,663	95.7
		2	1 or 2 days	36	2.0
		3	3 to 5 days	9	0.7
		4	6 to 9 days	3	0.2
		5	10 to 19 days	4	0.3
		6	20 to 29 days	1	0.0
		7	All 30 days	15	1.1
		Missing	73		
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,630	94.6
		2	1 or 2 days	46	2.7
		3	3 to 5 days	13	0.8
		4	6 to 9 days	9	0.6
		5	10 to 19 days	5	0.3
		6	20 to 29 days	1	0.1
		7	All 30 days	12	0.9
		Missing	88		
71-71	Q40	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	1,455	86.3
		2	1 or 2 days	125	6.4
		3	3 to 5 days	51	2.6
		4	6 to 9 days	34	1.8
		5	10 to 19 days	16	0.8
		6	20 to 29 days	12	0.6
		7	All 30 days	19	1.5
		Missing	92		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
73-73	Q42	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	862	54.4
		2	8 years old or younger	105	6.7
		3	9 or 10 years old	67	4.2
		4	11 or 12 years old	103	6.1
		5	13 or 14 years old	265	15.1
		6	15 or 16 years old	216	10.9
		7	17 years old or older	49	2.5
		Missing	137		
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,217	80.9
		2	1 or 2 days	176	10.3
		3	3 to 5 days	72	3.8
		4	6 to 9 days	42	2.4
		5	10 to 19 days	15	1.0
		6	20 to 29 days	7	0.5
		7	All 30 days	13	1.1
		Missing	262		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	1,506	92.3
		2	1 day	59	3.8
		3	2 days	26	1.2
		4	3 to 5 days	22	1.1
		5	6 to 9 days	13	0.7
		6	10 to 19 days	2	0.2
		7	20 or more days	8	0.8
		Missing	168		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
		1	I did not drink alcohol during the past 30 days	1,203	80.9
		2	1 or 2 drinks	155	8.8
		3	3 drinks	54	3.3
		4	4 drinks	31	1.9
		5	5 drinks	32	2.1
		6	6 or 7 drinks	18	1.2
		7	8 or 9 drinks	11	0.7
		8	10 or more drinks	19	1.2
		Missing	281		
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,195	80.8
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	31	1.9
		3	I bought it at a restaurant, bar, or club	14	0.9
		4	I bought it at a public event such as a concert or sporting event	9	0.7
		5	I gave someone else money to buy it for me	32	1.7
		6	Someone gave it to me	102	5.7
		7	I took it from a store or family member	70	4.6
		8	I got it some other way	65	3.7
		Missing	286		
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,193	73.9
		2	8 years old or younger	30	2.3
		3	9 or 10 years old	17	1.1
		4	11 or 12 years old	48	3.0
		5	13 or 14 years old	197	11.6
		6	15 or 16 years old	151	6.7
		7	17 years old or older	26	1.4
		Missing	142		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
80-80	Q49	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,411	86.4
		2 1 or 2 times	111	5.9
		3 3 to 9 times	68	3.6
		4 10 to 19 times	27	1.6
		5 20 to 39 times	11	0.8
		6 40 or more times	28	1.7
	Missing	148		
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,585	95.9
		2 1 or 2 times	23	1.4
		3 3 to 9 times	19	1.3
		4 10 to 19 times	4	0.3
		5 20 to 39 times	7	0.4
		6 40 or more times	9	0.7
	Missing	157		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,626	96.9
		2 1 or 2 times	19	1.3
		3 3 to 9 times	5	0.4
		4 10 to 19 times	6	0.2
		5 20 to 39 times	7	0.6
		6 40 or more times	8	0.6
	Missing	133		
86-86	Q55	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?		
		1 0 times	1,566	95.7
		2 1 or 2 times	37	1.9
		3 3 to 9 times	15	0.9
		4 10 to 19 times	11	0.7
		5 20 to 39 times	4	0.3
		6 40 or more times	7	0.6
	Missing	164		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,592	97.6
		2 1 time	21	1.3
		3 2 or more times	13	1.0
		Missing	178	
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	448	30.0
		2 No	986	70.0
		Missing	370	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	976	69.8
		2 11 years old or younger	35	2.9
		3 12 years old	27	2.1
		4 13 years old	63	4.7
		5 14 years old	112	7.9
		6 15 years old	106	6.7
		7 16 years old	70	3.5
		8 17 years old or older	40	2.5
		Missing	375	
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	981	69.7
		2 1 person	194	12.7
		3 2 people	87	5.8
		4 3 people	45	3.0
		5 4 people	32	2.1
		6 5 people	19	1.5
		7 6 or more people	76	5.3
Missing	370			

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	976	70.1
		2	I have had sexual intercourse, but not during the past 3 months	139	10.0
		3	1 person	218	13.2
		4	2 people	41	2.9
		5	3 people	15	1.2
		6	4 people	6	0.4
		7	5 people	6	0.5
		8	6 or more people	22	1.6
		Missing	381		
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	970	71.0
		2	Yes	62	4.5
		3	No	363	24.5
		Missing	409		
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	966	72.3
		2	Yes	237	17.0
		3	No	159	10.7
		Missing	442		
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	954	71.5
		2	No method was used to prevent pregnancy	96	6.8
		3	Birth control pills	57	4.3
		4	Condoms	170	12.1
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	9	0.6
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	25	1.4
		7	Withdrawal or some other method	35	2.3
		8	Not sure	12	1.0
		Missing	446		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
98-98	Q67	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	752	54.8
		2 Females	338	24.3
		3 Males	268	15.7
		4 Females and males	81	5.2
		Missing	365	
99-99	Q68	Which of the following best describes you?		
		1 Heterosexual (straight)	1,485	83.6
		2 Gay or lesbian	46	2.6
		3 Bisexual	144	8.6
		4 Not sure	91	5.2
		Missing	38	
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	427	28.6
		2 1 to 3 times during the past 7 days	530	33.2
		3 4 to 6 times during the past 7 days	254	16.9
		4 1 time per day	68	4.3
		5 2 times per day	91	5.9
		6 3 times per day	67	4.5
		7 4 or more times per day	99	6.6
		Missing	268	
103-103	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	298	20.9
		2 1 to 3 times during the past 7 days	633	40.9
		3 4 to 6 times during the past 7 days	247	15.5
		4 1 time per day	100	6.0
		5 2 times per day	119	7.3
		6 3 times per day	42	3.0
		7 4 or more times per day	99	6.4
		Missing	266	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	390	26.3
		2 1 to 3 times during the past 7 days	614	40.7
		3 4 to 6 times during the past 7 days	195	13.5
		4 1 time per day	98	6.5
		5 2 times per day	74	4.8
		6 3 times per day	43	3.6
		7 4 or more times per day	62	4.7
	Missing	328		
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	449	31.0
		2 1 to 3 glasses during the past 7 days	533	35.1
		3 4 to 6 glasses during the past 7 days	173	12.5
		4 1 glass per day	151	11.1
		5 2 glasses per day	72	5.0
		6 3 glasses per day	38	2.4
		7 4 or more glasses per day	44	2.8
	Missing	344		
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	238	18.1
		2 1 day	124	8.5
		3 2 days	166	11.9
		4 3 days	156	10.0
		5 4 days	107	6.7
		6 5 days	125	8.7
		7 6 days	67	4.1
		8 7 days	448	32.1
	Missing	373		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	281	19.9
		2 1 day	134	9.6
		3 2 days	167	11.9
		4 3 days	218	14.7
		5 4 days	133	8.7
		6 5 days	163	10.8
		7 6 days	48	3.5
		8 7 days	276	20.9
	Missing	384		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	376	25.8
		2 Less than 1 hour per day	207	13.9
		3 1 hour per day	149	9.9
		4 2 hours per day	235	17.4
		5 3 hours per day	195	14.4
		6 4 hours per day	95	7.2
		7 5 or more hours per day	140	11.3
		Missing	407	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	307	22.1
		2 Less than 1 hour per day	146	11.4
		3 1 hour per day	112	8.5
		4 2 hours per day	146	10.9
		5 3 hours per day	156	10.8
		6 4 hours per day	132	10.0
		7 5 or more hours per day	373	26.3
		Missing	432	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	135	10.2
		2 1 day	96	5.9
		3 2 days	278	23.3
		4 3 days	430	28.9
		5 4 days	91	8.0
		6 5 days	345	23.8
		Missing	429	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	376	27.3
		2 No	746	59.9
		3 Not sure	175	12.8
		Missing	507	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	853	67.6
		2 Between 12 and 24 months ago	163	12.4
		3 More than 24 months ago	84	6.4
		4 Never	41	4.0
		5 Not sure	131	9.6
		Missing	532	
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	379	30.6
		2 No	829	64.4
		3 Not sure	64	5.0
		Missing	532	
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	162	13.7
		2 5 hours	181	13.7
		3 6 hours	266	20.1
		4 7 hours	342	25.9
		5 8 hours	210	17.3
		6 9 hours	79	7.1
		7 10 or more hours	22	2.3
		Missing	542	
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	1,569	89.0
		2 Brooklyn	21	1.3
		3 Manhattan	88	4.8
		4 Queens	102	4.6
		5 Staten Island	3	0.3
		Missing	21	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,293	72.9
		2 Less than 1 year	25	1.8
		3 1 to 3 years	59	3.8
		4 4 to 6 years	100	5.9
		5 More than 6 years but not my whole life	301	15.6
		Missing	26	
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	286	19.4
		2 Rarely	138	8.6
		3 Sometimes	387	21.7
		4 Most of the time	482	25.1
		5 Always	483	25.2
		Missing	28	
124-124	Q93	A transgender person is someone whose biological sex at birth does not match the way they think or feel about themselves. Are you transgender?		
		1 No, I am not transgender	1,657	92.7
		2 Yes, I am transgender and I think of myself as really a boy or man	21	1.0
		3 Yes, I am transgender and I think of myself as really a girl or woman	15	1.2
		4 Yes, I am transgender and I think of myself in some other way	14	1.2
		5 I do not know if I am transgender	22	1.1
		6 I do not know what this question is asking	41	2.8
Missing	34			
125-125	Q94	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,525	85.8
		2 1 time	97	5.5
		3 2 or 3 times	73	4.0
		4 4 or 5 times	22	1.1
		5 6 or more times	57	3.6
		Missing	30	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
126-126	Q95	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 Yes	348	19.0
		2 No	1,361	81.0
		Missing	95	
127-127	Q96	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	1,318	82.6
		2 Less than 1 month ago	36	2.7
		3 1 to 3 months ago	24	1.6
		4 4 to 6 months ago	37	2.4
		5 7 to 12 months ago	27	1.5
		6 13 or more months ago	167	9.2
		Missing	195	
128-128	Q97	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,608	94.8
		2 I bought them in a store such as a convenience store, supermarket, or gas station	27	1.8
		3 I bought them on the Internet	8	0.5
		4 I bummed them	5	0.4
		5 Someone gave them to me or bought them for me	21	1.2
		6 I stole them	8	0.6
		7 I got them some other way	10	0.6
Missing	117			
129-129	Q98	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	77	4.6
		2 No	1,504	95.4
		Missing	223	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	Q99	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	250	13.5
		2 No	1,440	86.5
		Missing	114	
131-131	Q100	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	1,602	96.0
		2 1 or 2 times	27	1.7
		3 3 to 9 times	14	0.9
		4 10 to 19 times	8	0.6
		5 20 to 39 times	5	0.3
		6 40 or more times	7	0.5
Missing	141			
132-132	Q101	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,539	93.5
		2 1 time	26	1.4
		3 2 or 3 times	34	1.8
		4 4 or 5 times	16	0.8
		5 6 or 7 times	9	0.4
		6 8 or 9 times	3	0.3
		7 10 or 11 times	3	0.1
		8 12 or more times	24	1.6
Missing	150			
133-133	Q102	During the past 12 months, how many times have you taken benzodiazepines such as Xanax, Valium, Klonopin, or Ativan, without a doctor's prescription?		
		1 0 times	1,581	95.5
		2 1 time	24	1.3
		3 2 or 3 times	11	0.7
		4 4 or 5 times	11	0.6
		5 6 or 7 times	6	0.4
		6 8 or 9 times	4	0.4
		7 10 or 11 times	0	0.0
		8 12 or more times	15	1.0
Missing	152			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
134-134	Q103	During the past 12 months, how many times have you taken stimulants such as Adderall, Ritalin, Concerta, or Vyvanse, without a doctor's prescription?			
		1	0 times	1,583	95.9
		2	1 time	23	1.3
		3	2 or 3 times	12	1.0
		4	4 or 5 times	11	0.7
		5	6 or 7 times	3	0.2
		6	8 or 9 times	1	0.0
		7	10 or 11 times	0	0.0
		8	12 or more times	11	0.8
	Missing	160			
135-135	Q104	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	937	67.2
		2	I have had sexual intercourse, but not during the past 3 months	103	6.6
		3	Never	94	6.0
		4	Rarely	45	2.9
		5	Sometimes	44	2.9
		6	Most of the time	55	3.8
		7	Always	153	10.6
	Missing	373			
136-136	Q105	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	930	67.3
		2	No method was used to prevent pregnancy	94	7.1
		3	Birth control pills	43	2.6
		4	Condoms	292	19.3
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	7	0.5
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	15	0.9
		7	Withdrawal or some other method	19	1.1
		8	Not sure	16	1.2
	Missing	388			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	914	67.6
		2 Yes	52	3.3
		3 No	353	23.1
		4 Not sure	68	6.0
		Missing	417	
138-138	Q107	The last time you used birth control, including condoms, from where did you or your partner get it?		
		<p>DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.</p>		
139-139	Q108	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	37	2.7
		2 No	1,356	94.5
		3 Not sure	34	2.9
			Missing	377
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	355	24.7
		2 1 to 3 times during the past 7 days	571	37.2
		3 4 to 6 times during the past 7 days	265	16.7
		4 1 time per day	148	9.9
		5 2 times per day	89	5.4
		6 3 times per day	27	1.6
		7 4 or more times per day	68	4.5
	Missing	281		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	284	18.9
		2 1 to 3 times during the past 7 days	794	51.3
		3 4 to 6 times during the past 7 days	220	15.2
		4 1 time per day	85	5.8
		5 2 times per day	52	3.2
		6 3 times per day	25	1.7
		7 4 or more times per day	55	3.9
	Missing	289		
142-142	Q111	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	102	7.7
		2 1 to 3 times during the past 7 days	204	14.9
		3 4 to 6 times during the past 7 days	195	13.2
		4 1 time per day	92	5.8
		5 2 times per day	159	9.9
		6 3 times per day	205	12.6
		7 4 or more times per day	533	35.8
	Missing	314		
143-143	Q112	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	362	24.7
		2 1 to 3 times during the past 7 days	608	40.7
		3 4 to 6 times during the past 7 days	194	14.1
		4 1 time per day	88	6.5
		5 2 times per day	94	6.5
		6 3 times per day	46	3.2
		7 4 or more times per day	63	4.3
	Missing	349		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
144-144	Q113	What kind of milk do you usually drink?		
		1 I do not drink milk	211	14.7
		2 Whole milk	445	32.6
		3 2% milk or reduced fat milk	326	21.7
		4 1% milk or low-fat milk	199	13.7
		5 Skim milk or non-fat milk	32	1.9
		6 Soy milk	35	1.9
		7 Other milk alternative (such as almond or rice milk)	65	4.1
		8 Not sure	127	9.3
	Missing	364		
145-145	Q114	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	237	17.7
		2 I ride a bike all the way to school	19	1.4
		3 I use public transportation, such as a subway or city bus	811	63.9
		4 I ride a school bus	94	7.8
		5 I drive or ride in a car or other private vehicle	120	9.2
	Missing	523		
146-146	Q115	On an average school day, how many minutes do you usually spend walking, riding a bike or skateboarding on your way to school?		
		1 I do not walk, bike or skateboard as part of my travel to school	267	22.0
		2 Less than 10 minutes	309	25.4
		3 10 to 20 minutes	407	31.1
		4 21 to 29 minutes	103	8.1
		5 30 or more minutes	187	13.5
	Missing	531		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
147-147	Q116	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	91	8.0
		2	Yes	956	71.0
		3	No	275	21.1
		Missing	482		
148-148	Q117	In what grade were you first taught about sexual health?			
		1	I have never been taught about sexual health in school	115	10.9
		2	6th grade or earlier	382	31.2
		3	7th grade	259	21.0
		4	8th grade	226	17.6
		5	9th grade	131	8.8
		6	10th grade	47	3.0
		7	11th or 12th grade	30	1.6
8	Not sure	78	5.7		
		Missing	536		
149-149	Q118	In what class were you first taught about sexual health?			
		1	I have never been taught about sexual health in school	112	10.7
		2	Health Education	630	48.9
		3	Science	145	12.4
		4	Living Environment	69	5.0
		5	Physical Education	58	4.5
		6	Advisory	69	5.2
		7	Some other class	69	5.2
8	Not sure	105	8.1		
		Missing	547		
150-150	Q119	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?			
		1	Yes	867	64.4
		2	No	349	30.5
		3	Not sure	62	5.1
		Missing	526		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	444	35.8
		2 Yes	177	13.9
		3 No	593	46.2
		4 Not sure	52	4.1
		Missing	538	
152-152	Q121	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,164	91.3
		2 With friends, family, or other people because my parents or I lost our home or cannot afford housing	55	4.3
		3 In a motel or hotel	18	1.7
		4 In a shelter or emergency housing	13	1.0
		5 In a car, park, campground, or other public place	5	0.6
		6 I moved from place to place	3	0.3
		7 Somewhere else	8	0.8
		Missing	538	
153-153	Q122	During the past 12 months, did you ever live away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	116	9.1
		2 No	1,126	90.9
		Missing	562	
154-154	Q123	During the past 12 months, how many times did you go tanning in a tanning salon, nail salon, or health club?		
		1 0 times	948	76.6
		2 1 or 2 times	147	10.4
		3 3 to 9 times	87	6.9
		4 10 to 19 times	37	3.3
		5 20 to 39 times	18	1.5
		6 40 or more times	18	1.2
		Missing	549	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
155-155	Q124	Have you ever used the school-based health center (school clinic) at your school?  DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
156-156	Q125	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	348	29.5
		2 1 time per week	136	10.5
		3 2 times per week	121	8.5
		4 3 times per week	165	13.5
		5 4 times per week	114	8.7
		6 5 times per week	113	9.7
		7 6 times per week	43	3.2
		8 7 or more times per week	226	16.4
		Missing	538	
185-185	QN8	Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)		
		1 Yes	879	85.7
		2 No	137	14.3
		Missing	788	
188-188	QN11	Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	25	8.5
		2 No	366	91.5
		Missing	1,413	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
189-189	QN12	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	55	14.1
		2 No	363	85.9
		Missing	1,386	
190-190	QN13	Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	135	7.8
		2 No	1,586	92.2
		Missing	83	
191-191	QN14	Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)		
		1 Yes	42	2.6
		2 No	1,719	97.4
		Missing	43	
192-192	QN15	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	53	3.2
		2 No	1,702	96.8
		Missing	49	
193-193	QN16	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	118	7.0
		2 No	1,641	93.0
		Missing	45	
194-194	QN17	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)		
		1 Yes	99	6.0
		2 No	1,686	94.0
		Missing	19	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
195-195	QN18	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	390	23.5
		2 No	1,393	76.5
		Missing	21	
199-199	QN22	Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	102	10.9
		2 No	782	89.1
		Missing	920	
200-200	QN23	Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	91	9.8
		2 No	793	90.2
		Missing	920	
201-201	QN24	Percentage of students who were bullied on school property (during the 12 months before the survey)		
		1 Yes	241	14.3
		2 No	1,527	85.7
		Missing	36	
202-202	QN25	Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)		
		1 Yes	203	12.1
		2 No	1,565	87.9
		Missing	36	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)			
		1	Yes	542	29.5
		2	No	1,198	70.5
			Missing	64	
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)			
		1	Yes	242	13.3
		2	No	1,504	86.7
			Missing	58	
206-206	QN29	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)			
		1	Yes	122	8.9
		2	No	1,365	91.1
			Missing	317	
207-207	QN30	Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)			
		1	Yes	44	3.6
		2	No	1,418	96.4
			Missing	342	
208-208	QN31	Percentage of students who ever tried cigarette smoking (even one or two puffs)			
		1	Yes	328	18.1
		2	No	1,393	81.9
			Missing	83	
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)			
		1	Yes	54	3.2
		2	No	1,626	96.8
			Missing	124	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)			
		1	Yes	11	28.5
		2	No	42	71.5
			Missing	1,751	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)			
		1	Yes	68	4.3
		2	No	1,663	95.7
			Missing	73	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)			
		1	Yes	86	5.4
		2	No	1,630	94.6
			Missing	88	
217-217	QN40	Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)			
		1	Yes	257	13.7
		2	No	1,455	86.3
			Missing	92	
219-219	QN42	Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)			
		1	Yes	275	17.0
		2	No	1,392	83.0
			Missing	137	
220-220	QN43	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)			
		1	Yes	325	19.1
		2	No	1,217	80.9
			Missing	262	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
221-221	QN44	Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)		
		1 Yes	130	7.7
		2 No	1,506	92.3
		Missing	168	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)		
		1 Yes	19	1.2
		2 No	1,504	98.8
		Missing	281	
223-223	QN46	Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)		
		1 Yes	97	29.6
		2 No	213	70.4
		Missing	1,494	
225-225	QN48	Percentage of students who tried marijuana before age 13 years (for the first time)		
		1 Yes	95	6.3
		2 No	1,567	93.7
		Missing	142	
226-226	QN49	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	245	13.6
		2 No	1,411	86.4
		Missing	148	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)		
		1 Yes	62	4.1
		2 No	1,585	95.9
		Missing	157	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)		
		1 Yes	45	3.1
		2 No	1,626	96.9
		Missing	133	
232-232	QN55	Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)		
		1 Yes	74	4.3
		2 No	1,566	95.7
		Missing	164	
235-235	QN58	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)		
		1 Yes	34	2.4
		2 No	1,592	97.6
		Missing	178	
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	448	30.0
		2 No	986	70.0
		Missing	370	
238-238	QN61	Percentage of students who had sexual intercourse before age 13 years (for the first time)		
		1 Yes	62	5.0
		2 No	1,367	95.0
		Missing	375	
239-239	QN62	Percentage of students who had sexual intercourse with four or more persons (during their life)		
		1 Yes	127	8.9
		2 No	1,307	91.1
		Missing	370	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
240-240	QN63	Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)			
		1	Yes	308	19.9
		2	No	1,115	80.1
			Missing	381	
241-241	QN64	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)			
		1	Yes	47	18.5
		2	No	239	81.5
			Missing	1,518	
242-242	QN65	Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	138	53.8
		2	No	125	46.2
			Missing	1,541	
243-243	QN66	Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	44	16.8
		2	No	228	83.2
			Missing	1,532	
248-248	QN71	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)			
		1	Yes	427	28.6
		2	No	1,109	71.4
			Missing	268	
249-249	QN72	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)			
		1	Yes	298	20.9
		2	No	1,240	79.1
			Missing	266	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
254-254	QN77	Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	390	26.3
		2 No	1,086	73.7
		Missing	328	
255-255	QN78	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	449	31.0
		2 No	1,011	69.0
		Missing	344	
256-256	QN79	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	238	18.1
		2 No	1,193	81.9
		Missing	373	
257-257	QN80	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	487	35.3
		2 No	933	64.7
		Missing	384	
258-258	QN81	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	430	32.9
		2 No	967	67.1
		Missing	407	
259-259	QN82	Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)		
		1 Yes	661	47.1
		2 No	711	52.9
		Missing	432	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
260-260	QN83	Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,240	89.8
		2 No	135	10.2
		Missing	429	
262-262	QN85	Percentage of students who were ever tested for HIV (not including tests done when donating blood)		
		1 Yes	376	27.3
		2 No	921	72.7
		Missing	507	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)		
		1 Yes	853	67.6
		2 No	419	32.4
		Missing	532	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	379	30.6
		2 No	893	69.4
		Missing	532	
265-265	QN88	Percentage of students who had 8 or more hours of sleep (on an average school night)		
		1 Yes	311	26.6
		2 No	951	73.4
		Missing	542	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,695	95.2
		2 No	88	4.8
		Missing	21	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	25	1.8
		2 No	1,753	98.2
		Missing	26	
269-269	QN92	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	965	50.3
		2 No	811	49.7
		Missing	28	
270-270	QN93	Percentage of students who are transgender		
		1 Yes	50	3.4
		2 No	1,720	96.6
		Missing	34	
271-271	QN94	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	249	14.2
		2 No	1,525	85.8
		Missing	30	
272-272	QN95	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	348	19.0
		2 No	1,361	81.0
		Missing	95	
273-273	QN96	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	124	8.2
		2 No	1,485	91.8
		Missing	195	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	27	35.4
		2 No	52	64.6
		Missing	1,725	
275-275	QN98	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	77	4.6
		2 No	1,504	95.4
		Missing	223	
276-276	QN99	Percentage of students who have ever tried any flavored tobacco products (such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars)		
		1 Yes	250	13.5
		2 No	1,440	86.5
		Missing	114	
277-277	QN100	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	61	4.0
		2 No	1,602	96.0
		Missing	141	
278-278	QN101	Percentage of students who have taken a prescription pain medication without a doctor's prescription (such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, one or more times during the 12 months before the survey)		
		1 Yes	115	6.5
		2 No	1,539	93.5
		Missing	150	
279-279	QN102	Percentage of students who have taken benzodiazepines without a doctor's prescription (such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	71	4.5
		2 No	1,581	95.5
		Missing	152	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have taken stimulants without a doctor's prescription (such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	61	4.1
		2 No	1,583	95.9
			Missing	160
281-281	QN104	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	153	40.4
		2 No	238	59.6
			Missing	1,413
282-282	QN105	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	94	21.8
		2 No	392	78.2
			Missing	1,318
283-283	QN106	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	52	10.3
		2 No	421	89.7
			Missing	1,331
284-284	QN107	Percentage of students who reported that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school (among students who have used birth control)		
<p>DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.</p>				

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	37	2.7
		2 No	1,390	97.3
		Missing	377	
286-286	QN109	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not including potatoes, during the 7 days before the survey)		
		1 Yes	332	21.4
		2 No	1,191	78.6
		Missing	281	
287-287	QN110	Percentage of students who ate french fries, fried potatoes, or potato chips (one or more times during the 7 days before the survey)		
		1 Yes	1,231	81.1
		2 No	284	18.9
		Missing	289	
288-288	QN111	Percentage of students who did not drink a bottle or glass of plain water (including tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	102	7.7
		2 No	1,388	92.3
		Missing	314	
289-289	QN112	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	1,093	75.3
		2 No	362	24.7
		Missing	349	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	231	15.6
		2 No	1,209	84.4
		Missing	364	
291-291	QN114	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	256	19.1
		2 No	1,025	80.9
		Missing	523	
292-292	QN115	Percentage of students who usually spend 10 minutes or more walking, biking, or skateboarding to school (among students who walk, bike, or skateboard to school, on an average school day)		
		1 Yes	697	67.5
		2 No	309	32.5
		Missing	798	
293-293	QN116	Percentage of students who walk up at least three floors of stairs outside of school on an average day (among students who are physically able to walk up the stairs)		
		1 Yes	956	77.1
		2 No	275	22.9
		Missing	573	
294-294	QN117	Percentage of students who were ever taught about sexual health in school		
		1 Yes	1,153	89.1
		2 No	115	10.9
		Missing	536	
295-295	QN118	Percentage of students who were first taught about sexual health in a health education class (among students who had been taught about sexual health in school)		
		1 Yes	630	54.8
		2 No	515	45.2
		Missing	659	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
296-296	QN119	Percentage of students who reported that the last time they had seen a doctor or a nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	867	64.4
		2 No	411	35.6
		Missing	526	
297-297	QN120	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	177	21.6
		2 No	645	78.4
		Missing	982	
298-298	QN121	Percentage of students who usually slept with friends, family, or other people because their parents or they lost their home or cannot afford housing (during the 30 days before the survey)		
		1 Yes	55	4.3
		2 No	1,211	95.7
		Missing	538	
299-299	QN122	Percentage of students who ever lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	116	9.1
		2 No	1,126	90.9
		Missing	562	
300-300	QN123	Percentage of students who went tanning in a tanning salon, nail salon, or health club (not including getting a spray-on tan, one or more times during the 12 months before the survey)		
		1 Yes	307	23.4
		2 No	948	76.6
		Missing	549	
301-301	QN124	Percentage of students who have ever used the school-based health center (school clinic) at their school (among students who have a school-based health center at their school)		
		<a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
302-302	QN125	Percentage of students who go to bodegas, delis, or drugstores two or more times per week (not including supermarkets or department stores)		
		1 Yes	782	60.0
		2 No	484	40.0
		Missing	538	
350-350	QNFRDIG	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)		
		1 Yes	15	1.1
		2 No	1,665	98.9
		Missing	124	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	13	1.0
		2 No	1,667	99.0
		Missing	124	
353-353	QNTOB4	Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	326	18.3
		2 No	1,339	81.7
		Missing	139	
354-354	QNTOB3	Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	135	8.4
		2 No	1,533	91.6
		Missing	136	
355-355	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	107	6.8
		2 No	1,561	93.2
		Missing	136	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
356-356	QNNOTOB4	Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	1,339	84.8
		2 No	273	15.2
		Missing	192	
357-357	QNNOTOB3	Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,533	94.1
		2 No	96	5.9
		Missing	175	
358-358	QNNOTOB2	Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,561	95.3
		2 No	77	4.7
		Missing	166	
359-359	QNIUDIMP	Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	9	3.2
		2 No	263	96.8
		Missing	1,532	
360-360	QNSHPARG	Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	18	5.9
		2 No	254	94.1
		Missing	1,532	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNOTHHPL	Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	71	25.8
		2 No	201	74.2
		Missing	1,532	
362-362	QNDUALBC	Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)		
		1 Yes	28	12.9
		2 No	227	87.1
		Missing	1,549	
363-363	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	65	24.7
		2 No	207	75.3
		Missing	1,532	
364-364	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)		
		1 Yes	129	10.0
		2 No	1,379	90.0
		Missing	296	
365-365	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)		
		1 Yes	771	50.7
		2 No	737	49.3
		Missing	296	
366-366	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)		
		1 Yes	416	28.0
		2 No	1,092	72.0
		Missing	296	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
367-367	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)			
		1	Yes	271	18.8
		2	No	1,237	81.2
			Missing	296	
372-372	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	277	19.5
		2	No	1,199	80.5
			Missing	328	
373-373	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	179	13.0
		2	No	1,297	87.0
			Missing	328	
374-374	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	105	8.2
		2	No	1,371	91.8
			Missing	328	
375-375	QNMILK1	Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	305	21.3
		2	No	1,155	78.7
			Missing	344	
376-376	QNMILK2	Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	154	10.2
		2	No	1,306	89.8
			Missing	344	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
377-377	QNMILK3	Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	82	5.2
		2	No	1,378	94.8
			Missing	344	
378-378	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)			
		1	Yes	448	32.1
		2	No	983	67.9
			Missing	373	
379-379	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	281	19.9
		2	No	1,139	80.1
			Missing	384	
380-380	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)			
		1	Yes	276	20.9
		2	No	1,144	79.1
			Missing	384	
381-381	QNDLYPE	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)			
		1	Yes	345	23.8
		2	No	1,030	76.2
			Missing	429	
385-385	QNWATER1	Percentage of students who drank one or more glasses per day of water (during the 7 days before the survey)			
		1	Yes	989	64.1
		2	No	501	35.9
			Missing	314	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
386-386	QNWATER2	Percentage of students who drank two or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	897	58.3
		2 No	593	41.7
		Missing	314	
387-387	QNWATER3	Percentage of students who drank three or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	738	48.4
		2 No	752	51.6
		Missing	314	
388-388	QNOBESE	Percentage of students who were obese ( $\geq$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	240	16.6
		2 No	1,235	83.4
		Missing	329	
389-389	QNOWT	Percentage of students who were overweight ( $\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	251	16.3
		2 No	1,224	83.7
		Missing	329	
390-399	WEIGHT			
400-402	STRATUM			
403-408	PSU			
409-413	BMIPCT			

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Bronx**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
414-415	RACEETH			
		1 Am Indian / Alaska Native	12	0.4
		2 Asian	155	6.8
		3 Black or African American	347	29.8
		4 Native Hawaiian/other PI	19	0.5
		5 White	75	4.2
		6 Hispanic/Latino	585	30.9
		7 Multiple - Hispanic	471	26.5
		8 Multiple - Non-Hispanic	44	1.1
		Missing	96	
416-418	Q6ORIG			
419-421	Q7ORIG			
450-450	S3	Sub-site - S3		
		1	1,804	100.0
451-451	S4	Sub-site - S4		
		0	1,804	100.0
452-452	S5	Sub-site - S5		
		0	1,804	100.0
453-453	S6	Sub-site - S6		
		0	1,804	100.0
454-454	S7	Sub-site - S7		
		0	1,804	100.0
455-455	S8	Sub-site - S8		
		0	921	57.1
		1	883	42.9
456-456	S9	Sub-site - S9		
		0	1,804	100.0
457-457	S10	Sub-site - S10		
		0	1,804	100.0