

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	13	0.6
		2	13 years old	48	2.3
		3	14 years old	449	24.0
		4	15 years old	535	24.8
		5	16 years old	609	24.6
		6	17 years old	541	18.9
		7	18 years old or older	125	4.9
		Missing	17		
18-18	Q2	What is your sex?			
		1	Female	1,267	47.6
		2	Male	1,045	52.4
		Missing	25		
19-19	Q3	In what grade are you?			
		1	9th grade	547	29.7
		2	10th grade	532	26.7
		3	11th grade	591	21.4
		4	12th grade	632	21.8
		5	Ungraded or other grade	12	0.4
		Missing	23		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	720	24.3
		2	No	1,541	75.7
		Missing	76		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	2	0.1
		F	1	0.0
		E	384	18.9
		D	75	2.2
		DE	1	0.0
		C	1,023	54.5
		C E	31	1.0
		CD	16	0.5
		CDE	1	0.2
		B	239	18.2
		B E	12	0.1
		B D	3	0.0
		BC	10	0.2
		BCD	1	0.1
		A	63	2.7
		A E	4	0.1
		A D	2	0.1
		A C	33	0.8
		A C E	3	0.1
		A CD	1	0.0
		AB	2	0.0
		ABC	2	0.0
		ABCD	1	0.0
		ABCDE	3	0.0
			424	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

**Brooklyn
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
		1	I did not ride a bicycle during the past 12 months	956	37.8
		2	Never wore a helmet	1,016	45.4
		3	Rarely wore a helmet	142	8.0
		4	Sometimes wore a helmet	63	3.2
		5	Most of the time wore a helmet	51	2.0
		6	Always wore a helmet	65	3.5
		Missing	44		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	I did not drive a car or other vehicle during the past 30 days	1,594	73.5
		2	0 times	532	24.9
		3	1 time	14	0.6
		4	2 or 3 times	9	0.4
		5	4 or 5 times	3	0.2
		6	6 or more times	13	0.4
		Missing	172		
43-43	Q12	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
		1	I did not drive a car or other vehicle during the past 30 days	1,593	72.1
		2	0 days	518	23.7
		3	1 or 2 days	32	1.5
		4	3 to 5 days	18	0.8
		5	6 to 9 days	12	0.8
		6	10 to 19 days	10	0.4
		7	20 to 29 days	3	0.1
		8	All 30 days	16	0.5
		Missing	135		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	2,050	92.8
		2	1 day	43	1.8
		3	2 or 3 days	50	1.5
		4	4 or 5 days	20	0.8
		5	6 or more days	68	3.2
			Missing	106	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	2,228	97.7
		2	1 day	21	0.6
		3	2 or 3 days	16	0.6
		4	4 or 5 days	7	0.3
		5	6 or more days	17	0.7
			Missing	48	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	2,189	96.7
		2	1 day	32	1.3
		3	2 or 3 days	15	0.4
		4	4 or 5 days	7	0.4
		5	6 or more days	31	1.3
			Missing	63	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	2,131	93.4
		2	1 day	64	3.3
		3	2 or 3 days	29	1.2
		4	4 or 5 days	18	1.0
		5	6 or more days	28	1.0
			Missing	67	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	2,184	93.9
		2	1 time	56	3.1
		3	2 or 3 times	41	1.7
		4	4 or 5 times	11	0.6
		5	6 or 7 times	4	0.1
		6	8 or 9 times	3	0.0
		7	10 or 11 times	1	0.1
		8	12 or more times	12	0.5
	Missing	25			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,782	75.8
		2	1 time	244	11.7
		3	2 or 3 times	162	7.2
		4	4 or 5 times	51	2.7
		5	6 or 7 times	16	0.6
		6	8 or 9 times	11	0.6
		7	10 or 11 times	6	0.1
		8	12 or more times	38	1.3
	Missing	27			
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	995	48.8
		2	0 times	976	44.7
		3	1 time	58	3.0
		4	2 or 3 times	40	1.5
		5	4 or 5 times	14	0.8
		6	6 or more times	32	1.2
	Missing	222			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	1,000	48.6
		2 0 times	1,011	45.7
		3 1 time	59	3.1
		4 2 or 3 times	34	1.5
		5 4 or 5 times	11	0.4
		6 6 or more times	20	0.7
		Missing	202	
55-55	Q24	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	344	16.1
		2 No	1,945	83.9
		Missing	48	
56-56	Q25	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	279	11.4
		2 No	2,000	88.6
		Missing	58	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	712	29.2
		2 No	1,555	70.8
		Missing	70	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	308	12.3
		2 No	1,947	87.7
		Missing	82	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,767	92.9
		2 1 time	84	3.8
		3 2 or 3 times	55	1.9
		4 4 or 5 times	11	0.4
		5 6 or more times	12	1.0
		Missing	408	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1	I did not attempt suicide during the past 12 months	1,737 93.7
		2	Yes	54 1.9
		3	No	97 4.4
		Missing	449	
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?		
		1	Yes	491 23.2
		2	No	1,727 76.8
		Missing	119	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	2,044 94.1
		2	1 or 2 days	55 3.0
		3	3 to 5 days	16 0.9
		4	6 to 9 days	19 0.8
		5	10 to 19 days	10 0.4
		6	20 to 29 days	5 0.4
		7	All 30 days	12 0.5
		Missing	176	
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1	I did not smoke cigarettes during the past 30 days	2,046 93.9
		2	Less than 1 cigarette per day	48 2.5
		3	1 cigarette per day	33 1.8
		4	2 to 5 cigarettes per day	24 0.9
		5	6 to 10 cigarettes per day	6 0.4
		6	11 to 20 cigarettes per day	5 0.5
		7	More than 20 cigarettes per day	3 0.1
		Missing	172	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	2,159	97.9
		2	1 or 2 days	33	0.7
		3	3 to 5 days	9	0.3
		4	6 to 9 days	10	0.3
		5	10 to 19 days	6	0.2
		6	20 to 29 days	5	0.5
		7	All 30 days	5	0.1
	Missing	110			
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	2,099	94.8
		2	1 or 2 days	51	2.7
		3	3 to 5 days	24	1.0
		4	6 to 9 days	12	0.5
		5	10 to 19 days	10	0.5
		6	20 to 29 days	4	0.3
		7	All 30 days	4	0.0
	Missing	133			
71-71	Q40	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	1,843	83.8
		2	1 or 2 days	172	8.5
		3	3 to 5 days	73	2.6
		4	6 to 9 days	40	1.8
		5	10 to 19 days	37	1.6
		6	20 to 29 days	9	0.8
		7	All 30 days	18	1.0
	Missing	145			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
73-73	Q42	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	1,029	51.2
		2	8 years old or younger	145	6.4
		3	9 or 10 years old	91	4.2
		4	11 or 12 years old	195	8.1
		5	13 or 14 years old	348	16.0
		6	15 or 16 years old	292	12.5
		7	17 years old or older	36	1.6
		Missing	201		
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,529	82.3
		2	1 or 2 days	245	10.9
		3	3 to 5 days	100	3.8
		4	6 to 9 days	47	1.6
		5	10 to 19 days	25	0.7
		6	20 to 29 days	9	0.4
		7	All 30 days	8	0.3
		Missing	374		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	1,923	94.8
		2	1 day	74	2.8
		3	2 days	43	1.4
		4	3 to 5 days	28	0.6
		5	6 to 9 days	11	0.3
		6	10 to 19 days	3	0.0
		7	20 or more days	2	0.0
		Missing	253		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
		1	I did not drink alcohol during the past 30 days	1,499	82.1
		2	1 or 2 drinks	247	11.5
		3	3 drinks	62	2.4
		4	4 drinks	34	1.4
		5	5 drinks	30	0.9
		6	6 or 7 drinks	25	0.8
		7	8 or 9 drinks	14	0.4
		8	10 or more drinks	24	0.6
		Missing	402		
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,494	81.9
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	47	1.8
		3	I bought it at a restaurant, bar, or club	25	0.8
		4	I bought it at a public event such as a concert or sporting event	15	0.4
		5	I gave someone else money to buy it for me	37	1.3
		6	Someone gave it to me	131	6.6
		7	I took it from a store or family member	80	2.8
		8	I got it some other way	99	4.4
		Missing	409		
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,464	71.7
		2	8 years old or younger	28	1.3
		3	9 or 10 years old	27	1.0
		4	11 or 12 years old	75	3.2
		5	13 or 14 years old	283	12.0
		6	15 or 16 years old	220	9.5
		7	17 years old or older	28	1.3
		Missing	212		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,760	85.9
		2	1 or 2 times	139	4.9
		3	3 to 9 times	98	4.0
		4	10 to 19 times	48	2.6
		5	20 to 39 times	23	1.2
		6	40 or more times	47	1.5
		Missing	222		
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	2,041	96.3
		2	1 or 2 times	38	2.0
		3	3 to 9 times	19	0.6
		4	10 to 19 times	5	0.2
		5	20 to 39 times	7	0.6
		6	40 or more times	7	0.2
		Missing	220		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	2,086	98.0
		2	1 or 2 times	19	0.7
		3	3 to 9 times	13	0.6
		4	10 to 19 times	6	0.1
		5	20 to 39 times	2	0.0
		6	40 or more times	7	0.5
		Missing	204		
86-86	Q55	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,980	94.6
		2	1 or 2 times	61	2.2
		3	3 to 9 times	27	1.9
		4	10 to 19 times	6	0.1
		5	20 to 39 times	8	0.9
		6	40 or more times	7	0.3
		Missing	248		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	2,031	98.2
		2 1 time	28	1.4
		3 2 or more times	14	0.4
		Missing	264	
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	577	25.5
		2 No	1,213	74.5
		Missing	547	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,189	74.1
		2 11 years old or younger	45	2.3
		3 12 years old	41	2.4
		4 13 years old	78	3.2
		5 14 years old	133	5.3
		6 15 years old	153	7.0
		7 16 years old	91	4.1
		8 17 years old or older	33	1.6
		Missing	574	
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,202	74.2
		2 1 person	234	10.7
		3 2 people	103	5.1
		4 3 people	75	3.0
		5 4 people	49	1.7
		6 5 people	29	1.6
		7 6 or more people	81	3.7
Missing	564			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,199	74.4
		2 I have had sexual intercourse, but not during the past 3 months	202	9.4
		3 1 person	273	12.4
		4 2 people	41	2.0
		5 3 people	22	0.8
		6 4 people	11	0.5
		7 5 people	7	0.2
		8 6 or more people	13	0.5
	Missing	569		
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,190	74.6
		2 Yes	83	2.9
		3 No	472	22.5
	Missing	592		
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,184	75.8
		2 Yes	349	16.9
		3 No	163	7.3
	Missing	641		
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,176	75.2
		2 No method was used to prevent pregnancy	100	4.4
		3 Birth control pills	41	2.0
		4 Condoms	303	15.0
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	9	0.3
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	14	0.6
		7 Withdrawal or some other method	41	1.8
		8 Not sure	14	0.7
	Missing	639		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
98-98	Q67	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	986	59.1
		2 Females	422	23.1
		3 Males	308	12.9
		4 Females and males	115	4.9
		Missing	506	
99-99	Q68	Which of the following best describes you?		
		1 Heterosexual (straight)	1,921	85.3
		2 Gay or lesbian	48	1.5
		3 Bisexual	193	8.0
		4 Not sure	116	5.2
		Missing	59	
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	550	28.5
		2 1 to 3 times during the past 7 days	676	34.3
		3 4 to 6 times during the past 7 days	225	13.4
		4 1 time per day	114	5.7
		5 2 times per day	138	6.6
		6 3 times per day	89	4.4
		7 4 or more times per day	133	7.1
		Missing	412	
103-103	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	349	16.3
		2 1 to 3 times during the past 7 days	776	41.9
		3 4 to 6 times during the past 7 days	300	16.9
		4 1 time per day	145	7.6
		5 2 times per day	147	7.1
		6 3 times per day	84	4.1
		7 4 or more times per day	120	6.0
		Missing	416	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	562	27.0
		2 1 to 3 times during the past 7 days	753	43.4
		3 4 to 6 times during the past 7 days	225	12.8
		4 1 time per day	94	5.6
		5 2 times per day	79	5.1
		6 3 times per day	36	1.8
		7 4 or more times per day	81	4.2
	Missing	507		
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	634	31.7
		2 1 to 3 glasses during the past 7 days	606	32.5
		3 4 to 6 glasses during the past 7 days	234	15.8
		4 1 glass per day	157	8.9
		5 2 glasses per day	95	6.6
		6 3 glasses per day	35	2.1
		7 4 or more glasses per day	49	2.4
	Missing	527		
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	237	12.5
		2 1 day	159	7.9
		3 2 days	228	14.1
		4 3 days	165	8.6
		5 4 days	130	8.1
		6 5 days	153	8.0
		7 6 days	91	5.0
		8 7 days	612	35.7
	Missing	562		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	383	21.2
		2 1 day	131	6.2
		3 2 days	165	8.4
		4 3 days	187	9.9
		5 4 days	205	12.6
		6 5 days	251	15.3
		7 6 days	85	5.4
		8 7 days	375	21.2
	Missing	555		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	442	22.9
		2 Less than 1 hour per day	282	16.1
		3 1 hour per day	185	11.3
		4 2 hours per day	314	19.2
		5 3 hours per day	220	12.7
		6 4 hours per day	136	7.2
		7 5 or more hours per day	192	10.6
		Missing	566	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	355	22.0
		2 Less than 1 hour per day	166	9.1
		3 1 hour per day	160	9.3
		4 2 hours per day	212	12.4
		5 3 hours per day	196	11.4
		6 4 hours per day	177	10.4
		7 5 or more hours per day	472	25.5
		Missing	599	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	202	17.0
		2 1 day	57	3.5
		3 2 days	212	10.7
		4 3 days	103	7.7
		5 4 days	425	13.5
		6 5 days	736	47.7
		Missing	602	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	346	21.7
		2 No	1,134	65.3
		3 Not sure	204	13.0
		Missing	653	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	1,126	67.5
		2 Between 12 and 24 months ago	229	13.0
		3 More than 24 months ago	115	7.4
		4 Never	40	3.6
		5 Not sure	149	8.5
Missing	678			
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	362	20.4
		2 No	1,202	73.9
		3 Not sure	87	5.7
Missing	686			
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	208	10.5
		2 5 hours	239	14.0
		3 6 hours	412	20.9
		4 7 hours	408	27.8
		5 8 hours	285	18.0
		6 9 hours	74	6.5
		7 10 or more hours	25	2.2
Missing	686			
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	33	1.0
		2 Brooklyn	2,118	94.1
		3 Manhattan	20	0.6
		4 Queens	134	3.5
		5 Staten Island	11	0.8
Missing	21			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,703	71.2
		2 Less than 1 year	39	3.3
		3 1 to 3 years	107	6.0
		4 4 to 6 years	117	5.1
		5 More than 6 years but not my whole life	338	14.4
		Missing	33	
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	603	25.9
		2 Rarely	215	9.1
		3 Sometimes	445	18.4
		4 Most of the time	520	23.6
		5 Always	515	23.0
		Missing	39	
124-124	Q93	A transgender person is someone whose biological sex at birth does not match the way they think or feel about themselves. Are you transgender?		
		1 No, I am not transgender	2,141	92.0
		2 Yes, I am transgender and I think of myself as really a boy or man	29	1.9
		3 Yes, I am transgender and I think of myself as really a girl or woman	14	0.7
		4 Yes, I am transgender and I think of myself in some other way	21	1.1
		5 I do not know if I am transgender	28	1.5
		6 I do not know what this question is asking	51	2.7
Missing	53			
125-125	Q94	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,953	86.3
		2 1 time	150	5.7
		3 2 or 3 times	99	3.8
		4 4 or 5 times	33	1.9
		5 6 or more times	71	2.3
		Missing	31	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 Yes	380	17.7
		2 No	1,791	82.3
		Missing	166	
127-127	Q96	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	1,641	77.3
		2 Less than 1 month ago	55	1.9
		3 1 to 3 months ago	64	2.8
		4 4 to 6 months ago	45	1.9
		5 7 to 12 months ago	60	4.2
		6 13 or more months ago	250	12.0
		Missing	222	
128-128	Q97	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	2,034	92.9
		2 I bought them in a store such as a convenience store, supermarket, or gas station	43	1.8
		3 I bought them on the Internet	12	0.4
		4 I bummed them	10	0.4
		5 Someone gave them to me or bought them for me	58	2.8
		6 I stole them	9	0.6
		7 I got them some other way	21	1.0
Missing	150			
129-129	Q98	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	133	5.3
		2 No	1,917	94.7
		Missing	287	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	Q99	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	292	12.7
		2 No	1,889	87.3
		Missing	156	
131-131	Q100	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	2,025	95.2
		2 1 or 2 times	62	2.3
		3 3 to 9 times	14	1.1
		4 10 to 19 times	11	0.6
		5 20 to 39 times	4	0.2
		6 40 or more times	6	0.6
Missing	215			
132-132	Q101	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,958	93.7
		2 1 time	43	2.9
		3 2 or 3 times	42	1.4
		4 4 or 5 times	20	0.9
		5 6 or 7 times	13	0.3
		6 8 or 9 times	7	0.3
		7 10 or 11 times	2	0.0
		8 12 or more times	17	0.6
Missing	235			
133-133	Q102	During the past 12 months, how many times have you taken benzodiazepines such as Xanax, Valium, Klonopin, or Ativan, without a doctor's prescription?		
		1 0 times	1,987	95.1
		2 1 time	39	1.9
		3 2 or 3 times	29	0.9
		4 4 or 5 times	15	0.7
		5 6 or 7 times	10	0.6
		6 8 or 9 times	5	0.2
		7 10 or 11 times	2	0.0
		8 12 or more times	12	0.5
Missing	238			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
134-134	Q103	During the past 12 months, how many times have you taken stimulants such as Adderall, Ritalin, Concerta, or Vyvanse, without a doctor's prescription?			
		1	0 times	2,002	95.9
		2	1 time	37	2.2
		3	2 or 3 times	16	0.7
		4	4 or 5 times	7	0.3
		5	6 or 7 times	8	0.3
		6	8 or 9 times	4	0.2
		7	10 or 11 times	4	0.1
		8	12 or more times	10	0.3
	Missing	249			
135-135	Q104	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	1,165	70.6
		2	I have had sexual intercourse, but not during the past 3 months	176	8.0
		3	Never	77	2.8
		4	Rarely	37	1.8
		5	Sometimes	48	2.4
		6	Most of the time	85	5.0
		7	Always	219	9.4
	Missing	530			
136-136	Q105	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,162	71.1
		2	No method was used to prevent pregnancy	93	4.2
		3	Birth control pills	34	2.0
		4	Condoms	428	19.5
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	4	0.2
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	7	0.3
		7	Withdrawal or some other method	37	2.2
		8	Not sure	20	0.7
	Missing	552			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	1,151	71.4
		2 Yes	57	2.6
		3 No	476	22.1
		4 Not sure	67	3.8
		Missing	586	
138-138	Q107	The last time you used birth control, including condoms, from where did you or your partner get it? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
139-139	Q108	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	36	2.0
		2 No	1,711	95.6
		3 Not sure	46	2.4
			Missing	544
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	329	14.8
		2 1 to 3 times during the past 7 days	711	38.9
		3 4 to 6 times during the past 7 days	369	21.0
		4 1 time per day	199	10.7
		5 2 times per day	146	7.3
		6 3 times per day	62	3.5
		7 4 or more times per day	80	3.8
			Missing	441

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
141-141	Q110	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?			
		1	I did not eat french fries, fried potatoes, or potato chips during the past 7 days	388	19.9
		2	1 to 3 times during the past 7 days	994	53.7
		3	4 to 6 times during the past 7 days	277	16.2
		4	1 time per day	74	3.4
		5	2 times per day	63	4.0
		6	3 times per day	20	0.6
		7	4 or more times per day	55	2.2
		Missing	466		
142-142	Q111	During the past 7 days, how many times did you drink a bottle or glass of plain water?			
		1	I did not drink water during the past 7 days	113	6.0
		2	1 to 3 times during the past 7 days	272	14.6
		3	4 to 6 times during the past 7 days	260	15.4
		4	1 time per day	130	5.7
		5	2 times per day	238	14.7
		6	3 times per day	256	13.0
		7	4 or more times per day	591	30.6
		Missing	477		
143-143	Q112	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	507	27.1
		2	1 to 3 times during the past 7 days	726	39.5
		3	4 to 6 times during the past 7 days	267	15.6
		4	1 time per day	82	3.7
		5	2 times per day	87	5.1
		6	3 times per day	53	3.3
		7	4 or more times per day	90	5.7
		Missing	525		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
144-144	Q113	What kind of milk do you usually drink?		
		1 I do not drink milk	281	14.0
		2 Whole milk	634	37.7
		3 2% milk or reduced fat milk	324	17.8
		4 1% milk or low-fat milk	187	10.1
		5 Skim milk or non-fat milk	55	3.2
		6 Soy milk	46	3.5
		7 Other milk alternative (such as almond or rice milk)	83	4.5
		8 Not sure	177	9.2
	Missing	550		
145-145	Q114	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	245	14.9
		2 I ride a bike all the way to school	39	3.9
		3 I use public transportation, such as a subway or city bus	1,175	68.5
		4 I ride a school bus	33	2.4
		5 I drive or ride in a car or other private vehicle	183	10.4
	Missing	662		
146-146	Q115	On an average school day, how many minutes do you usually spend walking, riding a bike or skateboarding on your way to school?		
		1 I do not walk, bike or skateboard as part of my travel to school	359	22.5
		2 Less than 10 minutes	384	22.0
		3 10 to 20 minutes	538	32.4
		4 21 to 29 minutes	132	8.8
		5 30 or more minutes	248	14.3
	Missing	676		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Brooklyn
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
147-147	Q116	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	102	6.5
		2	Yes	1,300	76.3
		3	No	295	17.1
		Missing	640		
148-148	Q117	In what grade were you first taught about sexual health?			
		1	I have never been taught about sexual health in school	104	7.5
		2	6th grade or earlier	557	36.3
		3	7th grade	321	21.4
		4	8th grade	263	14.2
		5	9th grade	132	9.2
		6	10th grade	123	3.9
		7	11th or 12th grade	36	1.7
		8	Not sure	104	5.7
		Missing	697		
149-149	Q118	In what class were you first taught about sexual health?			
		1	I have never been taught about sexual health in school	102	7.5
		2	Health Education	860	49.5
		3	Science	222	14.3
		4	Living Environment	99	6.6
		5	Physical Education	103	7.0
		6	Advisory	55	2.5
		7	Some other class	55	3.7
		8	Not sure	137	8.9
		Missing	704		
150-150	Q119	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?			
		1	Yes	836	46.0
		2	No	737	48.5
		3	Not sure	84	5.5
			Missing	680	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	640	39.9
		2 Yes	233	14.5
		3 No	697	41.3
		4 Not sure	63	4.3
		Missing	704	
152-152	Q121	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,544	92.8
		2 With friends, family, or other people because my parents or I lost our home or cannot afford housing	60	4.7
		3 In a motel or hotel	12	0.5
		4 In a shelter or emergency housing	14	0.9
		5 In a car, park, campground, or other public place	2	0.0
		6 I moved from place to place	4	0.3
		7 Somewhere else	10	0.7
		Missing	691	
153-153	Q122	During the past 12 months, did you ever live away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	115	6.3
		2 No	1,491	93.7
		Missing	731	
154-154	Q123	During the past 12 months, how many times did you go tanning in a tanning salon, nail salon, or health club?		
		1 0 times	1,145	72.3
		2 1 or 2 times	190	11.1
		3 3 to 9 times	166	9.3
		4 10 to 19 times	53	2.9
		5 20 to 39 times	37	2.1
		6 40 or more times	37	2.4
		Missing	709	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
155-155	Q124	Have you ever used the school-based health center (school clinic) at your school? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
156-156	Q125	In an average week, how many times do you go to bodegas, delis, or drugstores? 1 0 times 2 1 time per week 3 2 times per week 4 3 times per week 5 4 times per week 6 5 times per week 7 6 times per week 8 7 or more times per week Missing	592 193 157 162 127 153 51 202 700	42.1 12.6 10.4 8.6 6.1 7.9 2.7 9.5
185-185	QN8	Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey) 1 Yes 2 No Missing	1,158 179 1,000	85.9 14.1
188-188	QN11	Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey) 1 Yes 2 No Missing	39 532 1,766	5.9 94.1

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN12	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	91	14.8
		2 No	518	85.2
		Missing	1,728	
190-190	QN13	Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	181	7.2
		2 No	2,050	92.8
		Missing	106	
191-191	QN14	Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)		
		1 Yes	61	2.3
		2 No	2,228	97.7
		Missing	48	
192-192	QN15	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	85	3.3
		2 No	2,189	96.7
		Missing	63	
193-193	QN16	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	139	6.6
		2 No	2,131	93.4
		Missing	67	
194-194	QN17	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)		
		1 Yes	128	6.1
		2 No	2,184	93.9
		Missing	25	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Brooklyn
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN18	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	528	24.2
		2 No	1,782	75.8
		Missing	27	
199-199	QN22	Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	144	12.7
		2 No	976	87.3
		Missing	1,217	
200-200	QN23	Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	124	11.1
		2 No	1,011	88.9
		Missing	1,202	
201-201	QN24	Percentage of students who were bullied on school property (during the 12 months before the survey)		
		1 Yes	344	16.1
		2 No	1,945	83.9
		Missing	48	
202-202	QN25	Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)		
		1 Yes	279	11.4
		2 No	2,000	88.6
		Missing	58	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)			
		1	Yes	712	29.2
		2	No	1,555	70.8
			Missing	70	
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)			
		1	Yes	308	12.3
		2	No	1,947	87.7
			Missing	82	
206-206	QN29	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)			
		1	Yes	162	7.1
		2	No	1,767	92.9
			Missing	408	
207-207	QN30	Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)			
		1	Yes	54	1.9
		2	No	1,834	98.1
			Missing	449	
208-208	QN31	Percentage of students who ever tried cigarette smoking (even one or two puffs)			
		1	Yes	491	23.2
		2	No	1,727	76.8
			Missing	119	
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)			
		1	Yes	117	5.9
		2	No	2,044	94.1
			Missing	176	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)			
		1	Yes	7	9.9
		2	No	109	90.1
			Missing	2,221	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)			
		1	Yes	68	2.1
		2	No	2,159	97.9
			Missing	110	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)			
		1	Yes	105	5.2
		2	No	2,099	94.8
			Missing	133	
217-217	QN40	Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)			
		1	Yes	349	16.2
		2	No	1,843	83.8
			Missing	145	
219-219	QN42	Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)			
		1	Yes	431	18.6
		2	No	1,705	81.4
			Missing	201	
220-220	QN43	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)			
		1	Yes	434	17.7
		2	No	1,529	82.3
			Missing	374	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
221-221	QN44	Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)		
		1 Yes	161	5.2
		2 No	1,923	94.8
		Missing	253	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)		
		1 Yes	24	0.6
		2 No	1,911	99.4
		Missing	402	
223-223	QN46	Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)		
		1 Yes	127	37.4
		2 No	284	62.6
		Missing	1,926	
225-225	QN48	Percentage of students who tried marijuana before age 13 years (for the first time)		
		1 Yes	130	5.5
		2 No	1,995	94.5
		Missing	212	
226-226	QN49	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	355	14.1
		2 No	1,760	85.9
		Missing	222	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)		
		1 Yes	76	3.7
		2 No	2,041	96.3
		Missing	220	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)		
		1 Yes	47	2.0
		2 No	2,086	98.0
			Missing	204
232-232	QN55	Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)		
		1 Yes	109	5.4
		2 No	1,980	94.6
			Missing	248
235-235	QN58	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)		
		1 Yes	42	1.8
		2 No	2,031	98.2
			Missing	264
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	577	25.5
		2 No	1,213	74.5
			Missing	547
238-238	QN61	Percentage of students who had sexual intercourse before age 13 years (for the first time)		
		1 Yes	86	4.7
		2 No	1,677	95.3
			Missing	574
239-239	QN62	Percentage of students who had sexual intercourse with four or more persons (during their life)		
		1 Yes	159	7.0
		2 No	1,614	93.0
			Missing	564

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
240-240	QN63	Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)		
		1 Yes	367	16.3
		2 No	1,401	83.7
		Missing	569	
241-241	QN64	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	56	12.8
		2 No	293	87.2
		Missing	1,988	
242-242	QN65	Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	212	68.5
		2 No	106	31.5
		Missing	2,019	
243-243	QN66	Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	32	9.9
		2 No	302	90.1
		Missing	2,003	
248-248	QN71	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	550	28.5
		2 No	1,375	71.5
		Missing	412	
249-249	QN72	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	349	16.3
		2 No	1,572	83.7
		Missing	416	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
254-254	QN77	Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	562	27.0
		2 No	1,268	73.0
		Missing	507	
255-255	QN78	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	634	31.7
		2 No	1,176	68.3
		Missing	527	
256-256	QN79	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	237	12.5
		2 No	1,538	87.5
		Missing	562	
257-257	QN80	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	711	41.8
		2 No	1,071	58.2
		Missing	555	
258-258	QN81	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	548	30.6
		2 No	1,223	69.4
		Missing	566	
259-259	QN82	Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)		
		1 Yes	845	47.3
		2 No	893	52.7
		Missing	599	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
260-260	QN83	Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,533	83.0
		2 No	202	17.0
		Missing	602	
262-262	QN85	Percentage of students who were ever tested for HIV (not including tests done when donating blood)		
		1 Yes	346	21.7
		2 No	1,338	78.3
		Missing	653	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)		
		1 Yes	1,126	67.5
		2 No	533	32.5
		Missing	678	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	362	20.4
		2 No	1,289	79.6
		Missing	686	
265-265	QN88	Percentage of students who had 8 or more hours of sleep (on an average school night)		
		1 Yes	384	26.8
		2 No	1,267	73.2
		Missing	686	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,296	99.4
		2 No	20	0.6
		Missing	21	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	39	3.3
		2 No	2,265	96.7
		Missing	33	
269-269	QN92	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	1,035	46.6
		2 No	1,263	53.4
		Missing	39	
270-270	QN93	Percentage of students who are transgender		
		1 Yes	64	3.8
		2 No	2,220	96.2
		Missing	53	
271-271	QN94	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	353	13.7
		2 No	1,953	86.3
		Missing	31	
272-272	QN95	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	380	17.7
		2 No	1,791	82.3
		Missing	166	
273-273	QN96	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	224	10.7
		2 No	1,891	89.3
		Missing	222	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	43	25.8
		2 No	110	74.2
		Missing	2,184	
275-275	QN98	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	133	5.3
		2 No	1,917	94.7
		Missing	287	
276-276	QN99	Percentage of students who have ever tried any flavored tobacco products (such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars)		
		1 Yes	292	12.7
		2 No	1,889	87.3
		Missing	156	
277-277	QN100	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	97	4.8
		2 No	2,025	95.2
		Missing	215	
278-278	QN101	Percentage of students who have taken a prescription pain medication without a doctor's prescription (such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, one or more times during the 12 months before the survey)		
		1 Yes	144	6.3
		2 No	1,958	93.7
		Missing	235	
279-279	QN102	Percentage of students who have taken benzodiazepines without a doctor's prescription (such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	112	4.9
		2 No	1,987	95.1
		Missing	238	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have taken stimulants without a doctor's prescription (such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	86	4.1
		2 No	2,002	95.9
			Missing	249
281-281	QN104	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	219	44.0
		2 No	247	56.0
			Missing	1,871
282-282	QN105	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	93	14.4
		2 No	530	85.6
			Missing	1,714
283-283	QN106	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	57	9.2
		2 No	543	90.8
			Missing	1,737
284-284	QN107	Percentage of students who reported that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school (among students who have used birth control) DATA NOT DISPLAYED. Please send an e-mail to epidatrequest@health.nyc.gov with requests for data related to school-based health centers.		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	36	2.0
		2 No	1,757	98.0
		Missing	544	
286-286	QN109	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not including potatoes, during the 7 days before the survey)		
		1 Yes	487	25.3
		2 No	1,409	74.7
		Missing	441	
287-287	QN110	Percentage of students who ate french fries, fried potatoes, or potato chips (one or more times during the 7 days before the survey)		
		1 Yes	1,483	80.1
		2 No	388	19.9
		Missing	466	
288-288	QN111	Percentage of students who did not drink a bottle or glass of plain water (including tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	113	6.0
		2 No	1,747	94.0
		Missing	477	
289-289	QN112	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	1,305	72.9
		2 No	507	27.1
		Missing	525	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	242	13.3
		2 No	1,545	86.7
		Missing	550	
291-291	QN114	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	284	18.8
		2 No	1,391	81.2
		Missing	662	
292-292	QN115	Percentage of students who usually spend 10 minutes or more walking, biking, or skateboarding to school (among students who walk, bike, or skateboard to school, on an average school day)		
		1 Yes	918	71.6
		2 No	384	28.4
		Missing	1,035	
293-293	QN116	Percentage of students who walk up at least three floors of stairs outside of school on an average day (among students who are physically able to walk up the stairs)		
		1 Yes	1,300	81.7
		2 No	295	18.3
		Missing	742	
294-294	QN117	Percentage of students who were ever taught about sexual health in school		
		1 Yes	1,536	92.5
		2 No	104	7.5
		Missing	697	
295-295	QN118	Percentage of students who were first taught about sexual health in a health education class (among students who had been taught about sexual health in school)		
		1 Yes	860	53.5
		2 No	671	46.5
		Missing	806	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
296-296	QN119	Percentage of students who reported that the last time they had seen a doctor or a nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	836	46.0
		2 No	821	54.0
		Missing	680	
297-297	QN120	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	233	24.2
		2 No	760	75.8
		Missing	1,344	
298-298	QN121	Percentage of students who usually slept with friends, family, or other people because their parents or they lost their home or cannot afford housing (during the 30 days before the survey)		
		1 Yes	60	4.7
		2 No	1,586	95.3
		Missing	691	
299-299	QN122	Percentage of students who ever lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	115	6.3
		2 No	1,491	93.7
		Missing	731	
300-300	QN123	Percentage of students who went tanning in a tanning salon, nail salon, or health club (not including getting a spray-on tan, one or more times during the 12 months before the survey)		
		1 Yes	483	27.7
		2 No	1,145	72.3
		Missing	709	
301-301	QN124	Percentage of students who have ever used the school-based health center (school clinic) at their school (among students who have a school-based health center at their school)		
		DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
302-302	QN125	Percentage of students who go to bodegas, delis, or drugstores two or more times per week (not including supermarkets or department stores)		
		1 Yes	852	45.3
		2 No	785	54.7
		Missing	700	
350-350	QNFRDIG	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)		
		1 Yes	17	0.9
		2 No	2,144	99.1
		Missing	176	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	12	0.5
		2 No	2,149	99.5
		Missing	176	
353-353	QNTOB4	Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	457	20.7
		2 No	1,683	79.3
		Missing	197	
354-354	QNTOB3	Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	203	8.9
		2 No	1,941	91.1
		Missing	193	
355-355	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	175	8.4
		2 No	1,958	91.6
		Missing	204	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
356-356	QNNOTOB4	Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	1,683	81.9
		2 No	380	18.1
		Missing	274	
357-357	QNNOTOB3	Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,941	92.8
		2 No	152	7.2
		Missing	244	
358-358	QNNOTOB2	Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,958	93.1
		2 No	139	6.9
		Missing	240	
359-359	QNIUDIMP	Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	7	1.1
		2 No	327	98.9
		Missing	2,003	
360-360	QNSHPARG	Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	12	3.0
		2 No	322	97.0
		Missing	2,003	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNOTHHPL	Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	51	14.1
		2 No	283	85.9
			Missing	2,003
362-362	QNDUALBC	Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)		
		1 Yes	11	3.0
		2 No	301	97.0
			Missing	2,025
363-363	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	60	16.9
		2 No	274	83.1
			Missing	2,003
364-364	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)		
		1 Yes	141	7.0
		2 No	1,732	93.0
			Missing	464
365-365	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)		
		1 Yes	981	53.5
		2 No	892	46.5
			Missing	464
366-366	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)		
		1 Yes	573	29.7
		2 No	1,300	70.3
			Missing	464

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Brooklyn
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
367-367	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)			
		1	Yes	398	20.4
		2	No	1,475	79.6
			Missing	464	
372-372	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	290	16.8
		2	No	1,540	83.2
			Missing	507	
373-373	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	196	11.2
		2	No	1,634	88.8
			Missing	507	
374-374	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	117	6.1
		2	No	1,713	93.9
			Missing	507	
375-375	QNMILK1	Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	336	20.0
		2	No	1,474	80.0
			Missing	527	
376-376	QNMILK2	Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	179	11.1
		2	No	1,631	88.9
			Missing	527	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-377	QNMILK3	Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)		
		1 Yes	84	4.5
		2 No	1,726	95.5
		Missing	527	
378-378	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	612	35.7
		2 No	1,163	64.3
		Missing	562	
379-379	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	383	21.2
		2 No	1,399	78.8
		Missing	555	
380-380	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)		
		1 Yes	375	21.2
		2 No	1,407	78.8
		Missing	555	
381-381	QNDLYPE	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)		
		1 Yes	736	47.7
		2 No	999	52.3
		Missing	602	
385-385	QNWATER1	Percentage of students who drank one or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	1,215	64.0
		2 No	645	36.0
		Missing	477	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

**Brooklyn
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
386-386	QNWATER2	Percentage of students who drank two or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	1,085	58.3
		2 No	775	41.7
		Missing	477	
387-387	QNWATER3	Percentage of students who drank three or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	847	43.6
		2 No	1,013	56.4
		Missing	477	
388-388	QNOBESE	Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	256	11.8
		2 No	1,769	88.2
		Missing	312	
389-389	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	320	14.6
		2 No	1,705	85.4
		Missing	312	
390-399	WEIGHT			
400-402	STRATUM			
403-408	PSU			
409-413	BMIPCT			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

**Brooklyn
Codebook**

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
414-415	RACEETH				
		1	Am Indian / Alaska Native	23	0.3
		2	Asian	227	15.7
		3	Black or African American	858	43.7
		4	Native Hawaiian/other PI	25	0.5
		5	White	282	13.5
		6	Hispanic/Latino	347	12.3
		7	Multiple - Hispanic	372	12.8
		8	Multiple - Non-Hispanic	83	1.4
			Missing	120	
416-418	Q6ORIG				
419-421	Q7ORIG				
450-450	S3	Sub-site - S3			
		0		2,337	100.0
451-451	S4	Sub-site - S4			
		1		2,337	100.0
452-452	S5	Sub-site - S5			
		0		2,337	100.0
453-453	S6	Sub-site - S6			
		0		2,337	100.0
454-454	S7	Sub-site - S7			
		0		2,337	100.0
455-455	S8	Sub-site - S8			
		0		2,337	100.0
456-456	S9	Sub-site - S9			
		0		1,456	84.8
		1		881	15.2
457-457	S10	Sub-site - S10			
		0		2,337	100.0