# New York City High School Survey

# Brooklyn

Data Location	Variable Name		estion nd Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old are you?			
		1 12 years old or	younger	12	0.4
		2 13 years old		55	3.1
		3 14 years old		417	23.6
		4 15 years old		515	24.1
		5 16 years old		649	25.1
		6 17 years old		512	19.6
		7 18 years old or	older	118	4.1
		Missing		11	
18-18	Q2	What is your sex?			
		1 Female		1,194	48.1
		2 Male		1,061	51.9
		Missing		34	
19-19	Q3	In what grade are you?			
		1 9th grade		519	28.5
		2 10th grade		519	26.2
		3 11th grade		650	22.8
		4 12th grade		562	22.0
		5 Ungraded or oth	ner grade	8	0.4
		Missing		31	
20-20	Q4	Are you Hispanic or Latino?			
		1 Yes		604	25.6
		2 No		1,630	74.4
		Missing		55	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		Н	3	0.1
		F	3	0.2
		Е	245	21.3
		D	60	3.4
		DE	1	0.0
		С	1,067	51.0
		CE	19	1.1
		CD	9	0.3
		В	465	14.8
		BE	12	1.1
		BC	17	1.2
		A	73	3.9
		A E	3	0.1
		A D	1	0.0
		A C	14	0.6
		ACE	3	0.3
		A CD	3	0.2
		AB	1	0.0
		ABC	1	0.0
		ABC E	2	0.2
		ABCD	1	0.1
			286	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,106	91.8
		2 1 day	37	2.4
		3 2 or 3 days	33	1.5
		4 4 or 5 days	26	1.3
		5 6 or more days	68	2.9
		Missing	19	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	2,150	94.8
		2 1 day	37	1.6
		3 2 or 3 days	19	0.8
		4 4 or 5 days	21	0.8
		5 6 or more days	36	1.9
		Missing	26	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,011	88.0
		2 1 day	150	7.4
		3 2 or 3 days	58	2.6
		4 4 or 5 days	11	0.6
		5 6 or more days	25	1.4
		Missing	34	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,114	92.2
		2 1 time	78	3.9
		3 2 or 3 times	35	1.6
		4 4 or 5 times	18	0.8
		5 6 or 7 times	4	0.2
		6 8 or 9 times	6	0.3
		7 10 or 11 times	3	0.3
		8 12 or more times	15	0.7
		Missing	16	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,757	77.0
		2 1 time	214	8.6
		3 2 or 3 times	171	8.0
		4 4 or 5 times	53	2.5
		5 6 or 7 times	21	0.9
		6 8 or 9 times	10	0.6
		7 10 or 11 times	9	0.5
		8 12 or more times	34	1.8
		Missing	20	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q20	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?		
		1 0 times	1,992	90.3
		2 1 time	81	4.0
		3 2 or 3 times	73	3.4
		4 4 or 5 times	17	0.7
		5 6 or more times	32	1.5
		Missing	94	
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	1,080	53.4
		2 0 times	904	43.7
		3 1 time	27	1.3
		4 2 or 3 times	14	0.8
		5 4 or 5 times	6	0.5
		6 6 or more times	12	0.4
		Missing	246	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	1,076	52.1
		2 0 times	893	42.2
		3 1 time	52	2.9
		4 2 or 3 times	29	1
		5 4 or 5 times	9	0.:
		6 6 or more times	27	1.
		Missing	203	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	349	15.9
		2 No	1,897	84.
		Missing	43	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
55-55	Q24	During the	past 12 months, have you ever been electronically bullied?		
		1	Yes	318	15.0
		2	No	1,924	85.0
			Missing	47	
56-56	Q25		past 12 months, did you ever feel so sad or hopeless almost for two weeks or more in a row that you stopped doing some ities?		
		1	Yes	788	35.8
		2	No	1,440	64.2
			Missing	61	
57-57	Q26	During the suicide?	past 12 months, did you ever seriously consider attempting		
		1	Yes	342	15.6
		2	No	1,876	84.4
			Missing	71	
59-59	Q28	During the suicide?	During the past 12 months, how many times did you actually attempt		
		1	0 times	1,653	91.1
		2	1 time	81	4.7
		3	2 or 3 times	42	2.3
		4	4 or 5 times	12	1.1
		5	6 or more times	13	0.9
			Missing	488	
60-60	Q29		npted suicide during the past 12 months, did any attempt injury, poisoning, or overdose that had to be treated by a urse?		
		1	I did not attempt suicide during the past 12 months	1,654	91.4
		2	Yes	48	3.0
		3	No	102	5.6
			Missing	485	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	Have you e	ver tried cigarette smoking, even one or two puffs?		
		1	Yes	197	11.2
		2	No	1,872	88.8
			Missing	220	
62-62	Q31	How old we two puffs?	ere you when you first tried cigarette smoking, even one or		
		1	I have never tried cigarette smoking, not even one or two puffs	1,869	88.0
		2	8 years old or younger	41	2.5
		3	9 or 10 years old	40	2.0
		4	11 or 12 years old	34	1.7
		5	13 or 14 years old	51	2.7
		6	15 or 16 years old	44	2.8
		7	17 years old or older	7	0.3
			Missing	203	
63-63	Q32	During the	past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	2,132	97.3
		2	1 or 2 days	17	0.7
		3	3 to 5 days	11	0.0
		4	6 to 9 days	8	0.:
		5	10 to 19 days	6	0.1
		6	20 to 29 days	0	0.0
		7	All 30 days	6	0.3
			Missing	109	
64-64	Q33		past 30 days, on the days you smoked, how many cigarettes bke per day?		
		1	I did not smoke cigarettes during the past 30 days	2,107	97.3
		2	Less than 1 cigarette per day	23	1.2
		3	1 cigarette per day	12	0.0
		4	2 to 5 cigarettes per day	4	0.2
		5	6 to 10 cigarettes per day	4	0.
		6	11 to 20 cigarettes per day	0	0.0
		7	More than 20 cigarettes per day	3	0.1
			Missing	136	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q34	Have you	ever used an electronic vapor product?		
		1	Yes	738	34.8
		2	No	1,395	65.2
			Missing	156	
66-66	Q35	During the vapor prod	past 30 days, on how many days did you use an electronic uct?		
		1	0 days	1,788	84.8
		2	1 or 2 days	129	6.8
		3	3 to 5 days	44	2.3
		4	6 to 9 days	27	1.0
		5	10 to 19 days	25	1.
		6	20 to 29 days	16	1.0
		7	All 30 days	34	2.4
		_	Missing	226	
67-67	Q36	During the vapor prod	past 30 days, how did you usually get your own electronic ucts?		
		1	I did not use any electronic vapor products during the past 30 days	1,756	85.0
		2	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	71	5.1
		3	I got them on the Internet	16	0.2
		4	I gave someone else money to buy them for me	37	1.9
		5	I borrowed them from someone else	95	5
		6	A person who can legally buy these products gave them to me	19	0.
		7	I took them from a store or another person	1	0.0
		8	I got them some other way	26	1.
			Missing	268	
69-69	Q38		past 30 days, on how many days did you smoke cigars, or little cigars?		
		1	0 days	2,027	94.2
		2	1 or 2 days	49	2.4
		3	3 to 5 days	24	1.:
		4	6 to 9 days	18	0.9
		5	10 to 19 days	8	0.4
		6	20 to 29 days	2	0.0
		7	All 30 days	8	0.:
			Missing	153	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few	1,164	56.2
		2 sips 2 8 years old or younger	148	7.8
		3 9 or 10 years old	105	5.1
		4 11 or 12 years old	109	6.0
		5 13 or 14 years old	222	12.0
		6 15 or 16 years old	229	10.7
		7 17 years old or older	45	2.2
		Missing	247	2.2
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,628	78.3
		2 1 or 2 days	252	12.6
		3 3 to 5 days	93	4.8
		4 6 to 9 days	33	1.7
		5 10 to 19 days	17	1.1
		6 20 to 29 days	9	0.5
		7 All 30 days	15	1.0
		Missing	242	
73-73	Q42	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?		
		1 0 days	1,867	91.4
		2 1 day	75	3.8
		3 2 days	41	1.8
		4 3 to 5 days	32	1.7
		5 6 to 9 days	9	0.6
		6 10 to 19 days	5	0.3
		7 20 or more days	8	0.3
		Missing	252	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,451	71.2
		2 8 years old or younger	41	1.8
		3 9 or 10 years old	40	2.0
		4 11 or 12 years old	56	3.3
		5 13 or 14 years old	218	10.2
		6 15 or 16 years old	227	9.9
		7 17 years old or older	35	1.5
		Missing	221	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,693	81.4
		2 1 or 2 times	166	7.6
		3 3 to 9 times	102	5.1
		4 10 to 19 times	52	2.7
		5 20 to 39 times	29	1.2
		6 40 or more times	44	2.0
		Missing	203	
79-79	Q48	During your life, how many times have you used synthetic marijuana?		
		1 0 times	1,904	90.0
		2 1 or 2 times	85	4.4
		3 3 to 9 times	44	2.6
		4 10 to 19 times	25	1.1
		5 20 to 39 times	9	0.3
		6 40 or more times	30	1.6
		Missing	192	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,010	95.7
		2 1 or 2 times	24	1.2
		3 3 to 9 times	22	0.9
		4 10 to 19 times	9	0.6
		5 20 to 39 times	9	0.7
		6 40 or more times	13	0.9
		Missing	202	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
83-83	Q52		ur life, how many times have you used heroin (also called lk, or China White)?		
		1	0 times	1,989	94.9
		2	1 or 2 times	35	1.8
		3	3 to 9 times	20	1.2
		4	10 to 19 times	15	1.0
		5	20 to 39 times	6	0.2
		6	40 or more times	13	0.8
			Missing	211	
84-84	Q53	During yo (also calle	ur life, how many times have you used methamphetamines d speed, crystal meth, crank, ice, or meth)?		
		1	0 times	1,995	95.5
		2	1 or 2 times	32	2.0
		3	3 to 9 times	14	0.8
		4	10 to 19 times	9	0.5
		5	20 to 39 times	7	0.0
		6	40 or more times	8	0.0
		_	Missing	224	
87-87	Q56		ur life, how many times have you used a needle to inject any g into your body?		
		1	0 times	1,989	96.4
		2	1 time	42	2.4
		3	2 or more times	20	1.2
		_	Missing	238	
89-89	Q58	Have you	ever had sexual intercourse?		
		1	Yes	444	25.7
		2	No	1,193	74.3
			Missing	652	
90-90	Q59	How old w	vere you when you had sexual intercourse for the first time?		
		1	I have never had sexual intercourse	1,181	73.9
		2	11 years old or younger	41	2.7
		3	12 years old	22	1.0
		4	13 years old	65	3.8
		5	14 years old	95	6.1
		6	15 years old	106	5.7
		7	16 years old	92	5.0
		8	17 years old or older	27	1.7
			Missing	660	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,177	74.5
		2 1 person	188	11.0
		3 2 people	84	4.6
		4 3 people	52	3.5
		5 4 people	30	2.2
		6 5 people	14	0.7
		7 6 or more people	57	3.4
		Missing	687	
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,170	74.3
		2 I have had sexual intercourse, but not during the past 3 months	149	9.7
		3 1 person	205	11.9
		4 2 people	39	2.0
		5 3 people	16	0.8
		6 4 people	9	0.4
		7 5 people	1	0.0
		8 6 or more people	10	0.8
		Missing	690	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,165	74.0
		2 Yes	81	5.7
		3 No	352	20.3
		Missing	691	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,163	75.8
		2 Yes	238	14.5
		3 No	160	9.7
		Missing	728	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,152	75.9
		2 No method was used to prevent pregnancy	89	4.8
		3 Birth control pills	45	3.1
		4 Condoms	204	12.7
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	6	0.5
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	8	0.4
		7 Withdrawal or some other method	28	1.6
		8 Not sure	18	1.1
		Missing	739	
96-96	Q65	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	964	57.1
		2 Females	371	23.3
		3 Males	279	14.5
		4 Females and males	79	5.1
		Missing	596	
97-97	Q66	Which of the following best describes you?		
		1 Heterosexual (straight)	1,844	83.4
		2 Gay or lesbian	72	3.0
		3 Bisexual	198	7.7
		4 Not sure	118	5.9
		Missing	57	
00-100	Q69	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	647	36.7
		2 1 to 3 times during the past 7 days	706	35.2
		3 4 to 6 times during the past 7 days	235	12.1
		4 1 time per day	74	3.6
		5 2 times per day	81	4.3
		6 3 times per day	39	2.1
		7 4 or more times per day	89	5.9
		Missing	418	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
101-101	Q70	During the past 7 days, how many times did you eat fruit?	· ·	
		1 I did not eat fruit during the past 7 days	377	22.1
		2 1 to 3 times during the past 7 days	695	34.9
		3 4 to 6 times during the past 7 days	346	18.1
		4 1 time per day	127	7.1
		5 2 times per day	131	8.2
		6 3 times per day	65	3.6
		7 4 or more times per day	110	6.1
		Missing	438	
106-106	Q75	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	626	37.2
		2 1 to 3 times during the past 7 days	778	39.4
		3 4 to 6 times during the past 7 days	186	9.9
		4 1 time per day	86	4.3
		5 2 times per day	64	4.3
		6 3 times per day	38	1.9
		7 4 or more times per day	50	2.8
		Missing	461	
109-109	Q78	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	443	24.6
		2 1 day	216	11.5
		3 2 days	230	11.9
		4 3 days	201	10.7
		5 4 days	132	7.7
		6 5 days	185	11.1
		7 6 days	96	6.0
		8 7 days	289	16.5
		Missing	497	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79	On an avera	age school day, how many hours do you watch TV?		
		1	I do not watch TV on an average school day	665	38.8
		2	Less than 1 hour per day	307	17.2
		3	1 hour per day	206	11.6
		4	2 hours per day	215	12.9
		5	3 hours per day	179	8.7
		6	4 hours per day	77	3.8
		7	5 or more hours per day	133	7.0
		_	Missing	507	
111-111	Q80		On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1	I do not play video or computer games or use a computer for something that is not school work	450	25.7
		2	Less than 1 hour per day	172	9.8
		3	1 hour per day	167	10.9
		4	2 hours per day	209	11.6
		5	3 hours per day	229	12.1
		6	4 hours per day	165	8.8
		7	5 or more hours per day	367	21.0
			Missing	530	
112-112	Q81		ge week when you are in school, on how many days do you cal education (PE) classes?		
		1	0 days	287	17.4
		2	1 day	65	4.1
		3	2 days	408	19.9
		4	3 days	307	15.5
		5	4 days	58	3.7
		6	5 days	620	39.4
			Missing	544	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
115-115	Q84	Have you	ever been tested for HIV, the virus that causes AIDS?		
		1	Yes	360	20.8
		2	No	1,128	65.6
		3	Not sure	213	13.6
			Missing	588	
116-116	Q85		past 12 months, have you been tested for a sexually d disease (STD) other than HIV, such as chlamydia or ?		
		1	Yes	310	18.5
		2	No	1,218	72.5
		3	Not sure	154	9.0
			Missing	607	
117-117	Q86		the last time you saw a dentist for a check-up, exam, teeth or other dental work?		
		1	During the past 12 months	1,133	66.6
		2	Between 12 and 24 months ago	259	14.7
		3	More than 24 months ago	123	7.9
		4	Never	51	3.3
		5	Not sure	124	7.4
			Missing	599	
118-118	Q87	Has a doct	or or nurse ever told you that you have asthma?		
		1	Yes	357	21.4
		2	No	1,213	73.2
		3	Not sure	93	5.4
			Missing	626	
119-119	Q88	On an aver	rage school night, how many hours of sleep do you get?		
		1	4 or less hours	304	19.9
		2	5 hours	324	19.1
		3	6 hours	404	22.6
		4	7 hours	345	19.9
		5	8 hours	215	13.0
		6	9 hours	52	3.9
		7	10 or more hours	27	1.6
			Missing	618	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
121-121	Q90	What borough of New York do you live in?			
		1	Bronx	64	2.6
		2	Brooklyn	1,913	86.6
		3	Manhattan	60	2.5
		4	Queens	198	6.7
		5	Staten Island	32	1.6
			Missing	22	
122-122	Q91	How often do the p English?	people in your home speak a language other than		
		1	Never	576	26.3
		2	Rarely	193	7.8
		3	Sometimes	376	17.0
		4	Most of the time	517	22.6
		5	Always	596	26.2
			Missing	31	
123-123	Q92		ibe themselves as transgender when their sex at birth way they think or feel about their gender. Are you		
		1	No, I am not transgender	2,137	95.0
		2	Yes, I am transgender	26	1.4
		3	I am not sure if I am transgender	26	1.4
		4	I do not know what this question is asking	51	2.1
			Missing	49	
124-124	Q93	What was your sex	assigned at birth?		
		1	Female	1,222	49.5
		2	Male	1,026	50.5
			Missing	41	
125-125	Q94		nce, style, dress, or the way they walk or talk may describe them. How do you think other people at ribe you?		
		1	Very feminine	377	16.0
		2	Mostly feminine	430	19.2
		3	Somewhat feminine	198	7.9
		4	Equally feminine and masculine	285	12.0
		5	Somewhat masculine	142	7.7
		6	Mostly masculine	317	14.9
			Very masculine	442	22.2
			Missing	98	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	During the past 12 months, how many times did you witness someone being physically hurt on purpose?		
		1 0 times	1,233	54.6
		2 1 time	340	15.6
		3 2 or more times	621	29.8
		Missing	95	
127-127	Q96	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,863	82.8
		2 1 time	154	7.5
		3 2 or 3 times	123	5.3
		4 4 or 5 times	39	2.1
		5 6 or more times	49	2.4
		Missing	61	
128-128	Q97	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	2,092	96.7
		2 I bought them in a store such as a convenience store, supermarket, or gas station	14	0.5
		3 I bought them on the Internet	12	0.6
		4 I bummed them	9	0.6
		5 Someone gave them to me or bought them for me	18	0.9
		6 I stole them	2	0.2
		7 I got them some other way	7	0.5
		Missing	135	
129-129	Q98	Menthol cigarettes are cigarettes that taste like mint. Are the cigarettes you usually smoke menthol?		
		1 I do not smoke cigarettes	2,023	92.6
		2 Yes	57	2.2
		3 No	93	5.1
		Missing	116	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
30-130	Q99	How old were you when you tried an electronic vapor product for first time?	the	
		1 I have never tried an electronic vapor product	1,486	67.8
		2 8 years old or younger	41	2.5
		3 9 or 10 years old	24	1.6
		4 11 or 12 years old	65	3.4
		5 13 or 14 years old	265	12.8
		6 15 or 16 years old	228	10.3
		7 17 years old or older	46	1.7
		Missing	134	
131-131	Q100	Which flavor of electronic vapor products do you typically use?		
		1 I do not use electronic vapor products	1,683	79.6
		2 Tobacco or no flavor	36	1.6
		3 Mint or menthol	83	4.4
		4 Chocolate, candy, fruit, or cinnamon	282	12.8
		5 Alcohol or other flavor	29	1.6
		Missing	176	
132-132	Q101	How harmful is using an electronic vapor product compared to smoking regular cigarettes?		
		1 I do not know enough about electronic vapor products to answer	1,175	53.5
		2 Using electronic vapor products is less harmful smoking regular cigarettes	than 257	12.4
		3 Using electronic vapor products is more harmfu than smoking regular cigarettes	ıl 196	9.2
		4 Using electronic vapor products and smoking regular cigarettes are equally harmful	503	24.9
		Missing	158	
33-133	Q102	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,832	87.5
		2 1 or 2 times	127	6.8
		3 3 to 9 times	68	3.3
		4 10 to 19 times	21	1.2
		5 20 to 39 times	11	0.6
		6 40 or more times	11	0.5
		Missing	219	0.5

# New York City High School Survey

### Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103		fe, how many times have you used ecstasy (also called ly," "E," or "X")?		
		1	0 times	1,963	94.9
		2	1 or 2 times	36	1.9
		3	3 to 9 times	26	1.7
		4	10 to 19 times	11	0.4
		5	20 to 39 times	7	0.5
		6	40 or more times	9	0.6
			Missing	237	
135-135	Q104	prescription be	at 12 months, how many times have you taken a enzodiazepine without a doctor's prescription or n how a doctor told you to use it?		
		1	0 times	1,953	94.3
		2	1 or 2 times	37	2.2
		3	3 to 9 times	28	1.6
		4	10 to 19 times	12	0.8
		5	20 to 39 times	8	0.5
		6	40 or more times	7	0.5
			Missing	244	
136-136	Q105	prescription st	st 12 months, how many times have you taken a imulant without a doctor's prescription or differently ctor told you to use it?		
		1	0 times	1,919	93.4
		2	1 or 2 times	56	2.9
		3	3 to 9 times	28	1.8
		4	10 to 19 times	18	1.1
		5	20 to 39 times	5	0.3
		6	40 or more times	10	0.5
			Missing	253	
137-137	Q106		you had sexual intercourse, what one method did you or se to prevent pregnancy?		
		1	I have never had sexual intercourse	1,183	70.2
		2	No method was used to prevent pregnancy	123	6.9
		3	Birth control pills	24	1.7
		4	Condoms	327	18.2
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	6	0.5
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	2	0.3
		7	Withdrawal or some other method	25	1.3
		8	Not sure	14	1.0
		-	Missing	585	110

# New York City High School Survey

### Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107		rimary reason you or your partner did not use a condom you had sexual intercourse?		
		1	I have never had sexual intercourse	1,148	71.4
		2	My partner or I used a condom the last time I had sexual intercourse	252	14.7
		3	We did not need a condom because we used another method to prevent pregnancy (such as birth control pills, a shot, patch, or birth control ring, or an IUD or implant)	62	4.0
		4	My partner did not want to use a condom	30	1.8
		5	I do not like the way a condom feels	50	3.2
		6	I did not expect to have sex at that time	39	2.1
		7	Some other reason	53	2.8
			Missing	655	
139-139	Q108	partner get it	you used birth control, from where did you or your ?		
			DISPLAYED. Please send an email to epidatarequest@health ata related to school-based health centers.	.nyc.gov with	
140-140	Q109	requests for d		.nyc.gov with	
40-140	Q109	requests for d	but partner use Emergency Contraception (the	.nyc.gov with	71.9
40-140	Q109	requests for d Did you or y "Morning-Af	bur partner use Emergency Contraception (the fer Pill") after the last time you had sexual intercourse?		71.9 3.3
40-140	Q109	requests for d Did you or yo "Morning-Af 1	our partner use Emergency Contraception (the ter Pill") after the last time you had sexual intercourse? I have never had sexual intercourse	1,131	
40-140	Q109	requests for d Did you or y "Morning-At 1 2	bur partner use Emergency Contraception (the fter Pill") after the last time you had sexual intercourse? I have never had sexual intercourse Yes	1,131 53	3.3

# New York City High School Survey

### Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	22	1.4
		2 No	1,591	94.8
		3 Not sure	57	3.8
		Missing	619	
142-142	Q111	Did you receive sex education in your middle school health education class?		
		1 I did not have a health education class in middle school	403	23.6
		2 Yes	1,080	56.1
		3 No	259	14.5
		4 Not sure	131	5.8
		Missing	416	
143-143	Q112	Did you receive sex education in your high school health education class?		
		1 I did not have a health education class in high school	324	19.7
		2 Yes	1,129	54.5
		3 No	321	18.8
		4 Not sure	115	7.0
		Missing	400	
144-144	Q113	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	366	21.7
		2 1 to 3 times during the past 7 days	629	33.3
		3 4 to 6 times during the past 7 days	379	20.7
		4 1 time per day	199	10.0
		5 2 times per day	130	6.6
		6 3 times per day	53	3.0
		7 4 or more times per day	89	4.8
		Missing	444	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	sugar-swee	past 7 days, how many times did you drink other tened drinks such as sports drinks, energy drinks, fruit t-flavored drinks, or sugar-sweetened teas?		
		1	I did not drink other sugar-sweetened drinks during the past 7 days	578	33.7
		2	1 to 3 times during the past 7 days	702	37.0
		3	4 to 6 times during the past 7 days	241	13.4
		4	1 time per day	95	5.0
		5	2 times per day	69	4.1
		6	3 times per day	46	3.1
		7	4 or more times per day	64	3.6
			Missing	494	
146-146	Q115		past 12 months, how often have you ridden a bicycle in one boroughs of New York City?		
		1	Several times a month	247	15.6
		2	At least once a month	133	9.3
		3	A few times a year	394	23.1
		4	Never	934	52.0
			Missing	581	
147-147	Q116	Have you e	ver been taught about AIDS or HIV infection in school?		
		1	Yes	1,351	78.4
		2	No	238	14.9
		3	Not sure	102	6.7
			Missing	598	
148-148	Q117		st, doctor, or nurse ever told you that you have a dental ecayed teeth?		
		1	Yes	742	45.7
		2	No	817	48.3
		3	Not sure	111	6.0
			Missing	619	
149-149	Q118	During the asthma atta	past 12 months, have you had an episode of asthma or an ck?		
		1	I have never had asthma	663	42.3
		2	Yes	238	13.1
		3	No	680	39.9
		4	Not sure	73	4.6
			Missing	635	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
150-150	Q119	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,505	89.6
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	95	6.0
		3 In a foster or group home	34	2.4
		4 In a shelter or emergency housing	19	1.2
		5 In a motel or hotel	5	0.2
		6 In a car, park, campground, or other public place	4	0.1
		7 I did not have a usual place to sleep	3	0.2
		8 Somewhere else	5	0.3
		Missing	619	
151-151	Q120	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	168	11.7
		2 No	1,427	88.3
		Missing	694	
152-152	Q121	During the past 12 months, how often did you worry that food at home would run out before your family got money to buy more?		
		1 Often	151	11.2
		2 Sometimes	264	15.9
		3 Never	1,227	72.9
		Missing	647	
153-153	Q122	During the past 12 months, how often did the food that your family bought run out and there was no money to buy more?		
		1 Often	120	8.5
		2 Sometimes	199	13.0
		3 Never	1,306	78.4
		Missing	664	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
154-154	Q123	Has either o	f your parents spent time in jail or prison?		
		1	Yes	309	21.7
		2	No	1,097	67.7
		3	Not sure	162	10.6
			Missing	721	
155-155	Q124	Have you ev	ver been arrested?		
		1	Yes	165	12.2
		2	No	1,419	87.8
			Missing	705	
156-156	Q125	Do you agre	e or disagree that you feel close to people at your school?		
		1	Strongly agree	318	19.5
		2	Agree	715	43.1
		3	Not sure	352	23.4
		4	Disagree	148	8.7
		5	Strongly disagree	92	5.4
			Missing	664	
157-157	Q126		ast one teacher or other adult in your school that you can 1 have a problem?		
		1	Yes	1,008	61.7
		2	No	334	22.7
		3	Not sure	252	15.6
			Missing	695	
158-158	Q127	During the p doctor?	bast two years, have you had your eyes examined by an eye		
		1	No, I have not had my eyes examined by an eye doctor during the past two years	371	25.2
		2	Yes, I have had my eyes examined by an eye doctor during the past two years	1,133	67.6
		3	Not sure	109	7.2
			Missing	676	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	164 2,106 19	8.2 91.8
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes 2 No Missing	113 2,150 26	5.2 94.8
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	244 2,011 34	12.0 88.0
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes 2 No Missing	159 2,114 16	7.8 92.2
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes 2 No Missing	512 1,757 20	23.0 77.0

# New York City High School Survey

### Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)		
		1 Yes 2 No Missing	203 1,992 94	9.7 90.3
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes 2 No Missing	59 904 1,326	6.3 93.7
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes 2 No Missing	117 893 1,279	12.0 88.0
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes 2 No Missing	349 1,897 43	15.9 84.1

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	318	15.0
		2 No Missing	1,924 47	85.0
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	788	35.8
		2 No	1,440	64.2
		Missing	61	
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	342	15.6
		2 No	1,876	84.4
		Missing	71	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	148	8.9
		2 No	1,653	91.1
		Missing	488	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	48	3.0
		2 No	1,756	97.0
		Missing	485	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	197	11.2
		2 No	1,872	88.8
		Missing	220	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	115	6.2
		2 No	1,971	93.8
		Missing	203	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	48	2.3
		2 No	2,132	97.7
		Missing	109	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	2	4.0
		2 No	43	96.0
		Missing	2,244	
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	738	34.8
		2 No	1,395	65.2
		Missing	156	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)		
		1 Yes	275	15.2
		2 No	1,788	84.8
		Missing	226	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)		
		1 Yes 2 No Missing	68 183 2,038	34.8 65.2
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	109 2,027 153	5.8 94.2
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes 2 No Missing	382 1,660 247	18.9 81.1
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	419 1,628 242	21.7 78.3
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No Missing	170 1,867 252	8.6 91.4
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes 2 No Missing	137 1,931 221	7.2 92.8

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	393	18.6
		2 No	1,693	81.4
		Missing	203	
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	193	10.0
		2 No	1,904	90.0
		Missing	192	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	77	4.3
		2 No	2,010	95.7
		Missing	202	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	89	5.1
		2 No	1,989	94.9
		Missing	211	
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)		
		1 Yes	70	4.5
		2 No	1,995	95.5
		Missing	224	
233-233	QN56	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	62	3.6
		2 No	1,989	96.4
		Missing	238	

# New York City High School Survey

Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	444	25.7
		2 No	1,193	74.3
		Missing	652	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	63	3.8
		2 No	1,566	96.2
		Missing	660	
237-237	QN60	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	101	6.4
		2 No	1,501	93.6
		Missing	687	
238-238	QN61	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	280	15.9
		2 No	1,319	84.1
		Missing	690	
239-239	QN62	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	54	23.6
		2 No	222	76.4
		Missing	2,013	, 511
240-240	QN63	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	`	
		1 Yes	139	54.4
		2 No	114	45.6
		Missing	2,036	

# New York City High School Survey

Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
241-241	QN64	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	34	14.5
		2 No Missing	216 2,039	85.5
246-246	QN69	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	647	36.7
		2 No	1,224	63.3
		Missing	418	
247-247	QN70	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	377	22.1
		2 No	1,474	77.9
		Missing	438	
252-252	QN75	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	626	37.2
		2 No	1,202	62.8
		Missing	461	
255-255	QN78	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	570	33.6
		2 No	1,222	66.4
		Missing	497	
256-256	QN79	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	389	19.5
		2 No	1,393	80.5
		Missing	507	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	761	42.0
		2 No	998	58.0
		Missing	530	
258-258	QN81	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,458	82.6
		2 No	287	17.4
		Missing	544	
261-261	QN84	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	360	20.8
		2 No	1,341	79.2
		Missing	588	
262-262	QN85	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	310	18.5
		2 No	1,372	81.5
		Missing	607	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,133	66.6
		2 No	557	33.4
		Missing	599	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	357	21.4
		2 No	1,306	78.6
		Missing	626	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	294	18.5
		2 No	1,377	81.5
		Missing	618	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,207	97.5
		2 No	60	2.5
		Missing	22	
268-268	QN91	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	1,113	48.9
		2 No	1,145	51.1
		Missing	31	
269-269	QN92	Percentage of students who are transgender		
		1 Yes	26	1.4
		2 No	2,214	98.6
		Missing	49	
270-270	QN93	Percentage of students who reported that their sex assigned at birth was female		
		1 Yes	1,222	49.5
		2 No	1,026	50.5
		Missing	41	
271-271	QN94	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	285	12.0
		2 No	1,906	88.0
		Missing	98	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who witnessed someone being physically hurt on purpose (counting things such as being hit, slammed into something, or injured with an object or weapon, one or more times during the 12 months before the survey)		
		1 Yes	961	45.4
		2 No	1,233	54.6
		Missing	95	
273-273	QN96	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	365	17.2
		2 No	1,863	82.8
		Missing	61	
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	14	16.1
		2 No	48	83.9
		Missing	2,227	
275-275	QN98	Percentage of students who usually smoke menthol cigarettes (among students who smoke cigarettes)		
		1 Yes	57	30.5
		2 No	93	69.5
		Missing	2,139	
276-276	QN99	Percentage of students who tried an electronic vapor product for the first time at age 12 or younger (among students who ever tried an electronic vapor product)		
		1 Yes	130	23.2
		2 No	539	76.8
		Missing	1,620	

# New York City High School Survey

### Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
277-277	QN100	Percentage of students who typically use a flavored electronic vapor product other than tobacco flavor and no flavor (mint or menthol, chocolate, candy, fruit or cinnamon, alcohol or other flavor, among students who use electronic vapor products)		
		1 Yes	394	92.0
		2 No	36	8.0
		Missing	1,859	
278-278	QN101	Percentage of students who report that using an electronic vapor product is less harmful than smoking regular cigarettes		
		1 Yes	257	12.4
		2 No	1,874	87.6
		Missing	158	
279-279	QN102	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	238	12.5
		2 No	1,832	87.5
		Missing	219	
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	89	5.1
		2 No	1,963	94.9
		Missing	237	
281-281	QN104	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	92	5.7
		2 No	1,953	94.3
		Missing	244	2.110

# New York City High School Survey

# Brooklyn

Data Variable Location Name		<b>C</b>		Weighted Percentage
282-282	QN105	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes 2 No	117 1,919	6.6 93.4
		Missing	253	
283-283	QN106	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	123	23.0
		2 No	398	77.0
		Missing	1,768	
284-284	QN107	Percentage of students who reported their primary reason for not using a condom the last time they had sexual intercourse was that they did not need a condom because they used another method to prevent pregnancy (such as birth control pills, a shot, a patch, or birth control ring, or an IUD or implant, among students who have had sexual intercourse)		
		1 Yes	62	13.9
		2 No	424	86.1
285-285	QN108	Missing   Percentage of students who reported they or their partner got the birth control they last used from a school-based health center or condom availability program or from school nurse or doctor (among students who have ever used birth control)   DATA NOT DISPLAYED. Please send an email to epidatarequest@health requests for data related to school-based health centers.	1,803	
286-286	QN109	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	53	11.7
		2 No	417	88.3
		Missing	1,819	

# New York City High School Survey

# Brooklyn

Data Location	VariableQuestionnNameCode and Label		Unweighted Frequency	Weighted Percentage
287-287	QN110	QN110 Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	22	1.4
		2 No	1,648	98.6
		Missing	619	
288-288	QN111	Percentage of students who did not receive sex education in their middle school health education class		
		1 Yes	259	14.5
		2 No	1,614	85.5
		Missing	416	
289-289	QN112	Percentage of students who did not receive sex education in their high school health education class		
		1 Yes	321	18.8
		2 No	1,568	81.2
		Missing	400	
290-290	QN113	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	471	24.3
		2 No	1,374	75.7
		Missing	444	
291-291	QN114	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar-free drinks, one or more times during the 7 days before the survey)		
		1 Yes	1,217	66.3
		2 No	578	33.7
		Missing	494	
292-292	QN115	Percentage of students who have never ridden a bicycle in one of the five boroughs of New York City (during the 12 months before the survey)		
		1 Yes	934	52.0
		2 No	774	48.0
		Missing	581	

# New York City High School Survey

# Brooklyn

DataVariableLocationName		Question Code and Label	Unweighted Frequency	Weighted Percentage
293-293	QN116	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	1,351	78.4
		2 No	340	21.6
		Missing	598	
294-294	QN117	Percentage of students who had been told by a dentist, doctor, or nurse that they had a dental cavity or decayed teeth		
		1 Yes	742	45.7
		2 No	928	54.3
		Missing	619	
295-295	QN118	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	238	22.7
		2 No	753	77.3
		Missing	1,298	
296-296	QN119	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	95	6.0
		2 No	1,575	94.0
		Missing	619	
297-297	QN120	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	168	11.7
		2 No	1,427	88.3
		Missing	694	
298-298	QN121	Percentage of students who often or sometimes worried that food at home would run out before their family got money to buy more (during the 12 months before the survey)		
		1 Yes	415	27.1
		2 No	1,227	72.9
		Missing	647	

# New York City High School Survey

# Brooklyn

DataVariableLocationName		Question Code and Label	Unweighted Frequency	Weighted Percentage
299-299	QN122	Percentage of students who reported that often or sometimes the food that their family bought run out and there was no money to buy more (during the 12 months before the survey)		
		1 Yes	319	21.6
		2 No Missing	1,306 664	78.4
300-300	QN123	Percentage of students who reported that either of their parents has spent time in jail or prison		
		1 Yes	309	21.7
		2 No	1,259	78.3
		Missing	721	
301-301	QN124	Percentage of students who have ever been arrested		
		1 Yes	165	12.2
		2 No	1,419	87.8
		Missing	705	
302-302	QN125	Percentage of students who strongly agree or agree that they feel close to people at their school		
		1 Yes	1,033	62.5
		2 No	592	37.5
		Missing	664	
303-303	QN126	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	1,008	61.7
		2 No	586	38.3
		Missing	695	
304-304	QN127	Percentage of students who have not had their eyes examined by an eye doctor (during the two years before the survey)		
		1 Yes	371	25.2
		2 No	1,242	74.8
		Missing	676	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	6	0.3
		2 No	2,174	99.7
		Missing	109	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	<b>C</b>		Weighted Percentage
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	6	0.3
		2 No	2,174	99.7
		Missing	109	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	50	3.4
		2 No	2,013	96.6
		Missing	226	
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	34	2.4
		2 No	2,029	97.6
		Missing	226	
354-354	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	134	6.8
		2 No	1,974	93.2
		Missing	181	
357-357	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	295	16.2
		2 No	1,765	83.8
		Missing	229	
358-358	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	5	2.8
		2 No	245	97.2
		Missing	2,039	

# New York City High School Survey

# Brooklyn

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNOTHHPL Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1 Yes 2 No Missing	45 205 2,039	19.3 80.7
360-360	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes 2 No Missing	9 235 2,045	4.1 95.9
361-361	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes 2 No Missing	51 199 2,039	19.3 80.7
362-362	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes 2 No Missing	202 1,640 447	11.9 88.1
363-363	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes 2 No Missing	869 973 447	48.3 51.7

# New York City High School Survey

# Brooklyn

Data Location	VariableQuestionNameCode and Label		Unweighted Frequency	Weighted Percentage
364-364	QNFR2 more times per day (such as orange juice, apple juice,	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	429	25.7
		2 No Missing	1,413 447	74.3
369-369	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	238	13.5
		2 No	1,590	86.5
		Missing	461	
370-370	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	152	9.1
		2 No	1,676	90.9
		Missing	461	
374-374	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	443	24.6
		2 No	1,349	75.4
		Missing	497	
375-375	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	289	16.5
		2 No	1,503	83.5
		Missing	497	

# New York City High School Survey

### Brooklyn

Data Variable Location Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
376-376	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	620	39.4
		2 No	1,125	60.6
		Missing	544	
377-377	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	51	3.3
		2 No	1,639	96.7
		Missing	599	
384-384	QNOBESE	Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	250	13.8
		2 No	1,651	86.2
		Missing	388	
385-385	QNOWT	Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	310	16.7
		2 No	1,591	83.3
		Missing	388	
386-395	WEIGHT			
396-398	STRATUM			
399-404	PSU			
407-411	BMIPCT			

# New York City High School Survey

# Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
412-413	RACEETH8				
		1	Am Indian/Alaska Native	20	1.3
		2	Asian	438	11.9
		3	Black or African American	879	39.7
		4	Native Hawaiian/Other PI	16	1.0
		5	White	164	15.8
		6	Hispanic/Latino	214	10.3
		7	Multiple - Hispanic	389	15.9
		8	Multiple - Non-Hispanic	64	4.0
414-416	Q6ORIG	-	Missing	105	
414-410					
		AVAILABLE.			
417-419	Q7ORIG				
	DATA NOT A	AVAILABLE.			
450-459	SSWEIGHT	Sub-site Weigl	nt		
	DATA NOT	AVAILABLE.			
460-460	S2	Sub-site - S2			
		0		2,223	99.5
		1		66	0.5
		AVAILABLE.			
461-461	<b>S</b> 3	Sub-site - S3		2 200	100.0
		0		2,289	100.0
		AVAILABLE.			
462-462	<b>S</b> 4	Sub-site - S4		2 200	100.0
		1		2,289	100.0
	DATA NOT	AVAILABLE.			
463-463	S5	Sub-site - S5		2 200	100.0
	DATA NOT			2,289	100.0
		AVAILABLE.			
464-464	<b>S</b> 6	Sub-site - S6 0		2,289	100.0
	DATA NOT	AVAILABLE.		2,207	100.0
465-465	S7	Sub-site - S7			
	57	0		2,289	100.0
	DATA NOT	AVAILABLE.			

# New York City High School Survey

### Brooklyn

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
466-466	S8	Sub-site - S8 0		2,289	100.0
	DATA NOT	Г AVAILABLE.			
467-467	S9	Sub-site - S9			
		0 1		1,411 878	84.9 15.1
	DATA NO	T AVAILABLE.			
68-468	<b>S</b> 10	Sub-site - S10			100
	DATA NO	0 Г AVAILABLE.		2,289	100.0
	RACE5	1	White	164	15.8
		2	Black	879	39.7
		3	Hispanic	603	26.2
		4	Asian	438	11.9
		5	Other (Am Indian/Alaska Native, Native Hawaiian/	100	6.3
		5	Other PI, Multiple)	100	0.5
			Missing	105	
	BCCAT7	Contraception a	t last sex - 7 categories		
		1	Condom only (any condom use without HBC/LARC or EC)	189	52.3
		2	HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	38	11.7
		3	EC only (any EC without condoms)	11	4.1
		4	Dual: condoms and HBC/LARC excluding exclusive EC	15	3.8
		5	Dual: condoms and EC (may include withdrawal)	18	5.5
		6	Withdrawal only	20	4.7
		7	No contraception	75	17.9
			Missing	1,923	
	BCCAT5	Contraception a	t last sex - 5 categories		
		1	Condom only (any condom use without HBC/LARC or EC)	189	52.3
		2	HBC/LARC only (any HBC/LARC without condoms)	49	15.9
		3	Dual: condoms and HBC/LARC (may include withdrawal)	33	9.3
		4	Withdrawal only	20	4.7
		5	No contraception	75	17.9
			Missing	1,923	