

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
1-3	SITE	Site Code		
4-13	SCHOOL	School Codes		
14-16	CLASS	Class Codes		
17-17	Q1	How old are you?		
		1 12 years old or younger	13	0.1
		2 13 years old	16	0.1
		3 14 years old	1,103	17.3
		4 15 years old	2,142	30.9
		5 16 years old	2,329	24.7
		6 17 years old	1,723	17.7
		7 18 years old or older	797	9.1
		Missing	17	
18-18	Q2	What is your sex?		
		1 Female	4,133	49.8
		2 Male	3,985	50.2
		Missing	22	
19-19	Q3	In what grade are you?		
		1 9th grade	2,334	36.4
		2 10th grade	2,296	28.9
		3 11th grade	2,088	18.5
		4 12th grade	1,305	15.4
		5 Ungraded or other grade	60	0.8
		Missing	57	
20-21	Q4	How do you describe yourself?		
		1 American Indian or Alaska Native	129	1.6
		2 Asian	656	13.4
		3 Black or African American	2,527	34.1
		4 Hispanic or Latino	2,877	35.4
		5 Native Hawaiian or Other Pacific Islander	114	1.1
		6 White	1,036	8.8
		7 Multiple - Hispanic	441	3.2
		8 Multiple - Non-hispanic	257	2.3
		Missing	103	
22-25	Q5	How tall are you without your shoes on? (Note: Data are in meters.)		
26-31	Q6	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
32-32	Q7	How do you describe your health in general?		
		1 Excellent	1,817	21.9
		2 Very good	2,911	34.5
		3 Good	2,597	33.4
		4 Fair	627	8.9
		5 Poor	92	1.2
		Missing	96	
33-33	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	2,999	36.7
		2 Never wore a helmet	4,255	52.4
		3 Rarely wore a helmet	374	4.7
		4 Sometimes wore a helmet	210	2.7
		5 Most of the time wore a helmet	122	1.9
		6 Always wore a helmet	127	1.7
		Missing	53	
34-34	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	478	6.2
		2 Rarely	787	10.1
		3 Sometimes	1,488	18.8
		4 Most of the time	2,111	24.7
		5 Always	3,214	40.3
		Missing	62	
35-35	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	6,624	82.2
		2 1 time	533	6.4
		3 2 or 3 times	497	5.2
		4 4 or 5 times	124	1.8
		5 6 or more times	330	4.4
		Missing	32	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
36-36	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	7,650	96.0
		2 1 time	134	1.3
		3 2 or 3 times	95	1.0
		4 4 or 5 times	33	0.4
		5 6 or more times	83	1.3
		Missing	145	
37-37	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	6,600	83.5
		2 1 day	320	4.2
		3 2 or 3 days	351	4.6
		4 4 or 5 days	130	1.6
		5 6 or more days	537	6.1
		Missing	202	
38-38	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	7,748	96.2
		2 1 day	128	1.4
		3 2 or 3 days	70	1.1
		4 4 or 5 days	28	0.2
		5 6 or more days	103	1.1
		Missing	63	
39-39	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	7,443	93.0
		2 1 day	157	1.8
		3 2 or 3 days	145	1.9
		4 4 or 5 days	51	0.8
		5 6 or more days	215	2.5
		Missing	129	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
40-40	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	7,423	90.9
		2 1 day	321	4.3
		3 2 or 3 days	180	2.8
		4 4 or 5 days	36	0.5
		5 6 or more days	99	1.6
		Missing	81	
41-41	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	7,489	91.9
		2 1 time	321	4.0
		3 2 or 3 times	162	2.1
		4 4 or 5 times	45	0.5
		5 6 or 7 times	26	0.5
		6 8 or 9 times	16	0.2
		7 10 or 11 times	7	0.1
		8 12 or more times	65	0.7
		Missing	9	
42-42	Q17	During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?		
		1 0 times	6,290	77.0
		2 1 time	1,028	12.4
		3 2 or 3 times	533	7.2
		4 4 or 5 times	118	1.4
		5 6 or 7 times	41	0.5
		6 8 or 9 times	19	0.3
		7 10 or 11 times	4	0.0
		8 12 or more times	92	1.2
		Missing	15	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
43-43	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	4,976	64.2
		2 1 time	1,191	13.8
		3 2 or 3 times	987	12.7
		4 4 or 5 times	282	3.4
		5 6 or 7 times	147	1.8
		6 8 or 9 times	50	0.5
		7 10 or 11 times	33	0.5
		8 12 or more times	243	3.1
	Missing	231		
44-44	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	7,653	94.5
		2 1 time	305	4.2
		3 2 or 3 times	58	0.8
		4 4 or 5 times	17	0.2
		5 6 or more times	25	0.3
	Missing	82		
45-45	Q20	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	6,873	86.0
		2 1 time	719	8.3
		3 2 or 3 times	260	3.5
		4 4 or 5 times	73	1.2
		5 6 or 7 times	22	0.3
		6 8 or 9 times	7	0.1
		7 10 or 11 times	7	0.1
		8 12 or more times	42	0.6
	Missing	137		
46-46	Q21	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	824	10.0
		2 No	7,271	90.0
	Missing	45		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
47-47	Q22	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	585	7.5
		2 No	7,467	92.5
		Missing	88	
48-48	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	2,526	32.3
		2 No	5,503	67.7
		Missing	111	
49-49	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	1,143	15.3
		2 No	6,929	84.7
		Missing	68	
50-50	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	915	11.9
		2 No	7,102	88.1
		Missing	123	
51-51	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	6,145	90.4
		2 1 time	335	4.9
		3 2 or 3 times	190	2.9
		4 4 or 5 times	34	0.5
		5 6 or more times	66	1.3
		Missing	1,370	
52-52	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	6,112	90.5
		2 Yes	164	2.6
		3 No	448	6.9
		Missing	1,416	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
53-53	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	3,780	48.1
		2 No	3,814	51.9
		Missing	546	
54-54	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	5,080	69.4
		2 8 years old or younger	210	3.4
		3 9 or 10 years old	189	2.4
		4 11 or 12 years old	445	5.6
		5 13 or 14 years old	896	11.9
		6 15 or 16 years old	524	6.2
		7 17 years old or older	88	1.1
Missing	708			
55-55	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	6,750	88.8
		2 1 or 2 days	265	3.5
		3 3 to 5 days	131	1.5
		4 6 to 9 days	99	1.4
		5 10 to 19 days	87	1.2
		6 20 to 29 days	72	1.0
		7 All 30 days	235	2.6
Missing	501			
56-56	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	6,655	88.7
		2 Less than 1 cigarette per day	237	3.1
		3 1 cigarette per day	198	2.6
		4 2 to 5 cigarettes per day	293	3.8
		5 6 to 10 cigarettes per day	82	1.1
		6 11 to 20 cigarettes per day	28	0.3
		7 More than 20 cigarettes per day	38	0.4
Missing	609			

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
57-57	Q32	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	6,696	88.6
		2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station	326	4.2
		3 I bought them from a vending machine	8	0.2
		4 I gave someone else money to buy them for me	99	1.0
		5 I borrowed (or bummed) them from someone else	173	2.2
		6 A person 18 years old or older gave them to me	68	0.9
		7 I took them from a store or family member	58	0.8
		8 I got them some other way	166	2.1
		Missing	546	
58-58	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	7,470	95.1
		2 1 or 2 days	137	1.5
		3 3 to 5 days	51	0.9
		4 6 to 9 days	40	0.5
		5 10 to 19 days	41	0.6
		6 20 to 29 days	48	0.4
		7 All 30 days	111	1.0
		Missing	242	
59-59	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	568	7.2
		2 No	7,114	92.8
		Missing	458	
60-60	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	6,056	82.5
		2 Yes	808	10.4
		3 No	563	7.2
		Missing	713	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
61-61	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	7,804	96.6
		2 1 or 2 days	89	1.7
		3 3 to 5 days	34	0.4
		4 6 to 9 days	18	0.6
		5 10 to 19 days	15	0.2
		6 20 to 29 days	5	0.1
		7 All 30 days	38	0.4
	Missing	137		
63-63	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	7,517	94.3
		2 1 or 2 days	246	2.8
		3 3 to 5 days	88	0.9
		4 6 to 9 days	52	0.7
		5 10 to 19 days	31	0.3
		6 20 to 29 days	15	0.2
		7 All 30 days	67	0.8
	Missing	124		
64-64	Q39	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	1,932	28.3
		2 1 or 2 days	1,250	18.9
		3 3 to 9 days	1,226	16.8
		4 10 to 19 days	834	10.9
		5 20 to 39 days	697	10.3
		6 40 to 99 days	529	7.3
		7 100 or more days	569	7.5
	Missing	1,103		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
65-65	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	1,858	27.4
		2 8 years old or younger	588	9.4
		3 9 or 10 years old	511	7.6
		4 11 or 12 years old	922	13.2
		5 13 or 14 years old	1,789	24.7
		6 15 or 16 years old	1,193	15.6
		7 17 years old or older	173	2.1
	Missing	1,106		
66-66	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	4,736	64.5
		2 1 or 2 days	1,586	20.5
		3 3 to 5 days	629	8.1
		4 6 to 9 days	314	3.3
		5 10 to 19 days	165	2.3
		6 20 to 29 days	35	0.4
		7 All 30 days	64	0.8
	Missing	611		
67-67	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	6,607	86.4
		2 1 day	565	6.4
		3 2 days	296	3.3
		4 3 to 5 days	215	2.1
		5 6 to 9 days	98	1.0
		6 10 to 19 days	26	0.3
		7 20 or more days	45	0.5
	Missing	288		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
68-68	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	7,380	94.9
		2 1 or 2 days	292	3.8
		3 3 to 5 days	60	0.7
		4 6 to 9 days	17	0.2
		5 10 to 19 days	11	0.1
		6 20 to 29 days	3	0.0
		7 All 30 days	30	0.4
	Missing	347		
69-69	Q44	During your life, how many times have you used marijuana?		
		1 0 times	5,395	71.9
		2 1 or 2 times	683	8.0
		3 3 to 9 times	525	6.1
		4 10 to 19 times	293	3.4
		5 20 to 39 times	255	2.6
		6 40 to 99 times	216	2.5
		7 100 or more times	424	5.4
	Missing	349		
70-70	Q45	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	5,399	71.8
		2 8 years old or younger	91	1.2
		3 9 or 10 years old	88	1.0
		4 11 or 12 years old	356	4.3
		5 13 or 14 years old	1,068	12.6
		6 15 or 16 years old	708	7.7
		7 17 years old or older	112	1.4
	Missing	318		
71-71	Q46	During the past 30 days, how many times did you use marijuana?		
		1 0 times	6,681	87.7
		2 1 or 2 times	427	4.5
		3 3 to 9 times	277	3.2
		4 10 to 19 times	128	1.8
		5 20 to 39 times	90	1.1
		6 40 or more times	169	1.7
	Missing	368		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
72-72	Q47	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	7,581	96.5
		2 1 or 2 times	135	1.7
		3 3 to 9 times	76	0.9
		4 10 to 19 times	41	0.4
		5 20 to 39 times	5	0.0
		6 40 or more times	40	0.4
		Missing	262	
73-73	Q48	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	7,583	96.4
		2 1 or 2 times	133	1.6
		3 3 to 9 times	48	0.5
		4 10 to 19 times	25	0.4
		5 20 to 39 times	25	0.4
		6 40 or more times	58	0.8
		Missing	268	
74-74	Q49	During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?		
		1 0 times	7,687	98.2
		2 1 or 2 times	59	0.8
		3 3 to 9 times	26	0.4
		4 10 to 19 times	10	0.1
		5 20 to 39 times	5	0.1
		6 40 or more times	37	0.5
		Missing	316	
75-75	Q50	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	7,301	91.3
		2 1 or 2 times	323	4.3
		3 3 to 9 times	124	2.1
		4 10 to 19 times	63	0.9
		5 20 to 39 times	34	0.7
		6 40 or more times	65	0.8
		Missing	230	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
76-76	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	7,750	98.2
		2 1 or 2 times	50	0.4
		3 3 to 9 times	24	0.3
		4 10 to 19 times	13	0.2
		5 20 to 39 times	14	0.2
		6 40 or more times	36	0.6
	Missing	253		
77-77	Q52	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	7,667	97.5
		2 1 or 2 times	71	1.1
		3 3 to 9 times	37	0.6
		4 10 to 19 times	17	0.2
		5 20 to 39 times	9	0.1
		6 40 or more times	37	0.5
	Missing	302		
78-78	Q53	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	7,581	96.3
		2 1 or 2 times	159	1.8
		3 3 to 9 times	55	0.6
		4 10 to 19 times	27	0.4
		5 20 to 39 times	19	0.3
		6 40 or more times	43	0.6
	Missing	256		
79-79	Q54	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	7,710	97.5
		2 1 or 2 times	76	1.0
		3 3 to 9 times	41	0.6
		4 10 to 19 times	20	0.2
		5 20 to 39 times	15	0.3
		6 40 or more times	39	0.5
	Missing	239		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
80-80	Q55	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	7,652	97.9
		2 1 time	68	1.1
		3 2 or more times	68	1.0
		Missing	352	
81-81	Q56	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	2,141	26.1
		2 No	5,722	73.9
		Missing	277	
82-82	Q57	Have you ever had sexual intercourse?		
		1 Yes	3,624	47.7
		2 No	3,434	52.3
		Missing	1,082	
83-83	Q58	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	3,422	52.5
		2 11 years old or younger	379	5.6
		3 12 years old	350	5.3
		4 13 years old	637	8.8
		5 14 years old	876	11.6
		6 15 years old	731	9.0
		7 16 years old	444	4.9
		8 17 years old or older	178	2.2
		Missing	1,123	
84-84	Q59	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	3,418	52.5
		2 1 person	1,131	14.4
		3 2 people	660	9.5
		4 3 people	456	5.9
		5 4 people	306	4.5
		6 5 people	240	2.8
		7 6 or more people	774	10.4
		Missing	1,155	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
85-85	Q60	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	3,418	52.5
		2 I have had sexual intercourse, but not during the past 3 months	1,091	17.7
		3 1 person	1,715	19.8
		4 2 people	376	5.0
		5 3 people	146	1.4
		6 4 people	85	1.1
		7 5 people	42	0.6
		8 6 or more people	128	1.9
		Missing	1,139	
86-86	Q61	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	3,402	52.8
		2 Yes	516	7.0
		3 No	3,040	40.2
		Missing	1,182	
87-87	Q62	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	3,394	53.0
		2 Yes	2,538	33.8
		3 No	931	13.1
		Missing	1,277	
88-88	Q63	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	3,396	53.2
		2 No method was used to prevent pregnancy	572	7.8
		3 Birth control pills	182	2.8
		4 Condoms	2,203	29.4
		5 Depo-Provera (injectable birth control)	39	0.3
		6 Withdrawal	254	3.6
		7 Some other method	107	1.6
		8 Not sure	97	1.4
		Missing	1,290	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
89-89	Q64	How do you describe your weight?		
		1 Very underweight	288	4.5
		2 Slightly underweight	1,034	14.7
		3 About the right weight	4,051	51.6
		4 Slightly overweight	1,920	24.8
		5 Very overweight	340	4.4
		Missing	507	
90-90	Q65	Which of the following are you trying to do about your weight?		
		1 Lose weight	3,430	42.7
		2 Gain weight	1,650	22.1
		3 Stay the same weight	1,487	20.7
		4 I am not trying to do anything about my weight	1,049	14.5
		Missing	524	
91-91	Q66	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	4,428	59.0
		2 No	3,098	41.0
		Missing	614	
92-92	Q67	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	2,690	33.7
		2 No	4,864	66.3
		Missing	586	
93-93	Q68	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?		
		1 Yes	712	9.4
		2 No	6,809	90.6
		Missing	619	
94-94	Q69	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?		
		1 Yes	340	4.2
		2 No	7,144	95.8
		Missing	656	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
95-95	Q70	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	371	5.9
		2 No	7,076	94.1
		Missing	693	
96-96	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	1,204	16.6
		2 1 to 3 times during the past 7 days	2,532	32.8
		3 4 to 6 times during the past 7 days	1,285	18.0
		4 1 time per day	572	8.0
		5 2 times per day	643	8.5
		6 3 times per day	473	6.2
		7 4 or more times per day	761	9.9
Missing	670			
97-97	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,490	19.4
		2 1 to 3 times during the past 7 days	3,125	40.0
		3 4 to 6 times during the past 7 days	1,117	16.0
		4 1 time per day	633	9.4
		5 2 times per day	488	7.6
		6 3 times per day	241	2.9
		7 4 or more times per day	355	4.7
Missing	691			
98-98	Q73	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	3,233	45.3
		2 1 to 3 times during the past 7 days	2,633	34.8
		3 4 to 6 times during the past 7 days	698	8.8
		4 1 time per day	538	7.5
		5 2 times per day	163	1.9
		6 3 times per day	50	0.6
		7 4 or more times per day	96	1.1
Missing	729			

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
99-99	Q74	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	3,178	43.6
		2 1 to 3 times during the past 7 days	3,215	43.5
		3 4 to 6 times during the past 7 days	541	7.1
		4 1 time per day	238	3.6
		5 2 times per day	95	1.1
		6 3 times per day	31	0.4
		7 4 or more times per day	68	0.7
		Missing	774	
100-100	Q75	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	4,711	61.9
		2 1 to 3 times during the past 7 days	1,944	27.8
		3 4 to 6 times during the past 7 days	317	5.5
		4 1 time per day	213	2.8
		5 2 times per day	51	0.7
		6 3 times per day	29	0.5
		7 4 or more times per day	47	0.9
		Missing	828	
101-101	Q76	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	2,103	29.7
		2 1 to 3 times during the past 7 days	2,922	36.7
		3 4 to 6 times during the past 7 days	1,154	15.2
		4 1 time per day	686	10.8
		5 2 times per day	256	4.1
		6 3 times per day	108	1.8
		7 4 or more times per day	117	1.6
		Missing	794	
102-102	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	1,814	24.0
		2 1 to 3 glasses during the past 7 days	2,296	30.5
		3 4 to 6 glasses during the past 7 days	1,193	16.2
		4 1 glass per day	806	12.4
		5 2 glasses per day	655	8.9
		6 3 glasses per day	276	4.6
		7 4 or more glasses per day	274	3.4
		Missing	826	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
103-103	Q78	On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?		
		1 0 days	1,292	18.7
		2 1 day	732	9.6
		3 2 days	884	11.7
		4 3 days	910	11.5
		5 4 days	696	10.6
		6 5 days	954	14.2
		7 6 days	360	4.5
		8 7 days	1,352	19.3
		Missing	960	
104-104	Q79	On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?		
		1 0 days	2,534	37.1
		2 1 day	895	13.0
		3 2 days	907	11.7
		4 3 days	675	9.0
		5 4 days	439	6.0
		6 5 days	481	6.4
		7 6 days	177	3.0
		8 7 days	997	13.8
		Missing	1,035	
105-105	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	2,364	33.9
		2 1 day	829	11.1
		3 2 days	817	11.8
		4 3 days	663	8.6
		5 4 days	502	7.5
		6 5 days	634	8.9
		7 6 days	290	3.5
		8 7 days	1,001	14.7
		Missing	1,040	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
106-106	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	550	8.2
		2 Less than 1 hour per day	774	10.5
		3 1 hour per day	736	9.2
		4 2 hours per day	1,270	17.5
		5 3 hours per day	1,277	19.0
		6 4 hours per day	923	13.6
		7 5 or more hours per day	1,487	21.9
		Missing	1,123	
107-107	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	971	14.2
		2 1 day	193	3.5
		3 2 days	956	10.1
		4 3 days	1,029	16.5
		5 4 days	910	12.8
		6 5 days	2,483	43.0
		Missing	1,598	
108-108	Q83	During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports?		
		1 I do not take PE	968	14.9
		2 Less than 10 minutes	615	8.0
		3 10 to 20 minutes	971	14.3
		4 21 to 30 minutes	1,280	19.2
		5 31 to 40 minutes	1,231	19.7
		6 41 to 50 minutes	957	15.9
		7 51 to 60 minutes	212	3.9
		8 More than 60 minutes	270	4.1
		Missing	1,636	
109-109	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	3,779	57.5
		2 1 team	1,617	23.5
		3 2 teams	868	11.3
		4 3 or more teams	598	7.7
		Missing	1,278	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
110-110	Q85	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	6,013	84.7
		2 No	711	11.4
		3 Not sure	197	3.9
		Missing	1,219	
111-111	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	1,589	20.5
		2 No	5,099	76.5
		3 Not sure	220	3.0
		Missing	1,232	
112-112	Q87	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I do not have asthma	5,220	78.1
		2 No, I have asthma, but I have not had an episode of asthma or an asthma attack during the past 12 months	980	12.1
		3 Yes, I have had an episode of asthma or an asthma attack during the past 12 months	471	6.4
		4 Not sure	215	3.4
113-113	Q88	How often do the people in your home speak a language other than English?		
		1 Never	2,479	27.0
		2 Rarely	735	8.9
		3 Sometimes	1,438	17.0
		4 Most of the time	1,817	24.6
		5 Always	1,647	22.5
114-114	Q89	During the past 12 months, have you been a member of a gang?		
		1 Yes	930	11.6
		2 No	7,070	88.4
		Missing	140	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
115-115	Q90	When you feel sad, empty, hopeless, angry or anxious and want to talk with an adult, who do you chose most often?		
		1 I don't feel sad, empty, hopeless, angry, or anxious	1,377	16.7
		2 A parent	1,390	16.4
		3 An adult relative other than a parent	746	8.8
		4 A minister/priest/rabbi/imam or other religious leader/advisor	103	1.4
		5 A teacher or other staff member at school	199	2.1
		6 Another adult	229	2.9
		7 I don't talk with any adults, just people my own age	2,416	31.0
		8 I don't talk with anyone	1,513	20.8
		Missing	167	
116-116	Q91	Do you think you will be smoking cigarettes 5 years from now?		
		1 Yes	997	12.9
		2 No	6,963	87.1
		Missing	180	
117-117	Q92	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	3,049	43.3
		2 Females	2,457	30.0
		3 Males	2,002	23.0
		4 Females and males	286	3.7
		Missing	346	
118-118	Q93	Which of the following best describes you?		
		1 Heterosexual (straight)	7,217	92.4
		2 Gay or lesbian	103	1.0
		3 Bisexual	289	3.7
		4 Not sure	207	2.9
		Missing	324	
119-119	Q94	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	7,027	92.6
		2 1 time	404	4.7
		3 2 or more times	128	1.6
		4 Not sure	87	1.1
		Missing	494	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
120-120	Q95	Have you ever heard of emergency contraceptive pills, sometimes called morning after pills?		
		1 Yes	3,768	46.6
		2 No	3,803	53.4
		Missing	569	
121-121	Q96	During the past 7 days, how many times did you drink soda such as Coke, Pepsi, 7-up, Root Beer, Fanta, or Cherry Soda?		
		1 I did not drink soda during the past 7 days	1,217	16.1
		2 1 to 3 times during the past 7 days	2,297	33.5
		3 4 to 6 times during the past 7 days	1,476	22.1
		4 1 time per day	530	6.8
		5 2 times per day	548	6.6
		6 3 times per day	444	5.8
		7 4 or more times per day	720	9.0
	Missing	908		
122-122	Q97	During the past 7 days, how many times did all or most of your family living in your house eat a meal together?		
		1 Never	2,143	30.3
		2 1 or 2 times	1,806	24.0
		3 3 or 4 times	1,122	15.0
		4 5 or 6 times	663	9.4
		5 7 times	564	8.4
		6 More than 7 times	921	13.0
	Missing	921		
123-123	Q98	On an average school day, how many hours do you play video or computer games or use a computer for something that is not schoolwork?		
		1 I do not play video or computer games or use a computer for something that is not schoolwork	1,638	22.7
		2 Less than 1 hour per day	1,361	19.9
		3 1 hour per day	999	14.6
		4 2 hours per day	1,104	14.6
		5 3 hours per day	731	11.1
		6 4 hours per day	391	5.6
		7 5 or more hours per day	739	11.5
	Missing	1,177		

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
124-124	Q99	Do you agree or disagree that the teachers of this school treat students fairly?		
		1 Strongly agree	725	9.8
		2 Agree	2,180	30.8
		3 Not sure	1,868	27.6
		4 Disagree	1,434	21.0
		5 Strongly disagree	706	10.8
		Missing	1,227	
125-125	Q100	Do you agree or disagree that you feel like you are part of this school?		
		1 Strongly agree	1,230	15.0
		2 Agree	3,061	45.9
		3 Not sure	1,472	21.6
		4 Disagree	663	10.0
		5 Strongly disagree	488	7.6
		Missing	1,226	
126-126	QN7	Percentage of students who described their general health as fair or poor		
		1 Yes	719	10.1
		2 No	7,325	89.9
		Missing	96	
127-127	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	4,629	90.2
		2 No	459	9.8
		Missing	3,052	
128-128	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	1,265	16.3
		2 No	6,813	83.7
		Missing	62	
129-129	QN10	Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days		
		1 Yes	1,484	17.8
		2 No	6,624	82.2
		Missing	32	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
130-130	QN11	Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days		
		1 Yes	345	4.0
		2 No	7,650	96.0
		Missing	145	
131-131	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	1,338	16.5
		2 No	6,600	83.5
		Missing	202	
132-132	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	329	3.8
		2 No	7,748	96.2
		Missing	63	
133-133	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	568	7.0
		2 No	7,443	93.0
		Missing	129	
134-134	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days		
		1 Yes	636	9.1
		2 No	7,423	90.9
		Missing	81	
135-135	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	642	8.1
		2 No	7,489	91.9
		Missing	9	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
136-136	QN17	Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months		
		1 Yes	1,835	23.0
		2 No	6,290	77.0
		Missing	15	
137-137	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	2,933	35.8
		2 No	4,976	64.2
		Missing	231	
138-138	QN19	Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months		
		1 Yes	405	5.5
		2 No	7,653	94.5
		Missing	82	
139-139	QN20	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	1,130	14.0
		2 No	6,873	86.0
		Missing	137	
140-140	QN21	Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	824	10.0
		2 No	7,271	90.0
		Missing	45	
141-141	QN22	Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	585	7.5
		2 No	7,467	92.5
		Missing	88	
142-142	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	2,526	32.3
		2 No	5,503	67.7
		Missing	111	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
143-143	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	1,143	15.3
		2 No	6,929	84.7
		Missing	68	
144-144	QN25	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	915	11.9
		2 No	7,102	88.1
		Missing	123	
145-145	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	625	9.6
		2 No	6,145	90.4
		Missing	1,370	
146-146	QN27	Percentage of students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months		
		1 Yes	164	2.6
		2 No	6,560	97.4
		Missing	1,416	
147-147	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	3,780	48.1
		2 No	3,814	51.9
		Missing	546	
148-148	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	844	11.4
		2 No	6,588	88.6
		Missing	708	
149-149	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	889	11.2
		2 No	6,750	88.8
		Missing	501	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
150-150	QN31	Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	64	6.3
		2 No	800	93.7
		Missing	7,276	
151-151	QN32	Among students who are less than 18 years of age and who are current smokers, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days		
		1 Yes	244	31.5
		2 No	530	68.5
		Missing	7,366	
152-152	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	428	4.9
		2 No	7,470	95.1
		Missing	242	
153-153	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	568	7.2
		2 No	7,114	92.8
		Missing	458	
154-154	QN35	Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months		
		1 Yes	534	63.2
		2 No	313	36.8
		Missing	7,293	
155-155	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	199	3.4
		2 No	7,804	96.6
		Missing	137	
157-157	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	499	5.7
		2 No	7,517	94.3
		Missing	124	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
158-158	QN39	Percentage of students who had at least one drink of alcohol on one or more days during their life		
		1 Yes	5,105	71.7
		2 No	1,932	28.3
		Missing	1,103	
159-159	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	2,021	30.2
		2 No	5,013	69.8
		Missing	1,106	
160-160	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	2,793	35.5
		2 No	4,736	64.5
		Missing	611	
161-161	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	1,245	13.6
		2 No	6,607	86.4
		Missing	288	
162-162	QN43	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	413	5.1
		2 No	7,380	94.9
		Missing	347	
163-163	QN44	Percentage of students who used marijuana one or more times during their life		
		1 Yes	2,396	28.1
		2 No	5,395	71.9
		Missing	349	
164-164	QN45	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	535	6.5
		2 No	7,287	93.5
		Missing	318	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
165-165	QN46	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	1,091	12.3
		2 No	6,681	87.7
		Missing	368	
166-166	QN47	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	297	3.5
		2 No	7,581	96.5
		Missing	262	
167-167	QN48	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	289	3.6
		2 No	7,583	96.4
		Missing	268	
168-168	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days		
		1 Yes	137	1.8
		2 No	7,687	98.2
		Missing	316	
169-169	QN50	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	609	8.7
		2 No	7,301	91.3
		Missing	230	
170-170	QN51	Percentage of students who used heroin one or more times during their life		
		1 Yes	137	1.8
		2 No	7,750	98.2
		Missing	253	
171-171	QN52	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	171	2.5
		2 No	7,667	97.5
		Missing	302	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
172-172	QN53	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	303	3.7
		2 No	7,581	96.3
		Missing	256	
173-173	QN54	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	191	2.5
		2 No	7,710	97.5
		Missing	239	
174-174	QN55	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	136	2.1
		2 No	7,652	97.9
		Missing	352	
175-175	QN56	Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months		
		1 Yes	2,141	26.1
		2 No	5,722	73.9
		Missing	277	
176-176	QN57	Percentage of students who ever had sexual intercourse		
		1 Yes	3,624	47.7
		2 No	3,434	52.3
		Missing	1,082	
177-177	QN58	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	729	10.9
		2 No	6,288	89.1
		Missing	1,123	
178-178	QN59	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	1,320	17.7
		2 No	5,665	82.3
		Missing	1,155	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
179-179	QN60	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	2,492	29.7
		2 No	4,509	70.3
		Missing	1,139	
180-180	QN61	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	388	15.8
		2 No	2,070	84.2
		Missing	5,682	
181-181	QN62	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	1,663	69.2
		2 No	738	30.8
		Missing	5,739	
182-182	QN63	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	148	8.1
		2 No	2,241	91.9
		Missing	5,751	
183-183	QN64	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	2,260	29.2
		2 No	5,373	70.8
		Missing	507	
184-184	QN65	Percentage of students who were trying to lose weight		
		1 Yes	3,430	42.7
		2 No	4,186	57.3
		Missing	524	
185-185	QN66	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	4,428	59.0
		2 No	3,098	41.0
		Missing	614	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
186-186	QN67	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	2,690	33.7
		2 No	4,864	66.3
		Missing	586	
187-187	QN68	Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	712	9.4
		2 No	6,809	90.6
		Missing	619	
188-188	QN69	Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	340	4.2
		2 No	7,144	95.8
		Missing	656	
189-189	QN70	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	371	5.9
		2 No	7,076	94.1
		Missing	693	
190-190	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	6,266	83.4
		2 No	1,204	16.6
		Missing	670	
191-191	QN72	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	5,959	80.6
		2 No	1,490	19.4
		Missing	691	
192-192	QN73	Percentage of students who ate green salad one or more times during the past seven days		
		1 Yes	4,178	54.7
		2 No	3,233	45.3
		Missing	729	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
193-193	QN74	Percentage of students who ate potatoes one or more times during the past seven days		
		1 Yes	4,188	56.4
		2 No	3,178	43.6
		Missing	774	
194-194	QN75	Percentage of students who ate carrots one or more times during the past seven days		
		1 Yes	2,601	38.1
		2 No	4,711	61.9
		Missing	828	
195-195	QN76	Percentage of students who ate other vegetables one or more times during the past seven days		
		1 Yes	5,243	70.3
		2 No	2,103	29.7
		Missing	794	
196-196	QN77	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	550	8.0
		2 No	6,764	92.0
		Missing	826	
197-197	QN78	Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days		
		1 Yes	4,272	60.0
		2 No	2,908	40.0
		Missing	960	
198-198	QN79	Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days		
		1 Yes	1,655	23.2
		2 No	5,450	76.8
		Missing	1,035	
199-199	QN80	Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days		
		1 Yes	1,925	27.1
		2 No	5,175	72.9
		Missing	1,040	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
200-200	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	3,687	54.6
		2 No	3,330	45.4
		Missing	1,123	
201-201	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	5,571	85.8
		2 No	971	14.2
		Missing	1,598	
202-202	QN83	Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class		
		1 Yes	3,950	73.8
		2 No	1,586	26.2
		Missing	2,604	
203-203	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	3,083	42.5
		2 No	3,779	57.5
		Missing	1,278	
204-204	QN85	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	6,013	84.7
		2 No	908	15.3
		Missing	1,219	
205-205	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	1,589	20.5
		2 No	5,319	79.5
		Missing	1,232	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
206-206	QN87	Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)		
		1 Yes	1,220	15.5
		2 No	5,634	84.5
		Missing	1,286	
207-207	QN88	Percentage of students in whose home people most of the time or always speak a language other than English		
		1 Yes	3,464	47.1
		2 No	4,652	52.9
		Missing	24	
208-208	QN89	Percentage of students who have been a member of a gang during the past 12 months		
		1 Yes	930	11.6
		2 No	7,070	88.4
		Missing	140	
209-209	QN90	Percentage of students who most often chose to talk to a non-parent adult when they feel sad, empty, hopeless, angry or anxious and want to talk with an adult		
		1 Yes	1,277	15.1
		2 No	6,696	84.9
		Missing	167	
210-210	QN91	Percentage of students who think they will be smoking cigarettes five years from now		
		1 Yes	997	12.9
		2 No	6,963	87.1
		Missing	180	
211-211	QN92	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	286	3.7
		2 No	7,508	96.3
		Missing	346	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
212-212	QN93	Percentage of students who describe themselves as gay, lesbian, or bisexual		
		1 Yes	392	4.7
		2 No	7,424	95.3
		Missing	324	
213-213	QN94	Percentage of students who had been pregnant or gotten someone pregnant one or more times		
		1 Yes	532	6.3
		2 No	7,114	93.7
		Missing	494	
214-214	QN95	Percentage of students who have ever heard of emergency contraceptive pills, sometimes called morning after pills		
		1 Yes	3,768	46.6
		2 No	3,803	53.4
		Missing	569	
215-215	QN96	Percentage of students who drank soda such as Coke, Pepsi, 7-up, Root Beer, Fanta, or Cherry Soda one time per day or more during the past seven days		
		1 Yes	2,242	28.3
		2 No	4,990	71.7
		Missing	908	
216-216	QN97	Percentage of students who responded that all or most of their family living in their house ate a meal together five or more times during the past seven days		
		1 Yes	2,148	30.7
		2 No	5,071	69.3
		Missing	921	
217-217	QN98	Percentage of students who played video or computer games or used a computer for something that is not school work for three or more hours per day on an average school day		
		1 Yes	1,861	28.1
		2 No	5,102	71.9
		Missing	1,177	
218-218	QN99	Percentage of students who agree or strongly agree that the teachers of this school treat students fairly		
		1 Yes	2,905	40.7
		2 No	4,008	59.3
		Missing	1,227	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN100	Percentage of students who agree or strongly agree that they feel like they are part of this school		
		1 Yes	4,291	60.9
		2 No	2,623	39.1
		Missing	1,226	
220-220	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	307	3.6
		2 No	7,332	96.4
		Missing	501	
221-221	QNFRVG	Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days		
		1 Yes	1,349	18.8
		2 No	5,846	81.2
		Missing	945	
222-222	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	2,483	43.0
		2 No	4,059	57.0
		Missing	1,598	
223-223	QNROVWGT (revised)	Percentage of students who were at risk of becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)* [CLASSIFIED AS "OVERWEIGHT" STARTING WITH 2009 YRBS]		
		1 Yes	1,278	16.0
		2 No	6,391	84.0
		Missing	471	
224-224	QNOVWGT (revised)	Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)* [CLASSIFIED AS "OBESE" STARTING WITH 2009 YRBS]		
		1 Yes	999	11.3
		2 No	6,670	88.7
		Missing	471	
225-225	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	1,046	13.8
		2 No	6,483	86.2
		Missing	611	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
226-226	QNMNPA	Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days		
		1 Yes	2,479	34.2
		2 No	4,585	65.8
		Missing	1,076	
227-227	QNNOPA	Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days		
		1 Yes	753	11.7
		2 No	6,311	88.3
		Missing	1,076	
228-228	QNASATCK	Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	411	36.0
		2 No	809	64.0
		Missing	6,920	

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
350-357	Q4ORIG	Race/ethnicity as originally scanned		
		H	4	0.1
		F	1,036	8.8
		E	114	1.1
		EF	6	0.0
		D	2,876	35.3
		DH	1	0.1
		DF	63	0.5
		DE	7	0.1
		C	2,527	34.1
		CF	32	0.3
		CE	22	0.1
		CEF	1	0.0
		CD	241	1.6
		CDF	8	0.1
		CDE	4	0.1
		CDEF	1	0.0
		B	656	13.4
		BF	18	0.3
		BE	7	0.1
		BD	32	0.3
		BDF	2	0.0
		BDE	1	0.0
		BC	31	0.2
		BCE	1	0.1
		BCD	7	0.0
		BCDF	2	0.0
		BCDE	1	0.0
		A	129	1.6
		AF	13	0.1
		AE	5	0.0
		AD	32	0.2
		ADF	5	0.0
		AC	91	0.8
		ACF	13	0.1
		ACE	3	0.0
		ACEFG	1	0.0
		ACD	16	0.1
		ACDF	7	0.1
		ACDE	1	0.0
		ACDEF	2	0.0
		AB	9	0.1
		ABF	1	0.0
		ABC	3	0.1

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percent
		ABCD	1	0.0
		ABCDF	1	0.0
		ABCDEF	7	0.1
		Missing	99	
358-369	Weight	Weight		
370-374	PSU	Primary Sampling Unit		
375-378	Stratum	Stratum		
379-383	BMIPct	Percentile for body mass index, by age and sex		