

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	NQ1 (Q1)	How old are you?			
		1	12 years old or younger	37	0.4
		2	13 years old	265	3.0
		3	14 years old	2,003	22.5
		4	15 years old	2,350	26.8
		5	16 years old	2,289	23.0
		6	17 years old	1,907	18.7
		7	18 years old or older	555	5.7
		Missing	33		
18-18	NQ2 (Q2)	What is your sex?			
		1	Female	4,854	49.2
		2	Male	4,521	50.8
		Missing	64		
19-19	NQ3 (Q3)	In what grade are you?			
		1	9th grade	2,513	29.5
		2	10th grade	2,494	27.1
		3	11th grade	2,169	21.9
		4	12th grade	2,135	21.0
		5	Ungraded or other grade	33	0.4
		Missing	95		
20-20	NQ4 (Q4)	Are you Hispanic or Latino?			
		1	Yes	3,857	37.6
		2	No	5,323	62.4
		Missing	259		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	(Q5)	What is your race?		
		H	13	0.2
		G	4	0.0
		F	12	0.2
		E	1,976	24.9
		E H	1	0.0
		D	485	5.0
		DE	22	0.2
		C	2,901	43.1
		C F	1	0.0
		C E	90	0.6
		CD	55	0.4
		CDE	3	0.0
		B	1,067	20.3
		B F	1	0.0
		B E	38	0.2
		B D	20	0.2
		B DE	2	0.0
		BC	32	0.2
		BC E	10	0.0
		BCDE	1	0.0
		A	357	3.2
		A E	22	0.2
		A D	5	0.1
		A DE	2	0.0
		A C	63	0.4
		A C E	19	0.1
		A CD	9	0.0
		A CDE	3	0.0
		A CDEFGH	1	0.0
		AB	8	0.1
		AB E	1	0.0
		AB D	1	0.0
		AB DE	1	0.0
		ABC	5	0.0
		ABC E	3	0.0
		ABCD	1	0.0
		ABCDE	18	0.3
		ABCDEF	3	0.0
		ABCDEFG	1	0.0
		ABCDEFGH	3	0.0
			2,179	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	NQ6 (Q6)	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	NQ7 (Q7)	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	NQ8 (Q11)	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	3,743	39.6
		2 Never wore a helmet	4,362	46.3
		3 Rarely wore a helmet	552	6.0
		4 Sometimes wore a helmet	307	3.5
		5 Most of the time wore a helmet	198	2.1
		6 Always wore a helmet	208	2.5
		Missing	69	
42-42	NQ11 (Q12)	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	6,442	71.8
		2 0 times	2,485	26.4
		3 1 time	51	0.5
		4 2 or 3 times	47	0.4
		5 4 or 5 times	20	0.2
		6 6 or more times	68	0.7
		Missing	326	
44-44	NQ13 (Q13)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	8,339	91.7
		2 1 day	219	2.3
		3 2 or 3 days	196	1.9
		4 4 or 5 days	62	0.6
		5 6 or more days	303	3.4
		Missing	320	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
45-45	NQ14 (Q14)	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	9,015	97.5
		2	1 day	88	0.9
		3	2 or 3 days	38	0.4
		4	4 or 5 days	15	0.1
		5	6 or more days	94	1.2
		Missing	189		
46-46	NQ15 (Q15)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	8,901	96.8
		2	1 day	101	0.9
		3	2 or 3 days	68	0.5
		4	4 or 5 days	25	0.3
		5	6 or more days	133	1.5
		Missing	211		
47-47	NQ16 (Q16)	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	8,426	91.7
		2	1 day	469	4.2
		3	2 or 3 days	200	2.0
		4	4 or 5 days	64	0.6
		5	6 or more days	126	1.4
		Missing	154		
48-48	NQ17 (Q17)	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	8,738	92.9
		2	1 time	302	3.3
		3	2 or 3 times	149	1.5
		4	4 or 5 times	64	0.6
		5	6 or 7 times	32	0.3
		6	8 or 9 times	16	0.2
		7	10 or 11 times	11	0.1
		8	12 or more times	88	1.0
	Missing	39			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
49-49	NQ18 (Q18)	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	6,957	73.9
		2	1 time	1,096	12.1
		3	2 or 3 times	754	8.0
		4	4 or 5 times	228	2.2
		5	6 or 7 times	85	0.9
		6	8 or 9 times	60	0.7
		7	10 or 11 times	27	0.3
		8	12 or more times	178	1.9
		Missing	54		
53-53	NQ22 (Q19)	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	3,577	42.5
		2	0 times	4,465	51.5
		3	1 time	206	2.2
		4	2 or 3 times	163	1.8
		5	4 or 5 times	51	0.5
		6	6 or more times	143	1.6
		Missing	834		
54-54	NQ23 (Q20)	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	3,632	42.5
		2	0 times	4,536	51.3
		3	1 time	238	2.5
		4	2 or 3 times	145	1.5
		5	4 or 5 times	39	0.4
		6	6 or more times	168	1.9
		Missing	681		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
55-55	NQ24 (Q21)	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	1,343	13.9
		2 No	7,949	86.1
		Missing	147	
56-56	NQ25 (Q22)	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	1,024	10.8
		2 No	8,247	89.2
		Missing	168	
57-57	NQ26 (Q24)	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	2,634	27.4
		2 No	6,604	72.6
		Missing	201	
58-58	NQ27 (Q25)	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	1,279	13.3
		2 No	7,947	86.7
		Missing	213	
60-60	NQ29 (Q26)	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	7,116	91.9
		2 1 time	367	4.4
		3 2 or 3 times	208	2.5
		4 4 or 5 times	47	0.5
		5 6 or more times	65	0.8
		Missing	1,636	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	NQ30 (Q27)	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1	I did not attempt suicide during the past 12 months	7,042 92.1
		2	Yes	229 2.6
		3	No	430 5.3
			Missing	1,738
62-62	NQ31 (Q29)	Have you ever tried cigarette smoking, even one or two puffs?		
		1	Yes	2,353 26.8
		2	No	6,579 73.2
			Missing	507
64-64	NQ33 (Q31)	During the past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	8,190 91.8
		2	1 or 2 days	262 2.8
		3	3 to 5 days	137 1.5
		4	6 to 9 days	87 0.9
		5	10 to 19 days	78 0.8
		6	20 to 29 days	53 0.6
		7	All 30 days	135 1.7
			Missing	497
65-65	NQ34 (Q32)	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1	I did not smoke cigarettes during the past 30 days	8,175 91.9
		2	Less than 1 cigarette per day	253 2.9
		3	1 cigarette per day	175 1.8
		4	2 to 5 cigarettes per day	207 2.4
		5	6 to 10 cigarettes per day	56 0.6
		6	11 to 20 cigarettes per day	20 0.1
		7	More than 20 cigarettes per day	39 0.5
			Missing	514

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	NQ37 (Q34)	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	479	5.9
		2 No	8,378	94.1
		Missing	582	
70-70	NQ39 (Q36)	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	8,754	95.6
		2 1 or 2 days	247	2.4
		3 3 to 5 days	81	0.7
		4 6 to 9 days	56	0.6
		5 10 to 19 days	22	0.2
		6 20 to 29 days	16	0.1
7 All 30 days	41	0.4		
		Missing	222	
71-71	NQ40 (Q37)	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	8,348	92.3
		2 1 or 2 days	423	4.3
		3 3 to 5 days	131	1.3
		4 6 to 9 days	82	0.7
		5 10 to 19 days	51	0.4
		6 20 to 29 days	30	0.3
7 All 30 days	76	0.6		
		Missing	298	
74-74	NQ43 (Q39)	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	6,108	75.3
		2 1 or 2 days	1,217	14.3
		3 3 to 5 days	465	5.1
		4 6 to 9 days	254	2.7
		5 10 to 19 days	109	1.2
		6 20 to 29 days	35	0.4
7 All 30 days	81	0.9		
		Missing	1,170	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	NQ44 (Q40)	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	7,773	89.2
		2 1 day	480	5.1
		3 2 days	244	2.4
		4 3 to 5 days	173	1.7
		5 6 to 9 days	63	0.6
		6 10 to 19 days	33	0.4
		7 20 or more days	55	0.6
	Missing	618		
76-76	NQ45 (Q41)	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1 I did not drink alcohol during the past 30 days	6,149	75.7
		2 1 or 2 drinks	1,080	13.4
		3 3 drinks	290	2.9
		4 4 drinks	178	1.9
		5 5 drinks	167	1.9
		6 6 or 7 drinks	173	1.7
		7 8 or 9 drinks	93	0.9
		8 10 or more drinks	166	1.6
	Missing	1,143		
77-77	NQ46 (Q43)	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	5,979	74.0
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	318	3.7
		3 I bought it at a restaurant, bar, or club	99	1.4
		4 I bought it at a public event such as a concert or sporting event	72	0.6
		5 I gave someone else money to buy it for me	282	2.8
		6 Someone gave it to me	685	7.8
		7 I took it from a store or family member	385	4.7
		8 I got it some other way	461	5.1
	Missing	1,158		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	NQ48 (Q44)	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	6,166	70.5
		2 8 years old or younger	164	1.5
		3 9 or 10 years old	112	1.3
		4 11 or 12 years old	419	4.6
		5 13 or 14 years old	1,134	12.3
		6 15 or 16 years old	832	8.4
		7 17 years old or older	136	1.3
		Missing	476	
80-80	NQ49 (Q45)	During the past 30 days, how many times did you use marijuana?		
		1 0 times	7,300	83.8
		2 1 or 2 times	589	6.1
		3 3 to 9 times	436	4.4
		4 10 to 19 times	178	1.8
		5 20 to 39 times	126	1.3
		6 40 or more times	262	2.6
		Missing	548	
81-81	NQ50 (Q46)	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	8,478	95.3
		2 1 or 2 times	205	2.4
		3 3 to 9 times	80	0.9
		4 10 to 19 times	43	0.4
		5 20 to 39 times	30	0.3
		6 40 or more times	64	0.7
		Missing	539	
83-83	NQ52 (Q47)	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	8,720	97.2
		2 1 or 2 times	111	1.0
		3 3 to 9 times	62	0.7
		4 10 to 19 times	37	0.3
		5 20 to 39 times	20	0.1
		6 40 or more times	54	0.6
		Missing	435	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
84-84	NQ53 (Q48)	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	8,626	96.6
		2 1 or 2 times	141	1.4
		3 3 to 9 times	78	0.7
		4 10 to 19 times	41	0.5
		5 20 to 39 times	20	0.2
		6 40 or more times	53	0.6
	Missing	480		
85-85	NQ54 (Q49)	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	8,441	95.2
		2 1 or 2 times	225	2.6
		3 3 to 9 times	84	0.8
		4 10 to 19 times	48	0.5
		5 20 to 39 times	30	0.3
		6 40 or more times	63	0.7
	Missing	548		
88-88	NQ57 (Q52)	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	8,577	97.5
		2 1 time	135	1.4
		3 2 or more times	117	1.1
	Missing	610		
90-90	NQ59 (Q53)	Have you ever had sexual intercourse?		
		1 Yes	2,513	31.2
		2 No	5,239	68.8
	Missing	1,687		
91-91	NQ60 (Q54)	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	5,215	68.8
		2 11 years old or younger	228	2.7
		3 12 years old	207	2.8
		4 13 years old	423	5.7
		5 14 years old	605	7.4
		6 15 years old	519	6.2
		7 16 years old	367	4.6
		8 17 years old or older	166	1.8
	Missing	1,709		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	NQ61 (Q55)	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	5,145	68.8
		2 1 person	974	11.7
		3 2 people	429	5.5
		4 3 people	301	3.6
		5 4 people	201	2.8
		6 5 people	132	1.8
		7 6 or more people	436	5.7
	Missing	1,821		
93-93	NQ62 (Q56)	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	5,192	68.9
		2 I have had sexual intercourse, but not during the past 3 months	829	10.8
		3 1 person	1,211	14.8
		4 2 people	191	2.2
		5 3 people	82	1.1
		6 4 people	58	0.8
		7 5 people	31	0.3
		8 6 or more people	88	1.1
	Missing	1,757		
94-94	NQ63 (Q57)	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	5,181	69.0
		2 Yes	429	5.3
		3 No	2,044	25.7
	Missing	1,785		
95-95	NQ64 (Q59)	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	5,168	70.6
		2 Yes	1,576	20.7
		3 No	708	8.7
	Missing	1,987		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
96-96	NQ65 (Q61)	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	5,120	70.7
		2	No method was used to prevent pregnancy	419	5.2
		3	Birth control pills	222	2.6
		4	Condoms	1,233	16.0
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	38	0.4
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	85	1.3
		7	Withdrawal or some other method	165	2.5
		8	Not sure	94	1.3
		Missing	2,063		
97-97	NQ66 (Q68)	How do you describe your weight?			
		1	Very underweight	455	5.0
		2	Slightly underweight	1,083	13.8
		3	About the right weight	4,289	51.2
		4	Slightly overweight	2,088	24.3
		5	Very overweight	464	5.8
		Missing	1,060		
98-98	NQ67 (Q69)	Which of the following are you trying to do about your weight?			
		1	Lose weight	3,966	46.2
		2	Gain weight	1,602	19.6
		3	Stay the same weight	1,385	17.2
		4	I am not trying to do anything about my weight	1,373	16.9
		Missing	1,113		
102-102	NQ71 (Q70)	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	2,048	24.8
		2	1 to 3 times during the past 7 days	2,997	35.9
		3	4 to 6 times during the past 7 days	1,277	15.5
		4	1 time per day	494	6.0
		5	2 times per day	494	5.7
		6	3 times per day	335	4.0
		7	4 or more times per day	608	8.1
		Missing	1,186		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	NQ72 (Q71)	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,537	18.3
		2 1 to 3 times during the past 7 days	3,215	38.0
		3 4 to 6 times during the past 7 days	1,441	18.4
		4 1 time per day	708	8.7
		5 2 times per day	604	7.5
		6 3 times per day	273	3.1
		7 4 or more times per day	484	6.0
	Missing	1,177		
108-108	NQ77 (Q74)	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	2,298	29.6
		2 1 to 3 times during the past 7 days	3,232	39.7
		3 4 to 6 times during the past 7 days	1,259	15.0
		4 1 time per day	434	5.3
		5 2 times per day	373	4.2
		6 3 times per day	194	2.3
		7 4 or more times per day	334	4.0
	Missing	1,315		
109-109	NQ78 (Q76)	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	2,195	27.6
		2 1 to 3 glasses during the past 7 days	2,547	31.9
		3 4 to 6 glasses during the past 7 days	1,223	15.3
		4 1 glass per day	880	11.3
		5 2 glasses per day	562	7.5
		6 3 glasses per day	237	2.7
		7 4 or more glasses per day	286	3.6
	Missing	1,509		
110-110	NQ79 (Q78)	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	1,232	14.8
		2 1 day	781	9.6
		3 2 days	956	11.5
		4 3 days	777	9.8
		5 4 days	600	7.4
		6 5 days	599	7.7
		7 6 days	402	5.2
		8 7 days	2,593	34.0
	Missing	1,499		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	NQ80 (Q84)	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	1,387	18.8
		2 1 day	746	9.7
		3 2 days	902	12.7
		4 3 days	987	12.5
		5 4 days	736	9.8
		6 5 days	936	12.6
		7 6 days	403	5.2
		8 7 days	1,399	18.7
	Missing	1,943		
112-112	NQ81 (Q86)	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	1,577	22.9
		2 Less than 1 hour per day	1,180	16.3
		3 1 hour per day	894	11.8
		4 2 hours per day	1,321	17.7
		5 3 hours per day	1,017	13.3
		6 4 hours per day	570	6.6
		7 5 or more hours per day	898	11.3
	Missing	1,982		
113-113	NQ82 (Q87)	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	1,379	17.9
		2 Less than 1 hour per day	997	13.0
		3 1 hour per day	889	11.9
		4 2 hours per day	1,077	15.6
		5 3 hours per day	909	12.4
		6 4 hours per day	631	9.1
		7 5 or more hours per day	1,468	20.2
	Missing	2,089		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
114-114	NQ83 (Q88)	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	1,126	15.0
		2	1 day	352	5.0
		3	2 days	1,174	16.6
		4	3 days	1,012	15.2
		5	4 days	438	7.3
		6	5 days	3,123	40.9
		Missing	2,214		
117-117	NQ86 (Q92)	Has a doctor or nurse ever told you that you have asthma?			
		1	Yes	1,886	25.4
		2	No	4,822	69.0
		3	Not sure	388	5.6
		Missing	2,343		
118-118	NQ87 (Q8)	What borough of New York do you live in?			
		1	Bronx	2,237	21.5
		2	Brooklyn	2,030	34.1
		3	Manhattan	883	8.2
		4	Queens	2,143	29.3
		5	Staten Island	2,074	7.0
		Missing	72		
119-119	NQ88 (Q9)	How long have you lived in the United States?			
		1	I have always lived in the United States	6,856	72.1
		2	Less than 1 year	149	1.6
		3	1 to 3 years	396	4.8
		4	4 to 6 years	420	5.1
		5	More than 6 years but not my whole life	1,492	16.4
		Missing	126		
120-120	NQ89 (Q10)	How often do the people in your home speak a language other than English?			
		1	Never	2,298	22.9
		2	Rarely	931	9.3
		3	Sometimes	1,709	18.7
		4	Most of the time	2,140	24.3
		5	Always	2,223	24.9
		Missing	138		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
121-121	NQ90 (Q23)	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	7,936	85.4
		2	1 time	597	6.3
		3	2 or 3 times	388	3.6
		4	4 or 5 times	147	1.5
		5	6 or more times	299	3.2
		Missing	72		
122-122	NQ91 (Q28)	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	Yes	1,645	17.9
		2	No	7,303	82.1
		Missing	491		
123-123	NQ92 (Q30)	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	6,400	75.1
		2	Less than 1 month ago	239	2.9
		3	1 to 3 months ago	279	3.0
		4	4 to 6 months ago	237	2.6
		5	7 to 12 months ago	262	2.9
		6	13 or more months ago	1,101	13.4
		Missing	921		
124-124	NQ93 (Q33)	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	7,966	90.1
		2	I bought them in a store such as a convenience store, supermarket, or gas station	295	3.6
		3	I bought them on the Internet	56	0.5
		4	I bummed them	84	0.8
		5	Someone gave them to me or bought them for me	300	3.1
		6	I stole them	51	0.5
	7	I got them some other way	107	1.2	
		Missing	580		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	NQ94 (Q35)	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	808	9.6
		2 No	7,788	90.4
		Missing	843	
126-126	NQ95 (Q38)	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	1,409	15.8
		2 No	7,638	84.2
		Missing	392	
127-127	NQ96 (Q42)	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	6,442	72.7
		2 I do not have a usual type	439	4.5
		3 Beer	345	3.7
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	389	4.2
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	90	1.1
		6 Wine	151	1.5
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	1,021	10.4
		8 Some other type	171	1.8
		Missing	391	
128-128	NQ97 (Q50)	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	8,310	92.7
		2 1 time	227	2.7
		3 2 or 3 times	165	1.7
		4 4 or 5 times	78	0.8
		5 6 or 7 times	41	0.4
		6 8 or 9 times	28	0.3
		7 10 or 11 times	13	0.1
		8 12 or more times	97	1.2
		Missing	480	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
129-129	NQ98 (Q51)	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?			
		1	0 times	8,401	93.6
		2	1 time	196	2.6
		3	2 or 3 times	145	1.4
		4	4 or 5 times	77	0.7
		5	6 or 7 times	30	0.4
		6	8 or 9 times	16	0.2
		7	10 or 11 times	8	0.1
		8	12 or more times	66	0.9
	Missing	500			
130-130	NQ99 (Q58)	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	5,307	67.7
		2	I have had sexual intercourse, but not during the past 3 months	638	7.6
		3	Never	418	4.8
		4	Rarely	132	1.2
		5	Sometimes	201	2.5
		6	Most of the time	301	3.4
		7	Always	998	12.8
	Missing	1,444			
131-131	NQ100 (Q60)	The last time you used a condom, did it break, tear, or slip off during sexual intercourse?			
		1	I have never had sexual intercourse	5,332	68.3
		2	I have had sexual intercourse, but I have never used a condom	353	4.1
		3	Yes, the condom broke, tore, or slipped off	240	2.5
		4	No, the condom did not break, tear, or slip off	1,876	23.2
		5	Not sure	164	1.9
	Missing	1,474			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
132-132	NQ101 (Q62)	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	5,310	68.2
		2 Yes	271	3.1
		3 No	2,014	24.6
		4 Not sure	342	4.1
		Missing	1,502	
133-133	NQ102 (Q63)	The last time you used birth control, including condoms, from where did you or your partner get it?		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
134-134	NQ103 (Q64)	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	2,338	28.9
		2 6th grade or earlier	1,357	16.8
		3 7th grade	1,168	13.8
		4 8th grade	1,179	13.6
		5 9th grade	1,054	12.5
		6 10th grade	343	4.5
		7 11th or 12th grade	209	2.3
		8 Not sure	709	7.6
		Missing	1,082	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
135-135	NQ104 (Q65)	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	199	2.2
		2 No	7,517	94.6
		3 Not sure	274	3.2
		Missing	1,449	
136-136	NQ105 (Q66)	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	4,281	54.9
		2 Females	1,922	24.5
		3 Males	1,406	16.0
		4 Females and males	410	4.6
		Missing	1,420	
137-137	NQ106 (Q67)	Which of the following best describes you?		
		1 Heterosexual (straight)	7,125	85.7
		2 Gay or lesbian	221	2.8
		3 Bisexual	670	7.2
		4 Not sure	334	4.3
		Missing	1,089	
138-138	NQ107 (Q72)	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	1,531	18.2
		2 1 to 3 times during the past 7 days	2,874	34.2
		3 4 to 6 times during the past 7 days	1,621	19.4
		4 1 time per day	936	11.3
		5 2 times per day	588	8.0
		6 3 times per day	230	3.2
		7 4 or more times per day	432	5.8
		Missing	1,227	
139-139	NQ108 (Q73)	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	1,644	21.2
		2 1 to 3 times during the past 7 days	4,302	53.2
		3 4 to 6 times during the past 7 days	1,188	14.2
		4 1 time per day	418	4.8
		5 2 times per day	222	2.5
		6 3 times per day	111	1.5
		7 4 or more times per day	223	2.7
		Missing	1,331	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
140-140	NQ109 (Q75)	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	2,011	25.6
		2	1 to 3 times during the past 7 days	3,310	42.0
		3	4 to 6 times during the past 7 days	1,273	15.1
		4	1 time per day	489	5.9
		5	2 times per day	357	4.4
		6	3 times per day	208	2.6
		7	4 or more times per day	384	4.5
	Missing	1,407			
141-141	NQ110 (Q77)	What kind of milk do you usually drink?			
		1	I do not drink milk	1,115	13.6
		2	Whole milk	2,523	31.8
		3	2% milk or reduced fat milk	1,820	22.7
		4	1% milk or low-fat milk	1,027	13.0
		5	Skim milk or non-fat milk	307	4.1
		6	Soy milk	284	3.9
		7	Not sure	849	10.9
	Missing	1,514			
142-142	NQ111 (Q79)	In an average week when you are in school, how do you usually get to school?			
		1	I walk all the way to school	1,165	15.7
		2	I ride a bike all the way to school	118	1.5
		3	I use public transportation, such as a subway or city bus	4,661	69.5
		4	I ride a school bus	162	2.3
		5	I drive or ride in a car or other private vehicle	1,133	11.1
	Missing	2,200			
143-143	NQ112 (Q80)	If you usually walk or bike all the way to school, how long does it take?			
		1	I do not walk or bike all the way to school	4,819	65.8
		2	Less than 10 minutes	677	8.7
		3	10 to 20 minutes	972	12.7
		4	21 to 29 minutes	307	3.9
		5	30 or more minutes	592	9.0
	Missing	2,072			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
144-144	NQ113 (Q81)	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?			
		1	I do not take the bus or use public transportation to get to school	2,068	25.8
		2	I do not walk or bike to a bus stop or subway station to get to school	298	4.1
		3	I walk to the bus stop or subway station	4,452	68.8
		4	I ride a bike to the bus stop or subway station	98	1.3
		Missing	2,523		
145-145	NQ114 (Q82)	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?			
		1	I do not walk or bike to a bus stop or subway station to get to school	2,116	25.9
		2	Less than 10 minutes	3,068	46.8
		3	10 to 20 minutes	1,251	18.4
		4	21 to 29 minutes	262	3.7
		5	30 or more minutes	331	5.1
		Missing	2,411		
146-146	NQ115 (Q83)	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?			
		1	Several times a month	1,243	17.7
		2	At least once a month	596	7.4
		3	A few times a year	1,717	23.1
		4	Never	3,956	51.8
		Missing	1,927		
147-147	NQ116 (Q85)	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?			
		1	0 days	1,947	26.9
		2	1 day	837	11.3
		3	2 days	983	13.4
		4	3 days	1,018	13.1
		5	4 days	627	9.1
		6	5 days	845	11.0
		7	6 days	287	3.6
		8	7 days	902	11.7
		Missing	1,993		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
148-148	NQ117 (Q89)	Outside of PE classes, in an average week during the school year, on how many weekdays do you play sports or do other physical activities that increase your heart rate or breathing?			
		1	0 days	2,429	34.3
		2	1 day	934	13.2
		3	2 days	1,017	14.6
		4	3 days	874	12.0
		5	4 days	506	6.7
		6	5 days	1,508	19.2
		Missing	2,171		
149-149	NQ118 (Q90)	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	469	6.2
		2	Yes	5,441	76.6
		3	No	1,207	17.2
		Missing	2,322		
150-150	NQ119 (Q91)	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	1,452	20.3
		2	No	4,664	66.3
		3	Not sure	905	13.4
		Missing	2,418		
151-151	NQ120 (Q93)	During the past 12 months, have you had an episode of asthma or an asthma attack?			
		1	I have never had asthma	2,788	39.5
		2	Yes	1,221	16.3
		3	No	2,866	40.6
		4	Not sure	248	3.6
		Missing	2,316		
152-152	NQ121 (Q94)	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?			
		1	Never	3,737	52.4
		2	Rarely	1,686	24.3
		3	Sometimes	1,004	14.5
		4	Most of the time	418	5.5
		5	Always	240	3.2
		Missing	2,354		

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
153-153	NQ122 (Q95)	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?			
		1	0 times	6,430	91.2
		2	1 or 2 times	309	3.7
		3	3 to 9 times	184	2.6
		4	10 to 19 times	87	0.8
		5	20 to 39 times	62	1.0
		6	40 or more times	53	0.8
	Missing	2,314			
154-154	NQ123 (Q96)	In an average week, about how many hours do you listen to a personal music player, such as an MP3 player or iPod, with headphones?			
		1	I do not listen to a personal music player with head phones	497	8.2
		2	Less than one hour	820	11.8
		3	1 to 4 hours (for example, 1 hour per day for 3 days per week)	1,613	24.0
		4	5 to 9 hours (for example, 1 hour per day for 7 days per week)	1,209	18.6
		5	10 or more hours (for example, at least 2 hours per day for 5 days per week)	2,170	31.8
		6	Not sure	399	5.6
	Missing	2,731			
155-155	NQ124 (Q97)	At what volume do you normally listen to a personal music player such as an MP3 player or iPod with headphones?			
		1	I do not listen to a personal music player with head phones	489	8.1
		2	Lower than 1/2 maximum volume	729	11.8
		3	About 1/2 maximum volume	1,480	22.2
		4	About 3/4 maximum volume	1,977	28.9
		5	At the maximum volume	1,726	25.1
		6	Not sure	253	3.9
	Missing	2,785			

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	NQ125 (Q98)	Have you ever used the school-based health center (school clinic) at your school?		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
157-157	NQ126 (Q99)	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	2,480	36.3
		2 1 time per week	959	13.3
		3 2 times per week	848	11.9
		4 3 times per week	816	11.6
		5 4 times per week	545	7.2
		6 5 times per week	468	6.7
		7 6 times per week	189	2.6
		8 7 or more times per week	768	10.3
		Missing	2,366	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	4,914	86.6
		2 No	713	13.4
		Missing	3,812	
188-188	QN11	Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days		
		1 Yes	186	6.4
		2 No	2,485	93.6
		Missing	6,768	
190-190	QN13	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	780	8.3
		2 No	8,339	91.7
		Missing	320	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	235	2.5
		2 No	9,015	97.5
		Missing	189	
192-192	QN15	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	327	3.2
		2 No	8,901	96.8
		Missing	211	
193-193	QN16	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	859	8.3
		2 No	8,426	91.7
		Missing	154	
194-194	QN17	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	662	7.1
		2 No	8,738	92.9
		Missing	39	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	2,428	26.1
		2 No	6,957	73.9
		Missing	54	
199-199	QN22	Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months		
		1 Yes	563	10.5
		2 No	4,465	89.5
		Missing	4,411	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN23	Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months		
		1 Yes	590	10.8
		2 No	4,536	89.2
		Missing	4,313	
201-201	QN24	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	1,343	13.9
		2 No	7,949	86.1
		Missing	147	
202-202	QN25	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	1,024	10.8
		2 No	8,247	89.2
		Missing	168	
203-203	QN26	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	2,634	27.4
		2 No	6,604	72.6
		Missing	201	
204-204	QN27	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	1,279	13.3
		2 No	7,947	86.7
		Missing	213	
206-206	QN29	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	687	8.1
		2 No	7,116	91.9
		Missing	1,636	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN30	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	229	2.6
		2 No	7,472	97.4
		Missing	1,738	
208-208	QN31	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	2,353	26.8
		2 No	6,579	73.2
		Missing	507	
210-210	QN33	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	752	8.2
		2 No	8,190	91.8
		Missing	497	
211-211	QN34	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	58	7.0
		2 No	674	93.0
		Missing	8,707	
214-214	QN37	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	479	5.9
		2 No	8,378	94.1
		Missing	582	
216-216	QN39	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	463	4.4
		2 No	8,754	95.6
		Missing	222	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN40	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	793	7.7
		2 No	8,348	92.3
		Missing	298	
220-220	QN43	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	2,161	24.7
		2 No	6,108	75.3
		Missing	1,170	
221-221	QN44	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	1,048	10.8
		2 No	7,773	89.2
		Missing	618	
222-222	QN45	Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	166	1.6
		2 No	8,130	98.4
		Missing	1,143	
223-223	QN46	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	646	30.3
		2 No	1,450	69.7
		Missing	7,343	
225-225	QN48	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	695	7.4
		2 No	8,268	92.6
		Missing	476	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN49	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	1,591	16.2
		2 No	7,300	83.8
		Missing	548	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	422	4.7
		2 No	8,478	95.3
		Missing	539	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	284	2.8
		2 No	8,720	97.2
		Missing	435	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	333	3.4
		2 No	8,626	96.6
		Missing	480	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	450	4.8
		2 No	8,441	95.2
		Missing	548	
234-234	QN57	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	252	2.5
		2 No	8,577	97.5
		Missing	610	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	2,513	31.2
		2 No	5,239	68.8
		Missing	1,687	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	435	5.5
		2 No	7,295	94.5
		Missing	1,709	
238-238	QN61	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	769	10.3
		2 No	6,849	89.7
		Missing	1,821	
239-239	QN62	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	1,661	20.3
		2 No	6,021	79.7
		Missing	1,757	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	315	18.5
		2 No	1,299	81.5
		Missing	7,825	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	976	67.8
		2 No	509	32.2
		Missing	7,954	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	167	9.6
		2 No	1,300	90.4
		Missing	7,972	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
243-243	QN66	Percentage of students who described themselves as slightly or very overweight			
		1	Yes	2,552	30.1
		2	No	5,827	69.9
			Missing	1,060	
244-244	QN67	Percentage of students who were trying to lose weight			
		1	Yes	3,966	46.2
		2	No	4,360	53.8
			Missing	1,113	
248-248	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days			
		1	Yes	6,205	75.2
		2	No	2,048	24.8
			Missing	1,186	
249-249	QN72	Percentage of students who ate fruit one or more times during the past seven days			
		1	Yes	6,725	81.7
		2	No	1,537	18.3
			Missing	1,177	
254-254	QN77	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days			
		1	Yes	1,335	15.7
		2	No	6,789	84.3
			Missing	1,315	
255-255	QN78	Percentage of students who drank three or more glasses per day of milk during the past seven days			
		1	Yes	523	6.3
		2	No	7,407	93.7
			Missing	1,509	
256-256	QN79	Percentage of students who ate breakfast on all of the past seven days			
		1	Yes	2,593	34.0
		2	No	5,347	66.0
			Missing	1,499	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	2,738	36.6
		2 No	4,758	63.4
		Missing	1,943	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	2,485	31.3
		2 No	4,972	68.7
		Missing	1,982	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	3,008	41.7
		2 No	4,342	58.3
		Missing	2,089	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	6,099	85.0
		2 No	1,126	15.0
		Missing	2,214	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	1,886	25.4
		2 No	5,210	74.6
		Missing	2,343	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	8,484	91.8
		2 No	883	8.2
		Missing	72	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students who have lived in the United States less than one year		
		1 Yes	149	1.6
		2 No	9,164	98.4
		Missing	126	
266-266	QN89	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	4,363	49.2
		2 No	4,938	50.8
		Missing	138	
267-267	QN90	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	1,431	14.6
		2 No	7,936	85.4
		Missing	72	
268-268	QN91	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	1,645	17.9
		2 No	7,303	82.1
		Missing	491	
269-269	QN92	Percentage of students who tried cigarette smoking for the first time during the past 12 months		
		1 Yes	1,017	11.5
		2 No	7,501	88.5
		Missing	921	
270-270	QN93	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	295	3.6
		2 No	8,564	96.4
		Missing	580	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
271-271	QN94	Percentage of students who have ever tried smoking menthol cigarettes, even one or two puffs		
		1 Yes	808	9.6
		2 No	7,788	90.4
		Missing	843	
272-272	QN95	Percentage of students who have ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars		
		1 Yes	1,409	15.8
		2 No	7,638	84.2
		Missing	392	
273-273	QN96	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	1,021	45.8
		2 No	1,146	54.2
		Missing	7,272	
274-274	QN97	Percentage of students who have taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	649	7.3
		2 No	8,310	92.7
		Missing	480	
275-275	QN98	Percentage of students who have taken other prescription drugs, such as Xanax, Adderall, or Ritalin, without a doctor's prescription one or more times during the past 12 months		
		1 Yes	538	6.4
		2 No	8,401	93.6
		Missing	500	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
276-276	QN99	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	998	51.7
		2 No	1,052	48.3
		Missing	7,389	
277-277	QN100	Percentage of students whose condom broke, tore or slipped off the last time they used a condom during sexual intercourse		
		1 Yes	240	2.5
		2 No	7,725	97.5
		Missing	1,474	
278-278	QN101	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse		
		1 Yes	271	3.1
		2 No	7,666	96.9
		Missing	1,502	
279-279	QN102	Percentage of students who responded that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
280-280	QN103	Percentage of students who have ever been taught a class by a teacher about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms		
		1 Yes	5,310	63.6
		2 No	3,047	36.4
		Missing	1,082	
281-281	QN104	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	199	2.2
		2 No	7,791	97.8
		Missing	1,449	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
282-282	QN105	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	410	4.6
		2 No	7,609	95.4
		Missing	1,420	
283-283	QN106	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	891	10.0
		2 No	7,459	90.0
		Missing	1,089	
284-284	QN107	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	2,186	28.2
		2 No	6,026	71.8
		Missing	1,227	
285-285	QN108	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	974	11.5
		2 No	7,134	88.5
		Missing	1,331	
286-286	QN109	Percentage of students who drank other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas one or more times per day during the past seven days		
		1 Yes	1,438	17.3
		2 No	6,594	82.7
		Missing	1,407	
287-287	QN110	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	1,334	17.2
		2 No	6,591	82.8
		Missing	1,514	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
288-288	QN111	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	1,283	17.2
		2 No	5,956	82.8
		Missing	2,200	
289-289	QN112	Percentage of students who usually walk or bike more than 20 minutes all the way to school		
		1 Yes	899	12.9
		2 No	6,468	87.1
		Missing	2,072	
290-290	QN113	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	4,550	70.1
		2 No	2,366	29.9
		Missing	2,523	
291-291	QN114	Percentage of students who walk or bike 10 or more minutes to a bus stop or subway station to get to school		
		1 Yes	1,844	27.3
		2 No	5,184	72.7
		Missing	2,411	
292-292	QN115	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City at least a few times a year during the past 12 months		
		1 Yes	3,556	48.2
		2 No	3,956	51.8
		Missing	1,927	
293-293	QN116	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	3,679	48.4
		2 No	3,767	51.6
		Missing	1,993	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
294-294	QN117	Percentage of students who play sports or do other physical activities outside of PE classes that increase their heart rate or breathing on one or more days in an average week during the school year		
		1 Yes	4,839	65.7
		2 No	2,429	34.3
		Missing	2,171	
295-295	QN118	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	5,441	76.6
		2 No	1,676	23.4
		Missing	2,322	
296-296	QN119	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	1,452	20.3
		2 No	5,569	79.7
		Missing	2,418	
297-297	QN120	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	1,221	16.3
		2 No	5,902	83.7
		Missing	2,316	
298-298	QN121	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	658	8.7
		2 No	6,427	91.3
		Missing	2,354	
299-299	QN122	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	695	8.8
		2 No	6,430	91.2
		Missing	2,314	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
300-300	QN123	Percentage of students who listen to a personal music player, such as an MP3 player or iPod, with headphones 5 or more hours in an average week		
		1 Yes	3,379	50.4
		2 No	3,329	49.6
		Missing	2,731	
301-301	QN124	Percentage of students who normally listen to a personal music player such as an MP3 player or iPod with headphones at about 1/2 maximum or higher volume		
		1 Yes	5,183	76.2
		2 No	1,471	23.8
		Missing	2,785	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	3,634	50.4
		2 No	3,439	49.6
		Missing	2,366	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	188	2.2
		2 No	8,754	97.8
		Missing	497	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	1,121	12.1
		2 No	7,618	87.9
		Missing	700	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNOTHH	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	104	7.4
		2 No Missing	1,363 7,972	92.6
353-353	QNOTHHPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	271	17.0
		2 No Missing	1,196 7,972	83.0
354-354	QNDUALBC	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	106	7.7
		2 No Missing	1,330 8,003	92.3
355-355	QNBCNONE	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse		
		1 Yes	270	17.6
		2 No Missing	1,197 7,972	82.4
357-357	QNFRUIT	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days		
		1 Yes	2,314	29.2
		2 No Missing	5,803 1,322	70.8

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNFR0	Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days		
		1 Yes	620	7.3
		2 No	7,497	92.7
		Missing	1,322	
359-359	QNFR1	Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days		
		1 Yes	4,455	56.3
		2 No	3,662	43.7
		Missing	1,322	
360-360	QNFR3	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days		
		1 Yes	1,579	20.0
		2 No	6,538	80.0
		Missing	1,322	
366-366	QNSODA0	Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days		
		1 Yes	2,298	29.6
		2 No	5,826	70.4
		Missing	1,315	
367-367	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days		
		1 Yes	901	10.4
		2 No	7,223	89.6
		Missing	1,315	
368-368	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days		
		1 Yes	528	6.2
		2 No	7,596	93.8
		Missing	1,315	
369-369	QNMILK0	Percentage of students who drank 0 glasses per day of milk during the past seven days		
		1 Yes	2,195	27.6
		2 No	5,735	72.4
		Missing	1,509	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
370-370	QNMILK1	Percentage of students who drank one or more glasses per day of milk during the past seven days		
		1 Yes	1,965	25.1
		2 No	5,965	74.9
		Missing	1,509	
371-371	QNMILK2	Percentage of students who drank two or more glasses per day of milk during the past seven days		
		1 Yes	1,085	13.8
		2 No	6,845	86.2
		Missing	1,509	
372-372	QNNOBKFT	Percentage of students who ate breakfast on none of the past seven days		
		1 Yes	1,232	14.8
		2 No	6,708	85.2
		Missing	1,499	
373-373	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	3,123	40.9
		2 No	4,102	59.1
		Missing	2,214	
374-374	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	1,387	18.8
		2 No	6,109	81.2
		Missing	1,943	
375-375	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	1,399	18.7
		2 No	6,097	81.3
		Missing	1,943	

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
376-376	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)			
		1	Yes	1,378	16.6
		2	No	7,024	83.4
			Missing	1,037	
377-377	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)			
		1	Yes	1,055	11.8
		2	No	7,347	88.2
			Missing	1,037	
378-387	WEIGHT				
388-390	STRATUM				
391-396	PSU				
397-401	BMIPCT				
402-403	RACEETH	1	Am Indian / Alaska Native	139	0.4
		2	Asian	983	15.9
		3	Black or African American	2,307	30.5
		4	Native Hawaiian/other PI	114	0.4
		5	White	1,304	13.7
		6	Hispanic/Latino	1,872	19.0
		7	Multiple - Hispanic	1,962	19.3
		8	Multiple - Non-Hispanic	272	0.8
			Missing	486	
404-406	Q6ORIG				
407-409	Q7ORIG				