

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	NQ1 (Q1)	How old are you?			
		1	12 years old or younger	41	0.4
		2	13 years old	204	2.8
		3	14 years old	1,663	23.9
		4	15 years old	2,061	26.3
		5	16 years old	2,044	22.3
		6	17 years old	2,014	19.3
		7	18 years old or older	459	5.0
		Missing	36		
18-18	NQ2 (Q2)	What is your sex?			
		1	Female	4,312	49.1
		2	Male	4,139	50.9
		Missing	71		
19-19	NQ3 (Q3)	In what grade are you?			
		1	9th grade	2,016	29.9
		2	10th grade	2,101	26.6
		3	11th grade	1,976	21.8
		4	12th grade	2,301	21.4
		5	Ungraded or other grade	39	0.4
		Missing	89		
20-20	NQ4 (Q4)	Are you Hispanic or Latino?			
		1	Yes	3,569	36.9
		2	No	4,694	63.1
		Missing	259		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	NQ5 (Q5)	What is your race?		
		H	11	0.1
		G	6	0.1
		F	7	0.1
		FGH	2	0.0
		E	1,667	23.9
		E H	2	0.1
		E G	1	0.0
		D	411	4.5
		DE	10	0.1
		C	2,558	43.2
		C G	1	0.0
		C E	99	0.8
		CD	60	0.7
		CDE	4	0.1
		B	1,029	21.3
		B E	36	0.2
		B D	15	0.1
		B DE	3	0.0
		BC	24	0.2
		BC F	1	0.0
		BC E	6	0.1
		BCD	3	0.0
		A	329	3.4
		A E	18	0.2
		A D	7	0.1
		A C	77	0.6
		A C E	22	0.1
		A CD	4	0.0
		A CDE	1	0.0
		AB	10	0.1
		ABC	2	0.0
		ABC E	4	0.0
		ABCD	2	0.0
		ABCDE	9	0.1
		ABCDEFGH	1	0.0
			2,080	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	NQ6 (Q6)	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	NQ7 (Q7)	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	NQ8 (Q13)	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	3,345	38.2
		2 Never wore a helmet	3,791	46.0
		3 Rarely wore a helmet	536	6.8
		4 Sometimes wore a helmet	271	3.5
		5 Most of the time wore a helmet	188	2.1
		6 Always wore a helmet	255	3.3
		Missing	136	
42-42	NQ11 (Q14)	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	5,770	74.4
		2 0 times	1,944	23.8
		3 1 time	50	0.6
		4 2 or 3 times	34	0.5
		5 4 or 5 times	15	0.2
		6 6 or more times	52	0.5
		Missing	657	
43-43	NQ12 (Q15)	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	5,763	73.3
		2 0 days	1,870	23.0
		3 1 or 2 days	122	1.3
		4 3 to 5 days	60	0.6
		5 6 to 9 days	30	0.4
		6 10 to 19 days	30	0.4
		7 20 to 29 days	10	0.1
		8 All 30 days	96	1.0
		Missing	541	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
44-44	NQ13 (Q16)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	7,481	92.3
		2	1 day	175	2.0
		3	2 or 3 days	166	1.8
		4	4 or 5 days	74	1.0
		5	6 or more days	249	2.9
		Missing	377		
45-45	NQ14 (Q17)	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	8,130	97.7
		2	1 day	79	0.6
		3	2 or 3 days	47	0.5
		4	4 or 5 days	20	0.3
		5	6 or more days	73	0.8
		Missing	173		
46-46	NQ15 (Q18)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	8,025	96.9
		2	1 day	83	0.9
		3	2 or 3 days	65	0.6
		4	4 or 5 days	30	0.4
		5	6 or more days	109	1.2
		Missing	210		
47-47	NQ16 (Q19)	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	7,773	94.0
		2	1 day	235	2.6
		3	2 or 3 days	138	1.5
		4	4 or 5 days	63	0.8
		5	6 or more days	99	1.0
		Missing	214		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	NQ17 (Q20)	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	7,931	93.7
		2	1 time	239	3.2
		3	2 or 3 times	123	1.5
		4	4 or 5 times	54	0.6
		5	6 or 7 times	24	0.2
		6	8 or 9 times	13	0.1
		7	10 or 11 times	7	0.0
		8	12 or more times	62	0.7
	Missing	69			
49-49	NQ18 (Q21)	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	6,591	77.6
		2	1 time	853	10.6
		3	2 or 3 times	567	7.0
		4	4 or 5 times	166	2.2
		5	6 or 7 times	65	0.7
		6	8 or 9 times	33	0.4
		7	10 or 11 times	17	0.1
		8	12 or more times	140	1.5
	Missing	90			
53-53	NQ22 (Q22)	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	3,625	47.9
		2	0 times	3,653	45.8
		3	1 time	214	3.0
		4	2 or 3 times	125	1.4
		5	4 or 5 times	46	0.6
		6	6 or more times	118	1.3
	Missing	741			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
54-54	NQ23 (Q23)	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	3,638	47.8
		2	0 times	3,735	46.3
		3	1 time	215	2.9
		4	2 or 3 times	112	1.4
		5	4 or 5 times	37	0.6
		6	6 or more times	100	1.2
		Missing	685		
55-55	NQ24 (Q24)	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	1,210	14.8
		2	No	7,133	85.2
		Missing	179		
56-56	NQ25 (Q25)	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	1,022	12.1
		2	No	7,290	87.9
		Missing	210		
57-57	NQ26 (Q27)	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	2,469	29.4
		2	No	5,813	70.6
		Missing	240		
58-58	NQ27 (Q28)	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	1,147	13.7
		2	No	7,092	86.3
		Missing	283		
60-60	NQ29 (Q29)	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	6,448	91.7
		2	1 time	329	4.4
		3	2 or 3 times	192	2.4
		4	4 or 5 times	51	0.5
		5	6 or more times	57	1.0
		Missing	1,445		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
61-61	NQ30 (Q30)	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	6,353	92.2
		2	Yes	231	2.8
		3	No	356	5.1
			Missing	1,582	
62-62	NQ31 (Q32)	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	1,798	22.0
		2	No	6,334	78.0
			Missing	390	
64-64	NQ33 (Q34)	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	7,454	94.2
		2	1 or 2 days	184	2.4
		3	3 to 5 days	73	0.8
		4	6 to 9 days	58	0.8
		5	10 to 19 days	35	0.4
		6	20 to 29 days	39	0.5
		7	All 30 days	80	0.9
			Missing	599	
65-65	NQ34 (Q35)	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	7,482	94.2
		2	Less than 1 cigarette per day	159	2.0
		3	1 cigarette per day	112	1.6
		4	2 to 5 cigarettes per day	116	1.3
		5	6 to 10 cigarettes per day	40	0.5
		6	11 to 20 cigarettes per day	17	0.2
		7	More than 20 cigarettes per day	26	0.3
			Missing	570	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
68-68	NQ37 (Q38)	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	7,873	96.9
		2	1 or 2 days	159	1.5
		3	3 to 5 days	40	0.4
		4	6 to 9 days	36	0.3
		5	10 to 19 days	27	0.4
		6	20 to 29 days	12	0.2
		7	All 30 days	38	0.4
	Missing	337			
69-69	NQ38 (Q39)	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	7,632	94.3
		2	1 or 2 days	234	3.0
		3	3 to 5 days	102	1.0
		4	6 to 9 days	47	0.5
		5	10 to 19 days	36	0.5
		6	20 to 29 days	15	0.2
		7	All 30 days	42	0.5
	Missing	414			
71-71	NQ40 (Q41)	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	6,775	84.1
		2	1 or 2 days	650	7.9
		3	3 to 5 days	271	3.4
		4	6 to 9 days	159	1.7
		5	10 to 19 days	112	1.2
		6	20 to 29 days	38	0.5
		7	All 30 days	103	1.1
	Missing	414			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
73-73	NQ42 (Q42)	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	4,035	52.7
		2	8 years old or younger	491	6.3
		3	9 or 10 years old	321	4.1
		4	11 or 12 years old	600	7.8
		5	13 or 14 years old	1,232	14.9
		6	15 or 16 years old	1,039	12.2
		7	17 years old or older	180	2.0
		Missing	624		
74-74	NQ43 (Q43)	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	5,648	79.1
		2	1 or 2 days	885	12.0
		3	3 to 5 days	372	4.3
		4	6 to 9 days	183	2.3
		5	10 to 19 days	98	1.2
		6	20 to 29 days	41	0.4
		7	All 30 days	49	0.7
		Missing	1,246		
75-75	NQ44 (Q44)	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	7,014	91.5
		2	1 day	327	4.0
		3	2 days	175	2.1
		4	3 to 5 days	119	1.3
		5	6 to 9 days	51	0.5
		6	10 to 19 days	17	0.2
		7	20 or more days	30	0.4
		Missing	789		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
76-76	NQ45 (Q45)	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
		1	I did not drink alcohol during the past 30 days	5,585	79.0
		2	1 or 2 drinks	783	10.8
		3	3 drinks	250	2.9
		4	4 drinks	136	1.9
		5	5 drinks	152	1.9
		6	6 or 7 drinks	118	1.5
		7	8 or 9 drinks	67	0.8
		8	10 or more drinks	107	1.2
	Missing	1,324			
77-77	NQ46 (Q46)	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	5,550	78.9
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	209	2.8
		3	I bought it at a restaurant, bar, or club	91	1.1
		4	I bought it at a public event such as a concert or sporting event	51	0.6
		5	I gave someone else money to buy it for me	175	2.0
		6	Someone gave it to me	493	6.8
		7	I took it from a store or family member	274	3.4
		8	I got it some other way	329	4.4
	Missing	1,350			
79-79	NQ48 (Q47)	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	5,494	70.8
		2	8 years old or younger	142	1.8
		3	9 or 10 years old	99	1.2
		4	11 or 12 years old	269	3.2
		5	13 or 14 years old	982	12.8
		6	15 or 16 years old	758	8.9
		7	17 years old or older	115	1.3
	Missing	663			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
80-80	NQ49 (Q48)	During the past 30 days, how many times did you use marijuana?			
		1	0 times	6,508	84.1
		2	1 or 2 times	532	6.2
		3	3 to 9 times	356	4.1
		4	10 to 19 times	154	2.0
		5	20 to 39 times	95	1.4
		6	40 or more times	177	2.1
		Missing	700		
81-81	NQ50 (Q49)	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	7,460	95.6
		2	1 or 2 times	155	2.1
		3	3 to 9 times	80	0.9
		4	10 to 19 times	29	0.3
		5	20 to 39 times	29	0.4
		6	40 or more times	68	0.6
		Missing	701		
83-83	NQ52 (Q50)	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	7,654	97.5
		2	1 or 2 times	94	1.0
		3	3 to 9 times	43	0.5
		4	10 to 19 times	38	0.3
		5	20 to 39 times	19	0.2
		6	40 or more times	41	0.4
		Missing	633		
86-86	NQ55 (Q52)	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	7,293	94.6
		2	1 or 2 times	234	2.7
		3	3 to 9 times	87	1.3
		4	10 to 19 times	46	0.5
		5	20 to 39 times	27	0.5
		6	40 or more times	47	0.4
		Missing	788		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	NQ58 (Q56)	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	7,493	97.8
		2 1 time	107	1.3
		3 2 or more times	80	0.9
		Missing	842	
91-91	NQ60 (Q57)	Have you ever had sexual intercourse?		
		1 Yes	1,985	27.2
		2 No	4,611	72.8
		Missing	1,926	
92-92	NQ61 (Q58)	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	4,540	72.5
		2 11 years old or younger	167	2.5
		3 12 years old	123	1.9
		4 13 years old	247	3.5
		5 14 years old	464	6.5
		6 15 years old	488	6.8
		7 16 years old	363	4.4
		8 17 years old or older	141	1.9
Missing	1,989			
93-93	NQ62 (Q59)	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	4,556	72.7
		2 1 person	841	11.4
		3 2 people	349	5.2
		4 3 people	243	3.0
		5 4 people	143	2.1
		6 5 people	85	1.3
		7 6 or more people	310	4.2
Missing	1,995			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	NQ63 (Q60)	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	4,539	72.8
		2 I have had sexual intercourse, but not during the past 3 months	612	8.5
		3 1 person	981	13.9
		4 2 people	163	2.3
		5 3 people	73	1.1
		6 4 people	29	0.3
		7 5 people	28	0.4
		8 6 or more people	72	0.8
	Missing	2,025		
95-95	NQ64 (Q62)	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	4,505	73.1
		2 Yes	315	4.5
		3 No	1,599	22.5
	Missing	2,103		
96-96	NQ65 (Q63)	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	4,491	74.2
		2 Yes	1,135	16.8
		3 No	639	8.9
	Missing	2,257		
97-97	NQ66 (Q65)	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	4,452	73.8
		2 No method was used to prevent pregnancy	356	5.0
		3 Birth control pills	211	2.8
		4 Condoms	932	14.2
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	29	0.3
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	76	1.0
		7 Withdrawal or some other method	137	2.1
8 Not sure	57	0.7		
	Missing	2,272		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
98-98	NQ67 (Q69)	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	3,640	57.0
		2 Females	1,536	22.6
		3 Males	1,118	15.1
		4 Females and males	369	5.4
		Missing	1,859	
99-99	NQ68 (Q11)	Which of the following best describes you?		
		1 Heterosexual (straight)	7,089	85.1
		2 Gay or lesbian	195	2.0
		3 Bisexual	637	7.9
		4 Not sure	429	5.0
		Missing	172	
102-102	NQ71 (Q70)	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	2,082	28.8
		2 1 to 3 times during the past 7 days	2,549	36.5
		3 4 to 6 times during the past 7 days	925	13.1
		4 1 time per day	416	5.8
		5 2 times per day	436	5.6
		6 3 times per day	282	3.9
		7 4 or more times per day	438	6.4
		Missing	1,394	
103-103	NQ72 (Q71)	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,363	17.4
		2 1 to 3 times during the past 7 days	2,794	39.9
		3 4 to 6 times during the past 7 days	1,198	17.4
		4 1 time per day	559	8.3
		5 2 times per day	555	7.5
		6 3 times per day	254	3.4
		7 4 or more times per day	443	6.0
		Missing	1,356	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
108-108	NQ77 (Q75)	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	2,030	29.0
		2 1 to 3 times during the past 7 days	2,866	42.3
		3 4 to 6 times during the past 7 days	843	12.9
		4 1 time per day	394	5.4
		5 2 times per day	315	4.6
		6 3 times per day	155	2.2
		7 4 or more times per day	257	3.5
	Missing	1,662		
109-109	NQ78 (Q77)	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	2,174	30.8
		2 1 to 3 glasses during the past 7 days	2,286	32.7
		3 4 to 6 glasses during the past 7 days	871	14.2
		4 1 glass per day	692	10.9
		5 2 glasses per day	405	6.4
		6 3 glasses per day	166	2.6
		7 4 or more glasses per day	193	2.6
	Missing	1,735		
110-110	NQ79 (Q79)	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	1,075	15.3
		2 1 day	589	8.4
		3 2 days	823	12.3
		4 3 days	634	8.9
		5 4 days	513	7.7
		6 5 days	497	7.3
		7 6 days	330	5.1
		8 7 days	2,220	35.0
	Missing	1,841		
111-111	NQ80 (Q80)	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	1,401	20.5
		2 1 day	577	8.2
		3 2 days	695	10.1
		4 3 days	822	12.4
		5 4 days	655	10.2
		6 5 days	851	13.1
		7 6 days	304	4.8
		8 7 days	1,362	20.9
	Missing	1,855		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	NQ81 (Q81)	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	1,657	24.1
		2 Less than 1 hour per day	1,094	16.5
		3 1 hour per day	809	12.0
		4 2 hours per day	1,159	18.5
		5 3 hours per day	819	12.6
		6 4 hours per day	465	6.7
		7 5 or more hours per day	603	9.5
	Missing	1,916		
113-113	NQ82 (Q82)	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	1,437	22.3
		2 Less than 1 hour per day	677	10.4
		3 1 hour per day	605	9.5
		4 2 hours per day	793	12.2
		5 3 hours per day	764	12.3
		6 4 hours per day	623	10.0
		7 5 or more hours per day	1,571	23.4
	Missing	2,052		
114-114	NQ83 (Q83)	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	872	16.0
		2 1 day	328	5.1
		3 2 days	955	15.6
		4 3 days	1,153	19.0
		5 4 days	684	8.3
		6 5 days	2,463	36.0
	Missing	2,067		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	NQ85 (Q89)	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	1,357	21.6
		2 No	3,931	63.6
		3 Not sure	844	14.7
		Missing	2,390	
117-117	NQ86 (Q91)	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	4,146	69.7
		2 Between 12 and 24 months ago	820	13.3
		3 More than 24 months ago	379	6.1
		4 Never	158	3.0
		5 Not sure	537	8.0
Missing	2,482			
118-118	NQ87 (Q92)	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	1,534	24.2
		2 No	4,134	70.5
		3 Not sure	330	5.2
Missing	2,524			
119-119	NQ88 (Q94)	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	808	12.3
		2 5 hours	859	13.6
		3 6 hours	1,397	22.7
		4 7 hours	1,516	26.2
		5 8 hours	1,018	17.6
		6 9 hours	307	5.8
		7 10 or more hours	94	1.7
Missing	2,523			
121-121	NQ90 (Q8)	What borough of New York do you live in?		
		1 Bronx	2,128	22.7
		2 Brooklyn	2,388	31.3
		3 Manhattan	871	11.1
		4 Queens	1,794	28.1
		5 Staten Island	1,254	6.8
Missing	87			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
122-122	NQ91 (Q9)	How long have you lived in the United States?			
		1	I have always lived in the United States	6,253	73.6
		2	Less than 1 year	131	1.9
		3	1 to 3 years	325	4.4
		4	4 to 6 years	419	4.9
		5	More than 6 years but not my whole life	1,278	15.2
		Missing	116		
123-123	NQ92 (Q10)	How often do the people in your home speak a language other than English?			
		1	Never	1,955	23.0
		2	Rarely	745	8.9
		3	Sometimes	1,656	19.3
		4	Most of the time	2,010	24.5
		5	Always	2,024	24.3
		Missing	132		
124-124	NQ93 (Q12)	A transgender person is someone whose biological sex at birth does not match the way they think or feel about themselves. Are you transgender?			
		1	No, I am not transgender	7,786	93.3
		2	Yes, I am transgender and I think of myself as really a boy or man	110	1.2
		3	Yes, I am transgender and I think of myself as really a girl or woman	74	0.7
		4	Yes, I am transgender and I think of myself in some other way	67	0.9
		5	I do not know if I am transgender	98	1.2
		6	I do not know what this question is asking	212	2.8
		Missing	175		
125-125	NQ94 (Q26)	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	7,173	86.1
		2	1 time	505	5.6
		3	2 or 3 times	336	3.8
		4	4 or 5 times	121	1.5
		5	6 or more times	266	3.1
		Missing	121		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	NQ95 (Q31)	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 Yes	1,450	18.3
		2 No	6,560	81.7
		Missing	512	
127-127	NQ96 (Q33)	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	6,011	78.5
		2 Less than 1 month ago	241	2.5
		3 1 to 3 months ago	192	2.4
		4 4 to 6 months ago	186	2.1
		5 7 to 12 months ago	189	2.9
		6 13 or more months ago	882	11.5
	Missing	821		
128-128	NQ97 (Q36)	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	7,436	92.9
		2 I bought them in a store such as a convenience store, supermarket, or gas station	200	2.2
		3 I bought them on the Internet	40	0.4
		4 I bummed them	52	0.6
		5 Someone gave them to me or bought them for me	190	2.2
		6 I stole them	35	0.5
		7 I got them some other way	74	1.1
	Missing	495		
129-129	NQ98 (Q37)	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	524	6.6
		2 No	7,007	93.4
		Missing	991	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	NQ99 (Q40)	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	1,116	13.0
		2 No	6,866	87.0
		Missing	540	
131-131	NQ100 (Q51)	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	7,453	95.2
		2 1 or 2 times	204	2.5
		3 3 to 9 times	67	1.0
		4 10 to 19 times	50	0.5
		5 20 to 39 times	24	0.2
		6 40 or more times	42	0.6
		Missing	682	
132-132	NQ101 (Q53)	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	7,238	93.0
		2 1 time	163	2.4
		3 2 or 3 times	151	1.7
		4 4 or 5 times	78	0.8
		5 6 or 7 times	45	0.5
		6 8 or 9 times	26	0.4
		7 10 or 11 times	13	0.1
		8 12 or more times	82	1.0
		Missing	726	
133-133	NQ102 (Q54)	During the past 12 months, how many times have you taken benzodiazepines such as Xanax, Valium, Klonopin, or Ativan, without a doctor's prescription?		
		1 0 times	7,347	94.7
		2 1 time	139	1.8
		3 2 or 3 times	106	1.3
		4 4 or 5 times	58	0.6
		5 6 or 7 times	32	0.5
		6 8 or 9 times	24	0.4
		7 10 or 11 times	7	0.0
		8 12 or more times	62	0.7
		Missing	747	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
134-134	NQ103 (Q55)	During the past 12 months, how many times have you taken stimulants such as Adderall, Ritalin, Concerta, or Vyvanse, without a doctor's prescription?			
		1	0 times	7,399	96.1
		2	1 time	119	1.5
		3	2 or 3 times	66	0.9
		4	4 or 5 times	49	0.5
		5	6 or 7 times	25	0.3
		6	8 or 9 times	14	0.1
		7	10 or 11 times	9	0.1
		8	12 or more times	50	0.5
	Missing	791			
135-135	NQ104 (Q61)	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	4,451	70.0
		2	I have had sexual intercourse, but not during the past 3 months	528	6.7
		3	Never	349	4.3
		4	Rarely	186	2.3
		5	Sometimes	181	2.5
		6	Most of the time	251	3.7
		7	Always	742	10.4
	Missing	1,834			
136-136	NQ105 (Q64)	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	4,440	70.2
		2	No method was used to prevent pregnancy	377	4.9
		3	Birth control pills	171	2.3
		4	Condoms	1,382	18.9
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	25	0.3
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	56	0.6
		7	Withdrawal or some other method	117	1.9
		8	Not sure	68	0.8
	Missing	1,886			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	NQ106 (Q66)	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	4,387	70.6
		2 Yes	244	3.0
		3 No	1,605	22.2
		4 Not sure	265	4.1
		Missing	2,021	
138-138	NQ107 (Q67)	The last time you used birth control, including condoms, from where did you or your partner get it?		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
139-139	NQ108 (Q68)	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	155	2.0
		2 No	6,341	95.8
		3 Not sure	173	2.2
		Missing	1,853	
140-140	NQ109 (Q72)	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	1,321	17.1
		2 1 to 3 times during the past 7 days	2,595	36.4
		3 4 to 6 times during the past 7 days	1,364	20.0
		4 1 time per day	762	11.5
		5 2 times per day	520	7.4
		6 3 times per day	206	3.1
		7 4 or more times per day	323	4.5
		Missing	1,431	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	NQ110 (Q73)	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	1,392	19.4
		2 1 to 3 times during the past 7 days	3,662	52.4
		3 4 to 6 times during the past 7 days	1,072	16.1
		4 1 time per day	350	4.4
		5 2 times per day	219	3.4
		6 3 times per day	104	1.6
		7 4 or more times per day	217	2.8
		Missing	1,506	
142-142	NQ111 (Q74)	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	461	6.1
		2 1 to 3 times during the past 7 days	901	12.7
		3 4 to 6 times during the past 7 days	934	14.3
		4 1 time per day	459	6.4
		5 2 times per day	830	12.7
		6 3 times per day	968	13.5
		7 4 or more times per day	2,395	34.4
		Missing	1,574	
143-143	NQ112 (Q76)	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	1,917	28.4
		2 1 to 3 times during the past 7 days	2,785	41.1
		3 4 to 6 times during the past 7 days	917	13.8
		4 1 time per day	386	5.3
		5 2 times per day	328	4.8
		6 3 times per day	194	2.9
		7 4 or more times per day	258	3.7
		Missing	1,737	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
144-144	NQ113 (Q78)	What kind of milk do you usually drink?		
		1 I do not drink milk	983	14.0
		2 Whole milk	2,215	33.1
		3 2% milk or reduced fat milk	1,437	21.1
		4 1% milk or low-fat milk	789	11.9
		5 Skim milk or non-fat milk	194	2.7
		6 Soy milk	147	2.6
		7 Other milk alternative (such as almond or rice milk)	292	4.1
		8 Not sure	667	10.6
	Missing	1,798		
145-145	NQ114 (Q84)	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	939	15.3
		2 I ride a bike all the way to school	125	2.4
		3 I use public transportation, such as a subway or city bus	3,929	66.7
		4 I ride a school bus	208	2.9
		5 I drive or ride in a car or other private vehicle	888	12.7
	Missing	2,433		
146-146	NQ115 (Q85)	On an average school day, how many minutes do you usually spend walking, riding a bike or skateboarding on your way to school?		
		1 I do not walk, bike or skateboard as part of my travel to school	1,346	21.8
		2 Less than 10 minutes	1,366	23.3
		3 10 to 20 minutes	1,944	32.9
		4 21 to 29 minutes	508	8.0
		5 30 or more minutes	892	14.0
	Missing	2,466		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
147-147	NQ116 (Q86)	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1 I am not physically able to walk up the stairs	425	6.3
		2 Yes	4,728	76.2
		3 No	1,087	17.5
		Missing	2,282	
148-148	NQ117 (Q87)	In what grade were you first taught about sexual health?		
		1 I have never been taught about sexual health in school	470	7.8
		2 6th grade or earlier	1,944	35.1
		3 7th grade	1,195	20.4
		4 8th grade	1,009	16.2
		5 9th grade	564	9.6
		6 10th grade	262	2.9
		7 11th or 12th grade	146	1.9
		8 Not sure	402	6.1
		Missing	2,530	
149-149	NQ118 (Q88)	In what class were you first taught about sexual health?		
		1 I have never been taught about sexual health in school	461	7.7
		2 Health Education	3,042	51.7
		3 Science	775	12.8
		4 Living Environment	326	4.8
		5 Physical Education	345	6.0
		6 Advisory	190	3.1
		7 Some other class	255	4.2
		8 Not sure	554	9.6
		Missing	2,574	
150-150	NQ119 (Q90)	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?		
		1 Yes	3,354	52.3
		2 No	2,346	42.0
		3 Not sure	345	5.7
		Missing	2,477	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
151-151	NQ120 (Q93)	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	2,211	39.3
		2 Yes	848	13.6
		3 No	2,650	43.0
		4 Not sure	242	4.2
		Missing	2,571	
152-152	NQ121 (Q95)	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	5,532	93.0
		2 With friends, family, or other people because my parents or I lost our home or cannot afford housing	251	3.7
		3 In a motel or hotel	80	1.0
		4 In a shelter or emergency housing	60	1.1
		5 In a car, park, campground, or other public place	26	0.4
		6 I moved from place to place	17	0.2
		7 Somewhere else	39	0.6
Missing	2,517			
153-153	NQ122 (Q96)	During the past 12 months, did you ever live away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	507	7.8
		2 No	5,297	92.2
		Missing	2,718	
154-154	NQ123 (Q97)	During the past 12 months, how many times did you go tanning in a tanning salon, nail salon, or health club?		
		1 0 times	4,281	73.7
		2 1 or 2 times	690	10.9
		3 3 to 9 times	542	8.6
		4 10 to 19 times	202	3.2
		5 20 to 39 times	112	1.8
		6 40 or more times	106	1.9
Missing	2,589			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
155-155	NQ124 (Q98)	Have you ever used the school-based health center (school clinic) at your school?		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
156-156	NQ125 (Q99)	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	2,020	35.9
		2 1 time per week	775	13.5
		3 2 times per week	618	10.1
		4 3 times per week	693	11.2
		5 4 times per week	447	7.0
		6 5 times per week	465	7.3
		7 6 times per week	170	2.8
		8 7 or more times per week	761	12.2
		Missing	2,573	
185-185	QN8	Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)		
		1 Yes	4,327	85.6
		2 No	714	14.4
		Missing	3,481	
188-188	QN11	Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	151	7.1
		2 No	1,944	92.9
		Missing	6,427	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN12	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	348	14.1
		2 No	1,870	85.9
		Missing	6,304	
190-190	QN13	Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	664	7.7
		2 No	7,481	92.3
		Missing	377	
191-191	QN14	Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)		
		1 Yes	219	2.3
		2 No	8,130	97.7
		Missing	173	
192-192	QN15	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	287	3.1
		2 No	8,025	96.9
		Missing	210	
193-193	QN16	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	535	6.0
		2 No	7,773	94.0
		Missing	214	
194-194	QN17	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)		
		1 Yes	522	6.3
		2 No	7,931	93.7
		Missing	69	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN18	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	1,841	22.4
		2 No	6,591	77.6
		Missing	90	
199-199	QN22	Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	503	12.0
		2 No	3,653	88.0
		Missing	4,366	
200-200	QN23	Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	464	11.4
		2 No	3,735	88.6
		Missing	4,323	
201-201	QN24	Percentage of students who were bullied on school property (during the 12 months before the survey)		
		1 Yes	1,210	14.8
		2 No	7,133	85.2
		Missing	179	
202-202	QN25	Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)		
		1 Yes	1,022	12.1
		2 No	7,290	87.9
		Missing	210	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)		
		1 Yes	2,469	29.4
		2 No	5,813	70.6
		Missing	240	
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)		
		1 Yes	1,147	13.7
		2 No	7,092	86.3
		Missing	283	
206-206	QN29	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	629	8.3
		2 No	6,448	91.7
		Missing	1,445	
207-207	QN30	Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	231	2.8
		2 No	6,709	97.2
		Missing	1,582	
208-208	QN31	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	1,798	22.0
		2 No	6,334	78.0
		Missing	390	
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	469	5.8
		2 No	7,454	94.2
		Missing	599	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)		
		1 Yes	41	8.8
		2 No	419	91.2
		Missing	8,062	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)		
		1 Yes	312	3.1
		2 No	7,873	96.9
		Missing	337	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)		
		1 Yes	476	5.7
		2 No	7,632	94.3
		Missing	414	
217-217	QN40	Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)		
		1 Yes	1,333	15.9
		2 No	6,775	84.1
		Missing	414	
219-219	QN42	Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)		
		1 Yes	1,412	18.2
		2 No	6,486	81.8
		Missing	624	
220-220	QN43	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1 Yes	1,628	20.9
		2 No	5,648	79.1
		Missing	1,246	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
221-221	QN44	Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)		
		1 Yes	719	8.5
		2 No	7,014	91.5
		Missing	789	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)		
		1 Yes	107	1.2
		2 No	7,091	98.8
		Missing	1,324	
223-223	QN46	Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)		
		1 Yes	477	32.4
		2 No	1,080	67.6
		Missing	6,965	
225-225	QN48	Percentage of students who tried marijuana before age 13 years (for the first time)		
		1 Yes	510	6.2
		2 No	7,349	93.8
		Missing	663	
226-226	QN49	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	1,314	15.9
		2 No	6,508	84.1
		Missing	700	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)		
		1 Yes	361	4.4
		2 No	7,460	95.6
		Missing	701	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)		
		1 Yes	235	2.5
		2 No	7,654	97.5
		Missing	633	
232-232	QN55	Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)		
		1 Yes	441	5.4
		2 No	7,293	94.6
		Missing	788	
235-235	QN58	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)		
		1 Yes	187	2.2
		2 No	7,493	97.8
		Missing	842	
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	1,985	27.2
		2 No	4,611	72.8
		Missing	1,926	
238-238	QN61	Percentage of students who had sexual intercourse before age 13 years (for the first time)		
		1 Yes	290	4.4
		2 No	6,243	95.6
		Missing	1,989	
239-239	QN62	Percentage of students who had sexual intercourse with four or more persons (during their life)		
		1 Yes	538	7.6
		2 No	5,989	92.4
		Missing	1,995	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
240-240	QN63	Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)		
		1 Yes	1,346	18.7
		2 No	5,151	81.3
		Missing	2,025	
241-241	QN64	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	233	18.7
		2 No	1,050	81.3
		Missing	7,239	
242-242	QN65	Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	716	62.2
		2 No	468	37.8
		Missing	7,338	
243-243	QN66	Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	159	12.5
		2 No	1,054	87.5
		Missing	7,309	
248-248	QN71	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	2,082	28.8
		2 No	5,046	71.2
		Missing	1,394	
249-249	QN72	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	1,363	17.4
		2 No	5,803	82.6
		Missing	1,356	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
254-254	QN77	Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	2,030	29.0
		2 No	4,830	71.0
		Missing	1,662	
255-255	QN78	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	2,174	30.8
		2 No	4,613	69.2
		Missing	1,735	
256-256	QN79	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	1,075	15.3
		2 No	5,606	84.7
		Missing	1,841	
257-257	QN80	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	2,517	38.7
		2 No	4,150	61.3
		Missing	1,855	
258-258	QN81	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	1,887	28.9
		2 No	4,719	71.1
		Missing	1,916	
259-259	QN82	Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)		
		1 Yes	2,958	45.6
		2 No	3,512	54.4
		Missing	2,052	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
260-260	QN83	Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)		
		1 Yes	5,583	84.0
		2 No	872	16.0
		Missing	2,067	
262-262	QN85	Percentage of students who were ever tested for HIV (not including tests done when donating blood)		
		1 Yes	1,357	21.6
		2 No	4,775	78.4
		Missing	2,390	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)		
		1 Yes	4,146	69.7
		2 No	1,894	30.3
		Missing	2,482	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	1,534	24.2
		2 No	4,464	75.8
		Missing	2,524	
265-265	QN88	Percentage of students who had 8 or more hours of sleep (on an average school night)		
		1 Yes	1,419	25.2
		2 No	4,580	74.8
		Missing	2,523	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	7,564	88.9
		2 No	871	11.1
		Missing	87	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	131	1.9
		2 No	8,275	98.1
		Missing	116	
269-269	QN92	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	4,034	48.8
		2 No	4,356	51.2
		Missing	132	
270-270	QN93	Percentage of students who are transgender		
		1 Yes	251	2.8
		2 No	8,096	97.2
		Missing	175	
271-271	QN94	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	1,228	13.9
		2 No	7,173	86.1
		Missing	121	
272-272	QN95	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	1,450	18.3
		2 No	6,560	81.7
		Missing	512	
273-273	QN96	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	808	10.0
		2 No	6,893	90.0
		Missing	821	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	200	31.4
		2 No	391	68.6
		Missing	7,931	
275-275	QN98	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	524	6.6
		2 No	7,007	93.4
		Missing	991	
276-276	QN99	Percentage of students who have ever tried any flavored tobacco products (such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars)		
		1 Yes	1,116	13.0
		2 No	6,866	87.0
		Missing	540	
277-277	QN100	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	387	4.8
		2 No	7,453	95.2
		Missing	682	
278-278	QN101	Percentage of students who have taken a prescription pain medication without a doctor's prescription (such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, one or more times during the 12 months before the survey)		
		1 Yes	558	7.0
		2 No	7,238	93.0
		Missing	726	
279-279	QN102	Percentage of students who have taken benzodiazepines without a doctor's prescription (such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	428	5.3
		2 No	7,347	94.7
		Missing	747	

Note: In EpiQuery, Source of Cigarettes is restricted to students who smoked in the past 30 days as defined by QN33, rather than Q97. Estimates will differ from those listed below.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have taken stimulants without a doctor's prescription (such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	332	3.9
		2 No	7,399	96.1
		Missing	791	
281-281	QN104	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	742	44.8
		2 No	967	55.2
		Missing	6,813	
282-282	QN105	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	377	16.6
		2 No	1,819	83.4
		Missing	6,326	
283-283	QN106	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	244	10.3
		2 No	1,870	89.7
		Missing	6,408	
284-284	QN107	Percentage of students who reported that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school (among students who have used birth control)		

DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	155	2.0
		2 No	6,514	98.0
		Missing	1,853	
286-286	QN109	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not including potatoes, during the 7 days before the survey)		
		1 Yes	1,811	26.4
		2 No	5,280	73.6
		Missing	1,431	
287-287	QN110	Percentage of students who ate french fries, fried potatoes, or potato chips (one or more times during the 7 days before the survey)		
		1 Yes	5,624	80.6
		2 No	1,392	19.4
		Missing	1,506	
288-288	QN111	Percentage of students who did not drink a bottle or glass of plain water (including tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	461	6.1
		2 No	6,487	93.9
		Missing	1,574	
289-289	QN112	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	4,868	71.6
		2 No	1,917	28.4
		Missing	1,737	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	983	14.6
		2 No	5,741	85.4
			Missing	1,798
291-291	QN114	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	1,064	17.7
		2 No	5,025	82.3
			Missing	2,433
292-292	QN115	Percentage of students who usually spend 10 minutes or more walking, biking, or skateboarding to school (among students who walk, bike, or skateboard to school, on an average school day)		
		1 Yes	3,344	70.3
		2 No	1,366	29.7
			Missing	3,812
293-293	QN116	Percentage of students who walk up at least three floors of stairs outside of school on an average day (among students who are physically able to walk up the stairs)		
		1 Yes	4,728	81.4
		2 No	1,087	18.6
			Missing	2,707
294-294	QN117	Percentage of students who were ever taught about sexual health in school		
		1 Yes	5,522	92.2
		2 No	470	7.8
			Missing	2,530
295-295	QN118	Percentage of students who were first taught about sexual health in a health education class (among students who had been taught about sexual health in school)		
		1 Yes	3,042	56.1
		2 No	2,445	43.9
			Missing	3,035

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
296-296	QN119	Percentage of students who reported that the last time they had seen a doctor or a nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	3,354	52.3
		2 No	2,691	47.7
		Missing	2,477	
297-297	QN120	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	848	22.4
		2 No	2,892	77.6
		Missing	4,782	
298-298	QN121	Percentage of students who usually slept with friends, family, or other people because their parents or they lost their home or cannot afford housing (during the 30 days before the survey)		
		1 Yes	251	3.7
		2 No	5,754	96.3
		Missing	2,517	
299-299	QN122	Percentage of students who ever lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	507	7.8
		2 No	5,297	92.2
		Missing	2,718	
300-300	QN123	Percentage of students who went tanning in a tanning salon, nail salon, or health club (not including getting a spray-on tan, one or more times during the 12 months before the survey)		
		1 Yes	1,652	26.3
		2 No	4,281	73.7
		Missing	2,589	
301-301	QN124	Percentage of students who have ever used the school-based health center (school clinic) at their school (among students who have a school-based health center at their school)		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
302-302	QN125	Percentage of students who go to bodegas, delis, or drugstores two or more times per week (not including supermarkets or department stores)		
		1 Yes	3,154	50.6
		2 No	2,795	49.4
		Missing	2,573	
350-350	QNFRSIG	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)		
		1 Yes	119	1.4
		2 No	7,804	98.6
		Missing	599	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	80	0.9
		2 No	7,843	99.1
		Missing	599	
353-353	QNTOB4	Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	1,747	21.3
		2 No	6,154	78.7
		Missing	621	
354-354	QNTOB3	Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	850	10.2
		2 No	7,040	89.8
		Missing	632	
355-355	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	738	9.0
		2 No	7,121	91.0
		Missing	663	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
356-356	QNNOTOB4	Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	6,154	81.5
		2 No	1,450	18.5
		Missing	918	
357-357	QNNOTOB3	Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	7,040	91.8
		2 No	653	8.2
		Missing	829	
358-358	QNNOTOB2	Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	7,121	92.4
		2 No	595	7.6
		Missing	806	
359-359	QNIUDIMP	Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	26	1.7
		2 No	1,187	98.3
		Missing	7,309	
360-360	QNSHPARG	Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	61	4.9
		2 No	1,152	95.1
		Missing	7,309	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNOTHHPL	Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	246	19.0
		2 No	967	81.0
			7,309	
362-362	QNQUALBC	Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)		
		1 Yes	69	6.4
		2 No	1,083	93.6
			7,370	
363-363	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	232	17.7
		2 No	981	82.3
			7,309	
364-364	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)		
		1 Yes	607	8.1
		2 No	6,385	91.9
			1,530	
365-365	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)		
		1 Yes	3,626	52.6
		2 No	3,366	47.4
			1,530	
366-366	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)		
		1 Yes	1,990	28.4
		2 No	5,002	71.6
			1,530	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
367-367	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)		
		1 Yes	1,326	18.9
		2 No	5,666	81.1
		Missing	1,530	
372-372	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	1,121	15.8
		2 No	5,739	84.2
		Missing	1,662	
373-373	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	727	10.3
		2 No	6,133	89.7
		Missing	1,662	
374-374	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	412	5.7
		2 No	6,448	94.3
		Missing	1,662	
375-375	QNMILK1	Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)		
		1 Yes	1,456	22.4
		2 No	5,331	77.6
		Missing	1,735	
376-376	QNMILK2	Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)		
		1 Yes	764	11.5
		2 No	6,023	88.5
		Missing	1,735	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-377	QNMILK3	Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)		
		1 Yes	359	5.1
		2 No	6,428	94.9
		Missing	1,735	
378-378	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	2,220	35.0
		2 No	4,461	65.0
		Missing	1,841	
379-379	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	1,401	20.5
		2 No	5,266	79.5
		Missing	1,855	
380-380	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)		
		1 Yes	1,362	20.9
		2 No	5,305	79.1
		Missing	1,855	
381-381	QNDLYPE	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)		
		1 Yes	2,463	36.0
		2 No	3,992	64.0
		Missing	2,067	
385-385	QNWATER1	Percentage of students who drank one or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	4,652	67.0
		2 No	2,296	33.0
		Missing	1,574	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
386-386	QNWATER2	Percentage of students who drank two or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	4,193	60.6
		2 No	2,755	39.4
		Missing	1,574	
387-387	QNWATER3	Percentage of students who drank three or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	3,363	47.9
		2 No	3,585	52.1
		Missing	1,574	
388-388	QNOBESE	Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	963	12.4
		2 No	6,390	87.6
		Missing	1,169	
389-389	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	1,191	15.5
		2 No	6,162	84.5
		Missing	1,169	
390-399	WEIGHT			
400-402	STRATUM			
403-408	PSU			
409-413	BMIPCT			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
414-415	RACEETH	1	Am Indian / Alaska Native	144	0.5
		2	Asian	947	16.8
		3	Black or African American	1,957	29.9
		4	Native Hawaiian/other PI	124	0.5
		5	White	1,062	13.4
		6	Hispanic/Latino	1,774	19.0
		7	Multiple - Hispanic	1,778	18.8
		8	Multiple - Non-Hispanic	264	1.1
				Missing	472
416-418	Q6ORIG				
419-421	Q7ORIG				
450-450	S3	Sub-site - S3			
		0	6,718	81.9	
		1	1,804	18.1	
451-451	S4	Sub-site - S4			
		0	6,185	71.2	
		1	2,337	28.8	
452-452	S5	Sub-site - S5			
		0	7,061	80.1	
		1	1,461	19.9	
453-453	S6	Sub-site - S6			
		0	6,919	73.2	
		1	1,603	26.8	
454-454	S7	Sub-site - S7			
		0	7,205	93.5	
		1	1,317	6.5	
455-455	S8	Sub-site - S8			
		0	7,639	92.3	
		1	883	7.7	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
456-456	S9	Sub-site - S9		
		0	7,641	95.6
		1	881	4.4
457-457	S10	Sub-site - S10		
		0	7,750	97.0
		1	772	3.0
	bccat7	Contraception at Last Sex (7 categories)		
		1 Condom only (any condom use w/o HBC/LARC or EC)	900	56.8
		2 HBC/LARC only (any HBC/LARC w/o condoms excluding exclusive EC)	175	9.3
		3 EC only (any EC w/o condoms)	32	1.5
		4 Dual: condoms + HBC/LARC excluding EC (may incl withd)	97	5.7
		5 Dual: condoms + EC (may incl withd)	62	3.4
		6 Withdrawal only	112	7.7
		7 No contraception	270	15.6
	bccat5	Contraception at Last Sex (5 categories)		
		1 Condom only (any condom use w/o HBC/LARC or EC)	900	56.8
		2 HBC/LARC only (any HBC/LARC w/o condoms)	207	10.8
		3 Dual: condoms + HBC/LARC (may incl withd)	159	9.1
		4 Withdrawal only	112	7.7
		5 No contraception	270	15.6