

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	NQ1 (Q1)	How old are you?			
		1	12 years old or younger	77	0.7
		2	13 years old	273	3.4
		3	14 years old	1,944	22.9
		4	15 years old	2,259	25.0
		5	16 years old	2,433	24.3
		6	17 years old	2,079	19.7
		7	18 years old or older	420	4.0
		Missing	49		
18-18	NQ2 (Q2)	What is your sex?			
		1	Female	4,866	49.3
		2	Male	4,516	50.7
			Missing	152	
19-19	NQ3 (Q3)	In what grade are you?			
		1	9th grade	2,383	28.5
		2	10th grade	2,244	26.1
		3	11th grade	2,418	23.0
		4	12th grade	2,318	22.0
		5	Ungraded or other grade	43	0.5
		Missing	128		
20-20	NQ4 (Q4)	Are you Hispanic or Latino?			
		1	Yes	4,133	37.7
		2	No	5,143	62.3
			Missing	258	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	NQ5 (Q5)	What is your race?		
		H	21	0.2
		G	4	0.0
		F	23	0.3
		E	1,629	24.0
		D	459	5.1
		DE	17	0.2
		C	3,226	42.0
		C F	1	0.0
		C E	112	1.2
		CD	47	0.5
		CDE	3	0.0
		B	1,392	17.0
		B E	60	1.1
		B D	16	0.2
		BC	47	0.7
		BC E	14	0.1
		BCD	2	0.0
		BCDE	1	0.0
		A	416	5.6
		A H	1	0.0
		A E	12	0.2
		A D	5	0.1
		A C	62	0.6
		A C H	1	0.0
		A C E	15	0.2
		A CD	9	0.1
		A CDE	1	0.0
		AB	5	0.0
		AB E	1	0.0
		AB DE	1	0.0
		ABC	6	0.1
		ABC E	5	0.1
		ABCD	1	0.0
		ABCDE	7	0.1
			1,912	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	NQ6 (Q6)	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	NQ7 (Q7)	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
43-43	NQ12 (Q12)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1            0 days	8,675	92.1
		2            1 day	218	2.3
		3            2 or 3 days	169	1.8
		4            4 or 5 days	90	0.9
		5            6 or more days	291	2.9
		Missing	91	
45-45	NQ14 (Q14)	During the past 12 months, on how many days did you carry a gun?		
		1            0 days	8,936	95.1
		2            1 day	160	1.6
		3            2 or 3 days	109	1.0
		4            4 or 5 days	75	0.8
		5            6 or more days	150	1.6
		Missing	104	
46-46	NQ15 (Q15)	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1            0 days	8,413	89.6
		2            1 day	486	5.4
		3            2 or 3 days	239	2.5
		4            4 or 5 days	81	0.8
		5            6 or more days	145	1.7
		Missing	170	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
47-47	NQ16 (Q16)	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	8,704	91.7
		2	1 time	346	4.0
		3	2 or 3 times	183	1.9
		4	4 or 5 times	80	0.8
		5	6 or 7 times	47	0.5
		6	8 or 9 times	27	0.3
		7	10 or 11 times	12	0.2
		8	12 or more times	78	0.7
	Missing	57			
48-48	NQ17 (Q17)	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	7,384	77.5
		2	1 time	891	9.8
		3	2 or 3 times	672	7.1
		4	4 or 5 times	202	2.2
		5	6 or 7 times	91	0.8
		6	8 or 9 times	47	0.5
		7	10 or 11 times	36	0.4
		8	12 or more times	136	1.6
	Missing	75			
51-51	NQ20 (Q20)	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?			
		1	0 times	8,183	90.0
		2	1 time	437	4.6
		3	2 or 3 times	269	3.1
		4	4 or 5 times	98	1.0
		5	6 or more times	117	1.3
	Missing	430			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
52-52	NQ21 (Q21)	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	4,609	55.1
		2	0 times	3,597	42.1
		3	1 time	124	1.2
		4	2 or 3 times	75	0.8
		5	4 or 5 times	25	0.4
		6	6 or more times	46	0.5
			Missing	1,058	
53-53	NQ22 (Q22)	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	4,580	53.5
		2	0 times	3,635	41.3
		3	1 time	194	2.2
		4	2 or 3 times	134	1.5
		5	4 or 5 times	58	0.6
		6	6 or more times	92	0.9
			Missing	841	
54-54	NQ23 (Q23)	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	1,534	17.1
		2	No	7,740	82.9
			Missing	260	
55-55	NQ24 (Q24)	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	1,323	14.3
		2	No	7,932	85.7
			Missing	279	
56-56	NQ25 (Q25)	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	3,311	35.9
		2	No	5,908	64.1
			Missing	315	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
57-57	NQ26 (Q26)	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	1,423	15.6
		2	No	7,771	84.4
			Missing	340	
59-59	NQ28 (Q28)	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	6,938	90.8
		2	1 time	338	4.6
		3	2 or 3 times	212	2.9
		4	4 or 5 times	78	0.9
		5	6 or more times	54	0.8
	Missing	1,914			
60-60	NQ29 (Q29)	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	6,986	91.6
		2	Yes	219	2.9
		3	No	420	5.4
	Missing	1,909			
61-61	NQ30 (Q30)	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	918	11.5
		2	No	7,575	88.5
	Missing	1,041			
62-62	NQ31 (Q31)	How old were you when you first tried cigarette smoking, even one or two puffs?			
		1	I have never tried cigarette smoking, not even one or two puffs	7,553	87.3
		2	8 years old or younger	219	2.8
		3	9 or 10 years old	138	1.7
		4	11 or 12 years old	158	1.8
		5	13 or 14 years old	268	3.5
		6	15 or 16 years old	218	2.6
		7	17 years old or older	41	0.4
	Missing	939			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
63-63	NQ32 (Q32)	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	8,664	96.7
		2	1 or 2 days	96	1.1
		3	3 to 5 days	50	0.5
		4	6 to 9 days	43	0.5
		5	10 to 19 days	34	0.4
		6	20 to 29 days	22	0.4
		7	All 30 days	36	0.4
	Missing	589			
64-64	NQ33 (Q33)	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	8,584	96.7
		2	Less than 1 cigarette per day	106	1.3
		3	1 cigarette per day	55	0.7
		4	2 to 5 cigarettes per day	51	0.6
		5	6 to 10 cigarettes per day	24	0.2
		6	11 to 20 cigarettes per day	13	0.1
		7	More than 20 cigarettes per day	25	0.3
	Missing	676			
65-65	NQ34 (Q34)	Have you ever used an electronic vapor product?			
		1	Yes	3,346	37.7
		2	No	5,418	62.3
	Missing	770			
66-66	NQ35 (Q35)	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	7,167	84.8
		2	1 or 2 days	572	6.5
		3	3 to 5 days	226	2.7
		4	6 to 9 days	144	1.5
		5	10 to 19 days	148	1.7
		6	20 to 29 days	74	1.0
		7	All 30 days	149	1.8
	Missing	1,054			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
67-67	NQ36 (Q36)	During the past 30 days, how did you usually get your own electronic vapor products?			
		1	I did not use any electronic vapor products during the past 30 days	7,015	84.7
		2	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	325	4.1
		3	I got them on the Internet	77	0.9
		4	I gave someone else money to buy them for me	161	1.9
		5	I borrowed them from someone else	465	5.5
		6	A person who can legally buy these products gave them to me	90	0.9
		7	I took them from a store or another person	31	0.3
		8	I got them some other way	137	1.6
		Missing	1,233		
69-69	NQ38 (Q38)	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	8,371	93.7
		2	1 or 2 days	242	2.6
		3	3 to 5 days	137	1.6
		4	6 to 9 days	85	1.1
		5	10 to 19 days	49	0.4
		6	20 to 29 days	27	0.2
		7	All 30 days	37	0.4
		Missing	586		
71-71	NQ40 (Q40)	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	4,785	56.3
		2	8 years old or younger	628	7.7
		3	9 or 10 years old	411	4.8
		4	11 or 12 years old	589	6.7
		5	13 or 14 years old	996	11.7
		6	15 or 16 years old	942	10.8
		7	17 years old or older	175	2.0
		Missing	1,008		



2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	NQ41 (Q41)	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	6,749	79.2
		2 1 or 2 days	1,038	12.2
		3 3 to 5 days	389	4.4
		4 6 to 9 days	171	2.1
		5 10 to 19 days	90	1.0
		6 20 to 29 days	34	0.4
		7 All 30 days	49	0.7
	Missing	1,014		
73-73	NQ42 (Q42)	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?		
		1 0 days	7,737	91.1
		2 1 day	369	4.0
		3 2 days	210	2.3
		4 3 to 5 days	124	1.5
		5 6 to 9 days	37	0.5
		6 10 to 19 days	24	0.3
		7 20 or more days	34	0.3
	Missing	999		
77-77	NQ46 (Q46)	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	6,114	71.8
		2 8 years old or younger	183	2.0
		3 9 or 10 years old	169	2.1
		4 11 or 12 years old	243	2.9
		5 13 or 14 years old	927	10.1
		6 15 or 16 years old	868	9.8
		7 17 years old or older	133	1.3
	Missing	897		
78-78	NQ47 (Q47)	During the past 30 days, how many times did you use marijuana?		
		1 0 times	7,111	82.3
		2 1 or 2 times	620	7.2
		3 3 to 9 times	411	4.5
		4 10 to 19 times	225	2.6
		5 20 to 39 times	141	1.4
		6 40 or more times	208	1.9
	Missing	818		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
79-79	NQ48 (Q48)	During your life, how many times have you used synthetic marijuana?			
		1	0 times	7,922	90.1
		2	1 or 2 times	395	4.5
		3	3 to 9 times	207	2.3
		4	10 to 19 times	119	1.3
		5	20 to 39 times	66	0.7
		6	40 or more times	86	1.0
		Missing	739		
81-81	NQ50 (Q50)	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	8,360	95.0
		2	1 or 2 times	150	1.8
		3	3 to 9 times	118	1.2
		4	10 to 19 times	57	0.7
		5	20 to 39 times	46	0.6
		6	40 or more times	63	0.7
		Missing	740		
83-83	NQ52 (Q52)	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	8,265	94.5
		2	1 or 2 times	194	2.4
		3	3 to 9 times	115	1.3
		4	10 to 19 times	74	0.9
		5	20 to 39 times	43	0.4
		6	40 or more times	50	0.6
		Missing	793		
84-84	NQ53 (Q53)	During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?			
		1	0 times	8,299	95.1
		2	1 or 2 times	150	2.0
		3	3 to 9 times	104	1.1
		4	10 to 19 times	62	0.7
		5	20 to 39 times	25	0.4
		6	40 or more times	54	0.6
		Missing	840		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
87-87	NQ56 (Q56)	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	8,246	96.0
		2	1 time	184	2.1
		3	2 or more times	149	1.8
			Missing	955	
89-89	NQ58 (Q58)	Have you ever had sexual intercourse?			
		1	Yes	1,845	25.5
		2	No	5,065	74.5
			Missing	2,624	
90-90	NQ59 (Q59)	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	5,019	74.0
		2	11 years old or younger	134	2.0
		3	12 years old	98	1.6
		4	13 years old	273	3.8
		5	14 years old	422	5.7
		6	15 years old	459	6.2
		7	16 years old	358	4.8
		8	17 years old or older	132	1.8
	Missing	2,639			
91-91	NQ60 (Q60)	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	5,005	74.6
		2	1 person	871	12.1
		3	2 people	344	4.4
		4	3 people	200	3.0
		5	4 people	125	1.8
		6	5 people	70	1.0
		7	6 or more people	205	3.0
	Missing	2,714			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
92-92	NQ61 (Q61)	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	4,965	74.5
		2	I have had sexual intercourse, but not during the past 3 months	578	8.6
		3	1 person	949	12.9
		4	2 people	119	1.7
		5	3 people	70	0.9
		6	4 people	36	0.5
		7	5 people	21	0.3
		8	6 or more people	39	0.6
		Missing	2,757		
93-93	NQ62 (Q62)	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	4,972	74.6
		2	Yes	300	4.6
		3	No	1,493	20.8
		Missing	2,769		
94-94	NQ63 (Q63)	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	4,960	75.8
		2	Yes	974	14.1
		3	No	717	10.1
		Missing	2,883		
95-95	NQ64 (Q64)	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	4,909	75.8
		2	No method was used to prevent pregnancy	352	5.1
		3	Birth control pills	220	3.0
		4	Condoms	789	11.6
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	68	0.8
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	71	0.9
		7	Withdrawal or some other method	130	1.7
8	Not sure	68	1.0		
		Missing	2,927		

**2019 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name (Question Number)</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
96-96	NQ65 (Q65)	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	4,096	57.6
		2 Females	1,552	21.6
		3 Males	1,198	15.4
		4 Females and males	390	5.3
		Missing	2,298	
97-97	NQ66 (Q66)	Which of the following best describes you?		
		1 Heterosexual (straight)	7,425	80.6
		2 Gay or lesbian	290	3.3
		3 Bisexual	966	9.8
		4 Not sure	579	6.4
		Missing	274	
100-100	NQ69 (Q69)	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	2,661	34.9
		2 1 to 3 times during the past 7 days	2,988	36.7
		3 4 to 6 times during the past 7 days	958	11.7
		4 1 time per day	435	5.6
		5 2 times per day	344	4.0
		6 3 times per day	197	2.4
		7 4 or more times per day	337	4.6
		Missing	1,614	
101-101	NQ70 (Q70)	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,650	21.6
		2 1 to 3 times during the past 7 days	2,850	34.9
		3 4 to 6 times during the past 7 days	1,499	19.0
		4 1 time per day	591	7.8
		5 2 times per day	572	7.8
		6 3 times per day	265	3.6
		7 4 or more times per day	406	5.3
		Missing	1,701	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
106-106	NQ75 (Q75)	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	2,677	35.8
		2 1 to 3 times during the past 7 days	3,221	40.3
		3 4 to 6 times during the past 7 days	919	11.5
		4 1 time per day	353	4.5
		5 2 times per day	253	3.5
		6 3 times per day	148	1.9
		7 4 or more times per day	195	2.5
		Missing	1,768	
109-109	NQ78 (Q78)	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	1,839	23.8
		2 1 day	878	11.8
		3 2 days	968	12.5
		4 3 days	972	12.4
		5 4 days	669	8.8
		6 5 days	865	11.3
		7 6 days	355	4.9
		8 7 days	1,116	14.5
Missing	1,872			
110-110	NQ79 (Q79)	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	2,749	36.9
		2 Less than 1 hour per day	1,349	17.9
		3 1 hour per day	914	12.1
		4 2 hours per day	1,016	13.1
		5 3 hours per day	742	9.1
		6 4 hours per day	325	4.1
		7 5 or more hours per day	509	6.8
Missing	1,930			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
111-111	NQ80 (Q80)	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	1,870	24.8
		2	Less than 1 hour per day	803	11.1
		3	1 hour per day	786	10.8
		4	2 hours per day	906	12.3
		5	3 hours per day	868	11.7
		6	4 hours per day	759	10.0
		7	5 or more hours per day	1,553	19.3
			Missing	1,989	
112-112	NQ81 (Q81)	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	1,083	15.0
		2	1 day	328	4.3
		3	2 days	1,669	22.0
		4	3 days	1,580	19.1
		5	4 days	349	3.5
		6	5 days	2,529	36.0
	Missing	1,996			
115-115	NQ84 (Q84)	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	1,592	20.9
		2	No	4,770	66.2
		3	Not sure	920	12.9
	Missing	2,252			
116-116	NQ85 (Q85)	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?			
		1	Yes	1,316	17.9
		2	No	5,224	72.9
		3	Not sure	670	9.2
	Missing	2,324			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
117-117	NQ86 (Q86)	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
		1	During the past 12 months	5,040	69.7
		2	Between 12 and 24 months ago	1,051	13.9
		3	More than 24 months ago	467	6.7
		4	Never	210	2.9
		5	Not sure	495	6.8
		Missing	2,271		
118-118	NQ87 (Q87)	Has a doctor or nurse ever told you that you have asthma?			
		1	Yes	1,830	24.6
		2	No	4,879	69.6
		3	Not sure	415	5.8
		Missing	2,410		
119-119	NQ88 (Q88)	On an average school night, how many hours of sleep do you get?			
		1	4 or less hours	1,300	18.5
		2	5 hours	1,212	16.8
		3	6 hours	1,725	22.6
		4	7 hours	1,628	22.5
		5	8 hours	976	13.8
		6	9 hours	270	4.1
		7	10 or more hours	117	1.6
		Missing	2,306		
121-121	NQ90 (Q90)	What borough of New York do you live in?			
		1	Bronx	2,710	22.0
		2	Brooklyn	2,316	29.5
		3	Manhattan	1,092	10.7
		4	Queens	1,896	30.3
		5	Staten Island	1,394	7.4
		Missing	126		
122-122	NQ91 (Q91)	How often do the people in your home speak a language other than English?			
		1	Never	1,978	22.6
		2	Rarely	858	9.2
		3	Sometimes	1,720	18.2
		4	Most of the time	2,262	23.2
		5	Always	2,575	26.8
		Missing	141		



2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
123-123	NQ92 (Q92)	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		1 No, I am not transgender	8,744	93.9
		2 Yes, I am transgender	145	1.6
		3 I am not sure if I am transgender	161	1.8
		4 I do not know what this question is asking	244	2.7
		Missing	240	
124-124	NQ93 (Q93)	What was your sex assigned at birth?		
		1 Female	5,031	51.3
		2 Male	4,296	48.7
		Missing	207	
125-125	NQ94 (Q94)	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	1,483	16.1
		2 Mostly feminine	1,775	19.0
		3 Somewhat feminine	869	9.0
		4 Equally feminine and masculine	1,335	13.8
		5 Somewhat masculine	608	7.3
		6 Mostly masculine	1,327	14.8
		7 Very masculine	1,728	19.9
		Missing	409	
126-126	NQ95 (Q95)	During the past 12 months, how many times did you witness someone being physically hurt on purpose?		
		1 0 times	4,950	54.3
		2 1 time	1,530	17.2
		3 2 or more times	2,628	28.5
		Missing	426	
127-127	NQ96 (Q96)	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	7,621	82.0
		2 1 time	746	8.1
		3 2 or 3 times	510	5.4
		4 4 or 5 times	178	1.9
		5 6 or more times	235	2.7
		Missing	244	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	NQ97 (Q97)	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	8,550	95.6
		2 I bought them in a store such as a convenience store, supermarket, or gas station	102	1.1
		3 I bought them on the Internet	79	0.9
		4 I bummed them	59	0.7
		5 Someone gave them to me or bought them for me	75	0.9
		6 I stole them	23	0.2
		7 I got them some other way	39	0.5
	Missing	607		
129-129	NQ98 (Q98)	Menthol cigarettes are cigarettes that taste like mint. Are the cigarettes you usually smoke menthol?		
		1 I do not smoke cigarettes	8,153	90.8
		2 Yes	317	3.7
		3 No	473	5.5
	Missing	591		
130-130	NQ99 (Q99)	How old were you when you tried an electronic vapor product for the first time?		
		1 I have never tried an electronic vapor product	5,814	65.4
		2 8 years old or younger	230	2.7
		3 9 or 10 years old	136	1.6
		4 11 or 12 years old	355	4.0
		5 13 or 14 years old	1,142	13.2
		6 15 or 16 years old	1,089	11.4
7 17 years old or older	184	1.7		
	Missing	584		
131-131	NQ100 (Q100)	Which flavor of electronic vapor products do you typically use?		
		1 I do not use electronic vapor products	6,735	77.4
		2 Tobacco or no flavor	177	2.1
		3 Mint or menthol	494	5.4
		4 Chocolate, candy, fruit, or cinnamon	1,238	13.5
		5 Alcohol or other flavor	126	1.7
	Missing	764		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
132-132	NQ101 (Q101)	How harmful is using an electronic vapor product compared to smoking regular cigarettes?		
		1 I do not know enough about electronic vapor products to answer	4,775	53.1
		2 Using electronic vapor products is less harmful than smoking regular cigarettes	1,054	11.8
		3 Using electronic vapor products is more harmful than smoking regular cigarettes	1,058	11.7
		4 Using electronic vapor products and smoking regular cigarettes are equally harmful	2,026	23.5
		Missing	621	
133-133	NQ102 (Q102)	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	7,634	87.5
		2 1 or 2 times	542	6.8
		3 3 to 9 times	261	2.9
		4 10 to 19 times	121	1.3
		5 20 to 39 times	64	0.6
		6 40 or more times	75	0.9
		Missing	837	
134-134	NQ103 (Q103)	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	8,142	94.1
		2 1 or 2 times	211	2.6
		3 3 to 9 times	134	1.6
		4 10 to 19 times	67	0.7
		5 20 to 39 times	32	0.4
		6 40 or more times	52	0.6
		Missing	896	
135-135	NQ104 (Q104)	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	8,115	94.2
		2 1 or 2 times	198	2.3
		3 3 to 9 times	136	1.5
		4 10 to 19 times	72	0.9
		5 20 to 39 times	36	0.5
		6 40 or more times	47	0.5
		Missing	930	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
136-136	NQ105 (Q105)	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	8,065	93.6
		2	1 or 2 times	218	2.8
		3	3 to 9 times	134	1.7
		4	10 to 19 times	81	0.9
		5	20 to 39 times	32	0.4
		6	40 or more times	52	0.6
		Missing	952		
137-137	NQ106 (Q106)	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	4,992	70.5
		2	No method was used to prevent pregnancy	508	6.8
		3	Birth control pills	161	2.1
		4	Condoms	1,296	17.2
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	35	0.4
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	42	0.7
		7	Withdrawal or some other method	99	1.4
8	Not sure	69	1.0		
		Missing	2,332		
138-138	NQ107 (Q107)	What is the primary reason you or your partner did not use a condom the last time you had sexual intercourse?			
		1	I have never had sexual intercourse	4,863	71.3
		2	My partner or I used a condom the last time I had sexual intercourse	1,018	14.3
		3	We did not need a condom because we used another method to prevent pregnancy (such as birth control pills, a shot, patch, or birth control ring, or an IUD or implant)	349	4.5
		4	My partner did not want to use a condom	136	1.9
		5	I do not like the way a condom feels	188	2.5
		6	I did not expect to have sex at that time	183	2.6
		7	Some other reason	223	2.9
		Missing	2,574		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
139-139	NQ108 (Q108)	The last time you used birth control, from where did you or your partner get it?		
<b>DATA NOT DISPLAYED.</b> Please send an email to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.				
140-140	NQ109 (Q109)	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	4,806	71.9
		2 Yes	275	4.1
		3 No	1,524	21.1
		4 Not sure	203	2.9
		Missing	2,726	
141-141	NQ110 (Q110)	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	129	1.8
		2 No	6,647	94.5
		3 Not sure	276	3.6
		Missing	2,482	
142-142	NQ111 (Q111)	Did you receive sex education in your middle school health education class?		
		1 I did not have a health education class in middle school	1,721	23.0
		2 Yes	4,592	57.2
		3 No	1,099	13.6
		4 Not sure	557	6.2
		Missing	1,565	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
143-143	NQ112 (Q112)	Did you receive sex education in your high school health education class?			
		1	I did not have a health education class in high school	1,494	20.0
		2	Yes	4,366	53.0
		3	No	1,512	19.6
		4	Not sure	606	7.4
		Missing	1,556		
144-144	NQ113 (Q113)	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?			
		1	I did not eat vegetables during the past 7 days	1,753	22.7
		2	1 to 3 times during the past 7 days	2,677	32.8
		3	4 to 6 times during the past 7 days	1,490	19.1
		4	1 time per day	795	10.7
		5	2 times per day	525	6.9
		6	3 times per day	232	3.2
		7	4 or more times per day	346	4.7
		Missing	1,716		
145-145	NQ114 (Q114)	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	2,446	33.4
		2	1 to 3 times during the past 7 days	3,072	39.4
		3	4 to 6 times during the past 7 days	1,034	12.5
		4	1 time per day	403	5.0
		5	2 times per day	298	3.9
		6	3 times per day	180	2.7
		7	4 or more times per day	234	3.0
		Missing	1,867		
146-146	NQ115 (Q115)	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?			
		1	Several times a month	1,090	15.6
		2	At least once a month	650	9.4
		3	A few times a year	1,695	22.5
		4	Never	3,919	52.4
		Missing	2,180		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
147-147	NQ116 (Q116)	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	5,606	77.0
		2 No	1,190	16.4
		3 Not sure	455	6.7
		Missing	2,283	
148-148	NQ117 (Q117)	Has a dentist, doctor, or nurse ever told you that you have a dental cavity or decayed teeth?		
		1 Yes	3,173	44.7
		2 No	3,481	48.1
		3 Not sure	541	7.2
		Missing	2,339	
149-149	NQ118 (Q118)	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	2,958	42.6
		2 Yes	1,054	14.0
		3 No	2,778	38.8
		4 Not sure	322	4.6
		Missing	2,422	
150-150	NQ119 (Q119)	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	6,400	88.5
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	407	5.9
		3 In a foster or group home	178	2.6
		4 In a shelter or emergency housing	92	1.3
		5 In a motel or hotel	49	0.8
		6 In a car, park, campground, or other public place	23	0.2
		7 I did not have a usual place to sleep	25	0.3
		8 Somewhere else	26	0.4
		Missing	2,334	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
151-151	NQ120 (Q120)	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?			
		1	Yes	759	12.1
		2	No	6,017	87.9
			Missing	2,758	
152-152	NQ121 (Q121)	During the past 12 months, how often did you worry that food at home would run out before your family got money to buy more?			
		1	Often	728	11.1
		2	Sometimes	1,204	16.8
		3	Never	5,078	72.1
		Missing	2,524		
153-153	NQ122 (Q122)	During the past 12 months, how often did the food that your family bought run out and there was no money to buy more?			
		1	Often	558	8.5
		2	Sometimes	930	13.9
		3	Never	5,469	77.7
		Missing	2,577		
154-154	NQ123 (Q123)	Has either of your parents spent time in jail or prison?			
		1	Yes	1,347	20.8
		2	No	4,701	69.1
		3	Not sure	684	10.2
		Missing	2,802		
155-155	NQ124 (Q124)	Have you ever been arrested?			
		1	Yes	790	12.6
		2	No	6,013	87.4
		Missing	2,731		
156-156	NQ125 (Q125)	Do you agree or disagree that you feel close to people at your school?			
		1	Strongly agree	1,555	22.6
		2	Agree	3,054	42.9
		3	Not sure	1,416	20.7
		4	Disagree	610	8.9
		5	Strongly disagree	373	5.0
		Missing	2,526		



2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	NQ126 (Q126)	Is there at least one teacher or other adult in your school that you can talk to if you have a problem?		
		1 Yes	4,246	62.6
		2 No	1,527	22.2
		3 Not sure Missing	1,065 2,696	15.2
158-158	NQ127 (Q127)	During the past two years, have you had your eyes examined by an eye doctor?		
		1 No, I have not had my eyes examined by an eye doctor during the past two years	1,629	24.3
		2 Yes, I have had my eyes examined by an eye doctor during the past two years	4,792	69.0
		3 Not sure Missing	491 2,622	6.7
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	768	7.9
		2 No Missing	8,675 91	92.1
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	494	4.9
		2 No Missing	8,936 104	95.1
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	951	10.4
		2 No Missing	8,413 170	89.6

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	773	8.3
		2 No	8,704	91.7
		Missing	57	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	2,075	22.5
		2 No	7,384	77.5
		Missing	75	
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)		
		1 Yes	921	10.0
		2 No	8,183	90.0
		Missing	430	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	270	6.3
		2 No	3,597	93.7
		Missing	5,667	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	478	11.3
		2 No	3,635	88.7
			Missing	5,421
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	1,534	17.1
		2 No	7,740	82.9
			Missing	260
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	1,323	14.3
		2 No	7,932	85.7
			Missing	279
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for $\geq 2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	3,311	35.9
		2 No	5,908	64.1
			Missing	315
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	1,423	15.6
		2 No	7,771	84.4
			Missing	340
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	682	9.2
		2 No	6,938	90.8
			Missing	1,914

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	219	2.9
		2 No	7,406	97.1
			1,909	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	918	11.5
		2 No	7,575	88.5
			1,041	
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	515	6.2
		2 No	8,080	93.8
			939	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	281	3.3
		2 No	8,664	96.7
			589	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	33	10.6
		2 No	233	89.4
			9,268	
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	3,346	37.7
		2 No	5,418	62.3
			770	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)			
		1	Yes	1,313	15.2
		2	No	7,167	84.8
			Missing	1,054	
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)			
		1	Yes	301	26.9
		2	No	893	73.1
			Missing	8,340	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
		1	Yes	577	6.3
		2	No	8,371	93.7
			Missing	586	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
		1	Yes	1,628	19.2
		2	No	6,898	80.8
			Missing	1,008	
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
		1	Yes	1,771	20.8
		2	No	6,749	79.2
			Missing	1,014	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	798	8.9
		2 No	7,737	91.1
		Missing	999	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	595	7.0
		2 No	8,042	93.0
		Missing	897	
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	1,605	17.7
		2 No	7,111	82.3
		Missing	818	
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	873	9.9
		2 No	7,922	90.1
		Missing	739	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	434	5.0
		2 No	8,360	95.0
		Missing	740	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	476	5.5
		2 No	8,265	94.5
		Missing	793	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)		
		1 Yes	395	4.9
		2 No	8,299	95.1
		Missing	840	
233-233	QN56	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	333	4.0
		2 No	8,246	96.0
		Missing	955	
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	1,845	25.5
		2 No	5,065	74.5
		Missing	2,624	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	232	3.6
		2 No	6,663	96.4
		Missing	2,639	
237-237	QN60	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	400	5.9
		2 No	6,420	94.1
		Missing	2,714	
238-238	QN61	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	1,234	16.9
		2 No	5,543	83.1
		Missing	2,757	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	220	18.9
		2 No	972	81.1
		Missing	8,342	
240-240	QN63	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	606	54.7
		2 No	520	45.3
		Missing	8,408	
241-241	QN64	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	169	14.8
		2 No	954	85.2
		Missing	8,411	
246-246	QN69	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	2,661	34.9
		2 No	5,259	65.1
		Missing	1,614	
247-247	QN70	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	1,650	21.6
		2 No	6,183	78.4
		Missing	1,701	
252-252	QN75	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	2,677	35.8
		2 No	5,089	64.2
		Missing	1,768	



**2019 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name (Question Number)</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
255-255	QN78	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	2,336	30.7
		2 No	5,326	69.3
		Missing	1,872	
256-256	QN79	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	1,576	19.9
		2 No	6,028	80.1
		Missing	1,930	
257-257	QN80	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	3,180	41.0
		2 No	4,365	59.0
		Missing	1,989	
258-258	QN81	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	6,455	85.0
		2 No	1,083	15.0
		Missing	1,996	
261-261	QN84	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	1,592	20.9
		2 No	5,690	79.1
		Missing	2,252	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
262-262	QN85	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	1,316	17.9
		2 No	5,894	82.1
		Missing	2,324	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	5,040	69.7
		2 No	2,223	30.3
		Missing	2,271	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	1,830	24.6
		2 No	5,294	75.4
		Missing	2,410	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	1,363	19.6
		2 No	5,865	80.4
		Missing	2,306	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	8,316	89.3
		2 No	1,092	10.7
		Missing	126	
268-268	QN91	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	4,837	50.0
		2 No	4,556	50.0
		Missing	141	
269-269	QN92	Percentage of students who are transgender		
		1 Yes	145	1.6
		2 No	9,149	98.4
		Missing	240	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
270-270	QN93	Percentage of students who reported that their sex assigned at birth was female		
		1 Yes	5,031	51.3
		2 No	4,296	48.7
		Missing	207	
271-271	QN94	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	1,335	13.8
		2 No	7,790	86.2
		Missing	409	
272-272	QN95	Percentage of students who witnessed someone being physically hurt on purpose (counting things such as being hit, slammed into something, or injured with an object or weapon, one or more times during the 12 months before the survey)		
		1 Yes	4,158	45.7
		2 No	4,950	54.3
		Missing	426	
273-273	QN96	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	1,669	18.0
		2 No	7,621	82.0
		Missing	244	
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	102	25.7
		2 No	275	74.3
		Missing	9,157	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
275-275	QN98	Percentage of students who usually smoke menthol cigarettes (among students who smoke cigarettes)		
		1 Yes	317	40.1
		2 No	473	59.9
		Missing	8,744	
276-276	QN99	Percentage of students who tried an electronic vapor product for the first time at age 12 or younger (among students who ever tried an electronic vapor product)		
		1 Yes	721	24.0
		2 No	2,415	76.0
		Missing	6,398	
277-277	QN100	Percentage of students who typically use a flavored electronic vapor product other than tobacco flavor and no flavor (mint or menthol, chocolate, candy, fruit or cinnamon, alcohol or other flavor, among students who use electronic vapor products)		
		1 Yes	1,858	90.9
		2 No	177	9.1
		Missing	7,499	
278-278	QN101	Percentage of students who report that using an electronic vapor product is less harmful than smoking regular cigarettes		
		1 Yes	1,054	11.8
		2 No	7,859	88.2
		Missing	621	
279-279	QN102	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	1,063	12.5
		2 No	7,634	87.5
		Missing	837	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	496	5.9
		2 No	8,142	94.1
		Missing	896	
281-281	QN104	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	489	5.8
		2 No	8,115	94.2
		Missing	930	
282-282	QN105	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	517	6.4
		2 No	8,065	93.6
		Missing	952	
283-283	QN106	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	508	23.2
		2 No	1,702	76.8
		Missing	7,324	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who reported their primary reason for not using a condom the last time they had sexual intercourse was that they did not need a condom because they used another method to prevent pregnancy (such as birth control pills, a shot, a patch, or birth control ring, or an IUD or implant, among students who have had sexual intercourse)		
		1 Yes	349	15.7
		2 No	1,748	84.3
		Missing	7,437	
285-285	QN108	Percentage of students who reported they or their partner got the birth control they last used from a school-based health center or condom availability program or from school nurse or doctor (among students who have ever used birth control)		
		<b>DATA NOT DISPLAYED.</b> Please send an email to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
286-286	QN109	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	275	14.5
		2 No	1,727	85.5
		Missing	7,532	
287-287	QN110	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	129	1.8
		2 No	6,923	98.2
		Missing	2,482	
288-288	QN111	Percentage of students who did not receive sex education in their middle school health education class		
		1 Yes	1,099	13.6
		2 No	6,870	86.4
		Missing	1,565	
289-289	QN112	Percentage of students who did not receive sex education in their high school health education class		
		1 Yes	1,512	19.6
		2 No	6,466	80.4
		Missing	1,556	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	1,898	25.5
		2 No	5,920	74.5
		Missing	1,716	
291-291	QN114	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar-free drinks, one or more times during the 7 days before the survey)		
		1 Yes	5,221	66.6
		2 No	2,446	33.4
		Missing	1,867	
292-292	QN115	Percentage of students who have never ridden a bicycle in one of the five boroughs of New York City (during the 12 months before the survey)		
		1 Yes	3,919	52.4
		2 No	3,435	47.6
		Missing	2,180	
293-293	QN116	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	5,606	77.0
		2 No	1,645	23.0
		Missing	2,283	
294-294	QN117	Percentage of students who had been told by a dentist, doctor, or nurse that they had a dental cavity or decayed teeth		
		1 Yes	3,173	44.7
		2 No	4,022	55.3
		Missing	2,339	
295-295	QN118	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	1,054	24.4
		2 No	3,100	75.6
		Missing	5,380	

**2019 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name (Question Number)</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
296-296	QN119	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	407	5.9
		2 No	6,793	94.1
		Missing	2,334	
297-297	QN120	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	759	12.1
		2 No	6,017	87.9
		Missing	2,758	
298-298	QN121	Percentage of students who often or sometimes worried that food at home would run out before their family got money to buy more (during the 12 months before the survey)		
		1 Yes	1,932	27.9
		2 No	5,078	72.1
		Missing	2,524	
299-299	QN122	Percentage of students who reported that often or sometimes the food that their family bought run out and there was no money to buy more (during the 12 months before the survey)		
		1 Yes	1,488	22.3
		2 No	5,469	77.7
		Missing	2,577	
300-300	QN123	Percentage of students who reported that either of their parents has spent time in jail or prison		
		1 Yes	1,347	20.8
		2 No	5,385	79.2
		Missing	2,802	
301-301	QN124	Percentage of students who have ever been arrested		
		1 Yes	790	12.6
		2 No	6,013	87.4
		Missing	2,731	



**2019 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name (Question Number)</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
302-302	QN125	Percentage of students who strongly agree or agree that they feel close to people at their school		
		1 Yes	4,609	65.5
		2 No	2,399	34.5
		Missing	2,526	
303-303	QN126	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	4,246	62.6
		2 No	2,592	37.4
		Missing	2,696	
304-304	QN127	Percentage of students who have not had their eyes examined by an eye doctor (during the two years before the survey)		
		1 Yes	1,629	24.3
		2 No	5,283	75.7
		Missing	2,622	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	58	0.8
		2 No	8,887	99.2
		Missing	589	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	36	0.4
		2 No	8,909	99.6
		Missing	589	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	223	2.8
		2 No	8,257	97.2
		Missing	1,054	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	149	1.8
		2 No	8,331	98.2
		Missing	1,054	
354-354	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	710	8.0
		2 No	8,101	92.0
		Missing	723	
357-357	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,432	16.6
		2 No	7,056	83.4
		Missing	1,046	
358-358	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	54	4.5
		2 No	1,069	95.5
		Missing	8,411	
359-359	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	274	23.1
		2 No	849	76.9
		Missing	8,411	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
360-360	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	66	5.9
		2 No	1,020	94.1
			8,448	
361-361	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	224	20.6
		2 No	899	79.4
			8,411	
362-362	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	858	11.7
		2 No	6,935	88.3
			1,741	
363-363	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	3,741	48.8
		2 No	4,052	51.2
			1,741	
364-364	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	1,798	24.0
		2 No	5,995	76.0
			1,741	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
369-369	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	949	12.4
		2 No	6,817	87.6
		Missing	1,768	
370-370	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	596	7.9
		2 No	7,170	92.1
		Missing	1,768	
374-374	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	1,839	23.8
		2 No	5,823	76.2
		Missing	1,872	
375-375	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	1,116	14.5
		2 No	6,546	85.5
		Missing	1,872	
376-376	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	2,529	36.0
		2 No	5,009	64.0
		Missing	1,996	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-377	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	210	2.9
		2 No	7,053	97.1
		Missing	2,271	
384-384	QNOBESE	Percentage of students who had obesity ( $\geq$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	1,117	13.8
		2 No	6,800	86.2
		Missing	1,617	
385-385	QNOWT	Percentage of students who were overweight ( $\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	1,383	17.1
		2 No	6,534	82.9
		Missing	1,617	
386-395	WEIGHT			
396-398	STRATUM			
399-404	PSU			
407-411	BMIPCT			
412-413	RACEETH8	1 Am Indian/Alaska Native	125	1.8
		2 Asian	1,264	13.4
		3 Black or African American	2,233	27.7
		4 Native Hawaiian/Other PI	91	1.1
		5 White	1,000	14.5
		6 Hispanic/Latino	1,620	15.3
		7 Multiple - Hispanic	2,489	23.0
		8 Multiple - Non-Hispanic	250	3.0
		Missing	462	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
414-416	Q6ORIG			
	<b>DATA NOT AVAILABLE.</b>			
417-419	Q7ORIG			
	<b>DATA NOT AVAILABLE.</b>			
450-459	SSWEIGHT	Sub-site Weight		
	<b>DATA NOT AVAILABLE.</b>			
460-460	S2	Sub-site - S2		
		0	8,569	98.1
		1	965	1.9
	<b>DATA NOT AVAILABLE.</b>			
461-461	S3	Sub-site - S3		
		0	7,171	81.8
		1	2,363	18.2
	<b>DATA NOT AVAILABLE.</b>			
462-462	S4	Sub-site - S4		
		0	7,245	72.1
		1	2,289	27.9
	<b>DATA NOT AVAILABLE.</b>			
463-463	S5	Sub-site - S5		
		0	7,610	79.9
		1	1,924	20.1
	<b>DATA NOT AVAILABLE.</b>			
464-464	S6	Sub-site - S6		
		0	8,024	73.0
		1	1,510	27.0
	<b>DATA NOT AVAILABLE.</b>			
465-465	S7	Sub-site - S7		
		0	8,086	93.2
		1	1,448	6.8
	<b>DATA NOT AVAILABLE.</b>			
466-466	S8	Sub-site - S8		
		0	8,375	91.3
		1	1,159	8.7
	<b>DATA NOT AVAILABLE.</b>			
467-467	S9	Sub-site - S9		
		0	8,656	95.8
		1	878	4.2
	<b>DATA NOT AVAILABLE.</b>			
468-468	S10	Sub-site - S10		
		0	8,758	96.8
		1	776	3.2
	<b>DATA NOT AVAILABLE.</b>			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
	RACE5	Race/Ethnicity in 5 categories - comparable to previous years		
		1 White	1,000	14.5
		2 Black	2,233	27.7
		3 Hispanic	4,109	38.4
		4 Asian	1,264	13.4
		5 Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	466	5.9
		Missing	462	
	BCCAT7	Contraception at last sex - 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	721	47.4
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	227	13.4
		3 EC only (any EC without condoms)	41	3.3
		4 Dual: condoms and HBC/LARC excluding exclusive EC	95	5.7
		5 Dual: condoms and EC (may include withdrawal)	86	6.1
		6 Withdrawal only	96	5.8
		7 No contraception	289	18.3
		Missing	7,979	
	BCCAT5	Contraception at last sex - 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	721	47.4
		2 HBC/LARC only (any HBC/LARC without condoms)	268	16.7
		3 Dual: condoms and HBC/LARC (may include withdrawal)	181	11.8
		4 Withdrawal only	96	5.8
		5 No contraception	289	18.3
		Missing	7,979	