

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	11	0.5
		2	13 years old	58	2.8
		3	14 years old	619	24.7
		4	15 years old	691	27.9
		5	16 years old	609	22.0
		6	17 years old	516	18.3
		7	18 years old or older	139	3.9
		Missing	4		
18-18	Q2	What is your sex?			
		1	Female	1,499	58.0
		2	Male	1,148	42.0
19-19	Q3	In what grade are you?			
		1	9th grade	782	30.8
		2	10th grade	686	27.4
		3	11th grade	602	22.3
		4	12th grade	549	18.8
		5	Ungraded or other grade	9	0.6
		Missing	19		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,320	43.9
		2	No	1,283	56.1
		Missing	44		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	2	0.1
		G	1	0.0
		F	11	0.6
		E	239	21.0
		D	175	7.4
		DE	2	0.1
		C	995	45.8
		C E	28	0.5
		CD	11	0.2
		CDE	2	0.0
		B	208	19.2
		B E	9	0.3
		B D	2	0.0
		BC	5	0.1
		A	96	3.9
		A E	2	0.1
		A D	1	0.0
		A DE	1	0.0
		A C	27	0.2
		A C E	7	0.2
		A CDE	1	0.0
		AB	1	0.0
		ABC	1	0.0
		ABC E	1	0.0
		ABCD	2	0.1
		ABCDE	3	0.2
			814	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	1,011	38.2
		2 Never wore a helmet	1,255	46.2
		3 Rarely wore a helmet	135	5.3
		4 Sometimes wore a helmet	79	3.9
		5 Most of the time wore a helmet	72	4.0
		6 Always wore a helmet	52	2.5
		Missing	43	
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	228	8.1
		2 Rarely	292	10.8
		3 Sometimes	479	17.6
		4 Most of the time	644	27.0
		5 Always	981	36.5
		Missing	23	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	2,411	96.0
		2 1 time	38	1.6
		3 2 or 3 times	23	0.7
		4 4 or 5 times	8	0.4
		5 6 or more times	43	1.3
		Missing	124	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,193	88.5
		2 1 day	90	3.1
		3 2 or 3 days	87	3.8
		4 4 or 5 days	33	1.0
		5 6 or more days	123	3.6
		Missing	121	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	2,495	97.5
		2 1 day	26	0.7
		3 2 or 3 days	15	0.5
		4 4 or 5 days	6	0.2
		5 6 or more days	41	1.1
		Missing	64	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,433	95.7
		2 1 day	42	1.2
		3 2 or 3 days	28	0.8
		4 4 or 5 days	20	0.6
		5 6 or more days	54	1.7
		Missing	70	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,329	91.7
		2 1 day	151	5.1
		3 2 or 3 days	64	1.8
		4 4 or 5 days	16	0.5
		5 6 or more days	39	0.9
		Missing	48	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,401	92.4
		2 1 time	106	3.8
		3 2 or 3 times	58	1.7
		4 4 or 5 times	14	0.8
		5 6 or 7 times	12	0.2
		6 8 or 9 times	6	0.2
		7 10 or 11 times	1	0.1
		8 12 or more times	26	0.9
		Missing	23	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,691	70.3
		2	1 time	359	12.5
		3	2 or 3 times	271	9.6
		4	4 or 5 times	86	3.3
		5	6 or 7 times	35	1.0
		6	8 or 9 times	19	0.7
		7	10 or 11 times	3	0.2
		8	12 or more times	81	2.3
		Missing	102		
50-50	Q19	During the past 12 months, how many times were you in a physical fight on school property?			
		1	0 times	2,191	87.8
		2	1 time	200	7.5
		3	2 or 3 times	75	2.9
		4	4 or 5 times	19	0.5
		5	6 or 7 times	5	0.2
		6	8 or 9 times	3	0.2
		8	12 or more times	22	0.8
				Missing	132
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?			
		1	Yes	292	11.0
		2	No	2,301	89.0
		Missing	54		
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?			
		1	Yes	199	6.8
		2	No	2,391	93.2
		Missing	57		
53-53	Q22	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	286	11.1
		2	No	2,275	88.9
		Missing	86		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	780	29.1
		2 No	1,812	70.9
		Missing	55	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	378	14.5
		2 No	2,199	85.5
		Missing	70	
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,894	91.0
		2 1 time	133	5.6
		3 2 or 3 times	54	1.8
		4 4 or 5 times	18	0.2
		5 6 or more times	28	1.4
		Missing	520	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,860	91.3
		2 Yes	86	3.4
		3 No	136	5.3
		Missing	565	
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	817	35.9
		2 No	1,577	64.1
		Missing	253	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	1,847	75.7
		2 8 years old or younger	65	3.0
		3 9 or 10 years old	48	2.2
		4 11 or 12 years old	80	4.6
		5 13 or 14 years old	173	7.8
		6 15 or 16 years old	120	5.5
		7 17 years old or older	26	1.1
		Missing	288	
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	2,273	91.3
		2 1 or 2 days	67	3.1
		3 3 to 5 days	37	1.7
		4 6 to 9 days	20	0.8
		5 10 to 19 days	18	1.0
		6 20 to 29 days	10	0.6
		7 All 30 days	34	1.7
		Missing	188	
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	2,232	90.9
		2 Less than 1 cigarette per day	58	2.5
		3 1 cigarette per day	47	2.0
		4 2 to 5 cigarettes per day	63	3.6
		5 6 to 10 cigarettes per day	11	0.5
		7 More than 20 cigarettes per day	13	0.4
		Missing	223	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	2,418	97.0
		2 1 or 2 days	32	1.5
		3 3 to 5 days	9	0.4
		4 6 to 9 days	4	0.3
		5 10 to 19 days	3	0.2
		6 20 to 29 days	2	0.0
		7 All 30 days	12	0.6
		Missing	167	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	115	5.2
		2 No	2,285	94.8
		Missing	247	
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	2,067	85.1
		2 Yes	153	7.0
		3 No	180	7.9
		Missing	247	
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	2,452	96.9
		2 1 or 2 days	37	1.6
		3 3 to 5 days	10	0.5
		4 6 to 9 days	16	0.7
		5 10 to 19 days	3	0.0
		6 20 to 29 days	1	0.0
		7 All 30 days	8	0.2
		Missing	120	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	2,421	93.7
		2 1 or 2 days	62	2.8
		3 3 to 5 days	26	1.1
		4 6 to 9 days	15	0.8
		5 10 to 19 days	15	0.7
		6 20 to 29 days	9	0.5
		7 All 30 days	15	0.4
		Missing	84	



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	978	38.7
		2 8 years old or younger	182	6.9
		3 9 or 10 years old	166	6.8
		4 11 or 12 years old	293	12.9
		5 13 or 14 years old	547	21.8
		6 15 or 16 years old	314	11.2
		7 17 years old or older	46	1.6
		Missing	121	
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,493	63.6
		2 1 or 2 days	454	19.6
		3 3 to 5 days	191	8.3
		4 6 to 9 days	100	5.4
		5 10 to 19 days	45	1.5
		6 20 to 29 days	17	0.5
		7 All 30 days	23	1.1
		Missing	324	
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	2,103	84.2
		2 1 day	163	6.9
		3 2 days	100	4.1
		4 3 to 5 days	66	2.8
		5 6 to 9 days	29	1.1
		6 10 to 19 days	11	0.3
		7 20 or more days	18	0.6
		Missing	157	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,489	63.6
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	120	6.3
		3 I bought it at a restaurant, bar, or club	25	1.3
		4 I bought it at a public event such as a concert or sporting event	14	0.3
		5 I gave someone else money to buy it for me	94	3.4
		6 Someone gave it to me	305	12.7
		7 I took it from a store or family member	138	6.8
		8 I got it some other way	142	5.6
		Missing	320	
76-76	Q45	During your life, how many times have you used marijuana?		
		1 0 times	1,690	70.4
		2 1 or 2 times	161	6.7
		3 3 to 9 times	180	5.9
		4 10 to 19 times	107	4.4
		5 20 to 39 times	81	4.1
		6 40 to 99 times	66	3.0
		7 100 or more times	134	5.5
		Missing	228	
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,713	70.4
		2 8 years old or younger	37	1.6
		3 9 or 10 years old	40	1.4
		4 11 or 12 years old	110	3.9
		5 13 or 14 years old	315	12.6
		6 15 or 16 years old	218	8.9
		7 17 years old or older	33	1.2
		Missing	181	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	2,045	83.0
		2 1 or 2 times	151	6.0
		3 3 to 9 times	122	5.2
		4 10 to 19 times	55	2.8
		5 20 to 39 times	36	1.2
		6 40 or more times	56	1.8
		Missing	182	
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,410	95.5
		2 1 or 2 times	41	1.9
		3 3 to 9 times	20	1.1
		4 10 to 19 times	18	0.5
		5 20 to 39 times	7	0.2
		6 40 or more times	20	0.9
		Missing	131	
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	2,271	88.9
		2 1 or 2 times	131	5.6
		3 3 to 9 times	61	2.7
		4 10 to 19 times	21	1.0
		5 20 to 39 times	11	0.5
		6 40 or more times	38	1.4
		Missing	114	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	2,451	97.5
		2 1 or 2 times	34	1.2
		3 3 to 9 times	11	0.4
		4 10 to 19 times	10	0.2
		5 20 to 39 times	6	0.2
		6 40 or more times	10	0.4
		Missing	125	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	2,428	96.9
		2 1 or 2 times	29	1.4
		3 3 to 9 times	18	0.6
		4 10 to 19 times	11	0.5
		5 20 to 39 times	2	0.1
		6 40 or more times	11	0.5
		Missing	148	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	2,418	95.3
		2 1 or 2 times	59	2.8
		3 3 to 9 times	21	0.7
		4 10 to 19 times	11	0.5
		5 20 to 39 times	7	0.2
		6 40 or more times	13	0.4
		Missing	118	
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	2,413	97.2
		2 1 time	50	2.0
		3 2 or more times	22	0.7
		Missing	162	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	575	24.5
		2 No	1,923	75.5
		Missing	149	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	972	38.4
		2 No	1,249	61.6
		Missing	426	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,245	61.5
		2 11 years old or younger	107	3.8
		3 12 years old	116	3.9
		4 13 years old	165	6.8
		5 14 years old	260	11.2
		6 15 years old	186	7.5
		7 16 years old	103	4.0
		8 17 years old or older	43	1.4
		Missing	422	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,251	61.7
		2 1 person	315	13.6
		3 2 people	165	6.4
		4 3 people	138	5.5
		5 4 people	98	4.6
		6 5 people	66	2.4
		7 6 or more people	187	5.8
		Missing	427	
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,242	61.5
		2 I have had sexual intercourse, but not during the past 3 months	285	12.2
		3 1 person	448	18.1
		4 2 people	116	3.9
		5 3 people	50	1.9
		6 4 people	18	0.7
		7 5 people	14	0.3
		8 6 or more people	36	1.2
		Missing	438	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,235	61.4
		2 Yes	152	7.2
		3 No	809	31.4
		Missing	451	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,226	61.9
		2 Yes	653	25.6
		3 No	282	12.5
		Missing	486	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,226	62.4
		2 No method was used to prevent pregnancy	160	7.1
		3 Birth control pills	61	2.8
		4 Condoms	576	22.4
		5 Depo-Provera (injectable birth control)	10	0.4
		6 Withdrawal	53	2.4
		7 Some other method	42	1.4
		8 Not sure	31	1.2
		Missing	488	
96-96	Q65	How do you describe your weight?		
		1 Very underweight	89	3.9
		2 Slightly underweight	268	12.5
		3 About the right weight	1,339	56.4
		4 Slightly overweight	561	23.5
		5 Very overweight	113	3.7
		Missing	277	
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	1,045	44.7
		2 Gain weight	435	17.4
		3 Stay the same weight	420	17.7
		4 I am not trying to do anything about my weight	457	20.2
		Missing	290	
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	1,251	54.8
		2 No	1,077	45.2
		Missing	319	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	754	33.6
		2 No	1,561	66.4
		Missing	332	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	121	5.5
		2 No	2,126	94.5
		Missing	400	
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	438	17.4
		2 1 to 3 times during the past 7 days	795	34.7
		3 4 to 6 times during the past 7 days	420	19.1
		4 1 time per day	123	6.1
		5 2 times per day	199	8.8
		6 3 times per day	116	5.2
		7 4 or more times per day	224	8.8
		Missing	332	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	488	19.6
		2 1 to 3 times during the past 7 days	862	35.1
		3 4 to 6 times during the past 7 days	394	17.8
		4 1 time per day	183	9.7
		5 2 times per day	157	8.6
		6 3 times per day	96	5.1
		7 4 or more times per day	120	4.2
		Missing	347	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	502	23.3
		2 1 to 3 times during the past 7 days	787	37.2
		3 4 to 6 times during the past 7 days	412	17.1
		4 1 time per day	162	7.8
		5 2 times per day	148	6.1
		6 3 times per day	102	3.7
		7 4 or more times per day	145	4.7
		Missing	389	
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	521	23.5
		2 1 day	247	10.9
		3 2 days	284	13.9
		4 3 days	292	13.5
		5 4 days	191	9.0
		6 5 days	211	9.4
		7 6 days	84	4.2
		8 7 days	355	15.6
		Missing	462	
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	270	15.1
		2 Less than 1 hour per day	264	14.4
		3 1 hour per day	218	12.0
		4 2 hours per day	360	17.3
		5 3 hours per day	362	15.8
		6 4 hours per day	249	9.1
		7 5 or more hours per day	424	16.3
		Missing	500	



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	366	15.5
		2 Less than 1 hour per day	277	13.6
		3 1 hour per day	272	12.3
		4 2 hours per day	354	15.9
		5 3 hours per day	293	14.5
		6 4 hours per day	215	10.8
		7 5 or more hours per day	396	17.4
		Missing	474	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	514	25.5
		2 1 day	91	3.9
		3 2 days	537	24.5
		4 3 days	386	20.1
		5 4 days	111	3.6
		6 5 days	492	22.4
		Missing	516	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	1,223	57.3
		2 1 team	534	26.3
		3 2 teams	205	10.1
		4 3 or more teams	135	6.3
		Missing	550	
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	577	23.3
		2 No	1,368	71.7
		3 Not sure	99	5.0
		Missing	603	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
119-119	Q88	In what country was your mother or mother figure born?			
		1	United States	1,146	36.6
		2	China	91	7.2
		3	Dominican Republic	457	17.0
		4	Jamaica	73	3.6
		5	Mexico	171	5.4
		6	Puerto Rico	137	4.0
		7	Other	522	25.0
		8	I do not live with my mother or mother figure Missing	21 29	1.2
120-120	Q89	In what country was your father or father figure born?			
		1	United States	957	31.2
		2	China	93	7.6
		3	Dominican Republic	437	16.6
		4	Jamaica	120	5.5
		5	Mexico	148	4.9
		6	Puerto Rico	140	4.3
		7	Other	555	24.8
		8	I do not live with my father or father figure Missing	149 48	5.2
121-121	Q90	How long have you lived in the US?			
		1	Less than one year	31	1.2
		2	1 to 3 years	56	2.8
		3	4 to 6 years	113	4.6
		4	7 or more years Missing	2,381 66	91.4
122-122	Q91	What borough of New York do you live in?			
		1	Bronx	585	18.1
		2	Brooklyn	381	26.3
		3	Manhattan	1,398	39.7
		4	Queens	225	13.8
		5	Staten Island Missing	40 18	2.0

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	641	23.9
		2 Rarely	294	10.8
		3 Sometimes	479	18.5
		4 Most of the time	581	23.4
		5 Always	624	23.4
		Missing	28	
124-124	Q93	During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?		
		1 Yes	319	12.6
		2 No	2,282	87.4
		Missing	46	
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	2,312	89.3
		2 I bought them in a store such as a convenience store, supermarket, or gas station	71	3.7
		3 I bought them on the Internet	8	0.3
		4 I bummed them	21	0.8
		5 Someone gave them to me or bought them for me	97	4.1
		6 I stole them	18	0.7
		7 I got them some other way	32	1.1
		Missing	88	
126-126	Q95	When you bought or tried to buy cigarettes during the past 30 days, were you ever asked to show proof of age?		
		1 I did not try to buy cigarettes in a store during the past 30 days	2,350	91.5
		2 Yes, I was asked to show proof of age	70	3.6
		3 No, I was not asked to show proof of age	111	4.9
		Missing	116	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	Q96	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	2,322	91.5
		2 1 or 2 times	85	4.2
		3 3 to 9 times	45	2.3
		4 10 to 19 times	26	1.1
		5 20 to 39 times	6	0.0
		6 40 or more times	24	0.9
		Missing	139	
128-128	Q97	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	1,789	77.3
		2 1 to 3 times	349	12.1
		3 4 to 7 times	135	5.7
		4 8 or more times	143	4.9
		Missing	231	
129-129	Q98	If you used some other method the last time you had sexual intercourse, what one other birth control method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,351	63.4
		2 The Patch (Ortho-Evra)	21	0.7
		3 The Ring (Nuva Ring)	35	1.6
		4 The IUD (intrauterine device)	13	0.5
		5 Implanon (implantable birth control)	8	0.2
		6 Emergency Contraception (EC) or the Morning After Pill	39	1.6
		7 I did not use any of these methods the last time I had sexual intercourse	652	24.6
		8 Not sure	187	7.4
		Missing	341	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey**  
**Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	Q99	The last time you used birth control, from where did you or your partner get it?		
<p>DATA NOT DISPLAYED. Please send e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.</p>				
131-131	Q100	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	2,044	91.4
		2 1 time	124	4.6
		3 2 or more times	51	2.3
		4 Not sure	35	1.7
		Missing	393	
132-132	Q101	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	119	5.0
		2 No	2,086	92.8
		3 Not sure	47	2.2
		Missing	395	
133-133	Q102	Have you or your partner ever used emergency contraceptive pills, sometimes called morning after pills or Plan B?		
		1 Yes	239	10.2
		2 No	2,007	86.1
		3 Not sure	95	3.6
		Missing	306	
134-134	Q103	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	1,060	46.9
		2 Females	573	21.7
		3 Males	600	25.5
		4 Females and males	138	5.9
		Missing	276	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
135-135	Q104	Which of the following best describes you?		
		1 Heterosexual or straight	2,064	87.6
		2 Gay or lesbian	66	2.3
		3 Bisexual	163	6.5
		4 Not sure	86	3.7
		Missing	268	
136-136	Q105	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	432	15.4
		2 1 to 3 times during the past 7 days	783	32.5
		3 4 to 6 times during the past 7 days	427	19.2
		4 1 time per day	295	15.8
		5 2 times per day	169	9.5
		6 3 times per day	74	4.1
		7 4 or more times per day	95	3.4
		Missing	372	
137-137	Q106	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	346	15.9
		2 1 to 3 times during the past 7 days	1,117	49.6
		3 4 to 6 times during the past 7 days	449	19.8
		4 1 time per day	138	6.1
		5 2 times per day	103	4.4
		6 3 times per day	43	1.3
		7 4 or more times per day	88	2.9
		Missing	363	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
138-138	Q107	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	423	20.4
		2 1 to 3 times during the past 7 days	848	39.0
		3 4 to 6 times during the past 7 days	371	17.0
		4 1 time per day	170	7.5
		5 2 times per day	151	5.6
		6 3 times per day	104	4.2
		7 4 or more times per day	174	6.3
		Missing	406	
139-139	Q108	What kind of milk do you usually drink?		
		1 I do not drink milk	347	14.9
		2 Whole milk	777	31.8
		3 2% milk or reduced fat milk	446	20.9
		4 1% milk or low-fat milk	310	13.3
		5 Skim milk or non-fat milk	97	6.3
		6 Soy milk	95	4.9
		7 Not sure	176	7.8
		Missing	399	
140-140	Q109	During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school?		
		1 0 days	513	23.6
		2 1 day	87	3.3
		3 2 days	59	2.4
		4 3 days	71	2.9
		5 4 days	65	3.4
		6 5 or more days	1,432	64.3
		Missing	420	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
141-141	Q110	If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of?		
		1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school	449	20.9
		2 I mostly walk to school	542	15.2
		3 I mostly bike to school	38	1.6
		4 I mostly walk to public transportation to get to school	1,130	60.9
		5 I mostly bike to public transportation to get to school	30	1.4
		Missing	458	
142-142	Q111	In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Never	1,290	55.7
		2 A few times a year	570	28.0
		3 At least once a month	117	5.9
		4 Several times a month	211	10.4
		Missing	459	
143-143	Q112	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	498	25.6
		2 Less than 10 minutes	251	11.8
		3 10 to 20 minutes	399	16.9
		4 21 to 30 minutes	277	15.4
		5 31 to 40 minutes	284	14.4
		6 41 to 50 minutes	247	10.8
		7 51 to 60 minutes	81	2.6
		8 More than 60 minutes	67	2.6
		Missing	543	
144-144	Q113	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	414	17.7
		2 No	1,502	73.2
		3 Not sure	164	9.1
		Missing	567	



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
145-145	Q114	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	884	45.9
		2 Yes	337	14.6
		3 No	774	35.7
		4 Not sure	74	3.8
		Missing	578	
146-146	Q115	The last time you needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem where did you go?		
<p>DATA NOT DISPLAYED. Please send e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.</p>				
147-147	Q116	Have you ever used the school-based health center (school clinic) at your school?		
<p>DATA NOT DISPLAYED. Please send e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.</p>				
148-148	Q117	During the past 12 months, how many times have you gone to the emergency room for medical care?		
		1 0 times	1,334	70.9
		2 1 to 2 times	523	23.2
		3 3 to 5 times	148	4.3
		4 6 to 10 times	23	0.7
		5 11 to 20 times	11	0.2
		6 20 or more times	21	0.6
		Missing	587	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
149-149	Q118	Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem?		
		1 Strongly agree	572	24.1
		2 Agree	668	32.2
		3 Not sure	409	22.4
		4 Disagree	180	10.4
		5 Strongly disagree	216	10.8
		Missing	602	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,390	83.2
		2 No	203	16.8
		Missing	1,054	
186-186	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	520	18.9
		2 No	2,104	81.1
		Missing	23	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	112	4.0
		2 No	2,411	96.0
		Missing	124	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	333	11.5
		2 No	2,193	88.5
		Missing	121	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	88	2.5
		2 No	2,495	97.5
		Missing	64	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	144	4.3
		2 No	2,433	95.7
		Missing	70	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	270	8.3
		2 No	2,329	91.7
		Missing	48	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	223	7.6
		2 No	2,401	92.4
		Missing	23	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	854	29.7
		2 No	1,691	70.3
		Missing	102	
196-196	QN19	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	324	12.2
		2 No	2,191	87.8
		Missing	132	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	292	11.0
		2 No	2,301	89.0
		Missing	54	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	199	6.8
		2 No	2,391	93.2
		Missing	57	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	286	11.1
		2 No	2,275	88.9
		Missing	86	
200-200	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	780	29.1
		2 No	1,812	70.9
		Missing	55	
201-201	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	378	14.5
		2 No	2,199	85.5
		Missing	70	
203-203	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	233	9.0
		2 No	1,894	91.0
		Missing	520	
204-204	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	86	3.4
		2 No	1,996	96.6
		Missing	565	
205-205	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	817	35.9
		2 No	1,577	64.1
		Missing	253	
206-206	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	193	9.9
		2 No	2,166	90.1
		Missing	288	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	186	8.7
		2 No	2,273	91.3
		Missing	188	
208-208	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	12	4.9
		2 No	169	95.1
		Missing	2,466	
210-210	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	62	3.0
		2 No	2,418	97.0
		Missing	167	
211-211	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	115	5.2
		2 No	2,285	94.8
		Missing	247	
212-212	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	87	48.9
		2 No	84	51.1
		Missing	2,476	
213-213	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	75	3.1
		2 No	2,452	96.9
		Missing	120	
215-215	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	142	6.3
		2 No	2,421	93.7
		Missing	84	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
217-217	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	641	26.6
		2 No	1,885	73.4
		Missing	121	
218-218	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	830	36.4
		2 No	1,493	63.6
		Missing	324	
219-219	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	387	15.8
		2 No	2,103	84.2
		Missing	157	
220-220	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	302	35.4
		2 No	510	64.6
		Missing	1,835	
222-222	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	729	29.6
		2 No	1,690	70.4
		Missing	228	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	187	6.9
		2 No	2,279	93.1
		Missing	181	
224-224	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	420	17.0
		2 No	2,045	83.0
		Missing	182	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
226-226	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	106	4.5
		2 No	2,410	95.5
		Missing	131	
228-228	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	262	11.1
		2 No	2,271	88.9
		Missing	114	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	71	2.5
		2 No	2,451	97.5
		Missing	125	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	71	3.1
		2 No	2,428	96.9
		Missing	148	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	111	4.7
		2 No	2,418	95.3
		Missing	118	
233-233	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	72	2.8
		2 No	2,413	97.2
		Missing	162	
234-234	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	575	24.5
		2 No	1,923	75.5
		Missing	149	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	972	38.4
		2 No	1,249	61.6
		Missing	426	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	223	7.7
		2 No	2,002	92.3
		Missing	422	
237-237	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	351	12.9
		2 No	1,869	87.1
		Missing	427	
238-238	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	682	26.3
		2 No	1,527	73.7
		Missing	438	
239-239	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	114	20.8
		2 No	555	79.2
		Missing	1,978	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	442	63.9
		2 No	209	36.1
		Missing	1,996	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	54	10.4
		2 No	594	89.6
		Missing	1,999	



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
242-242	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	674	27.2
		2 No	1,696	72.8
		Missing	277	
243-243	QN66	Percentage of students who were trying to lose weight		
		1 Yes	1,045	44.7
		2 No	1,312	55.3
		Missing	290	
244-244	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	1,251	54.8
		2 No	1,077	45.2
		Missing	319	
245-245	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	754	33.6
		2 No	1,561	66.4
		Missing	332	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	121	5.5
		2 No	2,126	94.5
		Missing	400	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,877	82.6
		2 No	438	17.4
		Missing	332	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,812	80.4
		2 No	488	19.6
		Missing	347	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	557	22.3
		2 No	1,701	77.7
		Missing	389	
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	650	29.2
		2 No	1,535	70.8
		Missing	462	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	1,035	41.1
		2 No	1,112	58.9
		Missing	500	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	904	42.7
		2 No	1,269	57.3
		Missing	474	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,617	74.5
		2 No	514	25.5
		Missing	516	
261-261	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	874	42.7
		2 No	1,223	57.3
		Missing	550	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	577	23.3
		2 No	1,467	76.7
		Missing	603	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students whose mother or mother figure was born outside the US		
		1 Yes	1,451	62.2
		2 No	1,167	37.8
		Missing	29	
266-266	QN89	Percentage of students whose father or father figure was born outside the US		
		1 Yes	1,493	63.5
		2 No	1,106	36.5
		Missing	48	
267-267	QN90	Percentage of students who have lived in the US less than one year		
		1 Yes	31	1.2
		2 No	2,550	98.8
		Missing	66	
268-268	QN91	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,231	60.3
		2 No	1,398	39.7
		Missing	18	
269-269	QN92	Percentage of students who report that the people in their home most of the time or always speak a language other than English		
		1 Yes	1,205	46.8
		2 No	1,414	53.2
		Missing	28	
270-270	QN93	Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, at least one time during the past 12 months		
		1 Yes	319	12.6
		2 No	2,282	87.4
		Missing	46	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	71	3.7
		2 No	2,488	96.3
		Missing	88	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who were not asked to show proof of age when they bought or tried to buy cigarettes during the past 30 days		
		1 Yes	111	4.9
		2 No	2,420	95.1
		Missing	116	
273-273	QN96	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	186	8.5
		2 No	2,322	91.5
		Missing	139	
274-274	QN97	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	627	22.7
		2 No	1,789	77.3
		Missing	231	
275-275	QN98	Percentage of students who used the IUD (intrauterine device) as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	13	0.5
		2 No	2,293	99.5
		Missing	341	
276-276	QN99	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	175	6.9
		2 No	2,079	93.1
		Missing	393	
277-277	QN100	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	175	6.9
		2 No	2,079	93.1
		Missing	393	

DATA NOT DISPLAYED. Please send e-mail to [epidatarequest@health.nyc.gov](mailto:epidatarequest@health.nyc.gov) with requests for data related to school-based health centers.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
278-278	QN101	Percentage of students who have been pregnant or gotten someone pregnant during the past 12 months		
		1 Yes	119	5.0
		2 No	2,133	95.0
		Missing	395	
279-279	QN102	Percentage of students who responded that they or their partner had ever used emergency contraceptive pills, sometimes called morning after pills or Plan B		
		1 Yes	239	10.2
		2 No	2,102	89.8
		Missing	306	
280-280	QN103	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	138	5.9
		2 No	2,233	94.1
		Missing	276	
281-281	QN104	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	229	8.8
		2 No	2,150	91.2
		Missing	268	
282-282	QN105	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	633	32.9
		2 No	1,642	67.1
		Missing	372	
283-283	QN106	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	372	14.8
		2 No	1,912	85.2
		Missing	363	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
284-284	QN107	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	599	23.6
		2 No	1,642	76.4
		Missing	406	
285-285	QN108	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	407	19.6
		2 No	1,841	80.4
		Missing	399	
286-286	QN109	Percentage of students who walked or biked to school or walked or biked to public transportation to get to school one or more days during the last week they were in school		
		1 Yes	1,714	76.4
		2 No	513	23.6
		Missing	420	
287-287	QN110	Percentage of students who mostly walk or bike to school		
		1 Yes	580	16.8
		2 No	1,609	83.2
		Missing	458	
288-288	QN111	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times a month in the past 12 months		
		1 Yes	328	16.3
		2 No	1,860	83.7
		Missing	459	
289-289	QN112	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	956	45.8
		2 No	1,148	54.2
		Missing	543	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who have ever been tested for HIV, the virus that causes AIDS		
		1 Yes	414	17.7
		2 No	1,666	82.3
		Missing	567	
291-291	QN114	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	337	14.6
		2 No	1,732	85.4
		Missing	578	
292-292	QN115	Percentage of students who went to school-based health center (school clinic) the last time they needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem		
		DATA NOT DISPLAYED. Please send e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
293-293	QN116	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		DATA NOT DISPLAYED. Please send e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
294-294	QN117	Percentage of students who have gone to the emergency room for medical care one or more times during the past 12 months		
		1 Yes	726	29.1
		2 No	1,334	70.9
		Missing	587	
295-295	QN118	Percentage of students who agree or strongly agree that they feel connected to at least one teacher or other adult in their school they can talk to if they have a problem		
		1 Yes	1,240	56.3
		2 No	805	43.7
		Missing	602	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	44	2.2
		2 No	2,415	97.8
		Missing	188	

## 2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Borough of Manhattan High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	224	10.5
		2 No	2,138	89.5
		Missing	285	
353-353 Q	NFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	740	33.8
		2 No	1,534	66.2
		Missing	373	
355-355	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	492	22.4
		2 No	1,639	77.6
		Missing	516	
356-356 Q	NOWT (revised)	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	422	16.3
		2 No	1,974	83.7
		Missing	251	
357-357 Q	NOBESE (revised)	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	294	9.2
		2 No	2,102	90.8
		Missing	251	
358-367 W	EIGHT			
368-370 STRA	TUM			
371-376 PSU				
383-387 BMI	PCT			



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Manhattan High School Survey  
Codebook**

---

<b>Data Location</b>	<b>Variable Name</b>		<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
388-389	RACEETH				
		1	Am Indian / Alaska Native	27	0.3
		2	Asian	187	13.6
		3	Black or African American	793	28.9
		4	Native Hawaiian/other PI	24	0.3
		5	White	158	12.4
		6	Hispanic/Latino	765	25.9
		7	Multiple - Hispanic	545	18.0
		8	Multiple - non-Hispanic	65	0.6
			Missing	83	