Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old a	rre you?		
		1	12 years old or younger	16	0.9
		2	13 years old	47	2.9
		3	14 years old	456	24.3
		4	15 years old	478	25.6
		5	16 years old	421	23.2
		6	17 years old	427	19.9
		7	18 years old or older	64	3.2
			Missing	15	
18-18	Q2	What is yo	our sex?		
		1	Female	1,142	55.0
		2	Male	741	45.0
			Missing	41	
19-19	Q3	In what gr	ade are you?		
		1	9th grade	539	28.1
		2	10th grade	462	25.8
		3	11th grade	419	23.2
		4	12th grade	475	22.5
		5	Ungraded or other grade	7	0.4
			Missing	22	
20-20	Q4	Are you H	lispanic or Latino?		1
	-	1	Yes	926	41.9
		2	No	955	58.1
			Missing	43	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		Н	6	0.3
		G	2	0.1
		F	1	0.0
		E	379	26.3
		D	85	4.1
		DE	7	0.5
		C	659	42.6
		CE	33	1.5
		CD	15	0.0
		В	202	15.1
		ВЕ	26	2.1
		B D	3	0.1
		BC	12	0.7
		BC E	5	0.4
		A	58	3.0
		A E	6	0.5
		A D	2	0.2
		AC	20	0.8
		ACE	4	0.3
		A CD	3	0.2
		AB	2	0.1
		ABC	2	0.2
		ABC E	2	0.1
		ABCDE	1	0.0
		-	389	
9-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)	_	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,768	93.1
		2 1 day	35	1.9
		3 2 or 3 days	33	1.7
		4 4 or 5 days	12	0.5
		5 6 or more days	57	2.8
		Missing	19	
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	1,837	96.0
		2 1 day	21	0.9
		3 2 or 3 days	21	1.0
		4 4 or 5 days	9	0.3
		5 6 or more days	21	1.0
		Missing	15	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,744	92.5
		2 1 day	82	3.8
		3 2 or 3 days	27	1.4
		4 4 or 5 days	21	1.
		5 6 or more days	24	1.3
		Missing	26	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,779	92.8
		2 1 time	64	3.3
		3 2 or 3 times	37	2.3
		4 4 or 5 times	11	0.0
		5 6 or 7 times	6	0.3
		6 8 or 9 times	2	0.
		7 10 or 11 times	3	0.3
		8 12 or more times	11	0.0
		Missing	11	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,547	80.3
		2 1 time	154	8.8
		3 2 or 3 times	116	6.0
		4 4 or 5 times	42	2.1
		5 6 or 7 times	17	0.8
		6 8 or 9 times	8	0.5
		7 10 or 11 times	5	0.2
		8 12 or more times	21	1.4
		Missing	14	
51-51	Q20	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?		
		1 0 times	1,665	91.0
		2 1 time	94	4.6
		3 2 or 3 times	51	2.7
		4 4 or 5 times	13	0.8
		5 6 or more times	15	1.0
		Missing	86	
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		I did not date or go out with anyone during the past 12 months	984	58.7
		2 0 times	695	38.6
		3 1 time	23	1.0
		4 2 or 3 times	17	0.9
		5 4 or 5 times	7	0.5
		6 6 or more times	3	0.2
		Missing	195	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		I did not date or go out with anyone during the past 12 months	975	57.2
		2 0 times	717	38.6
		3 1 time	31	1.3
		4 2 or 3 times	24	1.
		5 4 or 5 times	13	0.7
		6 6 or more times	13	0.0
		Missing	151	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	333	17.4
		2 No	1,542	82.0
		Missing	49	
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	258	13.4
		2 No	1,625	86.0
		Missing	41	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	731	38.4
		2 No	1,134	61.6
		Missing	59	
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	306	16.3
		2 No	1,557	83.2
		Missing	61	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,512	92.0
		2 1 time	71	4.′
		3 2 or 3 times	35	2
		4 4 or 5 times	13	0.0
		5 6 or more times	6	0.4
		Missing	287	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q29		mpted suicide during the past 12 months, did any attempt injury, poisoning, or overdose that had to be treated by a urse?		
		1	I did not attempt suicide during the past 12 months	1,511	92.5
		2	Yes	35	2.7
		3	No	81	4.8
			Missing	297	
61-61	Q30	Have you	ever tried cigarette smoking, even one or two puffs?		
		1	Yes	161	9.9
		2	No	1,588	90.1
			Missing	175	
52-62	Q31	How old w two puffs?	ere you when you first tried cigarette smoking, even one or		
		1	I have never tried cigarette smoking, not even one or two puffs	1,577	89.1
		2	8 years old or younger	32	2.2
		3	9 or 10 years old	12	0.9
		4	11 or 12 years old	18	1.0
		5	13 or 14 years old	68	4.1
		6	15 or 16 years old	41	2.6
		7	17 years old or older	6	0.2
		_	Missing	170	
63-63	Q32	During the	past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	1,761	96.0
		2	1 or 2 days	28	1.4
		3	3 to 5 days	8	0.5
		4	6 to 9 days	10	0.6
		5	10 to 19 days	6	0.5
		6	20 to 29 days	5	0.5
		7	All 30 days	7	0.6
			Missing	99	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33		past 30 days, on the days you smoked, how many cigarettes oke per day?		
		1	I did not smoke cigarettes during the past 30 days	1,746	95.9
		2	Less than 1 cigarette per day	28	1.7
		3	1 cigarette per day	13	0.9
		4	2 to 5 cigarettes per day	13	0.8
		5	6 to 10 cigarettes per day	2	0.0
		6	11 to 20 cigarettes per day	1	0.1
		7	More than 20 cigarettes per day	7	0.6
			Missing	114	
65-65	Q34	Have you e	ver used an electronic vapor product?		
		1	Yes	704	38.8
		2	No	1,083	61.2
			Missing	137	
66-66	Q35	During the vapor produ	past 30 days, on how many days did you use an electronic uct?		
		1	0 days	1,477	85.5
		2	1 or 2 days	113	6.2
		3	3 to 5 days	45	2.4
		4	6 to 9 days	28	1.3
		5	10 to 19 days	29	1.9
		6	20 to 29 days	21	1.4
		7	All 30 days	21	1.4
		_	Missing	190	
67-67	Q36	During the vapor produ	past 30 days, how did you usually get your own electronic acts?		
		1	I did not use any electronic vapor products during the past 30 days	1,449	85.2
		2	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	59	3.8
		3	I got them on the Internet	6	0.4
		4	I gave someone else money to buy them for me	28	1.4
		5	I borrowed them from someone else	116	6.6
		6	A person who can legally buy these products gave them to me	17	0.7
		7	I took them from a store or another person	2	0.2
		8	I got them some other way	27	1.8
			Missing	220	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,724	94.9
		2 1 or 2 days	39	1.7
		3 3 to 5 days	29	1.6
		4 6 to 9 days	13	0.0
		5 10 to 19 days	5	0.3
		6 20 to 29 days	5	0.2
		7 All 30 days	9	0.4
		Missing	100	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		I have never had a drink of alcohol other than a few sips	947	55.3
		2 8 years old or younger	126	7.6
		3 9 or 10 years old	84	4.3
		4 11 or 12 years old	115	6.8
		5 13 or 14 years old	233	14.0
		6 15 or 16 years old	205	10.2
		7 17 years old or older	36	1.8
		Missing	178	
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,327	76.6
		2 1 or 2 days	239	13.0
		3 3 to 5 days	98	5.4
		4 6 to 9 days	42	2.7
		5 10 to 19 days	20	1.1
		6 20 to 29 days	5	0.4
		7 All 30 days	12	0.7
		Missing	181	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
73-73	Q42	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?		
		1 0 days	1,567	89.4
		2 1 day	91	5.0
		3 2 days	46	2.5
		4 3 to 5 days	24	1.2
		5 6 to 9 days	12	0.7
		6 10 to 19 days	12	0.6
		7 20 or more days	10	0.5
		Missing	162	
77-77	Q46	How old were you when you tried marijuana for the first time?		,
		1 I have never tried marijuana	1,231	70.4
		2 8 years old or younger	23	1.3
		3 9 or 10 years old	25	1.4
		4 11 or 12 years old	51	3.
		5 13 or 14 years old	216	11.0
		6 15 or 16 years old	193	11.0
		7 17 years old or older	24	1.3
		Missing	161	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,422	80.7
		2 1 or 2 times	125	7.3
		3 3 to 9 times	90	4.5
		4 10 to 19 times	47	2.9
		5 20 to 39 times	37	2.2
		6 40 or more times	51	2.5
		Missing	152	
79-79	Q48	During your life, how many times have you used synthetic marijuana?		
		1 0 times	1,631	91.5
		2 1 or 2 times	72	4.0
		3 3 to 9 times	34	1.3
		4 10 to 19 times	14	0.7
		5 20 to 39 times	16	0.9
		6 40 or more times	20	1.2
		Missing	137	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,715	95.9
		2 1 or 2 times	24	1.4
		3 3 to 9 times	17	0.8
		4 10 to 19 times	6	0.5
		5 20 to 39 times	11	0.6
		6 40 or more times	17	0.8
		Missing	134	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,713	96.2
		2 1 or 2 times	25	1.5
		3 3 to 9 times	17	0.8
		4 10 to 19 times	7	0.3
		5 20 to 39 times	8	0.3
		6 40 or more times	9	0.5
		Missing	145	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?		
		1 0 times	1,713	97.2
		2 1 or 2 times	15	0.0
		3 3 to 9 times	15	0.8
		4 10 to 19 times	7	0.3
		5 20 to 39 times	4	0.3
		6 40 or more times	12	0.7
		Missing	158	
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,706	97.
		2 1 time	24	1.3
		3 2 or more times	22	1.
		Missing	172	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q58	Have you ever	had sexual intercourse?		
		1	Yes	361	22.7
		2	No	1,128	77.3
		_	Missing	435	
90-90	Q59	How old were	you when you had sexual intercourse for the first time?		
		1	I have never had sexual intercourse	1,120	77.0
		2	11 years old or younger	20	1.5
		3	12 years old	16	1.2
		4	13 years old	54	3.3
		5	14 years old	75	4.8
		6	15 years old	105	6.5
		7	16 years old	77	4.4
		8	17 years old or older	19	1.3
			Missing	438	
91-91	Q60	During your lif intercourse?	e, with how many people have you had sexual		
		1	I have never had sexual intercourse	1,120	77.7
		2	1 person	179	11.6
		3	2 people	60	3.4
		4	3 people	44	2.7
		5	4 people	29	1.8
		6	5 people	13	0.9
		7	6 or more people	32	2.
		_	Missing	447	
92-92	Q61	During the past intercourse?	t 3 months, with how many people did you have sexual		
		1	I have never had sexual intercourse	1,112	77.4
		2	I have had sexual intercourse, but not during the past 3 months	100	6.9
		3	1 person	206	12.5
		4	2 people	25	1
		5	3 people	9	0.8
		6	4 people	7	0.4
		7	5 people	3	0.3
		8	6 or more people	6	0.0
			Missing	456	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,113	77.7
		2 Yes	52	3.5
		3 No	301	18.8
		Missing	458	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,109	78.3
		2 Yes	190	12.3
		3 No	152	9.5
		Missing	473	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,099	78.4
		2 No method was used to prevent pregnancy	65	4.0
		3 Birth control pills	45	2.0
		4 Condoms	148	9.3
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	26	1.4
		A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	14	0.9
		7 Withdrawal or some other method	29	1.3
		8 Not sure	12	1.
		Missing	486	
96-96	Q65	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	896	59.3
		2 Females	273	18.8
		3 Males	277	15.2
		4 Females and males	102	6.′
		Missing	376	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	Which of the	following best describes you?		
		1	Heterosexual (straight)	1,380	71.6
		2	Gay or lesbian	76	4.7
		3	Bisexual	283	15.6
		4	Not sure	134	8.1
		_	Missing	51	
00-100	Q69	During the particles such a	ast 7 days, how many times did you drink 100% fruit s orange juice, apple juice, or grape juice?		
		1	I did not drink 100% fruit juice during the past 7 days	576	36.0
		2	1 to 3 times during the past 7 days	628	37.4
		3	4 to 6 times during the past 7 days	198	12.0
		4	1 time per day	78	5.3
		5	2 times per day	55	2.3
		6	3 times per day	47	2.
		7	4 or more times per day	63	3.3
		_	Missing	279	
101-101	Q70	During the pa	ast 7 days, how many times did you eat fruit?		
		1	I did not eat fruit during the past 7 days	284	16.2
		2	1 to 3 times during the past 7 days	604	35.0
		3	4 to 6 times during the past 7 days	337	21.5
		4	1 time per day	134	9.
		5	2 times per day	142	9.′
		6	3 times per day	55	3.9
		7	4 or more times per day	72	4.3
		_	Missing	296	
106-106	Q75		ast 7 days, how many times did you drink a can, bottle, or or pop, such as Coke, Pepsi, or Sprite?		
		1	I did not drink soda or pop during the past 7 days	574	35.0
		2	1 to 3 times during the past 7 days	687	42.2
		3	4 to 6 times during the past 7 days	203	12.7
		4	1 time per day	61	4.3
		5	2 times per day	39	2.8
		6	3 times per day	25	1.3
		7	4 or more times per day	26	1.2
			Missing	309	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	345	18.7
		2 1 day	161	10.1
		3 2 days	238	15.5
		4 3 days	237	15.5
		5 4 days	160	11.0
		6 5 days	168	10.4
		7 6 days	79	5.8
		8 7 days	210	12.9
		Missing	326	
110-110	Q79	On an average school day, how many hours do you watch TV?		
		I do not watch TV on an average school day	550	35.5
		2 Less than 1 hour per day	282	18.3
		3 1 hour per day	222	14.5
		4 2 hours per day	241	14.6
		5 3 hours per day	126	7.4
		6 4 hours per day	66	3.9
		7 5 or more hours per day	98	5.8
		Missing	339	
111-111	Q80	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		I do not play video or computer games or use a computer for something that is not school work	369	21.1
		2 Less than 1 hour per day	170	11.3
		3 1 hour per day	162	11.0
		4 2 hours per day	218	14.9
		5 3 hours per day	183	12.1
		6 4 hours per day	172	11.8
		7 5 or more hours per day	305	17.7
		Missing	345	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	187	9.4
		2 1 day	63	3.8
		3 2 days	710	54.3
		4 3 days	403	21.7
		5 4 days	55	2.0
		6 5 days	155	8.7
		Missing	351	
115-115	Q84	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	272	16.4
		2 No	1,061	72.6
		3 Not sure	189	11.0
		Missing	402	
116-116	Q85	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?		
		1 Yes	230	14.3
		2 No	1,163	78.3
		3 Not sure	126	7.4
		Missing	405	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	1,117	74.8
		2 Between 12 and 24 months ago	212	13.6
		3 More than 24 months ago	80	5.3
		4 Never	28	1.5
		5 Not sure	84	4.8
		Missing	403	
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
	-	1 Yes	395	24.7
		2 No	1,038	71.1
		Not sure	71	4.3
		Missing	420	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
119-119	Q88	On an average school night, how many hours of sleep do you get?	,	
		1 4 or less hours	230	15.2
		2 5 hours	268	17.2
		3 6 hours	379	24.9
		4 7 hours	372	24.8
		5 8 hours	206	13.8
		6 9 hours	46	2.5
		7 10 or more hours	21	1.7
		Missing	402	
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	578	25.0
		2 Brooklyn	235	18.2
		3 Manhattan	865	42.5
		4 Queens	182	12.0
		5 Staten Island	44	2.4
		Missing	20	
122-122	Q91	How often do the people in your home speak a language other than English?		
		1 Never	409	24.6
		2 Rarely	220	12.8
		3 Sometimes	363	19.7
		4 Most of the time	434	20.2
		5 Always	478	22.6
		Missing	20	
123-123	Q92	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		No, I am not transgender	1,780	93.8
		2 Yes, I am transgender	37	2.3
		3 I am not sure if I am transgender	47	3.0
		4 I do not know what this question is asking	18	0.9
		Missing	42	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
124-124	Q93	What was your sex assigned at birth?		
		1 Female	1,187	57.1
		2 Male	699	42.9
		Missing	38	
125-125	Q94	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	274	13.5
		2 Mostly feminine	446	21.8
		3 Somewhat feminine	214	11.1
		4 Equally feminine and masculine	292	15.2
		5 Somewhat masculine	117	6.8
		6 Mostly masculine	252	16.9
		7 Very masculine	261	14.8
		Missing	68	
126-126	Q95	During the past 12 months, how many times did you witness someone being physically hurt on purpose?	· ·	
		1 0 times	992	54.4
		2 1 time	321	17.4
		3 2 or more times	543	28.2
		Missing	68	
127-127	Q96	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,523	79.9
		2 1 time	150	8.4
		3 2 or 3 times	114	6.6
		4 4 or 5 times	35	2.1
		5 6 or more times	52	3.0
		Missing	50	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	During the	past 30 days, how did you usually get your own cigarettes?		
		1	I did not smoke cigarettes during the past 30 days	1,748	95.9
		2	I bought them in a store such as a convenience store, supermarket, or gas station	15	1.0
		3	I bought them on the Internet	13	0.4
		4	I bummed them	15	0.9
		5	Someone gave them to me or bought them for me	14	0.9
		6	I stole them	6	0.4
		7	I got them some other way	5	0.4
			Missing	108	
129-129	Q98		garettes are cigarettes that taste like mint. Are the cigarettes y smoke menthol?		
		1	I do not smoke cigarettes	1,666	91.8
		2	Yes	53	3.0
		3	No	89	5.1
			Missing	116	
130-130	Q99	How old were you when you tried an electronic vapor product for the first time?			
		1	I have never tried an electronic vapor product	1,165	65.2
		2	8 years old or younger	37	2.3
		3	9 or 10 years old	23	1.1
		4	11 or 12 years old	80	4.5
		5	13 or 14 years old	245	13.7
		6	15 or 16 years old	223	11.3
		7	17 years old or older	39	1.9
			Missing	112	
31-131	Q100	Which flav	or of electronic vapor products do you typically use?		
	-	1	I do not use electronic vapor products	1,363	77.7
		2	Tobacco or no flavor	31	1.7
		3	Mint or menthol	116	6.3
		4	Chocolate, candy, fruit, or cinnamon	244	12.3
		5	Alcohol or other flavor	32	2.1
			Missing	138	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
132-132	Q101	How harmful is using an electronic vapor product compared to smoking regular cigarettes?		
		I do not know enough about electronic vapor products to answer	895	48.7
		2 Using electronic vapor products is less harmful the smoking regular cigarettes	nan 195	10.9
		Using electronic vapor products is more harmful than smoking regular cigarettes	253	13.8
		4 Using electronic vapor products and smoking regular cigarettes are equally harmful	467	26.6
		Missing	114	
133-133	Q102	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,563	88.3
		2 1 or 2 times	118	6.7
		3 3 to 9 times	37	2.2
		4 10 to 19 times	22	1.
		5 20 to 39 times	14	0.0
		6 40 or more times	19	1.1
		Missing	151	
134-134	Q103	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?	1	
		1 0 times	1,670	94.6
		2 1 or 2 times	40	2.7
		3 3 to 9 times	18	0.7
		4 10 to 19 times	15	0.9
		5 20 to 39 times	5	0.4
		6 40 or more times	11	0.0
		Missing	165	
135-135	Q104	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?	-	
		1 0 times	1,660	94.7
		2 1 or 2 times	41	2.4
		3 3 to 9 times	24	1.4
		4 10 to 19 times	12	0.9
		5 20 to 39 times	7	0.3
		6 40 or more times	6	0.3
		Missing	174	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
136-136	Q105	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,660	94.4
		2 1 or 2 times	37	2.3
		3 3 to 9 times	28	2.0
		4 10 to 19 times	11	0.5
		5 20 to 39 times	3	0.2
		6 40 or more times	10	0.6
		Missing	175	
137-137	Q106	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,072	73.1
		2 No method was used to prevent pregnancy	94	6.5
		3 Birth control pills	29	1.8
		4 Condoms	258	15.7
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	4	0.1
		A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	9	0.7
		7 Withdrawal or some other method	22	1.2
		8 Not sure	13	0.9
		Missing	423	
138-138	Q107	What is the primary reason you or your partner did not use a condom the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	1,049	73.8
		2 My partner or I used a condom the last time I had sexual intercourse	194	12.5
		We did not need a condom because we used another method to prevent pregnancy (such as birth control pills, a shot, patch, or birth control ring, or an IUD or implant)	82	5.1
		4 My partner did not want to use a condom	27	1.6
		5 I do not like the way a condom feels	21	1.2
		6 I did not expect to have sex at that time	33	2.5
		7 Some other reason	51	3.4
		Missing	467	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage			
139-139	Q108	The last tim partner get	ne you used birth control, from where did you or your it?					
			OT DISPLAYED. Please send an email to epidatarequest@heor data related to school-based health centers.	alth.nyc.gov with				
140-140	Q109		your partner use Emergency Contraception (the After Pill") after the last time you had sexual intercourse?	-				
		1	I have never had sexual intercourse	1,045	74.3			
		2	Yes	54	3.5			
		3	No	316	20.3			
		4	Not sure	31	1.9			
			Missing	478				
41-141	Q110	During the pregnant?	uring the past 12 months, have you been pregnant or gotten someone regnant?					
		1	Yes	23	1.4			
		2	No	1,412	95.8			
		3	Not sure	43	2.8			
		_	Missing	446				
142-142	Q111	Did you rec class?	ceive sex education in your middle school health education					
		1	I did not have a health education class in middle school	321	19.2			
		2	Yes	1,008	63.4			
		3	No	228	12.0			
		4	Not sure	100	5.4			
			Missing	267				

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
143-143	Q112	Did you receive sex education in your high school health education class?		
		I did not have a health education class in high school	307	18.9
		2 Yes	819	51.9
		3 No	382	21.3
		4 Not sure	144	8.0
		Missing	272	
144-144	Q113	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	315	19.5
		2 1 to 3 times during the past 7 days	549	29.9
		3 4 to 6 times during the past 7 days	311	19.9
		4 1 time per day	195	13.7
		5 2 times per day	127	9.2
		6 3 times per day	52	3.3
		7 4 or more times per day	71	4.6
		Missing	304	
145-145	Q114	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		I did not drink other sugar-sweetened drinks during the past 7 days	505	32.4
		2 1 to 3 times during the past 7 days	669	42.9
		3 4 to 6 times during the past 7 days	217	12.4
		4 1 time per day	88	5.4
		5 2 times per day	52	3.0
		6 3 times per day	29	2.0
		7 4 or more times per day	33	1.9
		Missing	331	
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	165	11.2
		2 At least once a month	116	7.2
		3 A few times a year	401	27.5
		4 Never	852	54.2
		Missing	390	

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
147-147	Q116	Have you	ever been taught about AIDS or HIV infection in school?		
		1	Yes	1,169	78.8
		2	No	246	14.3
		3	Not sure	110	6.9
			Missing	399	
148-148	Q117		ist, doctor, or nurse ever told you that you have a dental ecayed teeth?		
		1	Yes	675	46.2
		2	No	739	47.8
		3	Not sure	99	6.0
			Missing	411	
149-149	Q118	During the asthma atta	past 12 months, have you had an episode of asthma or an ack?		
		1	I have never had asthma	652	44.5
		2	Yes	221	14.0
		3	No	562	36.2
		4	Not sure	74	4.′
			Missing	415	
150-150	Q119	During the past 30 days, where did you usually sleep?			
		1	In my parent's or guardian's home	1,389	92.0
		2	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	52	3.0
		3	In a foster or group home	24	1.7
		4	In a shelter or emergency housing	19	1.0
		5	In a motel or hotel	11	0.9
		6	In a car, park, campground, or other public place	6	0.0
		7	I did not have a usual place to sleep	7	0.5
		8	Somewhere else	4	0.3
			Missing	412	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
151-151	Q120	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	129	9.3
		2 No	1,319	90.7
		Missing	476	
152-152	Q121	During the past 12 months, how often did you worry that food at home would run out before your family got money to buy more?		
		1 Often	111	6.9
		2 Sometimes	239	15.6
		3 Never	1,135	77.5
		Missing	439	,
153-153	Q122	During the past 12 months, how often did the food that your family bought run out and there was no money to buy more?		
		1 Often	85	5.3
		2 Sometimes	158	10.9
		3 Never	1,230	83.8
		Missing	451	,
154-154	Q123	Has either of your parents spent time in jail or prison?		
		1 Yes	261	17.1
		2 No	1,000	70.7
		3 Not sure	168	12.2
		Missing	495	
155-155	Q124	Have you ever been arrested?		
		1 Yes	119	8.2
		2 No	1,334	91.8
		Missing	471	
156-156	Q125	Do you agree or disagree that you feel close to people at your school?		
		1 Strongly agree	337	24.5
		2 Agree	663	44.4
		3 Not sure	255	16.6
		4 Disagree	152	10.1
		5 Strongly disagree	72	4.3
		Missing	445	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	Q126	Is there at least one teacher or other adult in your school that you can talk to if you have a problem?		
		1 Yes	907	64.3
		2 No	303	19.8
		3 Not sure	234	15.9
		Missing	480	
158-158	Q127	During the past two years, have you had your eyes examined by an eye doctor?		
		No, I have not had my eyes examined by an eye doctor during the past two years	310	20.9
		Yes, I have had my eyes examined by an eye doctor during the past two years	1,047	72.6
		3 Not sure	101	6.5
		Missing	466	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	137	6.9
		2 No	1,768	93.1
		Missing	19	, , , ,
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	72	3.4
		2 No	1,837	96.6
		Missing	15	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	154	7.5
		2 No	1,744	92.5
		Missing	26	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	134	7.2
		2 No Missing	1,779 11	92.8
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	363	19.7
		2 No	1,547	80.3
		Missing	14	
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)		
		1 Yes	173	9.0
		2 No	1,665	91.0
		Missing	86	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	50	6.4
		2 No	695	93.6
		Missing	1,179	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	81	9.8
		2 No	717	90.2
		Missing	1,126	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	333	17.4
		2 No	1,542	82.6
		Missing	49	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	258	13.4
		2 No	1,625	86.6
		Missing	41	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	731	38.4
		2 No	1,134	61.6
		Missing	59	
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	306	16.8
		2 No	1,557	83.2
		Missing	61	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	125	8.0
		2 No	1,512	92.0
		Missing	287	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	35	2.7
		2 No Missing	1,592 297	97.3
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	161	9.9
		2 No	1,588	90.1
		Missing	175	
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	62	4.1
		2 No	1,692	95.9
		Missing	170	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	64	4.0
		2 No	1,761	96.0
		Missing	99	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	6	13.7
		2 No	56	86.3
		Missing	1,862	
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	704	38.8
		2 No	1,083	61.2
		Missing	137	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)		
		1 Yes 2 No	257 1,477	14.5 85.5
		Missing	190	
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)		
		1 Yes	56	26.6
		2 No	180	73.4
		Missing	1,688	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	100	5.1
		2 No	1,724	94.9
		Missing	100	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	325	18.7
		2 No	1,421	81.3
		Missing	178	
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	416	23.4
		2 No	1,327	76.6
		Missing	181	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	195	10.6
		2 No	1,567	89.4
		Missing	162	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	99	5.8
		2 No	1,664	94.2
		Missing	161	
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	350	19.3
		2 No	1,422	80.7
		Missing	152	
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	156	8.5
		2 No	1,631	91.5
		Missing	137	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	75	4.1
		2 No	1,715	95.9
		Missing	134	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	66	3.8
		2 No	1,713	96.2
		Missing	145	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)		
		1 Yes	53	2.8
		2 No Missing	1,713 158	97.2
233-233	QN56	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	46	2.9
		2 No	1,706	97.1
		Missing	172	
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	361	22.7
		2 No	1,128	77.3
		Missing	435	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	36	2.7
		2 No	1,450	97.3
		Missing	438	
237-237	QN60	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	74	4.7
		2 No	1,403	95.3
		Missing	447	
238-238	QN61	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	256	15.6
		2 No	1,212	84.4
		Missing	456	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	38	16.5
		2 No	210	83.5
		Missing	1,676	
240-240	QN63	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	126	55.3
		2 No	116	44.7
		Missing	1,682	
241-241	QN64	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	31	11.9
		2 No	211	88.1
		Missing	1,682	
246-246	QN69	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	576	36.0
		2 No	1,069	64.0
		Missing	279	
247-247	QN70	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	284	16.2
		2 No	1,344	83.8
		Missing	296	
252-252	QN75	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	574	35.6
		2 No	1,041	64.4
		Missing	309	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
255-255	QN78	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	457	29.1
		2 No	1,141	70.9
		Missing	326	
256-256	QN79	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	290	17.2
		2 No	1,295	82.8
		Missing	339	
257-257	QN80	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	660	41.6
		2 No	919	58.4
		Missing	345	
258-258	QN81	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,386	90.6
		2 No	187	9.4
		Missing	351	
261-261	QN84	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	272	16.4
		2 No	1,250	83.6
		Missing	402	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
262-262	QN85	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	230	14.3
		2 No Missing	1,289 405	85.7
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,117	74.8
		2 No	404	25.2
		Missing	403	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	395	24.7
		2 No	1,109	75.3
		Missing	420	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	273	17.9
		2 No	1,249	82.1
		Missing	402	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,039	57.5
		2 No	865	42.5
		Missing	20	
268-268	QN91	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	912	42.8
		2 No	992	57.2
		Missing	20	
269-269	QN92	Percentage of students who are transgender		
		1 Yes	37	2.3
		2 No	1,845	97.7
		Missing	42	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
270-270	QN93	Percentage of students who reported that their sex assigned at birth was female		
		1 Yes	1,187	57.1
		2 No	699	42.9
		Missing	38	
271-271	QN94	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	292	15.2
		2 No	1,564	84.8
		Missing	68	
272-272	QN95	Percentage of students who witnessed someone being physically hurt on purpose (counting things such as being hit, slammed into something, or injured with an object or weapon, one or more times during the 12 months before the survey)		
		1 Yes	864	45.6
		2 No	992	54.4
		Missing	68	
273-273	QN96	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	351	20.1
		2 No	1,523	79.9
		Missing	50	
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	15	25.2
		2 No	53	74.8
		Missing	1,856	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
275-275	QN98	Percentage of students who usually smoke menthol cigarettes (among students who smoke cigarettes)		
		1 Yes	53	36.9
		2 No Missing	89 1,782	63.1
276-276	QN99	Percentage of students who tried an electronic vapor product for the first time at age 12 or younger (among students who ever tried an electronic vapor product)		
		1 Yes	140	22.9
		2 No	507	77.1
		Missing	1,277	
277-277	QN100	Percentage of students who typically use a flavored electronic vapor product other than tobacco flavor and no flavor (mint or menthol, chocolate, candy, fruit or cinnamon, alcohol or other flavor, among students who use electronic vapor products)		
		1 Yes	392	92.6
		2 No	31	7.4
		Missing	1,501	
278-278	QN101	Percentage of students who report that using an electronic vapor product is less harmful than smoking regular cigarettes		
		1 Yes	195	10.9
		2 No	1,615	89.1
		Missing	114	
279-279	QN102	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	210	11.7
		2 No	1,563	88.3
		Missing	151	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	89	5.4
		2 No Missing	1,670 165	94.6
281-281	QN104	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	90	5.3
		2 No	1,660	94.7
		Missing	174	
282-282	QN105	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	89	5.6
		2 No	1,660	94.4
		Missing	175	
283-283	QN106	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	94	24.2
		2 No	335	75.8
		Missing	1,495	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107 Percentage of students who reported their primary reason for not using a condom the last time they had sexual intercourse was that they did not need a condom because they used another method to prevent pregnancy (such as birth control pills, a shot, a patch, or birth control ring, or an IUD or implant, among students who have had sexual intercourse)	a condom the last time they had sexual intercourse was that they did not need a condom because they used another method to prevent pregnancy (such as birth control pills, a shot, a patch, or birth control ring, or an IUD or implant, among students who have had sexual		
		1 Yes	82	19.4
		2 No	326	80.6
		Missing	1,516	
285-285	QN108	Percentage of students who reported they or their partner got the birth control they last used from a school-based health center or condom availability program or from school nurse or doctor (among students who have ever used birth control)		
		DATA NOT DISPLAYED. Please send an email to epidatarequest@healr requests for data related to school-based health centers.	th.nyc.gov with	
286-286	QN109	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	54	13.7
		2 No	347	86.3
		Missing	1,523	
287-287	QN110	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	23	1.4
		2 No	1,455	98.6
		Missing	446	
288-288	QN111	Percentage of students who did not receive sex education in their middle school health education class		
		1 Yes	228	12.0
		2 No	1,429	88.0
		Missing	267	
289-289	QN112	Percentage of students who did not receive sex education in their high school health education class		
		1 Yes	382	21.3
		i i es	362	21.5
		2 No	1,270	78.7

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	445	30.7
		2 No Missing	1,175 304	69.3
291-291	QN114	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar-free drinks, one or more times during the 7 days before the survey)		
		1 Yes	1,088	67.6
		2 No	505	32.4
		Missing	331	
292-292	QN115	Percentage of students who have never ridden a bicycle in one of the five boroughs of New York City (during the 12 months before the survey)		
		1 Yes	852	54.2
		2 No	682	45.8
		Missing	390	
293-293	QN116	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	1,169	78.8
		2 No	356	21.2
		Missing	399	
294-294	QN117	Percentage of students who had been told by a dentist, doctor, or nurse that they had a dental cavity or decayed teeth		
		1 Yes	675	46.2
		2 No	838	53.8
		Missing	411	
295-295	QN118	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	221	26.3
		2 No	636	73.7
		Missing	1,067	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
296-296	QN119 Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)			
		1 Yes 2 No Missing	52 1,460 412	3.0 97.0
297-297	QN120	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes 2 No Missing	129 1,319 476	9.3 90.7
298-298	QN121	Percentage of students who often or sometimes worried that food at home would run out before their family got money to buy more (during the 12 months before the survey)		
		1 Yes 2 No Missing	350 1,135 439	22.5 77.5
299-299	QN122	Percentage of students who reported that often or sometimes the food that their family bought run out and there was no money to buy more (during the 12 months before the survey)		
		1 Yes 2 No Missing	243 1,230 451	16.2 83.8
300-300	QN123	Percentage of students who reported that either of their parents has spent time in jail or prison		
		1 Yes 2 No Missing	261 1,168 495	17.1 82.9
301-301	QN124	Percentage of students who have ever been arrested 1 Yes 2 No Missing	119 1,334 471	8.2 91.8

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
302-302	QN125 Percentage of students who strongly agree or agree that they feel close to people at their school			
		1 Yes	1,000	69.0
		2 No	479	31.0
		Missing	445	
303-303	QN126	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	907	64.3
		2 No	537	35.7
		Missing	480	
304-304	QN127	Percentage of students who have not had their eyes examined by an eye doctor (during the two years before the survey)		
		1 Yes	310	20.9
		2 No	1,148	79.1
		Missing	466	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	12	1.1
		2 No	1,813	98.9
		Missing	99	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	7	0.6
		2 No	1,818	99.4
		Missing	99	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	42	2.8
		2 No	1,692	97.2
		Missing	190	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	21	1.4
		2 No	1,713	98.6
		Missing	190	
354-354	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	139	7.6
		2 No	1,667	92.4
		Missing	118	
357-357	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	278	15.9
		2 No	1,457	84.1
		Missing	189	
358-358 QNIU	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	24	8.6
		2 No	218	91.4
		Missing	1,682	
359-359 Q	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	66	25.1
		2 No	176	74.9
		Missing	1,682	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
360-360	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1 Yes	13	6.1
		2 No Missing	224 1,687	93.9
361-361 QN	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	1,007	
		1 Yes	47	22.1
		2 No Missing	195 1,682	77.9
362-362	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	1,002	
		1 Yes	144	8.9
		2 No	1,474 306	91.1
363-363	QNFR1	Missing Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	306	
		1 Yes	806	52.9
		2 No	812	47.1
		Missing	306	
364-364	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	376	24.3
		2 No	1,242	75.7
		Missing	306	,

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
369-369	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes 2 No Missing	151 1,464 309	9.5 90.5
370-370	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes 2 No Missing	90 1,525 309	5.2 94.8
374-374	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes 2 No Missing	345 1,253 326	18.7 81.3
375-375	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes 2 No Missing	210 1,388 326	12.9 87.1
376-376	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes 2 No Missing	155 1,418 351	8.7 91.3

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-377	QNNODNT Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)			
		1 Yes	28	1.5
		2 No	1,493	98.5
		Missing	403	
384-384	QNOBESE	Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	172	10.3
		2 No	1,391	89.7
		Missing	361	
385-385	QNOWT	Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	268	16.0
		2 No	1,295	84.0
		Missing	361	,,
386-395	WEIGHT			
396-398	STRATUM	.	-	
399-404	PSU			
407-411	BMIPCT		-	
412-413	RACEETH8	-		
		1 Am Indian/Alaska Native	16	0.5
		2 Asian	185	12.4
		3 Black or African American	392	24.9
		4 Native Hawaiian/Other PI	20	0.7
		5 White	247	15.6
		6 Hispanic/Latino	344	15.9
		7 Multiple - Hispanic	576	26.4
		8 Multiple - Non-Hispanic	72	3.6
		Missing	72	

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
414-416	Q6ORIG			
	DATA NOT A	AVAILABLE.		
417-419	Q7ORIG			
	DATA NOT A	AVAILABLE.		
450-459	SSWEIGHT	Sub-site Weight		
	DATA NOT A	AVAILABLE.		
460-460	S2	Sub-site - S2	1,924	100.0
	DATA NOT A	AVAILABLE.		
461-461	S 3	Sub-site - S3 0	1,924	100.0
	DATA NOT A	AVAILABLE.		
462-462	S4	Sub-site - S4 0	1,924	100.0
	DATA NOT A	VAILABLE.		
463-463	S5	Sub-site - S5	1,924	100.0
	DATA NOT A	VAILABLE.		
464-464	S6	Sub-site - S6 0	1,924	100.0
	DATA NOT A	VAILABLE.		
465-465	S7	Sub-site - S7	1,924	100.0
-	DATA NOT A	VAILABLE.		
466-466	S 8	Sub-site - S8 0	1,924	100.0
	DATA NOT A	VAILABLE.		
467-467	S9	Sub-site - S9 0	1,924	100.0
	DATA NOT A	AVAILABLE.		
468-468	S10	Sub-site - S10 0 1	1,148 776	84.0 16.0
	DATA NOT A		- 1	

Data Location	Variable Name	Question Code and Lab	Unweighted Frequency	Weighted Percentage
RACE5				
		1 White	247	15.6
		2 Black	392	24.9
		3 Hispanic	920	42.3
		4 Asian	185	12.4
		5 Other (Am Indian/Alas Other PI, Multiple)	ka Native, Native Hawaiian/ 108	4.8
		Missing	72	
	BCCAT7	Contraception at last sex - 7 categories		
		Condom only (any condo EC)	om use without HBC/LARC or 146	46.6
		2 HBC/LARC only (any H excluding exclusive EC)	BC/LARC without condoms 59	16.5
		3 EC only (any EC withou	condoms) 8	1.8
		- · · · · · · · · · · · · · · · · · · ·	/LARC excluding exclusive EC 20	6.1
		5 Dual: condoms and EC (5.0
		6 Withdrawal only	18	5.5
		7 No contraception	54	18.5
		Missing	1,605	
	BCCAT5	Contraception at last sex - 5 categories		
		1 Condom only (any condo EC)	om use without HBC/LARC or 146	46.6
		2 HBC/LARC only (any H	BC/LARC without condoms) 67	18.3
		- 1	/LARC (may include withdrawal) 34	11.1
		4 Withdrawal only	18	5.5
		5 No contraception	54	18.5
		Missing	1,605	