

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	8	0.3
		2	13 years old	70	4.0
		3	14 years old	433	22.1
		4	15 years old	482	24.5
		5	16 years old	458	23.0
		6	17 years old	366	19.6
		7	18 years old or older	106	6.5
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	1,006	48.1
		2	Male	913	51.9
			Missing	10	
19-19	Q3	In what grade are you?			
		1	9th grade	550	28.8
		2	10th grade	509	26.0
		3	11th grade	446	22.9
		4	12th grade	389	21.6
		5	Ungraded or other grade	11	0.7
		Missing	24		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	800	35.1
		2	No	1,078	64.9
			Missing	51	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
21-28	Q5	What is your race?		
		H	3	0.2
		F	4	0.2
		E	352	24.9
		D	114	4.4
		DE	4	0.2
		C	409	31.6
		C E	11	0.2
		CD	8	0.2
		B	377	33.2
		B E	10	0.2
		B D	6	0.1
		B DE	1	0.1
		BC	5	0.1
		BC E	2	0.1
		A	111	3.5
		A E	2	0.1
		A DE	1	0.0
		A C	7	0.2
		A C E	2	0.1
		A CD	3	0.0
		A CDEFGH	1	0.0
		AB	3	0.1
		ABC	1	0.1
		ABC E	2	0.0
		ABCDE	7	0.2
			483	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	708	36.8
		2 Never wore a helmet	951	49.8
		3 Rarely wore a helmet	123	6.0
		4 Sometimes wore a helmet	65	3.4
		5 Most of the time wore a helmet	39	2.0
		6 Always wore a helmet	35	2.0
		Missing	8	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	1,334	71.7
		2 0 times	485	26.1
		3 1 time	13	0.7
		4 2 or 3 times	12	0.6
		5 4 or 5 times	4	0.1
		6 6 or more times	13	0.8
		Missing	68	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,732	92.1
		2 1 day	44	2.4
		3 2 or 3 days	35	1.9
		4 4 or 5 days	15	1.0
		5 6 or more days	52	2.6
		Missing	51	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,863	97.7
		2 1 day	15	0.9
		3 2 or 3 days	5	0.3
		4 4 or 5 days	4	0.1
		5 6 or more days	16	1.0
		Missing	26	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1            0 days	1,841	96.8
		2            1 day	19	1.0
		3            2 or 3 days	15	0.9
		4            4 or 5 days	3	0.3
		5            6 or more days	20	1.0
		Missing	31	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1            0 days	1,763	93.4
		2            1 day	64	2.9
		3            2 or 3 days	30	1.5
		4            4 or 5 days	13	0.7
		5            6 or more days	27	1.5
		Missing	32	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1            0 times	1,794	93.1
		2            1 time	60	3.3
		3            2 or 3 times	26	1.3
		4            4 or 5 times	13	0.5
		5            6 or 7 times	4	0.2
		6            8 or 9 times	2	0.1
		7            10 or 11 times	3	0.2
		8            12 or more times	23	1.2
		Missing	4	
49-49	Q18	During the past 12 months, how many times were you in a physical fight?		
		1            0 times	1,471	76.0
		2            1 time	199	9.8
		3            2 or 3 times	145	7.9
		4            4 or 5 times	49	2.8
		5            6 or 7 times	10	0.6
		6            8 or 9 times	9	0.6
		7            10 or 11 times	2	0.1
		8            12 or more times	40	2.2
		Missing	4	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	810	47.6
		2	0 times	858	47.0
		3	1 time	33	1.9
		4	2 or 3 times	28	1.5
		5	4 or 5 times	11	0.6
		6	6 or more times	24	1.4
			Missing	165	
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	818	47.4
		2	0 times	843	45.5
		3	1 time	53	2.8
		4	2 or 3 times	30	1.8
		5	4 or 5 times	6	0.3
		6	6 or more times	40	2.2
			Missing	139	
55-55	Q24	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	305	15.8
		2	No	1,602	84.2
		Missing	22		
56-56	Q25	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	254	13.1
		2	No	1,648	86.9
		Missing	27		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	569	29.1
		2 No	1,314	70.9
		Missing	46	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	294	15.3
		2 No	1,592	84.7
		Missing	43	
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,469	90.9
		2 1 time	81	4.5
		3 2 or 3 times	54	3.2
		4 4 or 5 times	6	0.4
		5 6 or more times	17	1.0
		Missing	302	
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,453	91.1
		2 Yes	60	3.4
		3 No	93	5.6
		Missing	323	
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	570	29.6
		2 No	1,262	70.4
		Missing	97	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,643	89.8
		2 1 or 2 days	77	3.7
		3 3 to 5 days	31	1.8
		4 6 to 9 days	27	1.3
		5 10 to 19 days	22	1.1
		6 20 to 29 days	10	0.7
		7 All 30 days	30	1.7
		Missing	89	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,641	90.0
		2 Less than 1 cigarette per day	68	3.1
		3 1 cigarette per day	48	2.6
		4 2 to 5 cigarettes per day	52	2.9
		5 6 to 10 cigarettes per day	13	0.8
		6 11 to 20 cigarettes per day	2	0.1
		7 More than 20 cigarettes per day	10	0.5
	Missing	95		
68-68	Q37	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	120	6.5
		2 No	1,701	93.5
	Missing	108		
70-70	Q39	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,797	94.8
		2 1 or 2 days	45	2.4
		3 3 to 5 days	24	1.2
		4 6 to 9 days	15	0.8
		5 10 to 19 days	3	0.2
		6 20 to 29 days	3	0.1
7 All 30 days	8	0.5		
	Missing	34		
71-71	Q40	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,721	91.6
		2 1 or 2 days	84	4.4
		3 3 to 5 days	20	1.0
		4 6 to 9 days	18	1.0
		5 10 to 19 days	15	0.8
		6 20 to 29 days	7	0.4
7 All 30 days	16	0.9		
	Missing	48		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1            0 days	1,308	79.0
		2            1 or 2 days	227	11.8
		3            3 to 5 days	75	4.1
		4            6 to 9 days	52	2.8
		5            10 to 19 days	17	1.0
		6            20 to 29 days	2	0.1
		7            All 30 days	18	1.2
	Missing	230		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1            0 days	1,612	89.7
		2            1 day	100	5.2
		3            2 days	42	1.9
		4            3 to 5 days	28	1.4
		5            6 to 9 days	13	0.7
		6            10 to 19 days	4	0.3
		7            20 or more days	14	0.9
	Missing	116		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1            I did not drink alcohol during the past 30 days	1,313	79.3
		2            1 or 2 drinks	201	10.9
		3            3 drinks	42	2.0
		4            4 drinks	26	1.1
		5            5 drinks	34	1.8
		6            6 or 7 drinks	31	1.7
		7            8 or 9 drinks	14	0.9
		8            10 or more drinks	40	2.3
	Missing	228		



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,286	78.0
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	53	3.2
		3	I bought it at a restaurant, bar, or club	19	1.1
		4	I bought it at a public event such as a concert or sporting event	4	0.2
		5	I gave someone else money to buy it for me	37	2.0
		6	Someone gave it to me	128	6.2
		7	I took it from a store or family member	73	4.1
		8	I got it some other way	102	5.3
		Missing	227		
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,322	72.7
		2	8 years old or younger	27	1.4
		3	9 or 10 years old	22	1.3
		4	11 or 12 years old	77	3.6
		5	13 or 14 years old	234	12.1
		6	15 or 16 years old	157	8.2
		7	17 years old or older	15	0.7
		Missing	75		
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,544	84.7
		2	1 or 2 times	114	5.7
		3	3 to 9 times	87	4.5
		4	10 to 19 times	28	1.6
		5	20 to 39 times	26	1.4
		6	40 or more times	40	2.2
		Missing	90		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1            0 times	1,753	95.6
		2            1 or 2 times	39	2.1
		3            3 to 9 times	17	1.0
		4            10 to 19 times	5	0.3
		5            20 to 39 times	4	0.2
		6            40 or more times	14	0.8
	Missing	97		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1            0 times	1,810	97.3
		2            1 or 2 times	20	1.0
		3            3 to 9 times	9	0.5
		4            10 to 19 times	8	0.5
		5            20 to 39 times	4	0.2
		6            40 or more times	10	0.5
	Missing	68		
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1            0 times	1,789	96.3
		2            1 or 2 times	26	1.6
		3            3 to 9 times	15	0.8
		4            10 to 19 times	8	0.4
		5            20 to 39 times	4	0.3
		6            40 or more times	10	0.6
	Missing	77		
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1            0 times	1,768	95.8
		2            1 or 2 times	33	1.9
		3            3 to 9 times	10	0.5
		4            10 to 19 times	11	0.6
		5            20 to 39 times	9	0.5
		6            40 or more times	12	0.6
	Missing	86		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1            0 times	1,788	96.9
		2            1 time	22	1.4
		3            2 or more times	30	1.7
		Missing	89	
90-90	Q59	Have you ever had sexual intercourse?		
		1            Yes	470	28.5
		2            No	1,152	71.5
		Missing	307	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1            I have never had sexual intercourse	1,147	71.6
		2            11 years old or younger	42	2.6
		3            12 years old	31	1.9
		4            13 years old	85	4.9
		5            14 years old	98	5.8
		6            15 years old	108	6.5
		7            16 years old	76	5.1
		8            17 years old or older	28	1.8
		Missing	314	
92-92	Q61	During your life, with how many people have you had sexual intercourse?		
		1            I have never had sexual intercourse	1,134	71.4
		2            1 person	202	12.1
		3            2 people	74	4.5
		4            3 people	54	3.4
		5            4 people	38	2.4
		6            5 people	26	1.6
		7            6 or more people	70	4.8
		Missing	331	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	1,148	71.5
		2	I have had sexual intercourse, but not during the past 3 months	146	9.0
		3	1 person	236	14.3
		4	2 people	33	1.8
		5	3 people	16	1.1
		6	4 people	10	0.8
		7	5 people	8	0.5
		8	6 or more people	17	1.0
		Missing	315		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	1,145	71.4
		2	Yes	93	5.9
		3	No	377	22.7
		Missing	314		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	1,141	72.9
		2	Yes	280	17.8
		3	No	152	9.2
		Missing	356		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,128	72.9
		2	No method was used to prevent pregnancy	94	6.0
		3	Birth control pills	23	1.5
		4	Condoms	219	13.6
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	5	0.4
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	12	0.8
		7	Withdrawal or some other method	50	3.1
		8	Not sure	28	1.8
		Missing	370		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
97-97	Q66	How do you describe your weight?			
		1	Very underweight	99	5.7
		2	Slightly underweight	252	15.0
		3	About the right weight	898	50.0
		4	Slightly overweight	445	23.7
		5	Very overweight	100	5.6
		Missing	135		
98-98	Q67	Which of the following are you trying to do about your weight?			
		1	Lose weight	856	45.6
		2	Gain weight	358	21.9
		3	Stay the same weight	293	16.5
		4	I am not trying to do anything about my weight	283	15.9
		Missing	139		
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	442	25.3
		2	1 to 3 times during the past 7 days	640	35.7
		3	4 to 6 times during the past 7 days	261	14.7
		4	1 time per day	112	6.6
		5	2 times per day	97	5.1
		6	3 times per day	72	3.8
		7	4 or more times per day	153	8.8
		Missing	152		
103-103	Q72	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	280	16.3
		2	1 to 3 times during the past 7 days	655	36.6
		3	4 to 6 times during the past 7 days	322	17.7
		4	1 time per day	188	10.5
		5	2 times per day	147	8.0
		6	3 times per day	62	3.6
		7	4 or more times per day	127	7.4
		Missing	148		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1	I did not drink soda or pop during the past 7 days	451 26.0
		2	1 to 3 times during the past 7 days	737 41.8
		3	4 to 6 times during the past 7 days	295 16.6
		4	1 time per day	100 5.5
		5	2 times per day	75 3.9
		6	3 times per day	32 1.6
		7	4 or more times per day	71 4.5
		Missing	168	
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1	I did not drink milk during the past 7 days	415 24.6
		2	1 to 3 glasses during the past 7 days	534 30.4
		3	4 to 6 glasses during the past 7 days	288 16.4
		4	1 glass per day	216 13.5
		5	2 glasses per day	138 8.2
		6	3 glasses per day	56 3.0
		7	4 or more glasses per day	68 3.7
		Missing	214	
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1	0 days	252 14.7
		2	1 day	147 8.7
		3	2 days	160 9.1
		4	3 days	156 8.3
		5	4 days	135 8.0
		6	5 days	131 7.5
		7	6 days	91 5.3
		8	7 days	647 38.5
		Missing	210	
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1	0 days	286 18.3
		2	1 day	169 9.9
		3	2 days	194 12.0
		4	3 days	223 12.9
		5	4 days	154 9.3
		6	5 days	226 14.0
		7	6 days	87 5.4
		8	7 days	296 18.2
		Missing	294	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	330	21.2
		2 Less than 1 hour per day	286	18.0
		3 1 hour per day	206	12.1
		4 2 hours per day	319	18.4
		5 3 hours per day	219	12.9
		6 4 hours per day	102	6.3
		7 5 or more hours per day	180	11.0
		Missing	287	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	334	19.7
		2 Less than 1 hour per day	233	13.7
		3 1 hour per day	195	12.2
		4 2 hours per day	239	14.9
		5 3 hours per day	200	12.5
		6 4 hours per day	142	9.0
		7 5 or more hours per day	283	17.9
		Missing	303	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	221	14.4
		2 1 day	98	5.9
		3 2 days	201	11.7
		4 3 days	154	9.7
		5 4 days	51	3.5
		6 5 days	865	54.7
		Missing	339	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	342	21.7
		2 No	1,117	71.2
		3 Not sure	113	7.0
		Missing	357	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	26	1.5
		2 Brooklyn	86	4.6
		3 Manhattan	18	0.9
		4 Queens	1,773	92.6
		5 Staten Island	9	0.5
Missing	17			
119-119	Q88	How long have you lived in the United States?		
		1 I have always lived in the United States	1,267	64.8
		2 Less than 1 year	42	2.2
		3 1 to 3 years	138	8.1
		4 4 to 6 years	128	7.7
		5 More than 6 years but not my whole life	329	17.2
Missing	25			
120-120	Q89	How often do the people in your home speak a language other than English?		
		1 Never	322	17.2
		2 Rarely	149	8.3
		3 Sometimes	367	19.1
		4 Most of the time	552	29.3
		5 Always	507	26.1
Missing	32			
121-121	Q90	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,621	85.6
		2 1 time	121	6.0
		3 2 or 3 times	86	4.0
		4 4 or 5 times	27	1.3
		5 6 or more times	61	3.1
Missing	13			



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
122-122	Q91	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	Yes	322	16.9
		2	No	1,512	83.1
			Missing	95	
123-123	Q92	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,241	72.2
		2	Less than 1 month ago	64	3.5
		3	1 to 3 months ago	60	3.3
		4	4 to 6 months ago	57	3.0
		5	7 to 12 months ago	62	3.5
		6	13 or more months ago	270	14.5
	Missing	175			
124-124	Q93	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,598	87.9
		2	I bought them in a store such as a convenience store, supermarket, or gas station	76	4.2
		3	I bought them on the Internet	8	0.4
		4	I bummed them	22	1.2
		5	Someone gave them to me or bought them for me	81	4.0
		6	I stole them	9	0.6
		7	I got them some other way	35	1.8
	Missing	100			
125-125	Q94	Have you ever tried smoking menthol cigarettes, even one or two puffs?			
		1	Yes	195	10.3
		2	No	1,575	89.7
		Missing	159		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
126-126	Q95	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	296	15.8
		2 No	1,564	84.2
		Missing	69	
127-127	Q96	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	1,380	76.4
		2 I do not have a usual type	90	4.3
		3 Beer	59	3.2
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	67	3.4
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	15	0.9
		6 Wine	34	1.5
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	196	9.1
		8 Some other type	25	1.4
Missing	63			
128-128	Q97	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,733	93.4
		2 1 time	37	2.2
		3 2 or 3 times	34	1.7
		4 4 or 5 times	19	1.1
		5 6 or 7 times	7	0.4
		6 8 or 9 times	8	0.4
		7 10 or 11 times	4	0.2
		8 12 or more times	13	0.7
Missing	74			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
129-129	Q98	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?			
		1	0 times	1,749	94.3
		2	1 time	34	1.9
		3	2 or 3 times	32	1.6
		4	4 or 5 times	16	0.8
		5	6 or 7 times	8	0.5
		6	8 or 9 times	0	0.0
		7	10 or 11 times	2	0.1
		8	12 or more times	12	0.7
	Missing	76			
130-130	Q99	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	1,171	70.6
		2	I have had sexual intercourse, but not during the past 3 months	106	5.8
		3	Never	94	5.4
		4	Rarely	21	1.3
		5	Sometimes	40	2.2
		6	Most of the time	57	3.5
		7	Always	184	11.2
	Missing	256			
131-131	Q100	The last time you used a condom, did it break, tear, or slip off during sexual intercourse?			
		1	I have never had sexual intercourse	1,182	71.0
		2	I have had sexual intercourse, but I have never used a condom	90	5.1
		3	Yes, the condom broke, tore, or slipped off	37	2.1
		4	No, the condom did not break, tear, or slip off	336	19.9
		5	Not sure	34	1.9
	Missing	250			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
132-132	Q101	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	1,178	70.8
		2 Yes	42	2.6
		3 No	386	22.6
		4 Not sure	72	4.0
		Missing	251	
133-133	Q102	The last time you used birth control, including condoms, from where did you or your partner get it? <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
134-134	Q103	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	589	34.7
		2 6th grade or earlier	272	15.1
		3 7th grade	199	11.0
		4 8th grade	222	11.8
		5 9th grade	200	11.5
		6 10th grade	78	4.3
		7 11th or 12th grade	61	3.1
		8 Not sure	149	8.5
		Missing	159	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
135-135	Q104	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	31	1.7
		2 No	1,610	95.1
		3 Not sure	57	3.2
		Missing	231	
136-136	Q105	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	981	57.9
		2 Females	370	22.6
		3 Males	283	14.9
		4 Females and males	82	4.6
Missing	213			
137-137	Q106	Which of the following best describes you?		
		1 Heterosexual (straight)	1,540	87.0
		2 Gay or lesbian	27	1.5
		3 Bisexual	124	6.6
		4 Not sure	87	4.9
Missing	151			
138-138	Q107	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	290	16.1
		2 1 to 3 times during the past 7 days	596	32.3
		3 4 to 6 times during the past 7 days	366	20.9
		4 1 time per day	198	11.0
		5 2 times per day	152	9.2
		6 3 times per day	60	3.6
		7 4 or more times per day	118	7.0
Missing	149			
139-139	Q108	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	354	20.4
		2 1 to 3 times during the past 7 days	952	53.3
		3 4 to 6 times during the past 7 days	225	13.0
		4 1 time per day	93	5.1
		5 2 times per day	42	2.6
		6 3 times per day	32	1.6
		7 4 or more times per day	66	3.9
Missing	165			

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
140-140	Q109	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	448	25.7
		2	1 to 3 times during the past 7 days	750	42.6
		3	4 to 6 times during the past 7 days	257	14.6
		4	1 time per day	93	5.6
		5	2 times per day	68	3.7
		6	3 times per day	42	2.3
		7	4 or more times per day	88	5.5
		Missing	183		
141-141	Q110	What kind of milk do you usually drink?			
		1	I do not drink milk	209	12.8
		2	Whole milk	536	31.4
		3	2% milk or reduced fat milk	413	23.0
		4	1% milk or low-fat milk	234	13.2
		5	Skim milk or non-fat milk	75	4.4
		6	Soy milk	51	3.0
		7	Not sure	207	12.2
		Missing	204		
142-142	Q111	In an average week when you are in school, how do you usually get to school?			
		1	I walk all the way to school	216	15.3
		2	I ride a bike all the way to school	20	1.4
		3	I use public transportation, such as a subway or city bus	1,112	69.4
		4	I ride a school bus	21	1.1
		5	I drive or ride in a car or other private vehicle	207	12.8
		Missing	353		
143-143	Q112	If you usually walk or bike all the way to school, how long does it take?			
		1	I do not walk or bike all the way to school	1,038	62.3
		2	Less than 10 minutes	124	8.3
		3	10 to 20 minutes	202	13.9
		4	21 to 29 minutes	84	5.5
		5	30 or more minutes	158	10.0
		Missing	323		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
144-144	Q113	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not take the bus or use public transportation to get to school	381	27.2
		2 I do not walk or bike to a bus stop or subway station to get to school	61	4.2
		3 I walk to the bus stop or subway station	1,021	66.7
		4 I ride a bike to the bus stop or subway station	24	1.9
		Missing	442	
145-145	Q114	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	386	27.1
		2 Less than 10 minutes	670	43.6
		3 10 to 20 minutes	328	21.3
		4 21 to 29 minutes	58	3.6
		5 30 or more minutes	73	4.4
		Missing	414	
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	314	19.8
		2 At least once a month	126	7.4
		3 A few times a year	384	23.1
		4 Never	807	49.7
		Missing	298	
147-147	Q116	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	386	24.2
		2 1 day	179	10.6
		3 2 days	205	13.4
		4 3 days	215	12.6
		5 4 days	158	9.4
		6 5 days	214	13.2
		7 6 days	62	3.9
		8 7 days	209	12.8
		Missing	301	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
148-148	Q117	Outside of PE classes, in an average week during the school year, on how many weekdays do you play sports or do other physical activities that increase your heart rate or breathing?			
		1	0 days	531	33.1
		2	1 day	218	13.4
		3	2 days	223	13.5
		4	3 days	191	11.9
		5	4 days	97	6.4
		6	5 days	344	21.7
		Missing	325		
149-149	Q118	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	103	6.7
		2	Yes	1,187	74.5
		3	No	284	18.8
		Missing	355		
150-150	Q119	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	276	17.8
		2	No	1,073	67.8
		3	Not sure	216	14.4
		Missing	364		
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?			
		1	I have never had asthma	602	39.7
		2	Yes	252	15.4
		3	No	660	41.2
		4	Not sure	58	3.6
		Missing	357		
152-152	Q121	When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?			
		1	Never	799	51.2
		2	Rarely	395	25.2
		3	Sometimes	221	13.7
		4	Most of the time	97	6.4
		5	Always	59	3.5
		Missing	358		



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
153-153	Q122	During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?			
		1	0 times	1,421	90.2
		2	1 or 2 times	68	4.4
		3	3 to 9 times	43	2.7
		4	10 to 19 times	18	1.0
		5	20 to 39 times	12	0.8
		6	40 or more times	13	0.9
		Missing	354		
154-154	Q123	In an average week, about how many hours do you listen to a personal music player, such as an MP3 player or iPod, with headphones?			
		1	I do not listen to a personal music player with head phones	108	7.9
		2	Less than one hour	200	13.1
		3	1 to 4 hours (for example, 1 hour per day for 3 days per week)	375	26.1
		4	5 to 9 hours (for example, 1 hour per day for 7 days per week)	280	18.3
		5	10 or more hours (for example, at least 2 hours per day for 5 days per week)	464	29.3
		6	Not sure	81	5.3
		Missing	421		
155-155	Q124	At what volume do you normally listen to a personal music player such as an MP3 player or iPod with headphones?			
		1	I do not listen to a personal music player with head phones	101	7.7
		2	Lower than 1/2 maximum volume	173	12.0
		3	About 1/2 maximum volume	380	25.4
		4	About 3/4 maximum volume	452	29.4
		5	At the maximum volume	316	21.2
		6	Not sure	63	4.3
		Missing	444		

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?  DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores? 1            0 times 2            1 time per week 3            2 times per week 4            3 times per week 5            4 times per week 6            5 times per week 7            6 times per week 8            7 or more times per week Missing	628 222 174 166 107 94 29 135 374	42.6 13.9 10.3 10.4 6.5 6.1 1.9 8.3
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet 1            Yes 2            No Missing	1,074 139 716	88.2 11.8
188-188	QN11	Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days 1            Yes 2            No Missing	42 485 1,402	7.7 92.3
190-190	QN13	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days 1            Yes 2            No Missing	146 1,732 51	7.9 92.1

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
191-191	QN14	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	40	2.3
		2 No	1,863	97.7
		Missing	26	
192-192	QN15	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	57	3.2
		2 No	1,841	96.8
		Missing	31	
193-193	QN16	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	134	6.6
		2 No	1,763	93.4
		Missing	32	
194-194	QN17	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	131	6.9
		2 No	1,794	93.1
		Missing	4	
195-195	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	454	24.0
		2 No	1,471	76.0
		Missing	4	
199-199	QN22	Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months		
		1 Yes	96	10.3
		2 No	858	89.7
		Missing	975	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
200-200	QN23	Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months		
		1 Yes	129	13.5
		2 No	843	86.5
		Missing	957	
201-201	QN24	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	305	15.8
		2 No	1,602	84.2
		Missing	22	
202-202	QN25	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	254	13.1
		2 No	1,648	86.9
		Missing	27	
203-203	QN26	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	569	29.1
		2 No	1,314	70.9
		Missing	46	
204-204	QN27	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	294	15.3
		2 No	1,592	84.7
		Missing	43	
206-206	QN29	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	158	9.1
		2 No	1,469	90.9
		Missing	302	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
207-207	QN30	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	60	3.4
		2 No	1,546	96.6
		Missing	323	
208-208	QN31	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	570	29.6
		2 No	1,262	70.4
		Missing	97	
210-210	QN33	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	197	10.2
		2 No	1,643	89.8
		Missing	89	
211-211	QN34	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	11	5.6
		2 No	181	94.4
		Missing	1,737	
214-214	QN37	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	120	6.5
		2 No	1,701	93.5
		Missing	108	
216-216	QN39	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	98	5.2
		2 No	1,797	94.8
		Missing	34	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
217-217	QN40	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	160	8.4
		2 No	1,721	91.6
		Missing	48	
220-220	QN43	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	391	21.0
		2 No	1,308	79.0
		Missing	230	
221-221	QN44	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	201	10.3
		2 No	1,612	89.7
		Missing	116	
222-222	QN45	Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days		
		1 Yes	40	2.3
		2 No	1,661	97.7
		Missing	228	
223-223	QN46	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	120	29.1
		2 No	255	70.9
		Missing	1,554	
225-225	QN48	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	126	6.3
		2 No	1,728	93.7
		Missing	75	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
226-226	QN49	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	295	15.3
		2 No	1,544	84.7
		Missing	90	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	79	4.4
		2 No	1,753	95.6
		Missing	97	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	51	2.7
		2 No	1,810	97.3
		Missing	68	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	63	3.7
		2 No	1,789	96.3
		Missing	77	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	75	4.2
		2 No	1,768	95.8
		Missing	86	
234-234	QN57	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	52	3.1
		2 No	1,788	96.9
		Missing	89	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	470	28.5
		2 No	1,152	71.5
		Missing	307	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	73	4.5
		2 No	1,542	95.5
			Missing	314
238-238	QN61	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	134	8.7
		2 No	1,464	91.3
			Missing	331
239-239	QN62	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	320	19.6
		2 No	1,294	80.4
			Missing	315
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	69	22.8
		2 No	246	77.2
			Missing	1,614
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	185	65.5
		2 No	103	34.5
			Missing	1,641
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	17	5.7
		2 No	271	94.3
			Missing	1,641



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
243-243	QN66	Percentage of students who described themselves as slightly or very overweight			
		1	Yes	545	29.3
		2	No	1,249	70.7
			Missing	135	
244-244	QN67	Percentage of students who were trying to lose weight			
		1	Yes	856	45.6
		2	No	934	54.4
			Missing	139	
248-248	QN71	Percentage of students who drank 100% fruit juices one or more times during the past seven days			
		1	Yes	1,335	74.7
		2	No	442	25.3
			Missing	152	
249-249	QN72	Percentage of students who ate fruit one or more times during the past seven days			
		1	Yes	1,501	83.7
		2	No	280	16.3
			Missing	148	
254-254	QN77	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days			
		1	Yes	278	15.5
		2	No	1,483	84.5
			Missing	168	
255-255	QN78	Percentage of students who drank three or more glasses per day of milk during the past seven days			
		1	Yes	124	6.8
		2	No	1,591	93.2
			Missing	214	
256-256	QN79	Percentage of students who ate breakfast on all of the past seven days			
		1	Yes	647	38.5
		2	No	1,072	61.5
			Missing	210	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	609	37.6
		2 No	1,026	62.4
		Missing	294	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	501	30.2
		2 No	1,141	69.8
		Missing	287	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	625	39.4
		2 No	1,001	60.6
		Missing	303	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,369	85.6
		2 No	221	14.4
		Missing	339	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	342	21.7
		2 No	1,230	78.3
		Missing	357	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,894	99.1
		2 No	18	0.9
		Missing	17	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
265-265	QN88	Percentage of students who have lived in the United States less than one year		
		1 Yes	42	2.2
		2 No	1,862	97.8
		Missing	25	
266-266	QN89	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	1,059	55.4
		2 No	838	44.6
		Missing	32	
267-267	QN90	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	295	14.4
		2 No	1,621	85.6
		Missing	13	
268-268	QN91	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	322	16.9
		2 No	1,512	83.1
		Missing	95	
269-269	QN92	Percentage of students who tried cigarette smoking for the first time during the past 12 months		
		1 Yes	243	13.3
		2 No	1,511	86.7
		Missing	175	
270-270	QN93	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	76	4.2
		2 No	1,753	95.8
		Missing	100	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
271-271	QN94	Percentage of students who have ever tried smoking menthol cigarettes, even one or two puffs		
		1            Yes	195	10.3
		2            No	1,575	89.7
		Missing	159	
272-272	QN95	Percentage of students who have ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars		
		1            Yes	296	15.8
		2            No	1,564	84.2
		Missing	69	
273-273	QN96	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whisky, as their type of alcohol they usually drank during the past 30 days		
		1            Yes	196	46.8
		2            No	200	53.2
		Missing	1,533	
274-274	QN97	Percentage of students who have taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, without a doctor's prescription one or more times during the past 12 months		
		1            Yes	122	6.6
		2            No	1,733	93.4
		Missing	74	
275-275	QN98	Percentage of students who have taken other prescription drugs, such as Xanax, Adderall, or Ritalin, without a doctor's prescription one or more times during the past 12 months		
		1            Yes	104	5.7
		2            No	1,749	94.3
		Missing	76	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
276-276	QN99	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	184	47.3
		2 No	212	52.7
			Missing	1,533
277-277	QN100	Percentage of students whose condom broke, tore or slipped off the last time they used a condom during sexual intercourse		
		1 Yes	37	2.1
		2 No	1,642	97.9
			Missing	250
278-278	QN101	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse		
		1 Yes	42	2.6
		2 No	1,636	97.4
			Missing	251
279-279	QN102	Percentage of students who responded that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
280-280	QN103	Percentage of students who have ever been taught a class by a teacher about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms		
		1 Yes	1,032	56.7
		2 No	738	43.3
			Missing	159
281-281	QN104	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	31	1.7
		2 No	1,667	98.3
			Missing	231

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
282-282	QN105	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	82	4.6
		2 No	1,634	95.4
		Missing	213	
283-283	QN106	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	151	8.1
		2 No	1,627	91.9
		Missing	151	
284-284	QN107	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	528	30.7
		2 No	1,252	69.3
		Missing	149	
285-285	QN108	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	233	13.3
		2 No	1,531	86.7
		Missing	165	
286-286	QN109	Percentage of students who drank other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas one or more times per day during the past seven days		
		1 Yes	291	17.1
		2 No	1,455	82.9
		Missing	183	
287-287	QN110	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	309	17.6
		2 No	1,416	82.4
		Missing	204	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
288-288	QN111	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	236	16.7
		2 No	1,340	83.3
		Missing	353	
289-289	QN112	Percentage of students who usually walk or bike more than 20 minutes all the way to school		
		1 Yes	242	15.5
		2 No	1,364	84.5
		Missing	323	
290-290	QN113	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	1,045	68.6
		2 No	442	31.4
		Missing	442	
291-291	QN114	Percentage of students who walk or bike 10 or more minutes to a bus stop or subway station to get to school		
		1 Yes	459	29.3
		2 No	1,056	70.7
		Missing	414	
292-292	QN115	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City at least a few times a year during the past 12 months		
		1 Yes	824	50.3
		2 No	807	49.7
		Missing	298	
293-293	QN116	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	858	51.8
		2 No	770	48.2
		Missing	301	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
294-294	QN117	Percentage of students who play sports or do other physical activities outside of PE classes that increase their heart rate or breathing on one or more days in an average week during the school year		
		1 Yes	1,073	66.9
		2 No	531	33.1
		Missing	325	
295-295	QN118	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	1,187	74.5
		2 No	387	25.5
		Missing	355	
296-296	QN119	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	276	17.8
		2 No	1,289	82.2
		Missing	364	
297-297	QN120	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	252	15.4
		2 No	1,320	84.6
		Missing	357	
298-298	QN121	Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day		
		1 Yes	156	9.9
		2 No	1,415	90.1
		Missing	358	
299-299	QN122	Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months		
		1 Yes	154	9.8
		2 No	1,421	90.2
		Missing	354	



**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
300-300	QN123	Percentage of students who listen to a personal music player, such as an MP3 player or iPod, with headphones 5 or more hours in an average week		
		1 Yes	744	47.6
		2 No	764	52.4
		Missing	421	
301-301	QN124	Percentage of students who normally listen to a personal music player such as an MP3 player or iPod with headphones at about 1/2 maximum or higher volume		
		1 Yes	1,148	76.1
		2 No	337	23.9
		Missing	444	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.</a>		
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	705	43.5
		2 No	850	56.5
		Missing	374	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	40	2.3
		2 No	1,800	97.7
		Missing	89	
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	265	14.1
		2 No	1,541	85.9
		Missing	123	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
352-352	QNOTHH	Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	14	5.3
		2 No	274	94.7
			1,641	
353-353	QNOTHHPL	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	31	11.0
		2 No	257	89.0
			1,641	
354-354	QNDUALBC	Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse		
		1 Yes	16	6.0
		2 No	265	94.0
			1,648	
355-355	QNBCNONE	Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse		
		1 Yes	59	20.7
		2 No	229	79.3
			1,641	
357-357	QNFRUIT	Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days		
		1 Yes	531	30.2
		2 No	1,223	69.8
			175	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
358-358	QNFR0	Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days		
		1 Yes	123	7.8
		2 No	1,631	92.2
		Missing	175	
359-359	QNFR1	Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days		
		1 Yes	1,024	58.2
		2 No	730	41.8
		Missing	175	
360-360	QNFR3	Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days		
		1 Yes	378	21.6
		2 No	1,376	78.4
		Missing	175	
366-366	QNSODA0	Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days		
		1 Yes	451	26.0
		2 No	1,310	74.0
		Missing	168	
367-367	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days		
		1 Yes	178	10.0
		2 No	1,583	90.0
		Missing	168	
368-368	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days		
		1 Yes	103	6.1
		2 No	1,658	93.9
		Missing	168	
369-369	QNMILK0	Percentage of students who drank 0 glasses per day of milk during the past seven days		
		1 Yes	415	24.6
		2 No	1,300	75.4
		Missing	214	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
370-370	QNMILK1	Percentage of students who drank one or more glasses per day of milk during the past seven days		
		1 Yes	478	28.5
		2 No	1,237	71.5
		Missing	214	
371-371	QNMILK2	Percentage of students who drank two or more glasses per day of milk during the past seven days		
		1 Yes	262	15.0
		2 No	1,453	85.0
		Missing	214	
372-372	QNNOBKFT	Percentage of students who ate breakfast on none of the past seven days		
		1 Yes	252	14.7
		2 No	1,467	85.3
		Missing	210	
373-373	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	865	54.7
		2 No	725	45.3
		Missing	339	
374-374	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	286	18.3
		2 No	1,349	81.7
		Missing	294	
375-375	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	296	18.2
		2 No	1,339	81.8
		Missing	294	

**2013 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**Borough of Queens High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
376-376	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)			
		1	Yes	268	15.5
		2	No	1,442	84.5
			Missing	219	
377-377	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)			
		1	Yes	197	11.2
		2	No	1,513	88.8
			Missing	219	
378-387	WEIGHT				
388-390	STRATUM				
391-396	PSU				
397-401	BMIPCT				
402-403	RACEETH	1	Am Indian / Alaska Native	63	0.7
		2	Asian	355	26.7
		3	Black or African American	330	22.6
		4	Native Hawaiian/other PI	49	0.7
		5	White	170	12.6
		6	Hispanic/Latino	401	18.0
		7	Multiple - Hispanic	395	18.2
		8	Multiple - Non-Hispanic	51	0.5
			Missing	115	
404-406	Q6ORIG				
407-409	Q7ORIG				