

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	5	0.2
		2	13 years old	50	4.6
		3	14 years old	287	24.7
		4	15 years old	318	24.0
		5	16 years old	426	22.3
		6	17 years old	426	21.2
		7	18 years old or older	85	3.1
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	751	48.2
		2	Male	844	51.8
		Missing	8		
19-19	Q3	In what grade are you?			
		1	9th grade	343	29.6
		2	10th grade	318	25.5
		3	11th grade	446	22.0
		4	12th grade	473	22.6
		Ungraded or other grade	6	0.3	
		Missing	17		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	570	34.9
		2	No	991	65.1
		Missing	42		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
21-28	Q5	What is your race?		
		H	2	0.1
		G	1	0.1
		F	2	0.1
		E	240	24.2
		E G	1	0.0
		D	93	4.6
		C	336	30.4
		C G	1	0.0
		C E	14	0.5
		CD	13	0.6
		CDE	2	0.0
		B	357	34.6
		B E	7	0.2
		B D	4	0.2
		B DE	2	0.0
		BC	4	0.1
		BC F	1	0.0
		BC E	5	0.2
		A	117	3.2
		A E	5	0.4
		A D	1	0.1
		A C	5	0.2
		A C E	4	0.1
		A CD	1	0.0
		AB	4	0.1
		ABC E	1	0.0
		ABCDE	2	0.1
			378	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	572	35.9
		2 Never wore a helmet	786	50.5
		3 Rarely wore a helmet	100	6.1
		4 Sometimes wore a helmet	49	3.2
		5 Most of the time wore a helmet	29	1.4
		6 Always wore a helmet	42	2.9
		Missing	25	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	1,030	72.9
		2 0 times	414	25.3
		3 1 time	8	0.5
		4 2 or 3 times	7	0.6
		5 4 or 5 times	2	0.2
		6 6 or more times	12	0.5
		Missing	130	
43-43	Q12	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	1,026	72.1
		2 0 days	395	24.5
		3 1 or 2 days	25	1.2
		4 3 to 5 days	9	0.4
		5 6 to 9 days	5	0.2
		6 10 to 19 days	8	0.3
		7 20 to 29 days	3	0.2
		8 All 30 days	21	1.2
		Missing	111	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1            0 days	1,427	92.7
		2            1 day	37	2.3
		3            2 or 3 days	27	1.5
		4            4 or 5 days	15	1.1
		5            6 or more days	37	2.4
		Missing	60	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?		
		1            0 days	1,533	97.5
		2            1 day	16	0.7
		3            2 or 3 days	8	0.5
		4            4 or 5 days	6	0.5
		5            6 or more days	14	0.8
		Missing	26	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1            0 days	1,521	97.3
		2            1 day	20	1.1
		3            2 or 3 days	12	0.5
		4            4 or 5 days	5	0.4
		5            6 or more days	15	0.6
		Missing	30	
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1            0 days	1,462	94.8
		2            1 day	45	2.3
		3            2 or 3 days	28	1.5
		4            4 or 5 days	10	0.6
		5            6 or more days	20	0.8
		Missing	38	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,477	93.9
		2	1 time	56	3.2
		3	2 or 3 times	26	1.5
		4	4 or 5 times	16	0.9
		5	6 or 7 times	4	0.1
		6	8 or 9 times	2	0.0
		7	10 or 11 times	0	0.0
		8	12 or more times	9	0.4
	Missing	13			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,262	80.5
		2	1 time	156	9.7
		3	2 or 3 times	96	5.6
		4	4 or 5 times	34	1.9
		5	6 or 7 times	7	0.5
		6	8 or 9 times	4	0.2
		7	10 or 11 times	2	0.1
		8	12 or more times	27	1.4
	Missing	15			
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	661	48.1
		2	0 times	698	45.4
		3	1 time	53	3.4
		4	2 or 3 times	23	1.4
		5	4 or 5 times	6	0.3
		6	6 or more times	22	1.3
	Missing	140			

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	663	47.9
		2	0 times	717	46.0
		3	1 time	41	2.4
		4	2 or 3 times	25	1.7
		5	4 or 5 times	9	0.9
		6	6 or more times	23	1.2
		Missing	125		
55-55	Q24	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	221	13.8
		2	No	1,351	86.2
		Missing	31		
56-56	Q25	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	190	12.4
		2	No	1,374	87.6
		Missing	39		
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	487	30.1
		2	No	1,080	69.9
		Missing	36		
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	230	14.6
		2	No	1,324	85.4
		Missing	49		
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	1,217	91.2
		2	1 time	71	4.9
		3	2 or 3 times	36	2.7
		4	4 or 5 times	9	0.5
		5	6 or more times	14	0.8
		Missing	256		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,194	91.5
		2 Yes	49	2.8
		3 No	74	5.7
		Missing	286	
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	442	25.8
		2 No	1,088	74.2
		Missing	73	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,355	92.7
		2 1 or 2 days	42	2.7
		3 3 to 5 days	17	0.8
		4 6 to 9 days	19	1.2
		5 10 to 19 days	9	0.5
		6 20 to 29 days	17	0.9
		7 All 30 days	25	1.2
		Missing	119	
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,368	92.9
		2 Less than 1 cigarette per day	38	2.2
		3 1 cigarette per day	30	2.1
		4 2 to 5 cigarettes per day	37	1.9
		5 6 to 10 cigarettes per day	10	0.6
		6 11 to 20 cigarettes per day	2	0.1
		7 More than 20 cigarettes per day	8	0.3
		Missing	110	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	1,481	96.8
		2	1 or 2 days	33	1.8
		3	3 to 5 days	6	0.2
		4	6 to 9 days	7	0.2
		5	10 to 19 days	6	0.5
		6	20 to 29 days	0	0.0
		7	All 30 days	9	0.4
	Missing	61			
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,420	94.1
		2	1 or 2 days	54	3.2
		3	3 to 5 days	27	1.3
		4	6 to 9 days	7	0.3
		5	10 to 19 days	6	0.5
		6	20 to 29 days	5	0.2
		7	All 30 days	10	0.4
	Missing	74			
71-71	Q40	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	1,282	85.0
		2	1 or 2 days	111	6.5
		3	3 to 5 days	62	3.8
		4	6 to 9 days	33	1.9
		5	10 to 19 days	21	1.2
		6	20 to 29 days	5	0.3
		7	All 30 days	28	1.3
	Missing	61			



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
73-73	Q42	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	761	54.3
		2	8 years old or younger	103	7.3
		3	9 or 10 years old	62	3.5
		4	11 or 12 years old	111	7.8
		5	13 or 14 years old	207	13.4
		6	15 or 16 years old	201	11.5
		7	17 years old or older	46	2.1
		Missing	112		
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,061	79.0
		2	1 or 2 days	183	12.3
		3	3 to 5 days	65	4.7
		4	6 to 9 days	26	2.0
		5	10 to 19 days	20	1.2
		6	20 to 29 days	7	0.3
		7	All 30 days	11	0.6
		Missing	230		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	1,327	90.6
		2	1 day	79	4.8
		3	2 days	35	2.2
		4	3 to 5 days	21	1.3
		5	6 to 9 days	8	0.6
		6	10 to 19 days	6	0.2
		7	20 or more days	6	0.3
		Missing	121		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
		1	I did not drink alcohol during the past 30 days	1,056	78.5
		2	1 or 2 drinks	143	10.6
		3	3 drinks	49	2.9
		4	4 drinks	26	1.7
		5	5 drinks	29	1.8
		6	6 or 7 drinks	29	1.8
		7	8 or 9 drinks	15	1.2
		8	10 or more drinks	23	1.5
		Missing	233		
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,047	78.6
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	44	3.2
		3	I bought it at a restaurant, bar, or club	22	1.4
		4	I bought it at a public event such as a concert or sporting event	13	0.9
		5	I gave someone else money to buy it for me	19	1.0
		6	Someone gave it to me	99	6.8
		7	I took it from a store or family member	47	3.2
		8	I got it some other way	67	5.1
		Missing	245		
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,035	71.9
		2	8 years old or younger	32	1.3
		3	9 or 10 years old	16	0.7
		4	11 or 12 years old	54	3.4
		5	13 or 14 years old	184	12.5
		6	15 or 16 years old	162	8.9
		7	17 years old or older	28	1.4
		Missing	92		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,258	85.3
		2	1 or 2 times	100	6.0
		3	3 to 9 times	67	4.2
		4	10 to 19 times	20	1.4
		5	20 to 39 times	21	1.3
		6	40 or more times	31	1.8
		Missing	106		
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,419	95.6
		2	1 or 2 times	35	2.2
		3	3 to 9 times	17	0.7
		4	10 to 19 times	9	0.3
		5	20 to 39 times	5	0.3
		6	40 or more times	16	0.9
		Missing	102		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,467	97.9
		2	1 or 2 times	22	0.9
		3	3 to 9 times	5	0.2
		4	10 to 19 times	8	0.3
		5	20 to 39 times	6	0.4
		6	40 or more times	7	0.3
		Missing	88		
86-86	Q55	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,393	94.9
		2	1 or 2 times	55	3.0
		3	3 to 9 times	17	0.8
		4	10 to 19 times	10	0.4
		5	20 to 39 times	4	0.3
		6	40 or more times	7	0.5
		Missing	117		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1            0 times	1,444	97.8
		2            1 time	16	0.9
		3            2 or more times	23	1.3
		Missing	120	
91-91	Q60	Have you ever had sexual intercourse?		
		1            Yes	381	26.3
		2            No	910	73.7
		Missing	312	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1            I have never had sexual intercourse	901	73.6
		2            11 years old or younger	28	2.4
		3            12 years old	16	0.8
		4            13 years old	40	3.5
		5            14 years old	86	6.3
		6            15 years old	98	6.9
		7            16 years old	90	5.4
		8            17 years old or older	23	1.0
		Missing	321	
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1            I have never had sexual intercourse	902	73.8
		2            1 person	158	11.6
		3            2 people	66	5.1
		4            3 people	52	3.0
		5            4 people	26	1.8
		6            5 people	13	1.0
		7            6 or more people	59	3.8
Missing	327			

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	902	74.0
		2 I have had sexual intercourse, but not during the past 3 months	94	7.3
		3 1 person	213	14.6
		4 2 people	27	1.8
		5 3 people	13	0.8
		6 4 people	3	0.2
		7 5 people	9	0.6
		8 6 or more people	14	0.8
	Missing	328		
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	893	74.1
		2 Yes	55	3.9
		3 No	317	22.0
	Missing	338		
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	891	75.2
		2 Yes	223	16.4
		3 No	127	8.4
	Missing	362		
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	886	74.9
		2 No method was used to prevent pregnancy	59	3.8
		3 Birth control pills	33	2.4
		4 Condoms	198	15.0
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	2	0.1
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	13	0.7
		7 Withdrawal or some other method	35	2.4
		8 Not sure	13	0.8
	Missing	364		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
98-98	Q67	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	723	58.9
		2 Females	301	21.1
		3 Males	210	15.1
		4 Females and males	74	4.9
		Missing	295	
99-99	Q68	Which of the following best describes you?		
		1 Heterosexual (straight)	1,361	87.4
		2 Gay or lesbian	29	1.7
		3 Bisexual	94	5.9
		4 Not sure	80	5.0
		Missing	39	
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	433	29.7
		2 1 to 3 times during the past 7 days	517	38.2
		3 4 to 6 times during the past 7 days	178	11.8
		4 1 time per day	101	7.3
		5 2 times per day	74	4.7
		6 3 times per day	44	2.9
		7 4 or more times per day	79	5.3
		Missing	177	
103-103	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	247	15.6
		2 1 to 3 times during the past 7 days	537	38.5
		3 4 to 6 times during the past 7 days	284	20.6
		4 1 time per day	124	9.1
		5 2 times per day	113	7.8
		6 3 times per day	51	3.2
		7 4 or more times per day	78	5.1
		Missing	169	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	391	28.6
		2 1 to 3 times during the past 7 days	630	45.6
		3 4 to 6 times during the past 7 days	157	11.4
		4 1 time per day	77	5.4
		5 2 times per day	64	4.6
		6 3 times per day	25	1.7
		7 4 or more times per day	44	2.8
	Missing	215		
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	399	28.5
		2 1 to 3 glasses during the past 7 days	450	31.9
		3 4 to 6 glasses during the past 7 days	205	14.8
		4 1 glass per day	167	12.8
		5 2 glasses per day	94	6.7
		6 3 glasses per day	28	2.5
		7 4 or more glasses per day	39	2.9
	Missing	221		
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	206	14.1
		2 1 day	117	8.8
		3 2 days	169	12.0
		4 3 days	111	7.4
		5 4 days	107	7.7
		6 5 days	97	7.4
		7 6 days	72	5.7
		8 7 days	488	36.9
	Missing	236		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	290	20.1
		2 1 day	133	9.1
		3 2 days	134	9.3
		4 3 days	171	12.4
		5 4 days	126	9.8
		6 5 days	178	13.6
		7 6 days	65	5.3
		8 7 days	276	20.4
	Missing	230		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	316	23.3
		2 Less than 1 hour per day	247	18.2
		3 1 hour per day	181	13.4
		4 2 hours per day	237	17.3
		5 3 hours per day	182	13.1
		6 4 hours per day	92	6.5
		7 5 or more hours per day	111	8.2
		Missing	237	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	289	20.7
		2 Less than 1 hour per day	149	10.8
		3 1 hour per day	126	9.3
		4 2 hours per day	184	12.9
		5 3 hours per day	182	13.6
		6 4 hours per day	131	10.4
		7 5 or more hours per day	285	22.2
		Missing	257	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	275	18.2
		2 1 day	94	7.6
		3 2 days	180	13.8
		4 3 days	235	19.7
		5 4 days	85	8.6
		6 5 days	474	32.1
		Missing	260	



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	240	16.7
		2 No	813	64.8
		3 Not sure	218	18.5
		Missing	332	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	866	71.1
		2 Between 12 and 24 months ago	181	13.1
		3 More than 24 months ago	70	4.8
		4 Never	38	2.7
		5 Not sure	116	8.3
Missing	332			
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	272	21.7
		2 No	903	72.1
		3 Not sure	85	6.2
Missing	343			
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	170	12.4
		2 5 hours	171	12.5
		3 6 hours	303	23.7
		4 7 hours	319	25.6
		5 8 hours	224	18.2
		6 9 hours	63	5.8
		7 10 or more hours	22	1.7
Missing	331			
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	12	0.8
		2 Brooklyn	91	4.6
		3 Manhattan	20	1.1
		4 Queens	1,453	92.8
		5 Staten Island	9	0.7
Missing	18			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,099	72.0
		2 Less than 1 year	29	1.1
		3 1 to 3 years	89	5.6
		4 4 to 6 years	96	5.0
		5 More than 6 years but not my whole life	271	16.4
		Missing	19	
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	376	21.5
		2 Rarely	131	7.9
		3 Sometimes	302	20.0
		4 Most of the time	367	25.2
		5 Always	405	25.4
		Missing	22	
124-124	Q93	A transgender person is someone whose biological sex at birth does not match the way they think or feel about themselves. Are you transgender?		
		1 No, I am not transgender	1,439	93.9
		2 Yes, I am transgender and I think of myself as really a boy or man	29	1.1
		3 Yes, I am transgender and I think of myself as really a girl or woman	11	0.3
		4 Yes, I am transgender and I think of myself in some other way	12	0.9
		5 I do not know if I am transgender	12	0.8
		6 I do not know what this question is asking	56	3.0
		Missing	44	
125-125	Q94	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,340	85.5
		2 1 time	92	5.1
		3 2 or 3 times	74	4.3
		4 4 or 5 times	29	1.7
		5 6 or more times	46	3.4
		Missing	22	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 Yes	240	14.7
		2 No	1,275	85.3
		Missing	88	
127-127	Q96	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	1,055	74.9
		2 Less than 1 month ago	57	3.1
		3 1 to 3 months ago	53	3.2
		4 4 to 6 months ago	36	2.2
		5 7 to 12 months ago	45	2.9
		6 13 or more months ago	221	13.7
	Missing	136		
128-128	Q97	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,366	91.9
		2 I bought them in a store such as a convenience store, supermarket, or gas station	45	2.4
		3 I bought them on the Internet	6	0.3
		4 I bummed them	18	1.0
		5 Someone gave them to me or bought them for me	52	3.0
		6 I stole them	7	0.4
		7 I got them some other way	20	1.1
	Missing	89		
129-129	Q98	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	144	9.5
		2 No	1,302	90.5
		Missing	157	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	Q99	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	232	13.6
		2 No	1,267	86.4
		Missing	104	
131-131	Q100	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	1,413	95.1
		2 1 or 2 times	51	3.2
		3 3 to 9 times	14	0.5
		4 10 to 19 times	12	0.4
		5 20 to 39 times	7	0.3
		6 40 or more times	9	0.6
		Missing	97	
132-132	Q101	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,389	94.0
		2 1 time	28	1.7
		3 2 or 3 times	29	1.5
		4 4 or 5 times	14	0.6
		5 6 or 7 times	7	0.2
		6 8 or 9 times	11	0.9
		7 10 or 11 times	5	0.3
		8 12 or more times	13	0.8
		Missing	107	
133-133	Q102	During the past 12 months, how many times have you taken benzodiazepines such as Xanax, Valium, Klonopin, or Ativan, without a doctor's prescription?		
		1 0 times	1,404	95.1
		2 1 time	30	1.5
		3 2 or 3 times	25	1.5
		4 4 or 5 times	6	0.4
		5 6 or 7 times	8	0.3
		6 8 or 9 times	7	0.5
		7 10 or 11 times	1	0.0
		8 12 or more times	12	0.8
Missing	110			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
134-134	Q103	During the past 12 months, how many times have you taken stimulants such as Adderall, Ritalin, Concerta, or Vyvanse, without a doctor's prescription?			
		1	0 times	1,433	97.7
		2	1 time	21	1.1
		3	2 or 3 times	7	0.2
		4	4 or 5 times	8	0.4
		5	6 or 7 times	2	0.1
		6	8 or 9 times	4	0.2
		7	10 or 11 times	1	0.0
		8	12 or more times	7	0.2
	Missing	120			
135-135	Q104	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	898	71.8
		2	I have had sexual intercourse, but not during the past 3 months	86	6.1
		3	Never	72	4.3
		4	Rarely	39	2.3
		5	Sometimes	45	2.8
		6	Most of the time	41	2.6
		7	Always	143	10.2
	Missing	279			
136-136	Q105	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	897	72.1
		2	No method was used to prevent pregnancy	75	4.5
		3	Birth control pills	33	2.0
		4	Condoms	257	17.5
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	5	0.3
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	10	0.5
		7	Withdrawal or some other method	32	2.3
		8	Not sure	12	0.7
	Missing	282			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	891	72.7
		2 Yes	41	2.5
		3 No	317	21.1
		4 Not sure	52	3.6
		Missing	302	
138-138	Q107	The last time you used birth control, including condoms, from where did you or your partner get it? <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</a>		
139-139	Q108	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	28	1.4
		2 No	1,271	97.0
		3 Not sure	26	1.6
			Missing	278
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	223	14.1
		2 1 to 3 times during the past 7 days	541	38.1
		3 4 to 6 times during the past 7 days	284	20.4
		4 1 time per day	153	12.0
		5 2 times per day	102	7.5
		6 3 times per day	49	3.5
		7 4 or more times per day	70	4.4
	Missing	181		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
141-141	Q110	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?			
		1	I did not eat french fries, fried potatoes, or potato chips during the past 7 days	278	19.3
		2	1 to 3 times during the past 7 days	732	52.7
		3	4 to 6 times during the past 7 days	223	15.8
		4	1 time per day	72	4.7
		5	2 times per day	36	2.9
		6	3 times per day	21	1.8
		7	4 or more times per day	49	2.9
		Missing	192		
142-142	Q111	During the past 7 days, how many times did you drink a bottle or glass of plain water?			
		1	I did not drink water during the past 7 days	88	4.6
		2	1 to 3 times during the past 7 days	151	10.2
		3	4 to 6 times during the past 7 days	215	15.5
		4	1 time per day	101	8.2
		5	2 times per day	164	12.0
		6	3 times per day	186	13.0
		7	4 or more times per day	494	36.5
		Missing	204		
143-143	Q112	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	400	29.1
		2	1 to 3 times during the past 7 days	572	43.0
		3	4 to 6 times during the past 7 days	186	13.1
		4	1 time per day	90	6.4
		5	2 times per day	50	3.3
		6	3 times per day	36	2.4
		7	4 or more times per day	46	2.7
		Missing	223		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
144-144	Q113	What kind of milk do you usually drink?		
		1 I do not drink milk	172	12.0
		2 Whole milk	455	32.2
		3 2% milk or reduced fat milk	325	24.5
		4 1% milk or low-fat milk	147	11.0
		5 Skim milk or non-fat milk	35	2.4
		6 Soy milk	30	2.3
		7 Other milk alternative (such as almond or rice milk)	50	3.3
		8 Not sure	162	12.3
	Missing	227		
145-145	Q114	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	220	17.8
		2 I ride a bike all the way to school	30	1.7
		3 I use public transportation, such as a subway or city bus	756	60.3
		4 I ride a school bus	28	1.8
		5 I drive or ride in a car or other private vehicle	242	18.5
	Missing	327		
146-146	Q115	On an average school day, how many minutes do you usually spend walking, riding a bike or skateboarding on your way to school?		
		1 I do not walk, bike or skateboard as part of my travel to school	301	23.1
		2 Less than 10 minutes	257	20.1
		3 10 to 20 minutes	413	34.2
		4 21 to 29 minutes	112	8.0
		5 30 or more minutes	183	14.6
	Missing	337		



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
147-147	Q116	Outside of school, on an average day do you walk up at least 3 floors of stairs?			
		1	I am not physically able to walk up the stairs	83	4.6
		2	Yes	1,003	79.4
		3	No	218	16.0
			Missing	299	
148-148	Q117	In what grade were you first taught about sexual health?			
		1	I have never been taught about sexual health in school	102	7.8
		2	6th grade or earlier	409	34.5
		3	7th grade	227	18.5
		4	8th grade	202	16.4
		5	9th grade	136	10.1
		6	10th grade	22	1.8
		7	11th or 12th grade	50	3.2
		8	Not sure	107	7.8
	Missing	348			
149-149	Q118	In what class were you first taught about sexual health?			
		1	I have never been taught about sexual health in school	100	7.7
		2	Health Education	640	50.7
		3	Science	163	14.0
		4	Living Environment	56	4.3
		5	Physical Education	91	7.2
		6	Advisory	14	1.1
		7	Some other class	42	3.6
		8	Not sure	138	11.4
	Missing	359			
150-150	Q119	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?			
		1	Yes	627	45.1
		2	No	567	49.6
		3	Not sure	75	5.4
			Missing	334	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	462	39.6
		2 Yes	166	11.4
		3 No	569	44.4
		4 Not sure	56	4.5
		Missing	350	
152-152	Q121	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,167	94.0
		2 With friends, family, or other people because my parents or I lost our home or cannot afford housing	48	2.8
		3 In a motel or hotel	25	1.1
		4 In a shelter or emergency housing	13	1.0
		5 In a car, park, campground, or other public place	10	0.6
		6 I moved from place to place	3	0.2
		7 Somewhere else	5	0.4
		Missing	332	
153-153	Q122	During the past 12 months, did you ever live away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	96	6.9
		2 No	1,127	93.1
		Missing	380	
154-154	Q123	During the past 12 months, how many times did you go tanning in a tanning salon, nail salon, or health club?		
		1 0 times	910	73.6
		2 1 or 2 times	152	11.2
		3 3 to 9 times	118	8.7
		4 10 to 19 times	43	3.5
		5 20 to 39 times	23	1.8
		6 40 or more times	10	1.1
		Missing	347	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
155-155	Q124	Have you ever used the school-based health center (school clinic) at your school? DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
156-156	Q125	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	469	36.1
		2 1 time per week	188	15.8
		3 2 times per week	128	10.5
		4 3 times per week	152	12.3
		5 4 times per week	91	7.9
		6 5 times per week	68	5.5
		7 6 times per week	36	2.4
		8 7 or more times per week	120	9.6
		Missing	351	
185-185	QN8	Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)		
		1 Yes	886	88.3
		2 No	120	11.7
		Missing	597	
188-188	QN11	Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	29	6.5
		2 No	414	93.5
		Missing	1,160	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
189-189	QN12	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	71	12.2
		2 No	395	87.8
		Missing	1,137	
190-190	QN13	Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	116	7.3
		2 No	1,427	92.7
		Missing	60	
191-191	QN14	Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)		
		1 Yes	44	2.5
		2 No	1,533	97.5
		Missing	26	
192-192	QN15	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	52	2.7
		2 No	1,521	97.3
		Missing	30	
193-193	QN16	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	103	5.2
		2 No	1,462	94.8
		Missing	38	
194-194	QN17	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)		
		1 Yes	113	6.1
		2 No	1,477	93.9
		Missing	13	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
195-195	QN18	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)			
		1	Yes	326	19.5
		2	No	1,262	80.5
			Missing	15	
199-199	QN22	Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	104	12.4
		2	No	698	87.6
			Missing	801	
200-200	QN23	Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	98	11.9
		2	No	717	88.1
			Missing	788	
201-201	QN24	Percentage of students who were bullied on school property (during the 12 months before the survey)			
		1	Yes	221	13.8
		2	No	1,351	86.2
			Missing	31	
202-202	QN25	Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)			
		1	Yes	190	12.4
		2	No	1,374	87.6
			Missing	39	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)			
		1	Yes	487	30.1
		2	No	1,080	69.9
			Missing	36	
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)			
		1	Yes	230	14.6
		2	No	1,324	85.4
			Missing	49	
206-206	QN29	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)			
		1	Yes	130	8.8
		2	No	1,217	91.2
			Missing	256	
207-207	QN30	Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)			
		1	Yes	49	2.8
		2	No	1,268	97.2
			Missing	286	
208-208	QN31	Percentage of students who ever tried cigarette smoking (even one or two puffs)			
		1	Yes	442	25.8
		2	No	1,088	74.2
			Missing	73	
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)			
		1	Yes	129	7.3
		2	No	1,355	92.7
			Missing	119	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)		
		1 Yes	10	5.0
		2 No	114	95.0
		Missing	1,479	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)		
		1 Yes	61	3.2
		2 No	1,481	96.8
		Missing	61	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)		
		1 Yes	109	5.9
		2 No	1,420	94.1
		Missing	74	
217-217	QN40	Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)		
		1 Yes	260	15.0
		2 No	1,282	85.0
		Missing	61	
219-219	QN42	Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)		
		1 Yes	276	18.7
		2 No	1,215	81.3
		Missing	112	
220-220	QN43	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)		
		1 Yes	312	21.0
		2 No	1,061	79.0
		Missing	230	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
221-221	QN44	Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)		
		1 Yes	155	9.4
		2 No	1,327	90.6
		Missing	121	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)		
		1 Yes	23	1.5
		2 No	1,347	98.5
		Missing	233	
223-223	QN46	Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)		
		1 Yes	96	32.0
		2 No	204	68.0
		Missing	1,303	
225-225	QN48	Percentage of students who tried marijuana before age 13 years (for the first time)		
		1 Yes	102	5.3
		2 No	1,409	94.7
		Missing	92	
226-226	QN49	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	239	14.7
		2 No	1,258	85.3
		Missing	106	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)		
		1 Yes	82	4.4
		2 No	1,419	95.6
		Missing	102	



2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)		
		1 Yes	48	2.1
		2 No	1,467	97.9
		Missing	88	
232-232	QN55	Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)		
		1 Yes	93	5.1
		2 No	1,393	94.9
		Missing	117	
235-235	QN58	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)		
		1 Yes	39	2.2
		2 No	1,444	97.8
		Missing	120	
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	381	26.3
		2 No	910	73.7
		Missing	312	
238-238	QN61	Percentage of students who had sexual intercourse before age 13 years (for the first time)		
		1 Yes	44	3.2
		2 No	1,238	96.8
		Missing	321	
239-239	QN62	Percentage of students who had sexual intercourse with four or more persons (during their life)		
		1 Yes	98	6.6
		2 No	1,178	93.4
		Missing	327	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
240-240	QN63	Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)		
		1 Yes	279	18.7
		2 No	996	81.3
		Missing	328	
241-241	QN64	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	44	16.0
		2 No	228	84.0
		Missing	1,331	
242-242	QN65	Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	157	64.5
		2 No	97	35.5
		Missing	1,349	
243-243	QN66	Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	31	12.3
		2 No	227	87.7
		Missing	1,345	
248-248	QN71	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	433	29.7
		2 No	993	70.3
		Missing	177	
249-249	QN72	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	247	15.6
		2 No	1,187	84.4
		Missing	169	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
254-254	QN77	Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	391	28.6
		2 No	997	71.4
		Missing	215	
255-255	QN78	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	399	28.5
		2 No	983	71.5
		Missing	221	
256-256	QN79	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	206	14.1
		2 No	1,161	85.9
		Missing	236	
257-257	QN80	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	519	39.3
		2 No	854	60.7
		Missing	230	
258-258	QN81	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	385	27.8
		2 No	981	72.2
		Missing	237	
259-259	QN82	Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)		
		1 Yes	598	46.2
		2 No	748	53.8
		Missing	257	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
260-260	QN83	Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,068	81.8
		2 No	275	18.2
		Missing	260	
262-262	QN85	Percentage of students who were ever tested for HIV (not including tests done when donating blood)		
		1 Yes	240	16.7
		2 No	1,031	83.3
		Missing	332	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)		
		1 Yes	866	71.1
		2 No	405	28.9
		Missing	332	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	272	21.7
		2 No	988	78.3
		Missing	343	
265-265	QN88	Percentage of students who had 8 or more hours of sleep (on an average school night)		
		1 Yes	309	25.7
		2 No	963	74.3
		Missing	331	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,565	98.9
		2 No	20	1.1
		Missing	18	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	29	1.1
		2 No	1,555	98.9
		Missing	19	
269-269	QN92	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	772	50.6
		2 No	809	49.4
		Missing	22	
270-270	QN93	Percentage of students who are transgender		
		1 Yes	52	2.2
		2 No	1,507	97.8
		Missing	44	
271-271	QN94	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	241	14.5
		2 No	1,340	85.5
		Missing	22	
272-272	QN95	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	240	14.7
		2 No	1,275	85.3
		Missing	88	
273-273	QN96	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	191	11.5
		2 No	1,276	88.5
		Missing	136	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	45	29.3
		2 No	103	70.7
		Missing	1,455	
275-275	QN98	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	144	9.5
		2 No	1,302	90.5
		Missing	157	
276-276	QN99	Percentage of students who have ever tried any flavored tobacco products (such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars)		
		1 Yes	232	13.6
		2 No	1,267	86.4
		Missing	104	
277-277	QN100	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	93	4.9
		2 No	1,413	95.1
		Missing	97	
278-278	QN101	Percentage of students who have taken a prescription pain medication without a doctor's prescription (such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, one or more times during the 12 months before the survey)		
		1 Yes	107	6.0
		2 No	1,389	94.0
		Missing	107	
279-279	QN102	Percentage of students who have taken benzodiazepines without a doctor's prescription (such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	89	4.9
		2 No	1,404	95.1
		Missing	110	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have taken stimulants without a doctor's prescription (such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	50	2.3
		2 No	1,433	97.7
		Missing	120	
281-281	QN104	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	143	46.0
		2 No	197	54.0
		Missing	1,263	
282-282	QN105	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	75	16.3
		2 No	349	83.7
		Missing	1,179	
283-283	QN106	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	41	9.2
		2 No	369	90.8
		Missing	1,193	
284-284	QN107	Percentage of students who reported that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school (among students who have used birth control)		
		DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatrequest@health.nyc.gov">epidatrequest@health.nyc.gov</a> with requests for data related to school-based health centers.		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
285-285	QN108	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	28	1.4
		2 No	1,297	98.6
		Missing	278	
286-286	QN109	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not including potatoes, during the 7 days before the survey)		
		1 Yes	374	27.4
		2 No	1,048	72.6
		Missing	181	
287-287	QN110	Percentage of students who ate french fries, fried potatoes, or potato chips (one or more times during the 7 days before the survey)		
		1 Yes	1,133	80.7
		2 No	278	19.3
		Missing	192	
288-288	QN111	Percentage of students who did not drink a bottle or glass of plain water (including tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	88	4.6
		2 No	1,311	95.4
		Missing	204	
289-289	QN112	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	980	70.9
		2 No	400	29.1
		Missing	223	



2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk		
		1 Yes	182	13.4
		2 No	1,194	86.6
		Missing	227	
291-291	QN114	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	250	19.5
		2 No	1,026	80.5
		Missing	327	
292-292	QN115	Percentage of students who usually spend 10 minutes or more walking, biking, or skateboarding to school (among students who walk, bike, or skateboard to school, on an average school day)		
		1 Yes	708	73.9
		2 No	257	26.1
		Missing	638	
293-293	QN116	Percentage of students who walk up at least three floors of stairs outside of school on an average day (among students who are physically able to walk up the stairs)		
		1 Yes	1,003	83.2
		2 No	218	16.8
		Missing	382	
294-294	QN117	Percentage of students who were ever taught about sexual health in school		
		1 Yes	1,153	92.2
		2 No	102	7.8
		Missing	348	
295-295	QN118	Percentage of students who were first taught about sexual health in a health education class (among students who had been taught about sexual health in school)		
		1 Yes	640	54.9
		2 No	504	45.1
		Missing	459	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
296-296	QN119	Percentage of students who reported that the last time they had seen a doctor or a nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	627	45.1
		2 No	642	54.9
		Missing	334	
297-297	QN120	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	166	18.9
		2 No	625	81.1
		Missing	812	
298-298	QN121	Percentage of students who usually slept with friends, family, or other people because their parents or they lost their home or cannot afford housing (during the 30 days before the survey)		
		1 Yes	48	2.8
		2 No	1,223	97.2
		Missing	332	
299-299	QN122	Percentage of students who ever lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	96	6.9
		2 No	1,127	93.1
		Missing	380	
300-300	QN123	Percentage of students who went tanning in a tanning salon, nail salon, or health club (not including getting a spray-on tan, one or more times during the 12 months before the survey)		
		1 Yes	346	26.4
		2 No	910	73.6
		Missing	347	
301-301	QN124	Percentage of students who have ever used the school-based health center (school clinic) at their school (among students who have a school-based health center at their school)		
		<a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
302-302	QN125	Percentage of students who go to bodegas, delis, or drugstores two or more times per week (not including supermarkets or department stores)		
		1 Yes	595	48.1
		2 No	657	51.9
		Missing	351	
350-350	QNFRDIG	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)		
		1 Yes	42	2.1
		2 No	1,442	97.9
		Missing	119	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	25	1.2
		2 No	1,459	98.8
		Missing	119	
353-353	QNTOB4	Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	368	21.8
		2 No	1,126	78.2
		Missing	109	
354-354	QNTOB3	Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	206	11.6
		2 No	1,281	88.4
		Missing	116	
355-355	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	186	10.5
		2 No	1,293	89.5
		Missing	124	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
356-356	QNNOTOB4	Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)			
		1	Yes	1,126	80.8
		2	No	304	19.2
			Missing	173	
357-357	QNNOTOB3	Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)			
		1	Yes	1,281	90.3
		2	No	162	9.7
			Missing	160	
358-358	QNNOTOB2	Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)			
		1	Yes	1,293	91.0
		2	No	153	9.0
			Missing	157	
359-359	QNIUDIMP	Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	2	0.5
		2	No	256	99.5
			Missing	1,345	
360-360	QNSHPARG	Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	10	2.5
		2	No	248	97.5
			Missing	1,345	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNOTHHPL	Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	43	15.3
		2 No	215	84.7
		Missing	1,345	
362-362	QNQUALBC	Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)		
		1 Yes	8	3.6
		2 No	242	96.4
		Missing	1,353	
363-363	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	41	14.3
		2 No	217	85.7
		Missing	1,345	
364-364	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)		
		1 Yes	121	7.0
		2 No	1,287	93.0
		Missing	195	
365-365	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)		
		1 Yes	736	52.7
		2 No	672	47.3
		Missing	195	
366-366	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)		
		1 Yes	378	26.1
		2 No	1,030	73.9
		Missing	195	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
367-367	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)			
		1	Yes	237	16.1
		2	No	1,171	83.9
			Missing	195	
372-372	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	210	14.5
		2	No	1,178	85.5
			Missing	215	
373-373	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	133	9.0
		2	No	1,255	91.0
			Missing	215	
374-374	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	69	4.4
		2	No	1,319	95.6
			Missing	215	
375-375	QNMILK1	Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	328	24.8
		2	No	1,054	75.2
			Missing	221	
376-376	QNMILK2	Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	161	12.0
		2	No	1,221	88.0
			Missing	221	

**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
377-377	QNMILK3	Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	67	5.4
		2	No	1,315	94.6
			Missing	221	
378-378	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)			
		1	Yes	488	36.9
		2	No	879	63.1
			Missing	236	
379-379	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	290	20.1
		2	No	1,083	79.9
			Missing	230	
380-380	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)			
		1	Yes	276	20.4
		2	No	1,097	79.6
			Missing	230	
381-381	QNDLYPE	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)			
		1	Yes	474	32.1
		2	No	869	67.9
			Missing	260	
385-385	QNWATER1	Percentage of students who drank one or more glasses per day of water (during the 7 days before the survey)			
		1	Yes	945	69.7
		2	No	454	30.3
			Missing	204	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
386-386	QNWATER2	Percentage of students who drank two or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	844	61.5
		2 No	555	38.5
		Missing	204	
387-387	QNWATER3	Percentage of students who drank three or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	680	49.5
		2 No	719	50.5
		Missing	204	
388-388	QNOBESE	Percentage of students who were obese ( $\geq$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	152	10.8
		2 No	1,231	89.2
		Missing	220	
389-389	QNOWT	Percentage of students who were overweight ( $\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	219	15.2
		2 No	1,164	84.8
		Missing	220	
390-399	WEIGHT			
400-402	STRATUM			
403-408	PSU			
409-413	BMIPCT			



**2015 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>		<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
414-415	RACEETH				
		1	Am Indian / Alaska Native	85	0.9
		2	Asian	344	28.2
		3	Black or African American	265	21.4
		4	Native Hawaiian/other PI	47	0.5
		5	White	125	12.2
		6	Hispanic/Latino	284	17.5
		7	Multiple - Hispanic	281	18.7
		8	Multiple - Non-Hispanic	50	0.6
			Missing	122	
416-418	Q6ORIG				
419-421	Q7ORIG				
450-450	S3	Sub-site - S3			
		0		1,603	100.0
451-451	S4	Sub-site - S4			
		0		1,603	100.0
452-452	S5	Sub-site - S5			
		0		1,603	100.0
453-453	S6	Sub-site - S6			
		1		1,603	100.0
454-454	S7	Sub-site - S7			
		0		1,603	100.0
455-455	S8	Sub-site - S8			
		0		1,603	100.0
456-456	S9	Sub-site - S9			
		0		1,603	100.0
457-457	S10	Sub-site - S10			
		0		1,603	100.0