New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------|----------------------------|-------------------------|------------------------|
| 17-17 | Q1 | How old a | re you? | | |
| | | 1 | 12 years old or younger | 7 | 0.3 |
| | | 2 | 13 years old | 67 | 4.4 |
| | | 3 | 14 years old | 327 | 21.7 |
| | | 4 | 15 years old | 335 | 24.4 |
| | | 5 | 16 years old | 406 | 24.9 |
| | | 6 | 17 years old | 302 | 20.5 |
| | | 7 | 18 years old or older | 61 | 3.8 |
| | | | Missing | 5 | |
| 8-18 | Q2 | What is yo | our sex? | | |
| | | 1 | Female | 649 | 47.8 |
| | | 2 | Male | 845 | 52.2 |
| | | | Missing | 16 | |
| 9-19 | Q3 | In what gr | ade are you? | · · | |
| | | 1 | 9th grade | 433 | 28.0 |
| | | 2 | 10th grade | 323 | 26.0 |
| | | 3 | 11th grade | 410 | 23.0 |
| | | 4 | 12th grade | 318 | 21.9 |
| | | 5 | Ungraded or other grade | 9 | 0.: |
| | | | Missing | 17 | |
| 20-20 | Q4 | Are you H | ispanic or Latino? | | |
| | | 1 | Yes | 682 | 36.0 |
| | | 2 | No | 780 | 64.0 |
| | | | Missing | 48 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------|-------------------------|------------------------|
| 21-28 | Q5 | What is your race? | | |
| | | Н | 4 | 0.3 |
| | | G | 1 | 0.1 |
| | | F | 4 | 0.2 |
| | | E | 217 | 23.2 |
| | | D | 77 | 5.1 |
| | | DE | 6 | 0.4 |
| | | C | 351 | 28.6 |
| | | CE | 10 | 1.1 |
| | | CD | 5 | 0.5 |
| | | В | 309 | 28.5 |
| | | ВЕ | 5 | 0.5 |
| | | B D | 8 | 0.6 |
| | | BC | 8 | 0.6 |
| | | BC E | 1 | 0.1 |
| | | BCD | 1 | 0.1 |
| | | A | 126 | 9.2 |
| | | A H | 1 | 0.1 |
| | | A E | 1 | 0.1 |
| | | AC | 4 | 0.1 |
| | | ACE | 2 | 0.2 |
| | | AB | 1 | 0.1 |
| | | ABC | 3 | 0.2 |
| | | ABCDE | 2 | 0.1 |
| | | | 363 | |
| 29-32 | Q6 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 33-38 | Q7 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | <u> </u> | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 43-43 | Q12 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club? | | |
| | | 1 0 days | 1,396 | 93.9 |
| | | 2 1 day | 24 | 1.3 |
| | | 3 2 or 3 days | 30 | 1.8 |
| | | 4 4 or 5 days | 12 | 0.5 |
| | | 5 6 or more days | 35 | 2.4 |
| | | Missing | 13 | |
| 45-45 | Q14 | During the past 12 months, on how many days did you carry a gun? | | |
| | | 1 0 days | 1,432 | 96.5 |
| | | 2 1 day | 21 | 1. |
| | | 3 2 or 3 days | 14 | 0.0 |
| | | 4 4 or 5 days | 10 | 0. |
| | | 5 6 or more days | 17 | 1.3 |
| | | Missing | 16 | |
| 46-46 | Q15 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | | |
| | | 1 0 days | 1,324 | 89.8 |
| | | 2 1 day | 72 | 4.3 |
| | | 3 2 or 3 days | 43 | 2. |
| | | 4 4 or 5 days | 13 | 0. |
| | | 5 6 or more days | 25 | 2. |
| | | Missing | 33 | |
| 47-47 | Q16 | During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 times | 1,388 | 92. |
| | | 2 1 time | 58 | 4. |
| | | 3 2 or 3 times | 25 | 1. |
| | | 4 4 or 5 times | 10 | 0. |
| | | 5 6 or 7 times | 9 | 0.′ |
| | | 6 8 or 9 times | 6 | 0.3 |
| | | 7 10 or 11 times | 0 | 0.0 |
| | | 8 12 or more times | 8 | 0.′ |
| | | Missing | 6 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--------------|-----------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 48-48 | Q17 | During the p | past 12 months, how many times were you in a physical | | |
| | | 1 | 0 times | 1,170 | 78.3 |
| | | 2 | 1 time | 145 | 10.8 |
| | | 3 | 2 or 3 times | 108 | 6.4 |
| | | 4 | 4 or 5 times | 33 | 1.7 |
| | | 5 | 6 or 7 times | 10 | 0.5 |
| | | 6 | 8 or 9 times | 7 | 0.4 |
| | | 7 | 10 or 11 times | 6 | 0.6 |
| | | 8 | 12 or more times | 21 | 1.2 |
| | | | Missing | 10 | |
| 51-51 | Q20 | | past 12 months, how many times did anyone force you to do s that you did not want to do? | | |
| | | 1 | 0 times | 1,302 | 90.5 |
| | | 2 | 1 time | 65 | 4.2 |
| | | 3 | 2 or 3 times | 44 | 3.4 |
| | | 4 | 4 or 5 times | 15 | 0.9 |
| | | 5 | 6 or more times | 12 | 1.0 |
| | | | Missing | 72 | |
| 52-52 | Q21 | | past 12 months, how many times did someone you were ing out with force you to do sexual things that you did not | | |
| | | 1 | I did not date or go out with anyone during the past 12 months | 734 | 55.2 |
| | | 2 | 0 times | 583 | 42.5 |
| | | 3 | 1 time | 10 | 0.8 |
| | | 4 | 2 or 3 times | 14 | 0.9 |
| | | 5 | 4 or 5 times | 3 | 0.2 |
| | | 6 | 6 or more times | 4 | 0.4 |
| | | | Missing | 162 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 53-53 | Q22 | During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? | | |
| | | I did not date or go out with anyone during the past 12 months | 729 | 53.5 |
| | | 2 0 times | 600 | 42.0 |
| | | 3 1 time | 29 | 1.7 |
| | | 4 2 or 3 times | 20 | 1.0 |
| | | 5 4 or 5 times | 9 | 0.0 |
| | | 6 6 or more times | 9 | 0.0 |
| | | Missing | 114 | |
| 54-54 | Q23 | During the past 12 months, have you ever been bullied on school property? | | |
| | | 1 Yes | 223 | 16.4 |
| | | 2 No | 1,254 | 83. |
| | | Missing | 33 | |
| 55-55 | Q24 | During the past 12 months, have you ever been electronically bullied? | | |
| | | 1 Yes | 178 | 12. |
| | | 2 No | 1,293 | 87.3 |
| | | Missing | 39 | |
| 56-56 | Q25 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? | | |
| | | 1 Yes | 516 | 35. |
| | | 2 No | 964 | 64.9 |
| | | Missing | 30 | |
| 57-57 | Q26 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 Yes | 218 | 14.′ |
| | | 2 No | 1,256 | 85 |
| | | Missing | 36 | |
| 59-59 | Q28 | During the past 12 months, how many times did you actually attempt suicide? | | |
| | | 1 0 times | 1,085 | 91.0 |
| | | 2 1 time | 47 | 4. |
| | | 3 2 or 3 times | 40 | 3 |
| | | 4 4 or 5 times | 8 | 0.3 |
| | | 5 6 or more times | 8 | 0.8 |
| | | Missing | 322 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 60-60 | Q29 | | empted suicide during the past 12 months, did any attempt n injury, poisoning, or overdose that had to be treated by a nurse? | | |
| | | 1 | I did not attempt suicide during the past 12 months | 1,100 | 92.3 |
| | | 2 | Yes | 32 | 2.6 |
| | | 3 | No | 64 | 5.0 |
| | | | Missing | 314 | |
| 61-61 | Q30 | Have you | ever tried cigarette smoking, even one or two puffs? | | |
| | | 1 | Yes | 189 | 13.5 |
| | | 2 | No | 1,174 | 86.5 |
| | | _, | Missing | 147 | |
| 62-62 | Q31 | How old v two puffs: | were you when you first tried cigarette smoking, even one or ? | | |
| | | 1 | I have never tried cigarette smoking, not even one or two puffs | 1,172 | 85.9 |
| | | 2 | 8 years old or younger | 39 | 2.6 |
| | | 3 | 9 or 10 years old | 22 | 1.3 |
| | | 4 | 11 or 12 years old | 35 | 2.1 |
| | | 5 | 13 or 14 years old | 59 | 4.0 |
| | | 6 | 15 or 16 years old | 40 | 2.7 |
| | | 7 | 17 years old or older | 7 | 0.4 |
| | | | Missing | 136 | |
| 63-63 | Q32 | During the | e past 30 days, on how many days did you smoke cigarettes? | | |
| | | 1 | 0 days | 1,378 | 96.8 |
| | | 2 | 1 or 2 days | 18 | 1.3 |
| | | 3 | 3 to 5 days | 6 | 0.3 |
| | | 4 | 6 to 9 days | 9 | 0.4 |
| | | 5 | 10 to 19 days | 7 | 0.3 |
| | | 6 | 20 to 29 days | 7 | 0.8 |
| | | 7 | All 30 days | 4 | 0.3 |
| | | | Missing | 81 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 64-64 | Q33 | During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? | | |
| | | 1 I did not smoke cigarettes during the past 30 days | 1,361 | 96.9 |
| | | 2 Less than 1 cigarette per day | 20 | 1.3 |
| | | 3 1 cigarette per day | 12 | 0.7 |
| | | 4 2 to 5 cigarettes per day | 11 | 0.7 |
| | | 5 6 to 10 cigarettes per day | 5 | 0.3 |
| | | 6 11 to 20 cigarettes per day | 1 | 0.0 |
| | | 7 More than 20 cigarettes per day | 1 | 0.1 |
| | | Missing | 99 | |
| 55-65 | Q34 | Have you ever used an electronic vapor product? | | , |
| | | 1 Yes | 559 | 39. |
| | | 2 No | 841 | 60. |
| | | Missing | 110 | |
| 66-66 | Q35 | During the past 30 days, on how many days did you use an electronic vapor product? | | |
| | | 1 0 days | 1,129 | 85. |
| | | 2 1 or 2 days | 95 | 6. |
| | | 3 3 to 5 days | 39 | 3. |
| | | 4 6 to 9 days | 21 | 1.3 |
| | | 5 10 to 19 days | 28 | 2.0 |
| | | 6 20 to 29 days | 10 | 0.9 |
| | | 7 All 30 days | 19 | 1.3 |
| | | Missing | 169 | |
| 57-67 | Q36 | During the past 30 days, how did you usually get your own electronic vapor products? | | |
| | | I did not use any electronic vapor products during the past 30 days | 1,102 | 84.9 |
| | | I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store | 46 | 3. |
| | | 3 I got them on the Internet | 14 | 1. |
| | | 4 I gave someone else money to buy them for me | 30 | 2. |
| | | 5 I borrowed them from someone else | 73 | 5.2 |
| | | A person who can legally buy these products gave them to me | 19 | 1.4 |
| | | 7 I took them from a store or another person | 5 | 0.4 |
| | | 8 I got them some other way | 21 | 1.8 |
| | | Missing | 200 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 69-69 | Q38 | During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars? | | |
| | | 1 0 days | 1,352 | 94.7 |
| | | 2 1 or 2 days | 42 | 2.7 |
| | | 3 3 to 5 days | 18 | 1.2 |
| | | 4 6 to 9 days | 14 | 1.1 |
| | | 5 10 to 19 days | 6 | 0.1 |
| | | 6 20 to 29 days | 3 | 0.1 |
| | | 7 All 30 days | 3 | 0.1 |
| | | Missing | 72 | |
| 71-71 | Q40 | How old were you when you had your first drink of alcohol other than a few sips? | | |
| | | I have never had a drink of alcohol other than a few sips | 795 | 57.2 |
| | | 2 8 years old or younger | 98 | 7.1 |
| | | 3 9 or 10 years old | 58 | 4.8 |
| | | 4 11 or 12 years old | 104 | 7.0 |
| | | 5 13 or 14 years old | 136 | 9.9 |
| | | 6 15 or 16 years old | 153 | 11.7 |
| | | 7 17 years old or older | 33 | 2.2 |
| | | Missing | 133 | |
| 72-72 | Q41 | During the past 30 days, on how many days did you have at least one drink of alcohol? | | |
| | | 1 0 days | 1,139 | 82.0 |
| | | 2 1 or 2 days | 138 | 11.2 |
| | | 3 3 to 5 days | 52 | 3.3 |
| | | 4 6 to 9 days | 27 | 1.8 |
| | | 5 10 to 19 days | 13 | 0.9 |
| | | 6 20 to 29 days | 5 | 0.3 |
| | | 7 All 30 days | 4 | 0.4 |
| | | Missing | 132 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 73-73 | Q42 | During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)? | | |
| | | 1 0 days | 1,263 | 92.6 |
| | | 2 1 day | 53 | 3.3 |
| | | 3 2 days | 29 | 1.9 |
| | | 4 3 to 5 days | 22 | 1.7 |
| | | 5 6 to 9 days | 5 | 0.3 |
| | | 6 10 to 19 days | 1 | 0.1 |
| | | 7 20 or more days | 1 | 0.0 |
| | | Missing | 136 | |
| 77-77 | Q46 | How old were you when you tried marijuana for the first time? | | |
| | | 1 I have never tried marijuana | 1,007 | 74.2 |
| | | 2 8 years old or younger | 26 | 1.7 |
| | | 3 9 or 10 years old | 29 | 2.3 |
| | | 4 11 or 12 years old | 34 | 2.0 |
| | | 5 13 or 14 years old | 138 | 8.8 |
| | | 6 15 or 16 years old | 134 | 9.9 |
| | | 7 17 years old or older | 17 | 1.3 |
| | | Missing | 125 | |
| 78-78 | Q47 | During the past 30 days, how many times did you use marijuana? | | |
| | | 1 0 times | 1,173 | 85.0 |
| | | 2 1 or 2 times | 104 | 7.5 |
| | | 3 3 to 9 times | 51 | 3.4 |
| | | 4 10 to 19 times | 33 | 1.9 |
| | | 5 20 to 39 times | 17 | 1.0 |
| | | 6 40 or more times | 18 | 1.2 |
| | | Missing | 114 | |
| 79-79 | Q48 | During your life, how many times have you used synthetic marijuana? | | |
| | | 1 0 times | 1,274 | 91.2 |
| | | 2 1 or 2 times | 61 | 3.9 |
| | | 3 3 to 9 times | 37 | 1.9 |
| | | 4 10 to 19 times | 24 | 1.9 |
| | | 5 20 to 39 times | 11 | 0.8 |
| | | 6 40 or more times | 7 | 0.3 |
| | | Missing | 96 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 81-81 | Q50 | During your life, how many times have you used any form of cocaine, including powder, crack, or freebase? | | |
| | | 1 0 times | 1,340 | 95.6 |
| | | 2 1 or 2 times | 30 | 2. |
| | | 3 3 to 9 times | 23 | 1.0 |
| | | 4 10 to 19 times | 8 | 0.4 |
| | | 5 20 to 39 times | 3 | 0.4 |
| | | 6 40 or more times | 6 | 0.4 |
| | | Missing | 100 | |
| 83-83 | Q52 | During your life, how many times have you used heroin (also called smack, junk, or China White)? | | |
| | | 1 0 times | 1,324 | 95.2 |
| | | 2 1 or 2 times | 38 | 2.5 |
| | | 3 3 to 9 times | 20 | 1.3 |
| | | 4 10 to 19 times | 9 | 0.4 |
| | | 5 20 to 39 times | 3 | 0.2 |
| | | 6 40 or more times | 8 | 0.5 |
| | | Missing | 108 | |
| 84-84 | Q53 | During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)? | | |
| | | 1 0 times | 1,337 | 95.0 |
| | | 2 1 or 2 times | 22 | 1.9 |
| | | 3 3 to 9 times | 18 | 0.9 |
| | | 4 10 to 19 times | 10 | 0.8 |
| | | 5 20 to 39 times | 4 | 0.3 |
| | | 6 40 or more times | 6 | 0.5 |
| | | Missing | 113 | |
| 87-87 | Q56 | During your life, how many times have you used a needle to inject any illegal drug into your body? | | |
| | | 1 0 times | 1,328 | 96.5 |
| | | 2 1 time | 23 | 1.2 |
| | | 3 2 or more times | 29 | 2.3 |
| | | Missing | 130 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------|-----------------------------------------------------------------|-------------------------|------------------------|
| 89-89 | Q58 | Have you | ever had sexual intercourse? | | |
| | | 1 | Yes | 305 | 25.6 |
| | | 2 | No | 805 | 74.4 |
| | | | Missing | 400 | |
| 90-90 | Q59 | How old v | vere you when you had sexual intercourse for the first time? | | |
| | | 1 | I have never had sexual intercourse | 796 | 74.2 |
| | | 2 | 11 years old or younger | 23 | 1.9 |
| | | 3 | 12 years old | 17 | 2.1 |
| | | 4 | 13 years old | 51 | 4.1 |
| | | 5 | 14 years old | 64 | 5.1 |
| | | 6 | 15 years old | 74 | 6.4 |
| | | 7 | 16 years old | 55 | 4.5 |
| | | 8 | 17 years old or older | 22 | 1.7 |
| | | | Missing | 408 | |
| 91-91 | Q60 | During you | ur life, with how many people have you had sexual | | |
| | | 1 | I have never had sexual intercourse | 799 | 74.8 |
| | | 2 | 1 person | 140 | 11.8 |
| | | 3 | 2 people | 53 | 4.5 |
| | | 4 | 3 people | 30 | 2.7 |
| | | 5 | 4 people | 19 | 1.4 |
| | | 6 | 5 people | 17 | 1.4 |
| | | 7 | 6 or more people | 39 | 3.5 |
| | | | Missing | 413 | |
| 92-92 | Q61 | During the | past 3 months, with how many people did you have sexual | | |
| | | 1 | I have never had sexual intercourse | 794 | 74.8 |
| | | 2 | I have had sexual intercourse, but not during the past 3 months | 99 | 8.2 |
| | | 3 | 1 person | 151 | 13.0 |
| | | 4 | 2 people | 14 | 1.6 |
| | | 5 | 3 people | 14 | 0.9 |
| | | 6 | 4 people | 7 | 0.0 |
| | | 7 | 5 people | 5 | 0.4 |
| | | 8 | 6 or more people | 8 | 0.4 |
| | | | Missing | 418 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 93-93 | Q62 | Did you drink alcohol or use drugs before you had sexual intercourse the last time? | | |
| | | 1 I have never had sexual intercourse | 796 | 74.7 |
| | | 2 Yes | 43 | 4.2 |
| | | 3 No | 253 | 21.1 |
| | | Missing | 418 | |
| 94-94 | Q63 | The last time you had sexual intercourse, did you or your partner use a condom? | | |
| | | 1 I have never had sexual intercourse | 793 | 75.8 |
| | | 2 Yes | 176 | 14.5 |
| | | 3 No | 106 | 9.8 |
| | | Missing | 435 | |
| 95-95 | Q64 | The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? | | |
| | | 1 I have never had sexual intercourse | 780 | 76. |
| | | No method was used to prevent pregnancy | 57 | 5. |
| | | 3 Birth control pills | 33 | 2. |
| | | 4 Condoms | 137 | 12.3 |
| | | 5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) | 8 | 0.0 |
| | | A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) | 8 | 0.3 |
| | | Withdrawal or some other method | 24 | 1.8 |
| | | 8 Not sure | 9 | 0.′ |
| | | Missing | 454 | |
| 96-96 | Q65 | During your life, with whom have you had sexual contact? | | |
| | | 1 I have never had sexual contact | 665 | 59.2 |
| | | 2 Females | 274 | 21.4 |
| | | 3 Males | 179 | 15.5 |
| | | 4 Females and males | 49 | 3.9 |
| | | Missing | 343 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------|----------------------------------------------------------------------------------------|-------------------------|------------------------|
| 97-97 | Q66 | Which of the follow | ving best describes you? | | |
| | | 1 | Heterosexual (straight) | 1,226 | 84.4 |
| | | 2 | Gay or lesbian | 31 | 2.2 |
| | | 3 | Bisexual | 117 | 7.3 |
| | | 4 | Not sure | 84 | 5.7 |
| | | | Missing | 52 | |
| 100-100 | Q69 | | ays, how many times did you drink 100% fruit ge juice, apple juice, or grape juice? | | |
| | | | I did not drink 100% fruit juice during the past 7 days | 401 | 32.8 |
| | | 2 | 1 to 3 times during the past 7 days | 501 | 38.9 |
| | | 3 | 4 to 6 times during the past 7 days | 144 | 11.0 |
| | | 4 | 1 time per day | 86 | 7.4 |
| | | 5 | 2 times per day | 50 | 3.5 |
| | | 6 | 3 times per day | 35 | 2.5 |
| | | 7 | 4 or more times per day | 54 | 4.0 |
| | | | Missing | 239 | |
| 101-101 | Q70 | During the past 7 d | ays, how many times did you eat fruit? | | |
| | | 1 | I did not eat fruit during the past 7 days | 253 | 20.9 |
| | | 2 | 1 to 3 times during the past 7 days | 450 | 35.1 |
| | | 3 | 4 to 6 times during the past 7 days | 241 | 19.9 |
| | | 4 | 1 time per day | 92 | 7.3 |
| | | 5 | 2 times per day | 95 | 7.2 |
| | | 6 | 3 times per day | 47 | 3.8 |
| | | 7 | 4 or more times per day | 66 | 5.4 |
| | | | Missing | 266 | |
| 106-106 | Q75 | | ays, how many times did you drink a can, bottle, or o, such as Coke, Pepsi, or Sprite? | | |
| | | 1 | I did not drink soda or pop during the past 7 days | 403 | 34.9 |
| | | 2 | 1 to 3 times during the past 7 days | 547 | 42.3 |
| | | 3 | 4 to 6 times during the past 7 days | 153 | 11.4 |
| | | 4 | 1 time per day | 56 | 4.2 |
| | | 5 | 2 times per day | 37 | 3.0 |
| | | 6 | 3 times per day | 23 | 1.9 |
| | | 7 | 4 or more times per day | 22 | 2.3 |
| | | | Missing | 269 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-------------|----------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 109-109 | Q78 | | past 7 days, on how many days were you physically active f at least 60 minutes per day? | | |
| | | 1 | 0 days | 294 | 23.2 |
| | | 2 | 1 day | 158 | 13.7 |
| | | 3 | 2 days | 143 | 12.1 |
| | | 4 | 3 days | 139 | 11.5 |
| | | 5 | 4 days | 100 | 8.3 |
| | | 6 | 5 days | 172 | 13.7 |
| | | 7 | 6 days | 47 | 3.6 |
| | | 8 | 7 days | 170 | 13.8 |
| | | _ | Missing | 287 | |
| 110-110 | Q79 | On an avera | ge school day, how many hours do you watch TV? | | |
| | | 1 | I do not watch TV on an average school day | 438 | 36.9 |
| | | 2 | Less than 1 hour per day | 223 | 18.1 |
| | | 3 | 1 hour per day | 138 | 11.5 |
| | | 4 | 2 hours per day | 173 | 12.7 |
| | | 5 | 3 hours per day | 122 | 9.4 |
| | | 6 | 4 hours per day | 49 | 4.5 |
| | | 7 | 5 or more hours per day | 80 | 6.9 |
| | | | Missing | 287 | |
| 111-111 | Q80 | | ge school day, how many hours do you play video or use a computer for something that is not school | | |
| | | 1 | I do not play video or computer games or use a computer for something that is not school work | 302 | 25.5 |
| | | 2 | Less than 1 hour per day | 146 | 12.6 |
| | | 3 | 1 hour per day | 126 | 10.6 |
| | | 4 | 2 hours per day | 141 | 12.0 |
| | | 5 | 3 hours per day | 150 | 12.4 |
| | | 6 | 4 hours per day | 137 | 10.4 |
| | | 7 | 5 or more hours per day | 213 | 16.5 |
| | | | Missing | 295 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 112-112 | Q81 | In an average week when you are in school, on how many days do you go to physical education (PE) classes? | | |
| | | 1 0 days | 198 | 15.7 |
| | | 2 1 day | 56 | 3.9 |
| | | 3 2 days | 57 | 4.0 |
| | | 4 3 days | 167 | 15.5 |
| | | 5 4 days | 31 | 2.0 |
| | | 6 5 days | 712 | 58.3 |
| | | Missing | 289 | |
| 115-115 | Q84 | Have you ever been tested for HIV, the virus that causes AIDS? | | |
| | | 1 Yes | 239 | 19.8 |
| | | 2 No | 767 | 66.3 |
| | | 3 Not sure | 162 | 13.9 |
| | | Missing | 342 | |
| 116-116 | Q85 | During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea? | | |
| | | 1 Yes | 204 | 17.4 |
| | | 2 No | 833 | 72.1 |
| | | 3 Not sure | 123 | 10.6 |
| | | Missing | 350 | |
| 117-117 | Q86 | When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work? | | |
| | | 1 During the past 12 months | 829 | 70.9 |
| | | 2 Between 12 and 24 months ago | 148 | 12.4 |
| | | 3 More than 24 months ago | 78 | 6.4 |
| | | 4 Never | 37 | 3.1 |
| | | 5 Not sure | 80 | 7.2 |
| | | Missing | 338 | |
| 18-118 | Q87 | Has a doctor or nurse ever told you that you have asthma? | | |
| | - | 1 Yes | 282 | 23.7 |
| | | 2 No | 795 | 70.0 |
| | | 3 Not sure | 71 | 6.4 |
| | | Missing | 362 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 119-119 | Q88 | On an average school night, how many hours of sleep do you get? | | |
| | | 1 4 or less hours | 201 | 17.1 |
| | | 2 5 hours | 167 | 15.2 |
| | | 3 6 hours | 253 | 20.7 |
| | | 4 7 hours | 282 | 24.3 |
| | | 5 8 hours | 185 | 15.4 |
| | | 6 9 hours | 65 | 5.8 |
| | | 7 10 or more hours | 15 | 1.4 |
| | | Missing | 342 | |
| 121-121 | Q90 | What borough of New York do you live in? | | |
| | | 1 Bronx | 37 | 2.1 |
| | | 2 Brooklyn | 64 | 3.7 |
| | | 3 Manhattan | 17 | 1.0 |
| | | 4 Queens | 1,372 | 92.7 |
| | | 5 Staten Island | 9 | 0.4 |
| | | Missing | 11 | |
| 122-122 | Q91 | How often do the people in your home speak a language other than English? | | |
| | | 1 Never | 253 | 18.0 |
| | | 2 Rarely | 128 | 8.4 |
| | | 3 Sometimes | 259 | 17.9 |
| | | 4 Most of the time | 382 | 25.0 |
| | | 5 Always | 470 | 30.7 |
| | | Missing | 18 | |
| 23-123 | Q92 | Some people describe themselves as transgender when their sex at does not match the way they think or feel about their gender. Are y transgender? | | |
| | | No, I am not transgender | 1,378 | 93.2 |
| | | 2 Yes, I am transgender | 18 | 1.2 |
| | | 3 I am not sure if I am transgender | 14 | 1.0 |
| | | 4 I do not know what this question is asking | 63 | 4.6 |
| | | Missing | 37 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 124-124 | Q93 | What was your sex assigned at birth? | | |
| | | 1 Female | 677 | 49.2 |
| | | 2 Male | 807 | 50.8 |
| | | Missing | 26 | |
| 125-125 | Q94 | A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you? | | |
| | | 1 Very feminine | 220 | 16.9 |
| | | 2 Mostly feminine | 238 | 18.7 |
| | | 3 Somewhat feminine | 119 | 8.9 |
| | | 4 Equally feminine and masculine | 216 | 13.9 |
| | | 5 Somewhat masculine | 115 | 7.6 |
| | | 6 Mostly masculine | 220 | 13.2 |
| | | 7 Very masculine | 300 | 20.7 |
| | | Missing | 82 | |
| 126-126 | Q95 | During the past 12 months, how many times did you witness someone being physically hurt on purpose? | | |
| | | 1 0 times | 802 | 54.9 |
| | | 2 1 time | 249 | 18.4 |
| | | 3 2 or more times | 387 | 26.7 |
| | | Missing | 72 | |
| 127-127 | Q96 | During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose? | | |
| | | 1 0 times | 1,224 | 83.4 |
| | | 2 1 time | 125 | 7.6 |
| | | 3 2 or 3 times | 78 | 4.9 |
| | | 4 4 or 5 times | 23 | 1.3 |
| | | 5 6 or more times | 38 | 2.7 |
| | | Missing | 22 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------|-----------------------------------------------------------------------------------|-------------------------|------------------------|
| 128-128 | Q97 | During the | past 30 days, how did you usually get your own cigarettes? | | |
| | | 1 | I did not smoke cigarettes during the past 30 days | 1,356 | 96.0 |
| | | 2 | I bought them in a store such as a convenience store, supermarket, or gas station | 23 | 1.2 |
| | | 3 | I bought them on the Internet | 10 | 0.8 |
| | | 4 | I bummed them | 5 | 0.3 |
| | | 5 | Someone gave them to me or bought them for me | 14 | 1.1 |
| | | 6 | I stole them | 2 | 0.1 |
| | | 7 | I got them some other way | 7 | 0.5 |
| | | | Missing | 93 | |
| 129-129 | Q98 | | garettes are cigarettes that taste like mint. Are the cigarettes smoke menthol? | | |
| | | 1 | I do not smoke cigarettes | 1,299 | 90.2 |
| | | 2 | Yes | 65 | 4.8 |
| | | 3 | No | 68 | 5.0 |
| | | | Missing | 78 | |
| 130-130 | Q99 | How old we first time? | ere you when you tried an electronic vapor product for the | | |
| | | 1 | I have never tried an electronic vapor product | 897 | 63.4 |
| | | 2 | 8 years old or younger | 31 | 2.0 |
| | | 3 | 9 or 10 years old | 18 | 1.4 |
| | | 4 | 11 or 12 years old | 67 | 4.2 |
| | | 5 | 13 or 14 years old | 194 | 14.4 |
| | | 6 | 15 or 16 years old | 198 | 13.2 |
| | | 7 | 17 years old or older | 27 | 1.5 |
| | | | Missing | 78 | |
| 131-131 | Q100 | Which flav | or of electronic vapor products do you typically use? | | |
| | - | 1 | I do not use electronic vapor products | 1,055 | 75.3 |
| | | 2 | Tobacco or no flavor | 28 | 2.3 |
| | | 3 | Mint or menthol | 92 | 5.5 |
| | | 4 | Chocolate, candy, fruit, or cinnamon | 216 | 15.2 |
| | | 5 | Alcohol or other flavor | 18 | 1.7 |
| | | | Missing | 101 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 132-132 | Q101 | | l is using an electronic vapor product compared to alar cigarettes? | | |
| | | 1 | I do not know enough about electronic vapor products to answer | 754 | 52.3 |
| | | 2 | Using electronic vapor products is less harmful than smoking regular cigarettes | 176 | 11.9 |
| | | 3 | Using electronic vapor products is more harmful than smoking regular cigarettes | 176 | 11.8 |
| | | 4 | Using electronic vapor products and smoking regular cigarettes are equally harmful | 326 | 23.9 |
| | | _ | Missing | 78 | |
| 133-133 | Q102 | prescription | ast 12 months, how many times have you taken a pain medicine without a doctor's prescription or an how a doctor told you to use it? | | |
| | | 1 | 0 times | 1,234 | 88.9 |
| | | 2 | 1 or 2 times | 87 | 6.3 |
| | | 3 | 3 to 9 times | 36 | 2.4 |
| | | 4 | 10 to 19 times | 18 | 1.1 |
| | | 5 | 20 to 39 times | 8 | 0.4 |
| | | 6 | 40 or more times | 12 | 0.8 |
| | | | Missing | 115 | |
| 134-134 | Q103 | | During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")? | | |
| | | 1 | 0 times | 1,317 | 95.3 |
| | | 2 | 1 or 2 times | 37 | 2.7 |
| | | 3 | 3 to 9 times | 20 | 1.1 |
| | | 4 | 10 to 19 times | 4 | 0.4 |
| | | 5 | 20 to 39 times | 4 | 0.2 |
| | | 6 | 40 or more times | 5 | 0.4 |
| | | | Missing | 123 | |
| 135-135 | Q104 | prescription 1 | ast 12 months, how many times have you taken a benzodiazepine without a doctor's prescription or an how a doctor told you to use it? | | |
| | | 1 | 0 times | 1,313 | 95.7 |
| | | 2 | 1 or 2 times | 24 | 1.5 |
| | | 3 | 3 to 9 times | 18 | 0.9 |
| | | 4 | 10 to 19 times | 8 | 0.6 |
| | | 5 | 20 to 39 times | 10 | 0.9 |
| | | 6 | 40 or more times | 5 | 0.4 |
| | | ~ | Missing | 132 | 0. |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 136-136 | Q105 | During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it? | | |
| | | 1 0 times | 1,302 | 94.7 |
| | | 2 1 or 2 times | 45 | 3.2 |
| | | 3 3 to 9 times | 14 | 0.9 |
| | | 4 10 to 19 times | 10 | 0.5 |
| | | 5 20 to 39 times | 4 | 0.2 |
| | | 6 40 or more times | 5 | 0.5 |
| | | Missing | 130 | , |
| 137-137 | Q106 | The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? | | |
| | | 1 I have never had sexual intercourse | 802 | 71.1 |
| | | 2 No method was used to prevent pregnancy | 72 | 5.9 |
| | | 3 Birth control pills | 27 | 1.9 |
| | | 4 Condoms | 221 | 17.6 |
| | | 5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) | 4 | 0.2 |
| | | A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) | 8 | 0.9 |
| | | 7 Withdrawal or some other method | 20 | 1.6 |
| | | 8 Not sure | 10 | 0.0 |
| | | Missing | 346 | |
| 138-138 | Q107 | What is the primary reason you or your partner did not use a condom the last time you had sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 783 | 71.5 |
| | | 2 My partner or I used a condom the last time I had sexual intercourse | 183 | 15.0 |
| | | We did not need a condom because we used another method to prevent pregnancy (such as birth control pills, a shot, patch, or birth control ring, or an IUD or implant) | 44 | 3.9 |
| | | 4 My partner did not want to use a condom | 32 | 2.1 |
| | | 5 I do not like the way a condom feels | 27 | 2.4 |
| | | 6 I did not expect to have sex at that time | 31 | 2.8 |
| | | 7 Some other reason | 29 | 2.2 |
| | | Missing | 381 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------|------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 139-139 | Q108 | The last tip | me you used birth control, from where did you or your it? | | |
| | | | OT DISPLAYED. Please send an email to epidatarequest@heal or data related to school-based health centers. | th.nyc.gov with | |
| 140-140 | Q109 | | your partner use Emergency Contraception (the After Pill") after the last time you had sexual intercourse? | . ——— | |
| | | 1 | I have never had sexual intercourse | 771 | 71.6 |
| | | 2 | Yes | 59 | 5.0 |
| | | 3 | No | 238 | 20.4 |
| | | 4 | Not sure | 36 | 2.9 |
| | | _ | Missing | 406 | , |
| 41-141 | Q110 | During the pregnant? | e past 12 months, have you been pregnant or gotten someone | | |
| | | 1 | Yes | 27 | 2. |
| | | 2 | No | 1,065 | 94. |
| | | 3 | Not sure | 46 | 3. |
| | | _ | Missing | 372 | , |
| 142-142 | Q111 | Did you re class? | ceive sex education in your middle school health education | | |
| | | 1 | I did not have a health education class in middle school | 309 | 25.4 |
| | | 2 | Yes | 707 | 54.: |
| | | 3 | No | 178 | 13.8 |
| | | 4 | Not sure | 91 | 6.3 |
| | | | Missing | 225 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 143-143 | Q112 | Did you receive sex education in your high school health education class? | | |
| | | I did not have a health education class in high school | 266 | 20.6 |
| | | 2 Yes | 673 | 52.0 |
| | | 3 No | 242 | 19.8 |
| | | 4 Not sure | 100 | 7.6 |
| | | Missing | 229 | |
| 44-144 | Q113 | During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables? | | |
| | | 1 I did not eat vegetables during the past 7 days | 270 | 21.6 |
| | | 2 1 to 3 times during the past 7 days | 422 | 32.2 |
| | | 3 4 to 6 times during the past 7 days | 252 | 19.1 |
| | | 4 1 time per day | 128 | 11.4 |
| | | 5 2 times per day | 82 | 6.7 |
| | | 6 3 times per day | 38 | 3.7 |
| | | 7 4 or more times per day | 59 | 5.3 |
| | | Missing | 259 | |
| 145-145 | Q114 | During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas? | | |
| | | I did not drink other sugar-sweetened drinks during the past 7 days | 421 | 35.0 |
| | | 2 1 to 3 times during the past 7 days | 493 | 40.2 |
| | | 3 4 to 6 times during the past 7 days | 138 | 10.3 |
| | | 4 1 time per day | 58 | 4.3 |
| | | 5 2 times per day | 53 | 4.3 |
| | | 6 3 times per day | 36 | 3.1 |
| | | 7 4 or more times per day | 30 | 2.8 |
| | | Missing | 281 | |
| 146-146 | Q115 | During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City? | | |
| | | 1 Several times a month | 231 | 18.4 |
| | | 2 At least once a month | 116 | 10.2 |
| | | 3 A few times a year | 251 | 19.4 |
| | | 4 Never | 593 | 52.0 |
| | | Missing | 319 | |

New York City High School Survey Queens

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 147-147 | Q116 | Have you | ever been taught about AIDS or HIV infection in school? | | |
| | | 1 | Yes | 872 | 74.9 |
| | | 2 | No | 217 | 18.0 |
| | | 3 | Not sure | 87 | 7.1 |
| | | | Missing | 334 | |
| 148-148 | Q117 | | ist, doctor, or nurse ever told you that you have a dental ecayed teeth? | | |
| | | 1 | Yes | 499 | 43.2 |
| | | 2 | No | 562 | 48.5 |
| | | 3 | Not sure | 98 | 8.3 |
| | | | Missing | 351 | |
| 149-149 | Q118 | During the asthma att | past 12 months, have you had an episode of asthma or an ack? | | |
| | | 1 | I have never had asthma | 485 | 43.3 |
| | | 2 | Yes | 169 | 13.3 |
| | | 3 | No | 431 | 38. |
| | | 4 | Not sure | 55 | 4.9 |
| | | | Missing | 370 | |
| 150-150 | Q119 | During the | past 30 days, where did you usually sleep? | | |
| | | 1 | In my parent's or guardian's home | 1,022 | 87.2 |
| | | 2 | In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing | 76 | 6. |
| | | 3 | In a foster or group home | 33 | 2.6 |
| | | 4 | In a shelter or emergency housing | 11 | 1.3 |
| | | 5 | In a motel or hotel | 12 | 1.2 |
| | | 6 | In a car, park, campground, or other public place | 2 | 0. |
| | | 7 | I did not have a usual place to sleep | 4 | 0.4 |
| | | 8 | Somewhere else | 8 | 0.0 |
| | | | Missing | 342 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 151-151 | Q120 | During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned? | | |
| | | 1 Yes | 117 | 11.6 |
| | | 2 No | 980 | 88.4 |
| | | Missing | 413 | |
| 152-152 | Q121 | During the past 12 months, how often did you worry that food at home would run out before your family got money to buy more? | | |
| | | 1 Often | 136 | 11.6 |
| | | 2 Sometimes | 184 | 16.1 |
| | | 3 Never | 815 | 72.3 |
| | | Missing | 375 | |
| 153-153 | Q122 | During the past 12 months, how often did the food that your family bought run out and there was no money to buy more? | | |
| | | 1 Often | 85 | 7.9 |
| | | 2 Sometimes | 185 | 15.9 |
| | | 3 Never | 861 | 76.2 |
| | | Missing | 379 | |
| 154-154 | Q123 | Has either of your parents spent time in jail or prison? | | |
| | | 1 Yes | 206 | 19.8 |
| | | 2 No | 793 | 71.7 |
| | | 3 Not sure | 98 | 8.5 |
| | | Missing | 413 | |
| 155-155 | Q124 | Have you ever been arrested? | | |
| | | 1 Yes | 141 | 13.3 |
| | | 2 No | 958 | 86.7 |
| | | Missing | 411 | |
| 156-156 | Q125 | Do you agree or disagree that you feel close to people at your school? | | |
| | | 1 Strongly agree | 256 | 22.1 |
| | | 2 Agree | 473 | 42.6 |
| | | 3 Not sure | 259 | 22.0 |
| | | 4 Disagree | 96 | 9.1 |
| | | 5 Strongly disagree | 54 | 4.2 |
| | | Missing | 372 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 157-157 | Q126 | Is there at least one teacher or other adult in your school that you can talk to if you have a problem? | | |
| | | 1 Yes | 677 | 62.6 |
| | | 2 No | 279 | 22.9 |
| | | 3 Not sure | 166 | 14.5 |
| | | Missing | 388 | |
| 158-158 | Q127 | During the past two years, have you had your eyes examined by an eye doctor? | | |
| | | No, I have not had my eyes examined by an eye doctor during the past two years | 260 | 22.9 |
| | | Yes, I have had my eyes examined by an eye doctor during the past two years | 792 | 71.4 |
| | | 3 Not sure | 68 | 5.6 |
| | | Missing | 390 | |
| 189-189 | QN12 | Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 101 | 6.1 |
| | | 2 No | 1,396 | 93.9 |
| | | Missing | 13 | |
| 191-191 | QN14 | Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey) | | |
| | | 1 Yes | 62 | 3.5 |
| | | 2 No | 1,432 | 96.5 |
| | | Missing | 16 | |
| 192-192 | QN15 | Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 153 | 10.2 |
| | | 2 No | 1,324 | 89.8 |
| | | Missing | 33 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 193-193 | QN16 | Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 116 | 7.9 |
| | | 2 No | 1,388 | 92.1 |
| | | Missing | 6 | |
| 194-194 | QN17 | Percentage of students who were in a physical fight (one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 330 | 21.7 |
| | | 2 No | 1,170 | 78.3 |
| | | Missing | 10 | |
| 197-197 | QN20 | Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 136 | 9.5 |
| | | 2 No | 1,302 | 90.5 |
| | | Missing | 72 | |
| 198-198 | QN21 | Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey) | | |
| | | 1 Yes | 31 | 5.1 |
| | | 2 No | 583 | 94.9 |
| | | Missing | 896 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 199-199 | QN22 | Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey) | | |
| | | 1 Yes | 67 | 9.7 |
| | | 2 No | 600 | 90.3 |
| | | Missing | 843 | |
| 200-200 | QN23 | Percentage of students who were bullied on school property (ever during the 12 months before the survey) | | |
| | | 1 Yes | 223 | 16.4 |
| | | 2 No | 1,254 | 83.6 |
| | | Missing | 33 | |
| 201-201 | QN24 | Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey) | | |
| | | 1 Yes | 178 | 12.7 |
| | | 2 No | 1,293 | 87.3 |
| | | Missing | 39 | |
| 202-202 | QN25 | Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey) | | |
| | | 1 Yes | 516 | 35.1 |
| | | 2 No | 964 | 64.9 |
| | | Missing | 30 | |
| 203-203 | QN26 | Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey) | | |
| | | 1 Yes | 218 | 14.7 |
| | | 2 No | 1,256 | 85.3 |
| | | Missing | 36 | |
| 205-205 | QN28 | Percentage of students who attempted suicide (one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 103 | 8.4 |
| | | 2 No | 1,085 | 91.6 |
| | | Missing | 322 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 206-206 | QN29 | Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey) | | |
| | | 1 Yes | 32 | 2.6 |
| | | 2 No | 1,164 | 97.4 |
| | | Missing | 314 | |
| 207-207 | QN30 | Percentage of students who ever tried cigarette smoking (even one or two puffs) | | |
| | | 1 Yes | 189 | 13.5 |
| | | 2 No | 1,174 | 86.5 |
| | | Missing | 147 | |
| 208-208 | QN31 | Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs) | | |
| | | 1 Yes | 96 | 6.4 |
| | | 2 No | 1,278 | 93.6 |
| | | Missing | 136 | |
| 209-209 | QN32 | Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 51 | 3.2 |
| | | 2 No | 1,378 | 96.8 |
| | | Missing | 81 | |
| 210-210 | QN33 | Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes) | | |
| | | 1 Yes | 2 | 3.1 |
| | | 2 No | 47 | 96.9 |
| | | Missing | 1,461 | |
| 211-211 | QN34 | Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo]) | | |
| | | 1 Yes | 559 | 39.5 |
| | | 2 No | 841 | 60.5 |
| | | Missing | 110 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 212-212 | QN35 | Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 212 | 14.9 |
| | | 2 No | 1,129 | 85.1 |
| | | Missing | 169 | |
| 213-213 | QN36 | Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years) | | |
| | | 1 Yes | 40 | 19.3 |
| | | 2 No | 153 | 80.7 |
| | | Missing | 1,317 | |
| 215-215 | QN38 | Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 86 | 5.3 |
| | | 2 No | 1,352 | 94.7 |
| | | Missing | 72 | |
| 217-217 | QN40 | Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips) | | |
| | | 1 Yes | 260 | 18.9 |
| | | 2 No | 1,117 | 81.1 |
| | | Missing | 133 | |
| 218-218 | QN41 | Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 239 | 18.0 |
| | | 2 No | 1,139 | 82.0 |
| | | Missing | 132 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 219-219 | QN42 | Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 111 | 7.4 |
| | | 2 No | 1,263 | 92.6 |
| | | Missing | 136 | |
| 223-223 | QN46 | Percentage of students who tried marijuana for the first time before age 13 years | | |
| | | 1 Yes | 89 | 5.9 |
| | | 2 No | 1,296 | 94.1 |
| | | Missing | 125 | |
| 224-224 | QN47 | Percentage of students who currently used marijuana (one or more times during the 30 days before the survey) | | |
| | | 1 Yes | 223 | 15.0 |
| | | 2 No | 1,173 | 85.0 |
| | | Missing | 114 | |
| 225-225 | QN48 | Percentage of students who ever used synthetic marijuana (one or more times during their life) | | |
| | | 1 Yes | 140 | 8.8 |
| | | 2 No | 1,274 | 91.2 |
| | | Missing | 96 | |
| 227-227 | QN50 | Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life) | | |
| | | 1 Yes | 70 | 4.4 |
| | | 2 No | 1,340 | 95.6 |
| | | Missing | 100 | |
| 229-229 | QN52 | Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life) | | |
| | | 1 Yes | 78 | 4.8 |
| | | 2 No | 1,324 | 95.2 |
| | | Missing | 108 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 230-230 | QN53 | Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life) | | |
| | | 1 Yes | 60 | 4.4 |
| | | 2 No Missing | 1,337 113 | 95.6 |
| 233-233 | QN56 | Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life) | | |
| | | 1 Yes | 52 | 3.5 |
| | | 2 No | 1,328 | 96.5 |
| | | Missing | 130 | |
| 235-235 | QN58 | Percentage of students who ever had sexual intercourse | | |
| | | 1 Yes | 305 | 25.6 |
| | | 2 No | 805 | 74.4 |
| | | Missing | 400 | |
| 236-236 | QN59 | Percentage of students who had sexual intercourse for the first time before age 13 years | | |
| | | 1 Yes | 40 | 4.0 |
| | | 2 No | 1,062 | 96.0 |
| | | Missing | 408 | |
| 237-237 | QN60 | Percentage of students who had sexual intercourse with four or more persons during their life | | |
| | | 1 Yes | 75 | 6.3 |
| | | 2 No | 1,022 | 93.7 |
| | | Missing | 413 | |
| 238-238 | QN61 | Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey) | | |
| | | 1 Yes | 199 | 17.0 |
| | | 2 No | 893 | 83.0 |
| | | Missing | 418 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 239-239 | QN62 | Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active) | | |
| | | 1 Yes | 32 | 15.0 |
| | | 2 No | 160 | 85.0 |
| | | Missing | 1,318 | |
| 240-240 | QN63 | Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active) | | |
| | | 1 Yes | 111 | 56.7 |
| | | 2 No | 73 | 43.3 |
| | | Missing | 1,326 | |
| 241-241 | QN64 | Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 27 | 14.8 |
| | | 2 No | 152 | 85.2 |
| | | Missing | 1,331 | |
| 246-246 | QN69 | Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 401 | 32.8 |
| | | 2 No | 870 | 67.2 |
| | | Missing | 239 | |
| 247-247 | QN70 | Percentage of students who did not eat fruit (one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 253 | 20.9 |
| | | 2 No | 991 | 79.1 |
| | | Missing | 266 | |
| 252-252 | QN75 | Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes | 403 | 34.9 |
| | | 2 No | 838 | 65.1 |
| | | Missing | 269 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 255-255 | QN78 | Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes | 389 | 31.1 |
| | | 2 No | 834 | 68.9 |
| | | Missing | 287 | |
| 256-256 | QN79 | Percentage of students who watched television 3 or more hours per day (on an average school day) | | |
| | | 1 Yes | 251 | 20.8 |
| | | 2 No | 972 | 79.2 |
| | | Missing | 287 | |
| 257-257 | QN80 | as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day) | | |
| | | 1 Yes | 500 | 39.3 |
| | | 2 No | 715 | 60.7 |
| | | Missing | 295 | |
| 258-258 | QN81 | Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school) | | |
| | | 1 Yes | 1,023 | 84.3 |
| | | 2 No | 198 | 15.7 |
| | | Missing | 289 | |
| 261-261 | QN84 | Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood) | | |
| | | 1 Yes | 239 | 19.8 |
| | | 2 No | 929 | 80.2 |
| | | Missing | 342 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 262-262 | QN85 | Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey) | | |
| | | 1 Yes | 204 | 17.4 |
| | | 2 No | 956 | 82.6 |
| | | Missing | 350 | |
| 263-263 | QN86 | Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey) | | |
| | | 1 Yes | 829 | 70.9 |
| | | 2 No | 343 | 29.1 |
| | | Missing | 338 | |
| 264-264 | QN87 | Percentage of students who had ever been told by a doctor or nurse that they had asthma | _ | |
| | | 1 Yes | 282 | 23.7 |
| | | 2 No | 866 | 76.3 |
| | | Missing | 362 | |
| 265-265 | QN88 | Percentage of students who got 8 or more hours of sleep (on an average school night) | | |
| | | 1 Yes | 265 | 22.6 |
| | | 2 No | 903 | 77.4 |
| | | Missing | 342 | |
| 267-267 | QN90 | Percentage of students who live outside of Manhattan borough of New York | | |
| | | 1 Yes | 1,482 | 99.0 |
| | | 2 No | 17 | 1.0 |
| | | Missing | 11 | |
| 268-268 | QN91 | Percentage of students who reported in their home people most of the time or always speak a language other than English | | |
| | | 1 Yes | 852 | 55.7 |
| | | 2 No | 640 | 44.3 |
| | | Missing | 18 | |
| 269-269 | QN92 | Percentage of students who are transgender | | |
| | | 1 Yes | 18 | 1.2 |
| | | 2 No | 1,455 | 98.8 |
| | | Missing | 37 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 270-270 | QN93 | Percentage of students who reported that their sex assigned at birth was female | | |
| | | 1 Yes | 677 | 49.2 |
| | | 2 No | 807 | 50.8 |
| | | Missing | 26 | |
| 271-271 | QN94 | Percentage of students who think other people at school would describe them as equally feminine and masculine | | |
| | | 1 Yes | 216 | 13.9 |
| | | 2 No | 1,212 | 86.1 |
| | | Missing | 82 | |
| 272-272 | QN95 | Percentage of students who witnessed someone being physically hurt on purpose (counting things such as being hit, slammed into something, or injured with an object or weapon, one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 636 | 45.1 |
| | | 2 No | 802 | 54.9 |
| | | Missing | 72 | |
| 273-273 | QN96 | Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 264 | 16.6 |
| | | 2 No | 1,224 | 83.4 |
| | | Missing | 22 | |
| 274-274 | QN97 | Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey) | | |
| | | 1 Yes | 23 | 30.6 |
| | | 2 No | 38 | 69.4 |
| | | Missing | 1,449 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 275-275 | QN98 | Percentage of students who usually smoke menthol cigarettes (among students who smoke cigarettes) | | |
| | | 1 Yes | 65 | 49.2 |
| | | 2 No | 68 | 50.8 |
| | | Missing | 1,377 | |
| 276-276 | QN99 | Percentage of students who tried an electronic vapor product for the first time at age 12 or younger (among students who ever tried an electronic vapor product) | | |
| | | 1 Yes | 116 | 20.7 |
| | | 2 No | 419 | 79.3 |
| | | Missing | 975 | |
| 277-277 | QN100 | Percentage of students who typically use a flavored electronic vapor product other than tobacco flavor and no flavor (mint or menthol, chocolate, candy, fruit or cinnamon, alcohol or other flavor, among students who use electronic vapor products) | | |
| | | 1 Yes | 326 | 90.8 |
| | | 2 No | 28 | 9.2 |
| | | Missing | 1,156 | |
| 278-278 | QN101 | Percentage of students who report that using an electronic vapor product is less harmful than smoking regular cigarettes | | |
| | | 1 Yes | 176 | 11.9 |
| | | 2 No | 1,256 | 88.1 |
| | | Missing | 78 | |
| 279-279 | QN102 | Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 161 | 11.1 |
| | | 2 No | 1,234 | 88.9 |
| | | Missing | 115 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 280-280 | QN103 | Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life) | | |
| | | 1 Yes | 70 | 4.7 |
| | | 2 No Missing | 1,317 123 | 95.3 |
| 281-281 | QN104 | Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 65 | 4.3 |
| | | 2 No | 1,313 | 95.7 |
| | | Missing | 132 | |
| 282-282 | QN105 | Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey) | | |
| | | 1 Yes | 78 | 5.3 |
| | | 2 No | 1,302 | 94.7 |
| | | Missing | 130 | |
| 283-283 | QN106 | Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse) | | |
| | | 1 Yes | 72 | 20.2 |
| | | 2 No | 290 | 79.8 |
| | | Missing | 1,148 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 284-284 | QN107 | Percentage of students who reported their primary reason for not using a condom the last time they had sexual intercourse was that they did not need a condom because they used another method to prevent pregnancy (such as birth control pills, a shot, a patch, or birth control ring, or an IUD or implant, among students who have had sexual intercourse) | | |
| | | 1 Yes | 44 | 13.6 |
| | | 2 No | 302 | 86.4 |
| | | Missing | 1,164 | |
| 285-285 | QN108 | Percentage of students who reported they or their partner got the birth control they last used from a school-based health center or condom availability program or from school nurse or doctor (among students who have ever used birth control) | | |
| | | DATA NOT DISPLAYED. Please send an email to epidatarequest@health requests for data related to school-based health centers. | h.nyc.gov with | |
| 286-286 | QN109 | Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse) | | |
| | | 1 Yes | 59 | 17.6 |
| | | 2 No | 274 | 82.4 |
| | | Missing | 1,177 | |
| 287-287 | QN110 | Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey) | | |
| | | 1 Yes | 27 | 2.1 |
| | | 2 No | 1,111 | 97.9 |
| | | Missing | 372 | |
| 288-288 | QN111 | Percentage of students who did not receive sex education in their middle school health education class | | |
| | | 1 Yes | 178 | 13.8 |
| | | 2 No | 1,107 | 86.2 |
| | | Missing | 225 | |
| 289-289 | QN112 | Percentage of students who did not receive sex education in their high school health education class | | |
| | | 1 Yes | 242 | 19.8 |
| | | 2 No | 1,039 | 80.2 |
| | | Missing | 229 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 290-290 | QN113 | Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey) | | |
| | | 1 Yes | 307 | 27.1 |
| | | 2 No | 944 | 72.9 |
| | | Missing | 259 | |
| 291-291 | QN114 | Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar-free drinks, one or more times during the 7 days before the survey) | | |
| | | 1 Yes | 808 | 65.0 |
| | | 2 No | 421 | 35.0 |
| | | Missing | 281 | |
| 292-292 | QN115 | Percentage of students who have never ridden a bicycle in one of the five boroughs of New York City (during the 12 months before the survey) | | |
| | | 1 Yes | 593 | 52.0 |
| | | 2 No | 598 | 48.0 |
| | | Missing | 319 | |
| 293-293 | QN116 | Percentage of students who have been taught about AIDS or HIV infection in school | | |
| | | 1 Yes | 872 | 74.9 |
| | | 2 No | 304 | 25.1 |
| | | Missing | 334 | |
| 294-294 | QN117 | Percentage of students who had been told by a dentist, doctor, or nurse that they had a dental cavity or decayed teeth | | |
| | | 1 Yes | 499 | 43.2 |
| | | 2 No | 660 | 56.8 |
| | | Missing | 351 | |
| 295-295 | QN118 | Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey) | | |
| | | 1 Yes | 169 | 23.4 |
| | | 2 No | 486 | 76.6 |
| | | Missing | 855 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 296-296 | QN119 | Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey) | | |
| | | 1 Yes 2 No Missing | 76 1,092 342 | 6.7 93.3 |
| 297-297 | QN120 | Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey) | | |
| | | 1 Yes 2 No Missing | 117 980 413 | 11.6 88.4 |
| 298-298 | QN121 | Percentage of students who often or sometimes worried that food at home would run out before their family got money to buy more (during the 12 months before the survey) | | |
| | | 1 Yes 2 No Missing | 320 815 375 | 27.7 72.3 |
| 299-299 | QN122 | Percentage of students who reported that often or sometimes the food that their family bought run out and there was no money to buy more (during the 12 months before the survey) | | |
| | | 1 Yes 2 No Missing | 270 861 379 | 23.8 76.2 |
| 300-300 | QN123 | Percentage of students who reported that either of their parents has spent time in jail or prison | | |
| | | 1 Yes 2 No Missing | 206 891 413 | 19.8 80.2 |
| 301-301 | QN124 | Percentage of students who have ever been arrested 1 Yes 2 No Missing | 141 958 411 | 13.3 86.7 |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 302-302 | QN125 | Percentage of students who strongly agree or agree that they feel close to people at their school | | |
| | | 1 Yes | 729 | 64.7 |
| | | 2 No | 409 | 35.3 |
| | | Missing | 372 | |
| 303-303 | QN126 | Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem | | |
| | | 1 Yes | 677 | 62.6 |
| | | 2 No | 445 | 37.4 |
| | | Missing | 388 | |
| 304-304 | QN127 | Percentage of students who have not had their eyes examined by an eye doctor (during the two years before the survey) | | |
| | | 1 Yes | 260 | 22.9 |
| | | 2 No | 860 | 77.1 |
| | | Missing | 390 | |
| 350-350 | QNFRCIG | Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey) | | |
| | | 1 Yes | 11 | 1.1 |
| | | 2 No | 1,418 | 98.9 |
| | | Missing | 81 | |
| 351-351 | QNDAYCIG | Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey) | | |
| | | 1 Yes | 4 | 0.3 |
| | | 2 No | 1,425 | 99.7 |
| | | Missing | 81 | |
| 352-352 | QNFREVP | Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey) | | |
| | | 1 Yes | 29 | 2.3 |
| | | 2 No | 1,312 | 97.7 |
| | | Missing | 169 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 353-353 | QNDAYEVP | Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey) | | |
| | | 1 Yes | 19 | 1.3 |
| | | 2 No | 1,322 | 98.7 |
| 354-354 | QNTB2 | Missing Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey) | 169 | |
| | | 1 Yes | 110 | 7.2 |
| | | 2 No | 1,298 | 92.8 |
| | | Missing | 102 | |
| 357-357 | QNTB5 | Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey) | | |
| | | 1 Yes | 233 | 16.2 |
| | | 2 No | 1,111 | 83.8 |
| | | Missing | 166 | |
| 358-358 | QNIUDIMP | Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 7 | 3.5 |
| | | 2 No | 172 | 96.5 |
| | | Missing | 1,331 | |
| 359-359 | QNOTHHPL | Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 38 | 20.4 |
| | | 2 No | 141 | 79.6 |
| | | Missing | 1,331 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 360-360 | QNDUALBC | Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active) | | |
| | | 1 Yes | 14 | 5.2 |
| | | 2 No | 162 | 94.8 |
| | | Missing | 1,334 | |
| 361-361 | QNBCNONE | Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active) | | |
| | | 1 Yes | 30 | 18.4 |
| | | 2 No | 149 | 81.6 |
| | | Missing | 1,331 | |
| 362-362 | QNFR0 | Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 132 | 11.4 |
| | | 2 No | 1,110 | 88.6 |
| | | Missing | 268 | |
| 363-363 | QNFR1 | Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 604 | 48.2 |
| | | 2 No | 638 | 51.8 |
| | | Missing | 268 | |
| 364-364 | QNFR2 | Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey) | | |
| | | 1 Yes | 292 | 22.9 |
| | | 2 No | 950 | 77.1 |
| | | Missing | 268 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 369-369 | QNSODA1 | Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 138 1,103 269 | 11.4 88.6 |
| 370-370 | QNSODA2 | Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 82 1,159 269 | 7.2 92.8 |
| 374-374 | QNPA0DAY | Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 294 929 287 | 23.2 76.8 |
| 375-375 | QNPA7DAY | Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey) | | |
| | | 1 Yes 2 No Missing | 170 1,053 287 | 13.8 86.2 |
| 376-376 | QNDLYPE | Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school) | | |
| | | 1 Yes 2 No Missing | 712 509 289 | 58.3 41.7 |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------|
| 377-377 | QNNODNT | Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work) | | |
| | | 1 Yes | 37 | 3.1 |
| | | 2 No | 1,135 | 96.9 |
| | | Missing | 338 | |
| 384-384 | QNOBESE | Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) | | |
| | | 1 Yes | 204 | 14.8 |
| | | 2 No | 1,062 | 85.2 |
| | | Missing | 244 | |
| 385-385 | QNOWT | Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) | | |
| | | 1 Yes | 203 | 16.5 |
| | | 2 No | 1,063 | 83.5 |
| | | Missing | 244 | |
| 386-395 | WEIGHT | | | |
| 396-398 | STRATUM | - | - | |
| 399-404 | PSU | - | - | |
| 407-411 | BMIPCT | - | | |
| 412-413 | RACEETH8 | • | - | |
| | | 1 Am Indian/Alaska Native | 48 | 3.8 |
| | | 2 Asian | 282 | 23.0 |
| | | 3 Black or African American | 269 | 20.0 |
| | | 4 Native Hawaiian/Other PI | 28 | 2.0 |
| | | 5 White | 76 | 12.1 |
| | | 6 Hispanic/Latino | 298 | 16.6 |
| | | 7 Multiple - Hispanic | 379 | 20.2 |
| | | 8 Multiple - Non-Hispanic | 32 98 | 2.4 |
| | | Missing | 98 | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------------|-------------------------|------------------------|
| 414-416 | Q6ORIG | | | |
| | DATA NOT A | VAILABLE. | | |
| 417-419 | Q7ORIG | | - | |
| | DATA NOT A | VAILABLE. | | |
| 450-459 | SSWEIGHT | Sub-site Weight | | |
| | DATA NOT A | VAILABLE. | | |
| 460-460 | S2 | Sub-site - S2 0 | 1,282 228 | 98.7 1.3 |
| | DATA NOT A | | 220 | 1.0 |
| 461-461 | S3 | Sub-site - S3 | 1,510 | 100.0 |
| | DATA NOT A | VAILABLE. | | |
| 462-462 | S4 | Sub-site - S4 0 | 1,510 | 100.0 |
| | DATA NOT A | VAILABLE. | | |
| 463-463 | S5 | Sub-site - S5 0 | 1,510 | 100.0 |
| | DATA NOT A | VAILABLE. | | |
| 464-464 | S6 | Sub-site - S6 1 | 1,510 | 100.0 |
| | DATA NOT A | VAILABLE. | | |
| 465-465 | S7 | Sub-site - S7 | 1,510 | 100.0 |
| | DATA NOT A | VAILABLE. | | |
| 466-466 | S8 | Sub-site - S8 0 | 1,510 | 100.0 |
| | DATA NOT A | VAILABLE. | | |
| 467-467 | S9 | Sub-site - S9 0 | 1,510 | 100.0 |
| | DATA NOT A | VAILABLE. | | |
| 468-468 | S10 | Sub-site - S10 0 | 1,510 | 100.0 |
| | DATA NOT A | AVAILABLE. | | |

New York City High School Survey Queens

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|------------------|------------------|----------------------------------------------------------------------|-------------------------|------------------------|
| | RACE5 | | | |
| | | 1 White | 76 | 12.1 |
| | | 2 Black | 269 | 20.0 |
| | | 3 Hispanic | 677 | 36.7 |
| | | 4 Asian | 282 | 23.0 |
| | | 5 Other (Am Indian/Alaska Native, Native Hawaiia Other PI, Multiple) | n/ 108 | 8.2 |
| | | Missing | 98 | |
| | BCCAT7 | Contraception at last sex - 7 categories | | |
| | | Condom only (any condom use without HBC/LARO EC) | C or 123 | 45.9 |
| | | 2 HBC/LARC only (any HBC/LARC without condon excluding exclusive EC) | ns 27 | 11.6 |
| | | 3 EC only (any EC without condoms) | 10 | 4.8 |
| | | 4 Dual: condoms and HBC/LARC excluding exclusive | re EC 20 | 6.0 |
| | | 5 Dual: condoms and EC (may include withdrawal) | 19 | 7.6 |
| | | 6 Withdrawal only | 21 | 7.9 |
| | | 7 No contraception | 38 | 16.2 |
| | | Missing | 1,252 | |
| | BCCAT5 | Contraception at last sex - 5 categories | | |
| | | Condom only (any condom use without HBC/LARO EC) | C or 123 | 45.9 |
| | | 2 HBC/LARC only (any HBC/LARC without condon | ns) 37 | 16.5 |
| | | 3 Dual: condoms and HBC/LARC (may include with | drawal) 39 | 13.5 |
| | | 4 Withdrawal only | 21 | 7.9 |
| | | 5 No contraception | 38 | 16.2 |
| | | Missing | 1,252 | |