

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	12	1.0
		2	13 years old	40	3.3
		3	14 years old	325	26.1
		4	15 years old	287	25.6
		5	16 years old	274	22.2
		6	17 years old	319	18.4
		7	18 years old or older	54	3.3
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	602	48.4
		2	Male	697	51.6
		Missing	18		
19-19	Q3	In what grade are you?			
		1	9th grade	365	29.2
		2	10th grade	294	27.1
		3	11th grade	252	22.0
		4	12th grade	372	20.7
		Ungraded or other grade	10	1.0	
		Missing	24		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	416	24.2
		2	No	855	75.8
		Missing	46		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	3	0.2
		G	3	0.2
		E	594	60.0
		D	60	3.4
		DE	1	0.0
		C	220	19.8
		C E	20	0.7
		CD	6	0.1
		B	153	12.5
		B E	8	0.1
		B D	3	0.2
		BC	2	0.1
		BCD	1	0.0
		A	31	1.7
		A E	7	0.2
		A D	1	0.0
		A C	8	0.3
		A C E	5	0.2
		ABC E	1	0.0
		ABCD	1	0.0
		ABCDE	2	0.2
			187	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
		1	I did not ride a bicycle during the past 12 months	486	36.6
		2	Never wore a helmet	587	44.6
		3	Rarely wore a helmet	96	8.3
		4	Sometimes wore a helmet	48	3.8
		5	Most of the time wore a helmet	35	2.7
		6	Always wore a helmet	47	4.0
		Missing	18		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	I did not drive a car or other vehicle during the past 30 days	825	70.0
		2	0 times	349	27.1
		3	1 time	10	0.8
		4	2 or 3 times	9	0.8
		5	4 or 5 times	5	0.3
		6	6 or more times	11	1.0
		Missing	108		
43-43	Q12	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
		1	I did not drive a car or other vehicle during the past 30 days	823	69.0
		2	0 days	316	24.6
		3	1 or 2 days	33	2.5
		4	3 to 5 days	15	1.1
		5	6 to 9 days	7	0.6
		6	10 to 19 days	2	0.1
		7	20 to 29 days	3	0.2
		8	All 30 days	26	2.0
		Missing	92		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	1,136	91.4
		2	1 day	29	2.1
		3	2 or 3 days	28	2.0
		4	4 or 5 days	9	0.8
		5	6 or more days	46	3.6
		Missing	69		
45-45	Q14	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	1,241	96.5
		2	1 day	17	1.1
		3	2 or 3 days	11	1.1
		4	4 or 5 days	3	0.2
		5	6 or more days	13	1.1
		Missing	32		
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,229	96.3
		2	1 day	12	0.7
		3	2 or 3 days	12	0.9
		4	4 or 5 days	9	0.7
		5	6 or more days	19	1.4
		Missing	36		
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,186	92.0
		2	1 day	38	3.3
		3	2 or 3 days	32	2.4
		4	4 or 5 days	10	0.7
		5	6 or more days	19	1.6
		Missing	32		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,218	92.1
		2	1 time	37	3.1
		3	2 or 3 times	22	1.9
		4	4 or 5 times	9	0.7
		5	6 or 7 times	5	0.4
		6	8 or 9 times	6	0.5
		7	10 or 11 times	3	0.2
		8	12 or more times	14	1.2
	Missing	3			
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,041	80.2
		2	1 time	127	9.3
		3	2 or 3 times	74	5.4
		4	4 or 5 times	21	1.4
		5	6 or 7 times	17	1.3
		6	8 or 9 times	5	0.4
		7	10 or 11 times	4	0.3
		8	12 or more times	20	1.6
	Missing	8			
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	562	47.9
		2	0 times	554	45.2
		3	1 time	24	2.3
		4	2 or 3 times	29	2.3
		5	4 or 5 times	6	0.4
		6	6 or more times	21	1.8
	Missing	121			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	561	47.7
		2	0 times	549	44.2
		3	1 time	40	3.8
		4	2 or 3 times	20	1.7
		5	4 or 5 times	8	0.7
		6	6 or more times	22	2.0
		Missing	117		
55-55	Q24	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	199	16.3
		2	No	1,077	83.7
		Missing	41		
56-56	Q25	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	178	13.5
		2	No	1,093	86.5
		Missing	46		
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	325	25.4
		2	No	951	74.6
		Missing	41		
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	166	12.2
		2	No	1,099	87.8
		Missing	52		
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	1,000	89.9
		2	1 time	53	4.8
		3	2 or 3 times	34	3.0
		4	4 or 5 times	13	1.3
		5	6 or more times	11	1.0
		Missing	206		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1	I did not attempt suicide during the past 12 months	989 90.9
		2	Yes	52 4.7
		3	No	47 4.4
		Missing	229	
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?		
		1	Yes	305 23.1
		2	No	938 76.9
		Missing	74	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?		
		1	0 days	1,113 92.6
		2	1 or 2 days	35 2.4
		3	3 to 5 days	19 1.2
		4	6 to 9 days	10 0.6
		5	10 to 19 days	1 0.1
		6	20 to 29 days	12 0.8
		7	All 30 days	25 2.2
		Missing	102	
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1	I did not smoke cigarettes during the past 30 days	1,124 92.6
		2	Less than 1 cigarette per day	35 2.3
		3	1 cigarette per day	21 1.3
		4	2 to 5 cigarettes per day	24 1.8
		5	6 to 10 cigarettes per day	11 0.9
		6	11 to 20 cigarettes per day	7 0.6
		7	More than 20 cigarettes per day	5 0.6
		Missing	90	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	1,207	94.8
		2	1 or 2 days	27	2.0
		3	3 to 5 days	11	0.7
		4	6 to 9 days	11	1.0
		5	10 to 19 days	7	0.7
		6	20 to 29 days	4	0.3
		7	All 30 days	7	0.6
		Missing	43		
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,150	91.5
		2	1 or 2 days	48	3.7
		3	3 to 5 days	29	2.1
		4	6 to 9 days	11	0.8
		5	10 to 19 days	11	1.0
		6	20 to 29 days	4	0.4
		7	All 30 days	7	0.6
		Missing	57		
71-71	Q40	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	1,006	81.0
		2	1 or 2 days	125	9.1
		3	3 to 5 days	42	3.1
		4	6 to 9 days	24	1.9
		5	10 to 19 days	22	1.7
		6	20 to 29 days	8	0.6
		7	All 30 days	31	2.6
		Missing	59		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
73-73	Q42	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	673	56.8
		2	8 years old or younger	72	5.1
		3	9 or 10 years old	42	3.6
		4	11 or 12 years old	74	5.5
		5	13 or 14 years old	181	14.1
		6	15 or 16 years old	171	13.3
		7	17 years old or older	22	1.6
		Missing	82		
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	864	77.4
		2	1 or 2 days	118	9.9
		3	3 to 5 days	70	6.1
		4	6 to 9 days	35	2.6
		5	10 to 19 days	20	1.9
		6	20 to 29 days	13	1.2
		7	All 30 days	11	0.8
		Missing	186		
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	1,048	88.8
		2	1 day	52	3.6
		3	2 days	39	3.2
		4	3 to 5 days	23	2.0
		5	6 to 9 days	13	0.9
		6	10 to 19 days	4	0.4
		7	20 or more days	12	1.0
		Missing	126		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?		
		1	I did not drink alcohol during the past 30 days	861 77.7
		2	1 or 2 drinks	99 9.0
		3	3 drinks	44 3.9
		4	4 drinks	16 1.5
		5	5 drinks	29 2.2
		6	6 or 7 drinks	23 1.7
		7	8 or 9 drinks	21 1.6
		8	10 or more drinks	29 2.5
		Missing	195	
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?		
		1	I did not drink alcohol during the past 30 days	855 77.2
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	40 3.6
		3	I bought it at a restaurant, bar, or club	14 1.2
		4	I bought it at a public event such as a concert or sporting event	7 0.7
		5	I gave someone else money to buy it for me	48 3.9
		6	Someone gave it to me	73 6.6
		7	I took it from a store or family member	30 2.6
		8	I got it some other way	55 4.3
		Missing	195	
79-79	Q48	How old were you when you tried marijuana for the first time?		
		1	I have never tried marijuana	854 73.1
		2	8 years old or younger	30 2.9
		3	9 or 10 years old	13 1.1
		4	11 or 12 years old	48 3.9
		5	13 or 14 years old	135 10.2
		6	15 or 16 years old	104 7.9
		7	17 years old or older	17 0.8
		Missing	116	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	980	82.5
		2	1 or 2 times	87	7.4
		3	3 to 9 times	54	3.9
		4	10 to 19 times	28	1.8
		5	20 to 39 times	23	1.8
		6	40 or more times	33	2.6
		Missing	112		
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,115	92.1
		2	1 or 2 times	37	3.1
		3	3 to 9 times	17	1.6
		4	10 to 19 times	5	0.3
		5	20 to 39 times	5	0.3
		6	40 or more times	28	2.6
		Missing	110		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,153	94.0
		2	1 or 2 times	24	2.4
		3	3 to 9 times	14	1.5
		4	10 to 19 times	11	0.9
		5	20 to 39 times	2	0.2
		6	40 or more times	14	1.1
		Missing	99		
86-86	Q55	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,097	92.0
		2	1 or 2 times	43	3.6
		3	3 to 9 times	18	1.4
		4	10 to 19 times	9	0.8
		5	20 to 39 times	7	0.6
		6	40 or more times	18	1.6
		Missing	125		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,131	95.8
		2 1 time	26	2.5
		3 2 or more times	20	1.7
		Missing	140	
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	240	22.8
		2 No	709	77.2
		Missing	368	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	698	76.6
		2 11 years old or younger	23	2.8
		3 12 years old	13	1.3
		4 13 years old	23	2.0
		5 14 years old	46	4.7
		6 15 years old	62	5.9
		7 16 years old	55	5.1
		8 17 years old or older	21	1.6
		Missing	376	
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	695	77.0
		2 1 person	118	11.9
		3 2 people	35	3.3
		4 3 people	29	2.2
		5 4 people	7	0.5
		6 5 people	11	1.2
		7 6 or more people	38	3.9
Missing	384			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	690	76.8
		2 I have had sexual intercourse, but not during the past 3 months	69	6.3
		3 1 person	113	11.0
		4 2 people	24	2.5
		5 3 people	9	0.9
		6 4 people	6	0.7
		7 5 people	3	0.4
		8 6 or more people	13	1.5
	Missing	390		
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	684	76.8
		2 Yes	56	5.5
		3 No	182	17.7
	Missing	395		
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	684	78.8
		2 Yes	135	13.3
		3 No	80	8.0
	Missing	418		
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	678	78.1
		2 No method was used to prevent pregnancy	42	4.1
		3 Birth control pills	36	3.1
		4 Condoms	110	11.0
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	2	0.3
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	12	1.3
		7 Withdrawal or some other method	7	0.6
		8 Not sure	11	1.5
	Missing	419		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
98-98	Q67	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	575	62.2
		2 Females	208	19.6
		3 Males	146	14.9
		4 Females and males	34	3.4
		Missing	354	
99-99	Q68	Which of the following best describes you?		
		1 Heterosexual (straight)	1,113	86.2
		2 Gay or lesbian	33	2.6
		3 Bisexual	82	5.5
		4 Not sure	72	5.7
		Missing	17	
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	379	36.5
		2 1 to 3 times during the past 7 days	368	34.4
		3 4 to 6 times during the past 7 days	102	9.0
		4 1 time per day	65	6.8
		5 2 times per day	62	5.8
		6 3 times per day	35	3.4
		7 4 or more times per day	54	4.1
		Missing	252	
103-103	Q72	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	249	22.7
		2 1 to 3 times during the past 7 days	355	33.4
		3 4 to 6 times during the past 7 days	172	16.4
		4 1 time per day	104	9.5
		5 2 times per day	90	8.4
		6 3 times per day	39	3.9
		7 4 or more times per day	67	5.8
		Missing	241	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?			
		1	I did not drink soda or pop during the past 7 days	362	36.7
		2	1 to 3 times during the past 7 days	396	37.0
		3	4 to 6 times during the past 7 days	113	10.9
		4	1 time per day	52	5.2
		5	2 times per day	59	5.7
		6	3 times per day	23	1.8
		7	4 or more times per day	30	2.6
		Missing	282		
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?			
		1	I did not drink milk during the past 7 days	328	32.2
		2	1 to 3 glasses during the past 7 days	331	33.3
		3	4 to 6 glasses during the past 7 days	114	11.6
		4	1 glass per day	102	9.3
		5	2 glasses per day	78	7.9
		6	3 glasses per day	32	2.6
		7	4 or more glasses per day	33	3.1
		Missing	299		
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?			
		1	0 days	214	21.4
		2	1 day	106	9.7
		3	2 days	130	12.4
		4	3 days	84	8.0
		5	4 days	71	6.9
		6	5 days	54	4.9
		7	6 days	37	3.8
		8	7 days	322	32.9
		Missing	299		
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
		1	0 days	220	23.3
		2	1 day	92	9.0
		3	2 days	98	8.9
		4	3 days	97	9.3
		5	4 days	80	7.1
		6	5 days	139	13.9
		7	6 days	57	5.9
		8	7 days	229	22.6
		Missing	305		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	268	27.1
		2 Less than 1 hour per day	177	17.3
		3 1 hour per day	155	15.7
		4 2 hours per day	183	17.8
		5 3 hours per day	97	9.9
		6 4 hours per day	65	6.2
		7 5 or more hours per day	61	5.9
		Missing	311	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	230	24.8
		2 Less than 1 hour per day	122	12.6
		3 1 hour per day	105	10.3
		4 2 hours per day	114	11.9
		5 3 hours per day	114	10.8
		6 4 hours per day	91	9.7
		7 5 or more hours per day	202	19.8
		Missing	339	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	137	14.6
		2 1 day	42	4.0
		3 2 days	38	3.3
		4 3 days	76	6.5
		5 4 days	25	2.5
		6 5 days	653	69.1
Missing	346			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	166	19.2
		2 No	630	66.8
		3 Not sure	125	13.9
		Missing	396	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	634	70.1
		2 Between 12 and 24 months ago	121	14.1
		3 More than 24 months ago	57	6.2
		4 Never	23	2.9
		5 Not sure	66	6.7
		Missing	416	
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	258	29.3
		2 No	579	65.0
		3 Not sure	51	5.8
		Missing	429	
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	162	18.6
		2 5 hours	136	15.5
		3 6 hours	185	19.8
		4 7 hours	216	24.0
		5 8 hours	135	15.5
		6 9 hours	51	5.5
		7 10 or more hours	11	1.1
		Missing	421	
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	12	1.0
		2 Brooklyn	40	3.0
		3 Manhattan	9	0.6
		4 Queens	16	1.1
		5 Staten Island	1,220	94.3
		Missing	20	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
 Staten Island
 Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,053	80.8
		2 Less than 1 year	23	1.9
		3 1 to 3 years	32	2.4
		4 4 to 6 years	39	3.5
		5 More than 6 years but not my whole life	148	11.4
		Missing	22	
123-123	Q92	How often do the people in your home speak a language other than English?		
		1 Never	413	34.7
		2 Rarely	130	9.5
		3 Sometimes	241	17.5
		4 Most of the time	283	21.2
		5 Always	222	17.0
		Missing	28	
124-124	Q93	A transgender person is someone whose biological sex at birth does not match the way they think or feel about themselves. Are you transgender?		
		1 No, I am not transgender	1,197	92.4
		2 Yes, I am transgender and I think of myself as really a boy or man	19	1.2
		3 Yes, I am transgender and I think of myself as really a girl or woman	14	1.1
		4 Yes, I am transgender and I think of myself in some other way	13	1.1
		5 I do not know if I am transgender	25	2.0
		6 I do not know what this question is asking	31	2.2
Missing	18			
125-125	Q94	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,120	85.9
		2 1 time	75	6.2
		3 2 or 3 times	39	3.1
		4 4 or 5 times	17	1.2
		5 6 or more times	48	3.6
		Missing	18	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 Yes	199	15.8
		2 No	1,036	84.2
		Missing	82	
127-127	Q96	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	891	76.1
		2 Less than 1 month ago	65	5.4
		3 1 to 3 months ago	25	1.9
		4 4 to 6 months ago	40	3.5
		5 7 to 12 months ago	27	2.5
		6 13 or more months ago	143	10.7
		Missing	126	
128-128	Q97	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,124	90.2
		2 I bought them in a store such as a convenience store, supermarket, or gas station	51	3.8
		3 I bought them on the Internet	7	0.6
		4 I bummed them	17	1.3
		5 Someone gave them to me or bought them for me	37	2.7
		6 I stole them	6	0.4
		7 I got them some other way	14	1.0
Missing	61			
129-129	Q98	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	109	8.8
		2 No	1,038	91.2
		Missing	170	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
130-130	Q99	Have you ever tried any flavored tobacco products such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars?		
		1 Yes	174	14.0
		2 No	1,050	86.0
		Missing	93	
131-131	Q100	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	1,124	93.5
		2 1 or 2 times	32	2.6
		3 3 to 9 times	13	1.1
		4 10 to 19 times	16	1.5
		5 20 to 39 times	6	0.4
		6 40 or more times	11	0.9
Missing	115			
132-132	Q101	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,104	91.6
		2 1 time	35	2.9
		3 2 or 3 times	23	1.9
		4 4 or 5 times	12	1.0
		5 6 or 7 times	6	0.6
		6 8 or 9 times	5	0.5
		7 10 or 11 times	2	0.1
		8 12 or more times	18	1.4
Missing	112			
133-133	Q102	During the past 12 months, how many times have you taken benzodiazepines such as Xanax, Valium, Klonopin, or Ativan, without a doctor's prescription?		
		1 0 times	1,113	92.8
		2 1 time	22	1.7
		3 2 or 3 times	20	1.6
		4 4 or 5 times	17	1.5
		5 6 or 7 times	5	0.3
		6 8 or 9 times	5	0.5
		7 10 or 11 times	3	0.3
		8 12 or more times	15	1.3
Missing	117			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Staten Island
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
134-134	Q103	During the past 12 months, how many times have you taken stimulants such as Adderall, Ritalin, Concerta, or Vyvanse, without a doctor's prescription?			
		1	0 times	1,109	93.1
		2	1 time	22	1.6
		3	2 or 3 times	17	1.4
		4	4 or 5 times	15	1.1
		5	6 or 7 times	8	0.7
		6	8 or 9 times	5	0.5
		7	10 or 11 times	2	0.2
		8	12 or more times	15	1.4
	Missing	124			
135-135	Q104	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?			
		1	I have never had sexual intercourse	674	72.5
		2	I have had sexual intercourse, but not during the past 3 months	76	7.0
		3	Never	52	4.9
		4	Rarely	33	3.0
		5	Sometimes	18	1.6
		6	Most of the time	29	2.4
		7	Always	91	8.6
	Missing	344			
136-136	Q105	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	673	72.6
		2	No method was used to prevent pregnancy	53	5.1
		3	Birth control pills	26	2.4
		4	Condoms	177	15.5
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	4	0.5
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	13	1.3
		7	Withdrawal or some other method	16	1.6
		8	Not sure	9	1.0
	Missing	346			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	667	73.8
		2 Yes	41	3.8
		3 No	213	19.8
		4 Not sure	27	2.6
		Missing	369	
138-138	Q107	The last time you used birth control, including condoms, from where did you or your partner get it? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
139-139	Q108	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	30	2.9
		2 No	908	93.4
		3 Not sure	39	3.8
			Missing	340
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	184	17.1
		2 1 to 3 times during the past 7 days	359	33.6
		3 4 to 6 times during the past 7 days	208	19.1
		4 1 time per day	129	12.1
		5 2 times per day	98	9.7
		6 3 times per day	39	3.8
		7 4 or more times per day	52	4.6
	Missing	248		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
141-141	Q110	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?			
		1	I did not eat french fries, fried potatoes, or potato chips during the past 7 days	213	20.9
		2	1 to 3 times during the past 7 days	529	49.9
		3	4 to 6 times during the past 7 days	173	16.1
		4	1 time per day	64	6.4
		5	2 times per day	30	2.9
		6	3 times per day	15	1.3
		7	4 or more times per day	28	2.5
			Missing	265	
142-142	Q111	During the past 7 days, how many times did you drink a bottle or glass of plain water?			
		1	I did not drink water during the past 7 days	95	9.3
		2	1 to 3 times during the past 7 days	111	10.1
		3	4 to 6 times during the past 7 days	126	12.0
		4	1 time per day	67	6.0
		5	2 times per day	122	11.2
		6	3 times per day	150	14.5
		7	4 or more times per day	376	36.8
			Missing	270	
143-143	Q112	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	326	34.3
		2	1 to 3 times during the past 7 days	414	39.7
		3	4 to 6 times during the past 7 days	123	11.7
		4	1 time per day	62	5.6
		5	2 times per day	43	3.9
		6	3 times per day	28	2.5
		7	4 or more times per day	28	2.3
			Missing	293	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
144-144	Q113	What kind of milk do you usually drink?		
		1 I do not drink milk	160	16.3
		2 Whole milk	338	33.0
		3 2% milk or reduced fat milk	219	20.8
		4 1% milk or low-fat milk	113	11.6
		5 Skim milk or non-fat milk	39	3.7
		6 Soy milk	13	1.1
		7 Other milk alternative (such as almond or rice milk)	46	4.9
		8 Not sure	89	8.6
	Missing	300		
145-145	Q114	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	95	10.2
		2 I ride a bike all the way to school	22	2.5
		3 I use public transportation, such as a subway or city bus	407	46.4
		4 I ride a school bus	41	4.7
		5 I drive or ride in a car or other private vehicle	312	36.2
	Missing	440		
146-146	Q115	On an average school day, how many minutes do you usually spend walking, riding a bike or skateboarding on your way to school?		
		1 I do not walk, bike or skateboard as part of my travel to school	280	32.1
		2 Less than 10 minutes	175	19.2
		3 10 to 20 minutes	247	27.7
		4 21 to 29 minutes	66	7.0
		5 30 or more minutes	119	14.0
	Missing	430		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Staten Island
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
147-147	Q116	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1	I am not physically able to walk up the stairs	92 11.4
		2	Yes	711 76.0
		3	No	129 12.6
		Missing	385	
148-148	Q117	In what grade were you first taught about sexual health?		
		1	I have never been taught about sexual health in school	83 9.7
		2	6th grade or earlier	258 29.4
		3	7th grade	174 20.0
		4	8th grade	156 17.1
		5	9th grade	85 9.6
		6	10th grade	48 5.6
		7	11th or 12th grade	20 1.4
		8	Not sure	72 7.2
		Missing	421	
149-149	Q118	In what class were you first taught about sexual health?		
		1	I have never been taught about sexual health in school	82 9.5
		2	Health Education	398 45.1
		3	Science	153 17.1
		4	Living Environment	65 6.6
		5	Physical Education	59 6.8
		6	Advisory	11 1.0
		7	Some other class	29 3.0
		8	Not sure	99 10.8
		Missing	421	
150-150	Q119	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?		
		1	Yes	396 41.8
		2	No	437 50.8
		3	Not sure	65 7.3
		Missing	419	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
151-151	Q120	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	327	37.1
		2 Yes	131	14.2
		3 No	395	43.7
		4 Not sure	37	5.0
		Missing	427	
152-152	Q121	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	794	88.3
		2 With friends, family, or other people because my parents or I lost our home or cannot afford housing	61	6.2
		3 In a motel or hotel	17	2.1
		4 In a shelter or emergency housing	11	1.7
		5 In a car, park, campground, or other public place	7	0.6
		6 I moved from place to place	6	0.6
		7 Somewhere else	6	0.5
		Missing	415	
153-153	Q122	During the past 12 months, did you ever live away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	104	12.2
		2 No	740	87.8
		Missing	473	
154-154	Q123	During the past 12 months, how many times did you go tanning in a tanning salon, nail salon, or health club?		
		1 0 times	632	70.5
		2 1 or 2 times	97	10.3
		3 3 to 9 times	84	10.2
		4 10 to 19 times	44	5.3
		5 20 to 39 times	21	2.5
		6 40 or more times	14	1.2
		Missing	425	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
155-155	Q124	Have you ever used the school-based health center (school clinic) at your school? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
156-156	Q125	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	376	42.8
		2 1 time per week	160	18.5
		3 2 times per week	116	12.8
		4 3 times per week	96	10.2
		5 4 times per week	54	6.0
		6 5 times per week	41	4.2
		7 6 times per week	11	1.1
		8 7 or more times per week	41	4.3
		Missing	422	
185-185	QN8	Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)		
		1 Yes	683	83.5
		2 No	130	16.5
		Missing	504	
188-188	QN11	Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	35	9.6
		2 No	349	90.4
		Missing	933	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN12	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	86	20.7
		2 No	316	79.3
		Missing	915	
190-190	QN13	Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	112	8.6
		2 No	1,136	91.4
		Missing	69	
191-191	QN14	Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)		
		1 Yes	44	3.5
		2 No	1,241	96.5
		Missing	32	
192-192	QN15	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)		
		1 Yes	52	3.7
		2 No	1,229	96.3
		Missing	36	
193-193	QN16	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	99	8.0
		2 No	1,186	92.0
		Missing	32	
194-194	QN17	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)		
		1 Yes	96	7.9
		2 No	1,218	92.1
		Missing	3	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
195-195	QN18	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	268	19.8
		2 No	1,041	80.2
		Missing	8	
199-199	QN22	Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	80	13.2
		2 No	554	86.8
		Missing	683	
200-200	QN23	Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	90	15.6
		2 No	549	84.4
		Missing	678	
201-201	QN24	Percentage of students who were bullied on school property (during the 12 months before the survey)		
		1 Yes	199	16.3
		2 No	1,077	83.7
		Missing	41	
202-202	QN25	Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)		
		1 Yes	178	13.5
		2 No	1,093	86.5
		Missing	46	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)			
		1	Yes	325	25.4
		2	No	951	74.6
			Missing	41	
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)			
		1	Yes	166	12.2
		2	No	1,099	87.8
			Missing	52	
206-206	QN29	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)			
		1	Yes	111	10.1
		2	No	1,000	89.9
			Missing	206	
207-207	QN30	Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)			
		1	Yes	52	4.7
		2	No	1,036	95.3
			Missing	229	
208-208	QN31	Percentage of students who ever tried cigarette smoking (even one or two puffs)			
		1	Yes	305	23.1
		2	No	938	76.9
			Missing	74	
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)			
		1	Yes	102	7.4
		2	No	1,113	92.6
			Missing	102	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)			
		1	Yes	12	16.1
		2	No	89	83.9
			Missing	1,216	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)			
		1	Yes	67	5.2
		2	No	1,207	94.8
			Missing	43	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)			
		1	Yes	110	8.5
		2	No	1,150	91.5
			Missing	57	
217-217	QN40	Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)			
		1	Yes	252	19.0
		2	No	1,006	81.0
			Missing	59	
219-219	QN42	Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)			
		1	Yes	188	14.2
		2	No	1,047	85.8
			Missing	82	
220-220	QN43	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)			
		1	Yes	267	22.6
		2	No	864	77.4
			Missing	186	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
221-221	QN44	Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)		
		1 Yes	143	11.2
		2 No	1,048	88.8
		Missing	126	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey)		
		1 Yes	29	2.5
		2 No	1,093	97.5
		Missing	195	
223-223	QN46	Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)		
		1 Yes	71	28.9
		2 No	187	71.1
		Missing	1,059	
225-225	QN48	Percentage of students who tried marijuana before age 13 years (for the first time)		
		1 Yes	91	7.9
		2 No	1,110	92.1
		Missing	116	
226-226	QN49	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	225	17.5
		2 No	980	82.5
		Missing	112	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)		
		1 Yes	92	7.9
		2 No	1,115	92.1
		Missing	110	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)		
		1 Yes	65	6.0
		2 No	1,153	94.0
		Missing	99	
232-232	QN55	Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)		
		1 Yes	95	8.0
		2 No	1,097	92.0
		Missing	125	
235-235	QN58	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)		
		1 Yes	46	4.2
		2 No	1,131	95.8
		Missing	140	
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	240	22.8
		2 No	709	77.2
		Missing	368	
238-238	QN61	Percentage of students who had sexual intercourse before age 13 years (for the first time)		
		1 Yes	36	4.1
		2 No	905	95.9
		Missing	376	
239-239	QN62	Percentage of students who had sexual intercourse with four or more persons (during their life)		
		1 Yes	56	5.6
		2 No	877	94.4
		Missing	384	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
240-240	QN63	Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)			
		1	Yes	168	16.9
		2	No	759	83.1
			Missing	390	
241-241	QN64	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)			
		1	Yes	42	27.6
		2	No	120	72.4
			Missing	1,155	
242-242	QN65	Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	88	61.0
		2	No	58	39.0
			Missing	1,171	
243-243	QN66	Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	27	15.7
		2	No	122	84.3
			Missing	1,168	
248-248	QN71	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)			
		1	Yes	379	36.5
		2	No	686	63.5
			Missing	252	
249-249	QN72	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)			
		1	Yes	249	22.7
		2	No	827	77.3
			Missing	241	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
254-254	QN77	Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	362	36.7
		2 No	673	63.3
		Missing	282	
255-255	QN78	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	328	32.2
		2 No	690	67.8
		Missing	299	
256-256	QN79	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	214	21.4
		2 No	804	78.6
		Missing	299	
257-257	QN80	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	425	42.3
		2 No	587	57.7
		Missing	305	
258-258	QN81	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	223	22.1
		2 No	783	77.9
		Missing	311	
259-259	QN82	Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)		
		1 Yes	407	40.4
		2 No	571	59.6
		Missing	339	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
260-260	QN83	Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)		
		1 Yes	834	85.4
		2 No	137	14.6
		Missing	346	
262-262	QN85	Percentage of students who were ever tested for HIV (not including tests done when donating blood)		
		1 Yes	166	19.2
		2 No	755	80.8
		Missing	396	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)		
		1 Yes	634	70.1
		2 No	267	29.9
		Missing	416	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	258	29.3
		2 No	630	70.7
		Missing	429	
265-265	QN88	Percentage of students who had 8 or more hours of sleep (on an average school night)		
		1 Yes	197	22.1
		2 No	699	77.9
		Missing	421	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,288	99.4
		2 No	9	0.6
		Missing	20	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
268-268	QN91	Percentage of students who have lived in the United States less than one year			
		1	Yes	23	1.9
		2	No	1,272	98.1
			Missing	22	
269-269	QN92	Percentage of students who reported in their home people most of the time or always speak a language other than English			
		1	Yes	505	38.2
		2	No	784	61.8
			Missing	28	
270-270	QN93	Percentage of students who are transgender			
		1	Yes	46	3.4
		2	No	1,253	96.6
			Missing	18	
271-271	QN94	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)			
		1	Yes	179	14.1
		2	No	1,120	85.9
			Missing	18	
272-272	QN95	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone (during the 12 months before the survey)			
		1	Yes	199	15.8
		2	No	1,036	84.2
			Missing	82	
273-273	QN96	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey			
		1	Yes	157	13.3
		2	No	1,034	86.7
			Missing	126	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	51	38.6
		2 No	81	61.4
		Missing	1,185	
275-275	QN98	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	109	8.8
		2 No	1,038	91.2
		Missing	170	
276-276	QN99	Percentage of students who have ever tried any flavored tobacco products (such as chocolate, candy, fruit, cinnamon, or alcohol-flavored cigarettes or cigars)		
		1 Yes	174	14.0
		2 No	1,050	86.0
		Missing	93	
277-277	QN100	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	78	6.5
		2 No	1,124	93.5
		Missing	115	
278-278	QN101	Percentage of students who have taken a prescription pain medication without a doctor's prescription (such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone, one or more times during the 12 months before the survey)		
		1 Yes	101	8.4
		2 No	1,104	91.6
		Missing	112	
279-279	QN102	Percentage of students who have taken benzodiazepines without a doctor's prescription (such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	87	7.2
		2 No	1,113	92.8
		Missing	117	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have taken stimulants without a doctor's prescription (such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	84	6.9
		2 No	1,109	93.1
		Missing	124	
281-281	QN104	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	91	41.8
		2 No	132	58.2
		Missing	1,094	
282-282	QN105	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	53	18.7
		2 No	245	81.3
		Missing	1,019	
283-283	QN106	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	41	14.5
		2 No	240	85.5
		Missing	1,036	
284-284	QN107	Percentage of students who reported that the last time they used birth control, including condoms, they or their partner got it from a school-based health center or somewhere else at school (among students who have used birth control) DATA NOT DISPLAYED. Please send an e-mail to epidatrequest@health.nyc.gov with requests for data related to school-based health centers.		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Staten Island
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	30	2.9
		2 No	947	97.1
		Missing	340	
286-286	QN109	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not including potatoes, during the 7 days before the survey)		
		1 Yes	318	30.2
		2 No	751	69.8
		Missing	248	
287-287	QN110	Percentage of students who ate french fries, fried potatoes, or potato chips (one or more times during the 7 days before the survey)		
		1 Yes	839	79.1
		2 No	213	20.9
		Missing	265	
288-288	QN111	Percentage of students who did not drink a bottle or glass of plain water (including tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	95	9.3
		2 No	952	90.7
		Missing	270	
289-289	QN112	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	698	65.7
		2 No	326	34.3
		Missing	293	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
290-290	QN113	Percentage of students who usually drink 1% or low-fat milk or skim or non-fat milk			
		1	Yes	152	15.3
		2	No	865	84.7
			Missing	300	
291-291	QN114	Percentage of students who usually walk or bike all the way to school in an average week when they are in school			
		1	Yes	117	12.7
		2	No	760	87.3
			Missing	440	
292-292	QN115	Percentage of students who usually spend 10 minutes or more walking, biking, or skateboarding to school (among students who walk, bike, or skateboard to school, on an average school day)			
		1	Yes	432	71.7
		2	No	175	28.3
			Missing	710	
293-293	QN116	Percentage of students who walk up at least three floors of stairs outside of school on an average day (among students who are physically able to walk up the stairs)			
		1	Yes	711	85.7
		2	No	129	14.3
			Missing	477	
294-294	QN117	Percentage of students who were ever taught about sexual health in school			
		1	Yes	813	90.3
		2	No	83	9.7
			Missing	421	
295-295	QN118	Percentage of students who were first taught about sexual health in a health education class (among students who had been taught about sexual health in school)			
		1	Yes	398	49.9
		2	No	416	50.1
			Missing	503	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
296-296	QN119	Percentage of students who reported that the last time they had seen a doctor or a nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	396	41.8
		2 No	502	58.2
		Missing	419	
297-297	QN120	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	131	22.5
		2 No	432	77.5
		Missing	754	
298-298	QN121	Percentage of students who usually slept with friends, family, or other people because their parents or they lost their home or cannot afford housing (during the 30 days before the survey)		
		1 Yes	61	6.2
		2 No	841	93.8
		Missing	415	
299-299	QN122	Percentage of students who ever lived away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	104	12.2
		2 No	740	87.8
		Missing	473	
300-300	QN123	Percentage of students who went tanning in a tanning salon, nail salon, or health club (not including getting a spray-on tan, one or more times during the 12 months before the survey)		
		1 Yes	260	29.5
		2 No	632	70.5
		Missing	425	
301-301	QN124	Percentage of students who have ever used the school-based health center (school clinic) at their school (among students who have a school-based health center at their school)		
		DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
302-302	QN125	Percentage of students who go to bodegas, delis, or drugstores two or more times per week (not including supermarkets or department stores)		
		1 Yes	359	38.7
		2 No	536	61.3
		Missing	422	
350-350	QNFRDIG	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)		
		1 Yes	37	3.0
		2 No	1,178	97.0
		Missing	102	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	25	2.2
		2 No	1,190	97.8
		Missing	102	
353-353	QNTOB4	Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	322	24.7
		2 No	913	75.3
		Missing	82	
354-354	QNTOB3	Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	182	13.9
		2 No	1,042	86.1
		Missing	93	
355-355	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	171	13.0
		2 No	1,047	87.0
		Missing	99	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Staten Island
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
356-356	QNNOTOB4	Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)		
		1 Yes	913	79.6
		2 No	255	20.4
		Missing	149	
357-357	QNNOTOB3	Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,042	89.1
		2 No	140	10.9
		Missing	135	
358-358	QNNOTOB2	Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	1,047	89.4
		2 No	138	10.6
		Missing	132	
359-359	QNIUDIMP	Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	2	1.7
		2 No	147	98.3
		Missing	1,168	
360-360	QNSHPARG	Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	9	7.5
		2 No	140	92.5
		Missing	1,168	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNOTHHPL	Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)		
		1 Yes	38	24.8
		2 No	111	75.2
		Missing	1,168	
362-362	QNQUALBC	Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)		
		1 Yes	11	8.2
		2 No	130	91.8
		Missing	1,176	
363-363	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)		
		1 Yes	29	17.7
		2 No	120	82.3
		Missing	1,168	
364-364	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)		
		1 Yes	130	13.5
		2 No	916	86.5
		Missing	271	
365-365	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)		
		1 Yes	529	50.4
		2 No	517	49.6
		Missing	271	
366-366	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)		
		1 Yes	295	28.2
		2 No	751	71.8
		Missing	271	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Staten Island
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
367-367	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)			
		1	Yes	189	17.4
		2	No	857	82.6
			Missing	271	
372-372	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	164	15.3
		2	No	871	84.7
			Missing	282	
373-373	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	112	10.1
		2	No	923	89.9
			Missing	282	
374-374	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	53	4.4
		2	No	982	95.6
			Missing	282	
375-375	QNMILK1	Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	245	22.9
		2	No	773	77.1
			Missing	299	
376-376	QNMILK2	Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	143	13.6
		2	No	875	86.4
			Missing	299	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-377	QNMILK3	Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)		
		1 Yes	65	5.7
		2 No	953	94.3
		Missing	299	
378-378	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	322	32.9
		2 No	696	67.1
		Missing	299	
379-379	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	220	23.3
		2 No	792	76.7
		Missing	305	
380-380	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)		
		1 Yes	229	22.6
		2 No	783	77.4
		Missing	305	
381-381	QNDLYPE	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)		
		1 Yes	653	69.1
		2 No	318	30.9
		Missing	346	
385-385	QNWATER1	Percentage of students who drank one or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	715	68.6
		2 No	332	31.4
		Missing	270	

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
386-386	QNWATER2	Percentage of students who drank two or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	648	62.5
		2 No	399	37.5
		Missing	270	
387-387	QNWATER3	Percentage of students who drank three or more glasses per day of water (during the 7 days before the survey)		
		1 Yes	526	51.4
		2 No	521	48.6
		Missing	270	
388-388	QNOBESE	Percentage of students who were obese (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	150	12.5
		2 No	1,026	87.5
		Missing	141	
389-389	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart)		
		1 Yes	186	15.3
		2 No	990	84.7
		Missing	141	
390-399	WEIGHT			
400-402	STRATUM			
403-408	PSU			
409-413	BMIPCT			

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
414-415	RACEETH	1	Am Indian / Alaska Native	10	0.2
		2	Asian	133	10.3
		3	Black or African American	155	14.7
		4	Native Hawaiian/other PI	17	0.5
		5	White	472	49.1
		6	Hispanic/Latino	151	8.9
		7	Multiple - Hispanic	264	15.7
		8	Multiple - Non-Hispanic	44	0.7
			Missing	71	
416-418	Q6ORIG				
419-421	Q7ORIG				
450-450	S3	Sub-site - S3 0	1,317	100.0	
451-451	S4	Sub-site - S4 0	1,317	100.0	
452-452	S5	Sub-site - S5 0	1,317	100.0	
453-453	S6	Sub-site - S6 0	1,317	100.0	
454-454	S7	Sub-site - S7 1	1,317	100.0	
455-455	S8	Sub-site - S8 0	1,317	100.0	
456-456	S9	Sub-site - S9 0	1,317	100.0	
457-457	S10	Sub-site - S10 0	1,317	100.0	