

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	6	0.3
		2	13 years old	40	3.0
		3	14 years old	303	24.2
		4	15 years old	365	27.5
		5	16 years old	400	21.4
		6	17 years old	391	20.5
		7	18 years old or older	60	3.1
		Missing	1		
18-18	Q2	What is your sex?			
		1	Female	864	51.1
		2	Male	701	48.9
			Missing	1	
19-19	Q3	In what grade are you?			
		1	9th grade	363	29.0
		2	10th grade	322	26.8
		3	11th grade	445	22.0
		4	12th grade	411	21.6
		5	Ungraded or other grade	7	0.5
		Missing	18		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	405	20.1
		2	No	1,125	79.9
		Missing	36		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	5	0.4
		F	6	0.3
		E	825	62.3
		D	53	2.5
		DE	3	0.1
		C	237	19.7
		C E	12	0.3
		B	170	12.4
		B E	5	0.1
		B D	2	0.0
		B DE	3	0.1
		BC	1	0.0
		BC E	1	0.1
		A	22	1.2
		A E	6	0.2
		A D	1	0.0
		A C	9	0.2
		AB	1	0.0
		AB D	1	0.1
		ABCDE	1	0.0
			202	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	594	37.5
		2 Never wore a helmet	736	49.0
		3 Rarely wore a helmet	94	6.0
		4 Sometimes wore a helmet	48	3.1
		5 Most of the time wore a helmet	32	2.1
		6 Always wore a helmet	37	2.2
		Missing	25	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?			
		1	Never	78	5.5
		2	Rarely	73	4.5
		3	Sometimes	185	11.5
		4	Most of the time	429	27.9
		5	Always	785	50.6
		Missing	16		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	0 times	1,427	95.0
		2	1 time	34	2.2
		3	2 or 3 times	11	0.7
		4	4 or 5 times	10	0.5
		5	6 or more times	26	1.7
		Missing	58		
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	1,382	90.1
		2	1 day	42	3.5
		3	2 or 3 days	22	1.5
		4	4 or 5 days	9	0.5
		5	6 or more days	68	4.4
		Missing	43		
44-44	Q13	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	1,494	97.2
		2	1 day	7	0.4
		3	2 or 3 days	6	0.4
		4	4 or 5 days	9	0.5
		5	6 or more days	25	1.5
		Missing	25		
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,470	96.3
		2	1 day	15	1.0
		3	2 or 3 days	8	0.4
		4	4 or 5 days	10	0.6
		5	6 or more days	27	1.6
		Missing	36		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,456	94.0
		2 1 day	31	1.9
		3 2 or 3 days	28	1.5
		4 4 or 5 days	7	0.7
		5 6 or more days	27	1.8
		Missing	17	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,444	92.5
		2 1 time	50	3.4
		3 2 or 3 times	18	1.2
		4 4 or 5 times	9	0.7
		5 6 or 7 times	5	0.5
		6 8 or 9 times	3	0.1
		7 10 or 11 times	1	0.1
		8 12 or more times	26	1.6
		Missing	10	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,091	71.0
		2 1 time	180	11.8
		3 2 or 3 times	132	9.7
		4 4 or 5 times	37	2.2
		5 6 or 7 times	21	1.4
		6 8 or 9 times	9	0.6
		7 10 or 11 times	6	0.4
		8 12 or more times	45	2.9
		Missing	45	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
50-50	Q19	During the past 12 months, how many times were you in a physical fight on school property?			
		1	0 times	1,342	88.0
		2	1 time	84	5.8
		3	2 or 3 times	39	3.1
		4	4 or 5 times	10	0.8
		5	6 or 7 times	5	0.3
		6	8 or 9 times	4	0.2
		7	10 or 11 times	1	0.1
		8	12 or more times	25	1.7
		Missing	56		
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?			
		1	Yes	174	11.3
		2	No	1,370	88.7
			Missing	22	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?			
		1	Yes	112	7.2
		2	No	1,423	92.8
			Missing	31	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	188	12.8
		2	No	1,331	87.2
			Missing	47	
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	390	23.8
		2	No	1,152	76.2
			Missing	24	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	203	13.6
		2	No	1,325	86.4
			Missing	38	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,174	90.9
		2 1 time	62	5.1
		3 2 or 3 times	25	1.7
		4 4 or 5 times	12	0.9
		5 6 or more times	17	1.3
		Missing	276	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,163	90.8
		2 Yes	35	2.7
		3 No	80	6.4
		Missing	288	
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	691	45.7
		2 No	771	54.3
		Missing	104	
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	931	65.9
		2 8 years old or younger	51	3.7
		3 9 or 10 years old	34	2.4
		4 11 or 12 years old	88	6.2
		5 13 or 14 years old	195	13.0
		6 15 or 16 years old	140	8.3
		7 17 years old or older	9	0.4
		Missing	118	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,201	84.5
		2 1 or 2 days	52	3.4
		3 3 to 5 days	20	1.2
		4 6 to 9 days	33	2.0
		5 10 to 19 days	33	2.0
		6 20 to 29 days	28	2.1
		7 All 30 days	72	4.7
		Missing	127	
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,183	84.1
		2 Less than 1 cigarette per day	45	2.8
		3 1 cigarette per day	49	3.1
		4 2 to 5 cigarettes per day	91	6.3
		5 6 to 10 cigarettes per day	26	1.7
		6 11 to 20 cigarettes per day	13	1.0
		7 More than 20 cigarettes per day	17	1.0
		Missing	142	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	1,325	90.4
		2 1 or 2 days	41	2.6
		3 3 to 5 days	24	1.5
		4 6 to 9 days	17	1.0
		5 10 to 19 days	16	1.1
		6 20 to 29 days	18	1.1
		7 All 30 days	35	2.3
		Missing	90	
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	172	11.5
		2 No	1,298	88.5
		Missing	96	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,117	78.7
		2 Yes	187	12.9
		3 No	129	8.4
		Missing	133	
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,453	95.7
		2 1 or 2 days	21	1.4
		3 3 to 5 days	14	0.9
		4 6 to 9 days	8	0.5
		5 10 to 19 days	5	0.4
		6 20 to 29 days	4	0.3
		7 All 30 days	16	0.9
		Missing	45	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,391	91.4
		2 1 or 2 days	62	3.7
		3 3 to 5 days	19	1.4
		4 6 to 9 days	13	0.8
		5 10 to 19 days	15	0.9
		6 20 to 29 days	8	0.5
		7 All 30 days	25	1.3
		Missing	33	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	565	40.2
		2 8 years old or younger	82	5.1
		3 9 or 10 years old	72	4.5
		4 11 or 12 years old	184	11.7
		5 13 or 14 years old	337	22.0
		6 15 or 16 years old	251	14.7
		7 17 years old or older	31	1.7
		Missing	44	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	871	62.7
		2 1 or 2 days	248	16.2
		3 3 to 5 days	153	10.1
		4 6 to 9 days	72	5.0
		5 10 to 19 days	56	3.7
		6 20 to 29 days	15	1.0
		7 All 30 days	19	1.4
		Missing	132	
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,172	79.3
		2 1 day	129	8.0
		3 2 days	78	4.7
		4 3 to 5 days	65	4.0
		5 6 to 9 days	32	2.0
		6 10 to 19 days	13	0.8
		7 20 or more days	18	1.2
		Missing	59	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	872	62.9
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	121	7.8
		3 I bought it at a restaurant, bar, or club	15	1.0
		4 I bought it at a public event such as a concert or sporting event	10	0.6
		5 I gave someone else money to buy it for me	96	6.8
		6 Someone gave it to me	172	10.9
		7 I took it from a store or family member	52	3.6
		8 I got it some other way	96	6.3
		Missing	132	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
76-76	Q45	During your life, how many times have you used marijuana?			
		1	0 times	967	66.8
		2	1 or 2 times	112	7.5
		3	3 to 9 times	109	6.3
		4	10 to 19 times	69	4.3
		5	20 to 39 times	64	3.8
		6	40 to 99 times	51	3.2
		7	100 or more times	126	8.2
		Missing	68		
77-77	Q46	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	973	66.6
		2	8 years old or younger	36	2.5
		3	9 or 10 years old	20	1.2
		4	11 or 12 years old	64	4.6
		5	13 or 14 years old	212	13.1
		6	15 or 16 years old	191	11.3
		7	17 years old or older	14	0.6
		Missing	56		
78-78	Q47	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,207	81.3
		2	1 or 2 times	91	5.6
		3	3 to 9 times	87	5.4
		4	10 to 19 times	32	2.1
		5	20 to 39 times	30	2.1
		6	40 or more times	55	3.5
		Missing	64		
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,423	93.3
		2	1 or 2 times	37	2.4
		3	3 to 9 times	22	1.6
		4	10 to 19 times	8	0.6
		5	20 to 39 times	8	0.4
		6	40 or more times	25	1.7
		Missing	43		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,372	89.4
		2 1 or 2 times	75	5.1
		3 3 to 9 times	35	2.2
		4 10 to 19 times	13	1.2
		5 20 to 39 times	12	0.8
		6 40 or more times	23	1.3
		Missing	36	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,469	96.0
		2 1 or 2 times	18	1.3
		3 3 to 9 times	9	0.7
		4 10 to 19 times	4	0.3
		5 20 to 39 times	5	0.4
		6 40 or more times	21	1.3
		Missing	40	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,464	96.6
		2 1 or 2 times	17	0.9
		3 3 to 9 times	11	0.8
		4 10 to 19 times	5	0.4
		5 20 to 39 times	3	0.2
		6 40 or more times	17	1.0
		Missing	49	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,435	94.1
		2 1 or 2 times	36	2.2
		3 3 to 9 times	24	1.6
		4 10 to 19 times	9	0.5
		5 20 to 39 times	6	0.4
		6 40 or more times	22	1.2
		Missing	34	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,471	97.2
		2 1 time	21	1.3
		3 2 or more times	22	1.5
		Missing	52	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	401	26.3
		2 No	1,111	73.7
		Missing	54	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	516	34.5
		2 No	843	65.5
		Missing	207	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	837	64.6
		2 11 years old or younger	44	2.5
		3 12 years old	29	2.0
		4 13 years old	78	6.0
		5 14 years old	123	8.2
		6 15 years old	135	9.2
		7 16 years old	92	5.7
		8 17 years old or older	29	1.8
		Missing	199	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	839	64.9
		2 1 person	200	13.5
		3 2 people	104	6.8
		4 3 people	64	4.3
		5 4 people	49	3.3
		6 5 people	24	1.5
		7 6 or more people	85	5.8
		Missing	201	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	834	64.5
		2 I have had sexual intercourse, but not during the past 3 months	132	9.2
		3 1 person	293	18.8
		4 2 people	54	4.2
		5 3 people	10	0.8
		6 4 people	7	0.4
		7 5 people	12	0.8
		8 6 or more people	20	1.2
	Missing	204		
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	829	64.7
		2 Yes	123	8.3
		3 No	401	27.0
		Missing	213	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	828	65.3
		2 Yes	340	23.7
		3 No	169	11.0
		Missing	229	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	824	65.2
		2 No method was used to prevent pregnancy	84	5.4
		3 Birth control pills	49	3.4
		4 Condoms	294	20.4
		5 Depo-Provera (injectable birth control)	5	0.3
		6 Withdrawal	43	2.9
		7 Some other method	17	1.1
		8 Not sure	17	1.3
	Missing	233		

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
96-96	Q65	How do you describe your weight?		
		1 Very underweight	55	3.6
		2 Slightly underweight	198	13.5
		3 About the right weight	846	56.6
		4 Slightly overweight	330	22.1
		5 Very overweight	58	4.1
		Missing	79	
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	692	46.8
		2 Gain weight	248	16.2
		3 Stay the same weight	285	19.0
		4 I am not trying to do anything about my weight	259	18.0
		Missing	82	
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	863	59.6
		2 No	592	40.4
		Missing	111	
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	547	37.6
		2 No	900	62.4
		Missing	119	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	79	5.5
		2 No	1,356	94.5
		Missing	131	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	364	24.4
		2 1 to 3 times during the past 7 days	509	34.7
		3 4 to 6 times during the past 7 days	222	15.9
		4 1 time per day	104	7.1
		5 2 times per day	96	6.8
		6 3 times per day	74	4.9
		7 4 or more times per day	98	6.3
		Missing	99	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	255	17.9
		2 1 to 3 times during the past 7 days	571	40.4
		3 4 to 6 times during the past 7 days	207	13.9
		4 1 time per day	153	10.3
		5 2 times per day	125	8.1
		6 3 times per day	58	4.2
		7 4 or more times per day	75	5.1
		Missing	122	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	378	25.7
		2 1 to 3 times during the past 7 days	502	34.8
		3 4 to 6 times during the past 7 days	230	17.1
		4 1 time per day	86	6.6
		5 2 times per day	73	4.7
		6 3 times per day	58	3.9
		7 4 or more times per day	97	7.1
		Missing	142	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	258	19.4
		2 1 day	124	8.6
		3 2 days	146	11.1
		4 3 days	146	10.9
		5 4 days	131	9.7
		6 5 days	164	11.1
		7 6 days	75	5.5
		8 7 days	332	23.6
		Missing	190	
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	162	12.0
		2 Less than 1 hour per day	211	15.4
		3 1 hour per day	196	14.6
		4 2 hours per day	308	22.0
		5 3 hours per day	234	18.0
		6 4 hours per day	124	8.8
		7 5 or more hours per day	128	9.2
		Missing	203	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	199	14.3
		2 Less than 1 hour per day	191	13.6
		3 1 hour per day	193	14.4
		4 2 hours per day	250	18.1
		5 3 hours per day	199	13.6
		6 4 hours per day	136	10.4
		7 5 or more hours per day	201	15.6
		Missing	197	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	236	16.7
		2 1 day	52	3.7
		3 2 days	53	5.9
		4 3 days	42	4.8
		5 4 days	73	5.9
		6 5 days	904	63.0
		Missing	206	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	700	51.7
		2 1 team	394	29.1
		3 2 teams	173	12.5
		4 3 or more teams	86	6.7
		Missing	213	
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	300	21.9
		2 No	970	73.9
		3 Not sure	55	4.2
		Missing	241	
119-119	Q88	In what country was your mother or mother figure born?		
		1 United States	883	57.8
		2 China	69	4.4
		3 Dominican Republic	30	1.5
		4 Jamaica	15	0.9
		5 Mexico	71	4.0
		6 Puerto Rico	45	2.3
		7 Other	426	28.4
		8 I do not live with my mother or mother figure	11	0.6
		Missing	16	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
120-120	Q89	In what country was your father or father figure born?			
		1	United States	805	52.8
		2	China	73	4.7
		3	Dominican Republic	28	1.5
		4	Jamaica	20	1.3
		5	Mexico	60	3.4
		6	Puerto Rico	48	2.5
		7	Other	455	30.2
		8	I do not live with my father or father figure	54	3.6
	Missing	23			
121-121	Q90	How long have you lived in the US?			
		1	Less than one year	37	2.2
		2	1 to 3 years	46	3.1
		3	4 to 6 years	47	3.2
		4	7 or more years	1,398	91.5
	Missing	38			
122-122	Q91	What borough of New York do you live in?			
		1	Bronx	21	1.3
		2	Brooklyn	35	2.3
		3	Manhattan	10	0.7
		4	Queens	10	0.6
		5	Staten Island	1,482	95.1
	Missing	8			
123-123	Q92	How often do the people in your home speak a language other than English?			
		1	Never	558	38.3
		2	Rarely	179	11.1
		3	Sometimes	291	17.7
		4	Most of the time	253	16.0
		5	Always	273	17.0
	Missing	12			
124-124	Q93	During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?			
		1	Yes	219	13.5
		2	No	1,335	86.5
	Missing	12			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,232	81.7
		2 I bought them in a store such as a convenience store, supermarket, or gas station	89	5.2
		3 I bought them on the Internet	7	0.5
		4 I bummed them	28	1.8
		5 Someone gave them to me or bought them for me	128	8.0
		6 I stole them	21	1.2
		7 I got them some other way	28	1.6
		Missing	33	
126-126	Q95	When you bought or tried to buy cigarettes during the past 30 days, were you ever asked to show proof of age?		
		1 I did not try to buy cigarettes in a store during the past 30 days	1,322	87.3
		2 Yes, I was asked to show proof of age	92	6.1
		3 No, I was not asked to show proof of age	105	6.5
		Missing	47	
127-127	Q96	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription?		
		1 0 times	1,342	88.1
		2 1 or 2 times	66	4.3
		3 3 to 9 times	43	2.6
		4 10 to 19 times	17	1.1
		5 20 to 39 times	15	1.0
		6 40 or more times	47	2.9
		Missing	36	
128-128	Q97	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	1,123	78.3
		2 1 to 3 times	160	10.5
		3 4 to 7 times	80	4.8
		4 8 or more times	110	6.4
		Missing	93	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
129-129	Q98	If you used some other method the last time you had sexual intercourse, what one other birth control method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	903	66.3
		2 The Patch (Ortho-Evra)	11	0.8
		3 The Ring (Nuva Ring)	9	0.6
		4 The IUD (intrauterine device)	6	0.4
		5 Implanon (implantable birth control)	4	0.3
		6 Emergency Contraception (EC) or the Morning After Pill	14	0.8
		7 I did not use any of these methods the last time I had sexual intercourse	385	23.8
		8 Not sure	94	7.0
		Missing	140	
130-130	Q99	The last time you used birth control, from where did you or your partner get it?		
DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
131-131	Q100	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	1,314	92.9
		2 1 time	55	3.3
		3 2 or more times	26	1.8
		4 Not sure	29	2.0
		Missing	142	
132-132	Q101	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	48	3.1
		2 No	1,316	93.4
		3 Not sure	47	3.5
		Missing	155	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
133-133	Q102	Have you or your partner ever used emergency contraceptive pills, sometimes called morning after pills or Plan B?		
		1 Yes	120	7.5
		2 No	1,285	89.3
		3 Not sure	49	3.2
		Missing	112	
134-134	Q103	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	677	48.3
		2 Females	368	25.8
		3 Males	361	22.2
		4 Females and males	66	3.7
Missing	94			
135-135	Q104	Which of the following best describes you?		
		1 Heterosexual or straight	1,342	90.7
		2 Gay or lesbian	29	2.0
		3 Bisexual	78	4.6
		4 Not sure	38	2.7
Missing	79			
136-136	Q105	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	199	13.9
		2 1 to 3 times during the past 7 days	456	32.1
		3 4 to 6 times during the past 7 days	313	22.1
		4 1 time per day	220	15.1
		5 2 times per day	124	8.7
		6 3 times per day	44	3.1
		7 4 or more times per day	73	4.9
Missing	137			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	235	16.6
		2 1 to 3 times during the past 7 days	718	49.2
		3 4 to 6 times during the past 7 days	269	18.9
		4 1 time per day	100	7.2
		5 2 times per day	48	3.2
		6 3 times per day	22	1.6
		7 4 or more times per day	48	3.2
		Missing	126	
138-138	Q107	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	282	20.0
		2 1 to 3 times during the past 7 days	513	36.8
		3 4 to 6 times during the past 7 days	248	17.6
		4 1 time per day	131	9.7
		5 2 times per day	100	6.7
		6 3 times per day	52	3.2
		7 4 or more times per day	90	6.0
		Missing	150	
139-139	Q108	What kind of milk do you usually drink?		
		1 I do not drink milk	217	15.5
		2 Whole milk	472	34.1
		3 2% milk or reduced fat milk	312	21.2
		4 1% milk or low-fat milk	199	13.2
		5 Skim milk or non-fat milk	91	6.0
		6 Soy milk	45	2.8
		7 Not sure	89	7.2
		Missing	141	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
140-140	Q109	During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school?		
		1 0 days	582	41.6
		2 1 day	82	5.8
		3 2 days	56	3.7
		4 3 days	58	4.0
		5 4 days	58	4.0
		6 5 or more days	565	40.9
		Missing	165	
141-141	Q110	If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of?		
		1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school	621	44.3
		2 I mostly walk to school	187	15.3
		3 I mostly bike to school	24	1.9
		4 I mostly walk to public transportation to get to school	528	36.7
		5 I mostly bike to public transportation to get to school	25	1.8
		Missing	181	
142-142	Q111	In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Never	806	57.4
		2 A few times a year	345	25.0
		3 At least once a month	85	7.1
		4 Several times a month	146	10.6
		Missing	184	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
143-143	Q112	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	251	17.7
		2 Less than 10 minutes	211	16.3
		3 10 to 20 minutes	235	17.8
		4 21 to 30 minutes	249	18.6
		5 31 to 40 minutes	198	14.9
		6 41 to 50 minutes	128	9.0
		7 51 to 60 minutes	23	1.8
		8 More than 60 minutes	52	3.9
		Missing	219	
144-144	Q113	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	160	12.0
		2 No	1,066	79.3
		3 Not sure	104	8.7
		Missing	236	
145-145	Q114	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	634	48.8
		2 Yes	188	13.6
		3 No	466	34.2
		4 Not sure	47	3.4
		Missing	231	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
146-146	Q115	The last time you needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem where did you go?		
<p>DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</p>				
147-147	Q116	Have you ever used the school-based health center (school clinic) at your school?		
<p>DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</p>				
148-148	Q117	During the past 12 months, how many times have you gone to the emergency room for medical care?		
		1 0 times	937	71.7
		2 1 to 2 times	302	21.9
		3 3 to 5 times	57	3.6
		4 6 to 10 times	17	1.1
		5 11 to 20 times	6	0.4
		6 20 or more times	17	1.2
		Missing	230	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	Q118	Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem?		
		1 Strongly agree	354	25.3
		2 Agree	461	35.0
		3 Not sure	239	19.2
		4 Disagree	132	10.0
		5 Strongly disagree	145	10.5
		Missing	235	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	830	88.0
		2 No	117	12.0
		Missing	619	
186-186	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	151	10.0
		2 No	1,399	90.0
		Missing	16	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	81	5.0
		2 No	1,427	95.0
		Missing	58	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	141	9.9
		2 No	1,382	90.1
		Missing	43	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	47	2.8
		2 No	1,494	97.2
		Missing	25	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	60	3.7
		2 No	1,470	96.3
		Missing	36	
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	93	6.0
		2 No	1,456	94.0
		Missing	17	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	112	7.5
		2 No	1,444	92.5
		Missing	10	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	430	29.0
		2 No	1,091	71.0
		Missing	45	
196-196	QN19	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	168	12.0
		2 No	1,342	88.0
		Missing	56	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	174	11.3
		2 No	1,370	88.7
		Missing	22	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	112	7.2
		2 No	1,423	92.8
		Missing	31	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	188	12.8
		2 No	1,331	87.2
		Missing	47	
200-200	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	390	23.8
		2 No	1,152	76.2
		Missing	24	
201-201	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	203	13.6
		2 No	1,325	86.4
		Missing	38	
203-203	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	116	9.1
		2 No	1,174	90.9
		Missing	276	
204-204	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	35	2.7
		2 No	1,243	97.3
		Missing	288	
205-205	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	691	45.7
		2 No	771	54.3
		Missing	104	
206-206	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	173	12.4
		2 No	1,275	87.6
		Missing	118	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
207-207	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	238	15.5
		2 No	1,201	84.5
		Missing	127	
208-208	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	29	12.5
		2 No	206	87.5
		Missing	1,331	
210-210	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	151	9.6
		2 No	1,325	90.4
		Missing	90	
211-211	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	172	11.5
		2 No	1,298	88.5
		Missing	96	
212-212	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	145	62.7
		2 No	85	37.3
		Missing	1,336	
213-213	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	68	4.3
		2 No	1,453	95.7
		Missing	45	
215-215	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	142	8.6
		2 No	1,391	91.4
		Missing	33	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
217-217	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	338	21.3
		2 No	1,184	78.7
		Missing	44	
218-218	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	563	37.3
		2 No	871	62.7
		Missing	132	
219-219	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	335	20.7
		2 No	1,172	79.3
		Missing	59	
220-220	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	170	29.7
		2 No	381	70.3
		Missing	1,015	
222-222	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	531	33.2
		2 No	967	66.8
		Missing	68	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	120	8.4
		2 No	1,390	91.6
		Missing	56	
224-224	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	295	18.7
		2 No	1,207	81.3
		Missing	64	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	100	6.7
		2 No	1,423	93.3
		Missing	43	
228-228	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	158	10.6
		2 No	1,372	89.4
		Missing	36	
229-229	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	57	4.0
		2 No	1,469	96.0
		Missing	40	
230-230	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	53	3.4
		2 No	1,464	96.6
		Missing	49	
231-231	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	97	5.9
		2 No	1,435	94.1
		Missing	34	
233-233	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	43	2.8
		2 No	1,471	97.2
		Missing	52	
234-234	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	401	26.3
		2 No	1,111	73.7
		Missing	54	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	516	34.5
		2 No	843	65.5
		Missing	207	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	73	4.5
		2 No	1,294	95.5
		Missing	199	
237-237	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	158	10.5
		2 No	1,207	89.5
		Missing	201	
238-238	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	396	26.3
		2 No	966	73.7
		Missing	204	
239-239	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	96	25.3
		2 No	294	74.7
		Missing	1,176	
240-240	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	248	65.5
		2 No	134	34.5
		Missing	1,184	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	36	9.6
		2 No	343	90.4
		Missing	1,187	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
242-242	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	388	26.3
		2 No	1,099	73.7
		Missing	79	
243-243	QN66	Percentage of students who were trying to lose weight		
		1 Yes	692	46.8
		2 No	792	53.2
		Missing	82	
244-244	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	863	59.6
		2 No	592	40.4
		Missing	111	
245-245	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	547	37.6
		2 No	900	62.4
		Missing	119	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	79	5.5
		2 No	1,356	94.5
		Missing	131	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,103	75.6
		2 No	364	24.4
		Missing	99	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,189	82.1
		2 No	255	17.9
		Missing	122	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	314	22.3
		2 No	1,110	77.7
		Missing	142	
257-257	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	571	40.2
		2 No	805	59.8
		Missing	190	
258-258	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	486	36.1
		2 No	877	63.9
		Missing	203	
259-259	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	536	39.6
		2 No	833	60.4
		Missing	197	
260-260	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,124	83.3
		2 No	236	16.7
		Missing	206	
261-261	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	653	48.3
		2 No	700	51.7
		Missing	213	
263-263	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	300	21.9
		2 No	1,025	78.1
		Missing	241	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students whose mother or mother figure was born outside the US		
		1 Yes	656	41.6
		2 No	894	58.4
		Missing	16	
266-266	QN89	Percentage of students whose father or father figure was born outside the US		
		1 Yes	684	43.7
		2 No	859	56.3
		Missing	23	
267-267	QN90	Percentage of students who have lived in the US less than one year		
		1 Yes	37	2.2
		2 No	1,491	97.8
		Missing	38	
268-268	QN91	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,548	99.3
		2 No	10	0.7
		Missing	8	
269-269	QN92	Percentage of students who report that the people in their home most of the time or always speak a language other than English		
		1 Yes	526	33.0
		2 No	1,028	67.0
		Missing	12	
270-270	QN93	Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, at least one time during the past 12 months		
		1 Yes	219	13.5
		2 No	1,335	86.5
		Missing	12	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	89	5.2
		2 No	1,444	94.8
		Missing	33	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who were not asked to show proof of age when they bought or tried to buy cigarettes during the past 30 days		
		1 Yes	105	6.5
		2 No	1,414	93.5
		Missing	47	
273-273	QN96	Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life		
		1 Yes	188	11.9
		2 No	1,342	88.1
		Missing	36	
274-274	QN97	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	350	21.7
		2 No	1,123	78.3
		Missing	93	
275-275	QN98	Percentage of students who used the IUD (intrauterine device) as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	6	0.4
		2 No	1,420	99.6
		Missing	140	
276-276	QN99	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
277-277	QN100	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	81	5.1
		2 No	1,343	94.9
		Missing	142	

DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
278-278	QN101	Percentage of students who have been pregnant or gotten someone pregnant during the past 12 months		
		1 Yes	48	3.1
		2 No	1,363	96.9
		Missing	155	
279-279	QN102	Percentage of students who responded that they or their partner had ever used emergency contraceptive pills, sometimes called morning after pills or Plan B		
		1 Yes	120	7.5
		2 No	1,334	92.5
		Missing	112	
280-280	QN103	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	66	3.7
		2 No	1,406	96.3
		Missing	94	
281-281	QN104	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	107	6.7
		2 No	1,380	93.3
		Missing	79	
282-282	QN105	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	461	31.8
		2 No	968	68.2
		Missing	137	
283-283	QN106	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	218	15.3
		2 No	1,222	84.7
		Missing	126	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	373	25.7
		2 No	1,043	74.3
		Missing	150	
285-285	QN108	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	290	19.2
		2 No	1,135	80.8
		Missing	141	
286-286	QN109	Percentage of students who walked or biked to school or walked or biked to public transportation to get to school one or more days during the last week they were in school		
		1 Yes	819	58.4
		2 No	582	41.6
		Missing	165	
287-287	QN110	Percentage of students who mostly walk or bike to school		
		1 Yes	211	17.2
		2 No	1,174	82.8
		Missing	181	
288-288	QN111	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times a month in the past 12 months		
		1 Yes	231	17.7
		2 No	1,151	82.3
		Missing	184	
289-289	QN112	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	650	48.3
		2 No	697	51.7
		Missing	219	

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who have ever been tested for HIV, the virus that causes AIDS 1 Yes 2 No Missing	160 1,170 236	12.0 88.0
291-291	QN114	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months 1 Yes 2 No Missing	188 1,147 231	13.6 86.4
292-292	QN115	Percentage of students who went to school-based health center (school clinic) the last time they needed to see a doctor or get advice (counseling) on a sexual, physical, or mental health problem DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
293-293	QN116	Percentage of students who have ever used the school-based health center (school clinic) at their school DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
294-294	QN117	Percentage of students who have gone to the emergency room for medical care one or more times during the past 12 months 1 Yes 2 No Missing	399 937 230	28.3 71.7
295-295	QN118	Percentage of students who agree or strongly agree that they feel connected to at least one teacher or other adult in their school they can talk to if they have a problem 1 Yes 2 No Missing	815 516 235	60.3 39.7
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days 1 Yes 2 No Missing	100 1,339 127	6.8 93.2

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
351-351	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	273	18.5
		2 No	1,132	81.5
		Missing	161	
353-353 Q	NFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	435	29.7
		2 No	999	70.3
		Missing	132	
355-355	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	904	63.0
		2 No	456	37.0
		Missing	206	
356-356 Q	NOWT (revised)	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	212	15.1
		2 No	1,211	84.9
		Missing	143	
357-357 Q	NOBESE (revised)	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	141	11.5
		2 No	1,282	88.5
		Missing	143	
358-367 W	EIGHT			
368-370 STRA	TUM			
371-376 PSU				
383-387 BMI	PCT			

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name		Question Code and Label	Unweighted Frequency	Weighted Percentage
388-389	RACEETH				
		1	Am Indian / Alaska Native	10	0.3
		2	Asian	148	10.2
		3	Black or African American	182	15.7
		4	Native Hawaiian/other PI	15	0.2
		5	White	712	53.2
		6	Hispanic/Latino	165	7.9
		7	Multiple - Hispanic	234	12.2
		8	Multiple - non-Hispanic	31	0.4
			Missing	69	