

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	8	0.3
		2	13 years old	49	3.6
		3	14 years old	340	24.6
		4	15 years old	382	25.5
		5	16 years old	487	22.8
		6	17 years old	383	19.7
		7	18 years old or older	65	3.4
		Missing	3		
18-18	Q2	What is your sex?			
		1	Female	934	49.0
		2	Male	778	51.0
			Missing	5	
19-19	Q3	In what grade are you?			
		1	9th grade	407	30.0
		2	10th grade	375	26.6
		3	11th grade	503	22.2
		4	12th grade	403	20.5
		5	Ungraded or other grade	12	0.7
		Missing	17		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	476	20.5
		2	No	1,200	79.5
			Missing	41	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	3	0.2
		G	1	0.1
		F	7	0.6
		E	787	61.2
		E H	2	0.1
		D	48	1.9
		D H	1	0.1
		DE	5	0.1
		C	282	21.3
		C E	29	0.6
		CD	6	0.1
		CDE	3	0.0
		B	205	10.9
		B E	14	0.2
		B D	4	0.0
		BC	5	0.1
		BC E	1	0.0
		BCD	2	0.0
		A	52	1.8
		A E	8	0.2
		A C	7	0.2
		A C E	3	0.2
		A CD	3	0.0
		AB E	1	0.0
		ABC	3	0.0
		ABCD	2	0.0
		ABCDE	3	0.1
			230	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	686	40.3
		2 Never wore a helmet	767	44.3
		3 Rarely wore a helmet	113	6.6
		4 Sometimes wore a helmet	68	3.9
		5 Most of the time wore a helmet	35	1.9
		6 Always wore a helmet	38	3.0
		Missing	10	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	1,603	97.2
		2 1 time	15	0.9
		3 2 or 3 times	11	0.6
		4 4 or 5 times	6	0.3
		5 6 or more times	23	1.0
		Missing	59	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,552	91.9
		2 1 day	32	2.4
		3 2 or 3 days	32	2.4
		4 4 or 5 days	14	1.0
		5 6 or more days	51	2.3
		Missing	36	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	1,635	97.4
		2 1 day	19	1.0
		3 2 or 3 days	8	0.5
		4 4 or 5 days	2	0.1
		5 6 or more days	23	0.9
		Missing	30	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,624	97.2
		2 1 day	9	0.5
		3 2 or 3 days	9	0.7
		4 4 or 5 days	8	0.4
		5 6 or more days	29	1.2
		Missing	38	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,577	92.9
		2 1 day	61	3.9
		3 2 or 3 days	29	1.4
		4 4 or 5 days	10	0.5
		5 6 or more days	28	1.3
		Missing	12	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,583	92.2
		2 1 time	56	3.4
		3 2 or 3 times	31	2.4
		4 4 or 5 times	7	0.4
		5 6 or 7 times	4	0.2
		6 8 or 9 times	6	0.3
		8 12 or more times	21	1.1
		Missing	9	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,317	76.8
		2 1 time	188	11.0
		3 2 or 3 times	111	6.9
		4 4 or 5 times	34	2.3
		5 6 or 7 times	11	0.7
		6 8 or 9 times	4	0.2
		7 10 or 11 times	3	0.2
		8 12 or more times	33	1.8
		Missing	16	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	182	10.6
		2 No	1,506	89.4
		Missing	29	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	133	8.0
		2 No	1,552	92.0
		Missing	32	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	214	13.0
		2 No	1,458	87.0
		Missing	45	
54-54	Q23	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	233	13.4
		2 No	1,459	86.6
		Missing	25	
55-55	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	464	26.8
		2 No	1,220	73.2
		Missing	33	
56-56	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	228	12.4
		2 No	1,470	87.6
		Missing	19	
58-58	Q27	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,333	93.1
		2 1 time	66	3.8
		3 2 or 3 times	24	1.6
		4 4 or 5 times	6	0.5
		5 6 or more times	17	1.0
		Missing	271	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,321	93.2
		2 Yes	33	1.6
		3 No	76	5.2
		Missing	287	
60-60	Q29	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	542	32.5
		2 No	1,102	67.5
		Missing	73	
62-62	Q31	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,423	88.0
		2 1 or 2 days	59	4.0
		3 3 to 5 days	20	1.6
		4 6 to 9 days	30	1.6
		5 10 to 19 days	14	0.6
		6 20 to 29 days	24	1.4
		7 All 30 days	51	2.7
		Missing	96	
63-63	Q32	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,412	87.9
		2 Less than 1 cigarette per day	52	3.5
		3 1 cigarette per day	43	2.6
		4 2 to 5 cigarettes per day	53	3.0
		5 6 to 10 cigarettes per day	28	1.8
		6 11 to 20 cigarettes per day	8	0.4
		7 More than 20 cigarettes per day	15	0.8
		Missing	106	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	1,337	83.3
		2 Yes	141	8.6
		3 No	141	8.0
		Missing	98	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	1,613	95.8
		2 1 or 2 days	34	1.8
		3 3 to 5 days	17	1.3
		4 6 to 9 days	5	0.2
		5 10 to 19 days	5	0.3
		6 20 to 29 days	2	0.1
		7 All 30 days	15	0.6
		Missing	26	
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	689	42.8
		2 8 years old or younger	91	5.4
		3 9 or 10 years old	61	3.2
		4 11 or 12 years old	146	9.7
		5 13 or 14 years old	367	23.1
		6 15 or 16 years old	253	13.3
		7 17 years old or older	45	2.4
		Missing	65	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,057	69.1
		2 1 or 2 days	257	15.9
		3 3 to 5 days	121	8.4
		4 6 to 9 days	56	3.8
		5 10 to 19 days	21	1.3
		6 20 to 29 days	9	0.4
		7 All 30 days	23	1.0
		Missing	173	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	1,372	85.3
		2 1 day	98	6.0
		3 2 days	67	4.0
		4 3 to 5 days	46	2.6
		5 6 to 9 days	16	0.9
		6 10 to 19 days	10	0.7
		7 20 or more days	14	0.6
		Missing	94	
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,041	68.3
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	76	5.0
		3 I bought it at a restaurant, bar, or club	17	0.8
		4 I bought it at a public event such as a concert or sporting event	5	0.3
		5 I gave someone else money to buy it for me	103	6.6
		6 Someone gave it to me	132	7.7
		7 I took it from a store or family member	63	4.2
		8 I got it some other way	103	7.2
		Missing	177	
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,172	70.3
		2 8 years old or younger	48	2.4
		3 9 or 10 years old	21	1.1
		4 11 or 12 years old	57	3.6
		5 13 or 14 years old	194	12.9
		6 15 or 16 years old	152	8.7
		7 17 years old or older	23	0.9
		Missing	50	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,342	80.8
		2 1 or 2 times	128	7.8
		3 3 to 9 times	66	3.9
		4 10 to 19 times	31	2.3
		5 20 to 39 times	24	1.7
		6 40 or more times	64	3.5
		Missing	62	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,579	95.0
		2 1 or 2 times	40	2.3
		3 3 to 9 times	18	1.0
		4 10 to 19 times	8	0.4
		5 20 to 39 times	3	0.1
		6 40 or more times	22	1.1
		Missing	47	
83-83	Q52	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,505	90.0
		2 1 or 2 times	87	5.7
		3 3 to 9 times	26	1.6
		4 10 to 19 times	13	1.0
		5 20 to 39 times	14	0.8
		6 40 or more times	20	0.9
		Missing	52	
84-84	Q53	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,592	96.6
		2 1 or 2 times	20	1.0
		3 3 to 9 times	9	0.5
		4 10 to 19 times	13	0.8
		5 20 to 39 times	6	0.4
		6 40 or more times	16	0.7
		Missing	61	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
85-85	Q54	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,587	96.2
		2 1 or 2 times	26	1.4
		3 3 to 9 times	14	0.7
		4 10 to 19 times	10	0.4
		5 20 to 39 times	5	0.3
		6 40 or more times	20	1.0
		Missing	55	
86-86	Q55	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,536	93.0
		2 1 or 2 times	55	3.3
		3 3 to 9 times	29	1.6
		4 10 to 19 times	10	0.5
		5 20 to 39 times	10	0.4
		6 40 or more times	18	1.1
		Missing	59	
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,579	96.4
		2 1 time	33	2.3
		3 2 or more times	28	1.3
		Missing	77	
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	417	28.2
		2 No	1,009	71.8
		Missing	291	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,011	71.4
		2 11 years old or younger	34	2.2
		3 12 years old	27	1.5
		4 13 years old	62	5.8
		5 14 years old	100	7.1
		6 15 years old	103	6.0
		7 16 years old	71	4.3
		8 17 years old or older	26	1.6
		Missing	283	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,011	71.9
		2 1 person	179	11.9
		3 2 people	78	5.9
		4 3 people	41	2.9
		5 4 people	29	1.8
		6 5 people	18	1.4
		7 6 or more people	68	4.3
		Missing	293	
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,000	71.5
		2 I have had sexual intercourse, but not during the past 3 months	130	9.2
		3 1 person	205	13.1
		4 2 people	39	2.9
		5 3 people	10	1.1
		6 4 people	9	0.4
		7 5 people	8	0.4
		8 6 or more people	16	1.2
		Missing	300	
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,004	71.9
		2 Yes	82	5.9
		3 No	332	22.3
		Missing	299	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,003	72.9
		2 Yes	267	19.0
		3 No	123	8.1
		Missing	324	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,001	72.3
		2 No method was used to prevent pregnancy	57	4.4
		3 Birth control pills	39	2.5
		4 Condoms	226	16.1
		5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	8	0.4
		6 Withdrawal	41	2.2
		7 Some other method	13	1.1
		8 Not sure	15	0.9
		Missing	317	
98-98	Q67	How do you describe your weight?		
		1 Very underweight	81	5.4
		2 Slightly underweight	194	12.2
		3 About the right weight	844	52.5
		4 Slightly overweight	401	25.1
		5 Very overweight	76	4.9
		Missing	121	
99-99	Q68	Which of the following are you trying to do about your weight?		
		1 Lose weight	800	49.7
		2 Gain weight	253	15.4
		3 Stay the same weight	260	17.0
		4 I am not trying to do anything about my weight	285	17.8
		Missing	119	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	123	7.3
		2 No	1,438	92.7
		Missing	156	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	393	24.9
		2 1 to 3 times during the past 7 days	566	36.3
		3 4 to 6 times during the past 7 days	259	16.1
		4 1 time per day	94	5.7
		5 2 times per day	115	7.7
		6 3 times per day	55	3.0
		7 4 or more times per day	98	6.4
		Missing	137	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	315	20.3
		2 1 to 3 times during the past 7 days	599	38.4
		3 4 to 6 times during the past 7 days	251	15.7
		4 1 time per day	144	7.9
		5 2 times per day	142	8.4
		6 3 times per day	63	3.5
		7 4 or more times per day	81	5.7
		Missing	122	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	452	29.6
		2 1 to 3 times during the past 7 days	566	33.9
		3 4 to 6 times during the past 7 days	205	13.0
		4 1 time per day	105	7.1
		5 2 times per day	90	5.9
		6 3 times per day	52	3.7
		7 4 or more times per day	92	6.8
		Missing	155	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	227	14.2
		2 1 day	151	8.7
		3 2 days	142	9.2
		4 3 days	195	13.3
		5 4 days	157	10.8
		6 5 days	208	13.7
		7 6 days	92	5.4
		8 7 days	342	24.7
		Missing	203	
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	247	14.9
		2 Less than 1 hour per day	243	15.1
		3 1 hour per day	212	13.9
		4 2 hours per day	313	21.0
		5 3 hours per day	227	16.3
		6 4 hours per day	124	8.9
		7 5 or more hours per day	138	9.9
		Missing	213	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	217	13.7
		2 Less than 1 hour per day	216	14.4
		3 1 hour per day	234	15.4
		4 2 hours per day	235	15.7
		5 3 hours per day	199	13.9
		6 4 hours per day	144	9.6
		7 5 or more hours per day	252	17.2
		Missing	220	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	229	16.4
		2 1 day	84	5.3
		3 2 days	55	5.6
		4 3 days	38	3.4
		5 4 days	112	8.6
		6 5 days	949	60.8
		Missing	250	
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	724	48.8
		2 1 team	463	30.4
		3 2 teams	183	13.4
		4 3 or more teams	105	7.5
		Missing	242	
116-116	Q85	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	339	22.5
		2 No	1,012	70.3
		3 Not sure	91	7.1
		Missing	275	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	13	0.8
		2 Brooklyn	45	2.1
		3 Manhattan	13	0.8
		4 Queens	3	0.3
		5 Staten Island	1,634	96.1
		Missing	9	
119-119	Q88	How long have you been going to this school?		
		1 Less than 1 year	418	30.3
		2 1 year	118	7.9
		3 2 years	347	21.9
		4 3 years	450	20.3
		5 4 years	284	14.5
		6 5 or more years	88	5.1
		Missing	12	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
120-120	Q89	How long have you lived in the United States?			
		1	Less than 1 year	33	1.6
		2	1 to 3 years	36	2.7
		3	4 to 6 years	53	3.4
		4	More than 6 years but not my whole life	203	11.1
		5	I have always lived in the United States	1,372	81.1
		Missing	20		
121-121	Q90	How often do the people in your home speak a language other than English?			
		1	Never	558	36.7
		2	Rarely	191	10.5
		3	Sometimes	311	17.3
		4	Most of the time	330	17.5
		5	Always	318	18.0
		Missing	9		
122-122	Q91	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	1,379	80.9
		2	1 time	169	10.1
		3	2 or 3 times	71	4.0
		4	4 or 5 times	30	1.6
		5	6 or more times	54	3.4
		Missing	14		
123-123	Q92	During the past 12 months, did you ever try to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	I did not need help during the past 12 months	994	60.7
		2	Yes	268	15.2
		3	No	425	24.2
		Missing	30		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
124-124	Q93	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,140	67.9
		2	Less than 1 month ago	70	4.2
		3	1 to 3 months ago	54	3.3
		4	4 to 6 months ago	45	2.9
		5	7 to 12 months ago	65	3.5
		6	13 or more months ago	306	18.1
		Missing	37		
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,425	85.6
		2	I bought them in a store such as a convenience store, supermarket, or gas station	68	3.6
		3	I bought them on the Internet	10	0.6
		4	I bummed them	23	1.2
		5	Someone gave them to me or bought them for me	95	5.4
		6	I stole them	17	0.9
		7	I got them some other way	37	2.7
		Missing	42		
126-126	Q95	Does anyone who lives with you now smoke cigarettes?			
		1	Yes	640	40.4
		2	No	1,010	59.6
		Missing	67		
127-127	Q96	Out of every 10 students in your grade at school, about how many do you think smoke cigarettes?			
		1	0 students	152	9.6
		2	1 student	181	10.9
		3	2 students	201	11.9
		4	3 students	231	13.6
		5	4 students	208	12.1
		6	5 students	204	11.7
		7	6 or 7 students	179	10.1
		8	8 to 10 students	334	20.2
		Missing	27		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	Would you say your friends approve or disapprove of smoking?		
		1 Strongly approve	104	6.5
		2 Approve	139	8.1
		3 Neither approve nor disapprove	582	35.5
		4 Disapprove	433	26.9
		5 Strongly disapprove	395	23.0
		Missing	64	
129-129	Q98	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	1,088	66.4
		2 I do not have a usual type	84	4.4
		3 Beer	103	6.3
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	100	5.8
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	8	0.4
		6 Wine	16	0.9
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	208	12.8
		8 Some other type	45	3.1
		Missing	65	
130-130	Q99	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	1,510	91.9
		2 1 time	49	3.4
		3 2 or 3 times	28	1.5
		4 4 or 5 times	21	1.2
		5 6 or 7 times	8	0.3
		6 8 or 9 times	8	0.5
		7 10 or 11 times	4	0.2
		8 12 or more times	21	1.0
		Missing	68	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?		
		1 0 times	1,554	93.8
		2 1 time	35	2.4
		3 2 or 3 times	17	1.1
		4 4 or 5 times	16	0.9
		5 6 or 7 times	13	0.6
		6 8 or 9 times	2	0.1
		7 10 or 11 times	5	0.3
		8 12 or more times	17	0.8
		Missing	58	
132-132	Q101	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	1,346	84.4
		2 1 to 3 times	134	8.0
		3 4 to 7 times	54	3.8
		4 8 or more times	70	3.8
		Missing	113	
133-133	Q102	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	1,116	72.0
		2 I have had sexual intercourse, but not during the past 3 months	115	7.1
		3 Never	63	3.8
		4 Rarely	41	2.2
		5 Sometimes	35	2.0
		6 Most of the time	42	3.0
		7 Always	165	10.1
		Missing	140	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	The last time you had sexual intercourse, what one birth control method did you or your partner use?		
		1 I have never had sexual intercourse	1,077	70.3
		2 Depo-Provera (injectable birth control)	25	1.6
		3 The Ring (Nuva Ring?)	24	1.8
		4 The Patch (Ortho-Evra?)	16	1.1
		5 The IUD (intrauterine device) or Implanon? (implantable birth control)	8	0.5
		6 Emergency Contraception (EC) or the Morning After Pill	25	1.5
		7 None of these methods	298	17.4
		8 Not sure	88	6.0
		Missing	156	
135-135	Q104	The last time you used birth control, from where did you or your partner get it? DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
136-136	Q105	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	549	37.9
		2 6th grade or earlier	198	11.9
		3 7th grade	176	10.3
		4 8th grade	218	13.6
		5 9th grade	188	10.4
		6 10th grade	83	4.0
		7 11th or 12th grade	36	2.3
		8 Not sure	156	9.5
		Missing	113	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	113	7.4
		2 No	1,402	89.5
		3 Not sure	53	3.1
		Missing	149	
138-138	Q107	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	867	55.3
		2 Females	335	23.0
		3 Males	304	17.6
		4 Females and males	59	4.2
		Missing	152	
139-139	Q108	Which of the following best describes you?		
		1 Heterosexual (straight)	1,400	87.4
		2 Gay or lesbian	60	3.2
		3 Bisexual	80	5.3
		4 Not sure	58	4.0
		Missing	119	
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	233	15.8
		2 1 to 3 times during the past 7 days	480	29.9
		3 4 to 6 times during the past 7 days	335	21.7
		4 1 time per day	239	14.0
		5 2 times per day	159	9.1
		6 3 times per day	56	3.7
		7 4 or more times per day	86	5.9
		Missing	129	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	351	23.0
		2 1 to 3 times during the past 7 days	577	35.9
		3 4 to 6 times during the past 7 days	272	17.4
		4 1 time per day	119	7.4
		5 2 times per day	107	6.9
		6 3 times per day	58	3.5
		7 4 or more times per day	86	5.8
		Missing	147	
142-142	Q111	What kind of milk do you usually drink?		
		1 I do not drink milk	225	13.4
		2 Whole milk	503	32.6
		3 2% milk or reduced fat milk	360	23.8
		4 1% milk or low-fat milk	217	13.5
		5 Skim milk or non-fat milk	101	6.5
		6 Soy milk	41	2.5
		7 Not sure	115	7.6
		Missing	155	
143-143	Q112	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	164	10.7
		2 I ride a bike all the way to school	19	1.2
		3 I use public transportation, such as a subway or city bus	696	47.7
		4 I ride a school bus	38	3.0
		5 I drive or ride in a car or other private vehicle	556	37.5
		Missing	244	
144-144	Q113	If you usually walk or bike all the way to school, how long does it take?		
		1 I do not walk or bike all the way to school	1,027	70.0
		2 Less than 10 minutes	144	9.8
		3 10 to 20 minutes	148	10.0
		4 21 to 29 minutes	41	3.2
		5 30 or more minutes	99	7.1
		Missing	258	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not walk or bike to a bus stop or subway station to get to school	686	48.6
		2 I walk to the bus stop or subway station	716	49.8
		3 I ride a bike to the bus stop or subway station	24	1.6
		Missing	291	
146-146	Q115	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	624	43.9
		2 Less than 10 minutes	537	36.5
		3 10 to 20 minutes	192	13.9
		4 21 to 29 minutes	50	3.2
		5 30 or more minutes	38	2.6
		Missing	276	
147-147	Q116	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	253	18.1
		2 At least once a month	113	7.8
		3 A few times a year	391	23.4
		4 Never	764	50.7
		Missing	196	
148-148	Q117	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	351	22.3
		2 1 day	186	11.3
		3 2 days	197	12.6
		4 3 days	198	13.2
		5 4 days	118	9.2
		6 5 days	195	13.2
		7 6 days	66	4.9
		8 7 days	199	13.2
		Missing	207	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	Q118	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	292	20.2
		2 Less than 10 minutes	276	18.0
		3 10 to 20 minutes	253	15.6
		4 21 to 30 minutes	258	17.3
		5 31 to 40 minutes	213	15.7
		6 41 to 50 minutes	128	8.4
		7 51 to 60 minutes	21	1.3
		8 More than 60 minutes	51	3.3
		Missing	225	
150-150	Q119	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1 I am not physically able to walk up the stairs	112	8.5
		2 Yes	1,099	78.2
		3 No	207	13.3
		Missing	299	
151-151	Q120	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	219	15.3
		2 No	1,056	72.0
		3 Not sure	171	12.7
		Missing	271	
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	594	40.8
		2 Yes	243	15.9
		3 No	556	39.8
		4 Not sure	45	3.4
		Missing	279	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	During the past 30 days, on how many days have you seen any cockroaches inside your home?		
		1 0 days	1,253	86.3
		2 1 day	95	5.8
		3 2 to 5 days	48	3.5
		4 6 to 10 days	18	1.0
		5 11 to 15 days	10	0.5
		6 16 to 29 days	4	0.5
		7 All 30 days	35	2.4
		Missing	254	
154-154	Q123	During the past 30 days, on how many days have you seen any mice inside your home?		
		1 0 days	1,286	88.3
		2 1 day	74	4.5
		3 2 to 5 days	57	3.8
		4 6 to 10 days	14	1.3
		5 11 to 15 days	7	0.4
		6 16 to 29 days	8	0.8
		7 All 30 days	14	0.9
		Missing	257	
155-155	Q124	During the past 30 days, in how many rooms in your home have you seen damp spots or mold on the walls or ceilings?		
		1 0 rooms	1,221	85.0
		2 1 room	133	9.9
		3 2 or more rooms	73	5.0
		Missing	290	
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?		
		<p>DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</p>		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	542	36.0
		2 1 time per week	267	18.3
		3 2 times per week	199	13.5
		4 3 times per week	159	11.3
		5 4 times per week	75	6.4
		6 5 times per week	81	4.7
		7 6 times per week	25	2.0
		8 7 or more times per week	104	7.8
		Missing	265	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	880	85.3
		2 No	141	14.7
		Missing	696	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	55	2.8
		2 No	1,603	97.2
		Missing	59	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	129	8.1
		2 No	1,552	91.9
		Missing	36	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	52	2.6
		2 No	1,635	97.4
		Missing	30	
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	55	2.8
		2 No	1,624	97.2
		Missing	38	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	128	7.1
		2 No	1,577	92.9
		Missing	12	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	125	7.8
		2 No	1,583	92.2
		Missing	9	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	384	23.2
		2 No	1,317	76.8
		Missing	16	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	182	10.6
		2 No	1,506	89.4
		Missing	29	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	133	8.0
		2 No	1,552	92.0
		Missing	32	
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	214	13.0
		2 No	1,458	87.0
		Missing	45	
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	233	13.4
		2 No	1,459	86.6
		Missing	25	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	464	26.8
		2 No	1,220	73.2
		Missing	33	
202-202	QN25	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	228	12.4
		2 No	1,470	87.6
		Missing	19	
204-204	QN27	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	113	6.9
		2 No	1,333	93.1
		Missing	271	
205-205	QN28	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	33	1.6
		2 No	1,397	98.4
		Missing	287	
206-206	QN29	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	542	32.5
		2 No	1,102	67.5
		Missing	73	
208-208	QN31	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	198	12.0
		2 No	1,423	88.0
		Missing	96	
209-209	QN32	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	22	9.8
		2 No	174	90.2
		Missing	1,521	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	97	55.2
		2 No	90	44.8
		Missing	1,530	
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	78	4.2
		2 No	1,613	95.8
		Missing	26	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	298	18.3
		2 No	1,354	81.7
		Missing	65	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	487	30.9
		2 No	1,057	69.1
		Missing	173	
220-220	QN43	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	251	14.7
		2 No	1,372	85.3
		Missing	94	
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	130	24.9
		2 No	351	75.1
		Missing	1,236	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	126	7.1
		2 No	1,541	92.9
		Missing	50	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN48	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	313	19.2
		2 No	1,342	80.8
		Missing	62	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	91	5.0
		2 No	1,579	95.0
		Missing	47	
229-229	QN52	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	160	10.0
		2 No	1,505	90.0
		Missing	52	
230-230	QN53	Percentage of students who used heroin one or more times during their life		
		1 Yes	64	3.4
		2 No	1,592	96.6
		Missing	61	
231-231	QN54	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	75	3.8
		2 No	1,587	96.2
		Missing	55	
232-232	QN55	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	122	7.0
		2 No	1,536	93.0
		Missing	59	
235-235	QN58	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	61	3.6
		2 No	1,579	96.4
		Missing	77	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	417	28.2
		2 No	1,009	71.8
		Missing	291	
238-238	QN61	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	61	3.7
		2 No	1,373	96.3
		Missing	283	
239-239	QN62	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	115	7.5
		2 No	1,309	92.5
		Missing	293	
240-240	QN63	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	287	19.2
		2 No	1,130	80.8
		Missing	300	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	63	24.4
		2 No	216	75.6
		Missing	1,438	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	167	66.4
		2 No	95	33.6
		Missing	1,455	
243-243	QN66	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	32	11.5
		2 No	234	88.5
		Missing	1,451	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
244-244	QN67	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	477	29.9
		2 No	1,119	70.1
		Missing	121	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	800	49.7
		2 No	798	50.3
		Missing	119	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	123	7.3
		2 No	1,438	92.7
		Missing	156	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,187	75.1
		2 No	393	24.9
		Missing	137	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,280	79.7
		2 No	315	20.3
		Missing	122	
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	339	23.5
		2 No	1,223	76.5
		Missing	155	
256-256	QN79	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	642	43.8
		2 No	872	56.2
		Missing	203	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	489	35.0
		2 No	1,015	65.0
		Missing	213	
258-258	QN81	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	595	40.7
		2 No	902	59.3
		Missing	220	
259-259	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,238	83.6
		2 No	229	16.4
		Missing	250	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	751	51.2
		2 No	724	48.8
		Missing	242	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	339	22.5
		2 No	1,103	77.5
		Missing	275	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,695	99.2
		2 No	13	0.8
		Missing	9	
265-265	QN88	Percentage of students who have attended their school less than one year		
		1 Yes	418	30.3
		2 No	1,287	69.7
		Missing	12	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
266-266	QN89	Percentage of students who have lived in the United States less than one year		
		1 Yes	33	1.6
		2 No	1,664	98.4
		Missing	20	
267-267	QN90	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	648	35.5
		2 No	1,060	64.5
		Missing	9	
268-268	QN91	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	324	19.1
		2 No	1,379	80.9
		Missing	14	
269-269	QN92	Percentage of students who tried to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	268	15.2
		2 No	1,419	84.8
		Missing	30	
270-270	QN93	Percentage of students who tried cigarette smoking for the first time during the past year		
		1 Yes	234	14.0
		2 No	1,446	86.0
		Missing	37	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	68	3.6
		2 No	1,607	96.4
		Missing	42	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who live with someone who smokes cigarettes		
		1 Yes	640	40.4
		2 No	1,010	59.6
		Missing	67	
273-273	QN96	Percentage of students who think two or more out of every 10 students in the same grade at school smoke cigarettes		
		1 Yes	1,357	79.6
		2 No	333	20.4
		Missing	27	
274-274	QN97	Percentage of students who say their friends disapprove or strongly disapprove of smoking		
		1 Yes	828	49.9
		2 No	825	50.1
		Missing	64	
275-275	QN98	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whiskey, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	208	43.6
		2 No	272	56.4
		Missing	1,237	
276-276	QN99	Percentage of students who have taken a prescription pain medication without a doctor's prescription one or more times during the past 12 months		
		1 Yes	139	8.1
		2 No	1,510	91.9
		Missing	68	
277-277	QN100	Percentage of students who have taken other prescription drugs without a doctor's prescription one or more times during the past 12 months		
		1 Yes	105	6.2
		2 No	1,554	93.8
		Missing	58	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
278-278	QN101	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	258	15.6
		2 No	1,346	84.4
		Missing	113	
279-279	QN102	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	165	48.1
		2 No	181	51.9
		Missing	1,371	
280-280	QN103	Percentage of students who used the IUD (intrauterine device) or Implanon as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	8	0.5
		2 No	1,553	99.5
		Missing	156	
281-281	QN104	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
282-282	QN105	Percentage of students who have ever been taught a class by a teacher about birth control methods		
		1 Yes	899	52.6
		2 No	705	47.4
		Missing	113	
283-283	QN106	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	113	7.4
		2 No	1,455	92.6
		Missing	149	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	59	4.2
		2 No	1,506	95.8
		Missing	152	
285-285	QN108	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	140	8.5
		2 No	1,458	91.5
		Missing	119	
286-286	QN109	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	540	32.6
		2 No	1,048	67.4
		Missing	129	
287-287	QN110	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	370	23.7
		2 No	1,200	76.3
		Missing	147	
288-288	QN111	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	318	20.0
		2 No	1,244	80.0
		Missing	155	
289-289	QN112	Percentage of students who usually walk or bike all the way to school		
		1 Yes	183	11.9
		2 No	1,290	88.1
		Missing	244	
290-290	QN113	Percentage of students who walk or bike more than 20 minutes to school		
		1 Yes	140	10.2
		2 No	1,319	89.8
		Missing	258	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
291-291	QN114	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	740	51.4
		2 No	686	48.6
		Missing	291	
292-292	QN115	Percentage of students who walk or bike 10 or more minutes to the bus stop or subway station to get to school		
		1 Yes	280	19.6
		2 No	1,161	80.4
		Missing	276	
293-293	QN116	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months		
		1 Yes	757	49.3
		2 No	764	50.7
		Missing	196	
294-294	QN117	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	776	53.7
		2 No	734	46.3
		Missing	207	
295-295	QN118	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	671	46.1
		2 No	821	53.9
		Missing	225	
296-296	QN119	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	1,099	78.2
		2 No	319	21.8
		Missing	299	
297-297	QN120	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	219	15.3
		2 No	1,227	84.7
		Missing	271	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
298-298	QN121	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	243	15.9
		2 No	1,195	84.1
		Missing	279	
299-299	QN122	Percentage of students who ever saw cockroaches inside their home during the past 30 days		
		1 Yes	210	13.7
		2 No	1,253	86.3
		Missing	254	
300-300	QN123	Percentage of students who ever saw mice inside their home during the past 30 days		
		1 Yes	174	11.7
		2 No	1,286	88.3
		Missing	257	
301-301	QN124	Percentage of students who ever saw damp spots or mold on the walls or ceilings in one or more rooms during the past 30 days		
		1 Yes	206	15.0
		2 No	1,221	85.0
		Missing	290	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	643	45.7
		2 No	809	54.3
		Missing	265	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	75	4.1
		2 No	1,546	95.9
		Missing	96	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Staten Island High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	8	2.2
		2 No	258	97.8
		Missing	1,451	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	40	13.7
		2 No	226	86.3
		Missing	1,451	
354-354	QNDDUAL	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	16	7.0
		2 No	243	93.0
		Missing	1,458	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	456	28.4
		2 No	1,120	71.6
		Missing	141	
359-359	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	949	60.8
		2 No	518	39.2
		Missing	250	
360-360	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	227	14.2
		2 No	1,287	85.8
		Missing	203	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Staten Island High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	342	24.7
		2 No	1,172	75.3
		Missing	203	
362-362	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	247	15.5
		2 No	1,318	84.5
		Missing	152	
363-363	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	178	13.2
		2 No	1,387	86.8
		Missing	152	
364-373	WEIGHT			
374-376	STRATUM			
377-382	PSU			
383-387	BMIPCT			
388-389	RACEETH			
		1 Am Indian/Alaska Native	16	0.1
		2 Asian	191	9.3
		3 Black or African American	221	17.1
		4 Native Hawaiian/other PI	12	0.1
		5 White	666	52.2
		6 Hispanic/Latino	193	8.4
		7 Multiple - Hispanic	279	12.3
		8 Multiple - non-Hispanic	65	0.5
		Missing	74	