

APPENDIX G

NOISE

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
01	a	1437	46	3, 4	35
	b	1437	58		
02	a	1544	21	1	39
	b	1544	42		
03	a	3660	1	5	35
	b	3660	2		
	c	3660	29		
04	a	3661	1	5	35
05	a	3662	48	6, 7	37
	b	3662	49		
06	a	3669	13	5	35
	b	3669	17		
	c	3669	20		
07	a	3669	22	15	33
	b	3669	26		
08	a	3670	9	15	33
	b	3670	31		
	c	3670	33		
09	a	3670	13	15	33
	b	3670	14		
	c	3670	15		
	d	3670	29		
	e	3670	30		
10	a	3670	16	5	35
	b	3670	17		
	c	3670	18		
11	a	3673	14	6, 7	37
	b	3673	15		
	c	3673	16		
12	a	3675	10	4	33
	a	3675	11		
13	a	3687	12	14	37
14	a	3688	11	14	37
	b	3688	18		
15	a	3688	33	19	28
16	a	3691	11	13	33
	b	3691	13		
17	a	3691	24	19	28
18	a	3703	1	20	NA
	b	3703	4		
	c	3703	37		
	d	3703	38		
	e	3703	39		
	f	3703	40		

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
19	a	3703	15	19	28
	b	3703	16		
	c	3703	17		
	d	3703	18		
20	a	3933	55	6, 7	37
21	a	3939	26	8	35
	b	3939	27		
22	a	3942	1	8	35
	b	3942	16		
	c	3942	19		
	d	3942	21		
23	a	3946	14	6, 7	37
	b	3946	17		
	c	3946	18		
24	a	3947	1	13	33
	b	3947	5		
	c	3947	9		
25	a	3952	42	13	33
26	a	3954	45	13	33
	b	3954	55		
27	a	3955	45	13	33
	b	3955	46		
	c	3955	47		
	d	3955	48		
	e	3955	49		
	f	3955	52		
	g	3955	53		
28	a	3957	49	12	33
	b	3957	53		
29	a	3958	20	8	35
30	a	3959	18	8	35
31	a	3961	1	16	31
	b	3961	3		
	c	3961	5		
	d	3961	7		
32	a	3961	15	13	33
	b	3961	16		
	c	3961	113		
33	a	3961	31	19	28
	b	3961	32		
	c	3961	33		
34	a	3962	30	19	28
	b	3962	31		
	c	3962	32		

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
35	a	3963	14	13	33
	b	3963	15		
	c	3963	16		
36	a	3964	2	16	31
	b	3964	3		
37	a	3964	4	13	33
	b	3964	8		
	c	3964	23		
38	a	3964	24	16	31
	b	3964	25		
	c	3964	26		
	d	3964	27		
39	a	3966	12	13	33
	b	3966	13		
	c	3966	14		
	d	3966	15		
	e	3966	16		
<u>40</u>	<u>a</u>	<u>1554</u>	<u>16</u>	<u>1</u>	<u>39</u>
	<u>b</u>	<u>1554</u>	<u>16</u>		
	<u>c</u>	<u>1554</u>	<u>16</u>		
41	a	3971	17	13	33
	b	3971	19		
	c	3971	21		
42	a	3972	56	18	28
	b	3972	57		
43	a	3973	22	17	NA
	b	3973	24		
44	a	3973	50	17	NA
	b	3973	52		
45	a	3973	53	17	NA
	b	3973	55		
46	a	3974	1	12	33
	b	3975	1		
47	a	3977	17	19	28
	b	3977	18		
	c	3977	19		
	d	3977	20		
	e	3977	21		
48	a	3978	14	19	28
	b	3978	15		

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
49	a	3982	11	19	28
	b	3982	13		
50	a	3983	13	19	28
	b	3983	15		
51	a	3984	15	18	28
52	a	3985	15	18	28
	b	3985	16		
	c	3985	17		
	d	3985	18		
53	a	3986	11	18	28
	b	3986	13		
	c	3986	14		
54	a	3989	9	18	28
	b	3989	10		
	c	3989	12		
	d	3989	14		
	e	3989	16		
55	a	3991	8	18	28
56	a	3992	15	18	28
	b	3992	17		
	c	3992	18		
	d	3992	20		
57	a	3994	28	24	28
58	a	3996	34	24	28
	b	3996	35		
	c	3996	36		
	d	3996	37		
	e	3996	39		
59	a	3998	30	24	28
	b	3998	32		
	c	3998	33		
	d	3998	37		
60	a	4003	35	24	28
61	a	4005	16	21	NA
	b	4005	17		
62	a	4006	11	21	NA
	b	4006	13		
	c	4006	19		
63	a	4010	17	24	28
	b	4010	19		
64	a	4017	15	24	28
	b	4017	19		
65	a	4139	25	10, <u>Playground Analysis</u>	<u>33</u>
	b	4139	29		

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
66 ¹	a	4142	1	10, Playground Analysis	35
67	a	4143	1	9, 10, Playground Analysis	40
68	a	4149	50	11	33
69	a	4153	34	12	33
	b	4153	40		
70	a	4153	76	18	28
	b	4153	78		
	c	4153	79		
71	a	4153	82	18	28
72	a	4154	28	12	33
	b	4154	35		
	c	4154	45		
73	a	4154	99	18	28
	b	4154	100		
74	a	4194	17	22	37
75	a	4195	6	22	37
76	a	4195	21	22	37
	b	4195	30		
77	a	4214	12	23	28
	b	4214	20		
78	a	4228	13	23	28
	b	4228	17		
79	a	4232	18	23	28
	b	4232	17		
80	a	3989	1	21	NA
	b	3989	34		
	c	3989	36		
81	a	4210	1	23	28
	b	4210	35		
	c	4210	34		
	d	4210	43		

¹ For the City-owned parcel located with projected development site 66 (Block 4142, Lot 32), the requirement for façade attenuation as well as the requirement for an alternate means of ventilation will be required through the LDA between HPD and the future developer.

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
A1	a	1437	21	3, 4	35
	b	1437	23		
A2	a	1450	1	4	33
	b	1450	2		
	c	1450	3		
	d	1450	50		
	e	1450	51		
	f	1450	53		
A3	a	1437	1	3	35
A4	a	1540	70	1	39
	b	1540	72		
	c	1540	82		
A5	a	1544	14	1	39
	b	1544	15		
	b	1544	16		
A6	a	1543	1	2	31
A7	a	1553	13	2	31
	b	1553	18		
A8	a	1554	1	2	31
A9	a	1574	23	3	35
	b	1574	32		
A10	a	3671	41	14	37
	b	3671	42		
	c	3671	43		
A11	a	3672	43	14	37
	b	3672	46		
A12	a	3673	20	6	37
	a	3673	21		
A13	a	3673	36	13	33
	b	3673	37		
	c	3673	38		
	d	3673	39		
A14	a	3674	38	13	33
	b	3674	39		
	c	3674	40		
A15	a	3675	1	19	28
A16	a	3675	25	19	28
A17	a	3686	9	16	31
A18	a	3687	5	16	31
	b	3687	6		
	c	3687	7		
A19	a	3973	46	17	NA

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
A20	a	3688	9	16	31
A21	a	3689	25	14	37
	b	3689	26		
A22	a	3689	12	14	37
	b	3689	19		
	c	3689	20		
	d	3689	21		
	e	3689	22		
	f	3689	23		
	g	3689	24		
A23	a	3690	11	13	33
	b	3690	12		
	c	3690	13		
	d	3690	14		
	e	3690	15		
A24	a	3703	7	20	NA
	b	3703	8		
	c	3703	9		
A25	a	3703	35	20	NA
	b	3703	36		
A26	a	3707	7	19	28
	b	3707	15		
	c	3707	16		
A27	a	3720	21	20	NA
A28	a	3722	28	24	28
A29	a	3742	16	24	28
	b	3742	18		
	c	3742	20		
A30	a	3935	43	6, 7	37
	b	3935	44		
	c	3935	142		
A31	a	3950	17	6, 7	37
	b	3950	18		
	c	3950	19		
	d	3950	20		
A32	a	3951	42	13	33
A33	a	3952	20	6, 7	37
	b	3952	21		
	c	3952	22		
A34	a	3953	45	13	33

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
A35	a	3955	20	8	35
	b	3955	21		
	c	3955	22		
	d	3955	23		
A36	a	3956	23	12	33
	b	3956	24		
A37	a	3961	26	19	28
	b	3961	27		
A38	a	3961	29	19	28
	b	3961	30		
A39	a	3963	3	16	31
A40	a	3965	3	16	31
	b	3965	4		
A41	a	3965	6	16	31
	b	3965	7		
A42	a	3965	32	19	28
	b	3965	33		
A43	a	3967	19	13	33
	b	3967	20		
	c	3967	21		
	d	3967	22		
	e	3967	24		
	f	3967	25		
A44	a	3971	39	17	NA
	b	3971	40		
	c	3971	41		
A45	a	3971	44	17	NA
	b	3971	45		
A46	a	3971	53	19	28
	b	3971	54		
A47	a	3972	20	12	33
	b	3972	22		
A48	a	3976	31	12	33
	b	3976	35		
A49	a	3980	14	19	28
	b	3980	15		
	c	3980	17		
	d	3980	19		
A50	a	3982	17	19	28
	b	3982	18		
A51	a	3989	20	17	NA
	b	3989	24		
	c	3989	25		

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
A52	a	3995	29	24	28
	b	3995	31		
	c	3995	32		
	d	3995	129		
A53	a	4004	19	21	NA
	b	4004	20		
A54	a	4018	15	24	28
	b	4018	16		
	c	4018	17		
	d	4018	18		
	e	4018	19		
	f	4018	118		
A55	a	4024	18	23	28
A56	a	4126	1	9	40
A58	a	4154	92	18	28
	b	4154	93		
	c	4154	94		
	d	4154	95		
A59	a	3689	1	19	28
A60	a	4162	2	11	33
	b	4162	10		
A61	a	4211	43	23	28
	b	4211	45		
A62	a	3962	9	13	33
A63	a	3958	49	12	33
A64	a	4137	44	12	33
A65	a	3705	16	19	28
A66	a	3670	25	5	35
	b	3670	27		
A67	a	3672	48	14	37
	b	3672	49		
	c	3672	50		
	d	3672	51		
A68	a	3686	15	14	37
	b	3686	16		
	c	3686	17		
A69	a	3686	19	14	37
	b	3686	21		
A70	a	3687	112	14	37
A71	a	3689	11	16	31

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
A72	a	3691	14	13	33
	b	3691	15		
	c	3691	16		
	d	3691	18		
A73	a	3721	1	24	28
A74	a	3936	42	6, 7	37
A75	a	3949	1	13	33
A76	a	3959	52	12	33
A77	a	3959	54	12	33
A78	a	3960	21	8	35
A79	a	3960	58	12	33
A80	a	3962	1	16	31
	b	3962	2		
A81	a	3963	8	13	33
A82	a	3963	18	16	31
A83	a	3963	26	19	28
A84	a	3964	1	19	28
	b	3964	33		
	c	3964	34		
	d	3964	35		
A85	a	3965	1	19	28
A86	a	3965	11	13	33
A87	a	3967	13	13	33
	b	3967	15		
A88	a	3971	10	17	NA
	b	3971	11		
A89	a	3971	24	12	33
	b	3971	25		
	c	3971	26		
A90	a	3973	57	18	28
	b	3973	58		
A91	a	3979	11	19	28
	b	3979	12		
	c	3979	13		
A92	a	3987	17	18	28
A93	a	4005	19	21	NA
	b	4005	20		
	c	4005	21		
A94	a	4017	22	24	28
	b	4017	25		
A95	a	4128	66	9	40

Site	Building	Block	Lot	Governing Noise Receptor	CEQR Required Attenuation In dB(A)
A96	a	4137	39	10	31
	b	4137	43		
A97	a	4137	56	12	33
	b	4137	63		
A98	a	4140	27	10, <u>Playground Analysis</u>	<u>33</u>
	b	4140	28		
A99	a	4141	1	10, <u>Playground Analysis</u>	<u>33</u>
	b	4141	4		
A100	a	4141	27	10, <u>Playground Analysis</u>	31
	b	4141	30		
A101	a	4141	33	10, <u>Playground Analysis</u>	<u>33</u>
	b	4141	35		
	c	4141	39		
A102	a	4156	1	18	28
	b	4156	45		
	c	4156	50		
A103	a	4162	18	11	33
	b	4162	22		
	c	4162	29		
A104	a	4167	22	11	33
	b	4167	24		
	c	4167	25		
A105	a	4214	1	23	28
	b	4214	6		
A106	a	3988	28	21	NA
	b	3988	34		
	c	3988	35		

Site	Building	Block	Lot	Governing Noise Receptor	HUD Required Attenuation In dB(A)
66 ¹	b	4142	32	10, Playground Analysis	31

¹ For the City-owned parcel located with projected development site 66 (Block 4142, Lot 32), the requirement for façade attenuation as well as the requirement for an alternate means of ventilation will be required through the LDA between HPD and the future developer.