APPENDIX H

CONSTRUCTION


Estimated RWCDS No-Action Condition Construction Workforce Projections (Average Daily Workforce)
2015
2016
2017
2018
2019
2020
2021
2022
2023
Building
Demolition/Excavation/Foundation
Building Superstructure/Exterior
Interior Fit-Out

Estimated RWCDS No-Action Condition Construction Workforce Projections (Average Daily Workforce) (continued)



Estimated RWCDS No-Action Construction Truck Projections (Average Daily Truck Trips)



Estimated RWCDS No-Action Construction Truck Projections (Average Daily Truck Trips) (continued)




Estimated RWCDS With-Action Construction Workforce Projections (Average Daily Workforce)
2015
2016
2017
2018
2019
2020
2021
2022
2023
Building
J F M A M J J A S O N D
Demolition/Excavation/Foundation
Building Superstructure/Exterior
Interior Fit-Out

Estimated RWCDS With-Action Construction Workforce Projections (Average Daily Workforce) (continued)



Estimated RWCDS With-Action Construction Truck Projections (Average Daily Truck Trips)

Estimated RWCDS With-Action Construction Truck Projections (Average Daily Truck Trips) (continued)



Demolition/Excavation/Foundation
Building Superstructure/Exterior
Interior Fit-Out

Hourly Incremental Construction Trip Estimates

2016	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	15	15	30	41	0	41	71	16	16	32	51	0	51	83	32	32	64	113	0	113	177	37	37	74	141	0	141	215
7-8AM	6	6	12	10	0	10	22	6	6	12	13	0	13	25	13	13	26	28	0	28	54	15	15	30	35	0	35	65
8-9AM	6	6	12	0	0	0	12	6	6	12	0	0	0	12	13	13	26	0	0	0	26	15	15	30	0	0	0	30
9-10AM	6	6	12	0	0	0	12	6	6	12	0	0	0	12	13	13	26	0	0	0	26	15	15	30	0	0	0	30
10-11AM	6	6	12	0	0	0	12	6	6	12	0	0	0	12	13	13	26	0	0	0	26	15	15	30	0	0	0	30
11AM-12PM	6	6	12	0	0	0	12	6	6	12	0	0	0	12	13	13	26	0	0	0	26	15	15	30	0	0	0	30
12-1PM	6	6	12	0	0	0	12	6	6	12	0	0	0	12	13	13	26	0	0	0	26	15	15	30	0	0	0	30
1-2PM	3	3	6	0	0	0	6	3	3	6	0	0	0	6	6	6	12	0	0	0	12	7	7	14	0	0	0	14
2-3PM	3	3	6	0	3	3	9	3	3	6	0	3	3	9	6	6	12	0	7	7	19	7	7	14	0	9	9	23
3-4PM	2	2	4	0	41	41	45	3	3	6	0	51	51	57	3	3	6	0	113	113	119	4	4	8	0	141	141	149
4-5PM	1	1	2	0	7	7	9	2	2	4	0	10	10	14	2	2	4	0	21	21	25	3	3	6	0	26	26	32
Daily Total	60	60	120	51	51	102	222	63	63	126	64	64	128	254	127	127	254	141	141	282	536	148	148	296	176	176	352	648

2017	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	48	48	96	178	0	178	274	46	46	92	194	0	194	286	56	56	112	206	0	206	318	56	56	112	204	0	204	316
7-8AM	20	20	40	45	0	45	85	19	19	38	48	0	48	86	22	22	44	51	0	51	95	23	23	46	51	0	51	97
8-9AM	20	20	40	0	0	0	40	19	19	38	0	0	0	38	22	22	44	0	0	0	44	23	23	46	0	0	0	46
9-10AM	20	20	40	0	0	0	40	19	19	38	0	0	0	38	22	22	44	0	0	0	44	23	23	46	0	0	0	46
10-11AM	20	20	40	0	0	0	40	19	19	38	0	0	0	38	22	22	44	0	0	0	44	23	23	46	0	0	0	46
11AM-12PM	20	20	40	0	0	0	40	19	19	38	0	0	0	38	22	22	44	0	0	0	44	23	23	46	0	0	0	46
12-1PM	19	19	38	0	0	0	38	19	19	38	0	0	0	38	22	22	44	0	0	0	44	23	23	46	0	0	0	46
1-2PM	10	10	20	0	0	0	20	9	9	18	0	0	0	18	11	11	22	0	0	0	22	11	11	22	0	0	0	22
2-3PM	9	9	18	0	11	11	29	8	8	16	0	12	12	28	11	11	22	0	13	13	35	10	10	20	0	13	13	33
3-4PM	5	5	10	0	179	179	189	4	4	8	0	194	194	202	7	7	14	0	206	206	220	5	5	10	0	204	204	214
4-5PM	4	4	8	0	33	33	41	4	4	8	0	36	36	44	7	7	14	0	38	38	52	5	5	10	0	38	38	48
Daily Total	195	195	390	223	223	446	836	185	185	370	242	242	484	854	224	224	448	257	257	514	962	225	225	450	255	255	510	960

2018	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	74	74	148	248	0	248	396	63	63	126	239	0	239	365	47	47	94	194	0	194	288	43	43	86	175	0	175	261
7-8AM	29	29	58	62	0	62	120	25	25	50	60	0	60	110	19	19	38	48	0	48	86	17	17	34	44	0	44	78
8-9AM	29	29	58	0	0	0	58	25	25	50	0	0	0	50	19	19	38	0	0	0	38	17	17	34	0	0	0	34
9-10AM	29	29	58	0	0	0	58	25	25	50	0	0	0	50	19	19	38	0	0	0	38	17	17	34	0	0	0	34
10-11AM	29	29	58	0	0	0	58	25	25	50	0	0	0	50	19	19	38	0	0	0	38	17	17	34	0	0	0	34
11AM-12PM	29	29	58	0	0	0	58	25	25	50	0	0	0	50	19	19	38	0	0	0	38	17	17	34	0	0	0	34
12-1PM	29	29	58	0	0	0	58	25	25	50	0	0	0	50	19	19	38	0	0	0	38	17	17	34	0	0	0	34
1-2PM	15	15	30	0	0	0	30	13	13	26	0	0	0	26	9	9	18	0	0	0	18	9	9	18	0	0	0	18
2-3PM	15	15	30	0	16	16	46	13	13	26	0	15	15	41	9	9	18	0	12	12	30	9	9	18	0	11	11	29
3-4PM	8	8	16	0	247	247	263	6	6	12	0	239	239	251	5	5	10	0	194	194	204	4	4	8	0	175	175	183
4-5PM	8	8	16	0	47	47	63	5	5	10	0	45	45	55	5	5	10	0	36	36	46	4	4	8	0	33	33	41
Daily Total	294	294	588	310	310	620	1208	250	250	500	299	299	598	1098	189	189	378	242	242	484	862	171	171	342	219	219	438	780

2019	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	58	58	116	180	0	180	296	46	46	92	170	0	170	262	43	43	86	174	0	174	260	44	44	88	175	0	175	263
7-8AM	23	23	46	45	0	45	91	18	18	36	43	0	43	79	17	17	34	44	0	44	78	18	18	36	44	0	44	80
8-9AM	23	23	46	0	0	0	46	18	18	36	0	0	0	36	17	17	34	0	0	0	34	18	18	36	0	0	0	36
9-10AM	23	23	46	0	0	0	46	18	18	36	0	0	0	36	17	17	34	0	0	0	34	18	18	36	0	0	0	36
10-11AM	23	23	46	0	0	0	46	18	18	36	0	0	0	36	17	17	34	0	0	0	34	18	18	36	0	0	0	36
11AM-12PM	23	23	46	0	0	0	46	18	18	36	0	0	0	36	17	17	34	0	0	0	34	18	18	36	0	0	0	36
12-1PM	23	23	46	0	0	0	46	18	18	36	0	0	0	36	17	17	34	0	0	0	34	18	18	36	0	0	0	36
1-2PM	13	13	26	0	0	0	26	9	9	18	0	0	0	18	9	9	18	0	0	0	18	9	9	18	0	0	0	18
2-3PM	11	11	22	0	11	11	33	9	9	18	0	11	11	29	9	9	18	0	11	11	29	9	9	18	0	11	11	29
3-4PM	5	5	10	0	180	180	190	6	6	12	0	170	170	182	5	5	10	0	174	174	184	4	4	8	0	175	175	183
4-5PM	5	5	10	0	34	34	44	6	6	12	0	32	32	44	5	5	10	0	33	33	43	3	3	6	0	33	33	39
Daily Total	230	230	460	225	225	450	910	184	184	368	213	213	426	794	173	173	346	218	218	436	782	177	177	354	219	219	438	792

Hourly Incremental Construction Trip Estimates (continued)

2020	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	46	46	92	161	0	161	253	37	37	74	150	0	150	224	24	24	48	104	0	104	152	22	22	44	94	0	94	138
7-8AM	18	18	36	40	0	40	76	15	15	30	38	0	38	68	9	9	18	26	0	26	44	9	9	18	24	0	24	42
8-9AM	18	18	36	0	0	0	36	15	15	30	0	0	0	30	9	9	18	0	0	0	18	9	9	18	0	0	0	18
9-10AM	18	18	36	0	0	0	36	15	15	30	0	0	0	30	9	9	18	0	0	0	18	9	9	18	0	0	0	18
10-11AM	18	18	36	0	0	0	36	15	15	30	0	0	0	30	9	9	18	0	0	0	18	9	9	18	0	0	0	18
11AM-12PM	18	18	36	0	0	0	36	15	15	30	0	0	0	30	9	9	18	0	0	0	18	9	9	18	0	0	0	18
12-1PM	18	18	36	0	0	0	36	15	15	30	0	0	0	30	9	9	18	0	0	0	18	9	9	18	0	0	0	18
1-2PM	9	9	18	0	0	0	18	7	7	14	0	0	0	14	5	5	10	0	0	0	10	4	4	8	0	0	0	8
2-3PM	9	9	18	0	10	10	28	7	7	14	0	9	9	23	5	5	10	0	7	7	17	4	4	8	0	6	6	14
3-4PM	6	6	12	0	161	161	173	4	4	8	0	150	150	158	3	3	6	0	104	104	110	2	2	4	0	94	94	98
4-5PM	6	6	12	0	30	30	42	3	3	6	0	29	29	35	3	3	6	0	19	19	25	1	1	2	0	18	18	20
Daily Total	184	184	368	201	201	402	770	148	148	296	188	188	376	672	94	94	188	130	130	260	448	87	87	174	118	118	236	410

2021	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	46	46	92	132	0	132	224	42	42	84	157	0	157	241	39	39	78	131	0	131	209	34	34	68	99	0	99	167
7-8AM	18	18	36	33	0	33	69	17	17	34	39	0	39	73	15	15	30	33	0	33	63	14	14	28	25	0	25	53
8-9AM	18	18	36	0	0	0	36	17	17	34	0	0	0	34	15	15	30	0	0	0	30	14	14	28	0	0	0	28
9-10AM	18	18	36	0	0	0	36	17	17	34	0	0	0	34	15	15	30	0	0	0	30	14	14	28	0	0	0	28
10-11AM	18	18	36	0	0	0	36	17	17	34	0	0	0	34	15	15	30	0	0	0	30	14	14	28	0	0	0	28
11AM-12PM	18	18	36	0	0	0	36	17	17	34	0	0	0	34	15	15	30	0	0	0	30	14	14	28	0	0	0	28
12-1PM	18	18	36	0	0	0	36	17	17	34	0	0	0	34	15	15	30	0	0	0	30	14	14	28	0	0	0	28
1-2PM	9	9	18	0	0	0	18	8	8	16	0	0	0	16	8	8	16	0	0	0	16	7	7	14	0	0	0	14
2-3PM	9	9	18	0	8	8	26	8	8	16	0	10	10	26	8	8	16	0	8	8	24	6	6	12	0	6	6	18
3-4PM	6	6	12	0	132	132	144	4	4	8	0	157	157	165	5	5	10	0	131	131	141	2	2	4	0	99	99	103
4-5PM	5	5	10	0	25	25	35	3	3	6	0	29	29	35	4	4	8	0	25	25	33	2	2	4	0	19	19	23
Daily Total	183	183	366	165	165	330	696	167	167	334	196	196	392	726	154	154	308	164	164	328	636	135	135	270	124	124	248	518

2022	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	33	33	66	73	0	73	139	21	21	42	62	0	62	104	16	16	32	36	0	36	68	16	16	32	33	0	33	65
7-8AM	13	13	26	18	0	18	44	8	8	16	16	0	16	32	7	7	14	9	0	9	23	6	6	12	8	0	8	20
8-9AM	13	13	26	0	0	0	26	8	8	16	0	0	0	16	7	7	14	0	0	0	14	6	6	12	0	0	0	12
9-10AM	13	13	26	0	0	0	26	8	8	16	0	0	0	16	7	7	14	0	0	0	14	6	6	12	0	0	0	12
10-11AM	13	13	26	0	0	0	26	8	8	16	0	0	0	16	7	7	14	0	0	0	14	6	6	12	0	0	0	12
11AM-12PM	13	13	26	0	0	0	26	8	8	16	0	0	0	16	7	7	14	0	0	0	14	6	6	12	0	0	0	12
12-1PM	13	13	26	0	0	0	26	8	8	16	0	0	0	16	7	7	14	0	0	0	14	6	6	12	0	0	0	12
1-2PM	7	7	14	0	0	0	14	4	4	8	0	0	0	8	3	3	6	0	0	0	6	3	3	6	0	0	0	6
2-3PM	7	7	14	0	5	5	19	4	4	8	0	4	4	12	2	2	4	0	2	2	6	3	3	6	0	2	2	8
3-4PM	3	3	6	0	73	73	79	3	3	6	0	62	62	68	1	1	2	0	36	36	38	3	3	6	0	33	33	39
4-5PM	4	4	8	0	13	13	21	2	2	4	0	12	12	16	1	1	2	0	7	7	9	2	2	4	0	6	6	10
Daily Total	132	132	264	91	91	182	446	82	82	164	78	78	156	320	65	65	130	45	45	90	220	63	63	126	41	41	82	208

2023	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	25	25	50	42	0	42	92	27	27	54	61	0	61	115	27	27	54	59	0	59	113	22	22	44	43	0	43	87
7-8AM	10	10	20	11	0	11	31	11	11	22	15	0	15	37	11	11	22	15	0	15	37	9	9	18	11	0	11	29
8-9AM	10	10	20	0	0	0	20	11	11	22	0	0	0	22	11	11	22	0	0	0	22	9	9	18	0	0	0	18
9-10AM	10	10	20	0	0	0	20	11	11	22	0	0	0	22	11	11	22	0	0	0	22	9	9	18	0	0	0	18
10-11AM	10	10	20	0	0	0	20	11	11	22	0	0	0	22	11	11	22	0	0	0	22	9	9	18	0	0	0	18
11AM-12PM	10	10	20	0	0	0	20	11	11	22	0	0	0	22	11	11	22	0	0	0	22	9	9	18	0	0	0	18
12-1PM	10	10	20	0	0	0	20	11	11	22	0	0	0	22	11	11	22	0	0	0	22	9	9	18	0	0	0	18
1-2PM	5	5	10	0	0	0	10	5	5	10	0	0	0	10	5	5	10	0	0	0	10	4	4	8	0	0	0	8
2-3PM	5	5	10	0	3	3	13	5	5	10	0	4	4	14	5	5	10	0	4	4	14	4	4	8	0	3	3	11
3-4PM	2	2	4	0	42	42	46	2	2	4	0	61	61	65	3	3	6	0	59	59	65	2	2	4	0	43	43	47
4-5PM	2	2	4	0	8	8	12	2	2	4	0	11	11	15	2	2	4	0	11	11	15	1	1	2	0	8	8	10
Daily Total	99	99	198	53	53	106	304	107	107	214	76	76	152	366	108	108	216	74	74	148	364	87	87	174	54	54	108	282

Hourly Incremental Construction Trip Estimates (continued)

2024	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	35	35	70	53	0	53	123	29	29	58	61	0	61	119	21	21	42	51	0	51	93	19	19	38	45	0	45	83
7-8AM	14	14	28	13	0	13	41	12	12	24	15	0	15	39	9	9	18	13	0	13	31	8	8	16	11	0	11	27
8-9AM	14	14	28	0	0	0	28	12	12	24	0	0	0	24	9	9	18	0	0	0	18	8	8	16	0	0	0	16
9-10AM	14	14	28	0	0	0	28	12	12	24	0	0	0	24	9	9	18	0	0	0	18	8	8	16	0	0	0	16
10-11AM	14	14	28	0	0	0	28	12	12	24	0	0	0	24	9	9	18	0	0	0	18	8	8	16	0	0	0	16
11AM-12PM	14	14	28	0	0	0	28	12	12	24	0	0	0	24	9	9	18	0	0	0	18	8	8	16	0	0	0	16
12-1PM	14	14	28	0	0	0	28	12	12	24	0	0	0	24	9	9	18	0	0	0	18	8	8	16	0	0	0	16
1-2PM	7	7	14	0	0	0	14	6	6	12	0	0	0	12	4	4	8	0	0	0	8	4	4	8	0	0	0	8
2-3PM	7	7	14	0	3	3	17	6	6	12	0	4	4	16	4	4	8	0	3	3	11	4	4	8	0	3	3	11
3-4PM	3	3	6	0	53	53	59	2	2	4	0	61	61	65	1	1	2	0	51	51	53	1	1	2	0	45	45	47
4-5PM	3	3	6	0	10	10	16	2	2	4	0	11	11	15	1	1	2	0	10	10	12	1	1	2	0	8	8	10
Daily Total	139	139	278	66	66	132	410	117	117	234	76	76	152	386	85	85	170	64	64	128	298	77	77	154	56	56	112	266

2025	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	26	26	52	52	0	52	104	18	18	36	46	0	46	82	8	8	16	18	0	18	34	9	9	18	16	0	16	34
7-8AM	11	11	22	13	0	13	35	7	7	14	12	0	12	26	3	3	6	5	0	5	11	4	4	8	4	0	4	12
8-9AM	11	11	22	0	0	0	22	7	7	14	0	0	0	14	3	3	6	0	0	0	6	4	4	8	0	0	0	8
9-10AM	11	11	22	0	0	0	22	7	7	14	0	0	0	14	3	3	6	0	0	0	6	4	4	8	0	0	0	8
10-11AM	11	11	22	0	0	0	22	7	7	14	0	0	0	14	3	3	6	0	0	0	6	4	4	8	0	0	0	8
11AM-12PM	11	11	22	0	0	0	22	7	7	14	0	0	0	14	3	3	6	0	0	0	6	4	4	8	0	0	0	8
12-1PM	11	11	22	0	0	0	22	7	7	14	0	0	0	14	3	3	6	0	0	0	6	4	4	8	0	0	0	8
1-2PM	5	5	10	0	0	0	10	4	4	8	0	0	0	8	2	2	4	0	0	0	4	2	2	4	0	0	0	4
2-3PM	4	4	8	0	3	3	11	4	4	8	0	3	3	11	2	2	4	0	2	2	6	1	1	2	0	1	1	3
3-4PM	2	2	4	0	52	52	56	2	2	4	0	46	46	50	2	2	4	0	18	18	22	1	1	2	0	16	16	18
4-5PM	2	2	4	0	10	10	14	1	1	2	0	9	9	11	1	1	2	0	3	3	5	0	0	0	0	3	3	3
Daily Total	105	105	210	65	65	130	340	71	71	142	58	58	116	258	33	33	66	23	23	46	112	37	37	74	20	20	40	114

2026	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	22	22	44	33	0	33	77	14	14	28	39	0	39	67	12	12	24	30	0	30	54	14	14	28	28	0	28	56
7-8AM	9	9	18	8	0	8	26	6	6	12	10	0	10	22	5	5	10	7	0	7	17	5	5	10	7	0	7	17
8-9AM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	5	5	10	0	0	0	10	5	5	10	0	0	0	10
9-10AM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	5	5	10	0	0	0	10	5	5	10	0	0	0	10
10-11AM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	5	5	10	0	0	0	10	5	5	10	0	0	0	10
11AM-12PM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	5	5	10	0	0	0	10	5	5	10	0	0	0	10
12-1PM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	5	5	10	0	0	0	10	5	5	10	0	0	0	10
1-2PM	4	4	8	0	0	0	8	3	3	6	0	0	0	6	2	2	4	0	0	0	4	3	3	6	0	0	0	6
2-3PM	4	4	8	0	2	2	10	2	2	4	0	2	2	6	2	2	4	0	2	2	6	3	3	6	0	2	2	8
3-4PM	2	2	4	0	33	33	37	1	1	2	0	40	40	42	2	2	4	0	30	30	34	2	2	4	0	28	28	32
4-5PM	1	1	2	0	6	6	8	0	0	0	0	7	7	7	1	1	2	0	5	5	7	2	2	4	0	5	5	9
Daily Total	87	87	174	41	41	82	256	56	56	112	49	49	98	210	49	49	98	37	37	74	172	54	54	108	35	35	70	178

2027	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	24	24	48	40	0	40	88	15	15	30	42	0	42	72	15	15	30	34	0	34	64	12	12	24	22	0	22	46
7-8AM	10	10	20	10	0	10	30	6	6	12	10	0	10	22	6	6	12	9	0	9	21	5	5	10	5	0	5	15
8-9AM	10	10	20	0	0	0	20	6	6	12	0	0	0	12	6	6	12	0	0	0	12	5	5	10	0	0	0	10
9-10AM	10	10	20	0	0	0	20	6	6	12	0	0	0	12	6	6	12	0	0	0	12	5	5	10	0	0	0	10
10-11AM	10	10	20	0	0	0	20	6	6	12	0	0	0	12	6	6	12	0	0	0	12	5	5	10	0	0	0	10
11AM-12PM	10	10	20	0	0	0	20	6	6	12	0	0	0	12	6	6	12	0	0	0	12	5	5	10	0	0	0	10
12-1PM	10	10	20	0	0	0	20	6	6	12	0	0	0	12	6	6	12	0	0	0	12	5	5	10	0	0	0	10
1-2PM	5	5	10	0	0	0	10	3	3	6	0	0	0	6	3	3	6	0	0	0	6	2	2	4	0	0	0	4
2-3PM	5	5	10	0	3	3	13	3	3	6	0	3	3	9	3	3	6	0	2	2	8	2	2	4	0	1	1	5
3-4PM	2	2	4	0	40	40	44	2	2	4	0	42	42	46	1	1	2	0	35	35	37	2	2	4	0	22	22	26
4-5PM	1	1	2	0	7	7	9	2	2	4	0	7	7	11	1	1	2	0	6	6	8	1	1	2	0	4	4	6
Daily Total	97	97	194	50	50	100	294	61	61	122	52	52	104	226	59	59	118	43	43	86	204	49	49	98	27	27	54	152

Hourly Incremental Construction Trip Estimates (continued)

2028	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	22	22	44	34	0	34	78	12	12	24	33	0	33	57	10	10	20	21	0	21	41	11	11	22	19	0	19	41
7-8AM	9	9	18	9	0	9	27	5	5	10	8	0	8	18	4	4	8	5	0	5	13	5	5	10	5	0	5	15
8-9AM	9	9	18	0	0	0	18	5	5	10	0	0	0	10	4	4	8	0	0	0	8	5	5	10	0	0	0	10
9-10AM	9	9	18	0	0	0	18	5	5	10	0	0	0	10	4	4	8	0	0	0	8	5	5	10	0	0	0	10
10-11AM	9	9	18	0	0	0	18	5	5	10	0	0	0	10	4	4	8	0	0	0	8	5	5	10	0	0	0	10
11AM-12PM	9	9	18	0	0	0	18	5	5	10	0	0	0	10	4	4	8	0	0	0	8	5	5	10	0	0	0	10
12-1PM	9	9	18	0	0	0	18	5	5	10	0	0	0	10	4	4	8	0	0	0	8	5	5	10	0	0	0	10
1-2PM	4	4	8	0	0	0	8	2	2	4	0	0	0	4	2	2	4	0	0	0	4	1	1	2	0	0	0	2
2-3PM	4	4	8	0	2	2	10	2	2	4	0	2	2	6	1	1	2	0	1	1	3	1	1	2	0	1	1	3
3-4PM	2	2	4	0	35	35	39	2	2	4	0	33	33	37	1	1	2	0	21	21	23	1	1	2	0	19	19	21
4-5PM	2	2	4	0	6	6	10	1	1	2	0	6	6	8	1	1	2	0	4	4	6	1	1	2	0	4	4	6
Daily Total	88	88	176	43	43	86	262	49	49	98	41	41	82	180	39	39	78	26	26	52	130	45	45	90	24	24	48	138

2029	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	23	23	46	45	0	45	91	15	15	30	50	0	50	80	14	14	28	46	0	46	74	15	15	30	50	0	50	80
7-8AM	9	9	18	11	0	11	29	6	6	12	12	0	12	24	6	6	12	12	0	12	24	6	6	12	12	0	12	24
8-9AM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	6	6	12	0	0	0	12	6	6	12	0	0	0	12
9-10AM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	6	6	12	0	0	0	12	6	6	12	0	0	0	12
10-11AM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	6	6	12	0	0	0	12	6	6	12	0	0	0	12
11AM-12PM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	6	6	12	0	0	0	12	6	6	12	0	0	0	12
12-1PM	9	9	18	0	0	0	18	6	6	12	0	0	0	12	5	5	10	0	0	0	10	6	6	12	0	0	0	12
1-2PM	5	5	10	0	0	0	10	3	3	6	0	0	0	6	2	2	4	0	0	0	4	3	3	6	0	0	0	6
2-3PM	5	5	10	0	3	3	13	2	2	4	0	3	3	7	2	2	4	0	3	3	7	3	3	6	0	3	3	9
3-4PM	2	2	4	0	45	45	49	1	1	2	0	50	50	52	1	1	2	0	46	46	48	2	2	4	0	50	50	54
4-5PM	2	2	4	0	8	8	12	1	1	2	0	9	9	11	1	1	2	0	9	9	11	1	1	2	0	9	9	11
Daily Total	91	91	182	56	56	112	294	58	58	116	62	62	124	240	55	55	110	58	58	116	226	60	60	120	62	62	124	244

2030	Q1							Q2							Q3							Q4						
	Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers				Trucks (PCEs)			Workers			
	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined	In	Out	Total	In	Out	Total	Combined
6-7AM	14	14	28	44	0	44	72	10	10	20	37	0	37	57	10	10	20	34	0	34	54	6	6	12	20	0	20	32
7-8AM	6	6	12	11	0	11	23	4	4	8	9	0	9	17	4	4	8	9	0	9	17	3	3	6	5	0	5	11
8-9AM	6	6	12	0	0	0	12	4	4	8	0	0	0	8	4	4	8	0	0	0	8	3	3	6	0	0	0	6
9-10AM	6	6	12	0	0	0	12	4	4	8	0	0	0	8	4	4	8	0	0	0	8	3	3	6	0	0	0	6
10-11AM	6	6	12	0	0	0	12	4	4	8	0	0	0	8	4	4	8	0	0	0	8	3	3	6	0	0	0	6
11AM-12PM	6	6	12	0	0	0	12	4	4	8	0	0	0	8	4	4	8	0	0	0	8	3	3	6	0	0	0	6
12-1PM	5	5	10	0	0	0	10	4	4	8	0	0	0	8	4	4	8	0	0	0	8	3	3	6	0	0	0	6
1-2PM	2	2	4	0	0	0	4	2	2	4	0	0	0	4	2	2	4	0	0	0	4	1	1	2	0	0	0	2
2-3PM	2	2	4	0	3	3	7	2	2	4	0	2	2	6	1	1	2	0	2	2	4	0	0	0	0	1	1	1
3-4PM	1	1	2	0	44	44	46	2	2	4	0	37	37	41	1	1	2	0	35	35	37	0	0	0	0	20	20	20
4-5PM	1	1	2	0	8	8	10	1	1	2	0	7	7	9	0	0	0	0	6	6	6	0	0	0	0	4	4	4
Daily Total	55	55	110	55	55	110	220	41	41	82	46	46	92	174	38	38	76	43	43	86	162	25	25	50	25	25	50	100



Rezoning Area

Projected Development Site

CEQR Noise Impact Threshold Exceedance Locations

East New York Rezoning

Construction
September 2016
Appendix H



East New York Rezoning

Construction
January 2017
Appendix H



Rezoning Area

Projected Development Site

CEQR Noise Impact Threshold Exceedance Locations

East New York Rezoning

Construction
October 2017
Appendix H



Rezoning Area

Projected Development Site

CEQR Noise Impact Threshold Exceedance Locations

East New York Rezoning

Construction
January 2018
Appendix H



East New York Rezoning

Construction
October 2018
Appendix H



East New York Rezoning

Construction
January 2019
Appendix H



East New York Rezoning

Construction
November 2019
Appendix H



East New York Rezoning

Construction
January 2020
Appendix H



East New York Rezoning

Construction
November 2020
Appendix H

East New York Rezoning

Construction
January 2021
Appendix H



East New York Rezoning

Construction
October 2021
Appendix H



Construction
January 2022
Appendix H

East New York Rezoning



East New York Rezoning

Construction
October 2022
Appendix H



East New York Rezoning

Construction
January 2023
Appendix H



East New York Rezoning

Construction
October 2023
Appendix H



Construction
January 2024
Appendix H

East New York Rezoning



Rezoning Area

Projected Development Site

CEQR Noise Impact Threshold Exceedance Locations

East New York Rezoning

Construction
October 2024
Appendix H



East New York Rezoning

Construction
January 2025
Appendix H



Construction
October 2025
Appendix H

East New York Rezoning



East New York Rezoning

Construction
January 2026
Appendix H



East New York Rezoning

Construction
October 2026
Appendix H



Construction
January 2027
Appendix H

East New York Rezoning



Rezoning Area

Projected Development Site

CEQR Noise Impact Threshold Exceedance Locations

East New York Rezoning

Construction
October 2027
Appendix H

Rezoning Area

Projected Development Site

CEQR Noise Impact Threshold Exceedance Locations

East New York Rezoning

Construction
January 2028
Appendix H



Construction
October 2028
Appendix H

East New York Rezoning



East New York Rezoning

Construction
January 2029
Appendix H



Construction
November 2029
Appendix H

East New York Rezoning



East New York Rezoning

Construction
January 2030
Appendix H



Rezoning Area

Projected Development Site

CEQR Noise Impact Threshold Exceedance Locations

East New York Rezoning

Construction
December 2030
Appendix H

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
S1	0	1	66.0	67.3	66.2	67.5	52.1	66.4	0.2		67.7	53.1	66.4	0.2		67.7	61.9	67.6	1.4		68.9	63.1	67.9	1.7		69.2
12	0	1	74.1	76.8	74.2	76.9	61.7	74.4	0.3		77.2	65.0	74.7	0.5		77.4	62.1	74.5	0.3		77.2	58.1	74.3	0.1		77.0
17	0	1	60.6	62.7	60.8	62.9	70.9	71.3	10.7	YES	73.6	71.6	71.9	11.1	YES	74.0	81.2	81.2	20.4	YES	83.3	78.6	78.7	17.9	YES	80.8
18	0	1	69.3	70.6	69.4	70.7	61.8	70.1	0.8		71.5	64.9	70.7	1.3		72.0	79.5	79.9	10.5	YES	81.2	75.8	76.7	7.3	YES	78.0
21	0	1	67.5	67.9	67.7	68.1	60.1	68.4	0.9		69.0	60.0	68.4	0.7		68.8	65.3	69.7	2.0		70.1	68.3	71.0	3.3	YES	71.4
B001	A	1	69.1	70.4	69.3	70.6	60.2	69.8	0.7		71.3	60.4	69.8	0.5		71.1	69.2	72.3	3.0		73.6	65.4	70.8	1.5		72.1
B001	A	2	68.4	69.7	68.6	69.9	60.5	69.2	0.6		70.5	61.0	69.3	0.7		70.6	70.7	72.8	4.2	YES	74.1	67.6	71.1	2.5		72.4
B001	A	3	67.4	68.7	67.6	68.9	60.0	68.3	0.7		69.6	60.6	68.4	0.8		69.7	72.3	73.6	6.0	YES	74.9	70.0	72.0	4.4	YES	73.3
B001	B	1	63.7	65.0	63.9	65.2	64.0	67.0	3.1	YES	68.3	65.3	67.7	3.8	YES	69.0	79	79.1	15.2	YES	80.4	75.0	75.3	11.4	YES	76.6
B001	B	2	64.4	65.7	64.5	65.8	64.9	67.7	3.2	YES	69.0	67.1	69.0	4.5	YES	70.3	78.9	79.1	14.6	YES	80.4	75.0	75.4	10.9	YES	76.7
B001	B	3	64.2	65.5	64.4	65.7	64.5	67.5	3.1	YES	68.8	68.0	69.6	5.2	YES	70.9	78.9	79.1	14.7	YES	80.4	74.9	75.3	10.9	YES	76.6
B002	A	1	53.1	54.4	53.3	54.6	40.7	53.6	0.2		54.9	43.9	53.8	0.5		55.1	65.3	65.6	12.2	YES	66.9	62.8	63.3	9.9	YES	64.6
B002	A	2	53.1	54.4	53.3	54.6	42.6	53.7	0.4		55.0	47.2	54.3	0.9		55.6	64.7	65.0	11.7	YES	66.3	62.7	63.2	9.8	YES	64.5
B002	A	3	53.8	55.1	54.0	55.3	43.0	54.3	0.3		55.6	48.5	55.1	1.1		56.4	64.9	65.2	11.2	YES	66.5	63.3	63.8	9.8	YES	65.1
B002	A	4	56.6	57.9	56.8	58.1	46.5	57.2	0.4		58.5	49.8	57.6	0.8		58.9	69.7	69.9	13.1	YES	71.2	69.7	69.9	13.1	YES	71.2
B002	B	1	68.0	69.3	68.1	69.4	59.3	68.6	0.5		69.9	59.4	68.6	0.5		69.9	60.5	68.8	0.7		70.1	59.7	68.7	0.6		70.0
B002	B	2	66.5	67.8	66.7	68.0	59.5	67.5	0.8		68.8	59.6	67.5	0.8		68.8	63.7	68.5	1.8		69.8	62.6	68.1	1.4		69.4
B002	B	3	65.1	66.4	65.3	66.6	58.8	66.2	0.9		67.5	58.9	66.2	0.9		67.5	63.9	67.7	2.4		69.0	62.6	67.2	1.9		68.5
B002	B	4	64.4	65.7	64.6	65.9	57.5	65.4	0.8		66.7	57.6	65.4	0.8		66.7	70.7	71.7	7.1	YES	73.0	68.3	69.8	5.2	YES	71.1
B003	A	1	69.9	71.2	70.1	71.4	60.3	70.5	0.4		71.8	60.4	70.5	0.4		71.8	63.4	70.9	0.8		72.2	60.8	70.6	0.5		71.9
B003	A	2	68.4	69.7	68.6	69.9	60.3	69.2	0.6		70.5	60.3	69.2	0.6		70.5	63.6	69.8	1.2		71.1	61.9	69.4	0.8		70.7
B003	A	3	67.2	68.5	67.4	68.7	59.5	68.1	0.7		69.4	59.6	68.1	0.7		69.4	64.2	69.1	1.7		70.4	64.1	69.1	1.7		70.4
B003	A	4	66.3	67.6	66.4	67.7	58.4	67.0	0.6		68.3	58.5	67.1	0.7		68.4	67.3	69.9	3.5	YES	71.2	65.1	68.8	2.4		70.1
B003	B	1	61.8	63.1	62.0	63.3	54.3	62.7	0.7		64.0	54.6	62.7	0.7		64.0	57.2	63.2	1.2		64.5	64.4	66.4	4.4	YES	67.7
B003	B	2	62.4	63.7	62.5	63.8	55.2	63.2	0.7		64.5	55.6	63.3	0.8		64.6	64.8	66.8	4.3	YES	68.1	56.2	63.4	0.9		64.7
B003	B	3	62.3	63.6	62.5	63.8	55.4	63.3	0.8		64.6	56.8	63.5	1.0		64.8	65.4	67.2	4.7	YES	68.5	55.5	63.3	0.8		64.6
B003	B	4	62.1	63.4	62.3	63.6	56.2	63.3	1.0		64.6	57.4	63.5	1.2		64.8	56.8	63.4	1.1		64.7	55.4	63.1	0.8		64.4
B004	A	1	70.4	71.7	70.6	71.9	57.9	70.8	0.2		72.1	58.0	70.8	0.2		72.1	61.8	71.1	0.5		72.4	60.8	71.0	0.4		72.3
B004	A	2	68.8	70.1	69.0	70.3	58.1	69.3	0.3		70.6	58.1	69.3	0.3		70.6	62.1	69.8	0.8		71.1	61.1	69.7	0.7		71.0
B004	A	3	67.6	68.9	67.7	69.0	57.6	68.1	0.4		69.4	57.6	68.1	0.4		69.4	62.2	68.8	1.1		70.1	60.9	68.5	0.8		69.8
B004	A	4	66.6	67.9	66.8	68.1	56.8	67.2	0.4		68.5	57.2	67.3	0.5		68.6	63.3	68.4	1.6		69.7	61.3	67.9	1.1		69.2
B004	B	1	62.8	64.1	63.0	64.3	56.0	63.8	0.8		65.1	56.2	63.8	0.8		65.1	57	64.0	1.0		65.3	56.1	63.8	0.8		65.1
B004	B	2	63.4	64.7	63.5	64.8	56.6	64.3	0.8		65.6	56.9	64.4	0.9		65.7	57.8	64.5	1.0		65.8	56.7	64.3	0.8		65.6
B004	B	3	63.2	64.5	63.3	64.6	56.8	64.2	0.9		65.5	57.2	64.3	1.0		65.6	61.2	65.4	2.1		66.7	68.6	69.7	6.4	YES	71.0
B004	B	4	62.9	64.2	63.0	64.3	57.2	64.0	1.0		65.3	59.1	64.5	1.5		65.8	64	66.5	3.5	YES	67.8	68.7	69.7	6.7	YES	71.0
B005	A	1	70.7	72.0	70.8	72.1	47.0	70.8	0.0		72.1	47.7	70.8	0.0		72.1	59.6	71.1	0.3		72.4	56.2	70.9	0.1		72.2
B005	A	2	68.8	70.1	69.0	70.3	57.3	69.3	0.3		70.6	57.4	69.3	0.3		70.6	60.4	69.6	0.6		70.9	59.5	69.5	0.5		70.8
B005	A	3	67.4	68.7	67.6	68.9	56.6	67.9	0.3		69.2	56.7	67.9	0.3		69.2	60.2	68.3	0.7		69.6	59.1	68.2	0.6		69.5
B005	A	4	66.4	67.7	66.6	67.9	55.9	67.0	0.4		68.3	56.3	67.0	0.4		68.3	60.1	67.5	0.9		68.8	58.8	67.3	0.7		68.6
B005	B	1	64.0	65.3	64.2	65.5	48.0	64.3	0.1		65.6	50.9	64.4	0.2		65.7	61.4	66.0	1.8		67.3	60.5	65.7	1.5		67.0
B005	B	2	64.1	65.4	64.2	65.5	53.2	64.5	0.3		65.8	56.4	64.9	0.7		66.2	64.2	67.2	3.0	YES	68.5	60.1	65.6	1.4		66.9
B005	B	3	63.6	64.9	63.7	65.0	58.1	64.8	1.1		66.1	59.3	65.0	1.3		66.3	64.8	67.3	3.6	YES	68.6	65.4	67.6	3.9	YES	68.9

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B005	B	4	63.1	64.4	63.2	64.5	60.1	64.9	1.7		66.2	59.9	64.9	1.7		66.2	65.6	67.6	4.4	YES	68.9	65.6	67.6	4.4	YES	68.9
B006	A	1	53.1	54.4	53.2	54.5	37.5	53.4	0.1		54.7	41.0	53.5	0.3		54.8	47.3	54.2	1.0		55.5	44.0	53.7	0.5		55.0
B006	A	2	53.1	54.4	53.3	54.6	38.7	53.5	0.1		54.8	41.8	53.6	0.3		54.9	48.1	54.5	1.1		55.8	44.6	53.9	0.5		55.2
B006	B	1	66.3	67.6	66.4	67.7	56.0	66.8	0.4		68.1	56.2	66.8	0.4		68.1	65.8	69.1	2.7		70.4	64.7	68.6	2.2		69.9
B006	B	2	66.6	67.9	66.8	68.1	56.6	67.2	0.4		68.5	56.9	67.2	0.4		68.5	65.6	69.3	2.5		70.6	65.8	69.3	2.5		70.6
B007	A	1	66.2	67.5	66.4	67.7	56.6	66.8	0.4		68.1	56.8	66.9	0.5		68.2	65.7	69.1	2.7		70.4	65.6	69.0	2.6		70.3
B007	A	2	66.4	67.7	66.6	67.9	57.3	67.1	0.5		68.4	57.6	67.1	0.5		68.4	67.6	70.1	3.5	YES	71.4	66.9	69.8	3.2	YES	71.1
B007	A	3	66.1	67.4	66.3	67.6	57.6	66.8	0.5		68.1	58.2	66.9	0.6		68.2	68.4	70.5	4.2	YES	71.8	67.8	70.1	3.8	YES	71.4
B007	A	4	65.8	67.1	65.9	67.2	57.4	66.5	0.6		67.8	59.6	66.8	0.9		68.1	69.4	71.0	5.1	YES	72.3	68.2	70.2	4.3	YES	71.5
B007	B	1	62.1	63.4	62.3	63.6	51.1	62.6	0.3		63.9	51.6	62.7	0.4		64.0	65.8	67.4	5.1	YES	68.7	64.3	66.4	4.1	YES	67.7
B007	B	2	62.8	64.1	62.9	64.2	52.6	63.3	0.4		64.6	53.3	63.4	0.5		64.7	65.4	67.3	4.4	YES	68.6	63.9	66.4	3.5	YES	67.7
B007	B	3	62.7	64.0	62.9	64.2	53.8	63.4	0.5		64.7	55.1	63.6	0.7		64.9	66.3	67.9	5.0	YES	69.2	64.6	66.8	3.9	YES	68.1
B007	B	4	62.6	63.9	62.8	64.1	54.2	63.4	0.6		64.7	57.6	63.9	1.1		65.2	66.9	68.3	5.5	YES	69.6	64.6	66.8	4.0	YES	68.1
B008	A	1	61.4	62.7	61.6	62.9	55.5	62.6	1.0		63.9	57.0	62.9	1.3		64.2	63.9	65.9	4.3	YES	67.2	61.6	64.6	3.0		65.9
B008	A	2	62.2	63.5	62.3	63.6	56.1	63.2	0.9		64.5	60.0	64.3	2.0		65.6	64.3	66.4	4.1	YES	67.7	61.5	64.9	2.6		66.2
B008	A	3	62.2	63.5	62.3	63.6	56.0	63.2	0.9		64.5	59.7	64.2	1.9		65.5	64.5	66.5	4.2	YES	67.8	61.5	64.9	2.6		66.2
B008	B	1	61.8	63.1	61.9	63.2	64.3	66.3	4.4	YES	67.6	63.3	65.7	3.8	YES	67.0	76.3	76.5	14.6	YES	77.8	73.0	73.3	11.4	YES	74.6
B008	B	2	63.5	64.8	63.6	64.9	64.2	66.9	3.3	YES	68.2	66.1	68.0	4.4	YES	69.3	76.4	76.6	13.0	YES	77.9	72.9	73.4	9.8	YES	74.7
B008	B	3	63.9	65.2	64.0	65.3	63.8	66.9	2.9		68.2	67.0	68.8	4.8	YES	70.1	76.6	76.8	12.8	YES	78.1	73.2	73.7	9.7	YES	75.0
B008	C	1	57.3	58.6	57.5	58.8	65.0	65.7	8.2	YES	67.0	63.5	64.5	7.0	YES	65.8	77.5	77.5	20.0	YES	78.8	73.1	73.2	15.7	YES	74.5
B008	C	2	58.6	59.9	58.8	60.1	64.6	65.6	6.8	YES	66.9	66.6	67.3	8.5	YES	68.6	77.1	77.2	18.4	YES	78.5	71.4	71.6	12.8	YES	72.9
B008	C	3	59.7	61.0	59.8	61.1	64.1	65.5	5.7	YES	66.8	67.6	68.3	8.5	YES	69.6	77.1	77.2	17.4	YES	78.5	71.6	71.9	12.1	YES	73.2
B008	D	1	57.5	58.8	57.6	58.9	62.7	63.9	6.3	YES	65.2	61.7	63.1	5.5	YES	64.4	76.1	76.2	18.6	YES	77.5	71.8	72.0	14.4	YES	73.3
B008	D	2	58.6	59.9	58.8	60.1	62.4	64.0	5.2	YES	65.3	64.0	65.1	6.3	YES	66.4	75.6	75.7	16.9	YES	77.0	71.4	71.6	12.8	YES	72.9
B008	D	3	59.7	61.0	59.9	61.2	62.0	64.1	4.2		65.4	65.5	66.6	6.7	YES	67.9	75.5	75.6	15.7	YES	76.9	71.4	71.7	11.8	YES	73.0
B008	E	1	58.1	59.4	58.3	59.6	58.6	61.5	3.2		62.8	58.5	61.4	3.1		62.7	66.6	67.2	8.9	YES	68.5	65.1	65.9	7.6	YES	67.2
B008	E	2	59.2	60.5	59.3	60.6	58.3	61.8	2.5		63.1	61.6	63.6	4.3		64.9	66.5	67.3	8.0	YES	68.6	64.6	65.7	6.4	YES	67.0
B008	E	3	59.6	60.9	59.7	61.0	58.0	61.9	2.2		63.2	61.9	63.9	4.2		65.2	66.3	67.2	7.5	YES	68.5	64.4	65.7	6.0	YES	67.0
B008	F	1	61.2	62.5	61.4	62.7	46.5	61.5	0.1		62.8	51.4	61.8	0.4		63.1	55.5	62.4	1.0		63.7	62.9	65.2	3.8	YES	66.5
B008	F	2	62.7	64.0	62.9	64.2	48.4	63.1	0.2		64.4	54.3	63.5	0.6		64.8	61	65.1	2.2		66.4	62.3	65.6	2.7		66.9
B008	F	3	62.9	64.2	63.1	64.4	49.4	63.3	0.2		64.6	56.4	63.9	0.8		65.2	62.4	65.8	2.7		67.1	62.1	65.6	2.5		66.9
B008	G	1	55.2	56.5	55.4	56.7	47.3	56.0	0.6		57.3	52.6	57.2	1.8		58.5	60.5	61.7	6.3	YES	63.0	63.7	64.3	8.9	YES	65.6
B008	G	2	56.4	57.7	56.5	57.8	48.6	57.2	0.7		58.5	54.3	58.5	2.0		59.8	60.7	62.1	5.6	YES	63.4	62.7	63.6	7.1	YES	64.9
B008	G	3	57.5	58.8	57.7	59.0	54.8	59.5	1.8		60.8	56.9	60.3	2.6		61.6	64.6	65.4	7.7	YES	66.7	62.3	63.6	5.9	YES	64.9
B008	H	1	54.9	56.2	55.0	56.3	49.0	56.0	1.0		57.3	54.6	57.8	2.8		59.1	61.5	62.4	7.4	YES	63.7	62.7	63.4	8.4	YES	64.7
B008	H	2	56.2	57.5	56.3	57.6	49.7	57.2	0.9		58.5	55.6	59.0	2.7		60.3	62.9	63.8	7.5	YES	65.1	62.1	63.1	6.8	YES	64.4
B008	H	3	57.2	58.5	57.3	58.6	55.2	59.4	2.1		60.7	56.2	59.8	2.5		61.1	62.8	63.9	6.6	YES	65.2	61.6	63.0	5.7	YES	64.3
B009	A	1	62.2	63.5	62.4	63.7	62.4	65.4	3.0	YES	66.7	62.1	65.3	2.9		66.6	74.7	74.9	12.5	YES	76.2	70.2	70.9	8.5	YES	72.2
B009	A	2	63.3	64.6	63.4	64.7	62.5	66.0	2.6		67.3	64.7	67.1	3.7	YES	68.4	74.5	74.8	11.4	YES	76.1	70.3	71.1	7.7	YES	72.4
B009	A	3	63.2	64.5	63.3	64.6	62.1	65.8	2.5		67.1	65.5	67.5	4.2	YES	68.8	75.4	75.7	12.4	YES	77.0	70.8	71.5	8.2	YES	72.8
B009	B	1	66.8	68.1	67.0	68.3	63.2	68.5	1.5		69.8	62.5	68.3	1.3		69.6	75.6	76.2	9.2	YES	77.5	71.4	72.7	5.7	YES	74.0
B009	B	2	67.2	68.5	67.3	68.6	62.8	68.6	1.3		69.9	65.0	69.3	2.0		70.6	75.5	76.1	8.8	YES	77.4	71.5	72.9	5.6	YES	74.2
B009	B	3	66.8	68.1	66.9	68.2	62.3	68.2	1.3		69.5	65.6	69.3	2.4		70.6	76.4	76.9	10.0	YES	78.2	72.2	73.3	6.4	YES	74.6

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B010	A	1	55.9	57.2	56.1	57.4	37.9	56.2	0.1		57.5	41.9	56.3	0.2		57.6	50.3	57.1	1.0		58.4	46.9	56.6	0.5		57.9
B010	A	2	57.2	58.5	57.4	58.7	38.2	57.5	0.1		58.8	42.2	57.5	0.1		58.8	50.4	58.2	0.8		59.5	47.0	57.8	0.4		59.1
B010	A	3	57.2	58.5	57.4	58.7	39.2	57.5	0.1		58.8	42.6	57.5	0.1		58.8	51.1	58.3	0.9		59.6	47.3	57.8	0.4		59.1
B010	A	4	57.6	58.9	57.8	59.1	44.5	58.0	0.2		59.3	50.5	58.5	0.7		59.8	54.1	59.3	1.5		60.6	49.7	58.4	0.6		59.7
B010	B	1	66.6	67.9	66.7	68.0	50.2	66.8	0.1		68.1	53.3	66.9	0.2		68.2	67.1	69.9	3.2	YES	71.2	68.4	70.6	3.9	YES	71.9
B010	B	2	67.2	68.5	67.4	68.7	53.0	67.6	0.2		68.9	56.7	67.8	0.4		69.1	71.1	72.6	5.2	YES	73.9	68.5	71.0	3.6	YES	72.3
B010	B	3	67.0	68.3	67.1	68.4	61.3	68.1	1.0		69.4	61.1	68.1	1.0		69.4	72.4	73.5	6.4	YES	74.8	69.0	71.2	4.1	YES	72.5
B010	B	4	66.6	67.9	66.7	68.0	61.4	67.8	1.1		69.1	63.0	68.2	1.5		69.5	73.4	74.2	7.5	YES	75.5	69.4	71.3	4.6	YES	72.6
B011	A	1	53.1	54.4	53.2	54.5	41.8	53.5	0.3		54.8	45.3	53.9	0.6		55.2	52.1	55.7	2.5		57.0	46.9	54.2	0.9		55.5
B011	A	2	54.5	55.8	54.7	56.0	44.0	55.1	0.4		56.4	48.1	55.6	0.9		56.9	53	56.9	2.2		58.2	48.8	55.7	1.0		57.0
B011	A	3	56.1	57.4	56.3	57.6	48.6	57.0	0.7		58.3	54.5	58.5	2.2		59.8	59.2	61.0	4.7		62.3	51.2	57.5	1.2		58.8
B011	A	4	57.8	59.1	58.0	59.3	59.4	61.8	3.8		63.1	60.9	62.7	4.7		64.0	67.5	68.0	10.0	YES	69.3	66.3	66.9	8.9	YES	68.2
B011	B	1	68.6	69.9	68.8	70.1	55.9	69.0	0.2		70.3	57.1	69.1	0.3		70.4	64.3	70.1	1.3		71.4	60.3	69.4	0.6		70.7
B011	B	2	68.4	69.7	68.6	69.9	55.8	68.8	0.2		70.1	58.5	69.0	0.4		70.3	65	70.2	1.6		71.5	60.7	69.3	0.7		70.6
B011	B	3	67.8	69.1	67.9	69.2	59.8	68.5	0.6		69.8	59.3	68.5	0.6		69.8	65.8	70.0	2.1		71.3	60.8	68.7	0.8		70.0
B011	B	4	67.0	68.3	67.2	68.5	60.2	68.0	0.8		69.3	61.2	68.2	1.0		69.5	67.9	70.6	3.4	YES	71.9	62.0	68.3	1.1		69.6
B012	A	1	53.7	55.8	53.8	55.9	69.4	69.5	15.7	YES	71.6	71.1	71.2	17.4	YES	73.3	79.3	79.3	25.5	YES	81.4	75.2	75.2	21.4	YES	77.3
B012	A	2	55.1	57.2	55.2	57.3	69.3	69.5	14.3	YES	71.6	72.3	72.4	17.2	YES	74.5	79.5	79.5	24.3	YES	81.6	75.6	75.6	20.4	YES	77.7
B012	A	3	55.3	57.4	55.5	57.6	69.3	69.5	14.0	YES	71.6	73.3	73.4	17.9	YES	75.5	80	80.0	24.5	YES	82.1	76.3	76.3	20.8	YES	78.4
B012	A	4	55.6	57.7	55.7	57.8	69.2	69.4	13.7	YES	71.5	73.6	73.7	18.0	YES	75.8	80.5	80.5	24.8	YES	82.6	76.9	76.9	21.2	YES	79.0
B012	B	1	53.1	55.2	53.3	55.4	49.0	54.7	1.4		56.8	50.9	55.3	2.0		57.4	72.3	72.4	19.0	YES	74.5	71.2	71.3	17.9	YES	73.4
B012	B	2	53.1	55.2	53.2	55.3	56.0	57.8	4.6		59.9	54.4	56.9	3.6		59.0	74.8	74.8	21.6	YES	76.9	70.8	70.9	17.6	YES	73.0
B012	B	3	53.1	55.2	53.3	55.4	56.1	57.9	4.6		60.0	54.7	57.1	3.7		59.2	74.9	74.9	21.6	YES	77.0	71.1	71.2	17.8	YES	73.3
B012	B	4	53.1	55.2	53.2	55.3	56.6	58.2	5.0	YES	60.3	56.4	58.1	4.9		60.2	75.1	75.1	21.9	YES	77.2	71.4	71.5	18.2	YES	73.6
B012	C	1	53.1	55.2	53.3	55.4	64.1	64.5	11.1	YES	66.6	65.2	65.5	12.1	YES	67.6	70.2	70.3	16.9	YES	72.4	61.8	62.4	9.0	YES	64.5
B012	C	2	53.1	55.2	53.2	55.3	63.5	63.9	10.6	YES	66.0	66.0	66.2	13.0	YES	68.3	69.7	69.8	16.6	YES	71.9	61.5	62.1	8.9	YES	64.2
B012	C	3	53.2	55.3	53.3	55.4	63.4	63.8	10.5	YES	65.9	66.3	66.5	13.2	YES	68.6	69.1	69.2	15.9	YES	71.3	53.3	56.3	3.0		58.4
B012	C	4	53.5	55.6	53.6	55.7	63.1	63.6	10.0	YES	65.7	66.7	66.9	13.3	YES	69.0	56.2	58.1	4.5		60.2	53.5	56.6	3.0		58.7
B012	D	1	53.1	55.2	53.2	55.3	57.5	58.9	5.6	YES	61.0	63.9	64.3	11.0	YES	66.4	70.5	70.6	17.3	YES	72.7	63.2	63.6	10.4	YES	65.7
B012	D	2	53.1	55.2	53.2	55.3	69.1	69.2	16.0	YES	71.3	70.2	70.3	17.0	YES	72.4	71.9	72.0	18.7	YES	74.1	63.1	63.5	10.3	YES	65.6
B012	D	3	53.3	55.4	53.5	55.6	69.1	69.2	15.7	YES	71.3	72.4	72.5	19.0	YES	74.6	72.1	72.2	18.7	YES	74.3	63.2	63.6	10.1	YES	65.7
B012	D	4	54.4	56.5	54.6	56.7	68.8	69.0	14.4	YES	71.1	73.4	73.5	18.9	YES	75.6	72.2	72.3	17.7	YES	74.4	63.3	63.8	9.2	YES	65.9
B013	A	1	63.6	64.9	63.7	65.0	56.2	64.4	0.7		65.7	59.9	65.2	1.5		66.5	74.8	75.1	11.4	YES	76.4	70.3	71.2	7.5	YES	72.5
B013	A	2	64.1	65.4	64.2	65.5	62.5	66.4	2.2		67.7	64.9	67.6	3.4	YES	68.9	74.7	75.1	10.9	YES	76.4	70.3	71.3	7.1	YES	72.6
B013	A	3	64.0	65.3	64.2	65.5	62.0	66.2	2.0		67.5	65.7	68.0	3.8	YES	69.3	74.9	75.3	11.1	YES	76.6	70.9	71.7	7.5	YES	73.0
B013	B	1	57.4	58.7	57.6	58.9	39.4	57.7	0.1		59.0	43.6	57.8	0.2		59.1	51.6	58.6	1.0		59.9	48.1	58.1	0.5		59.4
B013	B	2	59.8	61.1	59.9	61.2	40.1	59.9	0.0		61.2	44.7	60.0	0.1		61.3	51.7	60.5	0.6		61.8	48.3	60.2	0.3		61.5
B013	B	3	60.2	61.5	60.3	61.6	44.8	60.4	0.1		61.7	52.2	60.9	0.6		62.2	54.8	61.4	1.1		62.7	50.6	60.7	0.4		62.0
B013	C	1	61.7	63.0	61.9	63.2	43.4	62.0	0.1		63.3	45.2	62.0	0.1		63.3	58.1	63.4	1.5		64.7	60.6	64.3	2.4		65.6
B013	C	2	63.5	64.8	63.6	64.9	46.3	63.7	0.1		65.0	50.5	63.8	0.2		65.1	63.7	66.7	3.1	YES	68.0	60.9	65.5	1.9		66.8
B013	C	3	64.0	65.3	64.1	65.4	47.5	64.2	0.1		65.5	51.1	64.3	0.2		65.6	64.4	67.3	3.2	YES	68.6	61.6	66.0	1.9		67.3
B014	A	1	61.9	63.2	62.0	63.3	59.9	64.1	2.1		65.4	60.2	64.2	2.2		65.5	68.3	69.2	7.2	YES	70.5	67.9	68.9	6.9	YES	70.2
B014	A	2	62.2	63.5	62.4	63.7	59.7	64.3	1.9		65.6	62.0	65.2	2.8		66.5	68.5	69.5	7.1	YES	70.8	67.3	68.5	6.1	YES	69.8

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B014	A	3	62.1	63.4	62.3	63.6	59.4	64.1	1.8		65.4	63.2	65.8	3.5	YES	67.1	70.3	70.9	8.6	YES	72.2	67.1	68.3	6.0	YES	69.6
B014	B	1	56.5	57.8	56.7	58.0	58.1	60.5	3.8		61.8	59.2	61.1	4.4		62.4	68.2	68.5	11.8	YES	69.8	67.4	67.8	11.1	YES	69.1
B014	B	2	58.0	59.3	58.1	59.4	60.5	62.5	4.4		63.8	61.7	63.3	5.2	YES	64.6	68.3	68.7	10.6	YES	70.0	66.7	67.3	9.2	YES	68.6
B014	B	3	58.4	59.7	58.6	59.9	60.3	62.5	3.9		63.8	63.4	64.6	6.0	YES	65.9	70.1	70.4	11.8	YES	71.7	66.7	67.3	8.7	YES	68.6
B015	A	1	53.1	54.4	53.2	54.5	36.8	53.3	0.1		54.6	40.6	53.5	0.2		54.8	49.3	54.7	1.5		56.0	46.1	54.0	0.8		55.3
B015	A	2	53.1	54.4	53.3	54.6	38.3	53.5	0.1		54.8	41.8	53.6	0.3		54.9	50.3	55.1	1.7		56.4	46.7	54.2	0.9		55.5
B015	B	1	61.1	62.4	61.3	62.6	58.6	63.2	1.9		64.5	57.5	62.8	1.5		64.1	70.2	70.7	9.4	YES	72.0	64.6	66.3	5.0	YES	67.6
B015	B	2	61.2	62.5	61.4	62.7	58.2	63.1	1.7		64.4	59.9	63.7	2.3		65.0	70	70.6	9.2	YES	71.9	64.8	66.4	5.0	YES	67.7
B016	A	1	61.0	62.3	61.2	62.5	51.8	61.7	0.5		63.0	60.3	63.8	2.6		65.1	71.1	71.5	10.3	YES	72.8	66.4	67.5	6.3	YES	68.8
B016	A	2	61.1	62.4	61.2	62.5	59.2	63.3	2.1		64.6	61.3	64.3	3.1		65.6	71.6	72.0	10.8	YES	73.3	66.8	67.9	6.7	YES	69.2
B016	A	3	61.0	62.3	61.1	62.4	58.8	63.1	2.0		64.4	62.7	65.0	3.9		66.3	71.8	72.2	11.1	YES	73.5	67.1	68.1	7.0	YES	69.4
B016	B	1	54.2	55.5	54.3	55.6	38.2	54.4	0.1		55.7	41.8	54.5	0.2		55.8	52.6	56.5	2.2		57.8	49.2	55.5	1.2		56.8
B016	B	2	56.0	57.3	56.1	57.4	38.9	56.2	0.1		57.5	42.5	56.3	0.2		57.6	53	57.8	1.7		59.1	49.4	56.9	0.8		58.2
B016	B	3	56.6	57.9	56.8	58.1	39.1	56.9	0.1		58.2	42.6	57.0	0.2		58.3	55.4	59.2	2.4		60.5	52.1	58.1	1.3		59.4
B017	A	1	57.2	58.5	57.4	58.7	44.1	57.6	0.2		58.9	45.8	57.7	0.3		59.0	54.6	59.2	1.8		60.5	49.0	58.0	0.6		59.3
B017	A	2	58.2	59.5	58.3	59.6	45.5	58.5	0.2		59.8	49.2	58.8	0.5		60.1	56.5	60.5	2.2		61.8	52.6	59.3	1.0		60.6
B017	A	3	59.4	60.7	59.5	60.8	45.7	59.7	0.2		61.0	49.3	59.9	0.4		61.2	56.6	61.3	1.8		62.6	54.6	60.7	1.2		62.0
B017	B	1	53.1	54.4	53.2	54.5	37.6	53.4	0.1		54.7	41.4	53.5	0.3		54.8	51	55.3	2.0		56.6	48.1	54.4	1.2		55.7
B017	B	2	53.1	54.4	53.2	54.5	39.4	53.4	0.2		54.7	42.9	53.6	0.4		54.9	52	55.7	2.4		57.0	48.7	54.6	1.3		55.9
B017	B	3	57.0	58.3	57.1	58.4	41.1	57.2	0.1		58.5	44.5	57.3	0.2		58.6	56	59.6	2.5		60.9	49.8	57.8	0.7		59.1
B018	A	1	53.1	54.4	53.3	54.6	37.6	53.5	0.1		54.8	41.3	53.6	0.3		54.9	52.8	56.1	2.7		57.4	55.0	57.3	3.9		58.6
B018	A	2	53.1	54.4	53.2	54.5	38.7	53.4	0.1		54.7	42.3	53.6	0.3		54.9	54.7	57.0	3.8		58.3	54.2	56.8	3.5		58.1
B018	A	3	55.0	56.3	55.1	56.4	39.9	55.2	0.1		56.5	42.9	55.4	0.3		56.7	55.3	58.2	3.1		59.5	54.5	57.8	2.7		59.1
B018	B	1	57.6	58.9	57.8	59.1	44.6	58.0	0.2		59.3	46.0	58.1	0.3		59.4	53.5	59.2	1.4		60.5	48.2	58.3	0.5		59.6
B018	B	2	58.4	59.7	58.5	59.8	45.6	58.7	0.2		60.0	49.5	59.0	0.5		60.3	56.1	60.5	2.0		61.8	55.2	60.2	1.7		61.5
B018	B	3	58.9	60.2	59.0	60.3	45.4	59.2	0.2		60.5	49.0	59.4	0.4		60.7	56	60.8	1.8		62.1	55.0	60.5	1.5		61.8
B019	A	1	57.8	59.1	58.0	59.3	57.8	60.9	2.9		62.2	57.0	60.5	2.5		61.8	66.4	67.0	9.0	YES	68.3	59.2	61.7	3.7		63.0
B019	A	2	58.8	60.1	59.0	60.3	57.4	61.3	2.3		62.6	58.6	61.8	2.8		63.1	66.7	67.4	8.4	YES	68.7	59.2	62.1	3.1		63.4
B019	A	3	59.7	61.0	59.8	61.1	57.1	61.7	1.9		63.0	59.9	62.9	3.1		64.2	66.8	67.6	7.8	YES	68.9	59.4	62.6	2.8		63.9
B019	B	1	53.1	54.4	53.2	54.5	38.5	53.4	0.1		54.7	42.8	53.6	0.4		54.9	49.6	54.8	1.6		56.1	45.9	54.0	0.7		55.3
B019	B	2	55.1	56.4	55.2	56.5	44.2	55.5	0.3		56.8	49.5	56.2	1.0		57.5	53.8	57.6	2.4		58.9	50.2	56.4	1.2		57.7
B019	B	3	57.1	58.4	57.2	58.5	46.8	57.6	0.4		58.9	52.7	58.5	1.3		59.8	58.1	60.7	3.5		62.0	50.3	58.0	0.8		59.3
B020	A	1	53.1	54.4	53.2	54.5	37.4	53.4	0.1		54.7	41.2	53.5	0.3		54.8	50.1	55.0	1.7		56.3	47.8	54.3	1.1		55.6
B020	A	2	53.1	54.4	53.3	54.6	38.2	53.5	0.1		54.8	42.0	53.7	0.3		55.0	50.7	55.2	1.9		56.5	57.8	59.1	5.8	YES	60.4
B020	A	3	53.3	54.6	53.4	54.7	40.4	53.6	0.2		54.9	44.5	53.9	0.5		55.2	60.1	60.9	7.5	YES	62.2	48.0	54.5	1.1		55.8
B020	B	1	57.2	58.5	57.4	58.7	58.6	61.1	3.7		62.4	58.4	60.9	3.5		62.2	67.8	68.2	10.8	YES	69.5	59.6	61.6	4.2		62.9
B020	B	2	58.1	59.4	58.3	59.6	58.2	61.3	3.0		62.6	60.9	62.8	4.5		64.1	67.9	68.4	10.1	YES	69.7	62.0	63.5	5.2	YES	64.8
B020	B	3	58.6	59.9	58.8	60.1	57.8	61.3	2.5		62.6	61.8	63.6	4.8		64.9	68	68.5	9.7	YES	69.8	62.4	64.0	5.2	YES	65.3
B021	A	1	54.0	55.3	54.1	55.4	42.7	54.4	0.3		55.7	45.8	54.7	0.6		56.0	53	56.6	2.5		57.9	48.0	55.1	1.0		56.4
B021	A	2	55.8	57.1	55.9	57.2	43.8	56.2	0.3		57.5	47.4	56.5	0.6		57.8	54.1	58.1	2.2		59.4	48.3	56.6	0.7		57.9
B021	B	1	59.0	60.3	59.2	60.5	61.6	63.6	4.4		64.9	60.6	63.0	3.8		64.3	69.8	70.2	11.0	YES	71.5	63.7	65.0	5.8	YES	66.3
B021	B	2	59.8	61.1	59.9	61.2	61.5	63.8	3.9		65.1	63.7	65.2	5.3	YES	66.5	70.6	71.0	11.1	YES	72.3	64.0	65.4	5.5	YES	66.7
B022	A	1	59.6	60.9	59.7	61.0	64.2	65.5	5.8	YES	66.8	64.2	65.5	5.8	YES	66.8	78.4	78.5	18.8	YES	79.8	74.3	74.4	14.7	YES	75.7

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B022	A	2	60.5	61.8	60.6	61.9	63.9	65.6	5.0	YES	66.9	66.8	67.7	7.1	YES	69.0	78.5	78.6	18.0	YES	79.9	74.3	74.5	13.9	YES	75.8
B022	A	3	60.9	62.2	61.1	62.4	63.7	65.6	4.5	YES	66.9	67.5	68.4	7.3	YES	69.7	79.3	79.4	18.3	YES	80.7	74.5	74.7	13.6	YES	76.0
B022	A	4	60.8	62.1	61.0	62.3	63.9	65.7	4.7	YES	67.0	67.5	68.4	7.4	YES	69.7	79.3	79.4	18.4	YES	80.7	74.4	74.6	13.6	YES	75.9
B022	B	1	55.1	56.4	55.3	56.6	46.6	55.8	0.5		57.1	53.1	57.3	2.0		58.6	66.8	67.1	11.8	YES	68.4	51.6	56.8	1.5		58.1
B022	B	2	56.8	58.1	57.0	58.3	47.0	57.4	0.4		58.7	54.6	59.0	2.0		60.3	67.9	68.2	11.2	YES	69.5	52.9	58.4	1.4		59.7
B022	B	3	58.3	59.6	58.4	59.7	54.2	59.8	1.4		61.1	55.5	60.2	1.8		61.5	67.1	67.6	9.2	YES	68.9	53.8	59.7	1.3		61.0
B022	B	4	57.8	59.1	58.0	59.3	55.1	59.8	1.8		61.1	61.7	63.2	5.2	YES	64.5	67.8	68.2	10.2	YES	69.5	58.6	61.3	3.3		62.6
B023	A	1	59.3	60.6	59.4	60.7	67.3	68.0	8.6	YES	69.3	67.3	68.0	8.6	YES	69.3	80.5	80.5	21.1	YES	81.8	74.1	74.2	14.8	YES	75.5
B023	A	2	59.6	60.9	59.7	61.0	66.5	67.3	7.6	YES	68.6	69.3	69.8	10.1	YES	71.1	81.1	81.1	21.4	YES	82.4	74.4	74.5	14.8	YES	75.8
B023	A	3	59.6	60.9	59.7	61.0	65.6	66.6	6.9	YES	67.9	70.5	70.8	11.1	YES	72.1	81.9	81.9	22.2	YES	83.2	74.8	74.9	15.2	YES	76.2
B023	B	1	53.1	54.4	53.2	54.5	43.9	53.7	0.5		55.0	47.9	54.4	1.1		55.7	58.2	59.4	6.2	YES	60.7	51.3	55.4	2.1		56.7
B023	B	2	53.1	54.4	53.3	54.6	44.6	53.9	0.5		55.2	48.7	54.6	1.3		55.9	60.2	61.0	7.7	YES	62.3	52.0	55.7	2.4		57.0
B023	B	3	54.2	55.5	54.4	55.7	53.9	57.2	2.8		58.5	54.1	57.3	2.9		58.6	65.8	66.1	11.7	YES	67.4	55.3	57.9	3.5		59.2
B024	A	1	60.2	61.5	60.4	61.7	67.7	68.4	8.0	YES	69.7	68.0	68.7	8.3	YES	70.0	82.5	82.5	22.1	YES	83.8	75.1	75.2	14.8	YES	76.5
B024	A	2	60.3	61.6	60.4	61.7	66.9	67.8	7.4	YES	69.1	70.0	70.5	10.1	YES	71.8	83.3	83.3	22.9	YES	84.6	77.6	77.7	17.3	YES	79.0
B024	A	3	60.0	61.3	60.1	61.4	67.4	68.1	8.0	YES	69.4	71.0	71.3	11.2	YES	72.6	83.8	83.8	23.7	YES	85.1	80.0	80.0	19.9	YES	81.3
B024	B	1	53.1	54.4	53.2	54.5	45.2	53.9	0.6		55.2	49.4	54.7	1.5		56.0	65	65.3	12.0	YES	66.6	64.8	65.1	11.8	YES	66.4
B024	B	2	53.1	54.4	53.2	54.5	45.7	53.9	0.7		55.2	50.2	55.0	1.7		56.3	69.4	69.5	16.3	YES	70.8	57.7	59.0	5.8	YES	60.3
B024	B	3	53.6	54.9	53.8	55.1	52.1	56.0	2.2		57.3	55.2	57.6	3.8		58.9	68.6	68.7	14.9	YES	70.0	59.1	60.2	6.4	YES	61.5
B025	A	1	53.1	54.4	53.3	54.6	45.9	54.1	0.7		55.4	50.6	55.2	1.9		56.5	63.6	64.0	10.6	YES	65.3	56.0	57.9	4.5		59.2
B025	A	2	53.1	54.4	53.3	54.6	47.0	54.3	0.9		55.6	52.3	55.9	2.5		57.2	64.5	64.8	11.5	YES	66.1	58.3	59.5	6.2	YES	60.8
B025	A	3	54.4	55.7	54.5	55.8	53.5	57.0	2.5		58.3	60.0	61.1	6.6	YES	62.4	69.5	69.6	15.1	YES	70.9	63.8	64.3	9.8	YES	65.6
B025	B	1	59.2	60.5	59.3	60.6	70.0	70.4	11.1	YES	71.7	71.4	71.7	12.4	YES	73.0	81.7	81.7	22.4	YES	83.0	77.9	78.0	18.7	YES	79.3
B025	B	2	59.7	61.0	59.9	61.2	68.0	68.6	8.7	YES	69.9	71.0	71.3	11.4	YES	72.6	82.3	82.3	22.4	YES	83.6	79.0	79.1	19.2	YES	80.4
B025	B	3	60.0	61.3	60.1	61.4	68.4	69.0	8.9	YES	70.3	72.1	72.4	12.3	YES	73.7	82.9	82.9	22.8	YES	84.2	81.6	81.6	21.5	YES	82.9
B026	A	1	53.1	54.4	53.2	54.5	46.9	54.2	0.9		55.5	52.8	56.0	2.8		57.3	60.2	61.0	7.8	YES	62.3	55.7	57.7	4.4		59.0
B026	A	2	53.1	54.4	53.3	54.6	48.2	54.5	1.2		55.8	54.3	56.9	3.5		58.2	61.2	61.9	8.5	YES	63.2	56.2	58.0	4.7		59.3
B026	A	3	55.5	56.8	55.7	57.0	57.7	59.8	4.1		61.1	65.6	66.0	10.3	YES	67.3	71.2	71.3	15.6	YES	72.6	64.2	64.8	9.1	YES	66.1
B026	B	1	60.0	61.3	60.2	61.5	70.0	70.4	10.2	YES	71.7	71.0	71.3	11.1	YES	72.6	81.3	81.3	21.1	YES	82.6	76.7	76.8	16.6	YES	78.1
B026	B	2	60.1	61.4	60.3	61.6	69.4	69.9	9.6	YES	71.2	72.7	72.9	12.6	YES	74.2	82.4	82.4	22.1	YES	83.7	77.5	77.6	17.3	YES	78.9
B026	B	3	60.3	61.6	60.5	61.8	69.6	70.1	9.6	YES	71.4	73.5	73.7	13.2	YES	75.0	82.7	82.7	22.2	YES	84.0	79.6	79.7	19.2	YES	81.0
B027	A	1	59.5	60.8	59.6	60.9	70.8	71.1	11.5	YES	72.4	72.3	72.5	12.9	YES	73.8	81.2	81.2	21.6	YES	82.5	74.3	74.4	14.8	YES	75.7
B027	A	2	59.8	61.1	60.0	61.3	71.0	71.3	11.3	YES	72.6	74.0	74.2	14.2	YES	75.5	81.9	81.9	21.9	YES	83.2	74.6	74.7	14.7	YES	76.0
B027	A	3	60.0	61.3	60.2	61.5	70.8	71.2	11.0	YES	72.5	74.9	75.0	14.8	YES	76.3	82.2	82.2	22.0	YES	83.5	75.9	76.0	15.8	YES	77.3
B027	B	1	53.1	54.4	53.3	54.6	48.5	54.6	1.2		55.9	53.2	56.3	2.9		57.6	58.7	59.8	6.5	YES	61.1	52.1	55.8	2.4		57.1
B027	B	2	53.1	54.4	53.3	54.6	52.1	55.8	2.4		57.1	53.1	56.2	2.9		57.5	58.7	59.8	6.5	YES	61.1	51.9	55.7	2.3		57.0
B027	B	3	53.7	55.0	53.9	55.2	52.4	56.2	2.3		57.5	58.8	60.0	6.1	YES	61.3	63.3	63.8	9.9	YES	65.1	55.7	57.9	4.0		59.2
B028	A	1	56.2	57.5	56.4	57.7	45.8	56.8	0.4		58.1	51.9	57.7	1.3		59.0	55	58.8	2.4		60.1	51.2	57.5	1.1		58.8
B028	A	2	57.6	58.9	57.8	59.1	46.6	58.1	0.3		59.4	52.0	58.8	1.0		60.1	55.4	59.8	2.0		61.1	51.3	58.7	0.9		60.0
B028	A	3	58.7	60.0	58.8	60.1	50.5	59.4	0.6		60.7	57.6	61.3	2.5		62.6	59.5	62.2	3.4		63.5	54.5	60.2	1.4		61.5
B028	B	1	53.1	54.4	53.2	54.5	57.8	59.1	5.9	YES	60.4	59.9	60.7	7.5	YES	62.0	69.3	69.4	16.2	YES	70.7	71.5	71.6	18.3	YES	72.9
B028	B	2	53.1	54.4	53.3	54.6	59.7	60.6	7.3	YES	61.9	63.4	63.8	10.5	YES	65.1	74.3	74.3	21.0	YES	75.6	71.2	71.3	17.9	YES	72.6
B028	B	3	53.5	54.8	53.6	54.9	66.1	66.3	12.7	YES	67.6	67.1	67.3	13.7	YES	68.6	75.2	75.2	21.6	YES	76.5	71.3	71.4	17.8	YES	72.7

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B029	A	1	53.1	54.4	53.2	54.5	52.8	56.0	2.8		57.3	57.1	58.6	5.4	YES	59.9	68.8	68.9	15.7	YES	70.2	71.7	71.8	18.5	YES	73.1
B029	A	2	53.1	54.4	53.2	54.5	55.2	57.3	4.1		58.6	59.6	60.5	7.3	YES	61.8	73	73.0	19.8	YES	74.3	71.0	71.1	17.8	YES	72.4
B029	A	3	53.1	54.4	53.2	54.5	61.3	61.9	8.7	YES	63.2	62.7	63.2	9.9	YES	64.5	75.3	75.3	22.1	YES	76.6	71.0	71.1	17.8	YES	72.4
B029	B	1	53.1	54.4	53.2	54.5	49.5	54.8	1.5		56.1	53.7	56.5	3.2		57.8	66.5	66.7	13.5	YES	68.0	69.8	69.9	16.7	YES	71.2
B029	B	2	53.8	55.1	54.0	55.3	52.9	56.5	2.5		57.8	57.6	59.2	5.2	YES	60.5	71	71.1	17.1	YES	72.4	68.4	68.6	14.6	YES	69.9
B029	B	3	55.7	57.0	55.8	57.1	59.5	61.0	5.2	YES	62.3	62.2	63.1	7.3	YES	64.4	73.8	73.9	18.1	YES	75.2	68.9	69.1	13.3	YES	70.4
B029	C	1	56.9	58.2	57.0	58.3	43.3	57.2	0.2		58.5	47.3	57.4	0.4		58.7	66.4	66.9	9.9	YES	68.2	63.6	64.5	7.5	YES	65.8
B029	C	2	57.7	59.0	57.9	59.2	43.6	58.1	0.2		59.4	47.6	58.3	0.4		59.6	66.1	66.7	8.8	YES	68.0	62.7	63.9	6.0	YES	65.2
B029	C	3	58.6	59.9	58.8	60.1	46.6	59.1	0.3		60.4	49.8	59.3	0.5		60.6	66.7	67.4	8.6	YES	68.7	56.2	60.7	1.9		62.0
B030	A	1	68.5	69.8	68.7	70.0	48.4	68.7	0.0		70.0	48.9	68.7	0.0		70.0	62.8	69.7	1.0		71.0	59.8	69.2	0.5		70.5
B030	A	2	68.2	69.5	68.4	69.7	48.8	68.4	0.0		69.7	49.5	68.5	0.1		69.8	63.7	69.7	1.3		71.0	60.6	69.1	0.7		70.4
B030	B	1	56.7	58.0	56.9	58.2	56.6	59.8	2.9		61.1	58.3	60.7	3.8		62.0	73.7	73.8	16.9	YES	75.1	71.4	71.6	14.7	YES	72.9
B030	B	2	58.8	60.1	58.9	60.2	58.0	61.5	2.6		62.8	62.1	63.8	4.9		65.1	74.9	75.0	16.1	YES	76.3	70.7	71.0	12.1	YES	72.3
B030	C	1	53.1	54.4	53.3	54.6	44.3	53.9	0.5		55.2	47.2	54.3	0.9		55.6	71.4	71.5	18.1	YES	72.8	68.6	68.7	15.4	YES	70.0
B030	C	2	53.1	54.4	53.3	54.6	46.8	54.2	0.9		55.5	50.0	55.0	1.7		56.3	72.1	72.2	18.8	YES	73.5	67.6	67.8	14.4	YES	69.1
B030	D	1	61.2	62.5	61.4	62.7	44.6	61.5	0.1		62.8	45.5	61.5	0.1		62.8	61.8	64.6	3.2		65.9	55.4	62.4	1.0		63.7
B030	D	2	62.4	63.7	62.5	63.8	46.1	62.6	0.1		63.9	46.9	62.6	0.1		63.9	61.8	65.2	2.7		66.5	59.5	64.3	1.8		65.6
B031	A	1	56.8	58.1	57.0	58.3	46.6	57.4	0.4		58.7	51.2	58.0	1.0		59.3	62.7	63.7	6.7	YES	65.0	62.5	63.6	6.6	YES	64.9
B031	A	2	58.0	59.3	58.2	59.5	47.1	58.5	0.3		59.8	53.4	59.4	1.2		60.7	63.7	64.8	6.6	YES	66.1	61.8	63.4	5.2	YES	64.7
B031	A	3	58.9	60.2	59.0	60.3	55.4	60.6	1.6		61.9	54.8	60.4	1.4		61.7	65.6	66.5	7.5	YES	67.8	61.3	63.3	4.3		64.6
B031	B	1	53.1	54.4	53.3	54.6	37.4	53.5	0.1		54.8	41.0	53.6	0.2		54.9	50.3	55.1	1.7		56.4	46.7	54.2	0.9		55.5
B031	B	2	54.7	56.0	54.8	56.1	38.9	54.9	0.1		56.2	44.3	55.2	0.4		56.5	51.2	56.4	1.6		57.7	47.3	55.5	0.7		56.8
B031	B	3	56.7	58.0	56.8	58.1	40.7	56.9	0.1		58.2	44.9	57.1	0.3		58.4	53.8	58.6	1.8		59.9	48.3	57.4	0.6		58.7
B032	A	1	58.9	60.2	59.1	60.4	40.7	59.2	0.1		60.5	42.0	59.2	0.1		60.5	51.4	59.8	0.7		61.1	44.3	59.2	0.1		60.5
B032	A	2	59.5	60.8	59.6	60.9	41.0	59.7	0.1		61.0	43.0	59.7	0.1		61.0	51.1	60.2	0.6		61.5	44.5	59.7	0.1		61.0
B032	A	3	59.9	61.2	60.0	61.3	47.1	60.2	0.2		61.5	44.6	60.1	0.1		61.4	51.2	60.5	0.5		61.8	44.6	60.1	0.1		61.4
B032	B	1	53.1	54.4	53.2	54.5	41.1	53.5	0.3		54.8	46.6	54.1	0.9		55.4	51.3	55.4	2.1		56.7	63.4	63.8	10.6	YES	65.1
B032	B	2	54.1	55.4	54.3	55.6	45.6	54.8	0.5		56.1	52.8	56.6	2.3		57.9	63.5	64.0	9.7	YES	65.3	62.5	63.1	8.8	YES	64.4
B032	B	3	55.4	56.7	55.6	56.9	50.1	56.7	1.1		58.0	54.2	58.0	2.4		59.3	66.1	66.5	10.9	YES	67.8	62.3	63.1	7.5	YES	64.4
B033	A	1	53.1	54.4	53.2	54.5	36.3	53.3	0.1		54.6	39.1	53.4	0.2		54.7	46.1	54.0	0.8		55.3	43.3	53.7	0.4		55.0
B033	A	2	53.1	54.4	53.2	54.5	36.8	53.3	0.1		54.6	39.4	53.4	0.2		54.7	46.1	54.0	0.8		55.3	43.4	53.7	0.4		55.0
B033	A	3	54.0	55.3	54.1	55.4	38.1	54.2	0.1		55.5	40.9	54.3	0.2		55.6	46.4	54.8	0.7		56.1	43.8	54.5	0.4		55.8
B034	A	1	53.1	54.4	53.3	54.6	38.4	53.5	0.1		54.8	40.9	53.6	0.2		54.9	47.6	54.4	1.0		55.7	44.5	53.9	0.5		55.2
B034	A	2	53.7	55.0	53.9	55.2	38.6	54.0	0.1		55.3	40.9	54.1	0.2		55.4	47.6	54.8	0.9		56.1	44.5	54.4	0.5		55.7
B034	A	3	54.9	56.2	55.0	56.3	38.8	55.1	0.1		56.4	41.3	55.2	0.2		56.5	48.8	55.9	0.9		57.2	44.7	55.4	0.4		56.7
B034	B	1	57.9	59.2	58.1	59.4	42.1	58.2	0.1		59.5	47.9	58.5	0.4		59.8	51.7	59.0	0.9		60.3	47.4	58.5	0.4		59.8
B034	B	2	58.7	60.0	58.9	60.2	44.7	59.1	0.2		60.4	50.8	59.5	0.6		60.8	54.7	60.3	1.4		61.6	49.5	59.4	0.5		60.7
B034	B	3	59.1	60.4	59.2	60.5	49.0	59.6	0.4		60.9	53.4	60.2	1.0		61.5	57.8	61.6	2.4		62.9	52.2	60.0	0.8		61.3
B035	A	1	57.8	59.1	58.0	59.3	49.5	58.6	0.6		59.9	54.5	59.6	1.6		60.9	66.8	67.3	9.3	YES	68.6	68.3	68.7	10.7	YES	70.0
B035	A	2	58.8	60.1	59.0	60.3	52.4	59.9	0.9		61.2	57.6	61.4	2.4		62.7	67.7	68.2	9.2	YES	69.5	68.9	69.3	10.3	YES	70.6
B035	A	3	59.5	60.8	59.6	60.9	55.7	61.1	1.5		62.4	60.3	63.0	3.4		64.3	72	72.2	12.6	YES	73.5	68.9	69.4	9.8	YES	70.7
B035	B	1	53.1	54.4	53.2	54.5	40.9	53.5	0.2		54.8	42.7	53.6	0.4		54.9	52	55.7	2.4		57.0	47.3	54.2	1.0		55.5
B035	B	2	54.5	55.8	54.6	55.9	41.7	54.8	0.2		56.1	43.1	54.9	0.3		56.2	52.3	56.6	2.0		57.9	47.8	55.4	0.8		56.7

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B035	B	3	56.5	57.8	56.6	57.9	44.0	56.8	0.2		58.1	46.1	57.0	0.4		58.3	55.1	58.9	2.3		60.2	49.5	57.4	0.8		58.7
B036	A	1	53.1	54.4	53.2	54.5	41.4	53.5	0.3		54.8	44.6	53.8	0.6		55.1	55.3	57.4	4.2		58.7	54.6	57.0	3.7		58.3
B036	A	2	53.9	55.2	54.1	55.4	42.2	54.4	0.3		55.7	45.1	54.6	0.5		55.9	59.7	60.8	6.7	YES	62.1	49.5	55.4	1.3		56.7
B036	A	3	56.2	57.5	56.4	57.7	47.3	56.9	0.5		58.2	51.8	57.7	1.3		59.0	58	60.3	3.9		61.6	53.0	58.0	1.6		59.3
B036	B	1	56.3	57.6	56.4	57.7	51.4	57.6	1.2		58.9	55.2	58.9	2.5		60.2	67.1	67.5	11.1	YES	68.8	66.0	66.5	10.1	YES	67.8
B036	B	2	57.1	58.4	57.3	58.6	54.4	59.1	1.8		60.4	58.5	61.0	3.7		62.3	67.5	67.9	10.6	YES	69.2	69.2	69.5	12.2	YES	70.8
B036	B	3	57.8	59.1	58.0	59.3	57.8	60.9	2.9		62.2	60.8	62.6	4.6		63.9	72.5	72.7	14.7	YES	74.0	69.1	69.4	11.4	YES	70.7
B037	A	1	53.1	54.4	53.2	54.5	41.2	53.5	0.3		54.8	44.4	53.8	0.5		55.1	57.5	58.9	5.6	YES	60.2	59.3	60.3	7.0	YES	61.6
B037	A	2	53.1	54.4	53.3	54.6	42.1	53.7	0.3		55.0	45.1	54.0	0.6		55.3	61.2	61.9	8.5	YES	63.2	51.7	55.6	2.3		56.9
B037	A	3	56.2	57.5	56.3	57.6	44.9	56.6	0.3		57.9	49.5	57.1	0.8		58.4	60.5	61.9	5.6	YES	63.2	52.1	57.7	1.4		59.0
B037	B	1	56.3	57.6	56.4	57.7	52.0	57.7	1.3		59.0	55.5	59.0	2.6		60.3	67.4	67.7	11.3	YES	69.0	69.2	69.4	13.0	YES	70.7
B037	B	2	57.1	58.4	57.3	58.6	55.1	59.3	2.0		60.6	58.9	61.2	3.9		62.5	69.4	69.7	12.4	YES	71.0	68.9	69.2	11.9	YES	70.5
B037	B	3	57.7	59.0	57.8	59.1	62.2	63.5	5.7	YES	64.8	62.6	63.8	6.0	YES	65.1	72	72.2	14.4	YES	73.5	69.5	69.8	12.0	YES	71.1
B038	A	1	53.1	54.4	53.3	54.6	45.7	54.0	0.7		55.3	46.3	54.1	0.8		55.4	57.5	58.9	5.6	YES	60.2	62.2	62.7	9.4	YES	64.0
B038	A	2	54.7	56.0	54.9	56.2	45.6	55.4	0.5		56.7	46.7	55.5	0.6		56.8	55.6	58.3	3.4		59.6	51.5	56.5	1.6		57.8
B038	A	3	56.8	58.1	57.0	58.3	44.7	57.2	0.2		58.5	48.2	57.5	0.5		58.8	55.5	59.3	2.3		60.6	49.3	57.7	0.7		59.0
B038	B	1	58.3	59.6	58.5	59.8	53.5	59.7	1.2		61.0	57.9	61.2	2.7		62.5	65.1	66.0	7.5	YES	67.3	69.2	69.6	11.1	YES	70.9
B038	B	2	59.0	60.3	59.1	60.4	62.1	63.9	4.8		65.2	60.8	63.0	3.9		64.3	72.6	72.8	13.7	YES	74.1	69.5	69.9	10.8	YES	71.2
B038	B	3	59.3	60.6	59.5	60.8	57.4	61.6	2.1		62.9	65.5	66.5	7.0	YES	67.8	73.4	73.6	14.1	YES	74.9	68.7	69.2	9.7	YES	70.5
B039	A	1	53.1	54.4	53.3	54.6	47.1	54.3	0.9		55.6	48.4	54.6	1.2		55.9	61.9	62.5	9.1	YES	63.8	65.2	65.5	12.1	YES	66.8
B039	A	2	53.1	54.4	53.2	54.5	52.1	55.7	2.5		57.0	51.8	55.6	2.3		56.9	67	67.2	13.9	YES	68.5	65.4	65.7	12.4	YES	67.0
B039	A	3	56.1	57.4	56.2	57.5	55.1	58.7	2.5		60.0	58.2	60.3	4.1		61.6	69.4	69.6	13.4	YES	70.9	67.1	67.4	11.2	YES	68.7
B039	B	1	62.8	64.1	63.0	64.3	42.0	63.0	0.0		64.3	45.4	63.1	0.1		64.4	49.9	63.2	0.2		64.5	45.6	63.1	0.1		64.4
B039	B	2	63.1	64.4	63.2	64.5	42.3	63.2	0.0		64.5	45.6	63.3	0.1		64.6	50.1	63.4	0.2		64.7	45.8	63.3	0.1		64.6
B039	B	3	63.2	64.5	63.3	64.6	48.3	63.4	0.1		64.7	52.4	63.6	0.3		64.9	57.8	64.4	1.1		65.7	51.1	63.6	0.3		64.9
B040	A	1	53.1	54.4	53.3	54.6	46.7	54.2	0.9		55.5	50.3	55.1	1.7		56.4	58.3	59.5	6.2	YES	60.8	64.2	64.5	11.2	YES	65.8
B040	A	2	53.1	54.4	53.3	54.6	51.0	55.3	2.0		56.6	54.9	57.2	3.9		58.5	64.5	64.8	11.5	YES	66.1	65.8	66.0	12.7	YES	67.3
B040	A	3	54.1	55.4	54.3	55.6	55.0	57.7	3.4		59.0	59.6	60.7	6.4	YES	62.0	67.3	67.5	13.2	YES	68.8	67.2	67.4	13.1	YES	68.7
B040	B	1	57.7	59.0	57.9	59.2	46.9	58.2	0.3		59.5	50.6	58.6	0.7		59.9	61.6	63.1	5.2	YES	64.4	52.9	59.1	1.2		60.4
B040	B	2	59.5	60.8	59.7	61.0	51.3	60.3	0.6		61.6	54.7	60.9	1.2		62.2	64.3	65.6	5.9	YES	66.9	65.3	66.4	6.7	YES	67.7
B040	B	3	60.0	61.3	60.2	61.5	54.7	61.3	1.1		62.6	58.3	62.4	2.2		63.7	67.4	68.2	8.0	YES	69.5	65.3	66.5	6.3	YES	67.8
B040	C	1	63.2	64.5	63.3	64.6	42.1	63.3	0.0		64.6	43.7	63.3	0.0		64.6	50.1	63.5	0.2		64.8	46.6	63.4	0.1		64.7
B040	C	2	63.6	64.9	63.8	65.1	42.8	63.8	0.0		65.1	43.8	63.8	0.0		65.1	50.3	64.0	0.2		65.3	46.8	63.9	0.1		65.2
B040	C	3	63.6	64.9	63.7	65.0	44.2	63.7	0.0		65.0	45.9	63.8	0.1		65.1	52.2	64.0	0.3		65.3	48.2	63.8	0.1		65.1
B041	A	1	63.2	64.5	63.3	64.6	41.9	63.3	0.0		64.6	43.4	63.3	0.0		64.6	49.3	63.5	0.2		64.8	46.4	63.4	0.1		64.7
B041	A	2	63.8	65.1	64.0	65.3	42.6	64.0	0.0		65.3	43.8	64.0	0.0		65.3	49.9	64.2	0.2		65.5	46.8	64.1	0.1		65.4
B041	A	3	63.9	65.2	64.0	65.3	44.9	64.1	0.1		65.4	47.7	64.1	0.1		65.4	53.4	64.4	0.4		65.7	49.4	64.1	0.1		65.4
B041	B	1	53.1	54.4	53.3	54.6	46.4	54.1	0.8		55.4	49.5	54.8	1.5		56.1	53.9	56.6	3.3		57.9	48.6	54.6	1.3		55.9
B041	B	2	53.1	54.4	53.3	54.6	51.5	55.5	2.2		56.8	53.6	56.5	3.1		57.8	63.8	64.2	10.8	YES	65.5	63.9	64.3	10.9	YES	65.6
B041	B	3	54.2	55.5	54.4	55.7	54.3	57.4	3.0		58.7	58.5	59.9	5.5	YES	61.2	67.9	68.1	13.7	YES	69.4	67.1	67.3	12.9	YES	68.6
B042	A	1	53.1	54.4	53.3	54.6	37.2	53.4	0.1		54.7	39.8	53.5	0.2		54.8	46.4	54.1	0.8		55.4	43.6	53.8	0.4		55.1
B042	A	2	53.1	54.4	53.2	54.5	37.9	53.4	0.1		54.7	40.5	53.5	0.2		54.8	46.6	54.1	0.9		55.4	43.8	53.7	0.5		55.0
B042	A	3	53.4	54.7	53.5	54.8	39.7	53.7	0.2		55.0	42.9	53.9	0.4		55.2	47.7	54.5	1.0		55.8	44.7	54.0	0.5		55.3

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B042	B	1	57.0	58.3	57.1	58.4	41.3	57.2	0.1		58.5	42.2	57.2	0.1		58.5	47.3	57.5	0.4		58.8	45.0	57.4	0.3		58.7
B042	B	2	58.0	59.3	58.2	59.5	42.3	58.3	0.1		59.6	43.5	58.3	0.1		59.6	48	58.6	0.4		59.9	45.7	58.4	0.2		59.7
B042	B	3	58.6	59.9	58.8	60.1	43.8	58.9	0.1		60.2	45.2	59.0	0.2		60.3	49.5	59.3	0.5		60.6	46.8	59.1	0.3		60.4
B042	C	1	61.7	63.0	61.8	63.1	39.4	61.8	0.0		63.1	41.1	61.8	0.0		63.1	46.3	61.9	0.1		63.2	43.9	61.9	0.1		63.2
B042	C	2	61.9	63.2	62.1	63.4	39.7	62.1	0.0		63.4	41.3	62.1	0.0		63.4	46.3	62.2	0.1		63.5	44.0	62.2	0.1		63.5
B042	C	3	61.9	63.2	62.0	63.3	40.8	62.0	0.0		63.3	43.4	62.1	0.1		63.4	47.7	62.2	0.2		63.5	44.9	62.1	0.1		63.4
B043	A	1	64.4	64.8	64.6	65.0	35.5	64.6	0.0		65.0	38.7	64.6	0.0		65.0	45.7	64.7	0.1		65.1	42.4	64.6	0.0		65.0
B043	A	2	64.6	65.0	64.8	65.2	35.9	64.8	0.0		65.2	38.9	64.8	0.0		65.2	45.8	64.9	0.1		65.3	42.5	64.8	0.0		65.2
B043	A	3	64.3	64.7	64.4	64.8	36.2	64.4	0.0		64.8	38.9	64.4	0.0		64.8	46.6	64.5	0.1		64.9	42.6	64.4	0.0		64.8
B043	A	4	63.8	64.2	63.9	64.3	37.8	63.9	0.0		64.3	41.1	63.9	0.0		64.3	48.7	64.0	0.1		64.4	43.4	63.9	0.0		64.3
B043	B	1	60.1	60.5	60.3	60.7	37.4	60.3	0.0		60.7	41.3	60.4	0.1		60.8	48.3	60.6	0.3		61.0	62.2	64.4	4.1		64.8
B043	B	2	60.9	61.3	61.1	61.5	40.0	61.1	0.0		61.5	42.8	61.2	0.1		61.6	50.2	61.4	0.3		61.8	61.9	64.5	3.4		64.9
B043	B	3	60.9	61.3	61.1	61.5	41.3	61.1	0.0		61.5	44.3	61.2	0.1		61.6	54.3	61.9	0.8		62.3	61.6	64.4	3.3		64.8
B043	B	4	60.7	61.1	60.9	61.3	45.3	61.0	0.1		61.4	49.2	61.2	0.3		61.6	58	62.7	1.8		63.1	61.6	64.3	3.4		64.7
B044	A	1	62.5	62.9	62.6	63.0	43.9	62.7	0.1		63.1	49.7	62.8	0.2		63.2	57	63.7	1.1		64.1	57.6	63.8	1.2		64.2
B044	A	2	63.2	63.6	63.3	63.7	44.5	63.4	0.1		63.8	51.1	63.6	0.3		64.0	57.5	64.3	1.0		64.7	47.4	63.4	0.1		63.8
B044	A	3	63.2	63.6	63.4	63.8	42.3	63.4	0.0		63.8	43.4	63.4	0.0		63.8	48.9	63.6	0.2		64.0	44.1	63.5	0.1		63.9
B044	B	1	53.1	53.5	53.3	53.7	43.3	53.8	0.4		54.2	47.4	54.3	1.0		54.7	50.9	55.3	2.0		55.7	62.6	63.1	9.7	YES	63.5
B044	B	2	53.1	53.5	53.2	53.6	46.1	54.0	0.8		54.4	50.8	55.2	2.0		55.6	53.4	56.3	3.1		56.7	62.1	62.6	9.4	YES	63.0
B044	B	3	53.9	54.3	54.1	54.5	51.4	56.0	1.9		56.4	55.3	57.8	3.7		58.2	59.4	60.5	6.4	YES	60.9	61.7	62.4	8.3	YES	62.8
B045	A	1	59.0	59.4	59.2	59.6	45.8	59.4	0.2		59.8	47.8	59.5	0.3		59.9	52.7	60.1	0.9		60.5	47.2	59.5	0.3		59.9
B045	A	2	60.1	60.5	60.3	60.7	47.0	60.5	0.2		60.9	52.1	60.9	0.6		61.3	56.1	61.7	1.4		62.1	57.0	62.0	1.7		62.4
B045	A	3	60.6	61.0	60.7	61.1	46.8	60.9	0.2		61.3	51.7	61.2	0.5		61.6	56.8	62.2	1.5		62.6	56.6	62.1	1.4		62.5
B045	B	1	63.4	63.8	63.5	63.9	41.4	63.5	0.0		63.9	43.9	63.5	0.0		63.9	49.8	63.7	0.2		64.1	59.8	65.0	1.5		65.4
B045	B	2	63.8	64.2	63.9	64.3	41.2	63.9	0.0		64.3	43.7	63.9	0.0		64.3	49.4	64.1	0.2		64.5	45.9	64.0	0.1		64.4
B045	B	3	63.8	64.2	64.0	64.4	41.2	64.0	0.0		64.4	42.6	64.0	0.0		64.4	52.2	64.3	0.3		64.7	47.8	64.1	0.1		64.5
B046	A	1	62.7	63.1	62.9	63.3	37.5	62.9	0.0		63.3	40.9	62.9	0.0		63.3	48.6	63.1	0.2		63.5	57.8	64.1	1.2		64.5
B046	A	2	63.4	63.8	63.6	64.0	37.9	63.6	0.0		64.0	41.5	63.6	0.0		64.0	48.2	63.7	0.1		64.1	44.9	63.7	0.1		64.1
B046	A	3	63.5	63.9	63.6	64.0	37.9	63.6	0.0		64.0	40.5	63.6	0.0		64.0	52.2	63.9	0.3		64.3	47.5	63.7	0.1		64.1
B046	B	1	53.1	53.5	53.3	53.7	36.7	53.4	0.1		53.8	40.2	53.6	0.2		54.0	49.4	54.8	1.5		55.2	52.9	56.1	2.8		56.5
B046	B	2	53.1	53.5	53.2	53.6	37.7	53.4	0.1		53.8	41.2	53.5	0.3		53.9	51.6	55.5	2.3		55.9	52.2	55.8	2.5		56.2
B046	B	3	54.5	54.9	54.6	55.0	39.0	54.7	0.1		55.1	41.9	54.8	0.2		55.2	58.4	59.9	5.3	YES	60.3	59.6	60.8	6.2	YES	61.2
B047	A	1	56.2	56.6	56.3	56.7	42.7	56.5	0.2		56.9	46.1	56.7	0.4		57.1	53	58.0	1.7		58.4	57.9	60.2	3.9		60.6
B047	A	2	57.9	58.3	58.1	58.5	48.3	58.5	0.4		58.9	53.9	59.5	1.4		59.9	56.5	60.4	2.3		60.8	63.3	64.4	6.3	YES	64.8
B047	B	1	62.5	62.9	62.6	63.0	40.6	62.6	0.0		63.0	42.4	62.6	0.0		63.0	47.5	62.7	0.1		63.1	44.7	62.7	0.1		63.1
B047	B	2	63.2	63.6	63.4	63.8	41.5	63.4	0.0		63.8	43.4	63.4	0.0		63.8	47.9	63.5	0.1		63.9	44.9	63.5	0.1		63.9
B047	C	1	58.6	59.0	58.8	59.2	36.4	58.8	0.0		59.2	39.1	58.8	0.0		59.2	46.9	59.1	0.3		59.5	43.5	58.9	0.1		59.3
B047	C	2	59.9	60.3	60.0	60.4	41.4	60.1	0.1		60.5	46.1	60.2	0.2		60.6	49	60.3	0.3		60.7	43.8	60.1	0.1		60.5
B048	A	1	62.8	65.5	63.0	65.7	69.7	70.5	7.5	YES	73.2	74.8	75.1	12.1	YES	77.8	76.6	76.8	13.8	YES	79.5	69.8	70.6	7.6	YES	73.3
B048	A	2	64.3	67.0	64.5	67.2	69.7	70.8	6.3	YES	73.5	75.5	75.8	11.3	YES	78.5	76	76.3	11.8	YES	79.0	69.0	70.3	5.8	YES	73.0
B048	A	3	65.1	67.8	65.2	67.9	69.4	70.8	5.6	YES	73.5	75.8	76.2	11.0	YES	78.9	75.9	76.3	11.1	YES	79.0	68.7	70.3	5.1	YES	73.0
B048	B	1	63.3	66.0	63.4	66.1	70.0	70.9	7.5	YES	73.6	73.4	73.8	10.4	YES	76.5	74.9	75.2	11.8	YES	77.9	68.3	69.5	6.1	YES	72.2
B048	B	2	64.9	67.6	65.1	67.8	70.0	71.2	6.1	YES	73.9	74.7	75.2	10.1	YES	77.9	74.3	74.8	9.7	YES	77.5	67.4	69.4	4.3	YES	72.1

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B048	B	3	65.8	68.5	65.9	68.6	69.5	71.1	5.2	YES	73.8	75.0	75.5	9.6	YES	78.2	74.2	74.8	8.9	YES	77.5	67.2	69.6	3.7	YES	72.3
B048	C	1	58.5	61.2	58.7	61.4	63.3	64.6	5.9	YES	67.3	69.5	69.8	11.1	YES	72.5	65.6	66.4	7.7	YES	69.1	61.4	63.3	4.6		66.0
B048	C	2	60.2	62.9	60.3	63.0	63.4	65.1	4.8	YES	67.8	69.9	70.4	10.1	YES	73.1	63.7	65.3	5.0	YES	68.0	59.2	62.8	2.5		65.5
B048	C	3	61.3	64.0	61.5	64.2	63.4	65.6	4.1	YES	68.3	70.4	70.9	9.4	YES	73.6	63.7	65.7	4.2	YES	68.4	58.9	63.4	1.9		66.1
B049	A	1	61.7	64.4	61.9	64.6	63.0	65.5	3.6	YES	68.2	67.9	68.9	7.0	YES	71.6	72.3	72.7	10.8	YES	75.4	65.6	67.1	5.2	YES	69.8
B049	A	2	62.4	65.1	62.6	65.3	62.5	65.6	3.0		68.3	68.5	69.5	6.9	YES	72.2	71.9	72.4	9.8	YES	75.1	65.4	67.2	4.6	YES	69.9
B049	A	3	62.6	65.3	62.8	65.5	63.4	66.1	3.3	YES	68.8	68.7	69.7	6.9	YES	72.4	71.7	72.2	9.4	YES	74.9	65.1	67.1	4.3	YES	69.8
B049	B	1	54.3	57.0	54.5	57.2	54.0	57.3	2.8		60.0	56.4	58.6	4.1		61.3	63.8	64.3	9.8	YES	67.0	58.7	60.1	5.6	YES	62.8
B049	B	2	55.6	58.3	55.8	58.5	54.1	58.0	2.2		60.7	56.8	59.3	3.5		62.0	63.2	63.9	8.1	YES	66.6	58.4	60.3	4.5		63.0
B049	B	3	57.1	59.8	57.2	59.9	56.6	59.9	2.7		62.6	59.3	61.4	4.2		64.1	63.6	64.5	7.3	YES	67.2	58.5	60.9	3.7		63.6
B050	A	1	63.1	65.8	63.3	66.0	57.9	64.4	1.1		67.1	64.8	67.1	3.8	YES	69.8	50.7	63.5	0.2		66.2	44.4	63.4	0.1		66.1
B050	A	2	63.0	65.7	63.2	65.9	58.0	64.3	1.1		67.0	65.1	67.3	4.1	YES	70.0	51.5	63.5	0.3		66.2	46.0	63.3	0.1		66.0
B050	A	3	62.6	65.3	62.8	65.5	60.0	64.6	1.8		67.3	66.3	67.9	5.1	YES	70.6	53.2	63.3	0.5		66.0	46.6	62.9	0.1		65.6
B050	B	1	54.1	56.8	54.3	57.0	63.3	63.8	9.5	YES	66.5	65.4	65.7	11.4	YES	68.4	69.5	69.6	15.3	YES	72.3	59.8	60.9	6.6	YES	63.6
B050	B	2	56.2	58.9	56.4	59.1	63.3	64.1	7.7	YES	66.8	67.9	68.2	11.8	YES	70.9	69.3	69.5	13.1	YES	72.2	61.3	62.5	6.1	YES	65.2
B050	B	3	58.1	60.8	58.3	61.0	63.8	64.9	6.6	YES	67.6	69.3	69.6	11.3	YES	72.3	70	70.3	12.0	YES	73.0	63.5	64.6	6.3	YES	67.3
B051	A	1	62.8	65.5	62.9	65.6	67.3	68.6	5.7	YES	71.3	72.2	72.7	9.8	YES	75.4	68.8	69.8	6.9	YES	72.5	62.4	65.7	2.8		68.4
B051	A	2	63.7	66.4	63.8	66.5	67.1	68.8	5.0	YES	71.5	73.3	73.8	10.0	YES	76.5	68.5	69.8	6.0	YES	72.5	61.3	65.7	1.9		68.4
B051	A	3	64.6	67.3	64.7	67.4	67.5	69.3	4.6	YES	72.0	74.1	74.6	9.9	YES	77.3	72.4	73.1	8.4	YES	75.8	64.0	67.4	2.7		70.1
B051	B	1	61.5	64.2	61.6	64.3	69.4	70.1	8.5	YES	72.8	72.5	72.8	11.2	YES	75.5	74.7	74.9	13.3	YES	77.6	67.6	68.6	7.0	YES	71.3
B051	B	2	63.5	66.2	63.6	66.3	69.6	70.6	7.0	YES	73.3	74.5	74.8	11.2	YES	77.5	74.4	74.7	11.1	YES	77.4	67.3	68.8	5.2	YES	71.5
B051	B	3	65.3	68.0	65.5	68.2	69.7	71.1	5.6	YES	73.8	75.1	75.6	10.1	YES	78.3	74.3	74.8	9.3	YES	77.5	67.0	69.3	3.8	YES	72.0
B052	A	1	62.7	65.4	62.8	65.5	68.5	69.5	6.7	YES	72.2	73.0	73.4	10.6	YES	76.1	74.6	74.9	12.1	YES	77.6	68.0	69.1	6.3	YES	71.8
B052	A	2	64.4	67.1	64.6	67.3	69.1	70.4	5.8	YES	73.1	73.5	74.0	9.4	YES	76.7	74.3	74.7	10.1	YES	77.4	67.5	69.3	4.7	YES	72.0
B052	A	3	65.2	67.9	65.3	68.0	69.1	70.6	5.3	YES	73.3	74.4	74.9	9.6	YES	77.6	74.1	74.6	9.3	YES	77.3	67.3	69.4	4.1	YES	72.1
B052	B	1	64.2	66.9	64.3	67.0	66.1	68.3	4.0	YES	71.0	71.8	72.5	8.2	YES	75.2	71.2	72.0	7.7	YES	74.7	62.7	66.6	2.3		69.3
B052	B	2	64.7	67.4	64.8	67.5	66.8	68.9	4.1	YES	71.6	72.2	72.9	8.1	YES	75.6	71	71.9	7.1	YES	74.6	62.2	66.7	1.9		69.4
B052	B	3	65.0	67.7	65.1	67.8	66.3	68.8	3.7	YES	71.5	72.5	73.2	8.1	YES	75.9	71.1	72.1	7.0	YES	74.8	62.0	66.8	1.7		69.5
B053	A	1	61.3	64.0	61.4	64.1	60.4	63.9	2.5		66.6	62.6	65.1	3.7	YES	67.8	64.1	66.0	4.6	YES	68.7	52.2	61.9	0.5		64.6
B053	A	2	61.9	64.6	62.1	64.8	60.7	64.5	2.4		67.2	64.5	66.5	4.4	YES	69.2	67.9	68.9	6.8	YES	71.6	59.7	64.1	2.0		66.8
B053	A	3	62.5	65.2	62.6	65.3	62.9	65.8	3.2	YES	68.5	68.4	69.4	6.8	YES	72.1	69.7	70.5	7.9	YES	73.2	62.4	65.5	2.9		68.2
B053	B	1	53.9	56.6	54.0	56.7	60.8	61.6	7.6	YES	64.3	66.9	67.1	13.1	YES	69.8	69	69.1	15.1	YES	71.8	61.9	62.6	8.6	YES	65.3
B053	B	2	55.9	58.6	56.0	58.7	61.3	62.4	6.4	YES	65.1	67.3	67.6	11.6	YES	70.3	69.2	69.4	13.4	YES	72.1	62.8	63.6	7.6	YES	66.3
B053	B	3	58.0	60.7	58.2	60.9	62.4	63.8	5.6	YES	66.5	69.5	69.8	11.6	YES	72.5	69.3	69.6	11.4	YES	72.3	62.5	63.9	5.7	YES	66.6
B054	A	1	53.7	56.4	53.8	56.5	53.3	56.6	2.8		59.3	55.2	57.6	3.8		60.3	66.8	67.0	13.2	YES	69.7	62.1	62.7	8.9	YES	65.4
B054	A	2	56.3	59.0	56.5	59.2	52.9	58.1	1.6		60.8	56.0	59.3	2.8		62.0	66.3	66.7	10.2	YES	69.4	60.8	62.2	5.7	YES	64.9
B054	B	1	64.5	67.2	64.6	67.3	68.4	69.9	5.3	YES	72.6	73.1	73.7	9.1	YES	76.4	72.4	73.1	8.5	YES	75.8	67.0	69.0	4.4	YES	71.7
B054	B	2	65.0	67.7	65.1	67.8	68.4	70.1	5.0	YES	72.8	73.3	73.9	8.8	YES	76.6	72	72.8	7.7	YES	75.5	66.2	68.7	3.6	YES	71.4
B055	A	1	67.2	69.9	67.4	70.1	70.9	72.5	5.1	YES	75.2	75.8	76.4	9.0	YES	79.1	73.9	74.8	7.4	YES	77.5	67.9	70.7	3.3	YES	73.4
B055	A	2	68.1	70.8	68.2	70.9	71.4	73.1	4.9	YES	75.8	76.5	77.1	8.9	YES	79.8	73.7	74.8	6.6	YES	77.5	67.2	70.7	2.5		73.4
B055	A	3	68.1	70.8	68.3	71.0	72.1	73.6	5.3	YES	76.3	77.2	77.7	9.4	YES	80.4	73.8	74.9	6.6	YES	77.6	67.0	70.7	2.4		73.4
B055	B	1	71.3	74.0	71.5	74.2	72.2	74.9	3.4	YES	77.6	76.2	77.5	6.0	YES	80.2	77	78.1	6.6	YES	80.8	68.6	73.3	1.8		76.0
B055	B	2	72.0	74.7	72.2	74.9	72.1	75.2	3.0		77.9	76.4	77.8	5.6	YES	80.5	76.8	78.1	5.9	YES	80.8	68.1	73.6	1.4		76.3

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B055	B	3	71.8	74.5	72.0	74.7	72.8	75.4	3.4	YES	78.1	77.5	78.6	6.6	YES	81.3	76.8	78.0	6.0	YES	80.7	67.9	73.4	1.4		76.1
B056	A	1	63.5	66.2	63.6	66.3	64.0	66.8	3.2	YES	69.5	67.8	69.2	5.6	YES	71.9	68.4	69.6	6.0	YES	72.3	55.9	64.3	0.7		67.0
B056	B	1	57.9	60.6	58.1	60.8	68.6	69.0	10.9	YES	71.7	71.0	71.2	13.1	YES	73.9	75.4	75.5	17.4	YES	78.2	68.3	68.7	10.6	YES	71.4
B057	A	1	53.1	55.8	53.3	56.0	62.0	62.6	9.2	YES	65.3	62.8	63.3	9.9	YES	66.0	71.4	71.5	18.1	YES	74.2	65.8	66.0	12.7	YES	68.7
B057	A	2	56.8	59.5	57.0	59.7	64.1	64.9	7.9	YES	67.6	69.4	69.6	12.6	YES	72.3	72.2	72.3	15.3	YES	75.0	65.8	66.3	9.3	YES	69.0
B057	A	3	58.8	61.5	59.0	61.7	64.6	65.7	6.7	YES	68.4	69.8	70.1	11.1	YES	72.8	72.1	72.3	13.3	YES	75.0	65.7	66.5	7.5	YES	69.2
B057	B	1	62.9	65.6	63.0	65.7	56.6	63.9	0.9		66.6	54.1	63.5	0.5		66.2	49.8	63.2	0.2		65.9	44.4	63.1	0.1		65.8
B057	B	2	63.2	65.9	63.3	66.0	56.1	64.1	0.8		66.8	55.8	64.0	0.7		66.7	50.2	63.5	0.2		66.2	44.9	63.4	0.1		66.1
B057	B	3	63.3	66.0	63.4	66.1	54.9	64.0	0.6		66.7	60.2	65.1	1.7		67.8	53.8	63.9	0.5		66.6	47.5	63.5	0.1		66.2
B058	A	1	62.4	65.1	62.6	65.3	62.4	65.5	2.9		68.2	66.3	67.8	5.2	YES	70.5	72.1	72.6	10.0	YES	75.3	64.7	66.8	4.2	YES	69.5
B058	A	2	63.0	65.7	63.2	65.9	62.8	66.0	2.8		68.7	68.5	69.6	6.4	YES	72.3	71.5	72.1	8.9	YES	74.8	64.1	66.7	3.5	YES	69.4
B058	B	1	53.1	55.8	53.3	56.0	48.0	54.5	1.1		57.2	50.1	55.0	1.7		57.7	49.5	54.8	1.5		57.5	45.0	53.9	0.6		56.6
B058	B	2	53.1	55.8	53.3	56.0	49.2	54.8	1.4		57.5	54.9	57.2	3.9		59.9	49.9	55.0	1.6		57.7	45.9	54.1	0.7		56.8
B059	A	1	59.7	62.4	59.9	62.6	42.3	60.0	0.1		62.7	46.5	60.1	0.2		62.8	47	60.1	0.2		62.8	42.7	60.0	0.1		62.7
B059	A	2	60.3	63.0	60.4	63.1	42.8	60.5	0.1		63.2	47.2	60.6	0.2		63.3	47.2	60.6	0.2		63.3	43.0	60.5	0.1		63.2
B059	A	3	61.0	63.7	61.1	63.8	49.0	61.4	0.3		64.1	53.6	61.8	0.7		64.5	51.6	61.6	0.5		64.3	46.3	61.2	0.1		63.9
B059	B	1	54.5	57.2	54.6	57.3	47.2	55.3	0.7		58.0	50.6	56.1	1.5		58.8	60.1	61.2	6.6	YES	63.9	61.4	62.2	7.6	YES	64.9
B059	B	2	57.1	59.8	57.2	59.9	49.8	57.9	0.7		60.6	54.9	59.2	2.0		61.9	67.2	67.6	10.4	YES	70.3	64.1	64.9	7.7	YES	67.6
B059	B	3	59.7	62.4	59.9	62.6	56.9	61.7	1.8		64.4	61.6	63.8	3.9		66.5	70.6	71.0	11.1	YES	73.7	64.5	65.8	5.9	YES	68.5
B060	A	1	53.1	55.2	53.3	55.4	53.3	56.3	3.0		58.4	58.7	59.8	6.5	YES	61.9	76.9	76.9	23.6	YES	79.0	71.0	71.1	17.7	YES	73.2
B060	A	2	53.1	55.2	53.3	55.4	61.3	61.9	8.6	YES	64.0	63.0	63.4	10.1	YES	65.5	76.4	76.4	23.1	YES	78.5	70.8	70.9	17.5	YES	73.0
B060	A	3	53.1	55.2	53.2	55.3	61.8	62.4	9.1	YES	64.5	66.2	66.4	13.2	YES	68.5	76.5	76.5	23.3	YES	78.6	71.2	71.3	18.0	YES	73.4
B060	B	1	53.1	55.2	53.3	55.4	51.2	55.4	2.1		57.5	52.1	55.8	2.4		57.9	55	57.3	3.9		59.4	53.5	56.4	3.1		58.5
B060	B	2	53.1	55.2	53.2	55.3	51.9	55.6	2.4		57.7	52.7	56.0	2.7		58.1	55.3	57.4	4.2		59.5	54.0	56.6	3.4		58.7
B060	B	3	53.1	55.2	53.2	55.3	52.7	56.0	2.7		58.1	54.7	57.0	3.8		59.1	56.4	58.1	4.9		60.2	55.1	57.3	4.0		59.4
B061	A	1	53.1	55.2	53.3	55.4	53.5	56.4	3.1		58.5	57.4	58.8	5.5	YES	60.9	69.5	69.6	16.3	YES	71.7	62.2	62.7	9.4	YES	64.8
B061	A	2	53.1	55.2	53.3	55.4	61.9	62.5	9.1	YES	64.6	64.5	64.8	11.5	YES	66.9	69	69.1	15.8	YES	71.2	62.6	63.1	9.7	YES	65.2
B061	A	3	53.1	55.2	53.3	55.4	62.1	62.6	9.3	YES	64.7	66.6	66.8	13.5	YES	68.9	69.2	69.3	16.0	YES	71.4	64.0	64.4	11.0	YES	66.5
B061	B	1	53.1	55.2	53.2	55.3	54.1	56.7	3.5		58.8	55.1	57.3	4.0		59.4	54.9	57.2	3.9		59.3	61.0	61.7	8.4	YES	63.8
B061	B	2	53.1	55.2	53.2	55.3	52.5	55.9	2.7		58.0	53.3	56.3	3.0		58.4	56.1	57.9	4.7		60.0	53.6	56.4	3.2		58.5
B061	B	3	53.1	55.2	53.2	55.3	53.3	56.3	3.0		58.4	55.5	57.5	4.3		59.6	56.8	58.4	5.1	YES	60.5	54.4	56.9	3.6		59.0
B062	A	1	53.1	55.2	53.3	55.4	50.5	55.2	1.8		57.3	48.8	54.7	1.3		56.8	58.2	59.4	6.1	YES	61.5	67.3	67.5	14.1	YES	69.6
B062	A	2	53.1	55.2	53.3	55.4	52.9	56.1	2.8		58.2	59.2	60.2	6.9	YES	62.3	60.3	61.1	7.8	YES	63.2	66.8	67.0	13.6	YES	69.1
B062	A	3	53.1	55.2	53.3	55.4	52.3	55.9	2.5		58.0	61.3	61.9	8.6	YES	64.0	63.1	63.5	10.2	YES	65.6	66.8	67.0	13.6	YES	69.1
B062	A	4	53.1	55.2	53.3	55.4	53.9	56.6	3.3		58.7	61.6	62.2	8.9	YES	64.3	68.2	68.3	15.0	YES	70.4	66.9	67.1	13.7	YES	69.2
B063	A	1	53.1	55.2	53.2	55.3	44.2	53.8	0.5		55.9	47.3	54.2	1.0		56.3	58.4	59.6	6.3	YES	61.7	46.9	54.2	0.9		56.3
B063	A	2	53.1	55.2	53.2	55.3	44.0	53.7	0.5		55.8	48.3	54.5	1.2		56.6	50.7	55.2	1.9		57.3	47.2	54.2	1.0		56.3
B063	B	1	53.1	55.2	53.2	55.3	54.8	57.1	3.9		59.2	55.9	57.8	4.5		59.9	63.1	63.5	10.3	YES	65.6	67.7	67.9	14.6	YES	70.0
B063	B	2	53.1	55.2	53.2	55.3	55.7	57.7	4.4		59.8	57.3	58.7	5.5	YES	60.8	72.8	72.8	19.6	YES	74.9	66.9	67.1	13.8	YES	69.2
B064	A	1	53.1	55.2	53.2	55.3	54.5	56.9	3.7		59.0	55.8	57.7	4.5		59.8	61.1	61.8	8.5	YES	63.9	57.2	58.7	5.4	YES	60.8
B064	A	2	53.2	55.3	53.4	55.5	55.5	57.6	4.2		59.7	57.5	58.9	5.5	YES	61.0	62.5	63.0	9.6	YES	65.1	65.4	65.7	12.3	YES	67.8
B064	A	3	53.9	56.0	54.0	56.1	56.5	58.4	4.4		60.5	60.2	61.1	7.1	YES	63.2	66.5	66.7	12.7	YES	68.8	68.4	68.6	14.6	YES	70.7
B064	B	1	53.1	55.2	53.2	55.3	45.3	53.9	0.6		56.0	49.3	54.7	1.5		56.8	52.6	55.9	2.7		58.0	48.1	54.4	1.2		56.5

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B064	B	2	53.1	55.2	53.3	55.4	51.3	55.5	2.1		57.6	53.5	56.4	3.1		58.5	67.2	67.4	14.0	YES	69.5	61.9	62.5	9.1	YES	64.6
B064	B	3	53.1	55.2	53.3	55.4	52.5	56.0	2.6		58.1	57.6	59.0	5.6	YES	61.1	67	67.2	13.8	YES	69.3	61.8	62.4	9.0	YES	64.5
B065	A	1	59.3	60.6	59.5	60.8	43.8	59.6	0.1		60.9	45.0	59.7	0.2		61.0	49.6	59.9	0.4		61.2	46.4	59.7	0.2		61.0
B065	A	2	60.0	61.3	60.2	61.5	46.3	60.4	0.2		61.7	46.9	60.4	0.2		61.7	52.9	60.9	0.7		62.2	47.4	60.4	0.2		61.7
B065	B	1	53.1	54.4	53.3	54.6	37.5	53.5	0.1		54.8	40.7	53.6	0.2		54.9	48.1	54.5	1.1		55.8	44.9	53.9	0.6		55.2
B065	B	2	53.1	54.4	53.2	54.5	38.7	53.4	0.1		54.7	41.5	53.5	0.3		54.8	50.2	55.0	1.7		56.3	45.3	53.9	0.6		55.2
B066	A	1	53.1	54.4	53.2	54.5	36.3	53.3	0.1		54.6	39.8	53.4	0.2		54.7	48.1	54.4	1.2		55.7	49.3	54.7	1.5		56.0
B066	A	2	53.1	54.4	53.3	54.6	37.2	53.4	0.1		54.7	40.2	53.6	0.2		54.9	49	54.7	1.4		56.0	45.2	54.0	0.6		55.3
B066	B	1	59.2	60.5	59.4	60.7	41.5	59.5	0.1		60.8	43.1	59.5	0.1		60.8	53.6	60.4	1.0		61.7	60.4	62.9	3.5		64.2
B066	B	2	59.8	61.1	60.0	61.3	42.8	60.1	0.1		61.4	43.9	60.1	0.1		61.4	57	61.8	1.8		63.1	60.7	63.4	3.4		64.7
B067	A	1	53.1	54.4	53.2	54.5	35.6	53.3	0.1		54.6	38.8	53.4	0.2		54.7	46	54.0	0.8		55.3	42.8	53.6	0.4		54.9
B067	A	2	55.3	56.6	55.5	56.8	36.6	55.6	0.1		56.9	39.3	55.6	0.1		56.9	46.4	56.0	0.5		57.3	43.2	55.7	0.2		57.0
B067	B	1	59.3	60.6	59.4	60.7	40.6	59.5	0.1		60.8	48.5	59.7	0.3		61.0	53	60.3	0.9		61.6	55.7	60.9	1.5		62.2
B067	B	2	60.3	61.6	60.5	61.8	43.0	60.6	0.1		61.9	49.9	60.9	0.4		62.2	56.7	62.0	1.5		63.3	62.8	64.8	4.3		66.1
B068	A	1	59.7	61.0	59.9	61.2	40.2	59.9	0.0		61.2	43.3	60.0	0.1		61.3	51.2	60.4	0.5		61.7	58.6	62.3	2.4		63.6
B068	A	2	60.3	61.6	60.4	61.7	44.1	60.5	0.1		61.8	45.8	60.5	0.1		61.8	52.4	61.0	0.6		62.3	57.9	62.3	1.9		63.6
B068	A	3	60.5	61.8	60.7	62.0	45.0	60.8	0.1		62.1	45.9	60.8	0.1		62.1	52.7	61.3	0.6		62.6	49.3	61.0	0.3		62.3
B068	B	1	53.1	54.4	53.2	54.5	40.2	53.5	0.2		54.8	42.8	53.6	0.4		54.9	54.8	57.1	3.9		58.4	60.1	60.9	7.7	YES	62.2
B068	B	2	55.3	56.6	55.5	56.8	43.7	55.8	0.3		57.1	46.8	56.0	0.5		57.3	63.2	63.9	8.4	YES	65.2	59.1	60.7	5.2	YES	62.0
B068	B	3	57.5	58.8	57.7	59.0	44.8	57.9	0.2		59.2	48.7	58.2	0.5		59.5	64.7	65.5	7.8	YES	66.8	59.7	61.8	4.1		63.1
B069	A	1	53.1	54.4	53.3	54.6	38.3	53.5	0.1		54.8	40.9	53.6	0.2		54.9	54.2	56.8	3.5		58.1	61.7	62.3	8.9	YES	63.6
B069	A	2	54.6	55.9	54.8	56.1	42.3	55.0	0.2		56.3	45.6	55.3	0.5		56.6	63.9	64.4	9.6	YES	65.7	63.7	64.2	9.4	YES	65.5
B069	B	1	58.3	59.6	58.4	59.7	38.8	58.4	0.0		59.7	41.0	58.5	0.1		59.8	51.5	59.2	0.8		60.5	54.2	59.8	1.4		61.1
B069	B	2	59.6	60.9	59.7	61.0	39.7	59.7	0.0		61.0	41.6	59.8	0.1		61.1	54.5	60.8	1.1		62.1	49.1	60.1	0.4		61.4
B070	A	1	67.6	70.3	67.7	70.4	67.4	70.6	2.9		73.3	72.1	73.4	5.7	YES	76.1	73.5	74.5	6.8	YES	77.2	67.0	70.4	2.7		73.1
B070	A	2	68.2	70.9	68.4	71.1	67.7	71.1	2.7		73.8	72.4	73.9	5.5	YES	76.6	73.1	74.4	6.0	YES	77.1	66.5	70.6	2.2		73.3
B070	A	3	68.3	71.0	68.4	71.1	68.0	71.2	2.8		73.9	72.7	74.1	5.7	YES	76.8	73.2	74.4	6.0	YES	77.1	66.6	70.6	2.2		73.3
B070	A	4	68.1	70.8	68.3	71.0	67.9	71.1	2.8		73.8	73.2	74.4	6.1	YES	77.1	73.3	74.5	6.2	YES	77.2	67.0	70.7	2.4		73.4
B070	B	1	72.5	75.2	72.6	75.3	67.5	73.8	1.2		76.5	72.1	75.4	2.8		78.1	73.4	76.0	3.4	YES	78.7	67.5	73.8	1.2		76.5
B070	B	2	72.5	75.2	72.6	75.3	67.5	73.8	1.2		76.5	72.8	75.7	3.1	YES	78.4	73.1	75.9	3.3	YES	78.6	67.0	73.7	1.1		76.4
B070	B	3	72.0	74.7	72.2	74.9	67.9	73.6	1.4		76.3	72.8	75.5	3.3	YES	78.2	73.1	75.7	3.5	YES	78.4	67.0	73.3	1.1		76.0
B070	B	4	71.5	74.2	71.6	74.3	68.1	73.2	1.6		75.9	73.1	75.4	3.8	YES	78.1	73.3	75.5	3.9	YES	78.2	67.1	72.9	1.3		75.6
B071	A	1	72.6	75.3	72.7	75.4	63.5	73.2	0.5		75.9	67.2	73.8	1.1		76.5	71.1	75.0	2.3		77.7	66.2	73.6	0.9		76.3
B071	A	2	72.7	75.4	72.9	75.6	65.1	73.6	0.7		76.3	69.2	74.4	1.5		77.1	71.5	75.3	2.4		78.0	66.3	73.8	0.9		76.5
B071	A	3	72.3	75.0	72.5	75.2	64.9	73.2	0.7		75.9	69.4	74.2	1.7		76.9	71.4	75.0	2.5		77.7	65.9	73.4	0.9		76.1
B071	B	1	66.7	69.4	66.8	69.5	49.8	66.9	0.1		69.6	52.7	67.0	0.2		69.7	53.7	67.0	0.2		69.7	54.9	67.1	0.3		69.8
B071	B	2	67.7	70.4	67.9	70.6	56.3	68.2	0.3		70.9	58.5	68.4	0.5		71.1	64.6	69.6	1.7		72.3	57.2	68.3	0.4		71.0
B071	B	3	67.9	70.6	68.0	70.7	58.0	68.4	0.4		71.1	61.6	68.9	0.9		71.6	54.7	68.2	0.2		70.9	51.7	68.1	0.1		70.8
B072	A	1	72.0	74.7	72.1	74.8	63.1	72.6	0.5		75.3	67.1	73.3	1.2		76.0	71.2	74.7	2.6		77.4	66.4	73.1	1.0		75.8
B072	A	2	72.3	75.0	72.5	75.2	63.6	73.0	0.5		75.7	68.0	73.8	1.3		76.5	70.8	74.7	2.2		77.4	65.8	73.3	0.8		76.0
B072	A	3	72.0	74.7	72.2	74.9	64.2	72.8	0.6		75.5	68.3	73.7	1.5		76.4	70.6	74.5	2.3		77.2	65.4	73.0	0.8		75.7
B072	B	1	67.7	70.4	67.9	70.6	58.0	68.3	0.4		71.0	58.0	68.3	0.4		71.0	70.8	72.6	4.7	YES	75.3	66.1	70.1	2.2		72.8
B072	B	2	68.4	71.1	68.6	71.3	58.3	69.0	0.4		71.7	63.7	69.8	1.2		72.5	70.2	72.5	3.9	YES	75.2	65.3	70.3	1.7		73.0

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B072	B	3	68.3	71.0	68.5	71.2	59.9	69.1	0.6		71.8	65.9	70.4	1.9		73.1	70.2	72.4	3.9	YES	75.1	65.0	70.1	1.6		72.8
B073	A	1	63.3	66.0	63.4	66.1	49.7	63.6	0.2		66.3	50.6	63.6	0.2		66.3	51.4	63.7	0.3		66.4	50.3	63.6	0.2		66.3
B073	A	2	64.7	67.4	64.8	67.5	51.3	65.0	0.2		67.7	51.9	65.0	0.2		67.7	52.6	65.1	0.3		67.8	51.7	65.0	0.2		67.7
B073	B	1	68.9	71.6	69.0	71.7	62.8	69.9	0.9		72.6	61.5	69.7	0.7		72.4	61.1	69.7	0.7		72.4	57.2	69.3	0.3		72.0
B073	B	2	70.0	72.7	70.2	72.9	62.6	70.9	0.7		73.6	63.8	71.1	0.9		73.8	61.1	70.7	0.5		73.4	57.6	70.4	0.2		73.1
B074	A	1	61.7	64.4	61.9	64.6	63.9	66.0	4.1	YES	68.7	64.2	66.2	4.3	YES	68.9	74	74.3	12.4	YES	77.0	68.7	69.5	7.6	YES	72.2
B074	A	2	63.1	65.8	63.3	66.0	68.1	69.3	6.0	YES	72.0	67.7	69.0	5.7	YES	71.7	73.3	73.7	10.4	YES	76.4	67.9	69.2	5.9	YES	71.9
B074	A	3	64.2	66.9	64.3	67.0	68.3	69.8	5.5	YES	72.5	71.0	71.8	7.5	YES	74.5	73.2	73.7	9.4	YES	76.4	67.6	69.3	5.0	YES	72.0
B074	B	1	67.9	70.6	68.1	70.8	59.9	68.7	0.6		71.4	64.1	69.6	1.5		72.3	65	69.8	1.7		72.5	56.9	68.4	0.3		71.1
B074	B	2	69.3	72.0	69.5	72.2	67.4	71.6	2.1		74.3	66.0	71.1	1.6		73.8	64.4	70.7	1.2		73.4	57.5	69.8	0.3		72.5
B074	B	3	69.7	72.4	69.8	72.5	67.8	71.9	2.1		74.6	69.9	72.9	3.1	YES	75.6	65.2	71.1	1.3		73.8	58.6	70.1	0.3		72.8
B075	A	1	63.7	66.4	63.9	66.6	52.4	64.2	0.3		66.9	54.2	64.3	0.4		67.0	70.9	71.7	7.8	YES	74.4	55.6	64.5	0.6		67.2
B075	A	2	65.3	68.0	65.4	68.1	61.2	66.8	1.4		69.5	60.3	66.6	1.2		69.3	67.9	69.8	4.4	YES	72.5	61.0	66.7	1.3		69.4
B075	B	1	68.5	71.2	68.6	71.3	68.8	71.7	3.1	YES	74.4	67.1	70.9	2.3		73.6	68.2	71.4	2.8		74.1	49.8	68.7	0.1		71.4
B075	B	2	69.8	72.5	69.9	72.6	69.6	72.8	2.9		75.5	71.4	73.7	3.8	YES	76.4	69	72.5	2.6		75.2	56.7	70.1	0.2		72.8
B075	C	1	64.5	67.2	64.6	67.3	75.3	75.7	11.1	YES	78.4	70.1	71.2	6.6	YES	73.9	78.4	78.6	14.0	YES	81.3	71.1	72.0	7.4	YES	74.7
B075	C	2	65.5	68.2	65.6	68.3	75.4	75.8	10.2	YES	78.5	78.0	78.2	12.6	YES	80.9	78.3	78.5	12.9	YES	81.2	70.7	71.9	6.3	YES	74.6
B075	D	1	54.1	56.8	54.3	57.0	51.5	56.1	1.8		58.8	62.1	62.8	8.5	YES	65.5	76.7	76.7	22.4	YES	79.4	70.7	70.8	16.5	YES	73.5
B075	D	2	56.6	59.3	56.7	59.4	55.6	59.2	2.5		61.9	68.6	68.9	12.2	YES	71.6	75.7	75.8	19.1	YES	78.5	70.1	70.3	13.6	YES	73.0
B076	A	1	63.3	63.7	63.5	63.9	40.5	63.5	0.0		63.9	41.2	63.5	0.0		63.9	47.6	63.6	0.1		64.0	49.1	63.7	0.2		64.1
B076	A	2	63.9	64.3	64.0	64.4	43.9	64.0	0.0		64.4	47.2	64.1	0.1		64.5	49.6	64.2	0.2		64.6	50.9	64.2	0.2		64.6
B076	B	1	59.7	60.1	59.9	60.3	41.9	60.0	0.1		60.4	44.2	60.0	0.1		60.4	51.6	60.5	0.6		60.9	44.5	60.0	0.1		60.4
B076	B	2	61.1	61.5	61.2	61.6	45.8	61.3	0.1		61.7	50.0	61.5	0.3		61.9	55.4	62.2	1.0		62.6	55.7	62.3	1.1		62.7
B077	A	1	53.1	53.5	53.3	53.7	37.8	53.5	0.1		53.9	39.8	53.5	0.2		53.9	49.4	54.8	1.5		55.2	59.5	60.4	7.1	YES	60.8
B077	A	2	53.1	53.5	53.3	53.7	37.1	53.4	0.1		53.8	39.6	53.5	0.2		53.9	47.3	54.3	1.0		54.7	42.5	53.7	0.3		54.1
B077	A	3	53.9	54.3	54.1	54.5	39.3	54.2	0.1		54.6	41.5	54.3	0.2		54.7	46.6	54.8	0.7		55.2	43.0	54.4	0.3		54.8
B077	B	1	63.5	63.9	63.7	64.1	42.1	63.7	0.0		64.1	46.5	63.8	0.1		64.2	49.9	63.9	0.2		64.3	58.7	64.9	1.2		65.3
B077	B	2	63.9	64.3	64.1	64.5	46.7	64.2	0.1		64.6	52.3	64.4	0.3		64.8	63.6	66.9	2.8		67.3	61.7	66.1	2.0		66.5
B077	B	3	63.7	64.1	63.9	64.3	49.7	64.1	0.2		64.5	56.8	64.7	0.8		65.1	64.1	67.0	3.1	YES	67.4	62.4	66.2	2.3		66.6
B078	B	1	59.8	60.2	60.0	60.4	38.5	60.0	0.0		60.4	41.4	60.1	0.1		60.5	47.2	60.2	0.2		60.6	42.4	60.1	0.1		60.5
B078	B	2	60.9	61.3	61.0	61.4	41.1	61.0	0.0		61.4	41.8	61.1	0.1		61.5	48.8	61.3	0.3		61.7	42.6	61.1	0.1		61.5
B078	B	3	60.8	61.2	60.9	61.3	42.3	61.0	0.1		61.4	48.9	61.2	0.3		61.6	49.4	61.2	0.3		61.6	42.8	61.0	0.1		61.4
B079	A	1	61.9	62.3	62.0	62.4	40.2	62.0	0.0		62.4	43.6	62.1	0.1		62.5	64.2	66.2	4.2	YES	66.6	63.2	65.7	3.7	YES	66.1
B079	A	2	62.5	62.9	62.7	63.1	44.9	62.8	0.1		63.2	45.4	62.8	0.1		63.2	65.6	67.4	4.7	YES	67.8	62.5	65.6	2.9		66.0
B079	B	1	65.4	65.8	65.6	66.0	40.2	65.6	0.0		66.0	43.5	65.6	0.0		66.0	64	67.9	2.3		68.3	62.7	67.4	1.8		67.8
B079	B	2	65.3	65.7	65.5	65.9	42.5	65.5	0.0		65.9	45.9	65.5	0.0		65.9	63.8	67.7	2.2		68.1	62.0	67.1	1.6		67.5
B080	A	1	61.3	61.7	61.4	61.8	42.7	61.5	0.1		61.9	45.7	61.5	0.1		61.9	49.5	61.7	0.3		62.1	46.2	61.5	0.1		61.9
B080	A	2	61.6	62.0	61.7	62.1	45.2	61.8	0.1		62.2	48.0	61.9	0.2		62.3	53.5	62.3	0.6		62.7	43.8	61.8	0.1		62.2
B080	B	1	65.6	66.0	65.7	66.1	39.7	65.7	0.0		66.1	42.1	65.7	0.0		66.1	57.9	66.4	0.7		66.8	62.0	67.2	1.5		67.6
B080	B	2	65.5	65.9	65.6	66.0	42.4	65.6	0.0		66.0	44.4	65.6	0.0		66.0	61.1	66.9	1.3		67.3	61.2	66.9	1.3		67.3
B081	A	1	53.1	53.5	53.3	53.7	33.9	53.4	0.0		53.8	37.1	53.4	0.1		53.8	47.4	54.3	1.0		54.7	43.7	53.8	0.4		54.2
B081	A	2	53.1	53.5	53.2	53.6	34.6	53.3	0.1		53.7	37.5	53.4	0.1		53.8	45.6	53.9	0.7		54.3	44.5	53.8	0.5		54.2
B081	A	3	53.5	53.9	53.7	54.1	36.5	53.8	0.1		54.2	39.5	53.9	0.2		54.3	48.4	54.8	1.1		55.2	41.9	54.0	0.3		54.4

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B081	B	1	64.0	64.4	64.1	64.5	39.3	64.1	0.0		64.5	42.8	64.1	0.0		64.5	51.4	64.3	0.2		64.7	61.2	65.9	1.8		66.3
B081	B	2	64.3	64.7	64.5	64.9	43.1	64.5	0.0		64.9	46.6	64.6	0.1		65.0	55	65.0	0.5		65.4	61.8	66.4	1.9		66.8
B081	B	3	64.2	64.6	64.3	64.7	46.0	64.4	0.1		64.8	52.1	64.6	0.3		65.0	58.9	65.4	1.1		65.8	61.4	66.1	1.8		66.5
B082	A	1	53.1	53.5	53.3	53.7	34.4	53.4	0.1		53.8	37.4	53.5	0.1		53.9	43.1	53.7	0.4		54.1	39.8	53.5	0.2		53.9
B082	A	2	53.1	53.5	53.2	53.6	34.6	53.3	0.1		53.7	37.4	53.4	0.1		53.8	43.2	53.7	0.4		54.1	39.7	53.4	0.2		53.8
B082	A	3	53.1	53.5	53.3	53.7	35.6	53.4	0.1		53.8	37.9	53.5	0.1		53.9	43.6	53.8	0.4		54.2	39.9	53.5	0.2		53.9
B082	A	4	53.1	53.5	53.3	53.7	37.6	53.5	0.1		53.9	40.6	53.6	0.2		54.0	46.4	54.1	0.8		54.5	41.0	53.6	0.2		54.0
B082	B	1	65.6	66.0	65.7	66.1	38.1	65.7	0.0		66.1	42.2	65.7	0.0		66.1	47.4	65.8	0.1		66.2	42.4	65.7	0.0		66.1
B082	B	2	65.5	65.9	65.6	66.0	40.9	65.6	0.0		66.0	45.4	65.6	0.0		66.0	50.7	65.7	0.1		66.1	52.1	65.8	0.2		66.2
B082	B	3	64.9	65.3	65.1	65.5	45.6	65.1	0.0		65.5	50.4	65.2	0.1		65.6	56	65.6	0.5		66.0	61.0	66.5	1.4		66.9
B082	B	4	64.2	64.6	64.4	64.8	50.8	64.6	0.2		65.0	54.2	64.8	0.4		65.2	63	66.8	2.4		67.2	60.7	65.9	1.5		66.3
B083	A	1	53.1	53.5	53.2	53.6	36.5	53.3	0.1		53.7	39.1	53.4	0.2		53.8	46.2	54.0	0.8		54.4	42.3	53.6	0.3		54.0
B083	A	2	53.1	53.5	53.3	53.7	39.3	53.5	0.2		53.9	41.9	53.6	0.3		54.0	48.2	54.5	1.2		54.9	43.3	53.8	0.4		54.2
B083	A	3	53.1	53.5	53.3	53.7	44.8	53.9	0.6		54.3	47.5	54.3	1.0		54.7	52.3	55.9	2.5		56.3	45.8	54.0	0.7		54.4
B083	B	1	64.1	64.5	64.3	64.7	35.5	64.3	0.0		64.7	38.5	64.3	0.0		64.7	43.8	64.3	0.0		64.7	40.5	64.3	0.0		64.7
B083	B	2	64.5	64.9	64.6	65.0	36.0	64.6	0.0		65.0	38.7	64.6	0.0		65.0	44.1	64.6	0.0		65.0	40.6	64.6	0.0		65.0
B083	B	3	64.2	64.6	64.4	64.8	38.4	64.4	0.0		64.8	42.5	64.4	0.0		64.8	46	64.5	0.1		64.9	42.4	64.4	0.0		64.8
B084	A	1	59.6	60.0	59.7	60.1	42.0	59.8	0.1		60.2	45.6	59.9	0.2		60.3	53.8	60.7	1.0		61.1	53.5	60.6	0.9		61.0
B084	A	2	60.7	61.1	60.8	61.2	44.2	60.9	0.1		61.3	47.6	61.0	0.2		61.4	59.4	63.2	2.4		63.6	54.4	61.7	0.9		62.1
B084	A	3	60.9	61.3	61.1	61.5	46.7	61.3	0.2		61.7	50.3	61.4	0.3		61.8	58.4	63.0	1.9		63.4	62.0	64.6	3.5		65.0
B084	B	1	63.8	64.2	64.0	64.4	37.8	64.0	0.0		64.4	41.3	64.0	0.0		64.4	52.7	64.3	0.3		64.7	56.4	64.7	0.7		65.1
B084	B	2	64.1	64.5	64.3	64.7	39.3	64.3	0.0		64.7	42.7	64.3	0.0		64.7	58.7	65.4	1.1		65.8	51.4	64.5	0.2		64.9
B084	B	3	63.9	64.3	64.1	64.5	41.8	64.1	0.0		64.5	46.5	64.2	0.1		64.6	56.5	64.8	0.7		65.2	47.5	64.2	0.1		64.6
B085	A	1	63.3	63.7	63.5	63.9	41.4	63.5	0.0		63.9	43.5	63.5	0.0		63.9	51.5	63.8	0.3		64.2	45.8	63.6	0.1		64.0
B085	A	2	63.9	64.3	64.1	64.5	42.0	64.1	0.0		64.5	44.3	64.1	0.0		64.5	53.9	64.5	0.4		64.9	65.2	67.7	3.6	YES	68.1
B085	A	3	63.9	64.3	64.1	64.5	43.1	64.1	0.0		64.5	46.6	64.2	0.1		64.6	57.1	64.9	0.8		65.3	64.7	67.4	3.3	YES	67.8
B085	B	1	60.3	60.7	60.4	60.8	45.5	60.5	0.1		60.9	47.1	60.6	0.2		61.0	51.7	60.9	0.5		61.3	48.8	60.7	0.3		61.1
B085	B	2	61.1	61.5	61.3	61.7	45.7	61.4	0.1		61.8	47.7	61.5	0.2		61.9	54.4	62.1	0.8		62.5	55.2	62.3	1.0		62.7
B085	B	3	61.1	61.5	61.2	61.6	46.4	61.3	0.1		61.7	50.9	61.6	0.4		62.0	55	62.1	0.9		62.5	54.9	62.1	0.9		62.5
B086	A	1	55.1	55.5	55.3	55.7	42.5	55.5	0.2		55.9	48.8	56.2	0.9		56.6	52.6	57.2	1.9		57.6	50.6	56.6	1.3		57.0
B086	A	2	55.9	56.3	56.1	56.5	45.6	56.5	0.4		56.9	52.7	57.7	1.6		58.1	55.8	59.0	2.9		59.4	50.8	57.2	1.1		57.6
B086	B	1	60.6	61.0	60.7	61.1	57.1	62.3	1.6		62.7	55.9	61.9	1.2		62.3	66.7	67.7	7.0	YES	68.1	63.2	65.1	4.4	YES	65.5
B086	B	2	61.4	61.8	61.5	61.9	56.7	62.7	1.2		63.1	57.6	63.0	1.5		63.4	66.4	67.6	6.1	YES	68.0	62.4	65.0	3.5		65.4
B086	C	1	63.4	63.8	63.5	63.9	56.0	64.2	0.7		64.6	55.7	64.2	0.7		64.6	67	68.6	5.1	YES	69.0	61.5	65.6	2.1		66.0
B086	C	2	63.9	64.3	64.1	64.5	56.4	64.8	0.7		65.2	57.8	65.0	0.9		65.4	67	68.8	4.7	YES	69.2	65.0	67.6	3.5	YES	68.0
B087	A	1	56.2	56.6	56.3	56.7	41.6	56.4	0.1		56.8	46.4	56.7	0.4		57.1	48.8	57.0	0.7		57.4	42.8	56.5	0.2		56.9
B087	A	2	56.5	56.9	56.7	57.1	46.5	57.1	0.4		57.5	50.4	57.6	0.9		58.0	56.6	59.7	3.0		60.1	60.8	62.2	5.5	YES	62.6
B087	A	3	56.8	57.2	56.9	57.3	47.9	57.4	0.5		57.8	54.5	58.9	2.0		59.3	62.8	63.8	6.9	YES	64.2	62.5	63.6	6.7	YES	64.0
B087	B	1	53.1	53.5	53.2	53.6	37.4	53.4	0.1		53.8	39.9	53.4	0.2		53.8	44.8	53.8	0.6		54.2	41.9	53.6	0.3		54.0
B087	B	2	53.1	53.5	53.2	53.6	38.5	53.4	0.1		53.8	40.8	53.5	0.2		53.9	45.1	53.9	0.6		54.3	42.3	53.6	0.3		54.0
B087	B	3	53.1	53.5	53.3	53.7	40.8	53.6	0.2		54.0	44.2	53.8	0.5		54.2	46.7	54.2	0.9		54.6	43.4	53.8	0.4		54.2
B088	A	1	53.1	53.5	53.2	53.6	43.2	53.7	0.4		54.1	47.5	54.3	1.0		54.7	57.3	58.7	5.5	YES	59.1	59.6	60.5	7.3	YES	60.9
B088	A	2	53.1	53.5	53.2	53.6	47.0	54.2	0.9		54.6	52.1	55.7	2.5		56.1	60.5	61.2	8.0	YES	61.6	62.5	63.0	9.7	YES	63.4

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B088	A	3	53.1	53.5	53.3	53.7	47.9	54.4	1.1		54.8	54.7	57.1	3.7		57.5	61.9	62.5	9.1	YES	62.9	62.2	62.7	9.4	YES	63.1
B088	B	1	55.7	56.1	55.9	56.3	37.7	56.0	0.1		56.4	40.1	56.0	0.1		56.4	45.4	56.3	0.4		56.7	42.4	56.1	0.2		56.5
B088	B	2	56.8	57.2	56.9	57.3	38.6	57.0	0.1		57.4	40.5	57.0	0.1		57.4	45.6	57.2	0.3		57.6	42.8	57.1	0.2		57.5
B088	B	3	57.5	57.9	57.7	58.1	40.0	57.8	0.1		58.2	43.0	57.8	0.1		58.2	47.3	58.1	0.4		58.5	44.2	57.9	0.2		58.3
B089	A	1	53.1	53.5	53.2	53.6	43.6	53.7	0.4		54.1	47.1	54.2	0.9		54.6	51.6	55.5	2.3		55.9	55.2	57.3	4.1		57.7
B089	A	2	53.1	53.5	53.2	53.6	45.7	53.9	0.7		54.3	49.9	54.9	1.7		55.3	60.2	61.0	7.8	YES	61.4	58.0	59.3	6.0	YES	59.7
B089	A	3	53.1	53.5	53.3	53.7	47.2	54.3	0.9		54.7	53.3	56.3	3.0		56.7	58.2	59.4	6.1	YES	59.8	59.8	60.7	7.3	YES	61.1
B089	B	1	55.2	55.6	55.3	55.7	41.6	55.5	0.2		55.9	45.0	55.7	0.4		56.1	47.6	56.0	0.7		56.4	54.5	57.9	2.6		58.3
B089	B	2	56.0	56.4	56.2	56.6	44.1	56.5	0.3		56.9	46.8	56.7	0.5		57.1	53.9	58.2	2.0		58.6	44.3	56.5	0.3		56.9
B089	B	3	56.5	56.9	56.7	57.1	46.5	57.1	0.4		57.5	51.0	57.7	1.0		58.1	49.8	57.5	0.8		57.9	45.0	57.0	0.3		57.4
B090	A	1	53.1	53.5	53.2	53.6	40.6	53.5	0.2		53.9	44.1	53.7	0.5		54.1	48.8	54.6	1.3		55.0	45.0	53.9	0.6		54.3
B090	A	2	53.1	53.5	53.2	53.6	42.8	53.6	0.4		54.0	46.6	54.1	0.9		54.5	48.2	54.4	1.2		54.8	44.1	53.7	0.5		54.1
B090	B	1	54.5	54.9	54.7	55.1	46.9	55.4	0.7		55.8	51.9	56.5	1.8		56.9	63.2	63.8	9.1	YES	64.2	61.1	62.0	7.3	YES	62.4
B090	B	2	56.1	56.5	56.3	56.7	48.0	56.9	0.6		57.3	53.2	58.0	1.7		58.4	63	63.8	7.5	YES	64.2	51.1	57.4	1.1		57.8
B091	A	1	53.1	53.5	53.2	53.6	40.6	53.5	0.2		53.9	43.7	53.7	0.5		54.1	48.9	54.6	1.4		55.0	52.2	55.8	2.5		56.2
B091	A	2	53.1	53.5	53.3	53.7	43.1	53.7	0.4		54.1	45.9	54.1	0.7		54.5	56.9	58.5	5.1	YES	58.9	52.0	55.7	2.4		56.1
B091	B	1	57.3	57.7	57.5	57.9	48.4	58.0	0.5		58.4	52.4	58.7	1.2		59.1	57.7	60.6	3.1		61.0	58.0	60.8	3.3		61.2
B091	B	2	57.7	58.1	57.9	58.3	51.2	58.7	0.8		59.1	55.1	59.7	1.8		60.1	61	62.7	4.8		63.1	62.2	63.6	5.7	YES	64.0
B092	A	1	56.8	57.2	57.0	57.4	36.4	57.0	0.0		57.4	39.5	57.1	0.1		57.5	57.1	60.1	3.1		60.5	56.9	60.0	3.0		60.4
B092	A	2	57.2	57.6	57.4	57.8	37.2	57.4	0.0		57.8	39.8	57.5	0.1		57.9	56.7	60.1	2.7		60.5	50.1	58.1	0.7		58.5
B092	B	1	53.1	53.5	53.3	53.7	37.5	53.5	0.1		53.9	41.5	53.6	0.3		54.0	51.6	55.6	2.2		56.0	60.6	61.3	8.0	YES	61.7
B092	B	2	53.1	53.5	53.2	53.6	40.1	53.5	0.2		53.9	43.6	53.7	0.4		54.1	62.2	62.7	9.5	YES	63.1	60.1	60.9	7.7	YES	61.3
B093	A	1	53.1	53.5	53.2	53.6	34.8	53.3	0.1		53.7	38.2	53.4	0.1		53.8	44.2	53.8	0.5		54.2	40.9	53.5	0.2		53.9
B093	A	2	53.1	53.5	53.2	53.6	35.3	53.3	0.1		53.7	38.4	53.4	0.1		53.8	44.3	53.8	0.5		54.2	41.0	53.5	0.3		53.9
B093	A	3	53.1	53.5	53.2	53.6	36.6	53.3	0.1		53.7	39.7	53.4	0.2		53.8	45.1	53.9	0.6		54.3	41.5	53.5	0.3		53.9
B093	B	1	55.4	55.8	55.5	55.9	38.8	55.6	0.1		56.0	41.1	55.7	0.2		56.1	46.7	56.0	0.5		56.4	41.8	55.7	0.2		56.1
B093	B	2	56.0	56.4	56.2	56.6	40.7	56.3	0.1		56.7	42.4	56.4	0.2		56.8	54	58.2	2.0		58.6	45.5	56.6	0.4		57.0
B093	B	3	56.4	56.8	56.6	57.0	42.7	56.8	0.2		57.2	45.3	56.9	0.3		57.3	55.1	58.9	2.3		59.3	60.0	61.6	5.0	YES	62.0
B094	A	1	55.2	55.6	55.3	55.7	32.5	55.3	0.0		55.7	35.8	55.3	0.0		55.7	42.4	55.5	0.2		55.9	38.5	55.4	0.1		55.8
B094	A	2	56.7	57.1	56.8	57.2	33.0	56.8	0.0		57.2	35.9	56.8	0.0		57.2	42.4	57.0	0.2		57.4	38.6	56.9	0.1		57.3
B094	A	3	57.5	57.9	57.6	58.0	34.3	57.6	0.0		58.0	36.8	57.6	0.0		58.0	43.7	57.8	0.2		58.2	39.1	57.7	0.1		58.1
B094	B	1	54.8	55.2	54.9	55.3	43.1	55.2	0.3		55.6	49.2	55.9	1.0		56.3	59.7	60.9	6.0	YES	61.3	56.7	58.9	4.0		59.3
B094	B	2	56.9	57.3	57.1	57.5	44.8	57.3	0.2		57.7	50.3	57.9	0.8		58.3	60	61.8	4.7		62.2	41.0	57.2	0.1		57.6
B094	B	3	57.9	58.3	58.0	58.4	44.3	58.2	0.2		58.6	48.4	58.5	0.5		58.9	61.6	63.2	5.2	YES	63.6	59.6	61.9	3.9		62.3
B095	A	1	66.5	66.9	66.6	67.0	32.7	66.6	0.0		67.0	35.5	66.6	0.0		67.0	41.7	66.6	0.0		67.0	38.0	66.6	0.0		67.0
B095	A	2	66.6	67.0	66.7	67.1	33.0	66.7	0.0		67.1	35.7	66.7	0.0		67.1	41.7	66.7	0.0		67.1	38.1	66.7	0.0		67.1
B095	A	3	66.1	66.5	66.3	66.7	33.0	66.3	0.0		66.7	35.7	66.3	0.0		66.7	42.6	66.3	0.0		66.7	38.2	66.3	0.0		66.7
B095	A	4	65.6	66.0	65.7	66.1	35.2	65.7	0.0		66.1	38.4	65.7	0.0		66.1	47.1	65.8	0.1		66.2	39.5	65.7	0.0		66.1
B095	B	1	60.6	61.0	60.7	61.1	36.7	60.7	0.0		61.1	40.1	60.7	0.0		61.1	48.7	61.0	0.3		61.4	39.7	60.7	0.0		61.1
B095	B	2	61.6	62.0	61.7	62.1	39.1	61.7	0.0		62.1	42.2	61.7	0.0		62.1	56.6	62.9	1.2		63.3	58.2	63.3	1.6		63.7
B095	B	3	61.6	62.0	61.8	62.2	44.0	61.9	0.1		62.3	46.4	61.9	0.1		62.3	63.9	66.0	4.2	YES	66.4	59.1	63.7	1.9		64.1
B095	B	4	61.5	61.9	61.7	62.1	45.2	61.8	0.1		62.2	48.3	61.9	0.2		62.3	64.4	66.3	4.6	YES	66.7	58.6	63.4	1.7		63.8
B096	A	1	53.1	53.5	53.3	53.7	36.9	53.4	0.1		53.8	41.0	53.6	0.2		54.0	47.6	54.4	1.0		54.8	48.8	54.7	1.3		55.1

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B096	A	2	53.1	53.5	53.3	53.7	41.0	53.6	0.2		54.0	45.0	53.9	0.6		54.3	59	60.0	6.7	YES	60.4	51.5	55.5	2.2		55.9
B096	A	3	53.2	53.6	53.4	53.8	38.0	53.5	0.1		53.9	41.5	53.7	0.3		54.1	49.1	54.8	1.4		55.2	38.6	53.5	0.1		53.9
B096	B	1	63.1	63.5	63.3	63.7	38.1	63.3	0.0		63.7	42.0	63.3	0.0		63.7	49.7	63.5	0.2		63.9	55.1	63.9	0.6		64.3
B096	B	2	64.4	64.8	64.6	65.0	42.3	64.6	0.0		65.0	46.1	64.7	0.1		65.1	60.8	66.1	1.5		66.5	58.6	65.6	1.0		66.0
B096	B	3	64.6	65.0	64.8	65.2	44.1	64.8	0.0		65.2	47.1	64.9	0.1		65.3	61.9	66.6	1.8		67.0	58.8	65.8	1.0		66.2
B097	A	1	53.1	53.5	53.2	53.6	36.1	53.3	0.1		53.7	40.7	53.5	0.2		53.9	44.6	53.8	0.6		54.2	40.2	53.5	0.2		53.9
B097	A	2	53.1	53.5	53.2	53.6	38.2	53.4	0.1		53.8	43.3	53.7	0.4		54.1	46.2	54.0	0.8		54.4	40.5	53.5	0.2		53.9
B097	A	3	53.1	53.5	53.3	53.7	42.6	53.7	0.4		54.1	48.2	54.5	1.2		54.9	49.9	55.0	1.6		55.4	41.3	53.6	0.3		54.0
B097	B	1	64.8	65.2	65.0	65.4	45.8	65.1	0.1		65.5	51.1	65.2	0.2		65.6	55.8	65.5	0.5		65.9	60.1	66.2	1.2		66.6
B097	B	2	65.7	66.1	65.9	66.3	47.2	66.0	0.1		66.4	52.2	66.1	0.2		66.5	57.3	66.5	0.6		66.9	59.9	66.9	1.0		67.3
B097	B	3	65.6	66.0	65.8	66.2	51.4	66.0	0.2		66.4	53.3	66.0	0.2		66.4	61.8	67.3	1.5		67.7	59.4	66.7	0.9		67.1
B098	A	1	69.7	70.1	69.8	70.2	39.1	69.8	0.0		70.2	42.6	69.8	0.0		70.2	47.2	69.8	0.0		70.2	55.1	69.9	0.1		70.3
B098	A	2	68.7	69.1	68.9	69.3	41.2	68.9	0.0		69.3	47.1	68.9	0.0		69.3	50.7	69.0	0.1		69.4	54.8	69.1	0.2		69.5
B098	A	3	67.7	68.1	67.8	68.2	50.5	67.9	0.1		68.3	50.0	67.9	0.1		68.3	57.5	68.2	0.4		68.6	46.7	67.8	0.0		68.2
B098	B	1	64.0	64.4	64.1	64.5	37.3	64.1	0.0		64.5	41.4	64.1	0.0		64.5	45.8	64.2	0.1		64.6	57.4	64.9	0.8		65.3
B098	B	2	64.2	64.6	64.3	64.7	38.2	64.3	0.0		64.7	42.3	64.3	0.0		64.7	46.3	64.4	0.1		64.8	57.0	65.0	0.7		65.4
B098	B	3	63.9	64.3	64.0	64.4	44.7	64.1	0.1		64.5	47.7	64.1	0.1		64.5	52.1	64.3	0.3		64.7	56.6	64.7	0.7		65.1
B099	A	1	59.6	60.0	59.8	60.2	44.0	59.9	0.1		60.3	45.3	60.0	0.2		60.4	48.5	60.1	0.3		60.5	48.3	60.1	0.3		60.5
B099	A	2	60.2	60.6	60.3	60.7	44.2	60.4	0.1		60.8	45.3	60.4	0.1		60.8	48.4	60.6	0.3		61.0	48.4	60.6	0.3		61.0
B099	A	3	60.4	60.8	60.5	60.9	43.9	60.6	0.1		61.0	47.6	60.7	0.2		61.1	50.9	61.0	0.5		61.4	50.3	60.9	0.4		61.3
B099	A	4	60.5	60.9	60.7	61.1	45.0	60.8	0.1		61.2	48.9	61.0	0.3		61.4	53.3	61.4	0.7		61.8	51.2	61.2	0.5		61.6
B099	B	1	63.2	63.6	63.4	63.8	41.2	63.4	0.0		63.8	43.0	63.4	0.0		63.8	49.3	63.6	0.2		64.0	56.8	64.3	0.9		64.7
B099	B	2	64.7	65.1	64.8	65.2	43.0	64.8	0.0		65.2	44.8	64.8	0.0		65.2	50.9	65.0	0.2		65.4	62.3	66.7	1.9		67.1
B099	B	3	64.7	65.1	64.9	65.3	44.8	64.9	0.0		65.3	47.1	65.0	0.1		65.4	57.4	65.6	0.7		66.0	61.9	66.7	1.8		67.1
B099	B	4	64.6	65.0	64.8	65.2	46.8	64.9	0.1		65.3	49.6	64.9	0.1		65.3	57.9	65.6	0.8		66.0	61.5	66.5	1.7		66.9
B100	A	1	60.6	61.0	60.8	61.2	50.2	61.2	0.4		61.6	53.7	61.6	0.8		62.0	61.6	64.2	3.4		64.6	56.2	62.1	1.3		62.5
B100	A	2	61.5	61.9	61.7	62.1	50.1	62.0	0.3		62.4	53.7	62.3	0.6		62.7	61.4	64.6	2.9		65.0	56.2	62.8	1.1		63.2
B100	B	1	63.6	64.0	63.7	64.1	42.8	63.7	0.0		64.1	43.6	63.7	0.0		64.1	52.6	64.0	0.3		64.4	42.0	63.7	0.0		64.1
B100	B	2	65.1	65.5	65.2	65.6	44.6	65.2	0.0		65.6	47.4	65.3	0.1		65.7	54.1	65.5	0.3		65.9	44.3	65.2	0.0		65.6
B101	A	1	53.1	53.5	53.3	53.7	35.8	53.4	0.1		53.8	39.6	53.5	0.2		53.9	46.9	54.2	0.9		54.6	43.5	53.8	0.4		54.2
B101	A	2	53.1	53.5	53.2	53.6	36.4	53.3	0.1		53.7	40.2	53.5	0.2		53.9	47.1	54.2	0.9		54.6	56.6	58.2	5.0	YES	58.6
B101	A	3	53.1	53.5	53.3	53.7	39.6	53.5	0.2		53.9	46.0	54.1	0.7		54.5	50.5	55.2	1.8		55.6	55.8	57.8	4.4		58.2
B101	B	1	58.6	59.0	58.7	59.1	56.7	60.8	2.1		61.2	54.5	60.1	1.4		60.5	65.8	66.6	7.9	YES	67.0	60.8	62.9	4.2		63.3
B101	B	2	59.3	59.7	59.4	59.8	56.2	61.1	1.7		61.5	55.8	61.0	1.6		61.4	65.6	66.5	7.1	YES	66.9	59.9	62.7	3.3		63.1
B101	B	3	59.7	60.1	59.8	60.2	55.9	61.3	1.5		61.7	58.5	62.2	2.4		62.6	66	66.9	7.1	YES	67.3	62.8	64.6	4.8		65.0
B101	C	1	53.2	53.6	53.3	53.7	40.8	53.5	0.2		53.9	46.6	54.1	0.8		54.5	50.2	55.0	1.7		55.4	44.0	53.8	0.5		54.2
B101	C	2	54.9	55.3	55.1	55.5	43.2	55.4	0.3		55.8	48.9	56.0	0.9		56.4	53.1	57.2	2.1		57.6	46.0	55.6	0.5		56.0
B101	C	3	56.3	56.7	56.5	56.9	47.9	57.1	0.6		57.5	55.4	59.0	2.5		59.4	62.4	63.4	6.9	YES	63.8	61.7	62.8	6.3	YES	63.2
B102	A	1	57.0	57.4	57.2	57.6	37.4	57.2	0.0		57.6	40.3	57.3	0.1		57.7	48.5	57.7	0.5		58.1	45.3	57.5	0.3		57.9
B102	A	2	57.9	58.3	58.1	58.5	39.5	58.2	0.1		58.6	46.0	58.4	0.3		58.8	47.8	58.5	0.4		58.9	42.7	58.2	0.1		58.6
B102	A	3	58.9	59.3	59.1	59.5	46.3	59.3	0.2		59.7	55.1	60.6	1.5		61.0	54.5	60.4	1.3		60.8	59.3	62.2	3.1		62.6
B102	B	1	53.1	53.5	53.3	53.7	35.0	53.4	0.1		53.8	38.3	53.5	0.1		53.9	45.7	54.0	0.7		54.4	42.2	53.7	0.3		54.1
B102	B	2	53.1	53.5	53.3	53.7	35.5	53.4	0.1		53.8	38.6	53.5	0.1		53.9	45.7	54.0	0.7		54.4	42.2	53.7	0.3		54.1

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B102	B	3	54.9	55.3	55.1	55.5	36.3	55.2	0.1		55.6	39.2	55.2	0.1		55.6	45.9	55.6	0.5		56.0	42.5	55.3	0.2		55.7
B103	A	1	57.3	57.7	57.5	57.9	49.7	58.2	0.7		58.6	50.3	58.3	0.8		58.7	54.2	59.2	1.7		59.6	60.4	62.2	4.7		62.6
B103	A	2	58.3	58.7	58.4	58.8	50.3	59.0	0.6		59.4	55.6	60.2	1.8		60.6	56.7	60.6	2.2		61.0	60.2	62.4	4.0		62.8
B103	A	3	58.7	59.1	58.8	59.2	53.3	59.9	1.1		60.3	57.1	61.0	2.2		61.4	58.6	61.7	2.9		62.1	60.6	62.8	4.0		63.2
B103	B	1	53.1	53.5	53.3	53.7	34.6	53.4	0.1		53.8	37.9	53.5	0.1		53.9	44.9	53.9	0.6		54.3	41.4	53.6	0.3		54.0
B103	B	2	53.1	53.5	53.2	53.6	35.2	53.3	0.1		53.7	38.3	53.4	0.1		53.8	44.9	53.8	0.6		54.2	41.4	53.5	0.3		53.9
B103	B	3	53.1	53.5	53.2	53.6	36.1	53.3	0.1		53.7	38.8	53.4	0.2		53.8	45.1	53.9	0.6		54.3	41.7	53.5	0.3		53.9
B104	A	1	53.1	53.5	53.2	53.6	35.3	53.3	0.1		53.7	38.6	53.4	0.1		53.8	45.2	53.9	0.6		54.3	47.3	54.2	1.0		54.6
B104	A	2	53.1	53.5	53.2	53.6	36.7	53.3	0.1		53.7	40.2	53.5	0.2		53.9	45.8	54.0	0.7		54.4	56.2	58.0	4.7		58.4
B104	A	3	54.2	54.6	54.3	54.7	39.8	54.5	0.2		54.9	44.0	54.7	0.4		55.1	49.4	55.5	1.2		55.9	57.2	59.0	4.7		59.4
B104	B	1	58.3	58.7	58.5	58.9	55.0	60.1	1.6		60.5	56.3	60.5	2.0		60.9	64.9	65.8	7.3	YES	66.2	62.0	63.6	5.1	YES	64.0
B104	B	2	59.1	59.5	59.3	59.7	54.8	60.6	1.3		61.0	56.5	61.1	1.8		61.5	64.9	66.0	6.7	YES	66.4	61.1	63.3	4.0		63.7
B104	B	3	59.4	59.8	59.6	60.0	55.2	60.9	1.3		61.3	57.2	61.6	2.0		62.0	66	66.9	7.3	YES	67.3	61.0	63.4	3.8		63.8
B105	A	1	62.6	63.0	62.7	63.1	49.5	62.9	0.2		63.3	52.5	63.1	0.4		63.5	56.5	63.6	0.9		64.0	59.4	64.4	1.7		64.8
B105	A	2	63.1	63.5	63.3	63.7	49.3	63.5	0.2		63.9	52.1	63.6	0.3		64.0	56.7	64.2	0.9		64.6	59.0	64.7	1.4		65.1
B105	A	3	63.1	63.5	63.2	63.6	49.7	63.4	0.2		63.8	54.8	63.8	0.6		64.2	58.2	64.4	1.2		64.8	59.0	64.6	1.4		65.0
B105	B	1	64.9	65.3	65.0	65.4	39.6	65.0	0.0		65.4	41.2	65.0	0.0		65.4	44.7	65.0	0.0		65.4	49.3	65.1	0.1		65.5
B105	B	2	65.4	65.8	65.6	66.0	34.6	65.6	0.0		66.0	37.5	65.6	0.0		66.0	43.5	65.6	0.0		66.0	39.9	65.6	0.0		66.0
B105	B	3	65.2	65.6	65.4	65.8	35.2	65.4	0.0		65.8	38.4	65.4	0.0		65.8	44.1	65.4	0.0		65.8	41.2	65.4	0.0		65.8
B106	A	1	59.7	60.1	59.9	60.3	39.6	59.9	0.0		60.3	40.4	59.9	0.0		60.3	45.9	60.1	0.2		60.5	49.0	60.2	0.3		60.6
B106	A	2	61.4	61.8	61.6	62.0	41.2	61.6	0.0		62.0	42.2	61.6	0.0		62.0	46.6	61.7	0.1		62.1	48.7	61.8	0.2		62.2
B106	A	3	62.3	62.7	62.5	62.9	43.6	62.6	0.1		63.0	47.6	62.6	0.1		63.0	51.2	62.8	0.3		63.2	57.4	63.7	1.2		64.1
B106	B	1	58.6	59.0	58.7	59.1	37.4	58.7	0.0		59.1	39.0	58.7	0.0		59.1	43.2	58.8	0.1		59.2	40.5	58.8	0.1		59.2
B106	B	2	60.5	60.9	60.7	61.1	38.5	60.7	0.0		61.1	40.3	60.7	0.0		61.1	44.3	60.8	0.1		61.2	40.8	60.7	0.0		61.1
B106	B	3	61.7	62.1	61.9	62.3	40.1	61.9	0.0		62.3	42.5	61.9	0.0		62.3	45.9	62.0	0.1		62.4	42.3	61.9	0.0		62.3
B107	A	1	53.1	53.5	53.3	53.7	35.8	53.4	0.1		53.8	39.4	53.5	0.2		53.9	45.3	54.0	0.6		54.4	41.3	53.6	0.3		54.0
B107	A	2	53.1	53.5	53.3	53.7	37.3	53.5	0.1		53.9	41.5	53.6	0.3		54.0	46.8	54.2	0.9		54.6	42.2	53.7	0.3		54.1
B107	B	1	59.8	60.2	60.0	60.4	49.4	60.4	0.4		60.8	53.3	60.8	0.8		61.2	61	63.5	3.5		63.9	55.5	61.3	1.3		61.7
B107	B	2	60.3	60.7	60.4	60.8	49.2	60.7	0.3		61.1	53.3	61.2	0.8		61.6	60.7	63.6	3.2		64.0	55.1	61.5	1.1		61.9
B108	A	1	56.1	56.5	56.3	56.7	42.1	56.5	0.2		56.9	41.8	56.5	0.2		56.9	47.9	56.9	0.6		57.3	56.5	59.4	3.1		59.8
B108	A	2	57.4	57.8	57.6	58.0	42.6	57.7	0.1		58.1	43.9	57.8	0.2		58.2	49.1	58.2	0.6		58.6	56.4	60.1	2.5		60.5
B108	A	3	58.4	58.8	58.6	59.0	43.3	58.7	0.1		59.1	47.8	58.9	0.3		59.3	52.9	59.6	1.0		60.0	56.8	60.8	2.2		61.2
B108	B	1	53.1	53.5	53.2	53.6	34.9	53.3	0.1		53.7	38.5	53.4	0.1		53.8	43.4	53.7	0.4		54.1	38.7	53.4	0.1		53.8
B108	B	2	53.1	53.5	53.3	53.7	36.0	53.4	0.1		53.8	39.3	53.5	0.2		53.9	43.9	53.8	0.5		54.2	38.7	53.5	0.1		53.9
B108	B	3	55.4	55.8	55.6	56.0	39.2	55.7	0.1		56.1	44.9	56.0	0.4		56.4	48.7	56.4	0.8		56.8	55.6	58.6	3.0		59.0
B109	A	1	53.1	53.5	53.2	53.6	36.8	53.3	0.1		53.7	39.1	53.4	0.2		53.8	42.9	53.6	0.4		54.0	39.1	53.4	0.2		53.8
B109	A	2	53.1	53.5	53.2	53.6	39.3	53.4	0.2		53.8	41.9	53.6	0.3		54.0	45.5	53.9	0.7		54.3	40.3	53.5	0.2		53.9
B109	A	3	53.3	53.7	53.5	53.9	44.4	54.0	0.5		54.4	46.9	54.4	0.9		54.8	50.3	55.2	1.7		55.6	41.8	53.8	0.3		54.2
B109	B	1	59.1	59.5	59.3	59.7	33.5	59.3	0.0		59.7	36.0	59.3	0.0		59.7	41.3	59.4	0.1		59.8	38.0	59.3	0.0		59.7
B109	B	2	59.6	60.0	59.7	60.1	34.4	59.7	0.0		60.1	36.7	59.7	0.0		60.1	41.5	59.8	0.1		60.2	38.4	59.7	0.0		60.1
B109	B	3	59.7	60.1	59.8	60.2	35.4	59.8	0.0		60.2	38.2	59.8	0.0		60.2	42.6	59.9	0.1		60.3	38.8	59.8	0.0		60.2
B110	A	1	61.6	62.0	61.8	62.2	46.2	61.9	0.1		62.3	51.4	62.2	0.4		62.6	60.4	64.2	2.4		64.6	61.9	64.9	3.1		65.3
B110	A	2	63.1	63.5	63.3	63.7	47.3	63.4	0.1		63.8	52.8	63.7	0.4		64.1	63.8	66.6	3.3	YES	67.0	62.4	65.9	2.6		66.3

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B110	A	3	63.5	63.9	63.6	64.0	48.6	63.7	0.1		64.1	54.2	64.1	0.5		64.5	64.1	66.9	3.3	YES	67.3	61.9	65.8	2.2		66.2
B110	B	1	64.7	65.1	64.8	65.2	43.6	64.8	0.0		65.2	49.9	64.9	0.1		65.3	60.8	66.3	1.5		66.7	60.3	66.1	1.3		66.5
B110	B	2	65.4	65.8	65.5	65.9	44.3	65.5	0.0		65.9	50.9	65.6	0.1		66.0	60.8	66.8	1.3		67.2	59.8	66.5	1.0		66.9
B110	B	3	65.4	65.8	65.5	65.9	46.1	65.5	0.0		65.9	51.9	65.7	0.2		66.1	62.3	67.2	1.7		67.6	59.8	66.5	1.0		66.9
B111	A	1	56.2	56.6	56.4	56.8	41.1	56.5	0.1		56.9	45.8	56.8	0.4		57.2	49.1	57.1	0.7		57.5	56.7	59.6	3.2		60.0
B111	A	2	57.3	57.7	57.5	57.9	43.3	57.7	0.2		58.1	48.4	58.0	0.5		58.4	59.9	61.9	4.4		62.3	58.2	60.9	3.4		61.3
B111	B	1	53.1	53.5	53.3	53.7	35.6	53.4	0.1		53.8	39.1	53.5	0.2		53.9	45.5	54.0	0.7		54.4	39.0	53.5	0.2		53.9
B111	B	2	53.1	53.5	53.3	53.7	38.9	53.5	0.2		53.9	42.5	53.7	0.3		54.1	47.8	54.4	1.1		54.8	46.3	54.1	0.8		54.5
B112	A	1	53.1	53.5	53.3	53.7	45.3	54.0	0.6		54.4	50.3	55.1	1.7		55.5	56.8	58.4	5.1	YES	58.8	58.2	59.4	6.1	YES	59.8
B112	A	2	53.1	53.5	53.3	53.7	47.4	54.3	1.0		54.7	54.5	57.0	3.6		57.4	60.1	60.9	7.6	YES	61.3	57.7	59.1	5.7	YES	59.5
B112	A	3	53.1	53.5	53.3	53.7	53.4	56.4	3.0		56.8	54.9	57.2	3.9		57.6	64.3	64.6	11.3	YES	65.0	57.4	58.8	5.5	YES	59.2
B112	B	1	56.9	57.3	57.0	57.4	32.6	57.0	0.0		57.4	35.1	57.0	0.0		57.4	41.1	57.1	0.1		57.5	37.0	57.0	0.0		57.4
B112	B	2	57.3	57.7	57.5	57.9	33.2	57.5	0.0		57.9	35.8	57.5	0.0		57.9	41.2	57.6	0.1		58.0	37.2	57.5	0.0		57.9
B112	B	3	57.3	57.7	57.5	57.9	37.0	57.5	0.0		57.9	41.7	57.6	0.1		58.0	45.8	57.8	0.3		58.2	38.8	57.6	0.1		58.0
B113	A	1	53.1	53.5	53.2	53.6	35.0	53.3	0.1		53.7	37.7	53.4	0.1		53.8	44.4	53.8	0.5		54.2	40.6	53.5	0.2		53.9
B113	A	2	53.1	53.5	53.3	53.7	36.2	53.4	0.1		53.8	38.9	53.5	0.2		53.9	44.9	53.9	0.6		54.3	40.9	53.6	0.2		54.0
B113	A	3	53.1	53.5	53.3	53.7	37.6	53.5	0.1		53.9	40.3	53.6	0.2		54.0	46.1	54.1	0.8		54.5	41.6	53.6	0.3		54.0
B113	B	1	53.1	53.5	53.3	53.7	38.4	53.5	0.1		53.9	38.8	53.5	0.1		53.9	58.3	59.5	6.2	YES	59.9	58.8	59.9	6.5	YES	60.3
B113	B	2	54.1	54.5	54.2	54.6	41.8	54.4	0.2		54.8	43.1	54.5	0.3		54.9	61.1	61.9	7.7	YES	62.3	58.1	59.6	5.4	YES	60.0
B113	B	3	55.2	55.6	55.4	55.8	44.8	55.8	0.4		56.2	48.6	56.2	0.8		56.6	61.7	62.6	7.2	YES	63.0	61.4	62.4	7.0	YES	62.8
B114	A	1	56.5	56.9	56.6	57.0	36.3	56.6	0.0		57.0	39.3	56.7	0.1		57.1	45	56.9	0.3		57.3	41.3	56.7	0.1		57.1
B114	A	2	57.5	57.9	57.6	58.0	37.1	57.6	0.0		58.0	39.7	57.7	0.1		58.1	45.1	57.8	0.2		58.2	41.5	57.7	0.1		58.1
B114	A	3	57.9	58.3	58.0	58.4	38.1	58.0	0.0		58.4	41.6	58.1	0.1		58.5	45.4	58.2	0.2		58.6	41.8	58.1	0.1		58.5
B114	A	4	58.0	58.4	58.2	58.6	43.6	58.3	0.1		58.7	50.0	58.8	0.6		59.2	50	58.8	0.6		59.2	42.6	58.3	0.1		58.7
B114	B	1	53.1	53.5	53.3	53.7	38.2	53.5	0.1		53.9	42.1	53.7	0.3		54.1	47.6	54.4	1.0		54.8	51.7	55.6	2.3		56.0
B114	B	2	53.1	53.5	53.3	53.7	43.4	53.8	0.4		54.2	46.3	54.1	0.8		54.5	50.9	55.3	2.0		55.7	62.3	62.8	9.5	YES	63.2
B114	B	3	53.7	54.1	53.9	54.3	47.6	54.8	0.9		55.2	49.9	55.4	1.5		55.8	54.6	57.3	3.4		57.7	62.5	63.1	9.2	YES	63.5
B114	B	4	55.2	55.6	55.3	55.7	51.4	56.8	1.5		57.2	55.8	58.6	3.3		59.0	64.3	64.8	9.5	YES	65.2	62.3	63.1	7.8	YES	63.5
B115	A	1	53.1	53.5	53.3	53.7	34.2	53.4	0.1		53.8	37.0	53.4	0.1		53.8	43.5	53.8	0.4		54.2	39.7	53.5	0.2		53.9
B115	A	2	53.1	53.5	53.3	53.7	35.3	53.4	0.1		53.8	37.6	53.5	0.1		53.9	43.8	53.8	0.5		54.2	40.0	53.5	0.2		53.9
B115	A	3	53.1	53.5	53.2	53.6	37.3	53.4	0.1		53.8	39.1	53.4	0.2		53.8	44.9	53.8	0.6		54.2	40.7	53.5	0.2		53.9
B115	B	1	55.4	55.8	55.5	55.9	34.7	55.5	0.0		55.9	37.0	55.6	0.1		56.0	46.2	56.0	0.5		56.4	56.8	59.2	3.7		59.6
B115	B	2	56.7	57.1	56.8	57.2	42.6	57.0	0.2		57.4	37.3	56.8	0.0		57.2	47.7	57.3	0.5		57.7	56.3	59.6	2.8		60.0
B115	B	3	57.2	57.6	57.3	57.7	42.8	57.5	0.2		57.9	39.8	57.4	0.1		57.8	49.6	58.0	0.7		58.4	56.6	60.0	2.7		60.4
B116	A	1	55.8	56.2	56.0	56.4	45.4	56.4	0.4		56.8	47.8	56.6	0.6		57.0	52.4	57.6	1.6		58.0	62.4	63.3	7.3	YES	63.7
B116	A	2	57.2	57.6	57.4	57.8	48.0	57.9	0.5		58.3	51.4	58.4	1.0		58.8	61.6	63.0	5.6	YES	63.4	61.8	63.1	5.7	YES	63.5
B116	A	3	58.3	58.7	58.4	58.8	50.7	59.1	0.7		59.5	53.9	59.7	1.3		60.1	63.2	64.4	6.0	YES	64.8	61.3	63.1	4.7		63.5
B116	B	1	55.5	55.9	55.6	56.0	35.9	55.6	0.0		56.0	39.1	55.7	0.1		56.1	44.5	55.9	0.3		56.3	40.1	55.7	0.1		56.1
B116	B	2	56.4	56.8	56.6	57.0	36.2	56.6	0.0		57.0	39.3	56.7	0.1		57.1	44.6	56.9	0.3		57.3	40.2	56.7	0.1		57.1
B116	B	3	57.0	57.4	57.2	57.6	38.4	57.3	0.1		57.7	41.8	57.3	0.1		57.7	46.3	57.5	0.3		57.9	41.1	57.3	0.1		57.7
B117	A	1	60.5	60.9	60.7	61.1	36.4	60.7	0.0		61.1	37.7	60.7	0.0		61.1	45.3	60.8	0.1		61.2	48.9	61.0	0.3		61.4
B117	A	2	62.2	62.6	62.4	62.8	37.1	62.4	0.0		62.8	38.2	62.4	0.0		62.8	46.6	62.5	0.1		62.9	51.9	62.8	0.4		63.2
B117	A	3	62.5	62.9	62.7	63.1	38.0	62.7	0.0		63.1	40.2	62.7	0.0		63.1	48.9	62.9	0.2		63.3	51.4	63.0	0.3		63.4

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B117	B	1	65.1	65.5	65.3	65.7	42.9	65.3	0.0		65.7	47.6	65.4	0.1		65.8	59.7	66.4	1.1		66.8	57.1	65.9	0.6		66.3
B117	B	2	65.7	66.1	65.9	66.3	43.8	65.9	0.0		66.3	49.0	66.0	0.1		66.4	59.8	66.9	1.0		67.3	48.5	66.0	0.1		66.4
B117	B	3	65.6	66.0	65.8	66.2	36.6	65.8	0.0		66.2	39.4	65.8	0.0		66.2	44.3	65.8	0.0		66.2	39.9	65.8	0.0		66.2
B118	A	1	53.1	53.5	53.3	53.7	34.5	53.4	0.1		53.8	38.0	53.5	0.1		53.9	45.2	54.0	0.6		54.4	41.9	53.6	0.3		54.0
B118	A	2	53.1	53.5	53.2	53.6	34.9	53.3	0.1		53.7	38.3	53.4	0.1		53.8	45.2	53.9	0.6		54.3	42.0	53.6	0.3		54.0
B118	A	3	54.5	54.9	54.7	55.1	37.9	54.8	0.1		55.2	40.8	54.9	0.2		55.3	46.1	55.3	0.6		55.7	43.0	55.0	0.3		55.4
B118	B	1	59.3	59.7	59.4	59.8	50.6	59.9	0.5		60.3	50.9	60.0	0.6		60.4	51.8	60.1	0.7		60.5	51.1	60.0	0.6		60.4
B118	B	2	60.4	60.8	60.5	60.9	52.0	61.1	0.6		61.5	52.5	61.1	0.6		61.5	53.5	61.3	0.8		61.7	52.6	61.2	0.7		61.6
B118	B	3	60.7	61.1	60.9	61.3	52.0	61.4	0.5		61.8	52.6	61.5	0.6		61.9	54.4	61.8	0.9		62.2	53.3	61.6	0.7		62.0
B119	A	1	53.1	53.5	53.2	53.6	35.3	53.3	0.1		53.7	38.7	53.4	0.1		53.8	45.5	53.9	0.7		54.3	42.1	53.6	0.3		54.0
B119	A	2	53.1	53.5	53.3	53.7	35.9	53.4	0.1		53.8	39.0	53.5	0.2		53.9	45.5	54.0	0.7		54.4	42.1	53.7	0.3		54.1
B119	A	3	53.1	53.5	53.2	53.6	37.2	53.4	0.1		53.8	39.5	53.4	0.2		53.8	45.1	53.9	0.6		54.3	42.0	53.6	0.3		54.0
B119	B	1	59.4	59.8	59.6	60.0	50.4	60.1	0.5		60.5	50.7	60.1	0.5		60.5	51.4	60.2	0.6		60.6	50.7	60.1	0.5		60.5
B119	B	2	60.4	60.8	60.6	61.0	51.6	61.1	0.5		61.5	52.3	61.2	0.6		61.6	53.8	61.4	0.8		61.8	53.0	61.3	0.7		61.7
B119	B	3	60.7	61.1	60.8	61.2	51.7	61.3	0.5		61.7	52.3	61.4	0.6		61.8	54.8	61.8	1.0		62.2	53.6	61.6	0.8		62.0
B120	A	1	60.2	60.6	60.4	60.8	51.9	61.0	0.6		61.4	52.5	61.1	0.7		61.5	53.1	61.1	0.7		61.5	52.1	61.0	0.6		61.4
B120	A	2	60.9	61.3	61.1	61.5	53.5	61.8	0.7		62.2	56.7	62.4	1.3		62.8	61.4	64.3	3.2		64.7	62.0	64.6	3.5		65.0
B120	A	3	61.1	61.5	61.3	61.7	56.9	62.6	1.3		63.0	59.5	63.5	2.2		63.9	62.7	65.1	3.8	YES	65.5	61.6	64.5	3.2		64.9
B120	B	1	53.1	53.5	53.3	53.7	34.9	53.4	0.1		53.8	37.2	53.4	0.1		53.8	44.2	53.8	0.5		54.2	40.7	53.6	0.2		54.0
B120	B	2	53.4	53.8	53.6	54.0	37.6	53.7	0.1		54.1	39.5	53.8	0.2		54.2	44.8	54.1	0.5		54.5	48.0	54.7	1.1		55.1
B120	B	3	54.3	54.7	54.4	54.8	45.8	55.0	0.6		55.4	45.0	54.9	0.5		55.3	52.9	56.7	2.3		57.1	44.3	54.8	0.4		55.2
B121	A	1	69.6	70.0	69.7	70.1	41.7	69.7	0.0		70.1	42.5	69.7	0.0		70.1	45.1	69.7	0.0		70.1	43.3	69.7	0.0		70.1
B121	A	2	68.7	69.1	68.9	69.3	43.4	68.9	0.0		69.3	44.0	68.9	0.0		69.3	45.9	68.9	0.0		69.3	44.5	68.9	0.0		69.3
B121	A	3	67.6	68.0	67.7	68.1	44.3	67.7	0.0		68.1	44.7	67.7	0.0		68.1	46.4	67.7	0.0		68.1	45.4	67.7	0.0		68.1
B121	B	1	62.1	62.5	62.3	62.7	51.5	62.6	0.3		63.0	51.9	62.7	0.4		63.1	54	62.9	0.6		63.3	52.9	62.8	0.5		63.2
B121	B	2	63.2	63.6	63.3	63.7	52.2	63.6	0.3		64.0	52.4	63.6	0.3		64.0	54.6	63.8	0.5		64.2	53.4	63.7	0.4		64.1
B121	B	3	63.2	63.6	63.3	63.7	52.4	63.6	0.3		64.0	53.3	63.7	0.4		64.1	54.9	63.9	0.6		64.3	53.3	63.7	0.4		64.1
B122	A	1	58.5	58.9	58.7	59.1	34.1	58.7	0.0		59.1	37.2	58.7	0.0		59.1	42.6	58.8	0.1		59.2	39.2	58.7	0.0		59.1
B122	A	2	60.6	61.0	60.7	61.1	35.6	60.7	0.0		61.1	39.7	60.7	0.0		61.1	43.8	60.8	0.1		61.2	39.4	60.7	0.0		61.1
B122	A	3	61.2	61.6	61.4	61.8	37.0	61.4	0.0		61.8	41.1	61.4	0.0		61.8	44.8	61.5	0.1		61.9	45.2	61.5	0.1		61.9
B122	B	1	60.6	61.0	60.8	61.2	48.1	61.0	0.2		61.4	48.5	61.0	0.2		61.4	49.1	61.1	0.3		61.5	48.4	61.0	0.2		61.4
B122	B	2	62.2	62.6	62.4	62.8	49.7	62.6	0.2		63.0	50.0	62.6	0.2		63.0	50.5	62.7	0.3		63.1	49.9	62.6	0.2		63.0
B122	B	3	62.5	62.9	62.7	63.1	49.9	62.9	0.2		63.3	50.3	62.9	0.2		63.3	51.4	63.0	0.3		63.4	50.7	63.0	0.3		63.4
B123	A	1	60.1	60.5	60.3	60.7	54.0	61.2	0.9		61.6	56.5	61.8	1.5		62.2	58	62.3	2.0		62.7	55.8	61.6	1.3		62.0
B123	A	2	61.4	61.8	61.5	61.9	54.7	62.3	0.8		62.7	56.9	62.8	1.3		63.2	58.3	63.2	1.7		63.6	55.5	62.5	1.0		62.9
B123	A	3	61.9	62.3	62.0	62.4	55.4	62.9	0.9		63.3	57.3	63.3	1.3		63.7	58.6	63.6	1.6		64.0	56.4	63.1	1.1		63.5
B123	B	1	56.0	56.4	56.1	56.5	36.7	56.1	0.0		56.5	38.9	56.2	0.1		56.6	43.8	56.3	0.2		56.7	39.7	56.2	0.1		56.6
B123	B	2	57.8	58.2	58.0	58.4	37.5	58.0	0.0		58.4	39.2	58.1	0.1		58.5	45.4	58.2	0.2		58.6	40.0	58.1	0.1		58.5
B123	B	3	58.8	59.2	58.9	59.3	45.9	59.1	0.2		59.5	41.1	59.0	0.1		59.4	49.7	59.4	0.5		59.8	40.7	59.0	0.1		59.4
B124	A	1	53.1	53.5	53.3	53.7	34.2	53.4	0.1		53.8	36.5	53.4	0.1		53.8	42.4	53.7	0.3		54.1	38.4	53.5	0.1		53.9
B124	A	2	53.1	53.5	53.2	53.6	35.2	53.3	0.1		53.7	36.8	53.3	0.1		53.7	43.5	53.7	0.4		54.1	38.6	53.4	0.1		53.8
B124	A	3	53.7	54.1	53.8	54.2	40.9	54.0	0.2		54.4	39.0	53.9	0.1		54.3	45.7	54.4	0.6		54.8	39.5	54.0	0.2		54.4
B124	B	1	59.1	59.5	59.2	59.6	53.1	60.2	1.0		60.6	55.7	60.8	1.6		61.2	56.9	61.2	2.0		61.6	54.9	60.6	1.4		61.0

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan-22					Jun-22					Aug-23					Dec-23				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B124	B	2	60.1	60.5	60.2	60.6	53.8	61.1	0.9		61.5	56.0	61.6	1.4		62.0	57.2	62.0	1.8		62.4	54.9	61.3	1.1		61.7
B124	B	3	60.5	60.9	60.6	61.0	56.4	62.0	1.4		62.4	57.4	62.3	1.7		62.7	58.1	62.5	1.9		62.9	56.1	61.9	1.3		62.3
B125	A	1	58.3	58.7	58.4	58.8	48.2	58.8	0.4		59.2	48.5	58.8	0.4		59.2	49	58.9	0.5		59.3	48.4	58.8	0.4		59.2
B125	A	2	59.5	59.9	59.6	60.0	49.8	60.0	0.4		60.4	50.0	60.1	0.5		60.5	50.4	60.1	0.5		60.5	49.9	60.0	0.4		60.4
B125	A	3	59.9	60.3	60.0	60.4	50.0	60.4	0.4		60.8	50.5	60.5	0.5		60.9	51.9	60.6	0.6		61.0	51.1	60.5	0.5		60.9
B125	B	1	53.1	53.5	53.2	53.6	35.4	53.3	0.1		53.7	39.9	53.4	0.2		53.8	43.3	53.7	0.4		54.1	49.7	54.8	1.6		55.2
B125	B	2	53.1	53.5	53.3	53.7	36.4	53.4	0.1		53.8	40.8	53.6	0.2		54.0	44	53.8	0.5		54.2	49.2	54.8	1.4		55.2
B125	B	3	54.7	55.1	54.8	55.2	38.0	54.9	0.1		55.3	42.4	55.0	0.2		55.4	45.5	55.3	0.5		55.7	48.9	55.8	1.0		56.2
B126	A	1	53.1	53.5	53.3	53.7	31.9	53.4	0.0		53.8	35.0	53.4	0.1		53.8	41	53.6	0.2		54.0	48.6	54.6	1.3		55.0
B126	A	2	53.1	53.5	53.2	53.6	32.8	53.3	0.0		53.7	35.5	53.3	0.1		53.7	41.3	53.5	0.3		53.9	48.1	54.4	1.2		54.8
B126	A	3	53.1	53.5	53.2	53.6	36.3	53.3	0.1		53.7	38.7	53.4	0.1		53.8	43	53.6	0.4		54.0	48.0	54.4	1.1		54.8
B126	B	1	57.8	58.2	58.0	58.4	48.1	58.4	0.4		58.8	48.4	58.5	0.5		58.9	49	58.5	0.5		58.9	48.2	58.4	0.4		58.8
B126	B	2	59.0	59.4	59.1	59.5	49.7	59.6	0.5		60.0	49.9	59.6	0.5		60.0	50.4	59.6	0.5		60.0	49.7	59.6	0.5		60.0
B126	B	3	59.2	59.6	59.4	59.8	49.9	59.9	0.5		60.3	50.4	59.9	0.5		60.3	52.3	60.2	0.8		60.6	51.3	60.0	0.6		60.4
B127	A	1	53.1	53.5	53.2	53.6	33.5	53.3	0.0		53.7	36.6	53.3	0.1		53.7	42.2	53.6	0.3		54.0	38.8	53.4	0.2		53.8
B127	A	2	53.1	53.5	53.2	53.6	35.3	53.3	0.1		53.7	37.5	53.4	0.1		53.8	42.9	53.6	0.4		54.0	39.2	53.4	0.2		53.8
B127	A	3	53.1	53.5	53.3	53.7	38.9	53.5	0.2		53.9	43.8	53.8	0.5		54.2	45.5	54.0	0.7		54.4	40.9	53.6	0.2		54.0
B127	B	1	60.9	61.3	61.1	61.5	54.2	61.9	0.8		62.3	55.9	62.2	1.1		62.6	56.7	62.4	1.3		62.8	55.5	62.2	1.1		62.6
B127	B	2	61.2	61.6	61.3	61.7	54.1	62.1	0.8		62.5	55.8	62.4	1.1		62.8	56.5	62.5	1.2		62.9	55.2	62.3	1.0		62.7
B127	B	3	60.9	61.3	61.1	61.5	54.9	62.0	0.9		62.4	55.8	62.2	1.1		62.6	57.1	62.6	1.5		63.0	55.4	62.1	1.0		62.5
B128	A	1	54.3	54.7	54.4	54.8	40.5	54.6	0.2		55.0	42.1	54.6	0.2		55.0	47.5	55.2	0.8		55.6	44.3	54.8	0.4		55.2
B128	A	2	56.4	56.8	56.6	57.0	41.8	56.7	0.1		57.1	43.1	56.8	0.2		57.2	48.8	57.3	0.7		57.7	44.7	56.9	0.3		57.3
B128	A	3	57.4	57.8	57.5	57.9	42.5	57.6	0.1		58.0	44.3	57.7	0.2		58.1	50.6	58.3	0.8		58.7	56.8	60.2	2.7		60.6
B128	B	1	53.1	53.5	53.2	53.6	36.2	53.3	0.1		53.7	40.1	53.5	0.2		53.9	47.3	54.2	1.0		54.6	57.8	59.1	5.9	YES	59.5
B128	B	2	53.1	53.5	53.2	53.6	37.0	53.3	0.1		53.7	40.7	53.5	0.2		53.9	48.9	54.6	1.4		55.0	43.8	53.7	0.5		54.1
B128	B	3	53.1	53.5	53.2	53.6	38.2	53.4	0.1		53.8	42.1	53.6	0.3		54.0	52.7	56.0	2.7		56.4	63.3	63.7	10.5	YES	64.1
B129	A	1	53.1	53.5	53.3	53.7	34.5	53.4	0.1		53.8	37.7	53.5	0.1		53.9	45.3	54.0	0.6		54.4	41.4	53.6	0.3		54.0
B129	A	2	53.1	53.5	53.3	53.7	35.1	53.4	0.1		53.8	38.2	53.5	0.1		53.9	45.5	54.0	0.7		54.4	41.5	53.6	0.3		54.0
B129	A	3	53.1	53.5	53.3	53.7	37.6	53.5	0.1		53.9	43.0	53.7	0.4		54.1	49.6	54.9	1.5		55.3	44.1	53.8	0.5		54.2
B129	B	1	55.0	55.4	55.2	55.6	43.8	55.5	0.3		55.9	43.1	55.5	0.3		55.9	50.2	56.4	1.2		56.8	61.4	62.3	7.1	YES	62.7
B129	B	2	56.0	56.4	56.2	56.6	44.3	56.5	0.3		56.9	44.0	56.5	0.3		56.9	54.1	58.3	2.1		58.7	62.6	63.5	7.3	YES	63.9
B129	B	3	56.9	57.3	57.0	57.4	48.9	57.6	0.6		58.0	53.2	58.5	1.5		58.9	59.3	61.3	4.3		61.7	63.2	64.1	7.1		64.5

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq	L10	Leq	L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10
			Leq(1)		Leq(1)		Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total
S1	0	1	65.7	68.4	65.8	68.5	67.5	69.7	3.9	YES	72.4	62.2	67.4	1.6		70.1	72.0	72.9	7.1	YES	75.6	57.4	66.4	0.6		69.1	68.2	70.2	4.4	YES	72.9
8	0	1	82.4	78.9	82.5	79.0	67.7	82.6	0.2		79.2	67.5	82.6	0.2		79.2	67.7	82.6	0.2		79.2	67.4	82.6	0.2		79.2	67.4	82.6	0.2		79.2
9	0	1	77.6	81.5	77.8	81.7	74.0	79.3	1.7		83.4	71.0	78.6	1.0		82.7	71.6	78.7	1.1		82.8	66.1	78.1	0.5		82.2	64.2	78.0	0.4		82.1
10	0	1	64.4	68.1	64.5	68.2	67.3	69.1	4.7	YES	72.9	67.0	68.9	4.5	YES	72.7	73.3	73.8	9.4	YES	77.6	63.5	67.0	2.6		70.8	67.5	69.3	4.9	YES	73.1
11	0	1	72.3	75.8	72.4	75.9	68.0	73.7	1.4		77.3	66.0	73.3	1.0		76.9	66.4	73.4	1.1		77.0	61.8	72.8	0.5		76.4	58.4	72.6	0.3		76.2
12	0	1	74.1	76.8	74.2	76.9	66.7	74.9	0.8		77.7	63.7	74.6	0.5		77.4	75.2	77.7	3.6	YES	80.5	65.2	74.7	0.6		77.5	65.3	74.7	0.6		77.5
A001	A	1	67.1	70.8	67.3	71.0	66.2	69.8	2.5		73.5	62.3	68.5	1.2		72.2	74.7	75.4	8.1	YES	79.1	64.3	69.1	1.8		72.8	61.5	68.3	1.0		72.0
A001	A	2	67.6	71.3	67.8	71.5	66.2	70.1	2.3		73.8	62.2	68.9	1.1		72.6	76.8	77.3	9.5	YES	81.0	66.1	70.0	2.2		73.7	63.5	69.2	1.4		72.9
A001	A	3	67.6	71.3	67.7	71.4	66.0	69.9	2.2		73.6	61.8	68.7	1.0		72.4	78.1	78.5	10.8	YES	82.2	68.8	71.3	3.6	YES	75.0	65.9	69.9	2.2		73.6
A001	A	4	67.5	71.2	67.6	71.3	65.9	69.8	2.2		73.5	61.8	68.6	1.0		72.3	77.8	78.2	10.6	YES	81.9	71.5	73.0	5.4	YES	76.7	68.2	70.9	3.3	YES	74.6
A001	B	1	56.4	60.1	56.6	60.3	42.7	56.7	0.2		60.4	39.8	56.7	0.1		60.4	53.0	58.1	1.6		61.8	49.7	57.4	0.8		61.1	48.9	57.3	0.7		61.0
A001	B	2	56.4	60.1	56.6	60.3	43.1	56.8	0.2		60.5	40.4	56.7	0.1		60.4	53.3	58.2	1.7		61.9	49.8	57.4	0.8		61.1	49.0	57.3	0.7		61.0
A001	B	3	56.4	60.1	56.6	60.3	43.9	56.8	0.2		60.5	41.5	56.7	0.1		60.4	53.7	58.4	1.8		62.1	50.0	57.4	0.9		61.1	49.3	57.3	0.7		61.0
A001	B	4	58.4	62.1	58.5	62.2	50.6	59.2	0.7		62.9	45.8	58.7	0.2		62.4	62.4	63.9	5.4	YES	67.6	53.5	59.7	1.2		63.4	52.2	59.4	0.9		63.1
A002	A	1	67.3	71.0	67.4	71.1	65.0	69.4	2.0		73.1	59.9	68.1	0.7		71.8	72.8	73.9	6.5	YES	77.6	64.8	69.3	1.9		73.0	62.6	68.6	1.2		72.3
A002	A	2	67.8	71.5	68.0	71.7	65.1	69.8	1.8		73.5	60.2	68.7	0.7		72.4	74.6	75.5	7.5	YES	79.2	66.9	70.5	2.5		74.2	64.6	69.6	1.6		73.3
A002	A	3	67.8	71.5	68.0	71.7	66.1	70.2	2.2		73.9	62.2	69.0	1.0		72.7	76.4	77.0	9.0	YES	80.7	69.1	71.6	3.6	YES	75.3	66.1	70.2	2.2		73.9
A002	A	4	67.5	71.2	67.7	71.4	66.0	69.9	2.2		73.6	62.1	68.8	1.1		72.5	76.1	76.7	9.0	YES	80.4	70.1	72.1	4.4	YES	75.8	67.8	70.8	3.1	YES	74.5
A002	B	1	56.4	60.1	56.6	60.3	42.9	56.7	0.2		60.4	40.3	56.7	0.1		60.4	51.1	57.7	1.1		61.4	46.4	57.0	0.4		60.7	46.6	57.0	0.4		60.7
A002	B	2	56.4	60.1	56.6	60.3	43.4	56.8	0.2		60.5	41.0	56.7	0.1		60.4	51.4	57.7	1.2		61.4	46.8	57.0	0.4		60.7	46.9	57.0	0.4		60.7
A002	B	3	56.4	60.1	56.5	60.2	44.4	56.7	0.3		60.4	42.0	56.6	0.2		60.3	51.8	57.7	1.3		61.4	47.2	57.0	0.5		60.7	47.2	57.0	0.5		60.7
A002	B	4	58.0	61.7	58.2	61.9	53.5	59.5	1.3		63.2	47.5	58.6	0.4		62.3	61.2	63.0	4.8		66.7	52.8	59.3	1.1		63.0	50.6	58.9	0.7		62.6
A003	A	1	67.3	71.0	67.5	71.2	57.9	68.0	0.5		71.7	56.8	67.9	0.4		71.6	71.2	72.7	5.2	YES	76.4	61.4	68.5	1.0		72.2	60.0	68.2	0.7		71.9
A003	A	2	67.9	71.6	68.0	71.7	59.6	68.6	0.6		72.3	57.5	68.4	0.4		72.1	72.6	73.9	5.9	YES	77.6	62.5	69.1	1.1		72.8	61.0	68.8	0.8		72.5
A003	A	3	67.8	71.5	68.0	71.7	64.5	69.6	1.6		73.3	61.8	68.9	0.9		72.6	74.5	75.4	7.4	YES	79.1	65.4	69.9	1.9		73.6	63.0	69.2	1.2		72.9
A003	A	4	67.6	71.3	67.7	71.4	65.8	69.9	2.2		73.6	61.8	68.7	1.0		72.4	74.7	75.5	7.8	YES	79.2	66.6	70.2	2.5		73.9	64.3	69.3	1.6		73.0
A003	B	1	56.4	60.1	56.5	60.2	43.2	56.7	0.2		60.4	40.5	56.6	0.1		60.3	49.4	57.2	0.8		60.9	46.0	56.8	0.4		60.5	46.1	56.8	0.4		60.5
A003	B	2	56.4	60.1	56.5	60.2	43.6	56.7	0.2		60.4	41.2	56.6	0.1		60.3	49.6	57.3	0.8		61.0	46.4	56.9	0.4		60.6	46.4	56.9	0.4		60.6
A003	B	3	56.4	60.1	56.6	60.3	44.7	56.8	0.3		60.5	42.1	56.7	0.2		60.4	51.3	57.7	1.1		61.4	47.0	57.0	0.5		60.7	46.9	57.0	0.4		60.7
A003	B	4	57.7	61.4	57.8	61.5	54.8	59.6	1.8		63.3	48.1	58.2	0.4		61.9	60.9	62.6	4.8		66.3	53.2	59.1	1.3		62.8	50.8	58.6	0.8		62.3
A004	A	1	66.1	69.8	66.3	70.0	56.9	66.8	0.5		70.5	56.1	66.7	0.4		70.4	68.0	70.2	3.9	YES	73.9	59.5	67.1	0.8		70.8	58.2	66.9	0.6		70.6
A004	A	2	66.9	70.6	67.1	70.8	62.2	68.3	1.2		72.0	62.1	68.3	1.2		72.0	69.6	71.5	4.4	YES	75.2	61.4	68.1	1.0		71.8	59.0	67.7	0.6		71.4
A004	A	3	67.1	70.8	67.2	70.9	64.1	68.9	1.7		72.6	61.7	68.3	1.1		72.0	70.3	72.0	4.8	YES	75.7	63.2	68.7	1.5		72.4	60.9	68.1	0.9		71.8
A004	B	1	56.4	60.1	56.6	60.3	55.4	59.0	2.5		62.7	54.4	58.6	2.1		62.3	56.5	59.5	3.0		63.2	50.9	57.6	1.0		61.3	45.6	56.9	0.3		60.6
A004	B	2	56.4	60.1	56.6	60.3	51.9	57.8	1.3		61.5	43.7	56.8	0.2		60.5	51.1	57.7	1.1		61.4	46.0	56.9	0.4		60.6	46.0	56.9	0.4		60.6
A004	B	3	56.4	60.1	56.5	60.2	48.7	57.1	0.7		60.8	46.2	56.9	0.4		60.6	56.3	59.4	2.9		63.1	49.0	57.2	0.7		60.9	48.2	57.1	0.6		60.8
A005	A	1	65.4	69.1	65.6	69.3	57.3	66.2	0.6		69.9	55.5	66.0	0.4		69.7	69.0	70.6	5.0	YES	74.3	60.5	66.8	1.2		70.5	59.1	66.5	0.9		70.2
A005	A	2	66.4	70.1	66.6	70.3	62.7	68.1	1.5		71.8	62.0	67.9	1.3		71.6	70.0	71.6	5.0	YES	75.3	62.3	68.0	1.4		71.7	59.9	67.4	0.8		71.1
A005	A	3	66.7	70.4	66.8	70.5	63.9	68.6	1.8		72.3	61.6	67.9	1.1		71.6	70.7	72.2	5.4	YES	75.9	63.3	68.4	1.6		72.1	61.6	67.9	1.1		71.6
A005	B	1	56.4	60.1	56.5	60.2	49.3	57.2	0.8		60.9	43.8	56.7	0.2		60.4	48.6	57.1	0.7		60.8	44.5	56.7	0.3		60.4	44.8	56.8	0.3		60.5
A005	B	2	56.4	60.1	56.5	60.2	55.7	59.1	2.6		62.8	47.0	56.9	0.5		60.6	49.9	57.3	0.9		61.0	45.1	56.8	0.3		60.5	45.6	56.8	0.3		60.5
A005	B	3	56.4	60.1	56.5	60.2	54.4	58.6	2.1		62.3	49.0	57.2	0.7		60.9	52.4	57.9	1.4		61.6	46.2	56.9	0.4		60.6	46.7	56.9	0.4		60.6
A006	A	1	61.8	65.5	61.9	65.6	67.5	68.6	6.7	YES	72.3	63.1	65.6	3.7	YES	69.3	74.5	74.7	12.8	YES	78.4	64.1	66.1	4.2	YES	69.8	58.7	63.6	1.7		67.3
A006	A	2	61.6	65.3	61.7	65.4	67.2	68.3	6.6	YES	72.0	62.4	65.1	3.4	YES	68.8	77.4	77.5	15.8	YES	81.2	66.1	67.4	5.7	YES	71.1	61.6	64.7	3.0		68.4
A006	A	3	61.5	65.2	61.7	65.4	67.1	68.2	6.5	YES	71.9	62.1	64.9	3.2		68.6	77.9	78.0	16.3	YES	81.7	67.7	68.7	7.0	YES	72.4	62.2	65.0	3.3		68.7
A006	B	1	66.0	69.7	66.2	69.9	65.6	68.9	2.7		72.6	57.6	66.8	0.6		70.5	73.6	74.3	8.1	YES	78.0	62.9	67.9	1.7		71.6	59.1	67.0	0.8		70.7
A006	B	2	65.9	69.6	66.0	69.7	65.6	68.8	2.8		72.5	58.0	66.6	0.6		70.3	78.3	78.5	12.5	YES	82.2	65.2	68.6	2.6		72.3	61.2	67.2	1.2		70.9
A006	B	3	65.9	69.6	66.1	69.8	65.7	68.9	2.8		72.6	58.4	66.8	0.7		70.5	78.6	78.8	12.7	YES	82.5	67.3	69.8	3.7	YES	73.5	62.3	67.6	1.5		71.3
A006	C	1	68.4	72.1	68.6	72.3	60.0	69.2	0.6		72.9	59.4	69.1	0.5		72.8	72.1	73.7	5.1	YES	77.4	59.8	69.1	0.5		72.8	58.3	69.0	0.4		72.7
A006	C	2	68.5	72.2	68.7	72.4	61.7	69.5	0.8		73.2	59.6	69.2	0.5		72.9	76.5	77.2	8.5	YES	80.9	63.0	69.7	1.0		73.4	61.0	69.4	0.7		73.1
A006	C	3	68.3	72.0	68.5	72.2	62.1	69.4	0.9		73.1	59.3	69.0	0.5		72.7	77.3	77.8	9.3	YES	81.5	63.5	69.7	1.2		73.4	61.2	69.2	0.7		72.9

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq		Leq		Leq				L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10
			Leq(1)	L10	Leq(1)	L10	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total
A007	A	1	67.9	71.6	68.0	71.7	57.1	68.3	0.3		72.0	57.0	68.3	0.3		72.0	66.2	70.2	2.2		73.9	57.4	68.4	0.4		72.1	57.4	68.4	0.4		72.1
A007	A	2	68.2	71.9	68.4	72.1	57.5	68.7	0.3		72.4	57.4	68.7	0.3		72.4	66.8	70.7	2.3		74.4	62.2	69.3	0.9		73.0	60.7	69.1	0.7		72.8
A007	A	3	68.2	71.9	68.3	72.0	57.9	68.7	0.4		72.4	57.4	68.6	0.3		72.3	67.3	70.8	2.5		74.5	62.3	69.3	1.0		73.0	60.7	69.0	0.7		72.7
A007	B	1	58.9	62.6	59.1	62.8	66.7	67.4	8.3	YES	71.1	63.1	64.6	5.5	YES	68.3	73.0	73.2	14.1	YES	76.9	61.6	63.5	4.4		67.2	59.3	62.2	3.1		65.9
A007	B	2	59.2	62.9	59.4	63.1	66.2	67.0	7.6	YES	70.7	62.3	64.1	4.7		67.8	73.5	73.7	14.3	YES	77.4	62.0	63.9	4.5		67.6	61.5	63.6	4.2		67.3
A007	B	3	59.5	63.2	59.7	63.4	66.2	67.1	7.4	YES	70.8	61.8	63.9	4.2		67.6	74.5	74.6	14.9	YES	78.3	62.8	64.5	4.8		68.2	61.2	63.5	3.8		67.2
A008	A	1	67.2	70.9	67.4	71.1	56.6	67.7	0.3		71.4	56.4	67.7	0.3		71.4	57.6	67.8	0.4		71.5	56.6	67.7	0.3		71.4	56.7	67.8	0.4		71.5
A008	A	2	67.7	71.4	67.9	71.6	57.1	68.2	0.3		71.9	57.0	68.2	0.3		71.9	58.1	68.3	0.4		72.0	57.2	68.3	0.4		72.0	57.3	68.3	0.4		72.0
A008	A	3	67.7	71.4	67.8	71.5	57.7	68.2	0.4		71.9	57.1	68.2	0.4		71.9	59.7	68.4	0.6		72.1	59.5	68.4	0.6		72.1	58.8	68.3	0.5		72.0
A008	B	1	58.5	62.2	58.7	62.4	66.2	66.9	8.2	YES	70.6	63.0	64.4	5.7	YES	68.1	72.2	72.4	13.7	YES	76.1	60.6	62.8	4.1		66.5	59.1	61.9	3.2		65.6
A008	B	2	59.0	62.7	59.1	62.8	66.0	66.8	7.7	YES	70.5	62.3	64.0	4.9		67.7	72.3	72.5	13.4	YES	76.2	60.3	62.8	3.7		66.5	60.0	62.6	3.5		66.3
A008	B	3	59.2	62.9	59.3	63.0	65.5	66.4	7.1	YES	70.1	61.7	63.7	4.4		67.4	72.7	72.9	13.6	YES	76.6	60.6	63.0	3.7		66.7	61.4	63.5	4.2		67.2
A009	A	1	56.4	60.1	56.5	60.2	63.1	64.0	7.5	YES	67.7	62.2	63.2	6.8	YES	66.9	62.9	63.8	7.3	YES	67.5	57.0	59.8	3.3		63.5	50.3	57.4	0.9		61.1
A009	A	2	56.4	60.1	56.5	60.2	62.4	63.4	6.9	YES	67.1	61.3	62.5	6.1	YES	66.2	63.1	64.0	7.5	YES	67.7	57.1	59.8	3.3		63.5	52.9	58.0	1.6		61.7
A009	A	3	56.9	60.6	57.0	60.7	65.3	65.9	8.9	YES	69.6	61.3	62.7	5.7	YES	66.4	66.4	66.9	9.9	YES	70.6	58.6	60.9	3.9		64.6	56.2	59.6	2.6		63.3
A009	B	1	67.3	71.0	67.4	71.1	61.1	68.3	0.9		72.0	61.0	68.3	0.9		72.0	61.7	68.4	1.0		72.1	58.2	67.9	0.5		71.6	56.6	67.7	0.3		71.4
A009	B	2	67.9	71.6	68.0	71.7	62.0	69.0	1.0		72.7	60.7	68.7	0.7		72.4	61.4	68.9	0.9		72.6	58.5	68.5	0.5		72.2	57.3	68.4	0.4		72.1
A009	B	3	67.9	71.6	68.0	71.7	62.2	69.0	1.0		72.7	60.4	68.7	0.7		72.4	62.3	69.0	1.0		72.7	60.0	68.6	0.6		72.3	59.1	68.5	0.5		72.2
A009	C	1	60.8	64.5	60.9	64.6	61.3	64.1	3.2		67.8	60.0	63.5	2.6		67.2	61.1	64.0	3.1		67.7	58.3	62.8	1.9		66.5	52.5	61.5	0.6		65.2
A009	C	2	62.7	66.4	62.8	66.5	61.1	65.0	2.2		68.7	59.5	64.5	1.7		68.2	61.2	65.1	2.3		68.8	58.4	64.1	1.3		67.8	54.3	63.4	0.6		67.1
A009	C	3	63.5	67.2	63.6	67.3	62.0	65.9	2.3		69.6	60.3	65.3	1.7		69.0	63.2	66.4	2.8		70.1	57.0	64.5	0.9		68.2	54.9	64.1	0.5		67.8
A010	A	1	58.5	62.2	58.6	62.3	62.9	64.3	5.7	YES	68.0	61.5	63.3	4.7		67.0	70.0	70.3	11.7	YES	74.0	57.0	60.9	2.3		64.6	61.1	63.0	4.4		66.7
A010	A	2	59.8	63.5	60.0	63.7	66.1	67.1	7.1	YES	70.8	64.5	65.8	5.8	YES	69.5	71.4	71.7	11.7	YES	75.4	59.9	63.0	3.0		66.7	63.4	65.0	5.0	YES	68.7
A010	A	3	61.1	64.8	61.3	65.0	68.1	68.9	7.6	YES	72.6	64.8	66.4	5.1	YES	70.1	72.3	72.6	11.3	YES	76.3	60.3	63.8	2.5		67.5	64.6	66.3	5.0	YES	70.0
A010	B	1	56.4	60.1	56.6	60.3	49.3	57.3	0.7		61.0	45.3	56.9	0.3		60.6	65.1	65.7	9.1	YES	69.4	51.4	57.7	1.2		61.4	52.1	57.9	1.3		61.6
A010	B	2	57.5	61.2	57.6	61.3	49.9	58.3	0.7		62.0	46.5	57.9	0.3		61.6	71.3	71.5	13.9	YES	75.2	55.8	59.8	2.2		63.5	54.2	59.2	1.6		62.9
A010	B	3	60.1	63.8	60.3	64.0	56.3	61.8	1.5		65.5	50.6	60.7	0.4		64.4	75.6	75.7	15.4	YES	79.4	59.7	63.0	2.7		66.7	61.2	63.8	3.5		67.5
A011	A	1	58.8	62.5	59.0	62.7	64.9	65.9	6.9	YES	69.6	61.5	63.4	4.4		67.1	66.3	67.0	8.0	YES	70.7	60.3	62.7	3.7		66.4	60.1	62.6	3.6		66.3
A011	A	2	59.9	63.6	60.0	63.7	68.2	68.8	8.8	YES	72.5	64.6	65.9	5.9	YES	69.6	69.3	69.8	9.8	YES	73.5	59.9	63.0	3.0		66.7	62.7	64.6	4.6		68.3
A011	A	3	60.9	64.6	61.1	64.8	68.8	69.5	8.4	YES	73.2	64.8	66.3	5.2	YES	70.0	70.4	70.9	9.8	YES	74.6	60.5	63.8	2.7		67.5	64.1	65.9	4.8	YES	69.6
A011	B	1	56.4	60.1	56.5	60.2	49.1	57.2	0.7		60.9	45.5	56.8	0.3		60.5	67.4	67.7	11.3	YES	71.4	55.3	58.9	2.5		62.6	53.1	58.1	1.6		61.8
A011	B	2	58.0	61.7	58.1	61.8	50.1	58.7	0.6		62.4	46.4	58.4	0.3		62.1	71.5	71.7	13.6	YES	75.4	55.4	60.0	1.9		63.7	54.9	59.8	1.7		63.5
A011	B	3	60.0	63.7	60.1	63.8	58.2	62.3	2.2		66.0	51.3	60.6	0.5		64.3	74.0	74.2	14.1	YES	77.9	58.7	62.5	2.4		66.2	60.8	63.5	3.4		67.2
A012	A	1	56.4	60.1	56.5	60.2	47.1	56.9	0.5		60.6	44.8	56.8	0.3		60.5	68.2	68.5	12.0	YES	72.2	56.3	59.4	2.9		63.1	53.9	58.4	1.9		62.1
A012	A	2	57.6	61.3	57.8	61.5	49.3	58.4	0.6		62.1	46.8	58.1	0.3		61.8	71.5	71.7	13.9	YES	75.4	57.2	60.5	2.7		64.2	53.7	59.2	1.4		62.9
A012	A	3	60.1	63.8	60.2	63.9	58.8	62.6	2.4		66.3	52.7	60.9	0.7		64.6	71.9	72.2	12.0	YES	75.9	57.5	62.1	1.9		65.8	63.0	64.8	4.6		68.5
A012	B	1	56.4	60.1	56.6	60.3	61.8	62.9	6.4	YES	66.6	62.3	63.3	6.8	YES	67.0	64.9	65.5	8.9	YES	69.2	59.4	61.2	4.7		64.9	57.4	60.0	3.4		63.7
A012	B	2	56.4	60.1	56.5	60.2	63.6	64.4	7.9	YES	68.1	62.5	63.5	7.0	YES	67.2	66.5	66.9	10.4	YES	70.6	59.0	60.9	4.5		64.6	59.6	61.3	4.9		65.0
A012	B	3	59.6	63.3	59.7	63.4	65.1	66.2	6.5	YES	69.9	63.1	64.7	5.0	YES	68.4	69.8	70.2	10.5	YES	73.9	59.6	62.7	3.0		66.4	63.2	64.8	5.1	YES	68.5
A012	C	1	58.7	62.4	58.9	62.6	66.4	67.1	8.2	YES	70.8	62.5	64.1	5.2	YES	67.8	68.3	68.8	9.9	YES	72.5	55.4	60.5	1.6		64.2	60.7	62.9	4.0		66.6
A012	C	2	59.8	63.5	59.9	63.6	68.1	68.7	8.8	YES	72.4	64.5	65.8	5.9	YES	69.5	67.0	67.8	7.9	YES	71.5	59.9	62.9	3.0		66.6	62.5	64.4	4.5		68.1
A012	C	3	61.3	65.0	61.4	65.1	68.5	69.3	7.9	YES	73.0	64.6	66.3	4.9	YES	70.0	69.9	70.5	9.1	YES	74.2	60.7	64.1	2.7		67.8	63.4	65.5	4.1	YES	69.2
A013	A	1	56.4	60.1	56.5	60.2	67.3	67.6	11.2	YES	71.3	68.0	68.3	11.8	YES	72.0	68.0	68.3	11.8	YES	72.0	61.5	62.7	6.2	YES	66.4	51.8	57.7	1.3		61.4
A013	A	2	56.4	60.1	56.6	60.3	69.9	70.1	13.5	YES	73.8	66.0	66.5	9.9	YES	70.2	66.3	66.7	10.2	YES	70.4	60.4	61.9	5.3	YES	65.6	58.1	60.4	3.8		64.1
A013	A	3	58.1	61.8	58.2	61.9	71.3	71.5	13.3	YES	75.2	66.5	67.1	8.9	YES	70.8	67.6	68.1	9.9	YES	71.8	60.9	62.8	4.6		66.5	66.5	67.1	8.9	YES	70.8
A013	B	1	59.6	63.3	59.7	63.4	62.0	64.0	4.3		67.7	60.7	63.2	3.5		66.9	70.9	71.2	11.5	YES	74.9	59.3	62.5	2.8		66.2	56.9	61.5	1.8		65.2
A013	B	2	60.7	64.4	60.9	64.6	56.0	62.1	1.2		65.8	55.4	62.0	1.1		65.7	71.5	71.9	11.0	YES	75.6	57.6	62.6	1.7		66.3	57.4	62.5	1.6		66.2
A013	B	3	60.8	64.5	61.0	64.7	57.9	62.7	1.7		66.4	55.8	62.1	1.1		65.8	72.1	72.4	11.4	YES	76.1	58.8	63.0	2.0		66.7	61.7	64.4	3.4		68.1
A014	A	1	56.4	60.1	56.6	60.3	69.4	69.6	13.1	YES	73.3	67.2	67.6	11.0	YES	71.3	67.7	68.0	11.5	YES	71.7	61.4	62.6	6.1	YES	66.3	59.1	61.0	4.5		64.7
A014	A	2	56.4	60.1	56.5	60.2	70.2	70.4	13.9	YES	74.1	66.3	66.7	10.3	YES	70.4	68.2	68.5	12.0	YES	72.2	60.6	62.0	5.6	YES	65.7	63.6	64.4	7.9	YES	68.1
A014	A	3	57.8	61.5	58.0	61.7	71.2	71.4	13.4	YES	75.1	66.6	67.2	9.2	YES	70.9	67.7	68.1	10.1	YES	71.8	61.1	62.8	4.8		66.5	68.6	69.0	11.0	YES	72.7
A014	B	1	59.5	63.2	59.6	63.3	61.7	63.8	4.2		67.5	60.2	62.9	3.3		66.6	68.1	68.7	9.1	YES	72.4	59.2	62.4	2.8		66.1	57.1	61.5	1.9		65.2
A014	B	2	60.4	64.1	60.5	64.2	56.1	61.8	1.3		65.5	55.3	61.6	1.1		65.3	70.1	70.6	10.1	YES	74.3	57.3	62.2	1.7		65.9	57.6	62.3	1.8		66.0
A014	B	3	60.7	64.4	60.8	64.5	57.2	62.4	1.6		66.1	55.5	61.9	1.1		65.6	71.0	71.4	10.6	YES	75.1	57.9	62.6	1.8		66.3	60.2	63.5	2.7		67.2
A015	A	1	56.4	60.1	56.5	60.2	69.5	69.7	13.2	YES	73.4	67.4	67.7	11.3	YES	71.4	67.7	68.0	11.5	YES	71.7	61.4	62.6	6.1	YES	66.3	61.0	62.3	5.8	YES	66.0
A015	A	2	56.4	60.1	56.5	60.2	70.3	70.5	14.0	YES	74.2	66.5	66.9	10.4	YES	70.6	66.6	67.0	10.5	YES	70.7	60.6	62.0	5.6	YES	65.7	63.0	63.9	7.4	YES	67.6
A015	A	3	57.7	61.4	57.9	61.6	71.0	71.2	13.3	YES	74.9	66.8	67.3	9.4	YES	71.0	67.1	67.6	9.7	YES	71.3	61.0	62.7	4.8		66.4	68.0	68.4	10.5	YES	72.1
A015	B	1	59.7	63.4	59.9	63.6	61.7	63.9	4.0		67.6	61.6	63.8	3.9		67.5	67.0	67.8	7.9	YES	71.5	56.7	61.6	1.7		65.3	56.5	61.5	1.6		65.2
A015	B	2	60.5	64.2	60.6	64.3	55.7	61.8	1.2		65.5	55.2	61.7	1.1		65.4	69.2	69.8	9.2	YES	73.5	57.3	62.3	1.7		66.0	57.0	62.2	1.6		65.9
A015	B	3	61.0	64.7	61.1	64.8	57.7	62.7	1.6		66.4	56.0	62.3	1.2		66.0	69.1	69.7	8.6	YES	73.4	57.9	62.8	1.7		66.5	59.3	63.3	2.2		67.0
A015	C	1	56.4	60.1	56.5	60.2	68.5	68.8	12.3	YES	72.5	67.3	67.6	11.2	YES	71.3	67.2	67.6	11.1	YES	71.3	59.4	61.2	4.7		64.9	49.8	57.3	0.8		61.0
A015	C	2	56.4	60.1	56.5	60.2	67.6	67.9	11.5	YES	71.6	66.2	66.6	10.2	YES	70.3	66.1	66.5	10.1	YES	70.2	58.4	60.6	4.1		64.3	51.9	57.8	1.3		61.5
A015	C	3	56.4	60.1	56.6	60.3	67.7	68.0	11.5	YES	71.7	66.2	66.6	10.1	YES	70.3	66.4	66.8	10.3	YES	70.5	59.4	61.2	4.7		64.9	56.8	59.7	3.1		63.4
A016	A	1	59.1	63.0	59.3	63.2	58.3	61.8	2.5		65.7	52.7	60.2	0.9		64.1	51.2	59.9	0.6		63.8	45.5	59.5	0.2		63.4	46.8	59.5	0.2		63.4
A016	A	2	61.5	65.4	61.7	65.6	60.4	64.1	2.4		68.0	53.9	62.4	0.7		66.3	50.4	62.0	0.3		65.9	46.0	61.8	0.1		65.7	47.1	61.8	0.1		65.7
A016	A	3	63.3	67.2	63.5	67.4	63.0	66.3	2.8		70.2	56.2	64.2	0.7		68.1	52.0	63.8	0.3		67.7	46.6	63.6	0.1		67.5	47.4	63.6	0.1		67.5
A016	B	1	66.9	70.8	67.0	70.9	73.6	74.5	7.5	YES	78.4	67.0	70.0	3.0	YES	73.9	68.8	71.0	4.0	YES	74.9	58.2	67.5	0.5		71.4	60.8	67.9	0.9		71.8
A016	B	2	68.4	72.3	68.6	72.5	74.3	75.3	6.7	YES	79.2	67.7	71.2	2.6		75.1	68.6	71.6	3.0	YES	75.5	58.0	69.0	0.4		72.9	60.2	69.2	0.6		73.1
A016	B	3	69.3	73.2	69.4	73.3	75.5	76.5	7.1	YES	80.4	68.8	72.1	2.7		76.0	68.8	72.1	2.7		76.0	58.0	69.7	0.3		73.6	60.1	69.9	0.5		73.8

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total
A016	C	1	72.0	75.9	72.2	76.1	76.0	77.5	5.3	YES	81.4	72.6	75.4	3.2	YES	79.3	73.2	75.7	3.5	YES	79.6	66.2	73.2	1.0		77.1	61.7	72.6	0.4		76.5
A016	C	2	72.7	76.6	72.8	76.7	76.9	78.3	5.5	YES	82.2	73.0	75.9	3.1	YES	79.8	73.2	76.0	3.2	YES	79.9	65.9	73.6	0.8		77.5	61.2	73.1	0.3		77.0
A016	C	3	72.8	76.7	73.0	76.9	77.8	79.0	6.0	YES	82.9	73.7	76.4	3.4	YES	80.3	73.6	76.3	3.3	YES	80.2	66.0	73.8	0.8		77.7	61.1	73.3	0.3		77.2
A017	A	1	56.4	60.3	56.6	60.5	51.5	57.7	1.2		61.6	48.6	57.2	0.6		61.1	49.1	57.3	0.7		61.2	45.4	56.9	0.3		60.8	44.8	56.8	0.3		60.7
A017	A	2	57.1	61.0	57.3	61.2	51.8	58.4	1.1		62.3	48.6	57.8	0.5		61.7	49.2	57.9	0.6		61.8	45.2	57.6	0.3		61.5	44.9	57.5	0.2		61.4
A017	A	3	60.3	64.2	60.5	64.4	53.0	61.2	0.7		65.1	49.7	60.8	0.3		64.7	50.1	60.9	0.4		64.8	45.7	60.6	0.1		64.5	45.0	60.6	0.1		64.5
A017	B	1	72.3	76.2	72.4	76.3	76.5	77.9	5.5	YES	81.8	73.3	75.9	3.5	YES	79.8	73.8	76.2	3.8	YES	80.1	70.0	74.4	2.0		78.3	63.2	72.9	0.5		76.8
A017	B	2	72.9	76.8	73.0	76.9	76.5	78.1	5.1	YES	82.0	73.3	76.2	3.2	YES	80.1	73.8	76.4	3.4	YES	80.3	69.9	74.7	1.7		78.6	62.4	73.4	0.4		77.3
A017	B	3	72.9	76.8	73.1	77.0	76.8	78.3	5.2	YES	82.2	73.7	76.4	3.3	YES	80.3	74.1	76.6	3.5	YES	80.5	70.0	74.8	1.7		78.7	62.1	73.4	0.3		77.3
A018	A	1	72.1	76.0	72.3	76.2	76.4	77.8	5.5	YES	81.7	72.9	75.6	3.3	YES	79.5	73.3	75.8	3.5	YES	79.7	70.4	74.5	2.2		78.4	65.8	73.2	0.9		77.1
A018	A	2	72.8	76.7	72.9	76.8	76.3	77.9	5.0	YES	81.8	72.8	75.9	3.0		79.8	73.2	76.1	3.2	YES	80.0	70.4	74.8	1.9		78.7	65.3	73.6	0.7		77.5
A018	A	3	72.8	76.7	73.0	76.9	76.6	78.2	5.2	YES	82.1	73.1	76.1	3.1	YES	80.0	73.4	76.2	3.2	YES	80.1	70.6	75.0	2.0		78.9	64.9	73.6	0.6		77.5
A018	B	1	64.3	68.2	64.5	68.4	73.0	73.6	9.1	YES	77.5	69.0	70.3	5.8	YES	74.2	69.1	70.4	5.9	YES	74.3	66.1	68.4	3.9	YES	72.3	62.1	66.5	2.0		70.4
A018	B	2	66.3	70.2	66.4	70.3	71.7	72.8	6.4	YES	76.7	69.2	71.0	4.6	YES	74.9	69.3	71.1	4.7	YES	75.0	66.6	69.5	3.1	YES	73.4	61.5	67.6	1.2		71.5
A018	B	3	67.1	71.0	67.3	71.2	71.8	73.1	5.8	YES	77.0	69.7	71.7	4.4	YES	75.6	69.7	71.7	4.4	YES	75.6	67.4	70.4	3.1	YES	74.3	61.0	68.2	0.9		72.1
A019	A	1	71.6	75.5	71.7	75.6	76.1	77.4	5.7	YES	81.3	72.6	75.2	3.5	YES	79.1	73.6	75.8	4.1	YES	79.7	70.0	73.9	2.2		77.8	64.5	72.5	0.8		76.4
A019	A	2	72.4	76.3	72.5	76.4	75.9	77.5	5.0	YES	81.4	72.5	75.5	3.0	YES	79.4	73.4	76.0	3.5	YES	79.9	69.9	74.4	1.9		78.3	63.9	73.1	0.6		77.0
A019	A	3	72.5	76.4	72.7	76.6	76.1	77.7	5.0	YES	81.6	72.7	75.7	3.0	YES	79.6	73.5	76.1	3.4	YES	80.0	70.1	74.6	1.9		78.5	63.6	73.2	0.5		77.1
A019	B	1	56.4	60.3	56.6	60.5	51.0	57.6	1.1		61.5	48.9	57.3	0.7		61.2	50.9	57.6	1.0		61.5	45.8	56.9	0.3		60.8	43.1	56.8	0.2		60.7
A019	B	2	60.1	64.0	60.3	64.2	50.6	60.7	0.4		64.6	48.4	60.6	0.3		64.5	49.0	60.6	0.3		64.5	45.6	60.4	0.1		64.3	43.2	60.4	0.1		64.3
A019	B	3	62.7	66.6	62.8	66.7	52.5	63.2	0.4		67.1	50.3	63.0	0.2		66.9	51.4	63.1	0.3		67.0	47.8	62.9	0.1		66.8	43.5	62.9	0.1		66.8
A020	A	1	72.0	75.9	72.2	76.1	75.0	76.8	4.6	YES	80.7	72.7	75.5	3.3	YES	79.4	73.5	75.9	3.7	YES	79.8	67.0	73.3	1.1		77.2	64.7	72.9	0.7		76.8
A020	A	2	72.7	76.6	72.9	76.8	74.8	77.0	4.1	YES	80.9	72.6	75.8	2.9		79.7	73.4	76.2	3.3	YES	80.1	67.0	73.9	1.0		77.8	64.3	73.5	0.6		77.4
A020	A	3	72.8	76.7	73.0	76.9	74.9	77.1	4.1	YES	81.0	72.8	75.9	2.9		79.8	73.5	76.3	3.3	YES	80.2	67.5	74.1	1.1		78.0	64.0	73.5	0.5		77.4
A020	B	1	56.4	60.3	56.5	60.4	56.3	59.4	2.9		63.3	53.0	58.1	1.6		62.0	53.2	58.1	1.7		62.0	44.4	56.7	0.3		60.6	43.1	56.7	0.2		60.6
A020	B	2	56.4	60.3	56.5	60.4	68.5	68.8	12.3	YES	72.7	67.9	68.2	11.7	YES	72.1	68.5	68.8	12.3	YES	72.7	53.1	58.1	1.6		62.0	43.9	56.7	0.2		60.6
A020	B	3	60.3	64.2	60.5	64.4	70.3	70.7	10.2	YES	74.6	68.2	68.9	8.4	YES	72.8	68.8	69.4	8.9	YES	73.3	47.0	60.7	0.2		64.6	43.6	60.6	0.1		64.5
A020	C	1	56.4	60.3	56.5	60.4	49.7	57.3	0.8		61.2	47.7	57.0	0.5		60.9	48.3	57.1	0.6		61.0	44.4	56.7	0.3		60.6	42.2	56.6	0.2		60.5
A020	C	2	59.4	63.3	59.6	63.5	50.0	60.1	0.5		64.0	47.7	59.9	0.3		63.8	48.3	59.9	0.3		63.8	44.1	59.7	0.1		63.6	42.3	59.7	0.1		63.6
A020	C	3	62.3	66.2	62.4	66.3	51.9	62.8	0.4		66.7	49.4	62.6	0.2		66.5	50.4	62.7	0.3		66.6	46.1	62.5	0.1		66.4	42.7	62.4	0.0		66.3
A020	D	1	62.8	66.7	63.0	66.9	69.7	70.5	7.5	YES	74.4	68.5	69.6	6.6	YES	73.5	69.9	70.7	7.7	YES	74.6	66.0	67.8	4.8	YES	71.7	63.1	66.1	3.1	YES	70.0
A020	D	2	64.9	68.8	65.1	69.0	70.6	71.7	6.6	YES	75.6	68.9	70.4	5.3	YES	74.3	70.1	71.3	6.2	YES	75.2	66.3	68.8	3.7	YES	72.7	62.7	67.1	2.0		71.0
A020	D	3	66.5	70.4	66.7	70.6	73.3	74.2	7.5	YES	78.1	69.6	71.4	4.7	YES	75.3	70.5	72.0	5.3	YES	75.9	66.7	69.7	3.0	YES	73.6	62.3	68.0	1.3		71.9
A021	A	1	75.2	79.1	75.4	79.3	74.8	78.1	2.7		82.0	73.6	77.6	2.2		81.5	73.9	77.7	2.3		81.6	66.5	75.9	0.5		79.8	65.3	75.8	0.4		79.7
A021	A	2	75.0	78.9	75.2	79.1	75.4	78.3	3.1	YES	82.2	74.5	77.9	2.7		81.8	74.7	78.0	2.8		81.9	66.5	75.7	0.5		79.6	64.6	75.6	0.4		79.5
A021	A	3	74.6	78.5	74.7	78.6	77.3	79.2	4.5	YES	83.1	76.6	78.8	4.1	YES	82.7	76.8	78.9	4.2	YES	82.8	66.5	75.3	0.6		79.2	64.4	75.1	0.4		79.0
A021	A	4	74.3	78.2	74.4	78.3	76.4	78.5	4.1	YES	82.4	77.4	79.2	4.8	YES	83.1	75.9	78.2	3.8	YES	82.1	66.4	75.0	0.6		78.9	64.8	74.9	0.5		78.8
A021	B	1	59.7	63.6	59.9	63.8	51.1	60.4	0.5		64.3	49.9	60.3	0.4		64.2	51.0	60.4	0.5		64.3	45.7	60.1	0.2		64.0	46.1	60.1	0.2		64.0
A021	B	2	61.6	65.5	61.8	65.7	51.5	62.2	0.4		66.1	50.2	62.1	0.3		66.0	51.7	62.2	0.4		66.1	47.1	61.9	0.1		65.8	47.6	62.0	0.2		65.9
A021	B	3	63.0	66.9	63.1	67.0	65.3	67.3	4.2	YES	71.2	63.3	66.2	3.1	YES	70.1	63.5	66.3	3.2	YES	70.2	60.3	64.9	1.8		68.8	56.7	64.0	0.9		67.9
A021	B	4	66.5	70.4	66.6	70.5	72.0	73.1	6.5	YES	77.0	69.5	71.3	4.7	YES	75.2	70.1	71.7	5.1	YES	75.6	65.2	69.0	2.4		72.9	66.2	69.4	2.8		73.3
A022	A	1	75.7	79.6	75.8	79.7	74.2	78.1	2.3		82.0	72.5	77.5	1.7		81.4	72.5	77.5	1.7		81.4	67.2	76.4	0.6		80.3	64.3	76.1	0.3		80.0
A022	A	2	75.7	79.6	75.8	79.7	74.5	78.2	2.4		82.1	73.1	77.7	1.9		81.6	73.1	77.7	1.9		81.6	67.4	76.4	0.6		80.3	63.9	76.1	0.3		80.0
A022	A	3	75.3	79.2	75.5	79.4	75.3	78.4	2.9		82.3	74.4	78.0	2.5		81.9	74.3	78.0	2.5		81.9	67.4	76.1	0.6		80.0	65.5	75.9	0.4		79.8
A022	B	1	74.4	78.3	74.6	78.5	68.9	75.6	1.0		79.5	67.8	75.4	0.8		79.3	67.9	75.4	0.8		79.3	66.1	75.2	0.6		79.1	60.8	74.8	0.2		78.7
A022	B	2	74.9	78.8	75.0	78.9	69.7	76.1	1.1		80.0	68.8	75.9	0.9		79.8	69.1	76.0	1.0		79.9	67.2	75.7	0.7		79.6	61.4	75.2	0.2		79.1
A022	B	3	74.7	78.6	74.8	78.7	69.9	76.0	1.2		79.9	69.0	75.8	1.0		79.7	69.3	75.9	1.1		79.8	67.3	75.5	0.7		79.4	64.1	75.2	0.4		79.1
A023	A	1	76.4	80.3	76.5	80.4	71.7	77.7	1.2		81.6	68.7	77.2	0.7		81.1	68.8	77.2	0.7		81.1	63.6	76.7	0.2		80.6	58.7	76.6	0.1		80.5
A023	A	2	76.5	80.4	76.6	80.5	71.6	77.8	1.2		81.7	69.0	77.3	0.7		81.2	69.2	77.3	0.7		81.2	63.5	76.8	0.2		80.7	60.1	76.7	0.1		80.6
A023	A	3	76.3	80.2	76.4	80.3	72.1	77.8	1.4		81.7	69.9	77.3	0.9		81.2	70.2	77.3	0.9		81.2	63.6	76.6	0.2		80.5	62.7	76.6	0.2		80.5
A023	B	1	56.4	60.3	56.6	60.5	51.2	57.7	1.1		61.6	49.5	57.3	0.8		61.2	50.7	57.6	1.0		61.5	47.4	57.1	0.5		61.0	47.7	57.1	0.5		61.0
A023	B	2	57.8	61.7	57.9	61.8	53.2	59.2	1.3		63.1	51.8	58.9	1.0		62.8	52.6	59.0	1.1		62.9	47.4	58.3	0.4		62.2	50.3	58.6	0.7		62.5
A023	B	3	60.1	64.0	60.3	64.2	51.6	60.8	0.5		64.7	50.3	60.7	0.4		64.6	51.6	60.8	0.5		64.7	48.3	60.6	0.3		64.5	54.3	61.3	1.0		65.2
A024	A	1	76.3	80.2	76.4	80.3	70.9	77.5	1.1		81.4	67.3	76.9	0.5		80.8	67.4	76.9	0.5		80.8	62.9	76.6	0.2		80.5	60.8	76.5	0.1		80.4
A024	A	2	76.3	80.2	76.5	80.4	70.6	77.5	1.0		81.4	67.3	77.0	0.5		80.9	67.5	77.0	0.5		80.9	62.5	76.7	0.2		80.6	62.1	76.7	0.2		80.6
A024	A	3	76.1	80.0	76.3	80.2	71.0	77.4	1.1		81.3	68.1	76.9	0.6		80.8	68.5	77.0	0.7		80.9	62.6	76.5	0.2		80.4	64.0	76.5	0.2		80.4
A024	B	1	56.4	60.3	56.5	60.4	48.9	57.2	0.7		61.1	48.3	57.1	0.6		61.0	50.4	57.4	1.0		61.3	46.8	56.9	0.4		60.8	46.8	56.9	0.4		60.8
A024	B	2	57.9	61.8	58.1	62.0	48.9	58.6	0.5		62.5	48.2	58.5	0.4		62.4	52.3	59.1	1.0		63.0	47.3	58.4	0.3		62.3	47.2	58.4	0.3		62.3
A024	B	3	59.9	63.8	60.1	64.0	49.3	60.4	0.3		64.3	48.7	60.4	0.3		64.3	54.4	61.1	1.0		65.0	45.4	60.2	0.1		64.1	45.7	60.3	0.2		64.2
A025	A	1	76.2	80.1	76.3	80.2	66.2	76.7	0.4		80.6	65.7	76.7	0.4		80.6	66.0	76.7	0.4		80.6	62.1	76.5	0.2		80.4	58.4	76.4	0.1		80.3
A025	A	2	76.3	80.2	76.4	80.3	69.1	77.1	0.7		81.0	65.7	76.8	0.4		80.7	66.3	76.8	0.4		80.7	61.6	76.5	0.1		80.4	58.9	76.5	0.1		80.4
A025	A	3	75.9	79.8	76.1	80.0	69.6	77.0	0.9		80.9	66.4	76.5	0.4		80.4	67.6	76.7	0.6		80.6	61.4	76.2	0.1		80.1	60.2	76.2	0.1		80.1
A025	B	1	56.4	60.3	56.5	60.4	48.6	57.1	0.7		61.0	47.2	57.0	0.5		60.9	50.1	57.4	0.9		61.3	45.3	56.8	0.3		60.7	48.1	57.1	0.6		61.0
A025	B	2	56.4	60.3	56.5	60.4	48.7	57.1	0.7		61.0	47.3	57.0	0.5		60.9	51.1	57.6	1.1		61.5	45.7	56.8	0.3		60.7	50.0	57.4	0.9		61.3
A025	B	3	58.8	62.7	58.9	62.8	48.7	59.3	0.4		63.2	47.1	59.2	0.3		63.1	54.0	60.1	1.2		64.0	47.1	59.2	0.3		63.1	54.4	60.2	1.3		64.1
A026	A	1	68.9	72.8	69.0	72.9	65.9	70.7	1.7		74.6	59.0	69.4	0.4		73.3	64.5	70.3	1.3		74.2	52.7	69.1	0.1		73.0	53.1	69.1	0.1		73.0
A026	A	2	70.3	74.2	70.4	74.3	65.5	71.6	1.2		75.5	58.5	70.7	0.3		74.6	64.6	71.4	1.0		75.3	53.1	70.5	0.1		74.4	55.3	70.5	0.1		74.4
A026	A	3	70.6	74.5	70.8	74.7	67.4	72.4	1.6		76.3	62.9	71.5	0.7		75.4	66.6	72.2	1.4		76.1	58.6	71.1	0.3		75.0	58.9	71.1	0.3		75.0
A026	A	4	70.8	74.7	71.0	74.9	67.3	72.5	1.5		76.4	63.2	71.7	0.7		75.6	67.9	72.7	1.7		76.6	59.1	71.3	0.3		75.2	61.7	71.5	0.5		75.4

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10
							Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total
A026	B	1	74.8	78.7	74.9	78.8	65.0	75.3	0.4		79.2	64.7	75.3	0.4		79.2	65.6	75.4	0.5		79.3	62.2	75.1	0.2		79.0	61.0	75.1	0.2		79.0
A026	B	2	75.0	78.9	75.2	79.1	68.0	76.0	0.8		79.9	64.7	75.6	0.4		79.5	66.5	75.7	0.5		79.6	61.7	75.4	0.2		79.3	61.7	75.4	0.2		79.3
A026	B	3	74.9	78.8	75.1	79.0	68.1	75.9	0.8		79.8	65.1	75.5	0.4		79.4	67.6	75.8	0.7		79.7	61.3	75.3	0.2		79.2	61.9	75.3	0.2		79.2
A026	B	4	74.7	78.6	74.8	78.7	67.8	75.6	0.8		79.5	64.8	75.2	0.4		79.1	68.7	75.8	1.0		79.7	61.2	75.0	0.2		78.9	62.9	75.1	0.3		79.0
A027	A	1	75.0	78.9	75.1	79.0	67.3	75.8	0.7		79.7	64.8	75.5	0.4		79.4	65.2	75.5	0.4		79.4	61.6	75.3	0.2		79.2	59.8	75.2	0.1		79.1
A027	A	2	75.0	78.9	75.2	79.1	67.5	75.9	0.7		79.8	64.1	75.5	0.3		79.4	65.4	75.6	0.4		79.5	61.4	75.4	0.2		79.3	60.8	75.4	0.2		79.3
A027	A	3	74.9	78.8	75.1	79.0	67.7	75.8	0.7		79.7	64.4	75.5	0.4		79.4	66.7	75.7	0.6		79.6	61.0	75.3	0.2		79.2	62.0	75.3	0.2		79.2
A027	A	4	74.6	78.5	74.7	78.6	67.4	75.4	0.7		79.3	64.1	75.1	0.4		79.0	68.2	75.6	0.9		79.5	60.9	74.9	0.2		78.8	63.3	75.0	0.3		78.9
A027	B	1	56.4	60.3	56.5	60.4	45.7	56.8	0.3		60.7	43.4	56.7	0.2		60.6	51.8	57.7	1.3		61.6	45.1	56.8	0.3		60.7	46.0	56.8	0.4		60.7
A027	B	2	56.4	60.3	56.6	60.5	45.8	56.9	0.3		60.8	43.5	56.8	0.2		60.7	52.5	58.0	1.4		61.9	45.5	56.9	0.3		60.8	46.7	57.0	0.4		60.9
A027	B	3	56.9	60.8	57.1	61.0	47.3	57.5	0.4		61.4	44.7	57.3	0.2		61.2	53.1	58.6	1.5		62.5	45.9	57.4	0.3		61.3	48.5	57.7	0.6		61.6
A027	B	4	62.8	66.7	63.0	66.9	56.9	64.0	1.0		67.9	52.3	63.4	0.4		67.3	57.5	64.1	1.1		68.0	50.2	63.2	0.2		67.1	57.0	64.0	1.0		67.9
A028	A	1	78.3	82.2	78.4	82.3	64.9	78.6	0.2		82.5	62.1	78.5	0.1		82.4	64.7	78.6	0.2		82.5	60.0	78.5	0.1		82.4	58.6	78.4	0.0		82.3
A028	A	2	77.6	81.5	77.8	81.7	64.9	78.0	0.2		81.9	61.9	77.9	0.1		81.8	65.3	78.0	0.2		81.9	60.1	77.9	0.1		81.8	59.3	77.9	0.1		81.8
A028	A	3	77.0	80.9	77.2	81.1	65.0	77.5	0.3		81.4	61.8	77.3	0.1		81.2	65.7	77.5	0.3		81.4	60.2	77.3	0.1		81.2	59.8	77.3	0.1		81.2
A028	A	4	76.5	80.4	76.7	80.6	65.0	77.0	0.3		80.9	61.3	76.8	0.1		80.7	66.1	77.1	0.4		81.0	60.8	76.8	0.1		80.7	62.9	76.9	0.2		80.8
A028	B	1	77.7	81.6	77.9	81.8	63.4	78.1	0.2		82.0	58.3	77.9	0.0		81.8	61.9	78.0	0.1		81.9	57.9	77.9	0.0		81.8	59.7	78.0	0.1		81.9
A028	B	2	78.1	82.0	78.3	82.2	63.4	78.4	0.1		82.3	58.4	78.3	0.0		82.2	63.1	78.4	0.1		82.3	58.4	78.3	0.0		82.2	62.4	78.4	0.1		82.3
A028	B	3	77.8	81.7	78.0	81.9	64.2	78.2	0.2		82.1	60.2	78.1	0.1		82.0	64.4	78.2	0.2		82.1	59.3	78.1	0.1		82.0	63.1	78.1	0.1		82.0
A028	B	4	77.4	81.3	77.5	81.4	64.7	77.7	0.2		81.6	60.6	77.6	0.1		81.5	65.4	77.8	0.3		81.7	60.8	77.6	0.1		81.5	63.8	77.7	0.2		81.6
A029	A	1	76.9	80.8	77.1	81.0	64.4	77.3	0.2		81.2	61.5	77.2	0.1		81.1	62.3	77.2	0.1		81.1	59.1	77.2	0.1		81.1	57.3	77.1	0.0		81.0
A029	A	2	76.1	80.0	76.2	80.1	64.3	76.5	0.3		80.4	61.4	76.3	0.1		80.2	62.7	76.4	0.2		80.3	59.5	76.3	0.1		80.2	58.4	76.3	0.1		80.2
A029	A	3	75.6	79.5	75.7	79.6	64.8	76.0	0.3		79.9	61.2	75.9	0.2		79.8	63.8	76.0	0.3		79.9	59.9	75.8	0.1		79.7	58.9	75.8	0.1		79.7
A029	A	4	75.1	79.0	75.3	79.2	64.3	75.6	0.3		79.5	60.8	75.5	0.2		79.4	64.6	75.7	0.4		79.6	59.5	75.4	0.1		79.3	60.0	75.4	0.1		79.3
A029	B	1	65.7	69.6	65.8	69.7	44.5	65.8	0.0		69.7	41.5	65.8	0.0		69.7	47.1	65.9	0.1		69.8	42.7	65.8	0.0		69.7	43.5	65.8	0.0		69.7
A029	B	2	67.1	71.0	67.3	71.2	43.8	67.3	0.0		71.2	41.2	67.3	0.0		71.2	46.6	67.3	0.0		71.2	42.7	67.3	0.0		71.2	44.1	67.3	0.0		71.2
A029	B	3	68.5	72.4	68.6	72.5	44.6	68.6	0.0		72.5	41.9	68.6	0.0		72.5	46.9	68.6	0.0		72.5	43.0	68.6	0.0		72.5	44.2	68.6	0.0		72.5
A029	B	4	69.2	73.1	69.3	73.2	51.4	69.4	0.1		73.3	48.8	69.3	0.0		73.2	53.2	69.4	0.1		73.3	47.3	69.3	0.0		73.2	47.5	69.3	0.0		73.2
A030	A	1	76.4	80.3	76.6	80.5	61.1	76.7	0.1		80.6	59.9	76.7	0.1		80.6	60.3	76.7	0.1		80.6	58.5	76.7	0.1		80.6	57.0	76.6	0.0		80.5
A030	A	2	75.5	79.4	75.7	79.6	61.4	75.9	0.2		79.8	60.1	75.8	0.1		79.7	61.2	75.9	0.2		79.8	59.4	75.8	0.1		79.7	57.8	75.8	0.1		79.7
A030	A	3	74.9	78.8	75.1	79.0	62.5	75.3	0.2		79.2	60.3	75.2	0.1		79.1	63.0	75.4	0.3		79.3	59.7	75.2	0.1		79.1	58.2	75.2	0.1		79.1
A030	A	4	74.5	78.4	74.6	78.5	62.6	74.9	0.3		78.8	60.0	74.7	0.1		78.6	64.3	75.0	0.4		78.9	58.9	74.7	0.1		78.8	58.8	74.7	0.1		78.8
A030	B	1	57.4	61.3	57.5	61.4	43.6	57.7	0.2		61.6	40.8	57.6	0.1		61.5	46.6	57.8	0.3		61.7	42.0	57.6	0.1		61.5	42.4	57.6	0.1		61.5
A030	B	2	58.9	62.8	59.0	62.9	47.6	59.3	0.3		63.2	46.1	59.2	0.2		63.1	48.7	59.4	0.4		63.3	42.2	59.1	0.1		63.0	42.7	59.1	0.1		63.0
A030	B	3	60.5	64.4	60.7	64.6	51.3	61.2	0.5		65.1	51.1	61.2	0.5		65.1	52.1	61.3	0.6		65.2	46.2	60.9	0.2		64.8	42.9	60.8	0.1		64.7
A030	B	4	63.5	67.4	63.6	67.5	49.2	63.8	0.2		67.7	46.4	63.7	0.1		67.6	52.5	63.9	0.3		67.8	46.3	63.7	0.1		67.6	46.3	63.7	0.1		67.6
A031	A	1	76.4	80.3	76.5	80.4	60.1	76.6	0.1		80.5	59.5	76.6	0.1		80.5	59.6	76.6	0.1		80.5	56.7	76.5	0.0		80.4	54.3	76.5	0.0		80.4
A031	A	2	75.7	79.6	75.9	79.8	60.3	76.0	0.1		79.9	59.3	76.0	0.1		79.9	59.6	76.0	0.1		79.9	56.9	76.0	0.1		79.9	55.1	75.9	0.0		79.8
A031	A	3	75.0	78.9	75.2	79.1	60.6	75.3	0.1		79.2	59.1	75.3	0.1		79.2	60.0	75.3	0.1		79.2	57.2	75.3	0.1		79.2	55.9	75.3	0.1		79.2
A031	A	4	74.6	78.5	74.8	78.7	61.5	75.0	0.2		78.9	58.9	74.9	0.1		78.8	62.6	75.1	0.3		79.0	58.0	74.9	0.1		78.8	57.5	74.9	0.1		78.8
A031	B	1	73.6	77.5	73.8	77.7	47.2	73.8	0.0		77.7	46.8	73.8	0.0		77.7	48.9	73.8	0.0		77.7	47.4	73.8	0.0		77.7	47.5	73.8	0.0		77.7
A031	B	2	73.9	77.8	74.1	78.0	48.5	74.1	0.0		78.0	48.2	74.1	0.0		78.0	49.7	74.1	0.0		78.0	48.7	74.1	0.0		78.0	48.7	74.1	0.0		78.0
A031	B	3	73.6	77.5	73.8	77.7	49.3	73.8	0.0		77.7	49.1	73.8	0.0		77.7	50.5	73.8	0.0		77.7	49.5	73.8	0.0		77.7	49.5	73.8	0.0		77.7
A031	B	4	73.3	77.2	73.5	77.4	50.5	73.5	0.0		77.4	49.7	73.5	0.0		77.4	52.8	73.5	0.0		77.4	50.5	73.5	0.0		77.4	50.3	73.5	0.0		77.4
A032	A	1	76.2	80.1	76.4	80.3	71.1	77.5	1.1		81.4	68.2	77.0	0.6		80.9	69.1	77.1	0.7		81.0	63.2	76.6	0.2		80.5	61.0	76.5	0.1		80.4
A032	A	2	75.6	79.5	75.8	79.7	71.3	77.1	1.3		81.0	68.6	76.6	0.8		80.5	69.5	76.7	0.9		80.6	62.7	76.0	0.2		79.9	60.6	75.9	0.1		79.8
A032	A	3	75.0	78.9	75.1	79.0	72.2	76.9	1.8		80.8	69.6	76.2	1.1		80.1	70.6	76.4	1.3		80.3	63.0	75.4	0.3		79.3	60.3	75.2	0.1		79.1
A032	A	4	74.5	78.4	74.6	78.5	71.4	76.3	1.7		80.2	69.0	75.7	1.1		79.6	69.3	75.7	1.1		79.6	63.2	74.9	0.3		78.8	60.2	74.8	0.2		78.7
A032	B	1	73.1	77.0	73.2	77.1	71.1	75.3	2.1		79.2	67.8	74.3	1.1		78.2	69.1	74.6	1.4		78.5	62.6	73.6	0.4		77.5	60.9	73.4	0.2		77.3
A032	B	2	73.6	77.5	73.7	77.6	70.9	75.5	1.8		79.4	67.6	74.7	1.0		78.6	69.0	75.0	1.3		78.9	62.2	74.0	0.3		77.9	60.6	73.9	0.2		77.8
A032	B	3	73.4	77.3	73.6	77.5	71.3	75.6	2.0		79.5	68.3	74.7	1.1		78.6	69.7	75.1	1.5		79.0	62.4	73.9	0.3		77.8	60.3	73.8	0.2		77.7
A032	B	4	73.2	77.1	73.4	77.3	72.1	75.8	2.4		79.7	69.1	74.8	1.4		78.7	70.8	75.3	1.9		79.2	62.5	73.7	0.3		77.6	60.2	73.6	0.2		77.5
A033	A	1	75.9	79.8	76.1	80.0	68.2	76.8	0.7		80.7	66.9	76.6	0.5		80.5	67.9	76.7	0.6		80.6	62.3	76.3	0.2		80.2	60.4	76.2	0.1		80.1
A033	A	2	75.1	79.0	75.3	79.2	70.3	76.5	1.2		80.4	67.1	75.9	0.6		79.8	68.1	76.1	0.8		80.0	61.4	75.5	0.2		79.4	60.0	75.4	0.1		79.3
A033	A	3	74.4	78.3	74.6	78.5	71.1	76.2	1.6		80.1	68.0	75.5	0.9		79.4	69.0	75.7	1.1		79.6	61.4	74.8	0.2		78.7	59.7	74.7	0.1		78.6

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total
A033	A	4	73.8	77.7	74.0	77.9	70.4	75.6	1.6		79.5	67.4	74.9	0.9		78.8	67.7	74.9	0.9		78.8	61.4	74.2	0.2		78.1	59.5	74.2	0.2		78.1
A033	B	1	56.4	60.3	56.6	60.5	49.9	57.4	0.8		61.3	47.7	57.1	0.5		61.0	48.7	57.2	0.7		61.1	43.3	56.8	0.2		60.7	43.6	56.8	0.2		60.7
A033	B	2	56.8	60.7	57.0	60.9	50.2	57.8	0.8		61.7	48.1	57.5	0.5		61.4	48.9	57.6	0.6		61.5	43.4	57.2	0.2		61.1	43.7	57.2	0.2		61.1
A033	B	3	58.8	62.7	59.0	62.9	50.3	59.5	0.5		63.4	48.9	59.4	0.4		63.3	49.3	59.4	0.4		63.3	42.4	59.1	0.1		63.0	42.4	59.1	0.1		63.0
A033	B	4	63.0	66.9	63.2	67.1	63.3	66.3	3.1	YES	70.2	59.2	64.7	1.5		68.6	59.1	64.6	1.4		68.5	55.6	63.9	0.7		67.8	50.0	63.4	0.2		67.3
A034	A	1	76.0	79.9	76.1	80.0	67.6	76.7	0.6		80.6	65.7	76.5	0.4		80.4	66.9	76.6	0.5		80.5	61.2	76.2	0.1		80.1	60.3	76.2	0.1		80.1
A034	A	2	75.1	79.0	75.3	79.2	69.8	76.4	1.1		80.3	66.1	75.8	0.5		79.7	67.2	75.9	0.6		79.8	60.6	75.4	0.1		79.3	59.8	75.4	0.1		79.3
A034	A	3	74.4	78.3	74.5	78.4	70.3	75.9	1.4		79.8	66.7	75.2	0.7		79.1	67.8	75.3	0.8		79.2	60.5	74.7	0.2		78.6	59.4	74.6	0.1		78.5
A034	A	4	73.6	77.5	73.8	77.7	69.8	75.3	1.5		79.2	66.2	74.5	0.7		78.4	66.6	74.6	0.8		78.5	60.5	74.0	0.2		77.9	59.2	73.9	0.1		77.8
A034	B	1	57.4	61.3	57.5	61.4	61.7	63.1	5.6	YES	67.0	58.0	60.8	3.3		64.7	58.6	61.1	3.6		65.0	52.6	58.7	1.2		62.6	55.3	59.5	2.0		63.4
A034	B	2	59.2	63.1	59.4	63.3	62.2	64.0	4.6		67.9	59.3	62.4	3.0		66.3	59.9	62.7	3.3		66.6	56.0	61.0	1.6		64.9	56.2	61.1	1.7		65.0
A034	B	3	61.2	65.1	61.3	65.2	62.3	64.8	3.5		68.7	59.8	63.6	2.3		67.5	62.6	65.0	3.7	YES	68.9	56.3	62.5	1.2		66.4	56.2	62.5	1.2		66.4
A034	B	4	64.4	68.3	64.6	68.5	61.8	66.4	1.8		70.3	55.5	65.1	0.5		69.0	55.7	65.1	0.5		69.0	49.5	64.7	0.1		68.6	42.7	64.6	0.0		68.5
A035	A	1	76.1	80.0	76.3	80.2	70.4	77.3	1.0		81.2	65.6	76.7	0.4		80.6	66.7	76.8	0.5		80.7	61.2	76.4	0.1		80.3	60.8	76.4	0.1		80.3
A035	A	2	75.2	79.1	75.4	79.3	69.8	76.5	1.1		80.4	65.2	75.8	0.4		79.7	66.3	75.9	0.5		79.8	60.1	75.5	0.1		79.4	60.4	75.5	0.1		79.4
A035	A	3	74.5	78.4	74.6	78.5	69.5	75.8	1.2		79.7	65.7	75.1	0.5		79.0	66.8	75.3	0.7		79.2	59.9	74.7	0.1		78.6	60.0	74.7	0.1		78.6
A035	A	4	73.7	77.6	73.9	77.8	69.1	75.1	1.2		79.0	65.2	74.4	0.5		78.3	65.8	74.5	0.6		78.4	59.9	74.1	0.2		78.0	59.8	74.1	0.2		78.0
A035	B	1	72.8	76.7	72.9	76.8	64.1	73.4	0.5		77.3	58.8	73.1	0.2		77.0	58.9	73.1	0.2		77.0	49.8	72.9	0.0		76.8	41.6	72.9	0.0		76.8
A035	B	2	72.8	76.7	73.0	76.9	56.6	73.1	0.1		77.0	56.5	73.1	0.1		77.0	56.8	73.1	0.1		77.0	48.6	73.0	0.0		76.9	40.3	73.0	0.0		76.9
A035	B	3	72.3	76.2	72.5	76.4	51.1	72.5	0.0		76.4	49.3	72.5	0.0		76.4	50.3	72.5	0.0		76.4	39.8	72.5	0.0		76.4	40.5	72.5	0.0		76.4
A035	B	4	71.8	75.7	72.0	75.9	53.4	72.1	0.1		76.0	52.2	72.0	0.0		75.9	50.4	72.0	0.0		75.9	40.8	72.0	0.0		75.9	40.7	72.0	0.0		75.9
A036	A	1	56.4	60.3	56.5	60.4	45.3	56.8	0.3		60.7	43.2	56.7	0.2		60.6	44.2	56.7	0.3		60.6	38.6	56.5	0.1		60.4	39.2	56.5	0.1		60.4
A036	A	2	56.4	60.3	56.5	60.4	45.7	56.8	0.3		60.7	43.7	56.7	0.2		60.6	44.6	56.7	0.3		60.6	38.6	56.5	0.1		60.4	39.2	56.5	0.1		60.4
A036	A	3	56.4	60.3	56.6	60.5	47.5	57.1	0.5		61.0	45.6	56.9	0.3		60.8	46.1	56.9	0.4		60.8	39.0	56.6	0.1		60.5	39.3	56.6	0.1		60.5
A036	A	4	63.8	67.7	63.9	67.8	53.9	64.3	0.4		68.2	52.3	64.2	0.3		68.1	51.9	64.2	0.3		68.1	40.9	63.9	0.0		67.8	40.5	63.9	0.0		67.8
A036	B	1	76.4	80.3	76.6	80.5	68.1	77.2	0.6		81.1	64.7	76.9	0.3		80.8	66.0	77.0	0.4		80.9	60.6	76.7	0.1		80.6	60.3	76.7	0.1		80.6
A036	B	2	75.5	79.4	75.7	79.6	68.3	76.4	0.7		80.3	64.0	76.0	0.3		79.9	65.2	76.1	0.4		80.0	59.5	75.8	0.1		79.7	59.9	75.8	0.1		79.7
A036	B	3	74.7	78.6	74.9	78.8	68.5	75.8	0.9		79.7	64.6	75.3	0.4		79.2	65.8	75.4	0.5		79.3	59.2	75.0	0.1		78.9	59.6	75.0	0.1		78.9
A036	B	4	74.1	78.0	74.2	78.1	68.2	75.2	1.0		79.1	64.2	74.6	0.4		78.5	65.0	74.7	0.5		78.6	59.2	74.3	0.1		78.2	59.4	74.3	0.1		78.2
A036	C	1	71.2	75.1	71.3	75.2	69.1	73.3	2.0		77.2	62.9	71.9	0.6		75.8	64.3	72.1	0.8		76.0	59.2	71.6	0.3		75.5	60.0	71.6	0.3		75.5
A036	C	2	71.8	75.7	72.0	75.9	68.8	73.7	1.7		77.6	62.9	72.5	0.5		76.4	64.4	72.7	0.7		76.6	59.4	72.2	0.2		76.1	59.7	72.2	0.2		76.1
A036	C	3	71.7	75.6	71.9	75.8	68.1	73.4	1.5		77.3	62.8	72.4	0.5		76.3	64.3	72.6	0.7		76.5	59.0	72.1	0.2		76.0	59.4	72.1	0.2		76.0
A036	C	4	71.7	75.6	71.9	75.8	67.8	73.3	1.4		77.2	63.2	72.4	0.5		76.3	64.5	72.6	0.7		76.5	59.0	72.1	0.2		76.0	59.1	72.1	0.2		76.0
A037	A	1	76.4	80.3	76.6	80.5	68.0	77.2	0.6		81.1	64.5	76.9	0.3		80.8	66.6	77.0	0.4		80.9	60.4	76.7	0.1		80.6	61.4	76.7	0.1		80.6
A037	A	2	75.3	79.2	75.5	79.4	67.7	76.2	0.7		80.1	63.1	75.7	0.2		79.6	64.9	75.9	0.4		79.8	58.7	75.6	0.1		79.5	60.6	75.6	0.1		79.5
A037	A	3	74.5	78.4	74.7	78.6	67.6	75.5	0.8		79.4	63.7	75.0	0.3		78.9	65.2	75.2	0.5		79.1	58.4	74.8	0.1		78.7	60.3	74.9	0.2		78.8
A037	A	4	73.8	77.7	74.0	77.9	67.4	74.9	0.9		78.8	63.5	74.4	0.4		78.3	64.6	74.5	0.5		78.4	58.4	74.1	0.1		78.0	60.1	74.2	0.2		78.1
A037	B	1	56.4	60.3	56.6	60.5	46.6	57.0	0.4		60.9	43.6	56.8	0.2		60.7	44.6	56.8	0.3		60.7	40.4	56.7	0.1		60.6	41.8	56.7	0.1		60.6
A037	B	2	56.4	60.3	56.5	60.4	47.3	57.0	0.5		60.9	43.7	56.7	0.2		60.6	44.8	56.8	0.3		60.7	40.6	56.6	0.1		60.5	41.9	56.6	0.1		60.5
A037	B	3	56.4	60.3	56.6	60.5	54.6	58.7	2.1		62.6	54.1	58.5	1.9		62.4	54.4	58.6	2.1		62.5	50.5	57.5	1.0		61.4	51.7	57.8	1.2		61.7
A037	B	4	59.6	63.5	59.8	63.7	48.7	60.1	0.3		64.0	47.8	60.1	0.3		64.0	48.5	60.1	0.3		64.0	39.5	59.8	0.0		63.7	39.3	59.8	0.0		63.7
A038	A	1	73.6	77.5	73.7	77.6	55.9	73.8	0.1		77.7	56.3	73.8	0.1		77.7	56.4	73.8	0.1		77.7	53.4	73.7	0.0		77.6	57.2	73.8	0.1		77.7
A038	A	2	73.8	77.7	73.9	77.8	64.5	74.4	0.5		78.3	58.2	74.0	0.1		77.9	58.7	74.0	0.1		77.9	52.3	73.9	0.0		77.8	56.8	74.0	0.1		77.9
A038	B	1	56.4	60.3	56.6	60.5	43.5	56.8	0.2		60.7	41.2	56.7	0.1		60.6	42.2	56.7	0.2		60.6	37.1	56.6	0.0		60.5	38.3	56.6	0.1		60.5
A038	B	2	58.5	62.4	58.7	62.6	47.8	59.0	0.3		62.9	46.9	59.0	0.3		62.9	47.1	59.0	0.3		62.9	37.9	58.7	0.0		62.6	38.9	58.7	0.0		62.6
A039	A	1	68.1	72.0	68.2	72.1	72.8	74.1	5.9	YES	78.0	69.6	72.0	3.8	YES	75.9	69.8	72.1	3.9	YES	76.0	68.7	71.5	3.3	YES	75.4	59.0	68.7	0.5		72.6
A039	A	2	70.5	74.4	70.6	74.5	74.3	75.8	5.2	YES	79.7	71.5	74.1	3.5	YES	78.0	71.9	74.3	3.7	YES	78.2	70.2	73.4	2.8		77.3	66.6	72.1	1.5		76.0
A039	A	3	71.4	75.3	71.6	75.5	75.4	76.9	5.3	YES	80.8	73.2	75.5	3.9	YES	79.4	73.5	75.7	4.1	YES	79.6	71.1	74.4	2.8		78.3	68.8	73.4	1.8		77.3
A039	B	1	74.7	78.6	74.8	78.7	69.5	75.9	1.1		79.8	69.2	75.9	1.1		79.8	68.1	75.6	0.8		79.5	57.9	74.9	0.1		78.8	56.6	74.9	0.1		78.8
A039	B	2	75.5	79.4	75.6	79.5	70.0	76.7	1.1		80.6	70.2	76.7	1.1		80.6	69.0	76.5	0.9		80.4	58.9	75.7	0.1		79.6	58.8	75.7	0.1		79.6
A039	B	3	75.5	79.4	75.7	79.6	70.6	76.9	1.2		80.8	71.4	77.1	1.4		81.0	70.6	76.9	1.2		80.8	61.0	75.8	0.1		79.7	61.1	75.8	0.1		79.7
A039	C	1	72.8	76.7	73.0	76.9	75.3	77.3	4.3	YES	81.2	73.9	76.5	3.5	YES	80.4	73.7	76.4	3.4	YES	80.3	68.2	74.2	1.2		78.1	61.6	73.3	0.3		77.2
A039	C	2	73.7	77.6	73.8	77.7	75.5	77.7	3.9	YES	81.6	74.1	77.0	3.2	YES	80.9	74.0	76.9	3.1	YES	80.8	69.0	75.0	1.2		78.9	62.1	74.1	0.3		78.0
A039	C	3	73.8	77.7	74.0	77.9	75.9	78.1	4.1	YES	82.0	74.6	77.3	3.3	YES	81.2	74.5	77.3	3.3	YES	81.2	70.1	75.5	1.5		79.4	64.2	74.4	0.4		78.3
A040	A	1	60.2	64.1	60.3	64.2	69.8	70.3	10.0	YES	74.2	67.2	68.0	7.7	YES	71.9	68.0	68.7	8.4	YES	72.6	65.6	66.7	6.4	YES	70.6	56.4	61.8	1.5		65.7
A040	A	2	66.7	70.6	66.8	70.7	72.5	73.5	6.7	YES	77.4	67.6	70.2	3.4	YES	74.1	69.0	71.0	4.2	YES	74.9	66.2	69.5	2.7		73.4	64.1	68.7	1.9		72.6
A040	A	3	69.2	73.1	69.4	73.3	73.9	75.2	5.8	YES	79.1	70.1	72.8	3.4	YES	76.7	71.7	73.7	4.3	YES	77.6	67.7	71.6	2.2		75.5	68.8	72.1	2.7		76.0
A040	B	1	74.4	78.3	74.6	78.5	69.6	75.8	1.2		79.7	65.4	75.1	0.5		79.0	66.3	75.2	0.6		79.1	54.9	74.6	0.0		78.5	56.3	74.7	0.1		78.6
A040	B	2	75.2	79.1	75.4	79.3	69.7	76.4	1.0		80.3	66.1	75.9	0.5		79.8	67.1	76.0	0.6		79.9	56.0	75.4	0.0		79.3	58.6	75.5	0.1		79.4
A040	B	3	75.5	79.4	75.7	79.6	69.9	76.7	1.0		80.6	69.7	76.7	1.0		80.6	70.0	76.7	1.0		80.6	60.3	75.8	0.1		79.7	63.0	75.9	0.2		79.8
A041	A	1	59.1	63.0	59.3	63.2	71.6	71.8	12.5	YES	75.7	66.2	67.0	7.7	YES	70.9	67.0	67.7	8.4	YES	71.6	63.8	65.1	5.8	YES	69.0	57.4	61.5	2.2		65.4
A041	A	2	65.0	68.9	65.1	69.0	70.9	71.9	6.8	YES	75.8	65.8	68.5	3.4	YES	72.4	67.9	69.7	4.6	YES	73.6	63.7	67.5	2.4		71.4	63.4	67.3	2.2		71.2
A041	A	3	68.2	72.1	68.4	72.3	71.6	73.3	4.9	YES	77.2	66.3	70.5	2.1		74.4	68.7	71.6	3.2	YES	75.5	64.1	69.8	1.4		73.7	68.3	71.4	3.0		75.3
A041	B	1	74.3	78.2	74.5	78.4	68.3	75.4	0.9		79.3	63.1	74.8	0.3		78.7	64.3	74.9	0.4		78.8	53.7	74.5	0.0		78.4	54.6	74.5	0.0		78.4
A041	B	2	75.0	78.9	75.2	79.1	67.8	75.9	0.7		79.8	63.1	75.5	0.3		79.4	64.5	75.6	0.4		79.5	55.0	75.2	0.0		79.1	56.0	75.3	0.1		79.2
A041	B	3	75.0	78.9	75.2	79.1	65.3	75.6	0.4		79.5	63.8	75.5	0.3		79.4	65.1	75.6	0.4		79.5	56.3	75.3	0.1		79.2	59.0	75.3	0.1		79.2
A042	A	1	60.3	64.2	60.5	64.4	71.6	71.9	11.4	YES	75.8	67.0	67.9	7.4	YES	71.8	67.5	68.3	7.8	YES	72.2	63.1	65.0	4.5	YES	68.9	60.0	63.3	2.8		67.2
A042	A	2	64.6	68.5	64.8	68.7	71.1	72.0	7.2	YES	75.9	66.3	68.6	3.8	YES	72.5	67.4	69.3	4.5	YES	73.2	62.6	66.8	2.0		70.7	65.2	68.0	3.2	YES	71.9
A042	A	3	67.2	71.1	67.4	71.3	70.9	72.5	5.1	YES	76.4	65.6	69.6	2.2		73.5	68.4	70.9	3.5	YES	74.8	62.3	68.6	1.2		72.5	66.5	70.0	2.6		73.9

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total
A042	A	4	68.8	72.7	68.9	72.8	71.4	73.3	4.4	YES	77.2	67.9	71.4	2.5		75.3	70.8	73.0	4.1	YES	76.9	62.6	69.8	0.9		73.7	66.9	71.0	2.1		74.9
A042	B	1	75.2	79.1	75.4	79.3	66.6	75.9	0.5		79.8	61.2	75.6	0.2		79.5	62.3	75.6	0.2		79.5	55.0	75.4	0.0		79.3	55.5	75.4	0.0		79.3
A042	B	2	75.7	79.6	75.8	79.7	66.1	76.2	0.4		80.1	60.5	75.9	0.1		79.8	62.2	76.0	0.2		79.9	56.1	75.8	0.0		79.7	56.8	75.9	0.1		79.8
A042	B	3	75.5	79.4	75.7	79.6	60.7	75.8	0.1		79.7	60.0	75.8	0.1		79.7	63.0	75.9	0.2		79.8	56.3	75.7	0.0		79.6	58.0	75.8	0.1		79.7
A042	B	4	75.6	79.5	75.7	79.6	66.3	76.2	0.5		80.1	65.1	76.1	0.4		80.0	68.8	76.5	0.8		80.4	58.4	75.8	0.1		79.7	63.5	76.0	0.3		79.9
A043	A	1	69.9	73.8	70.1	74.0	65.4	71.4	1.3		75.3	63.6	71.0	0.9		74.9	67.4	72.0	1.9		75.9	59.8	70.5	0.4		74.4	56.3	70.3	0.2		74.2
A043	A	2	71.0	74.9	71.1	75.0	61.3	71.5	0.4		75.4	55.9	71.2	0.1		75.1	67.4	72.6	1.5		76.5	57.3	71.3	0.2		75.2	56.8	71.3	0.2		75.2
A043	A	3	71.3	75.2	71.4	75.3	57.6	71.6	0.2		75.5	56.2	71.5	0.1		75.4	67.9	73.0	1.6		76.9	57.5	71.6	0.2		75.5	57.1	71.6	0.2		75.5
A043	A	4	71.4	75.3	71.6	75.5	58.0	71.8	0.2		75.7	56.4	71.7	0.1		75.6	69.1	73.5	1.9		77.4	57.8	71.8	0.2		75.7	59.2	71.8	0.2		75.7
A043	B	1	75.4	79.3	75.5	79.4	62.0	75.7	0.2		79.6	59.2	75.6	0.1		79.5	59.6	75.6	0.1		79.5	54.4	75.5	0.0		79.4	55.2	75.5	0.0		79.4
A043	B	2	75.6	79.5	75.8	79.7	61.7	76.0	0.2		79.9	59.4	75.9	0.1		79.8	59.9	75.9	0.1		79.8	55.3	75.8	0.0		79.7	56.5	75.9	0.1		79.8
A043	B	3	75.3	79.2	75.5	79.4	59.9	75.6	0.1		79.5	59.0	75.6	0.1		79.5	60.0	75.6	0.1		79.5	55.4	75.5	0.0		79.4	58.3	75.6	0.1		79.5
A043	B	4	75.0	78.9	75.2	79.1	62.3	75.4	0.2		79.3	60.6	75.3	0.1		79.2	62.4	75.4	0.2		79.3	56.3	75.3	0.1		79.2	61.4	75.4	0.2		79.3
A044	A	1	73.9	77.8	74.1	78.0	59.1	74.2	0.1		78.1	59.4	74.2	0.1		78.1	60.3	74.3	0.2		78.2	57.7	74.2	0.1		78.1	58.9	74.2	0.1		78.1
A044	A	2	74.3	78.2	74.5	78.4	60.1	74.7	0.2		78.6	59.5	74.6	0.1		78.5	61.7	74.7	0.2		78.6	58.2	74.6	0.1		78.5	60.1	74.7	0.2		78.6
A044	A	3	74.3	78.2	74.5	78.4	61.4	74.7	0.2		78.6	60.3	74.7	0.2		78.6	63.7	74.8	0.3		78.7	57.8	74.6	0.1		78.5	60.9	74.7	0.2		78.6
A044	B	1	69.0	72.9	69.2	73.1	65.8	70.8	1.6		74.7	59.7	69.7	0.5		73.6	61.5	69.9	0.7		73.8	55.7	69.4	0.2		73.3	59.4	69.6	0.4		73.5
A044	B	2	70.2	74.1	70.3	74.2	67.1	72.0	1.7		75.9	64.9	71.4	1.1		75.3	65.6	71.6	1.3		75.5	59.9	70.7	0.4		74.6	61.4	70.8	0.5		74.7
A044	B	3	71.0	74.9	71.1	75.0	68.5	73.0	1.9		76.9	65.0	72.1	1.0		76.0	67.7	72.7	1.6		76.6	60.1	71.4	0.3		75.3	62.5	71.7	0.6		75.6
A044	C	1	65.9	69.8	66.1	70.0	65.5	68.8	2.7		72.7	60.3	67.1	1.0		71.0	69.2	70.9	4.8	YES	74.8	58.6	66.8	0.7		70.7	54.6	66.4	0.3		70.3
A044	C	2	68.0	71.9	68.2	72.1	65.4	70.0	1.8		73.9	59.6	68.8	0.6		72.7	70.5	72.5	4.3	YES	76.4	58.6	68.7	0.5		72.6	59.1	68.7	0.5		72.6
A044	C	3	69.3	73.2	69.5	73.4	65.9	71.1	1.6		75.0	59.9	70.0	0.5		73.9	70.8	73.2	3.7	YES	77.1	59.2	69.9	0.4		73.8	63.0	70.4	0.9		74.3
A045	A	1	75.3	79.2	75.4	79.3	58.4	75.5	0.1		79.4	58.4	75.5	0.1		79.4	60.5	75.5	0.1		79.4	58.7	75.5	0.1		79.4	58.7	75.5	0.1		79.4
A045	A	2	75.8	79.7	76.0	79.9	58.8	76.1	0.1		80.0	58.8	76.1	0.1		80.0	61.0	76.1	0.1		80.0	58.8	76.1	0.1		80.0	58.8	76.1	0.1		80.0
A045	A	3	75.8	79.7	76.0	79.9	59.8	76.1	0.1		80.0	59.6	76.1	0.1		80.0	61.8	76.2	0.2		80.1	58.7	76.1	0.1		80.0	58.2	76.1	0.1		80.0
A045	B	1	77.3	81.2	77.5	81.4	59.0	77.6	0.1		81.5	58.1	77.5	0.0		81.4	65.1	77.7	0.2		81.6	60.4	77.6	0.1		81.5	59.7	77.6	0.1		81.5
A045	B	2	77.7	81.6	77.8	81.7	64.3	78.0	0.2		81.9	62.3	77.9	0.1		81.8	67.1	78.2	0.4		82.1	61.8	77.9	0.1		81.8	60.1	77.9	0.1		81.8
A045	B	3	77.5	81.4	77.7	81.6	64.6	77.9	0.2		81.8	61.9	77.8	0.1		81.7	66.7	78.0	0.3		81.9	62.7	77.8	0.1		81.7	61.5	77.8	0.1		81.7
A046	A	1	59.4	63.3	59.6	63.5	48.7	59.9	0.3		63.8	43.0	59.7	0.1		63.6	48.2	59.9	0.3		63.8	44.1	59.7	0.1		63.6	44.6	59.7	0.1		63.6
A046	A	2	62.4	66.3	62.5	66.4	54.5	63.1	0.6		67.0	46.4	62.6	0.1		66.5	49.8	62.7	0.2		66.6	45.0	62.6	0.1		66.5	45.9	62.6	0.1		66.5
A046	B	1	73.6	77.5	73.8	77.7	58.7	73.9	0.1		77.8	58.6	73.9	0.1		77.8	59.3	74.0	0.2		77.9	58.7	73.9	0.1		77.8	58.7	73.9	0.1		77.8
A046	B	2	74.4	78.3	74.6	78.5	59.0	74.7	0.1		78.6	58.9	74.7	0.1		78.6	59.8	74.7	0.1		78.6	58.9	74.7	0.1		78.6	58.9	74.7	0.1		78.6
A047	A	1	59.2	63.1	59.3	63.2	49.8	59.8	0.5		63.7	44.1	59.4	0.1		63.3	52.7	60.2	0.9		64.1	49.9	59.8	0.5		63.7	50.3	59.8	0.5		63.7
A047	A	2	63.1	67.0	63.2	67.1	54.6	63.8	0.6		67.7	47.2	63.3	0.1		67.2	59.7	64.8	1.6		68.7	55.0	63.8	0.6		67.7	53.5	63.6	0.4		67.5
A047	B	1	73.3	77.2	73.5	77.4	59.1	73.7	0.2		77.6	59.0	73.7	0.2		77.6	59.8	73.7	0.2		77.6	59.1	73.7	0.2		77.6	59.0	73.7	0.2		77.6
A047	B	2	74.0	77.9	74.1	78.0	59.2	74.2	0.1		78.1	59.1	74.2	0.1		78.1	60.4	74.3	0.2		78.2	59.1	74.2	0.1		78.1	59.1	74.2	0.1		78.1
A048	A	1	74.0	77.9	74.1	78.0	53.9	74.1	0.0		78.0	51.7	74.1	0.0		78.0	54.6	74.1	0.0		78.0	53.4	74.1	0.0		78.0	53.2	74.1	0.0		78.0
A048	A	2	74.5	78.4	74.6	78.5	55.8	74.7	0.1		78.6	52.8	74.6	0.0		78.5	56.4	74.7	0.1		78.6	54.1	74.6	0.0		78.5	54.0	74.6	0.0		78.5
A048	A	3	74.3	78.2	74.5	78.4	58.6	74.6	0.1		78.5	56.7	74.6	0.1		78.5	60.2	74.7	0.2		78.6	55.4	74.6	0.1		78.5	52.9	74.5	0.0		78.4
A048	B	1	74.2	78.1	74.3	78.2	60.0	74.5	0.2		78.4	59.8	74.5	0.2		78.4	60.2	74.5	0.2		78.4	59.7	74.4	0.1		78.3	59.7	74.4	0.1		78.3
A048	B	2	74.5	78.4	74.6	78.5	60.5	74.8	0.2		78.7	59.9	74.7	0.1		78.6	60.7	74.8	0.2		78.7	59.6	74.7	0.1		78.6	59.6	74.7	0.1		78.6
A048	B	3	74.1	78.0	74.3	78.2	60.6	74.5	0.2		78.4	59.2	74.4	0.1		78.3	61.4	74.5	0.2		78.4	59.0	74.4	0.1		78.3	59.0	74.4	0.1		78.3
A049	A	1	73.8	77.7	73.9	77.8	60.0	74.1	0.2		78.0	60.0	74.1	0.2		78.0	60.2	74.1	0.2		78.0	59.8	74.1	0.2		78.0	59.8	74.1	0.2		78.0
A049	A	2	74.0	77.9	74.2	78.1	59.6	74.3	0.1		78.2	59.5	74.3	0.1		78.2	59.8	74.4	0.2		78.3	59.3	74.3	0.1		78.2	59.3	74.3	0.1		78.2
A049	A	3	73.7	77.6	73.8	77.7	58.7	73.9	0.1		77.8	58.6	73.9	0.1		77.8	59.2	73.9	0.1		77.8	58.3	73.9	0.1		77.8	58.3	73.9	0.1		77.8
A049	A	4	73.3	77.2	73.5	77.4	58.9	73.6	0.1		77.5	58.0	73.6	0.1		77.5	60.3	73.7	0.2		77.6	57.6	73.6	0.1		77.5	57.5	73.6	0.1		77.5
A049	B	1	74.1	78.0	74.2	78.1	51.9	74.2	0.0		78.1	48.6	74.2	0.0		78.1	52.0	74.2	0.0		78.1	50.9	74.2	0.0		78.1	51.7	74.2	0.0		78.1
A049	B	2	74.5	78.4	74.7	78.6	58.4	74.8	0.1		78.7	54.8	74.7	0.0		78.6	56.8	74.8	0.1		78.7	53.7	74.7	0.0		78.6	53.2	74.7	0.0		78.6
A049	B	3	74.4	78.3	74.6	78.5	59.2	74.7	0.1		78.6	54.9	74.6	0.0		78.5	60.1	74.8	0.2		78.7	54.2	74.6	0.0		78.5	53.8	74.6	0.0		78.5
A049	B	4	74.1	78.0	74.3	78.2	61.2	74.5	0.2		78.4	57.8	74.4	0.1		78.3	63.1	74.6	0.3		78.5	56.1	74.4	0.1		78.3	54.7	74.3	0.0		78.2
A050	A	1	62.4	66.3	62.6	66.5	45.7	62.7	0.1		66.6	44.5	62.7	0.1		66.6	48.9	62.8	0.2		66.7	47.9	62.7	0.1		66.6	47.8	62.7	0.1		66.6
A050	A	2	64.8	68.7	64.9	68.8	46.2	65.0	0.1		68.9	43.3	64.9	0.0		68.8	50.6	65.1	0.2		69.0	48.7	65.0	0.1		68.9	47.9	65.0	0.1		68.9
A050	A	3	66.5	70.4	66.7	70.6	50.5	66.8	0.1		70.7	44.1	66.7	0.0		70.6	54.9	67.0	0.3		70.9	50.3	66.8	0.1		70.7	49.9	66.8	0.1		70.7
A050	B	1	73.2	77.1	73.3	77.2	60.9	73.5	0.2		77.4	60.9	73.5	0.2		77.4	61.0	73.5	0.2		77.4	60.7	73.5	0.2		77.4	60.7	73.5	0.2		77.4
A050	B	2	73.1	77.0	73.2	77.1	60.1	73.4	0.2		77.3	60.0	73.4	0.2		77.3	60.3	73.4	0.2		77.3	59.9	73.4	0.2		77.3	59.9	73.4	0.2		77.3
A050	B	3	72.6	76.5	72.7	76.6	58.8	72.9	0.2		76.8	58.8	72.9	0.2		76.8	59.5	72.9	0.2		76.8	58.6	72.9	0.2		76.8	58.6	72.9	0.2		76.8
A051	A	1	72.8	76.7	73.0	76.9	74.5	76.8	3.8	YES	80.7	72.4	75.7	2.7		79.6	73.1	76.1	3.1	YES	80.0	65.6	73.7	0.7		77.6	63.3	73.4	0.4		77.3
A051	A	2	73.6	77.5	73.7	77.6	74.2	77.0	3.3	YES	80.9	72.2	76.0	2.3		79.9	73.0	76.4	2.7		80.3	65.4	74.3	0.6		78.2	62.6	74.0	0.3		77.9
A051	A	3	73.5	77.4	73.7	77.6	74.3	77.0	3.3	YES	80.9	72.3	76.1	2.4		80.0	73.0	76.4	2.7		80.3	65.7	74.3	0.6		78.2	61.3	73.9	0.2		77.8
A051	A	4	73.3	77.2	73.5	77.4	74.2	76.9	3.4	YES	80.8	72.3	76.0	2.5		79.9	73.0	76.3	2.8		80.2	66.0	74.2	0.7		78.1	61.1	73.7	0.2		77.6
A051	B	1	73.7	77.6	73.8	77.7	64.2	74.3	0.5		78.2	63.2	74.2	0.4		78.1	64.0	74.2	0.4		78.1	56.1	73.9	0.1		77.8	57.7	73.9	0.1		77.8
A051	B	2	74.3	78.2	74.5	78.4	67.0	75.2	0.7		79.1	66.3	75.1	0.6		79.0	66.9	75.2	0.7		79.1	55.7	74.6	0.1		78.5	57.4	74.6	0.1		78.5
A051	B	3	74.2	78.1	74.3	78.2	68.4	75.3	1.0		79.2	67.3	75.1	0.8		79.0	68.4	75.3	1.0		79.2	52.5	74.3	0.0		78.2	52.7	74.3	0.0		78.2
A051	B	4	73.8	77.7	74.0	77.9	68.4	75.1	1.1		79.0	67.3	74.8	0.8		78.7	68.5	75.1	1.1		79.0	50.5	74.0	0.0		77.9	49.7	74.0	0.0		77.9
A052	A	1	57.4	61.3	57.5	61.4	68.4	68.7	11.2	YES	72.6	56.9	60.2	2.7		64.1	57.7	60.6	3.1		64.5	44.9	57.7	0.2		61.6	44.3	57.7	0.2		61.6
A052	A	2	60.5	64.4	60.7	64.6	68.0	68.7	8.0	YES	72.6	56.4	62.1	1.4		66.0	57.2	62.3	1.6		66.2	44.4	60.8	0.1		64.7	44.0	60.8	0.1		64.7
A052	A	3	62.6	66.5	62.7	66.6	68.9	69.8	7.1	YES	73.7	65.9	67.6	4.9	YES	71.5	67.5	68.7	6.0	YES	72.6	63.4	66.1	3.4	YES	70.0	62.5	65.6	2.9		69.5
A052	A	4	65.0	68.9	65.2	69.1	72.6	73.3	8.1	YES	77.2	69.2	70.7	5.5	YES	74.6	70.2	71.4	6.2	YES	75.3	63.4	67.4	2.2		71.3	62.4	67.0	1.8		70.9
A052	B	1	72.6	76.5	72.8	76.7	65.4	73.5	0.7		77.4	60.8	73.1	0.3		77.0	61.5	73.1	0.3		77.0	51.3	72.8	0.0		76.7	44.9	72.8	0.0		76.7

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total
A052	B	2	73.4	77.3	73.6	77.5	65.3	74.2	0.6		78.1	60.8	73.8	0.2		77.7	61.6	73.9	0.3		77.8	45.9	73.6	0.0		77.5	45.7	73.6	0.0		77.5
A052	B	3	73.4	77.3	73.6	77.5	65.4	74.2	0.6		78.1	64.5	74.1	0.5		78.0	65.9	74.3	0.7		78.2	47.2	73.6	0.0		77.5	46.9	73.6	0.0		77.5
A052	B	4	73.3	77.2	73.5	77.4	66.0	74.2	0.7		78.1	65.0	74.1	0.6		78.0	65.9	74.2	0.7		78.1	47.6	73.5	0.0		77.4	47.2	73.5	0.0		77.4
A052	C	1	65.0	68.9	65.1	69.0	48.2	65.2	0.1		69.1	45.8	65.2	0.1		69.1	47.0	65.2	0.1		69.1	42.6	65.1	0.0		69.0	41.9	65.1	0.0		69.0
A052	C	2	67.4	71.3	67.6	71.5	49.7	67.7	0.1		71.6	47.6	67.6	0.0		71.5	49.1	67.7	0.1		71.6	42.4	67.6	0.0		71.5	42.0	67.6	0.0		71.5
A052	C	3	68.1	72.0	68.3	72.2	49.8	68.4	0.1		72.3	47.6	68.3	0.0		72.2	49.3	68.4	0.1		72.3	42.6	68.3	0.0		72.2	42.1	68.3	0.0		72.2
A052	C	4	68.8	72.7	68.9	72.8	52.1	69.0	0.1		72.9	49.3	68.9	0.0		72.8	51.3	69.0	0.1		72.9	44.8	68.9	0.0		72.8	43.2	68.9	0.0		72.8
A053	A	1	70.8	74.7	71.0	74.9	67.7	72.7	1.7		76.6	66.4	72.3	1.3		76.2	67.5	72.6	1.6		76.5	62.0	71.5	0.5		75.4	60.9	71.4	0.4		75.3
A053	A	2	71.7	75.6	71.9	75.8	68.9	73.7	1.8		77.6	65.1	72.7	0.8		76.6	66.5	73.0	1.1		76.9	60.9	72.2	0.3		76.1	60.4	72.2	0.3		76.1
A053	A	3	71.9	75.8	72.0	75.9	68.6	73.6	1.6		77.5	64.9	72.8	0.8		76.7	66.2	73.0	1.0		76.9	60.6	72.3	0.3		76.2	60.0	72.3	0.3		76.2
A053	A	4	71.8	75.7	72.0	75.9	68.8	73.7	1.7		77.6	65.0	72.8	0.8		76.7	66.2	73.0	1.0		76.9	60.5	72.3	0.3		76.2	59.7	72.2	0.2		76.1
A053	B	1	72.8	76.7	73.0	76.9	55.9	73.1	0.1		77.0	55.3	73.1	0.1		77.0	55.8	73.1	0.1		77.0	40.6	73.0	0.0		76.9	41.1	73.0	0.0		76.9
A053	B	2	73.5	77.4	73.7	77.6	56.0	73.8	0.1		77.7	55.4	73.8	0.1		77.7	55.9	73.8	0.1		77.7	41.1	73.7	0.0		77.6	41.3	73.7	0.0		77.6
A053	B	3	73.5	77.4	73.6	77.5	56.2	73.7	0.1		77.6	55.8	73.7	0.1		77.6	56.2	73.7	0.1		77.6	41.2	73.6	0.0		77.5	41.2	73.6	0.0		77.5
A053	B	4	73.2	77.1	73.4	77.3	57.8	73.5	0.1		77.4	57.8	73.5	0.1		77.4	57.7	73.5	0.1		77.4	42.1	73.4	0.0		77.3	41.6	73.4	0.0		77.3
A054	A	1	56.4	60.1	56.6	60.3	49.2	57.3	0.7		61.0	43.7	56.8	0.2		60.5	51.9	57.8	1.3		61.5	50.8	57.6	1.0		61.3	48.6	57.2	0.6		60.9
A054	A	2	56.4	60.1	56.6	60.3	56.3	59.4	2.9		63.1	54.2	58.6	2.0		62.3	57.8	60.2	3.7		63.9	50.8	57.6	1.0		61.3	49.2	57.3	0.7		61.0
A054	A	3	57.6	61.3	57.8	61.5	59.7	61.9	4.1		65.6	56.9	60.4	2.6		64.1	60.9	62.6	4.8		66.3	53.7	59.2	1.4		62.9	49.8	58.4	0.6		62.1
A054	B	1	64.4	68.1	64.6	68.3	45.0	64.6	0.0		68.3	44.5	64.6	0.0		68.3	46.0	64.7	0.1		68.4	45.0	64.6	0.0		68.3	45.3	64.7	0.1		68.4
A054	B	2	64.7	68.4	64.8	68.5	45.6	64.9	0.1		68.6	45.1	64.8	0.0		68.5	46.5	64.9	0.1		68.6	45.6	64.9	0.1		68.6	45.9	64.9	0.1		68.6
A054	B	3	64.4	68.1	64.6	68.3	48.1	64.7	0.1		68.4	46.4	64.7	0.1		68.4	49.8	64.7	0.1		68.4	47.2	64.7	0.1		68.4	47.2	64.7	0.1		68.4
A055	A	1	63.9	67.6	64.0	67.7	50.0	64.2	0.2		67.9	47.9	64.1	0.1		67.8	59.0	65.2	1.2		68.9	50.3	64.2	0.2		67.9	49.7	64.2	0.2		67.9
A055	A	2	64.7	68.4	64.8	68.5	53.4	65.1	0.3		68.8	48.6	64.9	0.1		68.6	63.1	67.0	2.2		70.7	51.1	65.0	0.2		68.7	50.3	65.0	0.2		68.7
A055	B	1	56.4	60.1	56.5	60.2	40.9	56.6	0.1		60.3	39.1	56.5	0.1		60.2	44.5	56.7	0.3		60.4	42.0	56.6	0.2		60.3	42.7	56.6	0.2		60.3
A055	B	2	56.4	60.1	56.5	60.2	43.7	56.7	0.2		60.4	41.3	56.6	0.1		60.3	48.3	57.1	0.6		60.8	43.5	56.7	0.2		60.4	43.7	56.7	0.2		60.4
A056	A	1	62.7	66.4	62.9	66.6	48.9	63.1	0.2		66.8	48.7	63.1	0.2		66.8	54.6	63.5	0.6		67.2	52.9	63.3	0.4		67.0	49.3	63.1	0.2		66.8
A056	A	2	63.5	67.2	63.7	67.4	54.1	64.2	0.5		67.9	50.7	63.9	0.2		67.6	58.1	64.8	1.1		68.5	53.3	64.1	0.4		67.8	50.0	63.9	0.2		67.6
A056	A	3	63.8	67.5	64.0	67.7	60.6	65.6	1.6		69.3	57.8	64.9	0.9		68.6	62.1	66.2	2.2		69.9	54.5	64.5	0.5		68.2	50.6	64.2	0.2		67.9
A056	B	1	56.4	60.1	56.5	60.2	41.7	56.6	0.1		60.3	39.9	56.6	0.1		60.3	44.8	56.8	0.3		60.5	42.5	56.6	0.2		60.3	43.1	56.7	0.2		60.4
A056	B	2	56.4	60.1	56.5	60.2	43.4	56.7	0.2		60.4	42.2	56.6	0.2		60.3	45.7	56.8	0.3		60.5	43.9	56.7	0.2		60.4	44.3	56.7	0.3		60.4
A056	B	3	57.1	60.8	57.3	61.0	47.3	57.7	0.4		61.4	44.7	57.5	0.2		61.2	50.2	58.1	0.8		61.8	47.1	57.7	0.4		61.4	46.5	57.6	0.3		61.3
A057	A	1	56.4	60.1	56.5	60.2	48.1	57.1	0.6		60.8	41.0	56.6	0.1		60.3	55.9	59.2	2.7		62.9	47.9	57.0	0.6		60.7	47.2	57.0	0.5		60.7
A057	A	2	60.2	63.9	60.3	64.0	52.5	61.0	0.7		64.7	44.6	60.4	0.1		64.1	60.6	63.5	3.2		67.2	49.3	60.6	0.3		64.3	48.6	60.6	0.3		64.3
A057	A	3	62.1	65.8	62.2	65.9	56.2	63.2	1.0		66.9	48.6	62.4	0.2		66.1	63.7	66.0	3.8	YES	69.7	51.6	62.6	0.4		66.3	50.8	62.5	0.3		66.2
A057	B	1	62.5	66.2	62.7	66.4	49.9	62.9	0.2		66.6	43.3	62.7	0.0		66.4	54.6	63.3	0.6		67.0	44.9	62.8	0.1		66.5	44.9	62.8	0.1		66.5
A057	B	2	63.9	67.6	64.1	67.8	53.8	64.5	0.4		68.2	46.2	64.2	0.1		67.9	56.8	64.8	0.7		68.5	45.2	64.2	0.1		67.9	45.6	64.2	0.1		67.9
A057	B	3	64.4	68.1	64.6	68.3	48.1	64.7	0.1		68.4	44.8	64.6	0.0		68.3	55.7	65.1	0.5		68.8	48.2	64.7	0.1		68.4	47.3	64.7	0.1		68.4
A058	A	1	62.2	65.9	62.4	66.1	42.2	62.4	0.0		66.1	40.2	62.4	0.0		66.1	47.7	62.5	0.1		66.2	46.6	62.5	0.1		66.2	44.9	62.5	0.1		66.2
A058	A	2	63.2	66.9	63.4	67.1	43.1	63.4	0.0		67.1	41.3	63.4	0.0		67.1	48.3	63.5	0.1		67.2	45.2	63.5	0.1		67.2	45.3	63.5	0.1		67.2
A058	A	3	63.7	67.4	63.9	67.6	48.6	64.0	0.1		67.7	44.8	64.0	0.1		67.7	54.6	64.4	0.5		68.1	48.7	64.0	0.1		67.7	47.8	64.0	0.1		67.7
A058	B	1	56.4	60.1	56.6	60.3	49.0	57.3	0.7		61.0	42.5	56.7	0.2		60.4	57.9	60.3	3.7		64.0	51.3	57.7	1.1		61.4	49.7	57.4	0.8		61.1
A058	B	2	56.4	60.1	56.6	60.3	54.6	58.7	2.1		62.4	54.0	58.5	1.9		62.2	61.1	62.4	5.8	YES	66.1	52.2	57.9	1.4		61.6	50.4	57.5	0.9		61.2
A058	B	3	57.7	61.4	57.8	61.5	59.6	61.8	4.0		65.5	58.5	61.2	3.4		64.9	63.5	64.5	6.7	YES	68.2	55.6	59.8	2.0		63.5	51.4	58.7	0.9		62.4
A059	A	1	62.1	65.8	62.3	66.0	54.6	63.0	0.7		66.7	54.6	63.0	0.7		66.7	55.2	63.1	0.8		66.8	45.1	62.4	0.1		66.1	45.4	62.4	0.1		66.1
A059	A	2	63.1	66.8	63.3	67.0	54.2	63.8	0.5		67.5	54.1	63.8	0.5		67.5	54.8	63.9	0.6		67.6	45.9	63.4	0.1		67.1	46.1	63.4	0.1		67.1
A059	A	3	63.5	67.2	63.7	67.4	54.3	64.2	0.5		67.9	53.9	64.1	0.4		67.8	56.1	64.4	0.7		68.1	48.2	63.8	0.1		67.5	47.9	63.8	0.1		67.5
A059	B	1	56.4	60.1	56.6	60.3	50.4	57.5	0.9		61.2	42.8	56.7	0.2		60.4	52.9	58.1	1.6		61.8	51.7	57.8	1.2		61.5	49.9	57.4	0.8		61.1
A059	B	2	56.4	60.1	56.5	60.2	59.7	61.4	4.9		65.1	59.2	61.1	4.6		64.8	60.5	61.9	5.5	YES	65.6	55.8	59.2	2.7		62.9	50.8	57.5	1.0		61.2
A059	B	3	56.4	60.1	56.5	60.2	61.7	62.8	6.4	YES	66.5	58.7	60.7	4.3		64.4	61.5	62.7	6.2	YES	66.4	57.1	59.8	3.3		63.5	51.8	57.7	1.3		61.4
A060	A	1	67.9	71.8	68.1	72.0	51.4	68.2	0.1		72.1	41.5	68.1	0.0		72.0	46.6	68.1	0.0		72.0	42.9	68.1	0.0		72.0	43.6	68.1	0.0		72.0
A060	A	2	69.3	73.2	69.4	73.3	60.4	69.9	0.5		73.8	56.5	69.6	0.2		73.5	57.0	69.6	0.2		73.5	52.3	69.5	0.1		73.4	44.9	69.4	0.0		73.3
A060	A	3	69.7	73.6	69.9	73.8	60.1	70.3	0.4		74.2	52.2	70.0	0.1		73.9	57.2	70.1	0.2		74.0	49.0	69.9	0.0		73.8	46.7	69.9	0.0		73.8
A060	B	1	74.6	78.5	74.7	78.6	52.7	74.7	0.0		78.6	51.0	74.7	0.0		78.6	58.5	74.8	0.1		78.7	52.0	74.7	0.0		78.6	52.6	74.7	0.0		78.6
A060	B	2	75.5	79.4	75.7	79.6	62.1	75.9	0.2		79.8	58.5	75.8	0.1		79.7	61.9	75.9	0.2		79.8	55.8	75.7	0.0		79.6	55.1	75.7	0.0		79.6
A060	B	3	75.6	79.5	75.8	79.7	63.2	76.0	0.2		79.9	58.4	75.9	0.1		79.8	62.4	76.0	0.2		79.9	55.1	75.8	0.0		79.7	57.0	75.9	0.1		79.8
A061	A	1	56.4	60.3	56.5	60.4	44.6	56.7	0.3		60.6	41.9	56.6	0.1		60.5	57.4	60.0	3.5		63.9	49.8	57.3	0.8		61.2	48.7	57.1	0.7		61.0
A061	A	2	58.6	62.5	58.7	62.6	59.4	62.1	3.4		66.0	50.6	59.3	0.6		63.2	61.5	63.3	4.6		67.2	50.3	59.3	0.6		63.2	49.4	59.2	0.5		63.1
A061	A	3	60.9	64.8	61.1	65.0	55.3	62.1	1.0		66.0	45.4	61.2	0.1		65.1	62.9	65.1	4.0	YES	69.0	51.7	61.6	0.5		65.5	51.4	61.5	0.4		65.4
A061	B	1	75.9	79.8	76.0	79.9	44.9	76.0	0.0		79.9	43.1	76.0	0.0		79.9	55.4	76.0	0.0		79.9	48.3	76.0	0.0		79.9	45.3	76.0	0.0		79.9
A061	B	2	76.2	80.1	76.3	80.2	45.6	76.3	0.0		80.2	43.8	76.3	0.0		80.2	56.9	76.3	0.0		80.2	46.0	76.3	0.0		80.2	46.4	76.3	0.0		80.2
A061	B	3	76.0	79.9	76.2	80.1	48.5	76.2	0.0		80.1	45.7	76.2	0.0		80.1	58.6	76.3	0.1		80.2	52.5	76.2	0.0		80.1	51.4	76.2	0.0		80.1
A062	A	1	58.8	62.7	59.0	62.9	64.1	65.3	6.3	YES	69.2	60.8	63.0	4.0		66.9	61.2	63.2	4.2		67.1	56.4	60.9	1.9		64.8	52.6	59.9	0.9		63.8
A062	A	2	60.6	64.5	60.8	64.7	64.3	65.9	5.1	YES	69.8	59.9	63.4	2.6		67.3	61.3	64.1	3.3		68.0	56.0	62.0	1.2		65.9	54.4	61.7	0.9		65.6
A062	A	3	63.3	67.2	63.5	67.4	64.0	66.8	3.3	YES	70.7	59.3	64.9	1.4		68.8	64.3	66.9	3.4	YES	70.8	55.8	64.2	0.7		68.1	56.5	64.3	0.8		68.2
A062	B	1	75.9	79.8	76.0	79.9	51.0	76.0	0.0		79.9	50.8	76.0	0.0		79.9	51.9	76.0	0.0		79.9	49.2	76.0	0.0		79.9	51.7	76.0	0.0		79.9
A062	B	2	76.4	80.3	76.5	80.4	51.1	76.5	0.0		80.4	50.9	76.5	0.0		80.4	52.0	76.5	0.0		80.4	49.3	76.5	0.0		80.4	54.1	76.5	0.0		80.4
A062	B	3	76.2	80.1	76.4	80.3	46.9	76.4	0.0		80.3	44.8	76.4	0.0		80.3	51.5	76.4	0.0		80.3	52.1	76.4	0.0		80.3	51.5	76.4	0.0		80.3
A063	A	1	57.9	61.8	58.0	61.9	54.9	59.7	1.7		63.6	54.3	59.5	1.5		63.4	60.2	62.2	4.2		66.1	53.4	59.3	1.3		63.2	51.8	58.9	0.9		62.8
A063	A	2	60.6	64.5	60.8	64.7	63.7	65.5	4.7	YES	69.4	58.5	62.8	2.0		66.7	61.4	64.1	3.3		68.0	55.6	61.9	1.1		65.8	55.7	62.0	1.2		65.9

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total
A063	A	3	61.8	65.7	62.0	65.9	63.3	65.7	3.7	YES	69.6	57.9	63.4	1.4		67.3	62.2	65.1	3.1	YES	69.0	54.8	62.8	0.8		66.7	56.6	63.1	1.1		67.0
A063	B	1	75.0	78.9	75.2	79.1	41.4	75.2	0.0		79.1	39.2	75.2	0.0		79.1	44.5	75.2	0.0		79.1	40.9	75.2	0.0		79.1	42.4	75.2	0.0		79.1
A063	B	2	75.7	79.6	75.8	79.7	41.7	75.8	0.0		79.7	39.7	75.8	0.0		79.7	44.9	75.8	0.0		79.7	41.5	75.8	0.0		79.7	42.8	75.8	0.0		79.7
A063	B	3	75.7	79.6	75.8	79.7	44.6	75.8	0.0		79.7	42.1	75.8	0.0		79.7	48.0	75.8	0.0		79.7	48.8	75.8	0.0		79.7	49.0	75.8	0.0		79.7
A064	A	1	59.3	63.2	59.5	63.4	44.1	59.6	0.1		63.5	42.1	59.6	0.1		63.5	52.8	60.3	0.8		64.2	49.8	59.9	0.4		63.8	50.5	60.0	0.5		63.9
A064	A	2	61.9	65.8	62.1	66.0	44.3	62.2	0.1		66.1	42.4	62.1	0.0		66.0	55.7	63.0	0.9		66.9	51.5	62.5	0.4		66.4	51.0	62.4	0.3		66.3
A064	A	3	63.4	67.3	63.6	67.5	46.6	63.7	0.1		67.6	44.2	63.6	0.0		67.5	58.4	64.7	1.1		68.6	52.4	63.9	0.3		67.8	52.0	63.9	0.3		67.8
A064	B	1	64.3	68.2	64.5	68.4	60.8	66.0	1.5		69.9	60.2	65.9	1.4		69.8	61.2	66.2	1.7		70.1	56.5	65.1	0.6		69.0	48.0	64.6	0.1		68.5
A064	B	2	65.1	69.0	65.3	69.2	65.1	68.2	2.9		72.1	61.2	66.7	1.4		70.6	62.1	67.0	1.7		70.9	56.0	65.8	0.5		69.7	50.4	65.4	0.1		69.3
A064	B	3	65.9	69.8	66.0	69.9	65.8	68.9	2.9		72.8	60.9	67.2	1.2		71.1	62.1	67.5	1.5		71.4	55.9	66.4	0.4		70.3	55.4	66.4	0.4		70.3
A065	A	1	66.5	70.4	66.7	70.6	63.7	68.5	1.8		72.4	58.5	67.3	0.6		71.2	58.8	67.4	0.7		71.3	51.5	66.8	0.1		70.7	51.5	66.8	0.1		70.7
A065	A	2	67.0	70.9	67.1	71.0	64.8	69.1	2.0		73.0	60.4	67.9	0.8		71.8	60.6	68.0	0.9		71.9	55.6	67.4	0.3		71.3	54.3	67.3	0.2		71.2
A065	A	3	67.1	71.0	67.2	71.1	65.1	69.3	2.1		73.2	60.0	68.0	0.8		71.9	60.3	68.0	0.8		71.9	55.5	67.5	0.3		71.4	56.4	67.5	0.3		71.4
A065	A	4	66.9	70.8	67.1	71.0	64.9	69.1	2.0		73.0	60.1	67.9	0.8		71.8	60.5	68.0	0.9		71.9	55.6	67.4	0.3		71.3	57.4	67.5	0.4		71.4
A065	A	5	66.6	70.5	66.7	70.6	65.0	68.9	2.2		72.8	60.3	67.6	0.9		71.5	62.6	68.1	1.4		72.0	55.7	67.0	0.3		70.9	58.4	67.3	0.6		71.2
A065	A	6	66.9	70.8	67.1	71.0	65.4	69.3	2.2		73.2	60.5	68.0	0.9		71.9	63.9	68.8	1.7		72.7	56.8	67.5	0.4		71.4	61.1	68.1	1.0		72.0
A065	B	1	58.9	62.8	59.1	63.0	61.3	63.3	4.2		67.2	59.9	62.5	3.4		66.4	60.5	62.9	3.8		66.8	55.9	60.8	1.7		64.7	48.9	59.5	0.4		63.4
A065	B	2	61.3	65.2	61.4	65.3	61.1	64.3	2.9		68.2	59.8	63.7	2.3		67.6	61.1	64.3	2.9		68.2	56.0	62.5	1.1		66.4	51.2	61.8	0.4		65.7
A065	B	3	63.5	67.4	63.6	67.5	64.8	67.3	3.7	YES	71.2	60.2	65.2	1.6		69.1	62.1	65.9	2.3		69.8	55.9	64.3	0.7		68.2	56.4	64.4	0.8		68.3
A065	B	4	64.6	68.5	64.8	68.7	64.7	67.8	3.0		71.7	60.3	66.1	1.3		70.0	62.9	67.0	2.2		70.9	56.1	65.3	0.5		69.2	58.2	65.7	0.9		69.6
A065	B	5	65.0	68.9	65.2	69.1	64.8	68.0	2.8		71.9	60.4	66.4	1.2		70.3	63.2	67.3	2.1		71.2	56.4	65.7	0.5		69.6	59.0	66.1	0.9		70.0
A065	B	6	65.7	69.6	65.8	69.7	65.2	68.5	2.7		72.4	60.1	66.8	1.0		70.7	64.9	68.4	2.6		72.3	56.8	66.3	0.5		70.2	60.9	67.0	1.2		70.9
A065	C	1	56.4	60.3	56.5	60.4	45.9	56.9	0.4		60.8	40.6	56.6	0.1		60.5	54.5	58.6	2.1		62.5	48.5	57.1	0.6		61.0	48.3	57.1	0.6		61.0
A065	C	2	60.6	64.5	60.8	64.7	42.9	60.9	0.1		64.8	40.8	60.8	0.0		64.7	55.7	62.0	1.2		65.9	49.0	61.1	0.3		65.0	48.5	61.0	0.2		64.9
A065	C	3	62.3	66.2	62.4	66.3	43.6	62.5	0.1		66.4	41.4	62.4	0.0		66.3	59.0	64.0	1.6		67.9	49.4	62.6	0.2		66.5	48.8	62.6	0.2		66.5
A065	C	4	62.5	66.4	62.7	66.6	43.7	62.8	0.1		66.7	41.4	62.7	0.0		66.6	59.7	64.5	1.8		68.4	49.8	62.9	0.2		66.8	48.9	62.9	0.2		66.8
A065	C	5	63.1	67.0	63.2	67.1	46.6	63.3	0.1		67.2	42.0	63.2	0.0		67.1	61.5	65.4	2.2		69.3	50.5	63.4	0.2		67.3	51.5	63.5	0.3		67.4
A065	C	6	64.6	68.5	64.7	68.6	52.5	65.0	0.3		68.9	48.0	64.8	0.1		68.7	62.9	66.9	2.2		70.8	52.8	65.0	0.3		68.9	55.3	65.2	0.5		69.1
A065	D	1	56.4	60.3	56.6	60.5	56.6	59.6	3.0		63.5	54.3	58.6	2.0		62.5	54.5	58.7	2.1		62.6	48.8	57.2	0.7		61.1	41.6	56.7	0.1		60.6
A065	D	2	56.4	60.3	56.5	60.4	55.8	59.2	2.7		63.1	53.3	58.2	1.7		62.1	53.5	58.2	1.8		62.1	48.1	57.1	0.6		61.0	42.1	56.6	0.2		60.5
A065	D	3	57.2	61.1	57.3	61.2	60.2	62.0	4.7		65.9	43.1	57.5	0.2		61.4	44.9	57.5	0.2		61.4	41.5	57.4	0.1		61.3	43.4	57.5	0.2		61.4
A065	D	4	57.4	61.3	57.5	61.4	42.9	57.6	0.1		61.5	40.3	57.6	0.1		61.5	43.6	57.7	0.2		61.6	39.7	57.6	0.1		61.5	41.4	57.6	0.1		61.5
A065	D	5	57.8	61.7	58.0	61.9	43.3	58.1	0.1		62.0	40.5	58.1	0.1		62.0	44.2	58.2	0.2		62.1	40.0	58.1	0.1		62.0	42.3	58.1	0.1		62.0
A065	D	6	61.8	65.7	62.0	65.9	52.3	62.4	0.4		66.3	48.0	62.2	0.2		66.1	55.4	62.9	0.9		66.8	48.6	62.2	0.2		66.1	54.1	62.7	0.7		66.6
A066	A	1	66.2	70.1	66.3	70.2	59.8	67.2	0.9		71.1	58.1	66.9	0.6		70.8	58.3	66.9	0.6		70.8	54.1	66.6	0.3		70.5	52.3	66.5	0.2		70.4
A066	A	2	66.7	70.6	66.8	70.7	63.6	68.5	1.7		72.4	57.8	67.3	0.5		71.2	58.1	67.3	0.5		71.2	53.4	67.0	0.2		70.9	53.7	67.0	0.2		70.9
A066	A	3	66.6	70.5	66.8	70.7	63.8	68.6	1.8		72.5	58.4	67.4	0.6		71.3	58.9	67.5	0.7		71.4	53.3	67.0	0.2		70.9	54.5	67.0	0.2		70.9
A066	B	1	56.4	60.3	56.5	60.4	42.8	56.7	0.2		60.6	40.5	56.6	0.1		60.5	46.5	56.9	0.4		60.8	41.2	56.6	0.1		60.5	42.5	56.7	0.2		60.6
A066	B	2	59.4	63.3	59.5	63.4	43.0	59.6	0.1		63.5	40.7	59.6	0.1		63.5	47.8	59.8	0.3		63.7	42.6	59.6	0.1		63.5	43.9	59.6	0.1		63.5
A066	B	3	60.7	64.6	60.9	64.8	46.4	61.1	0.2		65.0	43.3	61.0	0.1		64.9	50.1	61.2	0.3		65.1	45.4	61.0	0.1		64.9	47.0	61.1	0.2		65.0
A067	A	1	66.3	70.2	66.4	70.3	46.6	66.4	0.0		70.3	45.3	66.4	0.0		70.3	55.7	66.8	0.4		70.7	50.7	66.5	0.1		70.4	50.7	66.5	0.1		70.4
A067	A	2	67.1	71.0	67.2	71.1	46.8	67.2	0.0		71.1	45.6	67.2	0.0		71.1	61.3	68.2	1.0		72.1	50.4	67.3	0.1		71.2	51.6	67.3	0.1		71.2
A067	A	3	67.7	71.6	67.8	71.7	50.5	67.9	0.1		71.8	48.5	67.9	0.1		71.8	62.0	68.8	1.0		72.7	51.4	67.9	0.1		71.8	54.6	68.0	0.2		71.9
A067	B	1	56.4	60.3	56.6	60.5	67.5	67.8	11.3	YES	71.7	65.2	65.8	9.2	YES	69.7	65.2	65.8	9.2	YES	69.7	60.6	62.0	5.5	YES	65.9	49.6	57.4	0.8		61.3
A067	B	2	59.0	62.9	59.2	63.1	69.5	69.9	10.7	YES	73.8	64.6	65.7	6.5	YES	69.6	64.7	65.8	6.6	YES	69.7	59.5	62.4	3.2		66.3	53.1	60.2	1.0		64.1
A067	B	3	63.1	67.0	63.3	67.2	67.7	69.0	5.7	YES	72.9	63.0	66.2	2.9		70.1	63.6	66.5	3.2	YES	70.4	58.0	64.4	1.1		68.3	58.7	64.6	1.3		68.5
A068	A	1	65.0	68.9	65.1	69.0	46.3	65.2	0.1		69.1	44.7	65.1	0.0		69.0	59.6	66.2	1.1		70.1	50.0	65.2	0.1		69.1	49.2	65.2	0.1		69.1
A068	A	2	66.0	69.9	66.2	70.1	46.5	66.2	0.0		70.1	44.9	66.2	0.0		70.1	60.7	67.3	1.1		71.2	50.1	66.3	0.1		70.2	49.7	66.3	0.1		70.2
A068	A	3	66.5	70.4	66.7	70.6	49.1	66.8	0.1		70.7	46.9	66.7	0.0		70.6	59.5	67.5	0.8		71.4	51.4	66.8	0.1		70.7	51.8	66.8	0.1		70.7
A068	B	1	56.4	60.3	56.6	60.5	62.1	63.2	6.6	YES	67.1	60.3	61.8	5.3	YES	65.7	60.4	61.9	5.3	YES	65.8	55.0	58.9	2.3		62.8	46.7	57.0	0.4		60.9
A068	B	2	57.5	61.4	57.6	61.5	63.2	64.3	6.7	YES	68.2	60.8	62.5	4.9		66.4	60.9	62.6	5.0		66.5	56.1	59.9	2.3		63.8	50.2	58.3	0.7		62.2
A068	B	3	61.3	65.2	61.4	65.3	66.9	68.0	6.6	YES	71.9	61.2	64.3	2.9		68.2	61.6	64.5	3.1		68.4	56.0	62.5	1.1		66.4	56.2	62.5	1.1		66.4
A069	A	1	65.4	69.3	65.5	69.4	43.9	65.5	0.0		69.4	42.5	65.5	0.0		69.4	57.1	66.1	0.6		70.0	48.4	65.6	0.1		69.5	48.1	65.6	0.1		69.5
A069	A	2	66.1	70.0	66.2	70.1	44.0	66.2	0.0		70.1	42.7	66.2	0.0		70.1	56.2	66.6	0.4		70.5	49.2	66.3	0.1		70.2	48.6	66.3	0.1		70.2
A069	B	1	56.4	60.3	56.6	60.5	64.2	64.9	8.3	YES	68.8	59.7	61.4	4.9		65.3	59.7	61.4	4.9		65.3	54.7	58.7	2.2		62.6	43.2	56.8	0.2		60.7
A069	B	2	56.4	60.3	56.5	60.4	63.5	64.3	7.8	YES	68.2	58.8	60.8	4.3		64.7	58.9	60.9	4.4		64.8	53.8	58.3	1.9		62.2	46.1	56.8	0.4		60.7
A070	A	1	72.6	76.5	72.8	76.7	70.2	74.7	1.9		78.6	67.1	73.8	1.0		77.7	67.3	73.9	1.1		77.8	62.5	73.2	0.4		77.1	52.7	72.8	0.0		76.7
A070	A	2	73.0	76.9	73.2	77.1	70.0	74.9	1.7		78.8	67.1	74.2	1.0		78.1	67.3	74.2	1.0		78.1	62.7	73.6	0.4		77.5	54.4	73.3	0.1		77.2
A070	B	1	56.8	60.7	56.9	60.8	49.5	57.6	0.7		61.5	48.5	57.5	0.6		61.4	51.8	58.1	1.2		62.0	48.0	57.4	0.5		61.3	50.1	57.7	0.8		61.6
A070	B	2	59.4	63.3	59.5	63.4	50.3	60.0	0.5		63.9	49.3	59.9	0.4		63.8	54.7	60.7	1.2		64.6	50.5	60.0	0.5		63.9	53.5	60.5	1.0		64.4
A071	A	1	71.8	75.7	71.9	75.8	69.0	73.7	1.8		77.6	65.5	72.8	0.9		76.7	65.6	72.8	0.9		76.7	61.0	72.2	0.3		76.1	47.3	71.9	0.0		75.8
A071	A	2	72.3	76.2	72.4	76.3	68.7	73.9	1.5		77.8	65.3	73.2	0.8		77.1	65.6	73.2	0.8		77.1	61.1	72.7	0.3		76.6	49.4	72.4	0.0		76.3
A071	A	3	72.4	76.3	72.5	76.4	69.0	74.1	1.6		78.0	66.0	73.4	0.9		77.3	66.4	73.5	1.0		77.4	62.2	72.9	0.4		76.8	53.8	72.6	0.1		76.5
A071	B	1	57.0	60.9	57.2	61.1	47.1	57.6	0.4		61.5	45.3	57.5	0.3		61.4	51.3	58.2	1.0		62.1	48.3	57.7	0.5		61.6	50.4	58.0	0.8		61.9
A071	B	2	59.9	63.8	60.1	64.0	47.3	60.3	0.2		64.2	45.5	60.2	0.1		64.1	54.6	61.2	1.1		65.1	49.8	60.5	0.4		64.4	52.6	60.8	0.7		64.7
A071	B	3	62.8	66.7	62.9	66.8	49.8	63.1	0.2		67.0	48.3	63.0	0.1		66.9	58.5	64.2	1.3		68.1	51.1	63.2	0.3		67.1	56.4	63.8	0.9		67.7
A072	A	1	69.6	73.5	69.8	73.7	63.3	70.7	0.9		74.6	60.2	70.3	0.5		74.2	60.2	70.3	0.5		74.2	54.3	69.9	0.1		73.8	45.4	69.8	0.0		73.7
A072	A	2	70.5	74.4	70.7	74.6	63.5	71.5	0.8		75.4	60.3	71.1	0.4		75.0	60.4	71.1	0.4		75.0	55.4	70.8	0.1		74.7	46.1	70.7	0.0		74.6
A072	A	3	70.9	74.8	71.1	75.0	64.8	72.0	0.9		75.9	61.2	71.5	0.4		75.4	61.4	71.5	0.4		75.4	55.9	71.2	0.1		75.1	48.4	71.1	0.0		75.0

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total
A072	B	1	57.3	61.2	57.4	61.3	45.3	57.7	0.3		61.6	43.3	57.6	0.2		61.5	56.1	59.8	2.4		63.7	50.8	58.3	0.9		62.2	50.0	58.1	0.7		62.0
A072	B	2	59.7	63.6	59.9	63.8	45.4	60.1	0.2		64.0	43.5	60.0	0.1		63.9	58.7	62.4	2.5		66.3	51.2	60.4	0.5		64.3	50.5	60.4	0.5		64.3
A072	B	3	61.9	65.8	62.1	66.0	46.8	62.2	0.1		66.1	45.0	62.2	0.1		66.1	60.0	64.2	2.1		68.1	51.7	62.5	0.4		66.4	51.8	62.5	0.4		66.4
A073	A	1	70.6	74.5	70.7	74.6	63.9	71.5	0.8		75.4	60.0	71.1	0.4		75.0	60.0	71.1	0.4		75.0	54.9	70.8	0.1		74.7	42.3	70.7	0.0		74.6
A073	A	2	71.3	75.2	71.5	75.4	63.1	72.1	0.6		76.0	58.9	71.7	0.2		75.6	58.9	71.7	0.2		75.6	53.8	71.6	0.1		75.5	44.5	71.5	0.0		75.4
A073	A	3	71.4	75.3	71.5	75.4	63.2	72.1	0.6		76.0	59.3	71.8	0.3		75.7	59.5	71.8	0.3		75.7	55.1	71.6	0.1		75.5	48.7	71.5	0.0		75.4
A073	B	1	56.6	60.5	56.7	60.6	44.2	56.9	0.2		60.8	42.4	56.9	0.2		60.8	55.3	59.1	2.4		63.0	48.6	57.3	0.6		61.2	47.7	57.2	0.5		61.1
A073	B	2	59.2	63.1	59.4	63.3	44.6	59.5	0.1		63.4	43.0	59.5	0.1		63.4	57.1	61.4	2.0		65.3	49.0	59.8	0.4		63.7	48.5	59.7	0.3		63.6
A073	B	3	61.0	64.9	61.2	65.1	46.4	61.3	0.1		65.2	44.7	61.3	0.1		65.2	58.1	62.9	1.7		66.8	50.4	61.5	0.3		65.4	51.4	61.6	0.4		65.5
A073	C	1	63.5	67.4	63.6	67.5	60.3	65.3	1.7		69.2	55.4	64.2	0.6		68.1	55.4	64.2	0.6		68.1	50.4	63.8	0.2		67.7	43.7	63.6	0.0		67.5
A073	C	2	65.9	69.8	66.0	69.9	62.3	67.5	1.5		71.4	57.1	66.5	0.5		70.4	57.1	66.5	0.5		70.4	52.1	66.2	0.2		70.1	47.3	66.1	0.1		70.0
A073	C	3	66.6	70.5	66.8	70.7	62.0	68.0	1.2		71.9	56.8	67.2	0.4		71.1	57.0	67.2	0.4		71.1	51.8	66.9	0.1		70.8	52.4	67.0	0.2		70.9
A074	A	1	71.4	75.3	71.6	75.5	66.7	72.8	1.2		76.7	64.5	72.4	0.8		76.3	64.6	72.4	0.8		76.3	63.6	72.2	0.6		76.1	58.2	71.8	0.2		75.7
A074	A	2	72.0	75.9	72.2	76.1	66.2	73.2	1.0		77.1	64.4	72.9	0.7		76.8	64.6	72.9	0.7		76.8	63.5	72.7	0.5		76.6	61.7	72.6	0.4		76.5
A074	A	3	72.2	76.1	72.3	76.2	66.3	73.3	1.0		77.2	64.5	73.0	0.7		76.9	65.3	73.1	0.8		77.0	63.6	72.8	0.5		76.7	59.8	72.5	0.2		76.4
A074	A	4	72.1	76.0	72.3	76.2	66.3	73.3	1.0		77.2	64.5	73.0	0.7		76.9	65.5	73.1	0.8		77.0	63.7	72.9	0.6		76.8	62.5	72.7	0.4		76.6
A074	B	1	57.5	61.4	57.6	61.5	64.3	65.1	7.5	YES	69.0	62.0	63.3	5.7	YES	67.2	62.0	63.3	5.7	YES	67.2	52.7	58.8	1.2		62.7	43.8	57.8	0.2		61.7
A074	B	2	60.5	64.4	60.7	64.6	64.2	65.8	5.1	YES	69.7	61.8	64.3	3.6		68.2	62.1	64.5	3.8		68.4	52.0	61.2	0.5		65.1	44.0	60.8	0.1		64.7
A074	B	3	62.8	66.7	62.9	66.8	68.7	69.7	6.8	YES	73.6	65.5	67.4	4.5	YES	71.3	65.8	67.6	4.7	YES	71.5	58.6	64.3	1.4		68.2	44.8	63.0	0.1		66.9
A074	B	4	64.9	68.8	65.0	68.9	69.2	70.6	5.6	YES	74.5	66.2	68.7	3.7	YES	72.6	66.9	69.1	4.1	YES	73.0	58.7	65.9	0.9		69.8	47.2	65.1	0.1		69.0
A075	A	1	56.4	60.3	56.5	60.4	54.7	58.7	2.2		62.6	54.4	58.6	2.1		62.5	54.7	58.7	2.2		62.6	42.5	56.6	0.2		60.5	41.6	56.6	0.1		60.5
A075	A	2	57.1	61.0	57.2	61.1	54.4	59.0	1.8		62.9	54.1	58.9	1.7		62.8	54.4	59.0	1.8		62.9	42.8	57.4	0.2		61.3	41.8	57.3	0.1		61.2
A075	A	3	58.2	62.1	58.3	62.2	54.6	59.8	1.5		63.7	54.3	59.8	1.5		63.7	54.6	59.8	1.5		63.7	43.0	58.4	0.1		62.3	42.0	58.4	0.1		62.3
A075	A	4	59.8	63.7	60.0	63.9	62.6	64.5	4.5		68.4	60.4	63.2	3.2		67.1	60.7	63.4	3.4		67.3	55.4	61.3	1.3		65.2	44.5	60.1	0.1		64.0
A075	B	1	70.8	74.7	70.9	74.8	47.5	70.9	0.0		74.8	45.4	70.9	0.0		74.8	49.0	70.9	0.0		74.8	43.8	70.9	0.0		74.8	44.3	70.9	0.0		74.8
A075	B	2	71.1	75.0	71.3	75.2	55.0	71.4	0.1		75.3	53.9	71.4	0.1		75.3	55.3	71.4	0.1		75.3	53.3	71.4	0.1		75.3	50.0	71.3	0.0		75.2
A075	B	3	71.0	74.9	71.1	75.0	55.0	71.2	0.1		75.1	53.9	71.2	0.1		75.1	55.7	71.2	0.1		75.1	53.0	71.2	0.1		75.1	56.8	71.3	0.2		75.2
A075	B	4	70.6	74.5	70.7	74.6	55.1	70.8	0.1		74.7	54.0	70.8	0.1		74.7	56.0	70.8	0.1		74.7	53.1	70.8	0.1		74.7	57.1	70.9	0.2		74.8
A076	A	1	56.9	60.8	57.1	61.0	66.4	66.9	9.8	YES	70.8	62.5	63.6	6.5	YES	67.5	62.8	63.8	6.7	YES	67.7	56.8	60.0	2.9		63.9	43.0	57.3	0.2		61.2
A076	A	2	58.1	62.0	58.2	62.1	65.7	66.4	8.2	YES	70.3	61.5	63.2	5.0		67.1	62.0	63.5	5.3	YES	67.4	55.5	60.1	1.9		64.0	43.5	58.3	0.1		62.2
A076	A	3	59.4	63.3	59.6	63.5	65.6	66.6	7.0	YES	70.5	61.5	63.7	4.1		67.6	62.2	64.1	4.5		68.0	55.5	61.0	1.4		64.9	43.8	59.7	0.1		63.6
A076	A	4	60.8	64.7	61.0	64.9	66.1	67.3	6.3	YES	71.2	61.7	64.4	3.4		68.3	62.7	64.9	3.9		68.8	55.6	62.1	1.1		66.0	46.8	61.2	0.2		65.1
A076	B	1	71.8	75.7	72.0	75.9	58.8	72.2	0.2		76.1	54.4	72.1	0.1		76.0	55.5	72.1	0.1		76.0	54.2	72.1	0.1		76.0	57.4	72.1	0.1		76.0
A076	B	2	72.3	76.2	72.4	76.3	61.2	72.7	0.3		76.6	59.3	72.6	0.2		76.5	60.4	72.7	0.3		76.6	56.4	72.5	0.1		76.4	57.8	72.5	0.1		76.4
A076	B	3	72.2	76.1	72.4	76.3	61.2	72.7	0.3		76.6	59.5	72.6	0.2		76.5	61.3	72.7	0.3		76.6	57.0	72.5	0.1		76.4	58.1	72.6	0.2		76.5
A076	B	4	71.9	75.8	72.1	76.0	62.4	72.5	0.4		76.4	60.8	72.4	0.3		76.3	62.4	72.5	0.4		76.4	59.2	72.3	0.2		76.2	59.8	72.3	0.2		76.2
A077	A	1	56.4	60.3	56.5	60.4	45.6	56.8	0.3		60.7	45.9	56.8	0.4		60.7	46.8	56.9	0.4		60.8	44.3	56.7	0.3		60.6	40.6	56.6	0.1		60.5
A077	A	2	56.9	60.8	57.1	61.0	49.2	57.8	0.7		61.7	46.1	57.4	0.3		61.3	47.1	57.5	0.4		61.4	43.8	57.3	0.2		61.2	40.8	57.2	0.1		61.1
A077	A	3	58.8	62.7	59.0	62.9	60.7	62.9	3.9		66.8	55.6	60.6	1.6		64.5	56.0	60.8	1.8		64.7	50.6	59.6	0.6		63.5	43.4	59.1	0.1		63.0
A077	B	1	71.3	75.2	71.5	75.4	55.9	71.6	0.1		75.5	54.6	71.6	0.1		75.5	55.7	71.6	0.1		75.5	52.8	71.6	0.1		75.5	54.7	71.6	0.1		75.5
A077	B	2	71.7	75.6	71.9	75.8	55.9	72.0	0.1		75.9	54.6	72.0	0.1		75.9	57.0	72.0	0.1		75.9	53.3	72.0	0.1		75.9	57.0	72.0	0.1		75.9
A077	B	3	71.7	75.6	71.8	75.7	57.5	72.0	0.2		75.9	55.1	71.9	0.1		75.8	58.8	72.0	0.2		75.9	54.0	71.9	0.1		75.8	57.3	72.0	0.2		75.9
A078	A	1	71.3	75.2	71.4	75.3	56.3	71.5	0.1		75.4	54.3	71.5	0.1		75.4	54.5	71.5	0.1		75.4	52.9	71.5	0.1		75.4	45.1	71.4	0.0		75.3
A078	A	2	72.0	75.9	72.1	76.0	56.2	72.2	0.1		76.1	54.6	72.2	0.1		76.1	54.7	72.2	0.1		76.1	53.2	72.2	0.1		76.1	45.7	72.1	0.0		76.0
A078	A	3	72.1	76.0	72.2	76.1	56.0	72.3	0.1		76.2	54.6	72.3	0.1		76.2	54.8	72.3	0.1		76.2	53.2	72.3	0.1		76.2	45.9	72.2	0.0		76.1
A078	A	4	71.9	75.8	72.1	76.0	56.1	72.2	0.1		76.1	54.7	72.2	0.1		76.1	54.9	72.2	0.1		76.1	53.2	72.2	0.1		76.1	45.9	72.1	0.0		76.0
A078	A	5	71.5	75.4	71.7	75.6	56.1	71.8	0.1		75.7	54.9	71.8	0.1		75.7	55.0	71.8	0.1		75.7	53.3	71.8	0.1		75.7	45.9	71.7	0.0		75.6
A078	A	6	71.2	75.1	71.4	75.3	56.1	71.5	0.1		75.4	54.7	71.5	0.1		75.4	54.8	71.5	0.1		75.4	52.9	71.5	0.1		75.4	45.8	71.4	0.0		75.3
A078	A	7	70.9	74.8	71.1	75.0	56.2	71.2	0.1		75.1	54.7	71.2	0.1		75.1	55.0	71.2	0.1		75.1	52.9	71.2	0.1		75.1	45.6	71.1	0.0		75.0
A078	A	8	70.7	74.6	70.8	74.7	58.9	71.1	0.3		75.0	56.7	71.0	0.2		74.9	57.3	71.0	0.2		74.9	54.9	70.9	0.1		74.8	45.9	70.8	0.0		74.7
A078	B	1	64.6	68.5	64.8	68.7	65.5	68.2	3.4	YES	72.1	63.5	67.2	2.4		71.1	63.6	67.3	2.5		71.2	58.7	65.8	1.0		69.7	43.3	64.8	0.0		68.7
A078	B	2	66.0	69.9	66.2	70.1	65.2	68.7	2.5		72.6	63.1	67.9	1.7		71.8	63.2	68.0	1.8		71.9	57.9	66.8	0.6		70.7	43.8	66.2	0.0		70.1
A078	B	3	67.0	70.9	67.1	71.0	65.2	69.3	2.2		73.2	63.2	68.6	1.5		72.5	63.3	68.6	1.5		72.5	58.0	67.6	0.5		71.5	44.3	67.1	0.0		71.0
A078	B	4	67.3	71.2	67.5	71.4	66.5	70.0	2.5		73.9	63.7	69.0	1.5		72.9	63.9	69.1	1.6		73.0	58.0	68.0	0.5		71.9	45.1	67.5	0.0		71.4
A078	B	5	67.7	71.6	67.9	71.8	67.1	70.5	2.6		74.4	63.3	69.2	1.3		73.1	63.7	69.3	1.4		73.2	58.4	68.4	0.5		72.3	46.2	67.9	0.0		71.8
A078	B	6	68.4	72.3	68.6	72.5	68.6	71.6	3.0	YES	75.5	65.5	70.3	1.7		74.2	66.4	70.6	2.0		74.5	61.3	69.3	0.7		73.2	60.6	69.2	0.6		73.1
A078	B	7	68.5	72.4	68.6	72.5	68.8	71.7	3.1	YES	75.6	66.0	70.5	1.9		74.4	67.3	71.0	2.4		74.9	61.4	69.4	0.8		73.3	60.6	69.2	0.6		73.1
A078	B	8	68.6	72.5	68.8	72.7	69.4	72.1	3.3	YES	76.0	66.9	71.0	2.2		74.9	68.2	71.5	2.7		75.4	61.4	69.5	0.7		73.4	60.6	69.4	0.6		73.3
A078	C	1	56.4	60.3	56.6	60.5	65.4	65.9	9.4	YES	69.8	62.7	63.6	7.1	YES	67.5	62.6	63.6	7.0	YES	67.5	59.2	61.1	4.5		65.0	62.4	63.4	6.8	YES	67.3
A078	C	2	57.5	61.4	57.7	61.6	64.7	65.5	7.8	YES	69.4	62.3	63.6	5.9	YES	67.5	61.8	63.2	5.5	YES	67.1	58.1	60.9	3.2		64.8	61.9	63.3	5.6	YES	67.2
A078	C	3	59.7	63.6	59.9	63.8	64.5	65.8	5.9	YES	69.7	62.5	64.4	4.5		68.3	62.0	64.1	4.2		68.0	58.2	62.1	2.2		66.0	61.6	63.8	3.9		67.7
A078	C	4	62.3	66.2	62.5	66.4	64.6	66.7	4.2	YES	70.6	62.8	65.7	3.2	YES	69.6	62.9	65.7	3.2	YES	69.6	58.4	63.9	1.4		67.8	61.7	65.1	2.6		69.0
A078	C	5	62.2	66.1	62.4	66.3	64.7	66.7	4.3	YES	70.6	63.0	65.7	3.3	YES	69.6	63.4	65.9	3.5	YES	69.8	58.6	63.9	1.5		67.8	62.2	65.3	2.9		69.2
A078	C	6	62.5	66.4	62.6	66.5	64.8	66.8	4.2	YES	70.7	63.5	66.1	3.5	YES	70.0	64.7	66.8	4.2	YES	70.7	58.7	64.1	1.5		68.0	62.2	65.4	2.8		69.3
A078	C	7	63.1	67.0	63.2	67.1	65.0	67.2	4.0	YES	71.1	63.9	66.6	3.4	YES	70.5	64.8	67.1	3.9	YES	71.0	59.1	64.6	1.4		68.5	62.4	65.8	2.6		69.7
A078	C	8	64.3	68.2	64.4	68.3	65.2	67.8	3.4	YES	71.7	64.3	67.4	3.0		71.3	65.0	67.7	3.3	YES	71.6	59.2	65.5	1.1		69.4	62.4	66.5	2.1		70.4
A078	D	1	61.7	65.6	61.8	65.7	46.2	61.9	0.1		65.8	44.6	61.9	0.1		65.8	45.4	61.9	0.1		65.8	40.7	61.8	0.0		65.7	40.7	61.8	0.0		65.7
A078	D	2	63.1	67.0	63.3	67.2	46.5	63.4	0.1		67.3	44.8	63.4	0.1		67.3	45.6	63.4	0.1		67.3	41.1	63.3	0.0		67.2	41.0	63.3	0.0		67.2
A078	D	3	64.2	68.1	64.3	68.2	46.6	64.4	0.1		68.3	45.0	64.4	0.1		68.3	45.7	64.4	0.1		68.3	41.5	64.3	0.0		68.2	41.4	64.3	0.0		68.2

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total
A078	D	4	64.5	68.4	64.6	68.5	46.7	64.7	0.1		68.6	45.1	64.6	0.0		68.5	45.9	64.7	0.1		68.6	41.7	64.6	0.0		68.5	41.6	64.6	0.0		68.5
A078	D	5	64.6	68.5	64.7	68.6	46.8	64.8	0.1		68.7	45.2	64.7	0.0		68.6	46.2	64.8	0.1		68.7	41.7	64.7	0.0		68.6	41.8	64.7	0.0		68.6
A078	D	6	64.7	68.6	64.8	68.7	46.8	64.9	0.1		68.8	45.3	64.8	0.0		68.7	46.2	64.9	0.1		68.8	41.8	64.8	0.0		68.7	41.9	64.8	0.0		68.7
A078	D	7	64.6	68.5	64.7	68.6	46.8	64.8	0.1		68.7	45.2	64.7	0.0		68.6	46.4	64.8	0.1		68.7	41.9	64.7	0.0		68.6	42.1	64.7	0.0		68.6
A078	D	8	64.8	68.7	64.9	68.8	48.4	65.0	0.1		68.9	47.7	65.0	0.1		68.9	50.0	65.0	0.1		68.9	44.2	64.9	0.0		68.8	43.6	64.9	0.0		68.8
A079	A	1	74.0	77.9	74.1	78.0	59.1	74.2	0.1		78.1	55.7	74.2	0.1		78.1	56.3	74.2	0.1		78.1	50.5	74.1	0.0		78.0	52.8	74.1	0.0		78.0
A079	A	2	73.9	77.8	74.1	78.0	56.6	74.2	0.1		78.1	54.6	74.1	0.0		78.0	55.3	74.2	0.1		78.1	49.2	74.1	0.0		78.0	52.3	74.1	0.0		78.0
A079	A	3	73.4	77.3	73.6	77.5	54.4	73.7	0.1		77.6	52.4	73.6	0.0		77.5	53.7	73.6	0.0		77.5	49.2	73.6	0.0		77.5	50.4	73.6	0.0		77.5
A079	A	4	72.8	76.7	73.0	76.9	53.1	73.0	0.0		76.9	51.3	73.0	0.0		76.9	53.1	73.0	0.0		76.9	49.1	73.0	0.0		76.9	46.0	73.0	0.0		76.9
A079	B	1	66.4	70.3	66.5	70.4	58.7	67.2	0.7		71.1	57.8	67.0	0.5		70.9	60.6	67.5	1.0		71.4	55.1	66.8	0.3		70.7	56.4	66.9	0.4		70.8
A079	B	2	67.8	71.7	67.9	71.8	57.3	68.3	0.4		72.2	56.5	68.2	0.3		72.1	59.7	68.5	0.6		72.4	54.3	68.1	0.2		72.0	51.0	68.0	0.1		71.9
A079	B	3	68.1	72.0	68.2	72.1	53.3	68.3	0.1		72.2	52.8	68.3	0.1		72.2	58.1	68.6	0.4		72.5	48.7	68.2	0.0		72.1	47.8	68.2	0.0		72.1
A079	B	4	68.2	72.1	68.3	72.2	52.7	68.4	0.1		72.3	52.0	68.4	0.1		72.3	53.0	68.4	0.1		72.3	47.0	68.3	0.0		72.2	45.1	68.3	0.0		72.2
A079	C	1	56.4	60.3	56.6	60.5	45.6	56.9	0.3		60.8	43.7	56.8	0.2		60.7	49.7	57.4	0.8		61.3	44.0	56.8	0.2		60.7	44.2	56.8	0.2		60.7
A079	C	2	57.3	61.2	57.5	61.4	45.8	57.8	0.3		61.7	43.9	57.7	0.2		61.6	52.3	58.6	1.1		62.5	44.9	57.7	0.2		61.6	45.2	57.7	0.2		61.6
A079	C	3	58.3	62.2	58.5	62.4	44.7	58.7	0.2		62.6	43.1	58.6	0.1		62.5	54.6	60.0	1.5		63.9	46.4	58.8	0.3		62.7	45.8	58.7	0.2		62.6
A079	C	4	59.2	63.1	59.4	63.3	45.3	59.6	0.2		63.5	44.5	59.5	0.1		63.4	55.7	60.9	1.5		64.8	47.8	59.7	0.3		63.6	46.4	59.6	0.2		63.5
A080	A	1	56.4	60.3	56.5	60.4	45.5	56.8	0.3		60.7	44.2	56.7	0.3		60.6	51.1	57.6	1.1		61.5	46.7	56.9	0.4		60.8	58.5	60.6	4.1		64.5
A080	A	2	57.6	61.5	57.7	61.6	61.2	62.8	5.1	YES	66.7	56.9	60.3	2.6		64.2	58.4	61.1	3.4		65.0	53.3	59.0	1.3		62.9	58.5	61.1	3.4		65.0
A080	A	3	59.7	63.6	59.9	63.8	65.4	66.5	6.6	YES	70.4	61.2	63.6	3.7		67.5	62.3	64.3	4.4		68.2	57.9	62.0	2.1		65.9	59.9	62.9	3.0		66.8
A080	B	1	73.5	77.4	73.6	77.5	47.7	73.6	0.0		77.5	47.8	73.6	0.0		77.5	48.2	73.6	0.0		77.5	47.2	73.6	0.0		77.5	46.2	73.6	0.0		77.5
A080	B	2	73.5	77.4	73.7	77.6	50.3	73.7	0.0		77.6	49.2	73.7	0.0		77.6	49.5	73.7	0.0		77.6	47.5	73.7	0.0		77.6	46.4	73.7	0.0		77.6
A080	B	3	73.0	76.9	73.2	77.1	54.9	73.3	0.1		77.2	51.5	73.2	0.0		77.1	52.2	73.2	0.0		77.1	50.1	73.2	0.0		77.1	46.5	73.2	0.0		77.1
A081	A	1	56.4	60.3	56.5	60.4	46.2	56.9	0.4		60.8	44.0	56.7	0.2		60.6	45.5	56.8	0.3		60.7	40.2	56.6	0.1		60.5	41.0	56.6	0.1		60.5
A081	A	2	56.4	60.3	56.5	60.4	46.2	56.9	0.4		60.8	43.9	56.7	0.2		60.6	45.5	56.8	0.3		60.7	40.2	56.6	0.1		60.5	41.0	56.6	0.1		60.5
A081	A	3	56.4	60.3	56.6	60.5	46.0	56.9	0.4		60.8	43.8	56.8	0.2		60.7	45.4	56.9	0.3		60.8	40.1	56.7	0.1		60.6	40.9	56.7	0.1		60.6
A081	A	4	56.4	60.3	56.5	60.4	45.1	56.8	0.3		60.7	42.4	56.6	0.2		60.5	43.9	56.7	0.2		60.6	39.0	56.5	0.1		60.4	39.3	56.5	0.1		60.4
A081	A	5	57.5	61.4	57.7	61.6	45.4	57.9	0.2		61.8	42.6	57.8	0.1		61.7	44.1	57.9	0.2		61.8	39.2	57.8	0.1		61.7	39.6	57.8	0.1		61.7
A081	A	6	60.8	64.7	61.0	64.9	47.7	61.2	0.2		65.1	45.0	61.1	0.1		65.0	46.6	61.2	0.2		65.1	40.7	61.0	0.0		64.9	40.1	61.0	0.0		64.9
A081	B	1	71.7	75.6	71.9	75.8	68.4	73.5	1.6		77.4	64.7	72.7	0.8		76.6	66.7	73.0	1.1		76.9	60.3	72.2	0.3		76.1	61.2	72.3	0.4		76.2
A081	B	2	72.2	76.1	72.4	76.3	67.8	73.7	1.3		77.6	64.1	73.0	0.6		76.9	66.1	73.3	0.9		77.2	59.3	72.6	0.2		76.5	60.8	72.7	0.3		76.6
A081	B	3	72.2	76.1	72.3	76.2	67.6	73.6	1.3		77.5	64.3	72.9	0.6		76.8	66.1	73.2	0.9		77.1	59.4	72.5	0.2		76.4	60.5	72.6	0.3		76.5
A081	B	4	71.9	75.8	72.0	75.9	67.6	73.3	1.3		77.2	64.3	72.7	0.7		76.6	66.2	73.0	1.0		76.9	59.4	72.2	0.2		76.1	60.4	72.3	0.3		76.2
A081	B	5	71.5	75.4	71.6	75.5	67.6	73.1	1.5		77.0	64.2	72.3	0.7		76.2	66.1	72.7	1.1		76.6	59.0	71.8	0.2		75.7	60.3	71.9	0.3		75.8
A081	B	6	71.1	75.0	71.3	75.2	67.7	72.9	1.6		76.8	64.4	72.1	0.8		76.0	66.3	72.5	1.2		76.4	59.1	71.6	0.3		75.5	60.3	71.6	0.3		75.5
A082	A	1	56.4	60.3	56.5	60.4	43.9	56.7	0.2		60.6	41.2	56.6	0.1		60.5	43.0	56.7	0.2		60.6	36.9	56.5	0.0		60.4	37.6	56.5	0.1		60.4
A082	A	2	56.4	60.3	56.6	60.5	43.9	56.8	0.2		60.7	41.2	56.7	0.1		60.6	43.0	56.8	0.2		60.7	36.9	56.6	0.0		60.5	37.7	56.6	0.1		60.5
A082	A	3	56.4	60.3	56.6	60.5	44.2	56.8	0.2		60.7	41.6	56.7	0.1		60.6	43.4	56.8	0.2		60.7	37.1	56.6	0.0		60.5	37.8	56.6	0.1		60.5
A082	B	1	70.1	74.0	70.2	74.1	65.3	71.4	1.2		75.3	59.7	70.6	0.4		74.5	60.4	70.6	0.4		74.5	55.1	70.3	0.1		74.2	56.6	70.4	0.2		74.3
A082	B	2	71.2	75.1	71.4	75.3	64.7	72.2	0.8		76.1	58.8	71.6	0.2		75.5	59.7	71.7	0.3		75.6	54.3	71.5	0.1		75.4	48.8	71.4	0.0		75.3
A082	B	3	71.3	75.2	71.4	75.3	64.5	72.2	0.8		76.1	59.0	71.6	0.2		75.5	59.9	71.7	0.3		75.6	54.3	71.5	0.1		75.4	48.6	71.4	0.0		75.3
A083	A	1	56.4	60.3	56.6	60.5	41.9	56.7	0.1		60.6	39.6	56.7	0.1		60.6	40.9	56.7	0.1		60.6	36.1	56.6	0.0		60.5	37.1	56.6	0.0		60.5
A083	A	2	56.4	60.3	56.6	60.5	41.9	56.7	0.1		60.6	39.6	56.7	0.1		60.6	40.9	56.7	0.1		60.6	36.3	56.6	0.0		60.5	37.3	56.6	0.1		60.5
A083	A	3	57.3	61.2	57.5	61.4	42.3	57.6	0.1		61.5	39.9	57.6	0.1		61.5	41.5	57.6	0.1		61.5	36.7	57.5	0.0		61.4	37.6	57.5	0.0		61.4
A083	B	1	71.4	75.3	71.5	75.4	63.8	72.2	0.7		76.1	58.3	71.7	0.2		75.6	58.3	71.7	0.2		75.6	54.1	71.6	0.1		75.5	45.5	71.5	0.0		75.4
A083	B	2	72.0	75.9	72.2	76.1	63.3	72.7	0.5		76.6	57.5	72.3	0.1		76.2	57.7	72.4	0.2		76.3	53.5	72.3	0.1		76.2	46.7	72.2	0.0		76.1
A083	B	3	71.9	75.8	72.1	76.0	63.3	72.6	0.5		76.5	57.6	72.3	0.2		76.2	57.9	72.3	0.2		76.2	53.4	72.2	0.1		76.1	49.7	72.1	0.0		76.0
A084	A	1	71.2	74.7	71.4	74.9	57.7	71.6	0.2		75.1	56.1	71.5	0.1		75.0	56.0	71.5	0.1		75.0	55.3	71.5	0.1		75.0	55.5	71.5	0.1		75.0
A084	A	2	71.9	75.4	72.0	75.5	61.5	72.4	0.4		75.9	62.1	72.4	0.4		75.9	61.6	72.4	0.4		75.9	58.9	72.2	0.2		75.7	59.6	72.2	0.2		75.7
A084	A	3	71.8	75.3	72.0	75.5	62.0	72.4	0.4		75.9	62.7	72.5	0.5		76.0	62.3	72.4	0.4		75.9	60.2	72.3	0.3		75.8	60.7	72.3	0.3		75.8
A084	B	2	65.6	69.1	65.8	69.3	66.0	68.9	3.1	YES	72.4	64.6	68.3	2.5		71.8	64.4	68.2	2.4		71.7	60.8	67.0	1.2		70.5	55.0	66.1	0.3		69.6
A084	B	3	67.1	70.6	67.3	70.8	66.6	70.0	2.7		73.5	65.3	69.4	2.1		72.9	65.1	69.3	2.0		72.8	60.8	68.2	0.9		71.7	55.6	67.6	0.3		71.1
A084	C	1	56.4	59.9	56.6	60.1	50.5	57.5	1.0		61.0	47.0	57.0	0.5		60.5	48.3	57.2	0.6		60.7	44.6	56.8	0.3		60.3	46.1	56.9	0.4		60.4
A084	C	2	57.7	61.2	57.9	61.4	52.1	58.9	1.0		62.4	53.6	59.3	1.4		62.8	54.1	59.4	1.5		62.9	45.0	58.1	0.2		61.6	46.4	58.2	0.3		61.7
A084	C	3	59.9	63.4	60.0	63.5	66.9	67.7	7.7	YES	71.2	65.3	66.4	6.4	YES	69.9	65.3	66.4	6.4	YES	69.9	59.8	62.9	2.9		66.4	47.1	60.2	0.2		63.7
A084	D	1	68.3	71.8	68.5	72.0	58.0	68.9	0.4		72.4	59.0	69.0	0.5		72.5	59.0	69.0	0.5		72.5	50.9	68.6	0.1		72.1	51.4	68.6	0.1		72.1
A084	D	2	69.2	72.7	69.4	72.9	54.3	69.5	0.1		73.0	53.2	69.5	0.1		73.0	53.4	69.5	0.1		73.0	52.5	69.5	0.1		73.0	52.9	69.5	0.1		73.0
A084	D	3	69.3	72.8	69.4	72.9	55.2	69.6	0.2		73.1	53.9	69.5	0.1		73.0	54.0	69.5	0.1		73.0	52.5	69.5	0.1		73.0	52.9	69.5	0.1		73.0
A085	A	1	70.4	74.3	70.6	74.5	63.5	71.4	0.8		75.3	46.2	70.6	0.0		74.5	48.6	70.6	0.0		74.5	42.4	70.6	0.0		74.5	43.0	70.6	0.0		74.5
A085	A	2	70.8	74.7	71.0	74.9	57.6	71.2	0.2		75.1	48.1	71.0	0.0		74.9	50.2	71.0	0.0		74.9	42.7	71.0	0.0		74.9	42.9	71.0	0.0		74.9
A085	A	3	71.1	75.0	71.2	75.1	67.3	72.7	1.5		76.6	66.7	72.5	1.3		76.4	68.3	73.0	1.8		76.9	62.8	71.8	0.6		75.7	59.0	71.5	0.3		75.4
A085	B	3	65.3	69.2	65.4	69.3	70.0	71.3	5.9	YES	75.2	67.2	69.4	4.0	YES	73.3	68.8	70.4	5.0	YES	74.3	63.4	67.5	2.1		71.4	59.3	66.4	1.0		70.3
A085	C	1	58.1	62.0	58.3	62.2	70.6	70.8	12.5	YES	74.7	68.4	68.8	10.5	YES	72.7	70.0	70.3	12.0	YES	74.2	64.6	65.5	7.2	YES	69.4	61.3	63.1	4.8		67.0
A085	C	2	62.1	66.0	62.3	66.2	70.5	71.1	8.8	YES	75.0	67.6	68.7	6.4	YES	72.6	69.3	70.1	7.8	YES	74.0	63.9	66.2	3.9	YES	70.1	60.5	64.5	2.2		68.4
A085	C	3	65.3	69.2	65.4	69.3	71.1	72.1	6.7	YES	76.0	67.8	69.8	4.4	YES	73.7	69.2	70.7	5.3	YES	74.6	63.8	67.7	2.3		71.6	59.9	66.5	1.1		70.4
A085	D	1	60.1	64.0	60.3	64.2	67.4	68.2	7.9	YES	72.1	65.3	66.5	6.2	YES	70.4	65.3	66.5	6.2	YES	70.4	63.2	65.0	4.7		68.9	48.2	60.6	0.3		64.5
A085	D	2	62.4	66.3	62.6	66.5	67.1	68.4	5.8	YES	72.3	64.0	66.4	3.8	YES	70.3	64.1	66.4	3.8	YES	70.3	62.2	65.4	2.8		69.3	44.0	62.7	0.1		66.6
A085	D	3	65.6	69.5	65.7	69.6	69.9	71.3	5.6	YES	75.2	67.2	69.5	3.8	YES	73.4	68.8	70.5	4.8	YES	74.4	63.3	67.7	2.0		71.6	59.4	66.6	0.9		70.5
A086	A	1	63.6	67.5	63.8	67.7	63.1	66.5	2.7		70.4	59.4	65.1	1.3		69.0	59.4	65.1	1.3		69.0	50.4	64.0	0.2		67.9	40.9	63.8	0.0		67.7

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq		Leq		Leq				L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10
			Leq(1)	L10	Leq(1)	L10	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total
A086	A	2	64.3	68.2	64.4	68.3	58.5	65.4	1.0		69.3	60.4	65.9	1.5		69.8	60.4	65.9	1.5		69.8	58.0	65.3	0.9		69.2	40.9	64.4	0.0		68.3
A086	A	3	65.9	69.8	66.1	70.0	69.6	71.2	5.1	YES	75.1	65.1	68.6	2.5		72.5	66.7	69.4	3.3	YES	73.3	62.2	67.6	1.5		71.5	60.2	67.1	1.0		71.0
A086	B	1	58.0	61.9	58.2	62.1	73.1	73.2	15.0	YES	77.1	68.9	69.3	11.1	YES	73.2	70.0	70.3	12.1	YES	74.2	64.3	65.3	7.1	YES	69.2	62.5	63.9	5.7	YES	67.8
A086	B	2	62.4	66.3	62.6	66.5	71.1	71.7	9.1	YES	75.6	67.6	68.8	6.2	YES	72.7	68.9	69.8	7.2	YES	73.7	63.1	65.9	3.3	YES	69.8	61.3	65.0	2.4		68.9
A086	B	3	65.0	68.9	65.1	69.0	71.1	72.1	7.0	YES	76.0	67.6	69.5	4.4	YES	73.4	68.8	70.3	5.2	YES	74.2	63.1	67.2	2.1		71.1	60.8	66.5	1.4		70.4
A086	C	1	64.0	67.9	64.2	68.1	63.3	66.8	2.6		70.7	62.9	66.6	2.4		70.5	63.3	66.8	2.6		70.7	41.7	64.2	0.0		68.1	42.8	64.2	0.0		68.1
A086	C	2	64.8	68.7	65.0	68.9	62.5	66.9	1.9		70.8	63.3	67.2	2.2		71.1	63.8	67.5	2.5		71.4	55.6	65.5	0.5		69.4	58.2	65.8	0.8		69.7
A086	C	3	66.2	70.1	66.4	70.3	63.1	68.1	1.7		72.0	62.5	67.9	1.5		71.8	62.9	68.0	1.6		71.9	42.2	66.4	0.0		70.3	41.3	66.4	0.0		70.3
A086	D	1	70.5	74.4	70.7	74.6	62.3	71.3	0.6		75.2	58.8	71.0	0.3		74.9	59.8	71.0	0.3		74.9	59.0	71.0	0.3		74.9	46.6	70.7	0.0		74.6
A086	D	2	70.9	74.8	71.0	74.9	61.3	71.4	0.4		75.3	44.0	71.0	0.0		74.9	45.1	71.0	0.0		74.9	41.2	71.0	0.0		74.9	41.1	71.0	0.0		74.9
A086	D	3	71.0	74.9	71.1	75.0	50.2	71.1	0.0		75.0	45.9	71.1	0.0		75.0	48.3	71.1	0.0		75.0	42.3	71.1	0.0		75.0	41.5	71.1	0.0		75.0
A087	A	1	71.4	75.3	71.5	75.4	55.4	71.6	0.1		75.5	55.6	71.6	0.1		75.5	55.7	71.6	0.1		75.5	52.8	71.6	0.1		75.5	56.7	71.6	0.1		75.5
A087	A	2	71.5	75.4	71.6	75.5	55.3	71.7	0.1		75.6	46.4	71.6	0.0		75.5	47.5	71.6	0.0		75.5	41.1	71.6	0.0		75.5	41.4	71.6	0.0		75.5
A087	B	1	56.4	60.3	56.5	60.4	67.3	67.6	11.2	YES	71.5	65.7	66.2	9.7	YES	70.1	67.2	67.6	11.1	YES	71.5	62.0	63.1	6.6	YES	67.0	60.5	61.9	5.5	YES	65.8
A087	B	2	59.5	63.4	59.6	63.5	69.3	69.7	10.1	YES	73.6	64.7	65.9	6.3	YES	69.8	66.4	67.2	7.6	YES	71.1	60.8	63.3	3.7		67.2	60.0	62.8	3.2		66.7
A088	A	1	56.4	60.3	56.5	60.4	43.9	56.7	0.2		60.6	40.9	56.6	0.1		60.5	42.8	56.6	0.2		60.5	37.8	56.5	0.1		60.4	38.7	56.5	0.1		60.4
A088	A	2	56.4	60.3	56.6	60.5	44.0	56.8	0.2		60.7	41.0	56.7	0.1		60.6	42.8	56.7	0.2		60.6	37.8	56.6	0.1		60.5	38.6	56.6	0.1		60.5
A088	A	3	56.4	60.3	56.6	60.5	45.0	56.9	0.3		60.8	41.7	56.7	0.1		60.6	43.8	56.8	0.2		60.7	38.1	56.6	0.1		60.5	38.9	56.6	0.1		60.5
A088	B	1	69.8	73.7	70.0	73.9	43.4	70.0	0.0		73.9	40.5	70.0	0.0		73.9	42.2	70.0	0.0		73.9	37.5	70.0	0.0		73.9	38.3	70.0	0.0		73.9
A088	B	2	70.1	74.0	70.3	74.2	43.5	70.3	0.0		74.2	40.6	70.3	0.0		74.2	42.2	70.3	0.0		74.2	37.5	70.3	0.0		74.2	38.4	70.3	0.0		74.2
A088	B	3	70.0	73.9	70.2	74.1	43.9	70.2	0.0		74.1	40.8	70.2	0.0		74.1	42.4	70.2	0.0		74.1	37.9	70.2	0.0		74.1	38.6	70.2	0.0		74.1
A088	C	1	62.8	66.7	63.0	66.9	43.6	63.0	0.0		66.9	40.7	63.0	0.0		66.9	42.4	63.0	0.0		66.9	37.6	63.0	0.0		66.9	38.4	63.0	0.0		66.9
A088	C	2	64.1	68.0	64.2	68.1	43.8	64.2	0.0		68.1	40.8	64.2	0.0		68.1	42.4	64.2	0.0		68.1	37.8	64.2	0.0		68.1	38.5	64.2	0.0		68.1
A088	C	3	64.4	68.3	64.5	68.4	44.7	64.5	0.0		68.4	41.6	64.5	0.0		68.4	43.2	64.5	0.0		68.4	38.3	64.5	0.0		68.4	38.8	64.5	0.0		68.4
A089	A	1	69.7	73.6	69.8	73.7	42.5	69.8	0.0		73.7	40.1	69.8	0.0		73.7	41.5	69.8	0.0		73.7	36.8	69.8	0.0		73.7	37.8	69.8	0.0		73.7
A089	A	2	70.1	74.0	70.2	74.1	42.5	70.2	0.0		74.1	40.1	70.2	0.0		74.1	41.5	70.2	0.0		74.1	36.9	70.2	0.0		74.1	37.8	70.2	0.0		74.1
A089	A	3	70.0	73.9	70.1	74.0	42.8	70.1	0.0		74.0	40.0	70.1	0.0		74.0	41.7	70.1	0.0		74.0	37.2	70.1	0.0		74.0	38.0	70.1	0.0		74.0
A089	B	1	56.4	60.3	56.6	60.5	44.1	56.8	0.2		60.7	41.3	56.7	0.1		60.6	42.6	56.7	0.2		60.6	38.2	56.6	0.1		60.5	38.7	56.6	0.1		60.5
A089	B	2	56.4	60.3	56.5	60.4	44.6	56.7	0.3		60.6	47.2	57.0	0.5		60.9	47.6	57.0	0.5		60.9	46.3	56.9	0.4		60.8	39.3	56.5	0.1		60.4
A089	B	3	56.4	60.3	56.6	60.5	45.8	56.9	0.3		60.8	50.0	57.4	0.9		61.3	50.3	57.5	0.9		61.4	48.0	57.1	0.6		61.0	40.2	56.7	0.1		60.6
A090	A	1	69.5	73.4	69.7	73.6	41.7	69.7	0.0		73.6	39.1	69.7	0.0		73.6	40.6	69.7	0.0		73.6	35.8	69.7	0.0		73.6	36.6	69.7	0.0		73.6
A090	A	2	69.9	73.8	70.1	74.0	41.8	70.1	0.0		74.0	39.2	70.1	0.0		74.0	40.7	70.1	0.0		74.0	35.9	70.1	0.0		74.0	36.8	70.1	0.0		74.0
A090	A	3	69.8	73.7	70.0	73.9	42.6	70.0	0.0		73.9	40.1	70.0	0.0		73.9	41.8	70.0	0.0		73.9	36.4	70.0	0.0		73.9	37.2	70.0	0.0		73.9
A090	B	1	56.4	60.3	56.5	60.4	63.3	64.1	7.7	YES	68.0	59.6	61.3	4.9		65.2	59.6	61.3	4.9		65.2	55.8	59.2	2.7		63.1	53.0	58.1	1.6		62.0
A090	B	2	56.4	60.3	56.5	60.4	64.5	65.1	8.7	YES	69.0	61.1	62.4	5.9	YES	66.3	61.3	62.5	6.1	YES	66.4	57.4	60.0	3.5		63.9	58.0	60.3	3.8		64.2
A090	B	3	57.9	61.8	58.0	61.9	62.5	63.8	5.8	YES	67.7	58.8	61.4	3.4		65.3	59.2	61.7	3.7		65.6	55.2	59.8	1.8		63.7	56.7	60.4	2.4		64.3
A091	A	1	56.4	60.3	56.6	60.5	43.2	56.8	0.2		60.7	40.8	56.7	0.1		60.6	42.4	56.7	0.2		60.6	37.7	56.6	0.1		60.5	38.8	56.6	0.1		60.5
A091	A	2	56.4	60.3	56.6	60.5	43.2	56.8	0.2		60.7	40.8	56.7	0.1		60.6	42.4	56.7	0.2		60.6	37.7	56.6	0.1		60.5	38.9	56.6	0.1		60.5
A091	A	3	58.2	62.1	58.4	62.3	44.0	58.6	0.2		62.5	41.5	58.5	0.1		62.4	43.2	58.5	0.1		62.4	38.5	58.4	0.0		62.3	39.3	58.5	0.1		62.4
A091	B	1	69.6	73.5	69.8	73.7	59.5	70.2	0.4		74.1	57.9	70.1	0.3		74.0	58.0	70.1	0.3		74.0	52.4	69.9	0.1		73.8	48.4	69.8	0.0		73.7
A091	B	2	70.1	74.0	70.3	74.2	64.4	71.3	1.0		75.2	59.5	70.6	0.3		74.5	60.8	70.8	0.5		74.7	55.5	70.4	0.1		74.3	58.1	70.6	0.3		74.5
A091	B	3	70.0	73.9	70.2	74.1	64.3	71.2	1.0		75.1	58.8	70.5	0.3		74.4	61.7	70.8	0.6		74.7	54.9	70.3	0.1		74.2	57.8	70.4	0.2		74.3
A092	A	1	68.1	72.0	68.3	72.2	56.3	68.6	0.3		72.5	53.3	68.4	0.1		72.3	53.4	68.4	0.1		72.3	48.3	68.3	0.0		72.2	49.4	68.4	0.1		72.3
A092	A	2	68.9	72.8	69.1	73.0	55.3	69.3	0.2		73.2	52.1	69.2	0.1		73.1	52.3	69.2	0.1		73.1	47.3	69.1	0.0		73.0	48.7	69.1	0.0		73.0
A092	A	3	69.1	73.0	69.2	73.1	60.2	69.7	0.5		73.6	56.8	69.4	0.2		73.3	57.1	69.5	0.3		73.4	53.1	69.3	0.1		73.2	56.7	69.4	0.2		73.3
A092	B	1	56.4	60.3	56.6	60.5	43.0	56.8	0.2		60.7	40.7	56.7	0.1		60.6	42.0	56.7	0.1		60.6	37.1	56.6	0.0		60.5	38.1	56.6	0.1		60.5
A092	B	2	57.4	61.3	57.6	61.5	42.5	57.7	0.1		61.6	39.8	57.7	0.1		61.6	41.4	57.7	0.1		61.6	37.1	57.6	0.0		61.5	38.1	57.6	0.0		61.5
A092	B	3	59.5	63.4	59.6	63.5	43.4	59.7	0.1		63.6	40.5	59.7	0.1		63.6	42.1	59.7	0.1		63.6	37.3	59.6	0.0		63.5	38.3	59.6	0.0		63.5
A093	A	1	56.4	60.3	56.6	60.5	45.4	56.9	0.3		60.8	43.4	56.8	0.2		60.7	44.8	56.8	0.3		60.7	40.4	56.7	0.1		60.6	41.5	56.7	0.1		60.6
A093	A	2	56.4	60.3	56.5	60.4	52.4	57.9	1.4		61.8	51.6	57.7	1.2		61.6	52.9	58.0	1.6		61.9	45.7	56.8	0.3		60.7	43.8	56.7	0.2		60.6
A093	A	3	57.1	61.0	57.3	61.2	57.8	60.6	3.3		64.5	57.0	60.2	2.9		64.1	59.7	61.7	4.4		65.6	54.4	59.1	1.8		63.0	50.4	58.1	0.8		62.0
A093	B	1	69.4	73.3	69.6	73.5	63.3	70.5	0.9		74.4	61.3	70.2	0.6		74.1	64.4	70.7	1.1		74.6	57.8	69.9	0.3		73.8	50.9	69.7	0.1		73.6
A093	B	2	70.1	74.0	70.3	74.2	65.9	71.6	1.3		75.5	62.8	71.0	0.7		74.9	65.0	71.4	1.1		75.3	59.2	70.6	0.3		74.5	58.8	70.6	0.3		74.5
A093	B	3	70.2	74.1	70.4	74.3	67.5	72.2	1.8		76.1	62.4	71.0	0.6		74.9	64.6	71.4	1.0		75.3	58.7	70.7	0.3		74.6	58.4	70.7	0.3		74.6
A094	A	1	57.6	61.5	57.8	61.7	61.2	62.8	5.0	YES	66.7	61.7	63.2	5.4	YES	67.1	61.8	63.3	5.5	YES	67.2	54.5	59.5	1.7		63.4	40.0	57.9	0.1		61.8
A094	A	2	60.3	64.2	60.5	64.4	62.2	64.4	3.9		68.3	59.2	62.9	2.4		66.8	59.2	62.9	2.4		66.8	56.1	61.8	1.3		65.7	39.9	60.5	0.0		64.4
A094	A	3	62.7	66.6	62.9	66.8	67.5	68.8	5.9	YES	72.7	63.3	66.1	3.2	YES	70.0	64.8	67.0	4.1	YES	70.9	60.2	64.8	1.9		68.7	58.8	64.3	1.4		68.2
A094	B	1	70.3	74.2	70.5	74.4	68.2	72.5	2.0		76.4	66.9	72.1	1.6		76.0	68.1	72.5	2.0		76.4	62.4	71.1	0.6		75.0	60.4	70.9	0.4		74.8
A094	B	2	71.1	75.0	71.3	75.2	69.5	73.5	2.2		77.4	65.6	72.3	1.0		76.2	67.0	72.7	1.4		76.6	61.2	71.7	0.4		75.6	59.9	71.6	0.3		75.5
A094	B	3	71.3	75.2	71.5	75.4	69.2	73.5	2.0		77.4	65.4	72.5	1.0		76.4	66.7	72.7	1.2		76.6	60.8	71.9	0.4		75.8	59.5	71.8	0.3		75.7
A094	C	1	56.4	60.3	56.6	60.5	60.3	61.8	5.3	YES	65.7	61.6	62.8	6.2	YES	66.7	60.2	61.8	5.2	YES	65.7	38.9	56.6	0.1		60.5	39.9	56.7	0.1		60.6
A094	C	2	56.4	60.3	56.6	60.5	52.7	58.1	1.5		62.0	56.8	59.7	3.1		63.6	52.5	58.0	1.4		61.9	38.6	56.6	0.1		60.5	39.6	56.7	0.1		60.6
A094	C	3	59.3	63.2	59.5	63.4	59.1	62.3	2.8		66.2	58.4	62.0	2.5		65.9	58.9	62.2	2.7		66.1	39.3	59.5	0.0		63.4	39.9	59.5	0.0		63.4
A094	D	1	56.7	60.6	56.8	60.7	59.4	61.3	4.5		65.2	59.0	61.0	4.2		64.9	59.3	61.2	4.4		65.1	40.0	56.9	0.1		60.8	41.1	56.9	0.1		60.8
A094	D	2	60.3	64.2	60.4	64.3	61.2	63.8	3.4		67.7	42.0	60.5	0.1		64.4	43.1	60.5	0.1		64.4	39.3	60.4	0.0		64.3	40.0	60.4	0.0		64.3
A094	D	3	62.2	66.1	62.3	66.2	47.0	62.4	0.1		66.3	43.4	62.4	0.1		66.3	44.4	62.4	0.1		66.3	39.9	62.3	0.0		66.2	40.3	62.3	0.0		66.2
A095	A	1	61.2	64.7	61.3	64.8	66.4	67.6	6.3	YES	71.1	67.0	68.0	6.7	YES	71.5	68.6	69.3	8.0	YES	72.8	63.0	65.2	3.9	YES	68.7	59.5	63.5	2.2		67.0
A095	A	2	61.8	65.3	61.9	65.4	67.4	68.5	6.6	YES	72.0	65.8	67.3	5.4	YES	70.8	67.6	68.6	6.7	YES	72.1	61.9	64.9	3.0		68.4	58.8	63.6	1.7		67.1
A095	A	3	62.1	65.6	62.2	65.7	68.2	69.2	7.0	YES	72.7	65.8	67.4	5.2	YES	70.9	67.5	68.6	6.4	YES	72.1	61.6	64.9	2.7		68.4	58.2	63.7	1.5		67.2

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total	Leq Const	Leq Total	Leq Change	Exceed?	L10 Total
A095	B	1	56.4	59.9	56.5	60.0	63.5	64.3	7.8	YES	67.8	62.0	63.1	6.6	YES	66.6	63.4	64.2	7.7	YES	67.7	59.2	61.1	4.6		64.6	52.8	58.0	1.6		61.5
A095	B	2	56.4	59.9	56.5	60.0	61.3	62.5	6.1	YES	66.0	46.4	56.9	0.4		60.4	50.1	57.4	0.9		60.9	41.0	56.6	0.1		60.1	41.8	56.6	0.1		60.1
A095	B	3	56.4	59.9	56.6	60.1	51.9	57.8	1.3		61.3	47.0	57.0	0.5		60.5	46.4	57.0	0.4		60.5	41.9	56.7	0.1		60.2	42.4	56.7	0.2		60.2
A095	C	1	56.4	59.9	56.6	60.1	59.9	61.6	5.0		65.1	60.7	62.1	5.6	YES	65.6	63.3	64.1	7.6	YES	67.6	55.8	59.2	2.6		62.7	52.9	58.1	1.6		61.6
A095	C	2	56.4	59.9	56.5	60.0	61.0	62.3	5.8	YES	65.8	59.7	61.4	4.9		64.9	61.1	62.4	5.9	YES	65.9	55.3	58.9	2.5		62.4	52.8	58.0	1.6		61.5
A095	C	3	56.4	59.9	56.6	60.1	64.1	64.8	8.2	YES	68.3	60.9	62.3	5.7	YES	65.8	64.6	65.2	8.7	YES	68.7	55.5	59.1	2.5		62.6	56.8	59.7	3.1		63.2
A096	A	1	71.1	74.6	71.3	74.8	56.6	71.4	0.1		74.9	54.5	71.4	0.1		74.9	55.0	71.4	0.1		74.9	54.1	71.4	0.1		74.9	54.3	71.4	0.1		74.9
A096	A	2	71.7	75.2	71.9	75.4	59.3	72.1	0.2		75.6	59.8	72.2	0.3		75.7	60.2	72.2	0.3		75.7	58.1	72.1	0.2		75.6	58.7	72.1	0.2		75.6
A096	A	3	71.7	75.2	71.9	75.4	60.0	72.2	0.3		75.7	60.9	72.2	0.3		75.7	62.0	72.3	0.4		75.8	59.6	72.1	0.2		75.6	60.0	72.2	0.3		75.7
A096	B	1	66.7	70.2	66.9	70.4	65.6	69.3	2.4		72.8	65.5	69.3	2.4		72.8	65.5	69.3	2.4		72.8	60.7	67.8	0.9		71.3	54.6	67.1	0.2		70.6
A096	B	2	67.8	71.3	68.0	71.5	66.2	70.2	2.2		73.7	64.6	69.6	1.6		73.1	64.8	69.7	1.7		73.2	59.9	68.6	0.6		72.1	55.5	68.2	0.2		71.7
A096	B	3	68.2	71.7	68.3	71.8	66.0	70.3	2.0		73.8	64.3	69.8	1.5		73.3	64.7	69.9	1.6		73.4	59.8	68.9	0.6		72.4	55.5	68.5	0.2		72.0
A096	C	1	56.4	59.9	56.6	60.1	60.1	61.7	5.1	YES	65.2	59.9	61.6	5.0		65.1	60.0	61.6	5.1	YES	65.1	41.8	56.7	0.1		60.2	43.9	56.8	0.2		60.3
A096	C	2	57.0	60.5	57.2	60.7	59.2	61.3	4.1		64.8	58.8	61.1	3.9		64.6	59.1	61.3	4.1		64.8	43.1	57.4	0.2		60.9	44.7	57.4	0.2		60.9
A096	C	3	60.1	63.6	60.2	63.7	62.6	64.6	4.4		68.1	62.2	64.3	4.1		67.8	62.7	64.6	4.4		68.1	57.6	62.1	1.9		65.6	45.7	60.4	0.2		63.9
A096	D	1	68.0	71.5	68.2	71.7	58.5	68.6	0.4		72.1	58.3	68.6	0.4		72.1	58.4	68.6	0.4		72.1	50.8	68.3	0.1		71.8	51.1	68.3	0.1		71.8
A096	D	2	68.8	72.3	68.9	72.4	55.1	69.1	0.2		72.6	52.2	69.0	0.1		72.5	52.6	69.0	0.1		72.5	51.7	69.0	0.1		72.5	52.0	69.0	0.1		72.5
A096	D	3	68.9	72.4	69.0	72.5	53.9	69.1	0.1		72.6	52.7	69.1	0.1		72.6	53.4	69.1	0.1		72.6	51.8	69.1	0.1		72.6	52.2	69.1	0.1		72.6
A097	B	1	68.1	71.6	68.2	71.7	51.2	68.3	0.1		71.8	50.2	68.3	0.1		71.8	50.6	68.3	0.1		71.8	49.9	68.3	0.1		71.8	50.2	68.3	0.1		71.8
A097	B	2	69.0	72.5	69.2	72.7	51.7	69.3	0.1		72.8	51.0	69.3	0.1		72.8	51.4	69.3	0.1		72.8	50.7	69.3	0.1		72.8	50.9	69.3	0.1		72.8
A097	B	3	69.0	72.5	69.1	72.6	52.0	69.2	0.1		72.7	51.1	69.2	0.1		72.7	51.5	69.2	0.1		72.7	50.7	69.2	0.1		72.7	51.0	69.2	0.1		72.7
A097	C	1	71.2	74.7	71.4	74.9	55.6	71.5	0.1		75.0	54.0	71.5	0.1		75.0	54.4	71.5	0.1		75.0	53.7	71.5	0.1		75.0	53.9	71.5	0.1		75.0
A097	C	2	72.0	75.5	72.1	75.6	56.4	72.2	0.1		75.7	57.3	72.2	0.1		75.7	58.3	72.3	0.2		75.8	56.0	72.2	0.1		75.7	56.1	72.2	0.1		75.7
A097	C	3	71.9	75.4	72.1	75.6	58.5	72.3	0.2		75.8	59.0	72.3	0.2		75.8	60.1	72.4	0.3		75.9	58.1	72.3	0.2		75.8	58.5	72.3	0.2		75.8
A098	A	1	68.9	72.8	69.1	73.0	46.0	69.1	0.0		73.0	42.9	69.1	0.0		73.0	43.5	69.1	0.0		73.0	40.6	69.1	0.0		73.0	41.5	69.1	0.0		73.0
A098	A	2	69.8	73.7	70.0	73.9	46.1	70.0	0.0		73.9	43.0	70.0	0.0		73.9	43.6	70.0	0.0		73.9	40.9	70.0	0.0		73.9	41.8	70.0	0.0		73.9
A098	A	3	70.1	74.0	70.3	74.2	50.3	70.3	0.0		74.2	44.7	70.3	0.0		74.2	45.1	70.3	0.0		74.2	41.3	70.3	0.0		74.2	42.1	70.3	0.0		74.2
A098	B	1	61.4	65.3	61.6	65.5	60.2	64.0	2.4		67.9	57.9	63.1	1.5		67.0	62.9	65.3	3.7	YES	69.2	44.8	61.7	0.1		65.6	55.0	62.5	0.9		66.4
A098	B	2	63.2	67.1	63.4	67.3	65.5	67.6	4.2	YES	71.5	64.3	66.9	3.5	YES	70.8	66.2	68.0	4.6	YES	71.9	60.3	65.1	1.7		69.0	56.3	64.2	0.8		68.1
A098	B	3	65.1	69.0	65.3	69.2	66.4	68.9	3.6	YES	72.8	64.0	67.7	2.4		71.6	65.9	68.6	3.3	YES	72.5	59.8	66.4	1.1		70.3	55.8	65.8	0.5		69.7
A099	A	1	57.7	61.6	57.9	61.8	45.9	58.2	0.3		62.1	42.3	58.0	0.1		61.9	43.2	58.0	0.1		61.9	39.2	58.0	0.1		61.9	40.2	58.0	0.1		61.9
A099	A	2	60.9	64.8	61.0	64.9	66.2	67.3	6.3	YES	71.2	64.2	65.9	4.9	YES	69.8	65.4	66.7	5.7	YES	70.6	59.7	63.4	2.4		67.3	58.7	63.0	2.0		66.9
A099	A	3	63.3	67.2	63.4	67.3	67.6	69.0	5.6	YES	72.9	63.8	66.6	3.2	YES	70.5	65.0	67.3	3.9	YES	71.2	59.2	64.8	1.4		68.7	58.3	64.6	1.2		68.5
A099	B	1	60.4	64.3	60.6	64.5	59.5	63.1	2.5		67.0	59.1	62.9	2.3		66.8	59.4	63.1	2.5		67.0	38.4	60.6	0.0		64.5	40.6	60.6	0.0		64.5
A099	B	2	61.7	65.6	61.8	65.7	58.3	63.4	1.6		67.3	57.9	63.3	1.5		67.2	58.2	63.4	1.6		67.3	38.4	61.8	0.0		65.7	40.7	61.8	0.0		65.7
A099	B	3	63.5	67.4	63.7	67.6	58.3	64.8	1.1		68.7	57.5	64.6	0.9		68.5	58.1	64.8	1.1		68.7	38.6	63.7	0.0		67.6	39.5	63.7	0.0		67.6
A099	C	1	70.0	73.9	70.1	74.0	43.4	70.1	0.0		74.0	40.7	70.1	0.0		74.0	41.9	70.1	0.0		74.0	38.7	70.1	0.0		74.0	39.8	70.1	0.0		74.0
A099	C	2	70.4	74.3	70.5	74.4	43.5	70.5	0.0		74.4	40.8	70.5	0.0		74.4	42.0	70.5	0.0		74.4	38.8	70.5	0.0		74.4	39.8	70.5	0.0		74.4
A099	C	3	70.4	74.3	70.5	74.4	47.6	70.5	0.0		74.4	42.7	70.5	0.0		74.4	43.8	70.5	0.0		74.4	39.6	70.5	0.0		74.4	40.5	70.5	0.0		74.4
A100	A	1	56.4	60.3	56.6	60.5	42.9	56.7	0.2		60.6	40.1	56.7	0.1		60.6	41.6	56.7	0.1		60.6	36.4	56.6	0.0		60.5	37.4	56.6	0.1		60.5
A100	A	2	58.2	62.1	58.4	62.3	64.5	65.5	7.1	YES	69.4	59.4	61.9	3.5		65.8	61.7	63.4	5.0		67.3	56.1	60.4	2.0		64.3	56.3	60.5	2.1		64.4
A100	A	3	60.2	64.1	60.4	64.3	64.4	65.9	5.5	YES	69.8	58.7	62.6	2.2		66.5	61.1	63.8	3.4		67.7	55.4	61.6	1.2		65.5	56.0	61.7	1.3		65.6
A100	B	1	70.0	73.9	70.1	74.0	40.9	70.1	0.0		74.0	37.8	70.1	0.0		74.0	39.7	70.1	0.0		74.0	35.3	70.1	0.0		74.0	36.7	70.1	0.0		74.0
A100	B	2	70.2	74.1	70.4	74.3	41.4	70.4	0.0		74.3	37.9	70.4	0.0		74.3	39.9	70.4	0.0		74.3	35.6	70.4	0.0		74.3	36.9	70.4	0.0		74.3
A100	B	3	69.9	73.8	70.0	73.9	42.9	70.0	0.0		73.9	38.5	70.0	0.0		73.9	42.1	70.0	0.0		73.9	35.8	70.0	0.0		73.9	37.1	70.0	0.0		73.9
A101	A	1	57.1	60.6	57.3	60.8	61.6	63.0	5.7	YES	66.5	53.2	58.7	1.4		62.2	57.6	60.5	3.2		64.0	45.8	57.6	0.3		61.1	49.9	58.0	0.7		61.5
A101	A	2	59.3	62.8	59.5	63.0	63.3	64.8	5.3	YES	68.3	54.8	60.8	1.3		64.3	60.4	63.0	3.5		66.5	48.0	59.8	0.3		63.3	52.5	60.3	0.8		63.8
A101	B	1	66.4	69.9	66.6	70.1	72.5	73.5	6.9	YES	77.0	67.9	70.3	3.7	YES	73.8	68.3	70.5	3.9	YES	74.0	61.2	67.7	1.1		71.2	62.3	68.0	1.4		71.5
A101	B	2	68.0	71.5	68.2	71.7	72.2	73.7	5.5	YES	77.2	67.3	70.8	2.6		74.3	67.5	70.9	2.7		74.4	60.8	68.9	0.7		72.4	63.0	69.3	1.1		72.8
A101	C	1	70.2	73.7	70.3	73.8	72.0	74.2	3.9	YES	77.7	66.8	71.9	1.6		75.4	67.1	72.0	1.7		75.5	60.0	70.7	0.4		74.2	60.4	70.7	0.4		74.2
A101	C	2	71.1	74.6	71.3	74.8	72.0	74.7	3.4	YES	78.2	66.9	72.6	1.3		76.1	67.2	72.7	1.4		76.2	60.8	71.7	0.4		75.2	60.9	71.7	0.4		75.2
A102	A	1	56.4	59.9	56.6	60.1	49.9	57.4	0.8		60.9	45.7	56.9	0.3		60.4	47.1	57.0	0.5		60.5	43.4	56.8	0.2		60.3	45.4	56.9	0.3		60.4
A102	A	2	56.4	59.9	56.5	60.0	58.0	60.3	3.8		63.8	50.5	57.4	1.0		60.9	51.1	57.6	1.1		61.1	45.3	56.8	0.3		60.3	47.3	57.0	0.5		60.5
A102	B	1	69.6	73.1	69.7	73.2	69.3	72.5	2.8		76.0	66.5	71.4	1.7		74.9	66.9	71.5	1.8		75.0	61.2	70.3	0.6		73.8	59.0	70.1	0.4		73.6
A102	B	2	70.8	74.3	70.9	74.4	69.3	73.2	2.3		76.7	65.9	72.1	1.2		75.6	66.6	72.3	1.4		75.8	60.8	71.3	0.4		74.8	59.4	71.2	0.3		74.7
A102	C	1	63.2	66.7	63.3	66.8	60.2	65.0	1.7		68.5	59.1	64.7	1.4		68.2	59.5	64.8	1.5		68.3	47.7	63.4	0.1		66.9	49.0	63.5	0.2		67.0
A102	C	2	65.7	69.2	65.8	69.3	53.2	66.0	0.2		69.5	50.2	65.9	0.1		69.4	50.6	65.9	0.1		69.4	48.9	65.9	0.1		69.4	49.7	65.9	0.1		69.4
A103	A	1	62.0	65.5	62.2	65.7	59.5	64.1	1.9		67.6	52.4	62.6	0.4		66.1	55.4	63.0	0.8		66.5	49.8	62.4	0.2		65.9	55.6	63.1	0.9		66.6
A103	A	2	62.7	66.2	62.9	66.4	60.9	65.0	2.1		68.5	53.7	63.4	0.5		66.9	58.1	64.1	1.2		67.6	50.7	63.2	0.3		66.7	57.3	64.0	1.1		67.5
A103	A	3	64.8	68.3	65.0	68.5	68.7	70.2	5.2	YES	73.7	61.4	66.6	1.6		70.1	64.2	67.6	2.6		71.1	58.1	65.8	0.8		69.3	63.6	67.4	2.4		70.9
A103	B	1	66.3	69.8	66.5	70.0	73.7	74.5	8.0	YES	78.0	67.9	70.3	3.8	YES	73.8	68.4	70.6	4.1	YES	74.1	60.3	67.4	0.9		70.9	65.4	69.0	2.5		72.5
A103	B	2	67.3	70.8	67.5	71.0	73.8	74.7	7.2	YES	78.2	68.0	70.8	3.3	YES	74.3	68.3	70.9	3.4	YES	74.4	62.0	68.6	1.1		72.1	66.3	70.0	2.5		73.5
A103	B	3	68.2	71.7	68.4	71.9	75.1	75.9	7.5	YES	79.4	69.4	71.9	3.5	YES	75.4	69.3	71.9	3.5	YES	75.4	63.5	69.6	1.2		73.1	67.1	70.8	2.4		74.3
A103	C	2	67.1	70.6	67.2	70.7	74.1	74.9	7.7	YES	78.4	68.4	70.9	3.7	YES	74.4	68.0	70.6	3.4	YES	74.1	62.7	68.5	1.3		72.0	65.2	69.3	2.1		72.8
A103	C	3	69.4	72.9	69.6	73.1	75.0	76.1	6.5	YES	79.6	69.5	72.6	3.0		76.1	69.2	72.4	2.8		75.9	63.5	70.6	1.0		74.1	66.3	71.3	1.7		74.8
A104	A	1	61.7	65.2	61.9	65.4	60.1	64.1	2.2		67.6	57.2	63.2	1.3		66.7	57.8	63.3	1.4		66.8	51.3	62.3	0.4		65.8	48.4	62.1	0.2		65.6
A104	A	2	62.3	65.8	62.4	65.9	60.2	64.4	2.0		67.9	56.7	63.4	1.0		66.9	57.5	63.6	1.2		67.1	51.0	62.7	0.3		66.2	49.5	62.6	0.2		66.1
A104	A	3	63.8	67.3	64.0	67.5	68.0	69.5	5.5	YES	73.0	60.7	65.7	1.7		69.2	62.8	66.5	2.5		70.0	56.3	64.7	0.7		68.2	60.0	65.5	1.5		69.0
A104	B	1	56.4	59.9	56.6	60.1	65.4	65.9	9.4	YES	69.4	57.2	59.9	3.3		63.4	53.8	58.4	1.8		61.9	44.6	56.8	0.3		60.3	47.3	57.1	0.5		60.6

Noise Analysis Results - Sites 66 and 67

East NY Construction

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing	Existing	No Build	No Build	Jul-17					Dec-17					Feb-18					Dec-18					Apr-19				
			Leq(1)	L10	Leq(1)	L10	Leq Const	Leq Total	Change	Exceed?	L10 Total	Leq Const	Leq Total	Change	Exceed?	L10 Total	Leq Const	Leq Total	Change	Exceed?	L10 Total	Leq Const	Leq Total	Change	Exceed?	L10 Total	Leq Const	Leq Total	Change	Exceed?	L10 Total
A104	B	2	57.3	60.8	57.4	60.9	68.6	68.9	11.5	YES	72.4	63.3	64.3	6.9	YES	67.8	63.0	64.1	6.7	YES	67.6	54.9	59.3	1.9		62.8	52.0	58.5	1.1		62.0
A104	B	3	64.1	67.6	64.3	67.8	70.8	71.7	7.4	YES	75.2	66.0	68.2	3.9	YES	71.7	66.5	68.5	4.2	YES	72.0	59.2	65.5	1.2		69.0	61.5	66.1	1.8		69.6
A105	A	1	56.4	59.9	56.6	60.1	67.0	67.4	10.8	YES	70.9	64.9	65.5	8.9	YES	69.0	65.4	65.9	9.4	YES	69.4	57.0	59.8	3.2		63.3	54.0	58.5	1.9		62.0
A105	A	2	58.1	61.6	58.2	61.7	68.6	69.0	10.8	YES	72.5	64.4	65.3	7.1	YES	68.8	65.2	66.0	7.8	YES	69.5	57.3	60.8	2.6		64.3	55.7	60.1	1.9		63.6
A105	A	3	60.9	64.4	61.0	64.5	68.6	69.3	8.3	YES	72.8	64.6	66.2	5.2	YES	69.7	65.4	66.7	5.7	YES	70.2	58.3	62.9	1.9		66.4	60.0	63.5	2.5		67.0
A105	B	1	58.8	62.3	59.0	62.5	50.7	59.6	0.6		63.1	44.5	59.2	0.2		62.7	47.3	59.3	0.3		62.8	41.8	59.1	0.1		62.6	44.5	59.2	0.2		62.7
A105	B	2	60.0	63.5	60.2	63.7	54.7	61.3	1.1		64.8	45.7	60.4	0.2		63.9	48.7	60.5	0.3		64.0	42.4	60.3	0.1		63.8	45.1	60.3	0.1		63.8
A105	B	3	61.1	64.6	61.3	64.8	58.2	63.0	1.7		66.5	47.7	61.5	0.2		65.0	51.8	61.8	0.5		65.3	44.8	61.4	0.1		64.9	47.8	61.5	0.2		65.0
A106	A	1	56.4	59.9	56.6	60.1	55.5	59.1	2.5		62.6	47.7	57.1	0.5		60.6	52.0	57.9	1.3		61.4	45.2	56.9	0.3		60.4	53.7	58.4	1.8		61.9
A106	A	2	56.7	60.2	56.9	60.4	57.9	60.4	3.5		63.9	50.3	57.8	0.9		61.3	55.5	59.3	2.4		62.8	47.4	57.4	0.5		60.9	55.0	59.1	2.2		62.6
A106	B	1	56.4	59.9	56.5	60.0	51.7	57.7	1.3		61.2	45.1	56.8	0.3		60.3	48.1	57.1	0.6		60.6	42.5	56.6	0.2		60.1	44.6	56.7	0.3		60.2
A106	B	2	56.4	59.9	56.5	60.0	48.0	57.0	0.6		60.5	43.6	56.7	0.2		60.2	47.4	57.0	0.5		60.5	42.2	56.6	0.2		60.1	44.8	56.8	0.3		60.3
A106	C	1	56.4	59.9	56.5	60.0	62.0	63.1	6.6	YES	66.6	60.6	62.0	5.6	YES	65.5	61.1	62.4	5.9	YES	65.9	52.8	58.0	1.6		61.5	49.4	57.2	0.8		60.7
A106	C	2	56.4	59.9	56.5	60.0	63.5	64.3	7.8	YES	67.8	60.2	61.7	5.2	YES	65.2	61.1	62.4	5.9	YES	65.9	52.8	58.0	1.5		61.5	53.1	58.1	1.6		61.6
A106	D	1	60.1	63.6	60.3	63.8	64.7	66.0	5.7	YES	69.5	63.3	65.1	4.8	YES	68.6	65.4	66.6	6.3	YES	70.1	54.8	61.4	1.1		64.9	60.2	63.3	3.0		66.8
A106	D	2	61.2	64.7	61.4	64.9	66.2	67.4	6.0	YES	70.9	62.8	65.2	3.8	YES	68.7	64.9	66.5	5.1	YES	70.0	54.9	62.3	0.9		65.8	60.9	64.2	2.8		67.7
A107	A	1	56.4	59.9	56.6	60.1	56.2	59.4	2.8		62.9	50.0	57.4	0.9		60.9	51.6	57.8	1.2		61.3	47.7	57.1	0.5		60.6	50.9	57.6	1.0		61.1
A107	A	2	56.4	59.9	56.6	60.1	59.0	61.0	4.4		64.5	52.1	57.9	1.3		61.4	54.2	58.6	2.0		62.1	49.6	57.4	0.8		60.9	53.4	58.3	1.7		61.8
A107	B	1	60.9	64.4	61.0	64.5	70.4	70.9	9.9	YES	74.4	66.1	67.3	6.3	YES	70.8	66.0	67.2	6.2	YES	70.7	55.7	62.1	1.1		65.6	60.7	63.9	2.9		67.4
A107	B	2	62.2	65.7	62.4	65.9	71.6	72.1	9.7	YES	75.6	65.8	67.4	5.0	YES	70.9	66.1	67.6	5.2	YES	71.1	57.6	63.6	1.2		67.1	61.5	65.0	2.6		68.5
A108	A	1	60.3	63.8	60.4	63.9	64.9	66.2	5.8	YES	69.7	58.2	62.4	2.0		65.9	60.8	63.6	3.2		67.1	48.7	60.7	0.3		64.2	55.1	61.5	1.1		65.0
A108	A	2	61.6	65.1	61.8	65.3	64.9	66.6	4.8	YES	70.1	57.6	63.2	1.4		66.7	61.5	64.7	2.9		68.2	49.0	62.0	0.2		65.5	55.6	62.7	0.9		66.2
A108	A	3	62.6	66.1	62.7	66.2	64.4	66.6	3.9	YES	70.1	54.1	63.3	0.6		66.8	60.2	64.6	1.9		68.1	49.8	62.9	0.2		66.4	57.8	63.9	1.2		67.4
A108	B	1	63.9	67.4	64.1	67.6	72.7	73.3	9.2	YES	76.8	67.5	69.1	5.0	YES	72.6	68.6	69.9	5.8	YES	73.4	60.2	65.6	1.5		69.1	67.6	69.2	5.1	YES	72.7
A108	B	2	64.9	68.4	65.0	68.5	72.7	73.4	8.4	YES	76.9	67.2	69.2	4.2	YES	72.7	68.3	70.0	5.0	YES	73.5	60.8	66.4	1.4		69.9	67.8	69.6	4.6	YES	73.1
A108	B	3	65.5	69.0	65.7	69.2	72.9	73.7	8.0	YES	77.2	67.5	69.7	4.0	YES	73.2	68.5	70.3	4.6	YES	73.8	61.3	67.0	1.3		70.5	68.0	70.0	4.3	YES	73.5
A108	C	1	64.3	67.8	64.5	68.0	74.0	74.5	10.0	YES	78.0	68.2	69.7	5.2	YES	73.2	69.2	70.5	6.0	YES	74.0	61.1	66.1	1.6		69.6	69.0	70.3	5.8	YES	73.8
A108	C	2	65.1	68.6	65.2	68.7	73.9	74.4	9.2	YES	77.9	68.1	69.9	4.7	YES	73.4	68.9	70.4	5.2	YES	73.9	61.6	66.8	1.6		70.3	69.2	70.7	5.5	YES	74.2
A108	C	3	65.7	69.2	65.9	69.4	74.1	74.7	8.8	YES	78.2	68.6	70.5	4.6	YES	74.0	69.1	70.8	4.9	YES	74.3	62.1	67.4	1.5		70.9	69.4	71.0	5.1	YES	74.5
A108	D	1	64.1	67.6	64.3	67.8	66.1	68.3	4.0	YES	71.8	56.6	65.0	0.7		68.5	56.3	64.9	0.6		68.4	54.7	64.8	0.5		68.3	55.2	64.8	0.5		68.3
A108	D	2	64.6	68.1	64.8	68.3	67.2	69.2	4.4	YES	72.7	58.6	65.7	0.9		69.2	57.7	65.6	0.8		69.1	55.1	65.2	0.4		68.7	55.5	65.3	0.5		68.8
A108	D	3	64.8	68.3	65.0	68.5	64.5	67.8	2.8		71.3	59.0	66.0	1.0		69.5	57.6	65.7	0.7		69.2	55.0	65.4	0.4		68.9	55.6	65.5	0.5		69.0
A109	A	1	62.7	66.2	62.8	66.3	72.1	72.6	9.8	YES	76.1	67.0	68.4	5.6	YES	71.9	68.0	69.1	6.3	YES	72.6	58.3	64.1	1.3		67.6	68.1	69.2	6.4	YES	72.7
A109	A	2	64.7	68.2	64.9	68.4	71.0	72.0	7.1	YES	75.5	65.8	68.4	3.5	YES	71.9	67.4	69.3	4.4	YES	72.8	58.7	65.8	0.9		69.3	66.7	68.9	4.0	YES	72.4
A109	A	3	65.7	69.2	65.8	69.3	71.0	72.1	6.3	YES	75.6	65.8	68.8	3.0	YES	72.3	67.4	69.7	3.9	YES	73.2	59.1	66.6	0.8		70.1	66.8	69.3	3.5	YES	72.8
A109	B	1	60.9	64.4	61.1	64.6	69.7	70.3	9.2	YES	73.8	65.2	66.6	5.5	YES	70.1	67.2	68.2	7.1	YES	71.7	57.7	62.7	1.6		66.2	66.5	67.6	6.5	YES	71.1
A109	B	2	62.0	65.5	62.1	65.6	69.7	70.4	8.3	YES	73.9	65.0	66.8	4.7	YES	70.3	67.1	68.3	6.2	YES	71.8	58.1	63.6	1.5		67.1	66.7	68.0	5.9	YES	71.5
A109	B	3	62.9	66.4	63.0	66.5	70.4	71.1	8.1	YES	74.6	65.8	67.6	4.6	YES	71.1	67.7	69.0	6.0	YES	72.5	58.6	64.3	1.3		67.8	66.9	68.4	5.4	YES	71.9
A109	C	1	63.0	66.5	63.1	66.6	64.0	66.6	3.5	YES	70.1	56.9	64.0	0.9		67.5	57.6	64.2	1.1		67.7	54.4	63.6	0.5		67.1	56.7	64.0	0.9		67.5
A109	C	2	63.7	67.2	63.8	67.3	64.6	67.2	3.4	YES	70.7	57.9	64.8	1.0		68.3	58.4	64.9	1.1		68.4	55.4	64.4	0.6		67.9	58.0	64.8	1.0		68.3
A109	C	3	64.1	67.6	64.2	67.7	61.5	66.1	1.9		69.6	59.3	65.4	1.2		68.9	59.8	65.5	1.3		69.0	56.4	64.9	0.7		68.4	59.3	65.4	1.2		68.9
A110	A	1	56.4	59.1	56.6	59.3	56.3	59.4	2.9		62.1	49.6	57.4	0.8		60.1	64.0	64.7	8.2	YES	67.4	46.9	57.0	0.4		59.7	50.2	57.5	0.9		60.2
A110	A	2	57.6	60.3	57.8	60.5	60.1	62.1	4.3		64.8	52.9	59.0	1.2		61.7	69.3	69.6	11.8	YES	72.3	49.7	58.4	0.6		61.1	53.9	59.3	1.5		62.0
A110	A	3	59.1	61.8	59.3	62.0	61.3	63.4	4.1		66.1	53.7	60.4	1.1		63.1	68.7	69.2	9.9	YES	71.9	51.6	60.0	0.7		62.7	55.6	60.8	1.5		63.5
A110	B	1	60.8	63.5	61.0	63.7	65.2	66.6	5.6	YES	69.3	60.3	63.7	2.7		66.4	64.5	66.1	5.1	YES	68.8	55.0	62.0	1.0		64.7	64.3	66.0	5.0	YES	68.7
A110	B	2	61.6	64.3	61.8	64.5	65.0	66.7	4.9	YES	69.4	60.2	64.1	2.3		66.8	67.9	68.9	7.1	YES	71.6	55.5	62.7	0.9		65.4	64.6	66.4	4.6	YES	69.1
A110	B	3	61.9	64.6	62.0	64.7	64.9	66.7	4.7	YES	69.4	60.1	64.2	2.2		66.9	68.3	69.2	7.2	YES	71.9	55.7	62.9	0.9		65.6	64.7	66.6	4.6	YES	69.3
A111	A	1	62.9	65.6	63.1	65.8	64.2	66.7	3.6	YES	69.4	59.4	64.6	1.5		67.3	69.2	70.2	7.1	YES	72.9	57.5	64.2	1.1		66.9	59.5	64.7	1.6		67.4
A111	A	2	63.8	66.5	64.0	66.7	64.1	67.1	3.1	YES	69.8	59.1	65.2	1.2		67.9	69.4	70.5	6.5	YES	73.2	59.0	65.2	1.2		67.9	61.0	65.8	1.8		68.5
A111	A	3	64.2	66.9	64.4	67.1	64.0	67.2	2.8		69.9	59.0	65.5	1.1		68.2	70.2	71.2	6.8	YES	73.9	59.9	65.7	1.3		68.4	61.8	66.3	1.9		69.0
A111	B	1	57.2	59.9	57.3	60.0	57.7	60.5	3.2		63.2	52.0	58.4	1.1		61.1	54.9	59.3	2.0		62.0	49.0	57.9	0.6		60.6	51.8	58.4	1.1		61.1
A111	B	2	59.8	62.5	59.9	62.6	57.8	62.0	2.1		64.7	52.7	60.7	0.8		63.4	63.7	65.2	5.3	YES	67.9	50.4	60.4	0.5		63.1	54.1	60.9	1.0		63.6
A111	B	3	61.8	64.5	62.0	64.7	59.0	63.8	1.8		66.5	52.0	62.4	0.4		65.1	64.2	66.2	4.2	YES	68.9	50.0	62.3	0.3		65.0	53.2	62.5	0.5		65.2
A112	A	1	56.4	59.1	56.5	59.2	61.4	62.6	6.1	YES	65.3	52.8	58.0	1.6		60.7	58.1	60.4	3.9		63.1	50.2	57.4	0.9		60.1	54.4	58.6	2.1		61.3
A112	A	2	58.1	60.8	58.3	61.0	66.0	66.7	8.4	YES	69.4	60.2	62.4	4.1		65.1	67.4	67.9	9.6	YES	70.6	55.5	60.1	1.8		62.8	62.1	63.6	5.3	YES	66.3
A112	A	3	59.6	62.3	59.7	62.4	64.3	65.6	5.9	YES	68.3	59.7	62.7	3.0		65.4	69.6	70.0	10.3	YES	72.7	55.4	61.1	1.4		63.8	62.3	64.2	4.5		66.9
A112	B	1	65.1	67.8	65.2	67.9	50.1	65.3	0.1		68.0	49.0	65.3	0.1		68.0	63.7	67.5	2.3		70.2	49.4	65.3	0.1		68.0	50.1	65.3	0.1		68.0
A112	B	2	65.3	68.0	65.4	68.1	50.6	65.5	0.1		68.2	49.5	65.5	0.1		68.2	64.4	67.9	2.5		70.6	58.1	66.1	0.7		68.8	57.2	66.0	0.6		68.7
A112	B	3	65.2	67.9	65.3	68.0	52.3	65.5	0.2		68.2	50.2	65.4	0.1		68.1	65.4	68.4	3.1	YES	71.1	58.6	66.1	0.8		68.8	57.9	66.0	0.7		68.7

Construction Noise Results

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out					
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	
B001	A	1	69.1	70.4	69.3	70.6	57.6	69.6	0.3		70.9	53.3	69.4	0.1		70.7	52.2	69.4	0.1		70.7	
B001	A	2	68.4	69.7	68.6	69.9	58.1	69.0	0.4		70.3	53.8	68.7	0.1		70.0	52.4	68.7	0.1		70.0	
B001	A	3	67.4	68.7	67.6	68.9	60.3	68.3	0.7		69.6	55.8	67.9	0.3		69.2	53.3	67.8	0.2		69.1	
B001	B	1	63.7	65.0	63.9	65.2	62.6	66.3	2.4		67.6	56.2	64.6	0.7		65.9	54.3	64.4	0.5		65.7	
B001	B	2	64.4	65.7	64.5	65.8	62.6	66.7	2.2		68.0	56.5	65.1	0.6		66.4	54.6	64.9	0.4		66.2	
B001	B	3	64.2	65.5	64.4	65.7	62.7	66.6	2.2		67.9	56.0	65.0	0.6		66.3	54.5	64.8	0.4		66.1	
B002	A	1	53.1	54.4	53.3	54.6	42.5	53.7	0.3		55.0	39.0	53.5	0.2		54.8	38.1	53.5	0.1		54.8	
B002	A	2	53.1	54.4	53.3	54.6	42.8	53.7	0.4		55.0	39.9	53.5	0.2		54.8	39.1	53.5	0.2		54.8	
B002	A	3	53.8	55.1	54.0	55.3	44.4	54.5	0.5		55.8	41.1	54.2	0.2		55.5	40.4	54.2	0.2		55.5	
B002	A	4	56.6	57.9	56.8	58.1	51.8	58.0	1.2		59.3	45.3	57.1	0.3		58.4	45.6	57.1	0.3		58.4	
B002	B	1	68.0	69.3	68.1	69.4	53.9	68.3	0.2		69.6	51.3	68.2	0.1		69.5	51.2	68.2	0.1		69.5	
B002	B	2	66.5	67.8	66.7	68.0	58.8	67.4	0.7		68.7	52.0	66.8	0.1		68.1	51.9	66.8	0.1		68.1	
B002	B	3	65.1	66.4	65.3	66.6	60.1	66.4	1.1		67.7	52.0	65.5	0.2		66.8	52.7	65.5	0.2		66.8	
B002	B	4	64.4	65.7	64.6	65.9	61.6	66.4	1.8		67.7	52.7	64.9	0.3		66.2	53.7	64.9	0.3		66.2	
B003	A	1	69.9	71.2	70.1	71.4	58.4	70.4	0.3		71.7	53.6	70.2	0.1		71.5	53.0	70.2	0.1		71.5	
B003	A	2	68.4	69.7	68.6	69.9	61.6	69.4	0.8		70.7	54.5	68.8	0.2		70.1	52.8	68.7	0.1		70.0	
B003	A	3	67.2	68.5	67.4	68.7	63.8	69.0	1.6		70.3	54.3	67.6	0.2		68.9	52.3	67.5	0.1		68.8	
B003	A	4	66.3	67.6	66.4	67.7	62.8	68.0	1.6		69.3	54.5	66.7	0.3		68.0	52.8	66.6	0.2		67.9	
B003	B	1	61.8	63.1	62.0	63.3	48.7	62.2	0.2		63.5	48.5	62.2	0.2		63.5	46.8	62.1	0.1		63.4	
B003	B	2	62.4	63.7	62.5	63.8	49.4	62.7	0.2		64.0	49.1	62.7	0.2		64.0	47.5	62.6	0.1		63.9	
B003	B	3	62.3	63.6	62.5	63.8	50	62.7	0.2		64.0	49.8	62.7	0.2		64.0	47.4	62.6	0.1		63.9	
B003	B	4	62.1	63.4	62.3	63.6	52	62.7	0.4		64.0	47.8	62.5	0.2		63.8	47.3	62.4	0.1		63.7	
B004	A	1	70.4	71.7	70.6	71.9	62	71.2	0.6		72.5	55.9	70.7	0.1		72.0	56.4	70.8	0.2		72.1	
B004	A	2	68.8	70.1	69.0	70.3	61.8	69.8	0.8		71.1	55.9	69.2	0.2		70.5	55.8	69.2	0.2		70.5	
B004	A	3	67.6	68.9	67.7	69.0	61.5	68.6	0.9		69.9	55.5	68.0	0.3		69.3	55.1	67.9	0.2		69.2	
B004	A	4	66.6	67.9	66.8	68.1	62.4	68.1	1.3		69.4	55.5	67.1	0.3		68.4	54.6	67.1	0.3		68.4	
B004	B	1	62.8	64.1	63.0	64.3	60.2	64.8	1.8		66.1	49.2	63.2	0.2		64.5	52.7	63.4	0.4		64.7	
B004	B	2	63.4	64.7	63.5	64.8	60.3	65.2	1.7		66.5	50.2	63.7	0.2		65.0	52.1	63.8	0.3		65.1	
B004	B	3	63.2	64.5	63.3	64.6	60.2	65.0	1.7		66.3	51.8	63.6	0.3		64.9	51.8	63.6	0.3		64.9	
B004	B	4	62.9	64.2	63.0	64.3	60.8	65.0	2.0		66.3	52.4	63.4	0.4		64.7	51.8	63.3	0.3		64.6	
B005	A	1	70.7	72.0	70.8	72.1	61.5	71.3	0.5		72.6	56.3	71.0	0.2		72.3	54.7	70.9	0.1		72.2	
B005	A	2	68.8	70.1	69.0	70.3	61.3	69.7	0.7		71.0	55.9	69.2	0.2		70.5	54.5	69.2	0.2		70.5	
B005	A	3	67.4	68.7	67.6	68.9	64.6	69.4	1.8		70.7	56.1	67.9	0.3		69.2	54.4	67.8	0.2		69.1	
B005	A	4	66.4	67.7	66.6	67.9	64.3	68.6	2.0		69.9	55.7	66.9	0.3		68.2	53.6	66.8	0.2		68.1	
B005	B	1	64.0	65.3	64.2	65.5	50.9	64.4	0.2		65.7	50.2	64.4	0.2		65.7	49.9	64.4	0.2		65.7	
B005	B	2	64.1	65.4	64.2	65.5	51.4	64.4	0.2		65.7	50.6	64.4	0.2		65.7	50.4	64.4	0.2		65.7	
B005	B	3	63.6	64.9	63.7	65.0	61.7	65.8	2.1		67.1	51.7	64.0	0.3		65.3	50.3	63.9	0.2		65.2	
B005	B	4	63.1	64.4	63.2	64.5	65.8	67.7	4.5	YES	69.0	54.3	63.7	0.5		65.0	51.1	63.5	0.3		64.8	
B006	A	1	53.1	54.4	53.2	54.5	66.6	66.8	13.6	YES	68.1	56.0	57.8	4.6		59.1	49.1	54.7	1.4		56.0	
B006	A	2	53.1	54.4	53.3	54.6	66.2	66.4	13.1	YES	67.7	57.5	58.9	5.6	YES	60.2	48.0	54.5	1.1		55.8	
B006	B	1	66.3	67.6	66.4	67.7	53.8	66.6	0.2		67.9	53.4	66.6	0.2		67.9	53.3	66.6	0.2		67.9	
B006	B	2	66.6	67.9	66.8	68.1	55.2	67.1	0.3		68.4	53.9	67.0	0.2		68.3	53.7	67.0	0.2		68.3	
B007	A	1	66.2	67.5	66.4	67.7	53	66.6	0.2		67.9	52.7	66.6	0.2		67.9	52.6	66.6	0.2		67.9	
B007	A	2	66.4	67.7	66.6	67.9	53.3	66.8	0.2		68.1	52.9	66.8	0.2		68.1	52.8	66.8	0.2		68.1	
B007	A	3	66.1	67.4	66.3	67.6	54.4	66.6	0.3		67.9	52.8	66.5	0.2		67.8	52.5	66.5	0.2		67.8	
B007	A	4	65.8	67.1	65.9	67.2	54.5	66.2	0.3		67.5	52.5	66.1	0.2		67.4	52.1	66.1	0.2		67.4	
B007	B	1	62.1	63.4	62.3	63.6	65.8	67.4	5.1	YES	68.7	51.9	62.7	0.4		64.0	50.5	62.6	0.3		63.9	
B007	B	2	62.8	64.1	62.9	64.2	65.4	67.3	4.4	YES	68.6	53.0	63.3	0.4		64.6	50.1	63.1	0.2		64.4	
B007	B	3	62.7	64.0	62.9	64.2	66.1	67.8	4.9	YES	69.1	53.1	63.3	0.4		64.6	50.3	63.1	0.2		64.4	
B007	B	4	62.6	63.9	62.8	64.1	66.3	67.9	5.1	YES	69.2	54.2	63.4	0.6		64.7	50.5	63.0	0.2		64.3	
B008	A	1	61.4	62.7	61.6	62.9	66.9	68.0	6.4	YES	69.3	60.4	64.1	2.5		65.4	56.6	62.8	1.2		64.1	
B008	A	2	62.2	63.5	62.3	63.6	67.2	68.4	6.1	YES	69.7	61.2	64.8	2.5		66.1	56.9	63.4	1.1		64.7	
B008	A	3	62.2	63.5	62.3	63.6	67.5	68.6	6.3	YES	69.9	62.6	65.5	3.2	YES	66.8	58.8	63.9	1.6		65.2	
B008	B	1	61.8	63.1	61.9	63.2	48.7	62.1	0.2		63.4	44.9	62.0	0.1		63.3	44.1	62.0	0.1		63.3	
B008	B	2	63.5	64.8	63.6	64.9	49.4	63.8	0.2		65.1	45.8	63.7	0.1		65.0	45.2	63.7	0.1		65.0	
B008	B	3	63.9	65.2	64.0	65.3	50.6	64.2	0.2		65.5	47.0	64.1	0.1		65.4	46.1	64.1	0.1		65.4	
B008	C	1	57.3	58.6	57.5	58.8	44.9	57.7	0.2		59.0	42.5	57.6	0.1		58.9	40.6	57.6	0.1		58.9	
B008	C	2	58.6	59.9	58.8	60.1	45	59.0	0.2		60.3	42.7	58.9	0.1		60.2	40.9	58.9	0.1		60.2	
B008	C	3	59.7	61.0	59.8	61.1	46.7	60.0	0.2		61.3	44.2	59.9	0.1		61.2	41.9	59.9	0.1		61.2	
B008	D	1	57.5	58.8	57.6	58.9	45.1	57.8	0.2		59.1	43.1	57.8	0.2		59.1	41.5	57.7	0.1		59.0	
B008	D	2	58.6	59.9	58.8	60.1	45.2	59.0	0.2		60.3	43.3	58.9	0.1		60.2	41.9	58.9	0.1		60.2	
B008	D	3	59.7	61.0	59.9	61.2	46.6	60.1	0.2		61.4	44.6	60.0	0.1		61.3	42.8	60.0	0.1		61.3	
B008	E	1	58.1	59.4	58.3	59.6	46.1	58.6	0.3		59.9	45.6	58.5	0.2		59.8	40.6	58.4	0.1		59.7	
B008	E	2	59.2	60.5	59.3	60.6	45.7	59.5	0.2		60.8	43.0	59.4	0.1		60.7	40.3	59.4	0.1		60.7	
B008	E	3	59.6	60.9	59.7	61.0	46.2	59.9	0.2		61.2	44.0	59.8	0.1		61.1	40.9	59.8	0.1		61.1	
B008	F	1	61.2	62.5	61.4	62.7	60.8	64.1	2.7		65.4	60.7	64.1	2.7		65.4	51.4	61.8	0.4		63.1	
B008	F	2	62.7	64.0	62.9	64.2	62.1	65.5	2.6		66.8	61.5	65.3	2.4		66.6	52.1	63.2	0.3		64.5	
B008	F	3	62.9	64.2	63.1	64.4	64.7	67.0	3.9	YES	68.3	62.4	65.8	2.7		67.1	52.9	63.5	0.4		64.8	
B008	G	1	55.2	56.5	55.4	56.7	69.1	69.3	13.9	YES	70.6	61.4	62.4	7.0	YES	63.7	57.4	59.5	4.1		60.8	
B008	G	2	56.4	57.7	56.5	57.8	69.4	69.6	13.1	YES	70.9	62.1	63.2	6.7	YES	64.5	57.9	60.3	3.8		61.6	
B008	G	3	57.5	58.8	57.7	59.0	69	69.3	11.6	YES	70.6	62.8	64.0	6.3	YES	65.3	58.3	61.0	3.3		62.3	
B008	H	1	54.9	56.2	55.0	56.3	69.2	69.4	14.4	YES	70.7	62.5	63.2	8.2	YES	64.5	58.5	60.1	5.1	YES	61.4	
B008	H	2	56.2	57.5	56.3	57.6	69.4	69.6	13.3	YES	70.9	62.9	63.8	7.5	YES	65.1	58.9	60.8	4.5		62.1	
B008	H	3	57.2	58.5	57.3	58.6	69.7	69.9	12.6	YES	71.2	63.5	64.4	7.1	YES	65.7	59.6	61.6	4.3		62.9	
B009	A	1	62.2	63.5	62.4	63.7	48.9	62.6	0.2		63.9	48.6	62.6	0.2		63.9	46.9	62.5	0.1		63.8	
B009	A	2	63.3	64.6	63.4	64.7	50.5	63.6	0.2		64.9	49.9	63.6	0.2		64.9	48.5	63.5	0.1		64.8	
B009	A	3	63.2	64.5	63.3	64.6	51.6	63.6	0.3		64.9	50.5	63.5	0.2		64.8	48.9	63.5	0.2		64.8	
B009	B	1	66.8	68.1	67.0	68.3	51.8	67.1	0.1		68.4	51.6	67.1	0.1		68.4	51.6	67.1	0.1		68.4	
B009	B	2	67.2	68.5	67.3	68.6	52.6	67.4	0.1		68.7	52.4	67.4	0.1		68.7	52.4	67.4	0.1		68.7	
B009	B	3	66.8	68.1	66.9	68.2	52.7	67.1	0.2		68.4	52.7	67.1	0.2		68.4	52.3	67.0	0.1		68.3	
B010	A	1	55.9	57.2	56.1	57.4	42.9	56.3	0.2		57.6	38.4	56.2	0.1		57.5	34.3	56.1	0.0		57.4	
B010	A	2	57.2	58.5	57.4	58.7	48.4	57.9	0.5		59.2	44.3	57.6	0.2		58.9	36.5	57.4	0.0		58.7	
B010	A	3	57.2	58.5	57.4	58.7	51.7	58.4	1.0		59.7	45.5	57.7	0.3		59.0	38.7	57.5	0.1		58.8	

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B010	A	4	57.6	58.9	57.8	59.1	53.7	59.2	1.4		60.5	47.7	58.2	0.4		59.5	39.5	57.9	0.1		59.2
B010	B	1	66.6	67.9	66.7	68.0	51.8	66.8	0.1		68.1	51.5	66.8	0.1		68.1	51.3	66.8	0.1		68.1
B010	B	2	67.2	68.5	67.4	68.7	52.5	67.5	0.1		68.8	52.3	67.5	0.1		68.8	52.0	67.5	0.1		68.8
B010	B	3	67.0	68.3	67.1	68.4	52.1	67.2	0.1		68.5	52.0	67.2	0.1		68.5	51.8	67.2	0.1		68.5
B010	B	4	66.6	67.9	66.7	68.0	53.3	66.9	0.2		68.2	52.0	66.8	0.1		68.1	51.4	66.8	0.1		68.1
B011	A	1	53.1	54.4	53.2	54.5	39.8	53.4	0.2		54.7	36.0	53.3	0.1		54.6	34.6	53.3	0.1		54.6
B011	A	2	54.5	55.8	54.7	56.0	40.2	54.9	0.2		56.2	37.0	54.8	0.1		56.1	35.8	54.8	0.1		56.1
B011	A	3	56.1	57.4	56.3	57.6	40.5	56.4	0.1		57.7	37.5	56.4	0.1		57.7	36.2	56.3	0.0		57.6
B011	A	4	57.8	59.1	58.0	59.3	45.5	58.2	0.2		59.5	42.0	58.1	0.1		59.4	38.4	58.0	0.0		59.3
B011	B	1	68.6	69.9	68.8	70.1	54	68.9	0.1		70.2	53.8	68.9	0.1		70.2	53.7	68.9	0.1		70.2
B011	B	2	68.4	69.7	68.6	69.9	54.2	68.8	0.2		70.1	53.6	68.7	0.1		70.0	53.5	68.7	0.1		70.0
B011	B	3	67.8	69.1	67.9	69.2	54.6	68.1	0.2		69.4	53.1	68.0	0.1		69.3	52.8	68.0	0.1		69.3
B011	B	4	67.0	68.3	67.2	68.5	54.6	67.4	0.2		68.7	52.3	67.3	0.1		68.6	51.9	67.3	0.1		68.6
B012	A	1	53.7	55.8	53.8	55.9	49.6	55.2	1.4		57.3	48.5	54.9	1.1		57.0	48.3	54.9	1.1		57.0
B012	A	2	55.1	57.2	55.2	57.3	51.8	56.8	1.6		58.9	50.2	56.4	1.2		58.5	50.0	56.3	1.1		58.4
B012	A	3	55.3	57.4	55.5	57.6	53.1	57.5	2.0		59.6	50.9	56.8	1.3		58.9	50.4	56.7	1.2		58.8
B012	A	4	55.6	57.7	55.7	57.8	53.8	57.9	2.2		60.0	51.9	57.2	1.5		59.3	50.5	56.8	1.1		58.9
B012	B	1	53.1	55.2	53.3	55.4	44.9	53.9	0.6		56.0	39.0	53.5	0.2		55.6	37.3	53.5	0.1		55.6
B012	B	2	53.1	55.2	53.2	55.3	49.8	54.9	1.6		57.0	43.5	53.7	0.4		55.8	40.6	53.5	0.2		55.6
B012	B	3	53.1	55.2	53.3	55.4	51.6	55.6	2.2		57.7	44.3	53.9	0.5		56.0	41.9	53.6	0.3		55.7
B012	B	4	53.1	55.2	53.2	55.3	54.5	56.9	3.7		59.0	46.5	54.1	0.8		56.2	44.8	53.8	0.6		55.9
B012	C	1	53.1	55.2	53.3	55.4	42.1	53.7	0.3		55.8	40.9	53.6	0.2		55.7	40.6	53.6	0.2		55.7
B012	C	2	53.1	55.2	53.2	55.3	42.8	53.6	0.4		55.7	41.5	53.5	0.3		55.6	41.2	53.5	0.3		55.6
B012	C	3	53.2	55.3	53.3	55.4	43	53.7	0.4		55.8	41.7	53.6	0.3		55.7	41.5	53.6	0.3		55.7
B012	C	4	53.5	55.6	53.6	55.7	43.8	54.0	0.4		56.1	44.8	54.1	0.5		56.2	41.7	53.9	0.3		56.0
B012	D	1	53.1	55.2	53.2	55.3	40	53.4	0.2		55.5	37.8	53.4	0.1		55.5	37.3	53.4	0.1		55.5
B012	D	2	53.1	55.2	53.2	55.3	41.1	53.5	0.3		55.6	39.4	53.4	0.2		55.5	39.1	53.4	0.2		55.5
B012	D	3	53.3	55.4	53.5	55.6	42.1	53.8	0.3		55.9	40.8	53.7	0.2		55.8	40.6	53.7	0.2		55.8
B012	D	4	54.4	56.5	54.6	56.7	43.3	54.9	0.3		57.0	41.9	54.8	0.2		56.9	41.7	54.8	0.2		56.9
B013	A	1	63.6	64.9	63.7	65.0	60.4	65.4	1.7		66.7	56.9	64.5	0.8		65.8	54.5	64.2	0.5		65.5
B013	A	2	64.1	65.4	64.2	65.5	60.8	65.8	1.6		67.1	57.2	65.0	0.8		66.3	54.7	64.7	0.5		66.0
B013	A	3	64.0	65.3	64.2	65.5	61.8	66.2	2.0		67.5	57.5	65.0	0.8		66.3	54.9	64.7	0.5		66.0
B013	B	1	57.4	58.7	57.6	58.9	46.3	57.9	0.3		59.2	43.7	57.8	0.2		59.1	42.9	57.7	0.1		59.0
B013	B	2	59.8	61.1	59.9	61.2	52.6	60.6	0.7		61.9	46.4	60.1	0.2		61.4	45.6	60.1	0.2		61.4
B013	B	3	60.2	61.5	60.3	61.6	56.9	61.9	1.6		63.2	47.6	60.5	0.2		61.8	47.4	60.5	0.2		61.8
B013	C	1	61.7	63.0	61.9	63.2	48.3	62.1	0.2		63.4	46.5	62.0	0.1		63.3	46.0	62.0	0.1		63.3
B013	C	2	63.5	64.8	63.6	64.9	49.8	63.8	0.2		65.1	48.0	63.7	0.1		65.0	47.7	63.7	0.1		65.0
B013	C	3	64.0	65.3	64.1	65.4	51.6	64.3	0.2		65.6	49.2	64.2	0.1		65.5	48.4	64.2	0.1		65.5
B014	A	1	61.9	63.2	62.0	63.3	59.9	64.1	2.1		65.4	50.4	62.3	0.3		63.6	51.0	62.3	0.3		63.6
B014	A	2	62.2	63.5	62.4	63.7	63.1	65.8	3.4	YES	67.1	59.9	64.3	1.9		65.6	58.9	64.0	1.6		65.3
B014	A	3	62.1	63.4	62.3	63.6	64.4	66.5	4.2	YES	67.8	63.9	66.2	3.9	YES	67.5	58.9	63.9	1.6		65.2
B014	B	1	56.5	57.8	56.7	58.0	51.4	57.8	1.1		59.1	47.2	57.2	0.5		58.5	43.3	56.9	0.2		58.2
B014	B	2	58.0	59.3	58.1	59.4	52.5	59.2	1.1		60.5	49.4	58.6	0.5		59.9	45.1	58.3	0.2		59.6
B014	B	3	58.4	59.7	58.6	59.9	53.4	59.7	1.1		61.0	50.9	59.3	0.7		60.6	46.3	58.8	0.2		60.1
B015	A	1	53.1	54.4	53.2	54.5	46.2	54.0	0.8		55.3	42.2	53.6	0.3		54.9	39.6	53.4	0.2		54.7
B015	A	2	53.1	54.4	53.3	54.6	46.8	54.2	0.9		55.5	43.7	53.8	0.4		55.1	40.7	53.6	0.2		54.9
B015	B	1	61.1	62.4	61.3	62.6	47.2	61.5	0.2		62.8	45.1	61.4	0.1		62.7	39.8	61.3	0.0		62.6
B015	B	2	61.2	62.5	61.4	62.7	48.6	61.6	0.2		62.9	47.5	61.6	0.2		62.9	40.5	61.4	0.0		62.7
B016	A	1	61.0	62.3	61.2	62.5	46.2	61.3	0.1		62.6	44.4	61.3	0.1		62.6	40.2	61.2	0.0		62.5
B016	A	2	61.1	62.4	61.2	62.5	48.1	61.4	0.2		62.7	47.2	61.4	0.2		62.7	41.8	61.2	0.0		62.5
B016	A	3	61.0	62.3	61.1	62.4	51.2	61.5	0.4		62.8	50.2	61.4	0.3		62.7	44.5	61.2	0.1		62.5
B016	B	1	54.2	55.5	54.3	55.6	43.9	54.7	0.4		56.0	41.8	54.5	0.2		55.8	40.3	54.5	0.2		55.8
B016	B	2	56.0	57.3	56.1	57.4	44.2	56.4	0.3		57.7	42.4	56.3	0.2		57.6	41.1	56.2	0.1		57.5
B016	B	3	56.6	57.9	56.8	58.1	46.8	57.2	0.4		58.5	45.6	57.1	0.3		58.4	42.1	56.9	0.1		58.2
B017	A	1	57.2	58.5	57.4	58.7	43.4	57.6	0.2		58.9	40.9	57.5	0.1		58.8	39.9	57.5	0.1		58.8
B017	A	2	58.2	59.5	58.3	59.6	43.7	58.4	0.1		59.7	41.7	58.4	0.1		59.7	40.7	58.4	0.1		59.7
B017	A	3	59.4	60.7	59.5	60.8	46.8	59.7	0.2		61.0	46.4	59.7	0.2		61.0	42.8	59.6	0.1		60.9
B017	B	1	53.1	54.4	53.2	54.5	46.5	54.1	0.8		55.4	44.1	53.7	0.5		55.0	38.5	53.4	0.1		54.7
B017	B	2	53.1	54.4	53.2	54.5	47.8	54.3	1.1		55.6	47.9	54.4	1.1		55.7	38.8	53.4	0.2		54.7
B017	B	3	57.0	58.3	57.1	58.4	49.5	57.8	0.7		59.1	48.6	57.7	0.6		59.0	42.0	57.2	0.1		58.5
B018	A	1	53.1	54.4	53.3	54.6	45.1	54.0	0.6		55.3	43.5	53.8	0.4		55.1	37.5	53.5	0.1		54.8
B018	A	2	53.1	54.4	53.2	54.5	46.7	54.1	0.9		55.4	47.5	54.3	1.0		55.6	38.8	53.4	0.2		54.7
B018	A	3	55.0	56.3	55.1	56.4	48.5	56.0	0.9		57.3	49.3	56.1	1.0		57.4	40.7	55.3	0.2		56.6
B018	B	1	57.6	58.9	57.8	59.1	45.2	58.0	0.2		59.3	41.7	57.9	0.1		59.2	40.8	57.9	0.1		59.2
B018	B	2	58.4	59.7	58.5	59.8	45.1	58.7	0.2		60.0	42.5	58.6	0.1		59.9	41.3	58.6	0.1		59.9
B018	B	3	58.9	60.2	59.0	60.3	45.5	59.2	0.2		60.5	44.1	59.1	0.1		60.4	41.4	59.1	0.1		60.4
B019	A	1	57.8	59.1	58.0	59.3	46.2	58.3	0.3		59.6	45.2	58.2	0.2		59.5	40.6	58.1	0.1		59.4
B019	A	2	58.8	60.1	59.0	60.3	47.4	59.3	0.3		60.6	46.1	59.2	0.2		60.5	41.4	59.1	0.1		60.4
B019	A	3	59.7	61.0	59.8	61.1	49.4	60.2	0.4		61.5	48.7	60.1	0.3		61.4	42.2	59.9	0.1		61.2
B019	B	1	53.1	54.4	53.2	54.5	43.3	53.7	0.4		55.0	39.1	53.4	0.2		54.7	36.6	53.3	0.1		54.6
B019	B	2	55.1	56.4	55.2	56.5	44.1	55.5	0.3		56.8	40.2	55.3	0.1		56.6	37.4	55.3	0.1		56.6
B019	B	3	57.1	58.4	57.2	58.5	45.9	57.5	0.3		58.8	43.0	57.4	0.2		58.7	39.2	57.3	0.1		58.6
B020	A	1	53.1	54.4	53.2	54.5	43.3	53.7	0.4		55.0	38.2	53.4	0.1		54.7	35.9	53.3	0.1		54.6
B020	A	2	53.1	54.4	53.3	54.6	43.3	53.8	0.4		55.1	38.3	53.5	0.1		54.8	36.1	53.4	0.1		54.7
B020	A	3	53.3	54.6	53.4	54.7	45.1	54.0	0.6		55.3	40.2	53.6	0.2		54.9	36.9	53.5	0.1		54.8
B020	B	1	57.2	58.5	57.4	58.7	52.4	58.6	1.2		59.9	46.1	57.7	0.3		59.0	40.3	57.5	0.1		58.8
B020	B	2	58.1	59.4	58.3	59.6	54.4	59.8	1.5		61.1	47.1	58.6	0.3		59.9	41.1	58.4	0.1		59.7
B020	B	3	58.6	59.9	58.8	60.1	54.9	60.3	1.5		61.6	46.6	59.1	0.3		60.4	42.0	58.9	0.1		60.2
B021	A	1	54.0	55.3	54.1	55.4	42.4	54.4	0.3		55.7	40.2	54.3	0.2		55.6	39.3	54.2	0.1		55.5
B021	A	2	55.8	57.1	55.9	57.2	43	56.1	0.2		57.4	41.3	56.0	0.1		57.3	40.6	56.0	0.1		57.3
B021	B	1	59.0	60.3	59.2	60.5	45.7	59.4	0.2		60.7	45.2	59.4	0.2		60.7	42.2	59.3	0.1		60.6
B021	B	2	59.8	61.1	59.9	61.2	47.4	60.1	0.2		61.4	47.1	60.1	0.2		61.4	43.4	60.0	0.1		61.3
B022	A	1	59.6	60.9	59.7	61.0	59.6	62.7	3.0		64.0	51.5	60.3	0.6		61.6	49.9	60.1	0.4		61.4
B022	A	2	60.5	61.8	60.6	61.9	58.9	62.8	2.2		64.1	52.3	61.2	0.6		62.5	50.7	61.0	0.4		62.3

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B022	A	3	60.9	62.2	61.1	62.4	58.1	62.9	1.8		64.2	52.4	61.6	0.5		62.9	50.8	61.5	0.4		62.8
B022	A	4	60.8	62.1	61.0	62.3	58	62.8	1.8		64.1	52.2	61.5	0.5		62.8	50.6	61.4	0.4		62.7
B022	B	1	55.1	56.4	55.3	56.6	44.8	55.7	0.4		57.0	43.8	55.6	0.3		56.9	41.1	55.5	0.2		56.8
B022	B	2	56.8	58.1	57.0	58.3	46	57.3	0.3		58.6	44.7	57.2	0.2		58.5	42.0	57.1	0.1		58.4
B022	B	3	58.3	59.6	58.4	59.7	43.9	58.6	0.2		59.9	43.5	58.5	0.1		59.8	42.9	58.5	0.1		59.8
B022	B	4	57.8	59.1	58.0	59.3	43.6	58.2	0.2		59.5	43.0	58.1	0.1		59.4	41.9	58.1	0.1		59.4
B023	A	1	59.3	60.6	59.4	60.7	59.7	62.6	3.2		63.9	54.5	60.6	1.2		61.9	51.9	60.1	0.7		61.4
B023	A	2	59.6	60.9	59.7	61.0	59.1	62.4	2.7		63.7	54.4	60.8	1.1		62.1	52.2	60.4	0.7		61.7
B023	A	3	59.6	60.9	59.7	61.0	58.4	62.1	2.4		63.4	54.1	60.8	1.1		62.1	52.1	60.4	0.7		61.7
B023	B	1	53.1	54.4	53.2	54.5	37.7	53.4	0.1		54.7	34.6	53.3	0.1		54.6	31.9	53.3	0.0		54.6
B023	B	2	53.1	54.4	53.3	54.6	38.7	53.5	0.1		54.8	37.8	53.5	0.1		54.8	33.0	53.4	0.0		54.7
B023	B	3	54.2	55.5	54.4	55.7	41.6	54.6	0.2		55.9	39.3	54.5	0.1		55.8	35.4	54.5	0.1		55.8
B024	A	1	60.2	61.5	60.4	61.7	51.8	61.0	0.6		62.3	51.7	60.9	0.5		62.2	51.7	60.9	0.5		62.2
B024	A	2	60.3	61.6	60.4	61.7	52.3	61.0	0.6		62.3	52.2	61.0	0.6		62.3	52.2	61.0	0.6		62.3
B024	A	3	60.0	61.3	60.1	61.4	52.1	60.7	0.6		62.0	52.0	60.7	0.6		62.0	52.0	60.7	0.6		62.0
B024	B	1	53.1	54.4	53.2	54.5	35.9	53.3	0.1		54.6	33.0	53.3	0.0		54.6	31.3	53.3	0.0		54.6
B024	B	2	53.1	54.4	53.2	54.5	36.3	53.3	0.1		54.6	33.7	53.3	0.0		54.6	32.2	53.3	0.0		54.6
B024	B	3	53.6	54.9	53.8	55.1	37.1	53.9	0.1		55.2	35.1	53.9	0.1		55.2	34.1	53.8	0.0		55.1
B025	A	1	53.1	54.4	53.3	54.6	35.6	53.4	0.1		54.7	32.5	53.4	0.0		54.7	30.8	53.4	0.0		54.7
B025	A	2	53.1	54.4	53.3	54.6	36	53.4	0.1		54.7	33.1	53.4	0.0		54.7	31.6	53.4	0.0		54.7
B025	A	3	54.4	55.7	54.5	55.8	38	54.6	0.1		55.9	36.0	54.6	0.1		55.9	35.3	54.6	0.1		55.9
B025	B	1	59.2	60.5	59.3	60.6	50.9	59.9	0.6		61.2	50.8	59.9	0.6		61.2	50.8	59.9	0.6		61.2
B025	B	2	59.7	61.0	59.9	61.2	51.7	60.5	0.6		61.8	51.7	60.5	0.6		61.8	51.6	60.5	0.6		61.8
B025	B	3	60.0	61.3	60.1	61.4	51.7	60.7	0.6		62.0	51.6	60.7	0.6		62.0	51.6	60.7	0.6		62.0
B026	A	1	53.1	54.4	53.2	54.5	35.5	53.3	0.1		54.6	32.5	53.3	0.0		54.6	31.1	53.3	0.0		54.6
B026	A	2	53.1	54.4	53.3	54.6	35.9	53.4	0.1		54.7	33.2	53.4	0.0		54.7	32.0	53.4	0.0		54.7
B026	A	3	55.5	56.8	55.7	57.0	38.5	55.8	0.1		57.1	36.7	55.8	0.1		57.1	36.2	55.7	0.0		57.0
B026	B	1	60.0	61.3	60.2	61.5	51.7	60.8	0.6		62.1	51.6	60.8	0.6		62.1	51.6	60.8	0.6		62.1
B026	B	2	60.1	61.4	60.3	61.6	52.2	60.9	0.6		62.2	52.1	60.9	0.6		62.2	52.1	60.9	0.6		62.2
B026	B	3	60.3	61.6	60.5	61.8	52.1	61.1	0.6		62.4	52.0	61.1	0.6		62.4	52.0	61.1	0.6		62.4
B027	A	1	59.5	60.8	59.6	60.9	50.9	60.1	0.5		61.4	50.9	60.1	0.5		61.4	50.8	60.1	0.5		61.4
B027	A	2	59.8	61.1	60.0	61.3	51.6	60.6	0.6		61.9	51.5	60.6	0.6		61.9	51.5	60.6	0.6		61.9
B027	A	3	60.0	61.3	60.2	61.5	51.6	60.8	0.6		62.1	51.5	60.7	0.5		62.0	51.5	60.7	0.5		62.0
B027	B	1	53.1	54.4	53.3	54.6	34.6	53.4	0.1		54.7	31.4	53.4	0.0		54.7	29.7	53.4	0.0		54.7
B027	B	2	53.1	54.4	53.3	54.6	34.9	53.4	0.1		54.7	31.9	53.4	0.0		54.7	30.4	53.4	0.0		54.7
B027	B	3	53.7	55.0	53.9	55.2	35.9	54.0	0.1		55.3	33.3	53.9	0.0		55.2	32.3	53.9	0.0		55.2
B028	A	1	56.2	57.5	56.4	57.7	34.9	56.4	0.0		57.7	32.3	56.4	0.0		57.7	30.8	56.4	0.0		57.7
B028	A	2	57.6	58.9	57.8	59.1	35.3	57.8	0.0		59.1	33.0	57.8	0.0		59.1	31.8	57.8	0.0		59.1
B028	A	3	58.7	60.0	58.8	60.1	35.7	58.8	0.0		60.1	33.5	58.8	0.0		60.1	32.5	58.8	0.0		60.1
B028	B	1	53.1	54.4	53.2	54.5	36.1	53.3	0.1		54.6	33.8	53.3	0.0		54.6	32.3	53.3	0.0		54.6
B028	B	2	53.1	54.4	53.3	54.6	37	53.4	0.1		54.7	34.7	53.4	0.1		54.7	33.4	53.4	0.0		54.7
B028	B	3	53.5	54.8	53.6	54.9	38	53.7	0.1		55.0	36.0	53.7	0.1		55.0	34.8	53.7	0.1		55.0
B029	A	1	53.1	54.4	53.2	54.5	57.8	59.1	5.9	YES	60.4	44.5	53.8	0.5		55.1	32.9	53.3	0.0		54.6
B029	A	2	53.1	54.4	53.2	54.5	57.1	58.6	5.4	YES	59.9	44.7	53.8	0.6		55.1	34.1	53.3	0.1		54.6
B029	A	3	53.1	54.4	53.2	54.5	56.3	58.0	4.8		59.3	44.9	53.8	0.6		55.1	35.7	53.3	0.1		54.6
B029	B	1	53.1	54.4	53.2	54.5	55.6	57.6	4.3		58.9	43.0	53.6	0.4		54.9	32.5	53.3	0.0		54.6
B029	B	2	53.8	55.1	54.0	55.3	54.9	57.5	3.5		58.8	43.1	54.3	0.3		55.6	33.0	54.0	0.0		55.3
B029	B	3	55.7	57.0	55.8	57.1	36.8	55.9	0.1		57.2	34.2	55.8	0.0		57.1	33.0	55.8	0.0		57.1
B029	C	1	56.9	58.2	57.0	58.3	36.8	57.0	0.0		58.3	34.3	57.0	0.0		58.3	33.2	57.0	0.0		58.3
B029	C	2	57.7	59.0	57.9	59.2	37.2	57.9	0.0		59.2	34.9	57.9	0.0		59.2	33.9	57.9	0.0		59.2
B029	C	3	58.6	59.9	58.8	60.1	37.6	58.8	0.0		60.1	35.7	58.8	0.0		60.1	34.7	58.8	0.0		60.1
B030	A	1	68.5	69.8	68.7	70.0	54.2	68.9	0.2		70.2	54.1	68.8	0.1		70.1	53.9	68.8	0.1		70.1
B030	A	2	68.2	69.5	68.4	69.7	54	68.6	0.2		69.9	54.1	68.6	0.2		69.9	53.6	68.5	0.1		69.8
B030	B	1	56.7	58.0	56.9	58.2	46.3	57.3	0.4		58.6	45.9	57.2	0.3		58.5	43.6	57.1	0.2		58.4
B030	B	2	58.8	60.1	58.9	60.2	48	59.2	0.3		60.5	47.2	59.2	0.3		60.5	45.5	59.1	0.2		60.4
B030	C	1	53.1	54.4	53.3	54.6	39.8	53.5	0.2		54.8	37.0	53.4	0.1		54.7	36.1	53.4	0.1		54.7
B030	C	2	53.1	54.4	53.3	54.6	40.4	53.6	0.2		54.9	38.5	53.5	0.1		54.8	37.3	53.5	0.1		54.8
B030	D	1	61.2	62.5	61.4	62.7	44.9	61.5	0.1		62.8	44.4	61.5	0.1		62.8	44.2	61.5	0.1		62.8
B030	D	2	62.4	63.7	62.5	63.8	46.2	62.6	0.1		63.9	45.9	62.6	0.1		63.9	45.7	62.6	0.1		63.9
B031	A	1	56.8	58.1	57.0	58.3	40.5	57.1	0.1		58.4	35.9	57.0	0.0		58.3	34.4	57.0	0.0		58.3
B031	A	2	58.0	59.3	58.2	59.5	40.6	58.3	0.1		59.6	36.5	58.2	0.0		59.5	35.2	58.2	0.0		59.5
B031	A	3	58.9	60.2	59.0	60.3	44.8	59.2	0.2		60.5	39.8	59.1	0.1		60.4	37.5	59.0	0.0		60.3
B031	B	1	53.1	54.4	53.3	54.6	44.1	53.8	0.5		55.1	41.1	53.6	0.3		54.9	39.5	53.5	0.2		54.8
B031	B	2	54.7	56.0	54.8	56.1	46	55.3	0.5		56.6	42.6	55.1	0.3		56.4	40.1	54.9	0.1		56.2
B031	B	3	56.7	58.0	56.8	58.1	49.6	57.6	0.8		58.9	45.6	57.1	0.3		58.4	41.6	56.9	0.1		58.2
B032	A	1	58.9	60.2	59.1	60.4	41.3	59.2	0.1		60.5	36.6	59.1	0.0		60.4	35.0	59.1	0.0		60.4
B032	A	2	59.5	60.8	59.6	60.9	41.4	59.7	0.1		61.0	36.9	59.6	0.0		60.9	35.5	59.6	0.0		60.9
B032	A	3	59.9	61.2	60.0	61.3	41.9	60.1	0.1		61.4	38.5	60.0	0.0		61.3	36.5	60.0	0.0		61.3
B032	B	1	53.1	54.4	53.2	54.5	43.8	53.7	0.5		55.0	39.0	53.4	0.2		54.7	36.7	53.3	0.1		54.6
B032	B	2	54.1	55.4	54.3	55.6	44.9	54.8	0.5		56.1	41.1	54.5	0.2		55.8	38.5	54.4	0.1		55.7
B032	B	3	55.4	56.7	55.6	56.9	47.1	56.2	0.6		57.5	43.8	55.9	0.3		57.2	40.1	55.7	0.1		57.0
B033	A	1	53.1	54.4	53.2	54.5	38.4	53.4	0.1		54.7	33.4	53.3	0.0		54.6	31.9	53.3	0.0		54.6
B033	A	2	53.1	54.4	53.2	54.5	38.5	53.4	0.1		54.7	33.7	53.3	0.0		54.6	32.4	53.3	0.0		54.6
B033	A	3	54.0	55.3	54.1	55.4	38.9	54.2	0.1		55.5	34.6	54.1	0.0		55.4	33.4	54.1	0.0		55.4
B034	A	1	53.1	54.4	53.3	54.6	40.4	53.6	0.2		54.9	36.3	53.4	0.1		54.7	35.1	53.4	0.1		54.7
B034	A	2	53.7	55.0	53.9	55.2	40.4	54.1	0.2		55.4	36.5	54.0	0.1		55.3	35.3	54.0	0.1		55.3
B034	A	3	54.9	56.2	55.0	56.3	41.9	55.2	0.2		56.5	37.9	55.1	0.1		56.4	36.2	55.1	0.1		56.4
B034	B	1	57.9	59.2	58.1	59.4	40.3	58.2	0.1		59.5	36.4	58.1	0.0		59.4	34.3	58.1	0.0		59.4
B034	B	2	58.7	60.0	58.9	60.2	41.4	59.0	0.1		60.3	38.0	58.9	0.0		60.2	35.9	58.9	0.0		60.2
B034	B	3	59.1	60.4	59.2	60.5	43.4	59.3	0.1		60.6	39.9	59.3	0.1		60.6	37.9	59.2	0.0		60.5
B035	A	1	57.8	59.1	58.0	59.3	41.5	58.1	0.1		59.4	40.2	58.1	0.1		59.4	37.8	58.0	0.0		59.3
B035	A	2	58.8	60.1	59.0	60.3	43.6	59.1	0.1		60.4	43.0	59.1	0.1		60.4	39.6	59.0	0.0		60.3
B035	A	3	59.5	60.8	59.6	60.9	46.4	59.8	0.2		61.1	44.5	59.7	0.1		61.0	41.2	59.7	0.1		61.0
B035	B	1	53.1	54.4	53.2	54.5	37.9	53.4	0.1		54.7	35.3	53.3	0.1		54.6	33.0	53.3	0.0		54.6

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B035	B	2	54.5	55.8	54.6	55.9	39.1	54.7	0.1		56.0	37.6	54.7	0.1		56.0	36.0	54.7	0.1		56.0
B035	B	3	56.5	57.8	56.6	57.9	40.6	56.7	0.1		58.0	40.0	56.7	0.1		58.0	37.3	56.7	0.1		58.0
B036	A	1	53.1	54.4	53.2	54.5	37.8	53.4	0.1		54.7	34.2	53.3	0.1		54.6	32.3	53.3	0.0		54.6
B036	A	2	53.9	55.2	54.1	55.4	38.1	54.2	0.1		55.5	35.1	54.2	0.1		55.5	33.5	54.1	0.0		55.4
B036	A	3	56.2	57.5	56.4	57.7	41.2	56.5	0.1		57.8	39.2	56.5	0.1		57.8	35.2	56.4	0.0		57.7
B036	B	1	56.3	57.6	56.4	57.7	40.7	56.5	0.1		57.8	39.0	56.5	0.1		57.8	35.3	56.4	0.0		57.7
B036	B	2	57.1	58.4	57.3	58.6	41.9	57.4	0.1		58.7	41.1	57.4	0.1		58.7	35.8	57.3	0.0		58.6
B036	B	3	57.8	59.1	58.0	59.3	44.2	58.2	0.2		59.5	42.6	58.1	0.1		59.4	37.6	58.0	0.0		59.3
B037	A	1	53.1	54.4	53.2	54.5	36.7	53.3	0.1		54.6	32.3	53.3	0.0		54.6	30.5	53.3	0.0		54.6
B037	A	2	53.1	54.4	53.3	54.6	36.8	53.4	0.1		54.7	32.6	53.4	0.0		54.7	30.9	53.4	0.0		54.7
B037	A	3	56.2	57.5	56.3	57.6	37.3	56.4	0.1		57.7	33.7	56.3	0.0		57.6	32.4	56.3	0.0		57.6
B037	B	1	56.3	57.6	56.4	57.7	48.4	57.0	0.6		58.3	33.9	56.4	0.0		57.7	32.3	56.4	0.0		57.7
B037	B	2	57.1	58.4	57.3	58.6	56	59.7	2.4		61.0	43.5	57.5	0.2		58.8	33.0	57.3	0.0		58.6
B037	B	3	57.7	59.0	57.8	59.1	55.3	59.7	1.9		61.0	43.5	58.0	0.2		59.3	33.7	57.8	0.0		59.1
B038	A	1	53.1	54.4	53.3	54.6	33.4	53.4	0.0		54.7	30.2	53.4	0.0		54.7	28.4	53.4	0.0		54.7
B038	A	2	54.7	56.0	54.9	56.2	33.7	54.9	0.0		56.2	30.6	54.9	0.0		56.2	29.0	54.9	0.0		56.2
B038	A	3	56.8	58.1	57.0	58.3	34.1	57.0	0.0		58.3	31.5	57.0	0.0		58.3	30.2	57.0	0.0		58.3
B038	B	1	58.3	59.6	58.5	59.8	35	58.5	0.0		59.8	32.7	58.5	0.0		59.8	31.3	58.5	0.0		59.8
B038	B	2	59.0	60.3	59.1	60.4	51	59.7	0.6		61.0	45.2	59.3	0.2		60.6	45.0	59.3	0.2		60.6
B038	B	3	59.3	60.6	59.5	60.8	53.6	60.5	1.0		61.8	49.3	59.9	0.4		61.2	45.9	59.7	0.2		61.0
B039	A	1	53.1	54.4	53.3	54.6	36.4	53.4	0.1		54.7	32.3	53.4	0.0		54.7	30.2	53.4	0.0		54.7
B039	A	2	53.1	54.4	53.2	54.5	37.1	53.3	0.1		54.6	33.1	53.3	0.0		54.6	31.1	53.3	0.0		54.6
B039	A	3	56.1	57.4	56.2	57.5	54.3	58.4	2.2		59.7	42.1	56.4	0.2		57.7	31.8	56.2	0.0		57.5
B039	B	1	62.8	64.1	63.0	64.3	33.4	63.0	0.0		64.3	30.1	63.0	0.0		64.3	28.4	63.0	0.0		64.3
B039	B	2	63.1	64.4	63.2	64.5	33.6	63.2	0.0		64.5	30.3	63.2	0.0		64.5	28.7	63.2	0.0		64.5
B039	B	3	63.2	64.5	63.3	64.6	35.3	63.3	0.0		64.6	32.9	63.3	0.0		64.6	31.3	63.3	0.0		64.6
B040	A	1	53.1	54.4	53.3	54.6	38.2	53.5	0.1		54.8	35.3	53.4	0.1		54.7	30.5	53.4	0.0		54.7
B040	A	2	53.1	54.4	53.3	54.6	39.6	53.5	0.2		54.8	38.2	53.5	0.1		54.8	31.9	53.4	0.0		54.7
B040	A	3	54.1	55.4	54.3	55.6	41.9	54.5	0.2		55.8	40.7	54.5	0.2		55.8	33.5	54.3	0.0		55.6
B040	B	1	57.7	59.0	57.9	59.2	36.2	57.9	0.0		59.2	33.0	57.9	0.0		59.2	29.9	57.9	0.0		59.2
B040	B	2	59.5	60.8	59.7	61.0	36.6	59.7	0.0		61.0	32.4	59.7	0.0		61.0	30.5	59.7	0.0		61.0
B040	B	3	60.0	61.3	60.2	61.5	36.3	60.2	0.0		61.5	33.0	60.2	0.0		61.5	30.5	60.2	0.0		61.5
B040	C	1	63.2	64.5	63.3	64.6	38.1	63.3	0.0		64.6	35.8	63.3	0.0		64.6	35.1	63.3	0.0		64.6
B040	C	2	63.6	64.9	63.8	65.1	38.6	63.8	0.0		65.1	36.2	63.8	0.0		65.1	35.7	63.8	0.0		65.1
B040	C	3	63.6	64.9	63.7	65.0	39.8	63.7	0.0		65.0	37.0	63.7	0.0		65.0	36.2	63.7	0.0		65.0
B041	A	1	63.2	64.5	63.3	64.6	39.7	63.3	0.0		64.6	38.3	63.3	0.0		64.6	37.9	63.3	0.0		64.6
B041	A	2	63.8	65.1	64.0	65.3	41.4	64.0	0.0		65.3	40.5	64.0	0.0		65.3	40.3	64.0	0.0		65.3
B041	A	3	63.9	65.2	64.0	65.3	42.8	64.0	0.0		65.3	41.9	64.0	0.0		65.3	41.6	64.0	0.0		65.3
B041	B	1	53.1	54.4	53.3	54.6	39.6	53.5	0.2		54.8	35.7	53.4	0.1		54.7	34.4	53.4	0.1		54.7
B041	B	2	53.1	54.4	53.3	54.6	41.3	53.6	0.3		54.9	37.9	53.5	0.1		54.8	33.2	53.4	0.0		54.7
B041	B	3	54.2	55.5	54.4	55.7	45.2	54.9	0.5		56.2	41.5	54.6	0.2		55.9	35.1	54.5	0.1		55.8
B042	A	1	53.1	54.4	53.3	54.6	39.4	53.5	0.2		54.8	35.5	53.4	0.1		54.7	33.5	53.4	0.0		54.7
B042	A	2	53.1	54.4	53.2	54.5	40.4	53.5	0.2		54.8	36.8	53.3	0.1		54.6	34.4	53.3	0.1		54.6
B042	A	3	53.4	54.7	53.5	54.8	42.3	53.8	0.3		55.1	39.3	53.7	0.2		55.0	35.9	53.6	0.1		54.9
B042	B	1	57.0	58.3	57.1	58.4	41.3	57.2	0.1		58.5	38.4	57.2	0.1		58.5	37.7	57.1	0.0		58.4
B042	B	2	58.0	59.3	58.2	59.5	41.8	58.3	0.1		59.6	39.1	58.3	0.1		59.6	38.4	58.2	0.0		59.5
B042	B	3	58.6	59.9	58.8	60.1	43.2	58.9	0.1		60.2	40.4	58.9	0.1		60.2	39.4	58.8	0.0		60.1
B042	C	1	61.7	63.0	61.8	63.1	40	61.8	0.0		63.1	37.0	61.8	0.0		63.1	36.6	61.8	0.0		63.1
B042	C	2	61.9	63.2	62.1	63.4	40.3	62.1	0.0		63.4	37.4	62.1	0.0		63.4	37.0	62.1	0.0		63.4
B042	C	3	61.9	63.2	62.0	63.3	41.2	62.0	0.0		63.3	38.4	62.0	0.0		63.3	37.9	62.0	0.0		63.3
B043	A	1	64.4	64.8	64.6	65.0	48	64.7	0.1		65.1	48.2	64.7	0.1		65.1	34.4	64.6	0.0		65.0
B043	A	2	64.6	65.0	64.8	65.2	48.2	64.9	0.1		65.3	48.5	64.9	0.1		65.3	34.8	64.8	0.0		65.2
B043	A	3	64.3	64.7	64.4	64.8	48.8	64.5	0.1		64.9	48.6	64.5	0.1		64.9	41.2	64.4	0.0		64.8
B043	A	4	63.8	64.2	63.9	64.3	54.8	64.4	0.5		64.8	47.6	64.0	0.1		64.4	41.3	63.9	0.0		64.3
B043	B	1	60.1	60.5	60.3	60.7	39.3	60.3	0.0		60.7	35.6	60.3	0.0		60.7	33.5	60.3	0.0		60.7
B043	B	2	60.9	61.3	61.1	61.5	39.9	61.1	0.0		61.5	37.0	61.1	0.0		61.5	34.2	61.1	0.0		61.5
B043	B	3	60.9	61.3	61.1	61.5	43.1	61.2	0.1		61.6	42.0	61.2	0.1		61.6	35.8	61.1	0.0		61.5
B043	B	4	60.7	61.1	60.9	61.3	51.2	61.3	0.4		61.7	47.2	61.1	0.2		61.5	39.0	60.9	0.0		61.3
B044	A	1	62.5	62.9	62.6	63.0	48.8	62.8	0.2		63.2	49.6	62.8	0.2		63.2	36.1	62.6	0.0		63.0
B044	A	2	63.2	63.6	63.3	63.7	49.3	63.5	0.2		63.9	49.9	63.5	0.2		63.9	36.8	63.3	0.0		63.7
B044	A	3	63.2	63.6	63.4	63.8	49.6	63.6	0.2		64.0	51.2	63.7	0.3		64.1	39.7	63.4	0.0		63.8
B044	B	1	53.1	53.5	53.3	53.7	43.4	53.8	0.4		54.2	38.5	53.5	0.1		53.9	36.5	53.4	0.1		53.8
B044	B	2	53.1	53.5	53.2	53.6	43	53.6	0.4		54.0	38.8	53.4	0.2		53.8	36.9	53.3	0.1		53.7
B044	B	3	53.9	54.3	54.1	54.5	44.7	54.6	0.5		55.0	43.0	54.4	0.3		54.8	37.7	54.2	0.1		54.6
B045	A	1	59.0	59.4	59.2	59.6	47.2	59.5	0.3		59.9	45.5	59.4	0.2		59.8	40.4	59.3	0.1		59.7
B045	A	2	60.1	60.5	60.3	60.7	47.3	60.5	0.2		60.9	45.8	60.5	0.2		60.9	40.5	60.3	0.0		60.7
B045	A	3	60.6	61.0	60.7	61.1	49.3	61.0	0.3		61.4	47.1	60.9	0.2		61.3	41.9	60.8	0.1		61.2
B045	B	1	63.4	63.8	63.5	63.9	50.8	63.7	0.2		64.1	49.9	63.7	0.2		64.1	38.7	63.5	0.0		63.9
B045	B	2	63.8	64.2	63.9	64.3	51.2	64.1	0.2		64.5	50.3	64.1	0.2		64.5	39.0	63.9	0.0		64.3
B045	B	3	63.8	64.2	64.0	64.4	51.7	64.2	0.2		64.6	50.6	64.2	0.2		64.6	39.7	64.0	0.0		64.4
B046	A	1	62.7	63.1	62.9	63.3	52.6	63.3	0.4		63.7	41.2	62.9	0.0		63.3	38.9	62.9	0.0		63.3
B046	A	2	63.4	63.8	63.6	64.0	57.2	64.5	0.9		64.9	41.5	63.6	0.0		64.0	39.1	63.6	0.0		64.0
B046	A	3	63.5	63.9	63.6	64.0	58.1	64.7	1.1		65.1	44.4	63.7	0.1		64.1	40.8	63.6	0.0		64.0
B046	B	1	53.1	53.5	53.3	53.7	45.4	54.0	0.6		54.4	40.7	53.6	0.2		54.0	38.3	53.5	0.1		53.9
B046	B	2	53.1	53.5	53.2	53.6	45.6	53.9	0.7		54.3	41.2	53.5	0.3		53.9	39.0	53.4	0.2		53.8
B046	B	3	54.5	54.9	54.6	55.0	48.2	55.5	0.9		55.9	45.3	55.1	0.5		55.5	41.5	54.8	0.2		55.2
B047	A	1	56.2	56.6	56.3	56.7	73.5	73.6	17.3	YES	74.0	63.2	64.0	7.7	YES	64.4	55.1	58.8	2.5		59.2
B047	A	2	57.9	58.3	58.1	58.5	75	75.1	17.0	YES	75.5	65.0	65.8	7.7	YES	66.2	58.1	61.1	3.0		61.5
B047	B	1	62.5	62.9	62.6	63.0	74.5	74.8	12.2	YES	75.2	64.8	66.8	4.2	YES	67.2	52.7	63.0	0.4		63.4
B047	B	2	63.2	63.6	63.4	63.8	76.1	76.3	12.9	YES	76.7	67.0	68.6	5.2	YES	69.0	56.9	64.3	0.9		64.7
B047	C	1	58.6	59.0	58.8	59.2	66.8	67.4	8.6	YES	67.8	54.2	60.1	1.3		60.5	47.2	59.1	0.3		59.5
B047	C	2	59.9	60.3	60.0	60.4	67.7	68.4	8.4	YES	68.8	59.0	62.5	2.5		62.9	47.4	60.2	0.2		60.6
B048	A	1	62.8	65.5	63.0	65.7	43.4	63.0	0.0		65.7	42.9	63.0	0.0		65.7	42.9	63.0	0.0		65.7
B048	A	2	64.3	67.0	64.5	67.2	44.6	64.5	0.0		67.2	44.3	64.5	0.0		67.2	44.2	64.5	0.0		67.2

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B048	A	3	65.1	67.8	65.2	67.9	45.2	65.2	0.0		67.9	44.9	65.2	0.0		67.9	44.9	65.2	0.0		67.9
B048	B	1	63.3	66.0	63.4	66.1	53.6	63.8	0.4		66.5	52.9	63.8	0.4		66.5	48.3	63.5	0.1		66.2
B048	B	2	64.9	67.6	65.1	67.8	53.3	65.4	0.3		68.1	52.7	65.3	0.2		68.0	48.5	65.2	0.1		67.9
B048	B	3	65.8	68.5	65.9	68.6	53	66.1	0.2		68.8	52.4	66.1	0.2		68.8	48.6	66.0	0.1		68.7
B048	C	1	58.5	61.2	58.7	61.4	54.9	60.2	1.5		62.9	54.8	60.2	1.5		62.9	49.3	59.2	0.5		61.9
B048	C	2	60.2	62.9	60.3	63.0	52.7	61.0	0.7		63.7	52.1	60.9	0.6		63.6	47.1	60.5	0.2		63.2
B048	C	3	61.3	64.0	61.5	64.2	52.3	62.0	0.5		64.7	51.7	61.9	0.4		64.6	47.0	61.7	0.2		64.4
B049	A	1	61.7	64.4	61.9	64.6	42.1	61.9	0.0		64.6	41.7	61.9	0.0		64.6	41.7	61.9	0.0		64.6
B049	A	2	62.4	65.1	62.6	65.3	42.5	62.6	0.0		65.3	42.2	62.6	0.0		65.3	42.2	62.6	0.0		65.3
B049	A	3	62.6	65.3	62.8	65.5	42.6	62.8	0.0		65.5	42.3	62.8	0.0		65.5	42.2	62.8	0.0		65.5
B049	B	1	54.3	57.0	54.5	57.2	54.2	57.4	2.9		60.1	54.1	57.3	2.8		60.0	48.6	55.5	1.0		58.2
B049	B	2	55.6	58.3	55.8	58.5	53.8	57.9	2.1		60.6	53.6	57.8	2.0		60.5	48.1	56.5	0.7		59.2
B049	B	3	57.1	59.8	57.2	59.9	53.4	58.7	1.5		61.4	53.3	58.7	1.5		61.4	47.8	57.7	0.5		60.4
B050	A	1	63.1	65.8	63.3	66.0	42.2	63.3	0.0		66.0	41.8	63.3	0.0		66.0	41.7	63.3	0.0		66.0
B050	A	2	63.0	65.7	63.2	65.9	42.4	63.2	0.0		65.9	42.0	63.2	0.0		65.9	41.9	63.2	0.0		65.9
B050	A	3	62.6	65.3	62.8	65.5	42.2	62.8	0.0		65.5	41.8	62.8	0.0		65.5	41.7	62.8	0.0		65.5
B050	B	1	54.1	56.8	54.3	57.0	36.2	54.4	0.1		57.1	34.7	54.3	0.0		57.0	34.3	54.3	0.0		57.0
B050	B	2	56.2	58.9	56.4	59.1	37.2	56.5	0.1		59.2	36.2	56.4	0.0		59.1	35.9	56.4	0.0		59.1
B050	B	3	58.1	60.8	58.3	61.0	38.3	58.3	0.0		61.0	37.6	58.3	0.0		61.0	37.5	58.3	0.0		61.0
B051	A	1	62.8	65.5	62.9	65.6	54.8	63.5	0.6		66.2	51.2	63.2	0.3		65.9	48.2	63.0	0.1		65.7
B051	A	2	63.7	66.4	63.8	66.5	54.4	64.3	0.5		67.0	50.9	64.0	0.2		66.7	48.2	63.9	0.1		66.6
B051	A	3	64.6	67.3	64.7	67.4	54	65.1	0.4		67.8	50.8	64.9	0.2		67.6	48.3	64.8	0.1		67.5
B051	B	1	61.5	64.2	61.6	64.3	55.2	62.5	0.9		65.2	51.2	62.0	0.4		64.7	48.1	61.8	0.2		64.5
B051	B	2	63.5	66.2	63.6	66.3	54.8	64.1	0.5		66.8	51.0	63.8	0.2		66.5	48.3	63.7	0.1		66.4
B051	B	3	65.3	68.0	65.5	68.2	54.5	65.8	0.3		68.5	51.0	65.7	0.2		68.4	48.7	65.6	0.1		68.3
B052	A	1	62.7	65.4	62.8	65.5	43.2	62.8	0.0		65.5	42.6	62.8	0.0		65.5	42.5	62.8	0.0		65.5
B052	A	2	64.4	67.1	64.6	67.3	44.7	64.6	0.0		67.3	44.2	64.6	0.0		67.3	44.1	64.6	0.0		67.3
B052	A	3	65.2	67.9	65.3	68.0	45.4	65.3	0.0		68.0	44.8	65.3	0.0		68.0	44.7	65.3	0.0		68.0
B052	B	1	64.2	66.9	64.3	67.0	40	64.3	0.0		67.0	39.6	64.3	0.0		67.0	39.5	64.3	0.0		67.0
B052	B	2	64.7	67.4	64.8	67.5	40.8	64.8	0.0		67.5	40.5	64.8	0.0		67.5	40.4	64.8	0.0		67.5
B052	B	3	65.0	67.7	65.1	67.8	41.6	65.1	0.0		67.8	41.4	65.1	0.0		67.8	41.3	65.1	0.0		67.8
B053	A	1	61.3	64.0	61.4	64.1	34.6	61.4	0.0		64.1	33.0	61.4	0.0		64.1	32.4	61.4	0.0		64.1
B053	A	2	61.9	64.6	62.1	64.8	35	62.1	0.0		64.8	33.7	62.1	0.0		64.8	33.2	62.1	0.0		64.8
B053	A	3	62.5	65.2	62.6	65.3	37.6	62.6	0.0		65.3	36.2	62.6	0.0		65.3	35.8	62.6	0.0		65.3
B053	B	1	53.9	56.6	54.0	56.7	54.4	57.2	3.2		59.9	50.0	55.5	1.5		58.2	46.5	54.7	0.7		57.4
B053	B	2	55.9	58.6	56.0	58.7	53.9	58.1	2.1		60.8	49.5	56.9	0.9		59.6	46.1	56.4	0.4		59.1
B053	B	3	58.0	60.7	58.2	60.9	53.5	59.5	1.3		62.2	49.2	58.7	0.5		61.4	46.0	58.5	0.3		61.2
B054	A	1	53.7	56.4	53.8	56.5	33.6	53.8	0.0		56.5	31.6	53.8	0.0		56.5	30.7	53.8	0.0		56.5
B054	A	2	56.3	59.0	56.5	59.2	34.8	56.5	0.0		59.2	33.3	56.5	0.0		59.2	32.8	56.5	0.0		59.2
B054	B	1	64.5	67.2	64.6	67.3	55.2	65.1	0.5		67.8	48.8	64.7	0.1		67.4	45.6	64.7	0.1		67.4
B054	B	2	65.0	67.7	65.1	67.8	54.7	65.5	0.4		68.2	48.6	65.2	0.1		67.9	45.6	65.1	0.0		67.8
B055	A	1	67.2	69.9	67.4	70.1	55.8	67.7	0.3		70.4	50.1	67.5	0.1		70.2	48.0	67.4	0.0		70.1
B055	A	2	68.1	70.8	68.2	70.9	55.5	68.4	0.2		71.1	50.2	68.3	0.1		71.0	48.5	68.2	0.0		70.9
B055	A	3	68.1	70.8	68.3	71.0	55.1	68.5	0.2		71.2	50.2	68.4	0.1		71.1	48.7	68.3	0.0		71.0
B055	B	1	71.3	74.0	71.5	74.2	56.4	71.6	0.1		74.3	51.7	71.5	0.0		74.2	50.3	71.5	0.0		74.2
B055	B	2	72.0	74.7	72.2	74.9	56.3	72.3	0.1		75.0	52.3	72.2	0.0		74.9	51.2	72.2	0.0		74.9
B055	B	3	71.8	74.5	72.0	74.7	56	72.1	0.1		74.8	52.3	72.0	0.0		74.7	51.4	72.0	0.0		74.7
B056	A	1	63.5	66.2	63.6	66.3	44.3	63.7	0.1		66.4	40.6	63.6	0.0		66.3	39.8	63.6	0.0		66.3
B056	B	1	57.9	60.6	58.1	60.8	44.4	58.3	0.2		61.0	41.8	58.2	0.1		60.9	40.6	58.2	0.1		60.9
B057	A	1	53.1	55.8	53.3	56.0	39	53.5	0.2		56.2	35.0	53.4	0.1		56.1	34.4	53.4	0.1		56.1
B057	A	2	56.8	59.5	57.0	59.7	45.6	57.3	0.3		60.0	41.0	57.1	0.1		59.8	40.4	57.1	0.1		59.8
B057	A	3	58.8	61.5	59.0	61.7	49.8	59.5	0.5		62.2	45.9	59.2	0.2		61.9	43.0	59.1	0.1		61.8
B057	B	1	62.9	65.6	63.0	65.7	37	63.0	0.0		65.7	35.3	63.0	0.0		65.7	35.1	63.0	0.0		65.7
B057	B	2	63.2	65.9	63.3	66.0	37.9	63.3	0.0		66.0	36.2	63.3	0.0		66.0	36.1	63.3	0.0		66.0
B057	B	3	63.3	66.0	63.4	66.1	41.4	63.4	0.0		66.1	38.7	63.4	0.0		66.1	38.3	63.4	0.0		66.1
B058	A	1	62.4	65.1	62.6	65.3	44.7	62.7	0.1		65.4	38.9	62.6	0.0		65.3	37.3	62.6	0.0		65.3
B058	A	2	63.0	65.7	63.2	65.9	46.3	63.3	0.1		66.0	40.5	63.2	0.0		65.9	39.0	63.2	0.0		65.9
B058	B	1	53.1	55.8	53.3	56.0	37.5	53.5	0.1		56.2	31.2	53.4	0.0		56.1	30.1	53.4	0.0		56.1
B058	B	2	53.1	55.8	53.3	56.0	39.5	53.5	0.2		56.2	32.8	53.4	0.0		56.1	31.8	53.4	0.0		56.1
B059	A	1	59.7	62.4	59.9	62.6	33.9	59.9	0.0		62.6	30.8	59.9	0.0		62.6	30.0	59.9	0.0		62.6
B059	A	2	60.3	63.0	60.4	63.1	35	60.4	0.0		63.1	32.2	60.4	0.0		63.1	31.4	60.4	0.0		63.1
B059	A	3	61.0	63.7	61.1	63.8	43.4	61.2	0.1		63.9	37.5	61.1	0.0		63.8	36.7	61.1	0.0		63.8
B059	B	1	54.5	57.2	54.6	57.3	42.6	54.9	0.3		57.6	37.6	54.7	0.1		57.4	36.0	54.7	0.1		57.4
B059	B	2	57.1	59.8	57.2	59.9	47.7	57.7	0.5		60.4	40.2	57.3	0.1		60.0	39.4	57.3	0.1		60.0
B059	B	3	59.7	62.4	59.9	62.6	49.3	60.3	0.4		63.0	43.8	60.0	0.1		62.7	41.6	60.0	0.1		62.7
B060	A	1	53.1	55.2	53.3	55.4	48.3	54.5	1.2		56.6	41.3	53.6	0.3		55.7	37.7	53.5	0.1		55.6
B060	A	2	53.1	55.2	53.3	55.4	50.5	55.2	1.8		57.3	43.6	53.8	0.4		55.9	40.1	53.5	0.2		55.6
B060	A	3	53.1	55.2	53.2	55.3	53	56.1	2.9		58.2	45.8	54.0	0.7		56.1	42.7	53.6	0.4		55.7
B060	B	1	53.1	55.2	53.3	55.4	42.8	53.7	0.4		55.8	41.5	53.6	0.3		55.7	41.3	53.6	0.3		55.7
B060	B	2	53.1	55.2	53.2	55.3	43.1	53.6	0.4		55.7	42.0	53.6	0.3		55.7	41.8	53.5	0.3		55.6
B060	B	3	53.1	55.2	53.2	55.3	46.2	54.0	0.8		56.1	42.4	53.6	0.3		55.7	42.2	53.6	0.3		55.7
B061	A	1	53.1	55.2	53.3	55.4	46.9	54.2	0.9		56.3	40.5	53.6	0.2		55.7	39.3	53.5	0.2		55.6
B061	A	2	53.1	55.2	53.3	55.4	49.3	54.8	1.4		56.9	42.8	53.7	0.4		55.8	41.0	53.6	0.2		55.7
B061	A	3	53.1	55.2	53.3	55.4	52.1	55.8	2.4		57.9	45.6	54.0	0.7		56.1	43.4	53.8	0.4		55.9
B061	B	1	53.1	55.2	53.2	55.3	43.1	53.6	0.4		55.7	41.7	53.5	0.3		55.6	41.4	53.5	0.3		55.6
B061	B	2	53.1	55.2	53.2	55.3	43.4	53.7	0.4		55.8	42.1	53.6	0.3		55.7	41.8	53.5	0.3		55.6
B061	B	3	53.1	55.2	53.2	55.3	44.8	53.8	0.6		55.9	42.4	53.6	0.3		55.7	42.2	53.6	0.3		55.7
B062	A	1	53.1	55.2	53.3	55.4	46.4	54.1	0.8		56.2	41.5	53.6	0.3		55.7	38.6	53.5	0.1		55.6
B062	A	2	53.1	55.2	53.3	55.4	48.6	54.6	1.3		56.7	42.9	53.7	0.4		55.8	40.0	53.5	0.2		55.6
B062	A	3	53.1	55.2	53.3	55.4	50.9	55.3	2.0		57.4	44.6	53.9	0.5		56.0	41.9	53.6	0.3		55.7
B062	A	4	53.1	55.2	53.3	55.4	55.4	57.5	4.2		59.6	47.7	54.4	1.0		56.5	45.4	54.0	0.6		56.1
B063	A	1	53.1	55.2	53.2	55.3	41.8	53.5	0.3		55.6	37.6	53.4	0.1		55.5	35.2	53.3	0.1		55.4
B063	A	2	53.1	55.2	53.2	55.3	60.4	61.2	7.9	YES	63.3	45.5	53.9	0.7		56.0	37.2	53.4	0.1		55.5
B063	B	1	53.1	55.2	53.2	55.3	49.8	54.9	1.6		57.0	44.1	53.7	0.5		55.8	46.3	54.0	0.8		56.1

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B063	B	2	53.1	55.2	53.2	55.3	51.3	55.4	2.1		57.5	45.4	53.9	0.7		56.0	46.2	54.0	0.8		56.1
B064	A	1	53.1	55.2	53.2	55.3	50.1	55.0	1.7		57.1	45.1	53.9	0.6		56.0	42.9	53.6	0.4		55.7
B064	A	2	53.2	55.3	53.4	55.5	53.8	56.6	3.2		58.7	46.8	54.3	0.9		56.4	48.2	54.5	1.1		56.6
B064	A	3	53.9	56.0	54.0	56.1	56.2	58.2	4.2		60.3	49.4	55.3	1.3		57.4	48.1	55.0	1.0		57.1
B064	B	1	53.1	55.2	53.2	55.3	40.3	53.5	0.2		55.6	35.9	53.3	0.1		55.4	34.1	53.3	0.1		55.4
B064	B	2	53.1	55.2	53.3	55.4	41.3	53.6	0.3		55.7	36.9	53.4	0.1		55.5	35.4	53.4	0.1		55.5
B064	B	3	53.1	55.2	53.3	55.4	43.2	53.7	0.4		55.8	38.8	53.5	0.1		55.6	37.4	53.5	0.1		55.6
B065	A	1	59.3	60.6	59.5	60.8	68.2	68.7	9.2	YES	70.0	52.9	60.4	0.9		61.7	50.4	60.0	0.5		61.3
B065	A	2	60.0	61.3	60.2	61.5	67.7	68.4	8.2	YES	69.7	53.5	61.0	0.8		62.3	49.5	60.6	0.4		61.9
B065	B	1	53.1	54.4	53.3	54.6	44.8	53.9	0.6		55.2	39.3	53.5	0.2		54.8	37.7	53.5	0.1		54.8
B065	B	2	53.1	54.4	53.2	54.5	45.4	53.9	0.7		55.2	39.9	53.4	0.2		54.7	38.0	53.4	0.1		54.7
B066	A	1	53.1	54.4	53.2	54.5	45.8	54.0	0.7		55.3	40.6	53.5	0.2		54.8	38.8	53.4	0.2		54.7
B066	A	2	53.1	54.4	53.3	54.6	46.3	54.1	0.8		55.4	41.5	53.6	0.3		54.9	38.9	53.5	0.2		54.8
B066	B	1	59.2	60.5	59.4	60.7	69.7	70.1	10.7	YES	71.4	61.1	63.3	3.9		64.6	51.7	60.1	0.7		61.4
B066	B	2	59.8	61.1	60.0	61.3	69.4	69.9	9.9	YES	71.2	60.8	63.4	3.4		64.7	50.9	60.5	0.5		61.8
B067	A	1	53.1	54.4	53.2	54.5	57.5	58.9	5.6	YES	60.2	56.8	58.4	5.1	YES	59.7	41.2	53.5	0.3		54.8
B067	A	2	55.3	56.6	55.5	56.8	53.9	57.8	2.3		59.1	44.4	55.8	0.3		57.1	40.1	55.6	0.1		56.9
B067	B	1	59.3	60.6	59.4	60.7	73.2	73.4	14.0	YES	74.7	64.5	65.7	6.3	YES	67.0	53.0	60.3	0.9		61.6
B067	B	2	60.3	61.6	60.5	61.8	71.6	71.9	11.4	YES	73.2	64.2	65.7	5.2	YES	67.0	52.5	61.1	0.6		62.4
B068	A	1	59.7	61.0	59.9	61.2	47	60.1	0.2		61.4	42.6	60.0	0.1		61.3	40.9	60.0	0.1		61.3
B068	A	2	60.3	61.6	60.4	61.7	47.9	60.6	0.2		61.9	43.2	60.5	0.1		61.8	41.6	60.5	0.1		61.8
B068	A	3	60.5	61.8	60.7	62.0	56.9	62.2	1.5		63.5	48.5	61.0	0.3		62.3	43.1	60.8	0.1		62.1
B068	B	1	53.1	54.4	53.2	54.5	58.5	59.6	6.4	YES	60.9	53.2	56.2	3.0		57.5	44.3	53.8	0.5		55.1
B068	B	2	55.3	56.6	55.5	56.8	65.9	66.3	10.8	YES	67.6	54.1	57.9	2.4		59.2	45.9	56.0	0.5		57.3
B068	B	3	57.5	58.8	57.7	59.0	64.7	65.5	7.8	YES	66.8	53.9	59.2	1.5		60.5	49.6	58.3	0.6		59.6
B069	A	1	53.1	54.4	53.3	54.6	62.9	63.4	10.0	YES	64.7	53.4	56.4	3.0		57.7	55.0	57.3	3.9		58.6
B069	A	2	54.6	55.9	54.8	56.1	67.2	67.4	12.6	YES	68.7	56.1	58.5	3.7		59.8	54.4	57.6	2.8		58.9
B069	B	1	58.3	59.6	58.4	59.7	50.9	59.1	0.7		60.4	45.5	58.6	0.2		59.9	42.7	58.5	0.1		59.8
B069	B	2	59.6	60.9	59.7	61.0	55.3	61.0	1.3		62.3	51.6	60.3	0.6		61.6	42.9	59.8	0.1		61.1
B070	A	1	67.6	70.3	67.7	70.4	46.7	67.7	0.0		70.4	45.0	67.7	0.0		70.4	44.8	67.7	0.0		70.4
B070	A	2	68.2	70.9	68.4	71.1	48.3	68.4	0.0		71.1	46.3	68.4	0.0		71.1	46.0	68.4	0.0		71.1
B070	A	3	68.3	71.0	68.4	71.1	49.5	68.5	0.1		71.2	47.2	68.4	0.0		71.1	46.8	68.4	0.0		71.1
B070	A	4	68.1	70.8	68.3	71.0	50.3	68.4	0.1		71.1	47.6	68.3	0.0		71.0	47.3	68.3	0.0		71.0
B070	B	1	72.5	75.2	72.6	75.3	50.2	72.6	0.0		75.3	49.5	72.6	0.0		75.3	49.5	72.6	0.0		75.3
B070	B	2	72.5	75.2	72.6	75.3	51.3	72.6	0.0		75.3	50.4	72.6	0.0		75.3	50.3	72.6	0.0		75.3
B070	B	3	72.0	74.7	72.2	74.9	52	72.2	0.0		74.9	50.8	72.2	0.0		74.9	50.6	72.2	0.0		74.9
B070	B	4	71.5	74.2	71.6	74.3	52.5	71.7	0.1		74.4	51.0	71.6	0.0		74.3	50.7	71.6	0.0		74.3
B071	A	1	72.6	75.3	72.7	75.4	50.4	72.7	0.0		75.4	49.9	72.7	0.0		75.4	49.9	72.7	0.0		75.4
B071	A	2	72.7	75.4	72.9	75.6	51.9	72.9	0.0		75.6	51.1	72.9	0.0		75.6	51.1	72.9	0.0		75.6
B071	A	3	72.3	75.0	72.5	75.2	53	72.5	0.0		75.2	51.5	72.5	0.0		75.2	51.4	72.5	0.0		75.2
B071	B	1	66.7	69.4	66.8	69.5	44.7	66.8	0.0		69.5	44.4	66.8	0.0		69.5	44.4	66.8	0.0		69.5
B071	B	2	67.7	70.4	67.9	70.6	46	67.9	0.0		70.6	45.8	67.9	0.0		70.6	45.8	67.9	0.0		70.6
B071	B	3	67.9	70.6	68.0	70.7	47.1	68.0	0.0		70.7	46.7	68.0	0.0		70.7	46.7	68.0	0.0		70.7
B072	A	1	72.0	74.7	72.1	74.8	49.9	72.1	0.0		74.8	49.7	72.1	0.0		74.8	49.7	72.1	0.0		74.8
B072	A	2	72.3	75.0	72.5	75.2	51.2	72.5	0.0		75.2	51.0	72.5	0.0		75.2	51.0	72.5	0.0		75.2
B072	A	3	72.0	74.7	72.2	74.9	51.8	72.2	0.0		74.9	51.4	72.2	0.0		74.9	51.3	72.2	0.0		74.9
B072	B	1	67.7	70.4	67.9	70.6	45.6	67.9	0.0		70.6	45.1	67.9	0.0		70.6	45.0	67.9	0.0		70.6
B072	B	2	68.4	71.1	68.6	71.3	47.3	68.6	0.0		71.3	46.6	68.6	0.0		71.3	46.6	68.6	0.0		71.3
B072	B	3	68.3	71.0	68.5	71.2	48.6	68.5	0.0		71.2	47.5	68.5	0.0		71.2	47.4	68.5	0.0		71.2
B073	A	1	63.3	66.0	63.4	66.1	46.3	63.5	0.1		66.2	46.1	63.5	0.1		66.2	46.1	63.5	0.1		66.2
B073	A	2	64.7	67.4	64.8	67.5	48.1	64.9	0.1		67.6	47.9	64.9	0.1		67.6	47.9	64.9	0.1		67.6
B073	B	1	68.9	71.6	69.0	71.7	54.5	69.2	0.2		71.9	54.4	69.1	0.1		71.8	54.4	69.1	0.1		71.8
B073	B	2	70.0	72.7	70.2	72.9	54.7	70.3	0.1		73.0	54.6	70.3	0.1		73.0	54.6	70.3	0.1		73.0
B074	A	1	61.7	64.4	61.9	64.6	50.8	62.2	0.3		64.9	45.8	62.0	0.1		64.7	44.9	62.0	0.1		64.7
B074	A	2	63.1	65.8	63.3	66.0	52.6	63.7	0.4		66.4	47.1	63.4	0.1		66.1	46.4	63.4	0.1		66.1
B074	A	3	64.2	66.9	64.3	67.0	53.7	64.7	0.4		67.4	47.7	64.4	0.1		67.1	47.1	64.4	0.1		67.1
B074	B	1	67.9	70.6	68.1	70.8	53.8	68.3	0.2		71.0	53.2	68.2	0.1		70.9	53.1	68.2	0.1		70.9
B074	B	2	69.3	72.0	69.5	72.2	53.6	69.6	0.1		72.3	53.6	69.6	0.1		72.3	53.6	69.6	0.1		72.3
B074	B	3	69.7	72.4	69.8	72.5	53.5	69.9	0.1		72.6	53.3	69.9	0.1		72.6	53.3	69.9	0.1		72.6
B075	A	1	63.7	66.4	63.9	66.6	47.5	64.0	0.1		66.7	47.4	64.0	0.1		66.7	47.4	64.0	0.1		66.7
B075	A	2	65.3	68.0	65.4	68.1	49.1	65.5	0.1		68.2	48.7	65.5	0.1		68.2	48.7	65.5	0.1		68.2
B075	B	1	68.5	71.2	68.6	71.3	52.2	68.7	0.1		71.4	52.1	68.7	0.1		71.4	52.1	68.7	0.1		71.4
B075	B	2	69.8	72.5	69.9	72.6	52.7	70.0	0.1		72.7	52.6	70.0	0.1		72.7	52.6	70.0	0.1		72.7
B075	C	1	64.5	67.2	64.6	67.3	53.5	64.9	0.3		67.6	52.9	64.9	0.3		67.6	52.4	64.9	0.3		67.6
B075	C	2	65.5	68.2	65.6	68.3	54	65.9	0.3		68.6	53.4	65.9	0.3		68.6	52.9	65.8	0.2		68.5
B075	D	1	54.1	56.8	54.3	57.0	43.1	54.6	0.3		57.3	41.1	54.5	0.2		57.2	40.9	54.5	0.2		57.2
B075	D	2	56.6	59.3	56.7	59.4	45	57.0	0.3		59.7	43.1	56.9	0.2		59.6	43.0	56.9	0.2		59.6
B076	A	1	63.3	63.7	63.5	63.9	71.5	72.1	8.6	YES	72.5	59.2	64.9	1.4		65.3	53.1	63.9	0.4		64.3
B076	A	2	63.9	64.3	64.0	64.4	78.9	79.0	15.0	YES	79.4	66.2	68.2	4.2	YES	68.6	58.4	65.1	1.1		65.5
B076	B	1	59.7	60.1	59.9	60.3	80.3	80.3	20.4	YES	80.7	59.6	62.8	2.9		63.2	69.2	69.7	9.8	YES	70.1
B076	B	2	61.1	61.5	61.2	61.6	86	86.0	24.8	YES	86.4	63.8	65.7	4.5	YES	66.1	75.0	75.2	14.0	YES	75.6
B077	A	1	53.1	53.5	53.3	53.7	78.4	78.4	25.1	YES	78.8	57.2	58.7	5.4	YES	59.1	59.3	60.3	6.9	YES	60.7
B077	A	2	53.1	53.5	53.3	53.7	78.3	78.3	25.0	YES	78.7	59.4	60.4	7.0	YES	60.8	60.1	60.9	7.6	YES	61.3
B077	A	3	53.9	54.3	54.1	54.5	79	79.0	24.9	YES	79.4	62.7	63.3	9.2	YES	63.7	61.2	62.0	7.9	YES	62.4
B077	B	1	63.5	63.9	63.7	64.1	63.6	66.7	3.0		67.1	60.1	65.3	1.6		65.7	49.7	63.9	0.2		64.3
B077	B	2	63.9	64.3	64.1	64.5	67.6	69.2	5.1	YES	69.6	66.0	68.2	4.1	YES	68.6	51.3	64.3	0.2		64.7
B077	B	3	63.7	64.1	63.9	64.3	70.2	71.1	7.2	YES	71.5	67.1	68.8	4.9	YES	69.2	51.7	64.2	0.3		64.6
B078	B	1	59.8	60.2	60.0	60.4	68.2	68.8	8.8	YES	69.2	51.6	60.6	0.6		61.0	47.4	60.2	0.2		60.6
B078	B	2	60.9	61.3	61.0	61.4	68.3	69.0	8.0	YES	69.4	52.9	61.6	0.6		62.0	46.6	61.2	0.2		61.6
B078	B	3	60.8	61.2	60.9	61.3	68.5	69.2	8.3	YES	69.6	51.4	61.4	0.5		61.8	47.0	61.1	0.2		61.5
B079	A	1	61.9	62.3	62.0	62.4	65	66.8	4.8	YES	67.2	58.2	63.5	1.5		63.9	48.8	62.2	0.2		62.6
B079	A	2	62.5	62.9	62.7	63.1	66	67.7	5.0	YES	68.1	59.5	64.4	1.7		64.8	49.9	62.9	0.2		63.3
B079	B	1	65.4	65.8	65.6	66.0	56.7	66.1	0.5		66.5	55.0	66.0	0.4		66.4	42.8	65.6	0.0		66.0
B079	B	2	65.3	65.7	65.5	65.9	61.6	67.0	1.5		67.4	58.5	66.3	0.8		66.7	47.6	65.6	0.1		66.0

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out				
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total
B080	A	1	61.3	61.7	61.4	61.8	53.1	62.0	0.6		62.4	45.7	61.5	0.1		61.9	40.1	61.4	0.0		61.8
B080	A	2	61.6	62.0	61.7	62.1	56.8	62.9	1.2		63.3	47.6	61.9	0.2		62.3	40.2	61.7	0.0		62.1
B080	B	1	65.6	66.0	65.7	66.1	52.9	65.9	0.2		66.3	52.8	65.9	0.2		66.3	40.4	65.7	0.0		66.1
B080	B	2	65.5	65.9	65.6	66.0	53.7	65.9	0.3		66.3	53.4	65.9	0.3		66.3	40.7	65.6	0.0		66.0
B081	A	1	53.1	53.5	53.3	53.7	53	56.2	2.8		56.6	41.9	53.6	0.3		54.0	38.1	53.5	0.1		53.9
B081	A	2	53.1	53.5	53.2	53.6	56.6	58.2	5.0	YES	58.6	44.0	53.7	0.5		54.1	39.2	53.4	0.2		53.8
B081	A	3	53.5	53.9	53.7	54.1	59.7	60.7	7.0	YES	61.1	47.3	54.6	0.9		55.0	40.7	53.9	0.2		54.3
B081	B	1	64.0	64.4	64.1	64.5	49.6	64.3	0.2		64.7	46.5	64.2	0.1		64.6	39.6	64.1	0.0		64.5
B081	B	2	64.3	64.7	64.5	64.9	50.4	64.7	0.2		65.1	48.1	64.6	0.1		65.0	39.7	64.5	0.0		64.9
B081	B	3	64.2	64.6	64.3	64.7	53.5	64.6	0.3		65.0	53.1	64.6	0.3		65.0	40.0	64.3	0.0		64.7
B082	A	1	53.1	53.5	53.3	53.7	57.3	58.8	5.4	YES	59.2	44.3	53.9	0.5		54.3	38.5	53.5	0.1		53.9
B082	A	2	53.1	53.5	53.2	53.6	59.5	60.4	7.2	YES	60.8	46.9	54.2	0.9		54.6	38.9	53.4	0.2		53.8
B082	A	3	53.1	53.5	53.3	53.7	60.4	61.2	7.8	YES	61.6	50.1	55.0	1.7		55.4	40.5	53.6	0.2		54.0
B082	A	4	53.1	53.5	53.3	53.7	61.9	62.5	9.1	YES	62.9	51.6	55.6	2.2		56.0	40.5	53.6	0.2		54.0
B082	B	1	65.6	66.0	65.7	66.1	51.1	65.8	0.1		66.2	48.4	65.8	0.1		66.2	36.5	65.7	0.0		66.1
B082	B	2	65.5	65.9	65.6	66.0	54	65.9	0.3		66.3	50.7	65.7	0.1		66.1	36.7	65.6	0.0		66.0
B082	B	3	64.9	65.3	65.1	65.5	49.7	65.2	0.1		65.6	50.9	65.3	0.2		65.7	37.0	65.1	0.0		65.5
B082	B	4	64.2	64.6	64.4	64.8	57.7	65.2	0.8		65.6	51.6	64.6	0.2		65.0	37.9	64.4	0.0		64.8
B083	A	1	53.1	53.5	53.2	53.6	41.9	53.6	0.3		54.0	35.9	53.3	0.1		53.7	35.5	53.3	0.1		53.7
B083	A	2	53.1	53.5	53.3	53.7	42.5	53.7	0.3		54.1	36.3	53.4	0.1		53.8	35.7	53.4	0.1		53.8
B083	A	3	53.1	53.5	53.3	53.7	47	54.3	0.9		54.7	39.8	53.5	0.2		53.9	37.1	53.4	0.1		53.8
B083	B	1	64.1	64.5	64.3	64.7	56.4	65.0	0.7		65.4	50.9	64.5	0.2		64.9	38.7	64.3	0.0		64.7
B083	B	2	64.5	64.9	64.6	65.0	58.8	65.6	1.0		66.0	51.3	64.8	0.2		65.2	39.1	64.6	0.0		65.0
B083	B	3	64.2	64.6	64.4	64.8	59.1	65.5	1.1		65.9	52.2	64.7	0.3		65.1	40.0	64.4	0.0		64.8
B084	A	1	59.6	60.0	59.7	60.1	62.7	64.5	4.8		64.9	53.7	60.7	1.0		61.1	42.2	59.8	0.1		60.2
B084	A	2	60.7	61.1	60.8	61.2	64.7	66.2	5.4	YES	66.6	54.9	61.8	1.0		62.2	43.5	60.9	0.1		61.3
B084	A	3	60.9	61.3	61.1	61.5	65.8	67.1	6.0	YES	67.5	55.5	62.2	1.1		62.6	44.4	61.2	0.1		61.6
B084	B	1	63.8	64.2	64.0	64.4	59.3	65.3	1.3		65.7	52.7	64.3	0.3		64.7	40.6	64.0	0.0		64.4
B084	B	2	64.1	64.5	64.3	64.7	60.6	65.8	1.5		66.2	54.0	64.7	0.4		65.1	41.1	64.3	0.0		64.7
B084	B	3	63.9	64.3	64.1	64.5	61.6	66.0	1.9		66.4	54.6	64.6	0.5		65.0	42.1	64.1	0.0		64.5
B085	A	1	63.3	63.7	63.5	63.9	45.2	63.6	0.1		64.0	46.4	63.6	0.1		64.0	38.9	63.5	0.0		63.9
B085	A	2	63.9	64.3	64.1	64.5	45.1	64.2	0.1		64.6	47.9	64.2	0.1		64.6	39.2	64.1	0.0		64.5
B085	A	3	63.9	64.3	64.1	64.5	46.1	64.2	0.1		64.6	49.3	64.2	0.1		64.6	40.1	64.1	0.0		64.5
B085	B	1	60.3	60.7	60.4	60.8	50.4	60.8	0.4		61.2	46.1	60.6	0.2		61.0	43.1	60.5	0.1		60.9
B085	B	2	61.1	61.5	61.3	61.7	54.5	62.1	0.8		62.5	45.7	61.4	0.1		61.8	44.0	61.4	0.1		61.8
B085	B	3	61.1	61.5	61.2	61.6	56.5	62.5	1.3		62.9	48.6	61.4	0.2		61.8	44.3	61.3	0.1		61.7
B086	A	1	55.1	55.5	55.3	55.7	65.4	65.8	10.5	YES	66.2	53.2	57.4	2.1		57.8	56.4	58.9	3.6		59.3
B086	A	2	55.9	56.3	56.1	56.5	65.7	66.2	10.1	YES	66.6	54.1	58.2	2.1		58.6	56.5	59.3	3.2		59.7
B086	B	1	60.6	61.0	60.7	61.1	52.8	61.4	0.7		61.8	47.5	60.9	0.2		61.3	44.0	60.8	0.1		61.2
B086	B	2	61.4	61.8	61.5	61.9	58.8	63.4	1.9		63.8	47.7	61.7	0.2		62.1	44.2	61.6	0.1		62.0
B086	C	1	63.4	63.8	63.5	63.9	48.7	63.6	0.1		64.0	43.7	63.5	0.0		63.9	41.0	63.5	0.0		63.9
B086	C	2	63.9	64.3	64.1	64.5	49.6	64.3	0.2		64.7	44.1	64.1	0.0		64.5	41.3	64.1	0.0		64.5
B087	A	1	56.2	56.6	56.3	56.7	47.4	56.8	0.5		57.2	41.2	56.4	0.1		56.8	38.1	56.4	0.1		56.8
B087	A	2	56.5	56.9	56.7	57.1	50.8	57.7	1.0		58.1	43.6	56.9	0.2		57.3	38.9	56.8	0.1		57.2
B087	A	3	56.8	57.2	56.9	57.3	62.2	63.3	6.4	YES	63.7	58.4	60.7	3.8		61.1	41.9	57.0	0.1		57.4
B087	B	1	53.1	53.5	53.2	53.6	43	53.6	0.4		54.0	38.8	53.4	0.2		53.8	36.9	53.3	0.1		53.7
B087	B	2	53.1	53.5	53.2	53.6	43.4	53.7	0.4		54.1	39.0	53.4	0.2		53.8	37.2	53.4	0.1		53.8
B087	B	3	53.1	53.5	53.3	53.7	47.7	54.4	1.0		54.8	42.7	53.7	0.4		54.1	37.9	53.5	0.1		53.9
B088	A	1	53.1	53.5	53.2	53.6	50.3	55.0	1.8		55.4	51.7	55.6	2.3		56.0	38.9	53.4	0.2		53.8
B088	A	2	53.1	53.5	53.2	53.6	51.1	55.3	2.1		55.7	52.0	55.7	2.4		56.1	39.4	53.4	0.2		53.8
B088	A	3	53.1	53.5	53.3	53.7	63	63.4	10.1	YES	63.8	60.7	61.4	8.1	YES	61.8	43.1	53.7	0.4		54.1
B088	B	1	55.7	56.1	55.9	56.3	51.6	57.3	1.4		57.7	45.2	56.3	0.4		56.7	40.3	56.0	0.1		56.4
B088	B	2	56.8	57.2	56.9	57.3	56	59.5	2.6		59.9	47.2	57.3	0.4		57.7	41.0	57.0	0.1		57.4
B088	B	3	57.5	57.9	57.7	58.1	59.9	61.9	4.2		62.3	47.8	58.1	0.4		58.5	40.9	57.8	0.1		58.2
B089	A	1	53.1	53.5	53.2	53.6	66.2	66.4	13.2	YES	66.8	60.7	61.4	8.2	YES	61.8	41.8	53.5	0.3		53.9
B089	A	2	53.1	53.5	53.2	53.6	66	66.2	13.0	YES	66.6	60.1	60.9	7.7	YES	61.3	42.3	53.6	0.3		54.0
B089	A	3	53.1	53.5	53.3	53.7	66.5	66.7	13.4	YES	67.1	60.1	60.9	7.6	YES	61.3	42.8	53.7	0.4		54.1
B089	B	1	55.2	55.6	55.3	55.7	44.6	55.7	0.4		56.1	39.8	55.4	0.1		55.8	38.7	55.4	0.1		55.8
B089	B	2	56.0	56.4	56.2	56.6	45.6	56.6	0.4		57.0	40.1	56.3	0.1		56.7	39.0	56.3	0.1		56.7
B089	B	3	56.5	56.9	56.7	57.1	48.4	57.3	0.6		57.7	40.5	56.8	0.1		57.2	39.6	56.8	0.1		57.2
B090	A	1	53.1	53.5	53.2	53.6	44.5	53.8	0.5		54.2	39.1	53.4	0.2		53.8	36.8	53.3	0.1		53.7
B090	A	2	53.1	53.5	53.2	53.6	50	54.9	1.7		55.3	40.4	53.5	0.2		53.9	37.4	53.4	0.1		53.8
B090	B	1	54.5	54.9	54.7	55.1	53.2	57.0	2.3		57.4	51.9	56.5	1.8		56.9	40.0	54.8	0.1		55.2
B090	B	2	56.1	56.5	56.3	56.7	44.3	56.6	0.3		57.0	41.0	56.4	0.1		56.8	40.5	56.4	0.1		56.8
B091	A	1	53.1	53.5	53.2	53.6	42.4	53.6	0.3		54.0	37.0	53.3	0.1		53.7	35.8	53.3	0.1		53.7
B091	A	2	53.1	53.5	53.3	53.7	42.9	53.7	0.4		54.1	37.5	53.5	0.1		53.9	36.9	53.4	0.1		53.8
B091	B	1	57.3	57.7	57.5	57.9	50.8	58.3	0.8		58.7	41.5	57.6	0.1		58.0	40.8	57.6	0.1		58.0
B091	B	2	57.7	58.1	57.9	58.3	66	66.6	8.7	YES	67.0	57.2	60.6	2.7		61.0	42.6	58.0	0.1		58.4
B092	A	1	56.8	57.2	57.0	57.4	52.7	58.4	1.4		58.8	44.3	57.2	0.2		57.6	40.6	57.1	0.1		57.5
B092	A	2	57.2	57.6	57.4	57.8	55.3	59.5	2.1		59.9	45.7	57.7	0.3		58.1	40.8	57.5	0.1		57.9
B092	B	1	53.1	53.5	53.3	53.7	61	61.7	8.3	YES	62.1	52.4	55.9	2.6		56.3	44.9	53.9	0.6		54.3
B092	B	2	53.1	53.5	53.2	53.6	61.4	62.0	8.8	YES	62.4	53.8	56.5	3.3		56.9	45.1	53.9	0.6		54.3
B093	A	1	53.1	53.5	53.2	53.6	47	54.2	0.9		54.6	41.9	53.6	0.3		54.0	38.0	53.4	0.1		53.8
B093	A	2	53.1	53.5	53.2	53.6	49.4	54.7	1.5		55.1	44.1	53.7	0.5		54.1	38.2	53.4	0.1		53.8
B093	A	3	53.1	53.5	53.2	53.6	53.5	56.4	3.1		56.8	44.1	53.7	0.5		54.1	38.6	53.4	0.1		53.8
B093	B	1	55.4	55.8	55.5	55.9	49.5	56.5	1.0		56.9	44.8	55.9	0.4		56.3	38.3	55.6	0.1		56.0
B093	B	2	56.0	56.4	56.2	56.6	52.2	57.7	1.5		58.1	47.7	56.8	0.6		57.2	39.3	56.3	0.1		56.7
B093	B	3	56.4	56.8	56.6	57.0	56.9	59.8	3.2		60.2	52.5	58.0	1.4		58.4	42.0	56.7	0.1		57.1
B094	A	1	55.2	55.6	55.3	55.7	47.7	56.0	0.7		56.4	39.8	55.4	0.1		55.8	38.1	55.4	0.1		55.8
B094	A	2	56.7	57.1	56.8	57.2	47.6	57.3	0.5		57.7	39.7	56.9	0.1		57.3	38.2	56.9	0.1		57.3
B094	A	3	57.5	57.9	57.6	58.0	49.8	58.3	0.7		58.7	40.9	57.7	0.1		58.1	38.6	57.7	0.1		58.1
B094	B	1	54.8	55.2	54.9	55.3	49.2	55.9	1.0		56.3	41.4	55.1	0.2		55.5	39.1	55.0	0.1		55.4
B094	B	2	56.9	57.3	57.1	57.5	52.6	58.4	1.3		58.8	43.6	57.3	0.2		57.7	40.1	57.2	0.1		57.6
B094	B	3	57.9	58.3	58.0	58.4	59.6	61.9	3.9		62.3	49.9	58.6	0.6		59.0	42.7	58.1	0.1		58.5

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out					
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	
B095	A	1	66.5	66.9	66.6	67.0	47	66.6	0.0		67.0	39.3	66.6	0.0		67.0	38.0	66.6	0.0		67.0	
B095	A	2	66.6	67.0	66.7	67.1	47	66.7	0.0		67.1	39.4	66.7	0.0		67.1	38.1	66.7	0.0		67.1	
B095	A	3	66.1	66.5	66.3	66.7	47	66.4	0.1		66.8	39.6	66.3	0.0		66.7	38.0	66.3	0.0		66.7	
B095	A	4	65.6	66.0	65.7	66.1	57.3	66.3	0.6		66.7	46.6	65.8	0.1		66.2	38.9	65.7	0.0		66.1	
B095	B	1	60.6	61.0	60.7	61.1	51.8	61.2	0.5		61.6	43.0	60.8	0.1		61.2	37.7	60.7	0.0		61.1	
B095	B	2	61.6	62.0	61.7	62.1	55.8	62.7	1.0		63.1	46.4	61.8	0.1		62.2	38.7	61.7	0.0		62.1	
B095	B	3	61.6	62.0	61.8	62.2	60.6	64.3	2.5		64.7	49.0	62.0	0.2		62.4	41.0	61.8	0.0		62.2	
B095	B	4	61.5	61.9	61.7	62.1	61.8	64.8	3.1		65.2	52.4	62.2	0.5		62.6	42.5	61.8	0.1		62.2	
B096	A	1	53.1	53.5	53.3	53.7	51.2	55.4	2.1		55.8	43.7	53.8	0.4		54.2	38.1	53.5	0.1		53.9	
B096	A	2	53.1	53.5	53.3	53.7	54.2	56.8	3.5		57.2	44.5	53.9	0.5		54.3	37.7	53.5	0.1		53.9	
B096	A	3	53.2	53.6	53.4	53.8	56.2	58.0	4.6		58.4	42.5	53.7	0.3		54.1	38.6	53.5	0.1		53.9	
B096	B	1	63.1	63.5	63.3	63.7	52.5	63.6	0.3		64.0	46.7	63.4	0.1		63.8	37.8	63.3	0.0		63.7	
B096	B	2	64.4	64.8	64.6	65.0	57.2	65.3	0.7		65.7	48.2	64.7	0.1		65.1	39.7	64.6	0.0		65.0	
B096	B	3	64.6	65.0	64.8	65.2	59.7	66.0	1.2		66.4	48.7	64.9	0.1		65.3	40.6	64.8	0.0		65.2	
B097	A	1	53.1	53.5	53.2	53.6	50.8	55.2	2.0		55.6	42.4	53.6	0.3		54.0	39.5	53.4	0.2		53.8	
B097	A	2	53.1	53.5	53.2	53.6	53	56.1	2.9		56.5	43.8	53.7	0.5		54.1	39.7	53.4	0.2		53.8	
B097	A	3	53.1	53.5	53.3	53.7	56.8	58.4	5.1	YES	58.8	47.3	54.3	1.0		54.7	40.5	53.6	0.2		54.0	
B097	B	1	64.8	65.2	65.0	65.4	64.2	67.6	2.6		68.0	53.6	65.3	0.3		65.7	46.5	65.1	0.1		65.5	
B097	B	2	65.7	66.1	65.9	66.3	63.8	68.0	2.1		68.4	53.0	66.1	0.2		66.5	47.9	66.0	0.1		66.4	
B097	B	3	65.6	66.0	65.8	66.2	65.5	68.7	2.9		69.1	53.2	66.0	0.2		66.4	50.0	65.9	0.1		66.3	
B098	A	1	69.7	70.1	69.8	70.2	47.5	69.8	0.0		70.2	40.2	69.8	0.0		70.2	39.8	69.8	0.0		70.2	
B098	A	2	68.7	69.1	68.9	69.3	47.3	68.9	0.0		69.3	40.2	68.9	0.0		69.3	39.9	68.9	0.0		69.3	
B098	A	3	67.7	68.1	67.8	68.2	53.4	68.0	0.2		68.4	43.9	67.8	0.0		68.2	43.0	67.8	0.0		68.2	
B098	B	1	64.0	64.4	64.1	64.5	45.1	64.2	0.1		64.6	39.5	64.1	0.0		64.5	39.0	64.1	0.0		64.5	
B098	B	2	64.2	64.6	64.3	64.7	44.7	64.3	0.0		64.7	39.6	64.3	0.0		64.7	39.1	64.3	0.0		64.7	
B098	B	3	63.9	64.3	64.0	64.4	50.3	64.2	0.2		64.6	43.8	64.0	0.0		64.4	42.4	64.0	0.0		64.4	
B099	A	1	59.6	60.0	59.8	60.2	45.2	59.9	0.1		60.3	43.5	59.9	0.1		60.3	39.6	59.8	0.0		60.2	
B099	A	2	60.2	60.6	60.3	60.7	45.3	60.4	0.1		60.8	43.8	60.4	0.1		60.8	39.9	60.3	0.0		60.7	
B099	A	3	60.4	60.8	60.5	60.9	45.6	60.6	0.1		61.0	44.8	60.6	0.1		61.0	39.9	60.5	0.0		60.9	
B099	A	4	60.5	60.9	60.7	61.1	53.5	61.5	0.8		61.9	45.5	60.8	0.1		61.2	42.7	60.8	0.1		61.2	
B099	B	1	63.2	63.6	63.4	63.8	52.7	63.8	0.4		64.2	45.9	63.5	0.1		63.9	45.7	63.5	0.1		63.9	
B099	B	2	64.7	65.1	64.8	65.2	56.7	65.4	0.6		65.8	49.0	64.9	0.1		65.3	47.4	64.9	0.1		65.3	
B099	B	3	64.7	65.1	64.9	65.3	59.3	66.0	1.1		66.4	49.6	65.0	0.1		65.4	47.9	65.0	0.1		65.4	
B099	B	4	64.6	65.0	64.8	65.2	58.7	65.8	1.0		66.2	50.9	65.0	0.2		65.4	50.5	65.0	0.2		65.4	
B100	A	1	60.6	61.0	60.8	61.2	51.1	61.2	0.4		61.6	45.7	60.9	0.1		61.3	43.1	60.9	0.1		61.3	
B100	A	2	61.5	61.9	61.7	62.1	53.5	62.3	0.6		62.7	48.2	61.9	0.2		62.3	46.5	61.8	0.1		62.2	
B100	B	1	63.6	64.0	63.7	64.1	54.7	64.2	0.5		64.6	47.3	63.8	0.1		64.2	44.3	63.7	0.0		64.1	
B100	B	2	65.1	65.5	65.2	65.6	55.9	65.7	0.5		66.1	49.1	65.3	0.1		65.7	46.6	65.3	0.1		65.7	
B101	A	1	53.1	53.5	53.3	53.7	55.9	57.8	4.5		58.2	46.0	54.1	0.7		54.5	45.5	54.0	0.7		54.4	
B101	A	2	53.1	53.5	53.2	53.6	58.5	59.6	6.4	YES	60.0	46.2	54.0	0.8		54.4	45.6	53.9	0.7		54.3	
B101	A	3	53.1	53.5	53.3	53.7	61.5	62.1	8.8	YES	62.5	49.7	54.9	1.6		55.3	50.4	55.1	1.8		55.5	
B101	B	1	58.6	59.0	58.7	59.1	67.4	67.9	9.2	YES	68.3	52.3	59.6	0.9		60.0	52.7	59.7	1.0		60.1	
B101	B	2	59.3	59.7	59.4	59.8	67.9	68.5	9.1	YES	68.9	53.7	60.4	1.0		60.8	53.5	60.4	1.0		60.8	
B101	B	3	59.7	60.1	59.8	60.2	69.2	69.7	9.9	YES	70.1	55.6	61.2	1.4		61.6	54.5	60.9	1.1		61.3	
B101	C	1	53.2	53.6	53.3	53.7	64.3	64.6	11.3	YES	65.0	53.3	56.3	3.0		56.7	52.2	55.8	2.5		56.2	
B101	C	2	54.9	55.3	55.1	55.5	65.1	65.5	10.4	YES	65.9	53.7	57.5	2.4		57.9	52.4	57.0	1.9		57.4	
B101	C	3	56.3	56.7	56.5	56.9	67.8	68.1	11.6	YES	68.5	55.2	58.9	2.4		59.3	55.1	58.9	2.4		59.3	
B102	A	1	57.0	57.4	57.2	57.6	59	61.2	4.0		61.6	50.0	58.0	0.8		58.4	47.7	57.7	0.5		58.1	
B102	A	2	57.9	58.3	58.1	58.5	61	62.8	4.7		63.2	51.0	58.9	0.8		59.3	48.1	58.5	0.4		58.9	
B102	A	3	58.9	59.3	59.1	59.5	59.5	62.3	3.2		62.7	50.3	59.6	0.5		60.0	46.8	59.3	0.2		59.7	
B102	B	1	53.1	53.5	53.3	53.7	72.2	72.3	18.9	YES	72.7	60.0	60.8	7.5	YES	61.2	58.5	59.7	6.3	YES	60.1	
B102	B	2	53.1	53.5	53.3	53.7	73.3	73.3	20.0	YES	73.7	61.2	61.9	8.5	YES	62.3	59.1	60.1	6.8	YES	60.5	
B102	B	3	54.9	55.3	55.1	55.5	73.9	74.0	18.9	YES	74.4	62.2	63.0	7.9	YES	63.4	61.6	62.5	7.4	YES	62.9	
B103	A	1	57.3	57.7	57.5	57.9	56.5	60.0	2.5		60.4	48.5	58.0	0.5		58.4	47.0	57.9	0.4		58.3	
B103	A	2	58.3	58.7	58.4	58.8	59	61.7	3.3		62.1	49.7	58.9	0.5		59.3	47.9	58.8	0.4		59.2	
B103	A	3	58.7	59.1	58.8	59.2	56.4	60.8	2.0		61.2	47.9	59.1	0.3		59.5	46.1	59.0	0.2		59.4	
B103	B	1	53.1	53.5	53.3	53.7	63.2	63.6	10.3	YES	64.0	56.5	58.2	4.9		58.6	55.5	57.6	4.2		58.0	
B103	B	2	53.1	53.5	53.2	53.6	67	67.2	13.9	YES	67.6	58.4	59.6	6.3	YES	60.0	57.1	58.6	5.4	YES	59.0	
B103	B	3	53.1	53.5	53.2	53.6	69	69.1	15.9	YES	69.5	60.1	60.9	7.7	YES	61.3	60.5	61.2	8.0	YES	61.6	
B104	A	1	53.1	53.5	53.2	53.6	47	54.2	0.9		54.6	41.9	53.6	0.3		54.0	40.4	53.5	0.2		53.9	
B104	A	2	53.1	53.5	53.2	53.6	46.8	54.1	0.9		54.5	41.9	53.6	0.3		54.0	40.3	53.5	0.2		53.9	
B104	A	3	54.2	54.6	54.3	54.7	52.3	56.4	2.1		56.8	46.0	54.9	0.6		55.3	44.1	54.7	0.4		55.1	
B104	B	1	58.3	58.7	58.5	58.9	54.2	59.9	1.4		60.3	48.0	58.9	0.4		59.3	45.1	58.7	0.2		59.1	
B104	B	2	59.1	59.5	59.3	59.7	57.2	61.4	2.1		61.8	50.0	59.8	0.5		60.2	48.2	59.6	0.3		60.0	
B104	B	3	59.4	59.8	59.6	60.0	61.6	63.7	4.1		64.1	53.5	60.6	1.0		61.0	51.7	60.3	0.7		60.7	
B105	A	1	62.6	63.0	62.7	63.1	47	62.8	0.1		63.2	41.9	62.7	0.0		63.1	40.9	62.7	0.0		63.1	
B105	A	2	63.1	63.5	63.3	63.7	47.2	63.4	0.1		63.8	41.9	63.3	0.0		63.7	41.0	63.3	0.0		63.7	
B105	A	3	63.1	63.5	63.2	63.6	52.2	63.5	0.3		63.9	45.7	63.3	0.1		63.7	42.3	63.2	0.0		63.6	
B105	B	1	64.9	65.3	65.0	65.4	47.1	65.1	0.1		65.5	42.4	65.0	0.0		65.4	41.1	65.0	0.0		65.4	
B105	B	2	65.4	65.8	65.6	66.0	46.9	65.7	0.1		66.1	42.5	65.6	0.0		66.0	41.2	65.6	0.0		66.0	
B105	B	3	65.2	65.6	65.4	65.8	47.8	65.5	0.1		65.9	43.2	65.4	0.0		65.8	41.6	65.4	0.0		65.8	
B106	A	1	59.7	60.1	59.9	60.3	44.4	60.0	0.1		60.4	40.6	60.0	0.1		60.4	39.0	59.9	0.0		60.3	
B106	A	2	61.4	61.8	61.6	62.0	45.1	61.7	0.1		62.1	41.1	61.6	0.0		62.0	39.1	61.6	0.0		62.0	
B106	A	3	62.3	62.7	62.5	62.9	55.5	63.3	0.8		63.7	50.1	62.7	0.2		63.1	48.3	62.7	0.2		63.1	
B106	B	1	58.6	59.0	58.7	59.1	55.3	60.3	1.6		60.7	46.4	58.9	0.2		59.3	43.5	58.8	0.1		59.2	
B106	B	2	60.5	60.9	60.7	61.1	58.5	62.7	2.0		63.1	49.3	61.0	0.3		61.4	47.0	60.9	0.2		61.3	
B106	B	3	61.7	62.1	61.9	62.3	61.5	64.7	2.8		65.1	51.9	62.3	0.4		62.7	49.4	62.1	0.2		62.5	
B107	A	1	53.1	53.5	53.3	53.7	44.3	53.9	0.5		54.3	39.0	53.5	0.2		53.9	37.9	53.5	0.1		53.9	
B107	A	2	53.1	53.5	53.3	53.7	45.4	54.0	0.6		54.4	39.7	53.5	0.2		53.9	38.5	53.5	0.1		53.9	
B107	B	1	59.8	60.2	60.0	60.4	51.1	60.5	0.5		60.9	46.8	60.2	0.2		60.6	45.2	60.1	0.1		60.5	
B107	B	2	60.3	60.7	60.4	60.8	53.8	61.3	0.9		61.7	48.9	60.7	0.3		61.1	46.9	60.6	0.2		61.0	
B108	A	1	56.1	56.5	56.3	56.7	51.8	57.6	1.3		58.0	46.4	56.7	0.4		57.1	42.6	56.5	0.2		56.9	
B108	A	2	57.4	57.8	57.6	58.0	44.2	57.8	0.2		58.2	44.5	57.8	0.2		58.2	38.1	57.6	0.0		58.0	
B108	A	3	58.4	58.8	58.6	59.0	59.2	61.9	3.3		62.3	49.5	59.1	0.5		59.5	46.8	58.9	0.3		59.3	

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out					
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	
B108	B	1	53.1	53.5	53.2	53.6	58.2	59.4	6.2	YES	59.8	49.6	54.8	1.6		55.2	46.7	54.1	0.9			54.5
B108	B	2	53.1	53.5	53.3	53.7	59.6	60.5	7.2	YES	60.9	49.9	55.0	1.6		55.4	47.2	54.3	0.9			54.7
B108	B	3	55.4	55.8	55.6	56.0	60	61.3	5.7	YES	61.7	51.4	57.0	1.4		57.4	48.7	56.4	0.8			56.8
B109	A	1	53.1	53.5	53.2	53.6	50.6	55.1	1.9		55.5	42.6	53.6	0.4		54.0	38.3	53.4	0.1			53.8
B109	A	2	53.1	53.5	53.2	53.6	57	58.5	5.3	YES	58.9	45.8	54.0	0.7		54.4	39.4	53.4	0.2			53.8
B109	A	3	53.3	53.7	53.5	53.9	59.4	60.4	6.9	YES	60.8	49.5	55.0	1.5		55.4	41.6	53.8	0.3			54.2
B109	B	1	59.1	59.5	59.3	59.7	44.8	59.5	0.2		59.9	38.4	59.3	0.0		59.7	37.1	59.3	0.0			59.7
B109	B	2	59.6	60.0	59.7	60.1	45.7	59.9	0.2		60.3	38.7	59.7	0.0		60.1	37.1	59.7	0.0			60.1
B109	B	3	59.7	60.1	59.8	60.2	47.2	60.0	0.2		60.4	40.3	59.8	0.0		60.2	37.5	59.8	0.0			60.2
B110	A	1	61.6	62.0	61.8	62.2	58.5	63.5	1.7		63.9	50.3	62.1	0.3		62.5	42.9	61.9	0.1			62.3
B110	A	2	63.1	63.5	63.3	63.7	61.5	65.5	2.2		65.9	52.8	63.7	0.4		64.1	43.7	63.3	0.0			63.7
B110	A	3	63.5	63.9	63.6	64.0	63.4	66.5	2.9		66.9	52.9	64.0	0.4		64.4	44.9	63.7	0.1			64.1
B110	B	1	64.7	65.1	64.8	65.2	58.9	65.8	1.0		66.2	51.0	65.0	0.2		65.4	42.4	64.8	0.0			65.2
B110	B	2	65.4	65.8	65.5	65.9	61	66.8	1.3		67.2	52.0	65.7	0.2		66.1	43.2	65.5	0.0			65.9
B110	B	3	65.4	65.8	65.5	65.9	63.7	67.7	2.2		68.1	52.5	65.7	0.2		66.1	44.1	65.5	0.0			65.9
B111	A	1	56.2	56.6	56.4	56.8	53.1	58.1	1.7		58.5	46.0	56.8	0.4		57.2	37.7	56.5	0.1			56.9
B111	A	2	57.3	57.7	57.5	57.9	55.8	59.7	2.2		60.1	47.8	57.9	0.4		58.3	39.4	57.6	0.1			58.0
B111	B	1	53.1	53.5	53.3	53.7	48.4	54.6	1.2		55.0	41.3	53.6	0.3		54.0	37.2	53.4	0.1			53.8
B111	B	2	53.1	53.5	53.3	53.7	52.9	56.1	2.8		56.5	44.4	53.9	0.5		54.3	37.8	53.5	0.1			53.9
B112	A	1	53.1	53.5	53.3	53.7	61.8	62.4	9.0	YES	62.8	50.3	55.1	1.7		55.5	41.2	53.6	0.3			54.0
B112	A	2	53.1	53.5	53.3	53.7	62.2	62.7	9.4	YES	63.1	52.2	55.8	2.5		56.2	44.3	53.9	0.5			54.3
B112	A	3	53.1	53.5	53.3	53.7	63.4	63.8	10.5	YES	64.2	52.9	56.1	2.8		56.5	46.2	54.1	0.8			54.5
B112	B	1	56.9	57.3	57.0	57.4	50.3	57.8	0.8		58.2	42.2	57.1	0.1		57.5	35.5	57.0	0.0			57.4
B112	B	2	57.3	57.7	57.5	57.9	54	59.1	1.6		59.5	44.0	57.7	0.2		58.1	35.6	57.5	0.0			57.9
B112	B	3	57.3	57.7	57.5	57.9	55.6	59.7	2.2		60.1	45.3	57.8	0.3		58.2	37.3	57.5	0.0			57.9
B113	A	1	53.1	53.5	53.2	53.6	54	56.6	3.4		57.0	46.8	54.1	0.9		54.5	42.9	53.6	0.4			54.0
B113	A	2	53.1	53.5	53.3	53.7	54.1	56.7	3.4		57.1	46.9	54.2	0.9		54.6	43.0	53.7	0.4			54.1
B113	A	3	53.1	53.5	53.3	53.7	55.5	57.6	4.2		58.0	47.4	54.3	1.0		54.7	43.3	53.8	0.4			54.2
B113	B	1	53.1	53.5	53.3	53.7	65.9	66.1	12.8	YES	66.5	53.9	56.6	3.3		57.0	45.6	54.0	0.7			54.4
B113	B	2	54.1	54.5	54.2	54.6	66.4	66.7	12.5	YES	67.1	55.3	57.8	3.6		58.2	45.7	54.8	0.6			55.2
B113	B	3	55.2	55.6	55.4	55.8	68	68.2	12.8	YES	68.6	57.1	59.3	3.9		59.7	46.0	55.9	0.5			56.3
B114	A	1	56.5	56.9	56.6	57.0	56.6	59.6	3.0		60.0	48.6	57.2	0.6		57.6	46.7	57.0	0.4			57.4
B114	A	2	57.5	57.9	57.6	58.0	57.5	60.6	3.0		61.0	50.2	58.3	0.7		58.7	46.8	57.9	0.3			58.3
B114	A	3	57.9	58.3	58.0	58.4	58.7	61.4	3.4		61.8	50.7	58.7	0.7		59.1	47.2	58.3	0.3			58.7
B114	A	4	58.0	58.4	58.2	58.6	60.9	62.8	4.6		63.2	52.5	59.2	1.0		59.6	48.4	58.6	0.4			59.0
B114	B	1	53.1	53.5	53.3	53.7	78.8	78.8	25.5	YES	79.2	59.9	60.8	7.4	YES	61.2	60.4	61.2	7.8	YES		61.6
B114	B	2	53.1	53.5	53.3	53.7	79	79.0	25.7	YES	79.4	62.2	62.7	9.4	YES	63.1	61.4	62.0	8.7	YES		62.4
B114	B	3	53.7	54.1	53.9	54.3	79.9	79.9	26.0	YES	80.3	62.2	62.8	8.9	YES	63.2	62.3	62.9	9.0	YES		63.3
B114	B	4	55.2	55.6	55.3	55.7	80.3	80.3	25.0	YES	80.7	64.8	65.3	10.0	YES	65.7	63.2	63.9	8.6	YES		64.3
B115	A	1	53.1	53.5	53.3	53.7	56	57.9	4.5		58.3	45.8	54.0	0.7		54.4	42.7	53.7	0.4			54.1
B115	A	2	53.1	53.5	53.3	53.7	58.5	59.7	6.3	YES	60.1	47.6	54.4	1.0		54.8	42.9	53.7	0.4			54.1
B115	A	3	53.1	53.5	53.2	53.6	52.6	55.9	2.7		56.3	43.9	53.7	0.5		54.1	41.2	53.5	0.3			53.9
B115	B	1	55.4	55.8	55.5	55.9	69.6	69.8	14.3	YES	70.2	55.6	58.6	3.1		59.0	47.5	56.1	0.6			56.5
B115	B	2	56.7	57.1	56.8	57.2	66.4	66.9	10.1	YES	67.3	56.7	59.8	3.0		60.2	49.3	57.5	0.7			57.9
B115	B	3	57.2	57.6	57.3	57.7	70.4	70.6	13.3	YES	71.0	57.7	60.5	3.2		60.9	51.1	58.2	0.9			58.6
B116	A	1	55.8	56.2	56.0	56.4	70.9	71.0	15.0	YES	71.4	57.2	59.7	3.7		60.1	52.6	57.6	1.6			58.0
B116	A	2	57.2	57.6	57.4	57.8	73.5	73.6	16.2	YES	74.0	59.3	61.5	4.1		61.9	56.9	60.2	2.8			60.6
B116	A	3	58.3	58.7	58.4	58.8	74.1	74.2	15.8	YES	74.6	59.0	61.7	3.3		62.1	59.3	61.9	3.5			62.3
B116	B	1	55.5	55.9	55.6	56.0	53.5	57.7	2.1		58.1	45.2	56.0	0.4		56.4	43.4	55.9	0.3			56.3
B116	B	2	56.4	56.8	56.6	57.0	53.6	58.4	1.8		58.8	45.3	56.9	0.3		57.3	43.5	56.8	0.2			57.2
B116	B	3	57.0	57.4	57.2	57.6	56.3	59.8	2.6		60.2	47.3	57.6	0.4		58.0	44.6	57.4	0.2			57.8
B117	A	1	60.5	60.9	60.7	61.1	60.3	63.5	2.8		63.9	50.9	61.1	0.4		61.5	43.0	60.8	0.1			61.2
B117	A	2	62.2	62.6	62.4	62.8	62.6	65.5	3.1	YES	65.9	54.2	63.0	0.6		63.4	44.1	62.5	0.1			62.9
B117	A	3	62.5	62.9	62.7	63.1	63.4	66.1	3.4	YES	66.5	54.2	63.3	0.6		63.7	45.5	62.8	0.1			63.2
B117	B	1	65.1	65.5	65.3	65.7	48.7	65.4	0.1		65.8	41.4	65.3	0.0		65.7	39.6	65.3	0.0			65.7
B117	B	2	65.7	66.1	65.9	66.3	48.7	66.0	0.1		66.4	43.4	65.9	0.0		66.3	39.7	65.9	0.0			66.3
B117	B	3	65.6	66.0	65.8	66.2	54.2	66.1	0.3		66.5	44.9	65.8	0.0		66.2	40.5	65.8	0.0			66.2
B118	A	1	53.1	53.5	53.3	53.7	65.1	65.4	12.0	YES	65.8	55.2	57.4	4.0		57.8	53.9	56.6	3.3			57.0
B118	A	2	53.1	53.5	53.2	53.6	65.8	66.0	12.8	YES	66.4	56.0	57.8	4.6		58.2	55.0	57.2	4.0			57.6
B118	A	3	54.5	54.9	54.7	55.1	71.7	71.8	17.1	YES	72.2	61.9	62.7	8.0	YES	63.1	59.6	60.8	6.1	YES		61.2
B118	B	1	59.3	59.7	59.4	59.8	80.4	80.4	21.0	YES	80.8	69.0	69.5	10.1	YES	69.9	69.0	69.5	10.1	YES		69.9
B118	B	2	60.4	60.8	60.5	60.9	81.1	81.1	20.6	YES	81.5	71.0	71.4	10.9	YES	71.8	69.9	70.4	9.9	YES		70.8
B118	B	3	60.7	61.1	60.9	61.3	82.2	82.2	21.3	YES	82.6	72.4	72.7	11.8	YES	73.1	70.8	71.2	10.3	YES		71.6
B119	A	1	53.1	53.5	53.2	53.6	63.8	64.2	10.9	YES	64.6	54.6	57.0	3.7		57.4	53.0	56.1	2.9			56.5
B119	A	2	53.1	53.5	53.3	53.7	64.4	64.7	11.4	YES	65.1	55.8	57.8	4.4		58.2	54.3	56.9	3.5			57.3
B119	A	3	53.1	53.5	53.2	53.6	69.2	69.3	16.1	YES	69.7	58.9	59.9	6.7	YES	60.3	56.8	58.4	5.1	YES		58.8
B119	B	1	59.4	59.8	59.6	60.0	77.9	78.0	18.4	YES	78.4	66.2	67.1	7.5	YES	67.5	67.0	67.7	8.1	YES		68.1
B119	B	2	60.4	60.8	60.6	61.0	78.4	78.5	17.9	YES	78.9	67.8	68.6	8.0	YES	69.0	68.1	68.8	8.2	YES		69.2
B119	B	3	60.7	61.1	60.8	61.2	79.7	79.8	19.0	YES	80.2	69.5	70.0	9.2	YES	70.4	69.5	70.0	9.2	YES		70.4
B120	A	1	60.2	60.6	60.4	60.8	78.7	78.8	18.4	YES	79.2	57.0	62.0	1.6		62.4	58.4	62.5	2.1			62.9
B120	A	2	60.9	61.3	61.1	61.5	81.5	81.5	20.4	YES	81.9	61.3	64.2	3.1		64.6	64.5	66.1	5.0	YES		66.5
B120	A	3	61.1	61.5	61.3	61.7	81.2	81.2	19.9	YES	81.6	61.9	64.6	3.3		65.0	69.5	70.1	8.8	YES		70.5
B120	B	1	53.1	53.5	53.3	53.7	69.9	70.0	16.7	YES	70.4	50.5	55.2	1.8		55.6	50.6	55.2	1.9			55.6
B120	B	2	53.4	53.8	53.6	54.0	73.2	73.2	19.6	YES	73.6	51.7	55.8	2.2		56.2	55.6	57.7	4.1			58.1
B120	B	3	54.3	54.7	54.4	54.8	74.1	74.1	19.7	YES	74.5	55.5	58.0	3.6		58.4	59.2	60.4	6.0	YES		60.8
B121	A	1	69.6	70.0	69.7	70.1	58.5	70.0	0.3		70.4	49.6	69.7	0.0		70.1	46.7	69.7	0.0			70.1
B121	A	2	68.7	69.1	68.9	69.3	60.4	69.5	0.6		69.9	50.9	69.0	0.1		69.4	47.0	68.9	0.0			69.3
B121	A	3	67.6	68.0	67.7	68.1	61.9	68.7	1.0		69.1	48.9	67.8	0.1		68.2	46.5	67.7	0.0			68.1
B121	B	1	62.1	62.5	62.3	62.7	72.3	72.7	10.4	YES	73.1	62.1	65.2	2.9		65.6	60.7	64.6	2.3			65.0
B121	B	2	63.2	63.6	63.3	63.7	72.5	73.0	9.7	YES	73.4	62.9	66.1	2.8		66.5	61.1	65.3	2.0			65.7
B121	B	3	63.2	63.6	63.3	63.7	73.4	73.8	10.5	YES	74.2	64.9	67.2	3.9	YES	67.6	62.3	65.8	2.5			66.2
B122	A	1	58.5	58.9	58.7	59.1	48.6	59.1	0.4		59.5	46.0	58.9	0.2		59.3	41.2	58.8	0.1			59.2
B122	A	2	60.6	61.0	60.7	61.1	48.5	61.0	0.3		61.4	44.9	60.8	0.1		61.2	43.7	60.8	0.1			61.2
B122	A	3	61.2	61.6	61.4	61.8	53.5	62.1	0.7		62.5	50.3	61.7	0.3		62.1	48.2	61.6	0.2			62.0

CadnaA Receptor Sites	Façade	Elevation (floor)	Existing Leq(1)	Existing L10	No-Build Leq(1)	No-Build L10	Jan 2029 Excav					Jan 2029 Superstructure					Jan 2029 Interior Fit Out					
							Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	
							Const	Total	Change		Total	Const	Total	Change		Total	Const	Total	Change		Total	
B122	B	1	60.6	61.0	60.8	61.2	67.7	68.5	7.7	YES	68.9	52.1	61.3	0.5		61.7	50.8	61.2	0.4		61.6	
B122	B	2	62.2	62.6	62.4	62.8	67.8	68.9	6.5	YES	69.3	53.5	62.9	0.5		63.3	52.4	62.8	0.4		63.2	
B122	B	3	62.5	62.9	62.7	63.1	68.2	69.3	6.6	YES	69.7	57.2	63.8	1.1		64.2	52.8	63.1	0.4		63.5	
B123	A	1	60.1	60.5	60.3	60.7	67.7	68.4	8.1	YES	68.8	54.0	61.2	0.9		61.6	51.4	60.8	0.5		61.2	
B123	A	2	61.4	61.8	61.5	61.9	68.2	69.0	7.5	YES	69.4	56.8	62.8	1.3		63.2	52.9	62.1	0.6		62.5	
B123	A	3	61.9	62.3	62.0	62.4	66.5	67.8	5.8	YES	68.2	59.8	64.0	2.0		64.4	55.5	62.9	0.9		63.3	
B123	B	1	56.0	56.4	56.1	56.5	50.3	57.1	1.0		57.5	51.8	57.5	1.4		57.9	38.2	56.2	0.1		56.6	
B123	B	2	57.8	58.2	58.0	58.4	64.2	65.1	7.1	YES	65.5	51.8	58.9	0.9		59.3	38.3	58.0	0.0		58.4	
B123	B	3	58.8	59.2	58.9	59.3	64.3	65.4	6.5	YES	65.8	52.1	59.7	0.8		60.1	39.0	58.9	0.0		59.3	
B124	A	1	53.1	53.5	53.3	53.7	58.8	59.9	6.5	YES	60.3	46.8	54.2	0.9		54.6	36.7	53.4	0.1		53.8	
B124	A	2	53.1	53.5	53.2	53.6	58.8	59.9	6.6	YES	60.3	46.9	54.2	0.9		54.6	36.7	53.3	0.1		53.7	
B124	A	3	53.7	54.1	53.8	54.2	59.1	60.2	6.4	YES	60.6	47.6	54.7	0.9		55.1	37.8	53.9	0.1		54.3	
B124	B	1	59.1	59.5	59.2	59.6	66.7	67.4	8.2	YES	67.8	55.0	60.6	1.4		61.0	49.8	59.7	0.5		60.1	
B124	B	2	60.1	60.5	60.2	60.6	67.1	67.9	7.7	YES	68.3	55.3	61.4	1.2		61.8	50.0	60.6	0.4		61.0	
B124	B	3	60.5	60.9	60.6	61.0	65.8	66.9	6.3	YES	67.3	58.7	62.8	2.2		63.2	54.2	61.5	0.9		61.9	
B125	A	1	58.3	58.7	58.4	58.8	65.5	66.3	7.9	YES	66.7	56.8	60.7	2.3		61.1	54.2	59.8	1.4		60.2	
B125	A	2	59.5	59.9	59.6	60.0	65.6	66.6	7.0	YES	67.0	57.2	61.6	2.0		62.0	54.3	60.7	1.1		61.1	
B125	A	3	59.9	60.3	60.0	60.4	65.8	66.8	6.8	YES	67.2	58.5	62.3	2.3		62.7	55.2	61.2	1.2		61.6	
B125	B	1	53.1	53.5	53.2	53.6	46.1	54.0	0.8		54.4	39.2	53.4	0.2		53.8	37.4	53.4	0.1		53.8	
B125	B	2	53.1	53.5	53.3	53.7	45.9	54.1	0.7		54.5	39.9	53.5	0.2		53.9	38.6	53.5	0.1		53.9	
B125	B	3	54.7	55.1	54.8	55.2	52.5	56.8	2.0		57.2	46.7	55.4	0.6		55.8	44.0	55.1	0.3		55.5	
B126	A	1	53.1	53.5	53.3	53.7	44.3	53.9	0.5		54.3	37.8	53.5	0.1		53.9	36.0	53.4	0.1		53.8	
B126	A	2	53.1	53.5	53.2	53.6	45.4	53.9	0.7		54.3	38.5	53.4	0.1		53.8	36.4	53.3	0.1		53.7	
B126	A	3	53.1	53.5	53.2	53.6	54.7	57.0	3.8		57.4	47.3	54.2	1.0		54.6	43.7	53.7	0.5		54.1	
B126	B	1	57.8	58.2	58.0	58.4	63	64.2	6.2	YES	64.6	54.8	59.7	1.7		60.1	52.0	59.0	1.0		59.4	
B126	B	2	59.0	59.4	59.1	59.5	63	64.5	5.4	YES	64.9	55.1	60.6	1.5		61.0	52.1	59.9	0.8		60.3	
B126	B	3	59.2	59.6	59.4	59.8	63.5	64.9	5.5	YES	65.3	56.1	61.1	1.7		61.5	53.1	60.3	0.9		60.7	
B127	A	1	53.1	53.5	53.2	53.6	44.4	53.8	0.5		54.2	37.2	53.4	0.1		53.8	35.7	53.3	0.1		53.7	
B127	A	2	53.1	53.5	53.2	53.6	48.9	54.6	1.4		55.0	39.9	53.4	0.2		53.8	35.9	53.3	0.1		53.7	
B127	A	3	53.1	53.5	53.3	53.7	52.6	56.0	2.7		56.4	43.1	53.7	0.4		54.1	38.4	53.5	0.1		53.9	
B127	B	1	60.9	61.3	61.1	61.5	61.1	64.1	3.0		64.5	53.0	61.7	0.6		62.1	49.8	61.4	0.3		61.8	
B127	B	2	61.2	61.6	61.3	61.7	61.7	64.5	3.2		64.9	53.2	61.9	0.6		62.3	49.8	61.6	0.3		62.0	
B127	B	3	60.9	61.3	61.1	61.5	62.8	65.0	3.9	YES	65.4	53.6	61.8	0.7		62.2	49.9	61.4	0.3		61.8	
B128	A	1	54.3	54.7	54.4	54.8	48.7	55.4	1.0		55.8	40.7	54.6	0.2		55.0	39.4	54.5	0.1		54.9	
B128	A	2	56.4	56.8	56.6	57.0	48.8	57.3	0.7		57.7	41.2	56.7	0.1		57.1	39.9	56.7	0.1		57.1	
B128	A	3	57.4	57.8	57.5	57.9	52.9	58.8	1.3		59.2	43.5	57.7	0.2		58.1	41.7	57.6	0.1		58.0	
B128	B	1	53.1	53.5	53.2	53.6	57.3	58.7	5.5	YES	59.1	45.8	54.0	0.7		54.4	45.8	54.0	0.7		54.4	
B128	B	2	53.1	53.5	53.2	53.6	62.2	62.7	9.5	YES	63.1	49.2	54.7	1.4		55.1	48.6	54.5	1.3		54.9	
B128	B	3	53.1	53.5	53.2	53.6	64	64.4	11.1	YES	64.8	50.8	55.2	2.0		55.6	50.9	55.2	2.0		55.6	
B129	A	1	53.1	53.5	53.3	53.7	44.6	53.9	0.5		54.3	37.6	53.5	0.1		53.9	35.8	53.4	0.1		53.8	
B129	A	2	53.1	53.5	53.3	53.7	44.6	53.9	0.5		54.3	37.6	53.5	0.1		53.9	35.8	53.4	0.1		53.8	
B129	A	3	53.1	53.5	53.3	53.7	50.1	55.0	1.7		55.4	40.8	53.6	0.2		54.0	38.4	53.5	0.1		53.9	
B129	B	1	55.0	55.4	55.2	55.6	54.1	57.7	2.5		58.1	43.2	55.5	0.3		55.9	42.1	55.4	0.2		55.8	
B129	B	2	56.0	56.4	56.2	56.6	57.2	59.7	3.5		60.1	45.8	56.6	0.4		57.0	44.7	56.5	0.3		56.9	
B129	B	3	56.9	57.3	57.0	57.4	60.5	62.1	5.1	YES	62.5	47.7	57.5	0.5		57.9	46.3	57.4	0.4		57.8	