



## CONSTRUCTION CODES UPDATE PAGES

Attached are Construction Codes Update Pages. These pages reflect local laws enacted and ministerial administrative corrections made after July 1, 2008. Please note that the source of a particular update, the local law number, and year is indicated on each page. Please visit our [webpage](#) to ensure that your codes are complete and up to date as the City Council may periodically pass Local Laws that affect the Construction Codes.

### **Instructions:**

Please place each page, according to its page number found on the bottom right hand corner, into your Construction Codes books. The pages contain letters after the page number and should be placed in alphabetical order following the number, i.e. 5, 6, 6a, 6b, etc.

- Place Title Pages in the front of your Code books for easy reference.
- Note: If you have all four Construction Codes (Building, Mechanical, Plumbing & Fuel Gas), please make sure to insert updates made to the Administrative Provisions into each of the four Code books.

# CONSTRUCTION CODES UPDATE PAGES

## UPDATE # 50

Source: Local Law 48 of 2010 and Local Law 01 of 2011, effective December 28, 2010 and Local Law 85 of 2009, effective July 1, 2010.

This update includes the following pages:

<b>GENERAL ADMINISTRATIVE PROVISIONS (PRECEDING THE BUILDING, FUEL GAS, MECHANICAL AND PLUMBING CODES)</b>	
<b><u>Section</u></b>	<b><u>Page Number</u></b>
28-105.2	A-14a
28-1001.1	A-87
28-1001.2	A-87 - A-102
28-1001.3	A-102 - A-103

<b>BUILDING CODE</b>	
<b><u>Section</u></b>	<b><u>Page Number</u></b>
106.2.1	4b
106.7.1	4c
1704.15.2	364a

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.

**Source:** Local Law 01 of 2011, effective December 28, 2010.

## GENERAL ADMINISTRATIVE PROVISIONS

*Insert between pages A-14 and A-15 of your bound volumes of the NYC Building Code, NYC Plumbing Code, NYC Mechanical Code and NYC Fuel Gas Code.*

Amend item 3 of section 28-105.2 to read as follows:

- 3. Foundation and earthwork permits:** for the construction or alteration of foundations, including earthwork, excavation, ~~and~~ fill, and foundation insulation.

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

## GENERAL ADMINISTRATIVE PROVISIONS

*Insert between pages A-86 and 1 of your bound volumes of the NYC Building Code, NYC Plumbing Code, NYC Mechanical Code and NYC Fuel Gas Code.*

Remove pages A-87 through A-95 in your bound volumes and replace with the following:

### CHAPTER 10

#### THE NEW YORK CITY ENERGY CONSERVATION CODE

##### ARTICLE 1001

##### ENACTMENT AND UPDATE OF THE NEW YORK CITY ENERGY CONSERVATION CODE

**§28-1001.1 Adoption of the energy code.** In accordance with section 11-109 of the New York state energy law, which permits any municipality to promulgate a local energy conservation construction code, the city of New York hereby adopts the 2010 energy conservation construction code of New York state in effect and any amendments thereto that are more stringent than such code adopted by the city of New York as the minimum requirements for the design, construction and alteration of buildings for the effective use of energy in the city. Such adoption shall be subject to amendments pursuant to local law and set forth in section 1001.2 of this chapter, which shall be known and cited as the “New York city amendments to the 2010 energy conservation construction code of New York state.” Such edition of the 2010 energy conservation construction code of New York state with such New York city amendments shall together be known and cited as the “New York city energy conservation code.”

**§28-1001.2 New York city amendments to the 2010 energy conservation construction code of New York state.** The following New York city amendments to the 2010 energy conservation construction code of New York state are hereby adopted as set forth in this section:

#### **Chapter 1**

Delete Chapter 1 in its entirety and add a new Chapter 1 to read as follows:

### **CHAPTER 1**

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

**ADMINISTRATION****SECTION ECC 101**  
**SCOPE AND GENERAL REQUIREMENTS**

**101.1 General.** These provisions shall be known and cited as the “*New York City Energy Conservation Code*,” “NYCECC” or “ECC,” and are referred to herein as “this code.” All section numbers in this code shall be deemed to be preceded by the designation “ECC.” Administration and enforcement of this code shall be in accordance with Title 28 of the Administrative Code.

**101.2 Scope.** This code applies to *residential buildings and commercial buildings* as defined in Chapter 2.

**101.2.1 References.** Where reference is made within this code to the *Building Code of New York State, Existing Building Code of New York State, Fire Code of New York State, Fuel Gas Code of New York State, Mechanical Code of New York State, Plumbing Code of New York State, Property Maintenance Code of New York State or Residential Code of New York State*, the reference shall be deemed to be to the analogous provision(s) of Title 28 of the *Administrative Code* (the *New York City Construction Codes*), the *1968 Building Code*, the *New York City Fire Code* or the *New York City Electrical Code*.

**101.2.2 Occupancy classifications.** For determination of occupancy classification and use within this code, a comparable occupancy classification shall be made to the *New York City Building Code*.

**101.2.3 Reconciliation with Energy Conservation Construction Code of New York State.** Whenever any provision of the *Energy Conservation Construction Code of New York State* provides for a more stringent requirement than imposed by this code, the more stringent requirement shall govern.

**101.2.4 Other laws.** The provisions of this code shall not be deemed to nullify any federal, state or local law, rule or regulation relating to any matter as to which this code does not provide.

**101.3 Intent.** This code shall regulate the design and construction of *buildings* for the effective use of energy. This code is intended to provide flexibility to permit the use of innovative approaches and techniques to achieve the effective use of energy. This code is

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

not intended to abridge safety, health or environmental requirements contained in other applicable codes or ordinances. To the fullest extent feasible, use of modern technical methods, devices and improvements that tend to minimize consumption of energy and utilize to the greatest extent practical solar and other *renewable energy sources* without abridging reasonable requirements for the safety, health and security of the occupants or users of *buildings* shall be permitted. As far as may be practicable, the improvement of energy conservation construction practices, methods, equipment, materials and techniques shall be encouraged.

**101.4 Applicability.** The provisions of this code shall apply to the construction of *buildings*. Where, in any specific case, different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall govern.

**101.4.1 Existing buildings.** Except as specified in this chapter, this code shall not be used to require the removal, *alteration* or abandonment of, nor prevent the continued use and maintenance of, an existing *building* or *building system* lawfully in existence at the time of adoption of this code.

**101.4.2 Historic buildings.** An *alteration* or renovation to an existing *building* or structure that (1) is listed in the New York State Register of Historic Places, either individually or as a contributing *building* to a historic district, (2) is listed in the National Register of Historic Places, either individually or as a contributing *building* to a historic district, (3) has been determined to be eligible for listing in either the New York State or National Register of Historic Places, either individually or as a contributing *building* to a historic district, by the New York State Commissioner of Parks, Recreation and Historic Preservation, or (4) has been determined to be eligible for listing in the National Register of Historic Places, either individually or as a contributing *building* to a historic district, by the United States Secretary of the Interior, need not comply with this code.

**101.4.3 Additions, alterations, renovations or repairs.** *Additions, alterations, renovations or repairs* to an existing *building, building system, equipment* or portion thereof, other than *repairs* of equipment, shall conform to the provisions of this code as they relate to new construction without requiring the unaltered portion(s) of the existing *building, building system* or equipment to comply with this code. *Additions, alterations, renovations or repairs* shall not create an unsafe or hazardous condition or overload existing *building systems*. An *addition* shall be deemed to comply with this code if the *addition* alone complies or if the existing *building* and *addition* comply with this code as

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

a single building.

**Exception:** The following need not comply with the provisions of this code provided that the energy use of the building is not increased:

1. Storm windows installed over existing fenestration.
2. Glass-only replacements in an existing sash and frame, provided that the U-factor and the solar heat gain coefficient (SHGC) shall be equal to or lower than before the glass replacement.
3. Alterations, renovations or repairs to roof/ceiling, wall or floor cavities, including spaces between furring strips, provided that such cavities are insulated to the full existing cavity depth with insulation having a minimum nominal value of R-3.0/inch (R-2.0/cm).
4. Alterations, renovations or repairs to walls and floors in cases where the existing structure is without framing cavities and no new framing cavities are created.
5. Reroofing where neither the sheathing nor the insulation is exposed. Roofs without insulation in the cavity and where the sheathing or insulation is exposed during reroofing shall be insulated either above or below the sheathing.
6. Replacement of existing doors that separate conditioned space from the exterior shall not require the installation of a vestibule or revolving door, provided, however, that an existing vestibule that separates a conditioned space from the exterior shall not be removed.
7. An alteration that replaces less than 50 percent of the luminaires in a space, provided that such alteration does not increase the installed interior lighting power.
8. An alteration that replaces only the bulb and ballast within the existing luminaires in a space, provided that such alteration does not increase the installed interior lighting power.

**101.4.4 Change in occupancy or use.** Spaces undergoing a change in occupancy that would result in an increase in demand for either fossil fuel or electrical energy shall

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

comply with this code. Where the use of a space changes from one use in Table 505.5.2 to another use in Table 505.5.2, the installed lighting wattage shall comply with Section 505.5.

**101.4.5 Change in space conditioning.** Any non-conditioned space that is altered to become *conditioned space* shall comply with this code.

**101.4.6 Mixed occupancy.** Where a *building* includes both residential and commercial occupancies, each occupancy shall be separately considered and shall meet the applicable provisions of Chapter 4 for residential and Chapter 5 for commercial.

**101.5 Compliance.** *Residential buildings* shall meet the provisions of Chapter 4. *Commercial buildings* shall meet the provisions of Chapter 5.

**101.5.1 Compliance software.** Compliance may be determined through the use of computer software developed by the United States Department of Energy, including REScheck, COMcheck or DOE2; of REM/Rate home energy rating and REM/Design home energy analysis software specifically developed for the 2010 *Energy Conservation Construction Code of New York State*; or of other *building* energy modeling or home energy rating software (“HERS”) approved by the New York State Secretary of State. In the case of energy modeling, the commissioner may accept an energy cost budget worksheet based on ASHRAE 90.1 or Section 506 and any information and/or reports showing acceptable results of the energy modeling. Software programs used to show compliance must indicate compliance with the 2010 *Energy Conservation Construction Code of New York State* to reflect the actual requirements of this code. REScheck or COMcheck printout forms must show “*Energy Conservation Construction Code of New York State*” in the title of the printout. Other software programs (for example, REM Rate/REM Design) shall clearly indicate compliance with 2010 *Energy Conservation Construction Code of New York State* parameters. Compliance with the mandatory code provisions of Chapters 4 and 5 is required when using the software approach to show compliance.

**101.5.2 Low-energy buildings.** The following *buildings*, or portions thereof separated from the remainder of the *building* by *building thermal envelope* assemblies complying with this code, shall be exempt from the *building thermal envelope* provisions of this code:

1. Those with a peak design rate of energy use less than 3.4 Btu/h per square foot (10.7 W/m<sup>2</sup>) or 1.0 watt per square foot (10.7 W/m<sup>2</sup>) of floor area for space conditioning purposes.



## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

2. Those that do not contain *conditioned space*.

**101.5.3 Demonstration of compliance.** For a *building project application or applications* required to be submitted to the department, the following documentation, as further described in the rules of the department, shall be required in order to demonstrate compliance with this code:

**101.5.3.1 Professional statement.** Any *registered design professional or lead energy professional* filing an application or applications for a new *building or alteration project* shall provide on a signed and sealed drawing a statement of compliance or exemption in accordance with the rules of the department.

**101.5.3.2 Energy analysis.** For any application that is not exempt from this code and for which a work permit is required in accordance with Section 28-105 of the *Administrative Code*, an *energy analysis* shall be provided on a sheet or sheets within the construction drawing set. The *energy analysis* shall identify the compliance path followed, demonstrate how the design complies with this code and be in a format as prescribed in the rules of the department. The *energy analysis* shall meet the requirements of this code for the entire *project*. *Projects* that utilize trade-offs among disciplines shall use DOE2-based energy modeling programs or other energy-modeling programs as prescribed in the rules of the department and shall be signed and sealed by a *lead energy professional*.

**101.5.3.3 Supporting documentation.** For any application that is not exempt from this code and for which a work permit is required in accordance with Section 28-105 of the *Administrative Code*, supporting documentation shall be required in the *approved* construction drawings. See Section 103 for further requirements.

**101.6 Severability.** If a section, subsection, sentence, clause or phrase of this code is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this code.

**SECTION ECC 102**  
**ALTERNATE MATERIALS, METHOD OF CONSTRUCTION, DESIGN OR**  
**INSULATING SYSTEMS**

**102.1 General.** This code is not intended to prevent the use of any material, method of construction, design or insulating system not specifically prescribed herein, provided that such material, method of construction, design or insulating system has been *approved* by

**CONSTRUCTION CODES UPDATE PAGE**

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

the commissioner as (1) meeting the intent of this code, (2) achieving energy savings that are equivalent to or greater than would be achieved using prescribed materials, methods of construction, designs or insulating systems, and (3) meeting the requirements of Article 113 of Chapter 1 of Title 28 of the *Administrative Code* and the remaining *New York City Construction Codes*.

**102.1.1 Above-code programs.** The commissioner shall be permitted to find that a national, state or local energy efficiency program exceeds the energy efficiency required by this code. *Buildings approved* in writing by such an energy efficiency program shall be considered in compliance with this code. Notwithstanding approval by such an energy efficiency program, the requirements identified as “mandatory” in Chapters 4 and 5 of this code shall still apply.

**SECTION ECC 103**  
**CONSTRUCTION DOCUMENTS**

**103.1 General.** Construction documents shall be prepared in accordance with the provisions of Chapter 1 of Title 28 of the *Administrative Code*, the *New York City Construction Codes*, including this code, and the rules of the department.

**103.2 Supporting documentation on construction documents.** Supporting documentation shall include those construction documents that demonstrate compliance with this code.

**103.2.1 Intent.** Supporting documentation shall accomplish the following:

1. Demonstrate conformance of *approved* drawings to the *energy analysis* for every element and value of the *energy analysis*;
2. Demonstrate conformance of *approved* drawings to other mandatory requirements of this code, including, but not limited, to, sealing against air leakage from the *building* envelope and from ductwork as applicable, insulation of *ducts* and piping as applicable, mechanical and lighting controls with devices shown and operational narratives for each, and additional requirements as set forth in this section;
3. Identify required progress inspections in accordance with the scope of work, this code, the *Administrative Code*, the *New York City Building Code* and the rules of the department; and

**CONSTRUCTION CODES UPDATE PAGE**

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

4. Comply with other requirements as may be set forth in the rules of the department.

**103.2.2 Detailed requirements.** Construction documents shall be drawn to scale upon suitable material. Electronic media documents are permitted to be submitted in accordance with department procedures. Construction documents for a project shall be fully coordinated and of sufficient clarity to indicate the location, nature and extent of the work proposed, and show in sufficient detail pertinent data and features of the building, building systems and equipment as herein governed. Details shall include, but are not limited to, as applicable, insulation materials and their R-values; fenestration U-factors and SHGCs; area-weighted U-factor and SHGC calculations; mechanical system design criteria; mechanical and service water heating system and equipment, types, sizes and efficiencies; economizer description; equipment and systems controls; fan motor horsepower and controls; duct sealing, duct and pipe insulation and location; lighting fixture schedule with wattages and control narrative; and air sealing details.

**103.3 Examination of documents.** In accordance with Article 104 of Chapter 1 of Title 28 of the Administrative Code, the department shall examine or cause to be examined the accompanying construction documents and shall ascertain by such examinations whether the construction indicated and described is in accordance with the requirements of this code and other pertinent laws, rules and regulations.

**103.4 Changes during construction.** Changes made during construction that are not in compliance with the approved construction documents shall be resubmitted for approval as an amended set of construction documents.

**SECTION ECC 104**  
**INSPECTIONS**

**104.1 General.** Except as otherwise specifically provided, inspections required by this code or by the department during the progress of work may be performed on behalf of the owner by an approved agency. All inspections shall be performed at the sole cost and expense of the owner. Refer to Article 116 of Chapter 1 of Title 28 of the Administrative Code for additional provisions relating to inspections. In addition to any inspections otherwise required by this code or the rules of the department, the following inspections shall be required:

1. Progress inspections. Progress inspections shall be performed in accordance with the rules of the department.

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

2. Final inspection. Refer to Article 116 of Chapter 1 of Title 28 of the *Administrative Code* and the rules of the department.
3. Issuance of Certificate of Compliance. Refer to Section 28-116.4.1 of the *Administrative Code*.

The requirements of Section 104.1 shall not be read to prohibit the operation of any heating equipment or appliances installed to replace existing heating equipment or appliances serving an occupied portion of a structure provided that a request for inspection of such heating equipment or appliances has been filed with the department not more than 48 hours after such replacement work is completed, and before any portion of such equipment or appliances is concealed by any permanent portion of the structure.

**104.1.1 Approved agencies.** Refer to Article 114 of Chapter 1 of Title 28 of the *Administrative Code* and the rules of the department.

**104.1.2 Inspection of prefabricated construction assemblies.** Prior to the issuance of a work permit for a prefabricated construction assembly having concealed mechanical work, the department shall require the submittal of an evaluation report by the manufacturer or *approved agency* on each prefabricated construction assembly, indicating the complete details of the mechanical system, including a description of the system and its components, the basis upon which the system is being evaluated for energy use, test results and similar information, and other data as necessary for the commissioner to determine conformance to this code.

**104.1.2.1 Test and inspection records.** Required test and inspection records shall be made available to the commissioner at all times during the fabrication of the mechanical system and the erection of the *building*; or such records as the commissioner designates shall be filed.

**104.2 Testing.** Envelope, heating, ventilating, air conditioning, *service water heating*, lighting and electrical systems shall be tested as required in this code and in accordance with Sections 104.2.1 through 104.2.3. Except as otherwise required in this code or in the rules of the department, tests shall be made by the permit holder and witnessed by an *approved agency*.

**104.2.1 New, altered, extended, renovated or repaired systems.** New envelope, heating, ventilating, air conditioning, *service water heating*, lighting and electrical installations or systems, and parts of existing systems that have been altered,

**CONSTRUCTION CODES UPDATE PAGE**

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

extended, renovated or *repaired*, shall be tested as prescribed herein or in the rules of the department to disclose leaks and defects.

**104.2.2 Apparatus, instruments, material and labor for tests.** Apparatus, instruments, material and labor required for testing an envelope, heating, ventilating, air conditioning, *service water heating*, lighting and/or electrical installation or system or part thereof shall be furnished by the permit holder.

**104.2.3 Reinspection and testing.** Where any work or installation does not pass an initial test or inspection, the necessary corrections shall be made so as to achieve compliance with the *New York City Construction Codes*, including this code. The work or installation shall then be reinspected or retested by the *approved agency*.

**104.3 Sign-off of completed work.** In addition to the requirements of Article 116 of Chapter 1 of Title 28 of the *Administrative Code*, Section 103.4 of this code and other requirements for sign-off, the *project* team shall either certify that construction does not differ from the last approved *energy analysis* or provide a whole-*project as-built energy analysis* and supporting documents, signed and sealed, for approval prior to sign-off. The *as-built energy analysis* and supporting documents shall reflect the materials, equipment and values actually used in the construction of the *project*, and shall demonstrate compliance of the constructed *project* with this code. Such signed and sealed documents may be accepted with less than full examination by the department based on the professional certification of the *registered design professional*.

**104.4 Temporary connection.** The commissioner shall have the authority to allow the temporary connection of an installation to the sources of energy for the purpose of testing the installation or for use under a temporary certificate of occupancy.

**SECTION ECC 105**  
**REFERENCED STANDARDS**

**105.1 Referenced standards.** The standards referenced in this code shall be those that are listed in Chapter 6 and in the rules of the department and such standards shall be considered part of the requirements of this code to the prescribed extent of each such reference. Where differences occur between provisions of this code and the referenced standards, the provisions of this code shall apply. Refer to Article 103 of Chapter 1 of Title 28 of the *Administrative Code* for additional provisions relating to referenced standards.

**CHAPTER 2**

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

**DEFINITIONS****SECTION 202**  
**GENERAL DEFINITIONS**

Revise the definition of “Addition” after the definition of “Accessible,” to read as follows:

**ADDITION.** An extension or increase in the conditioned space floor area or height of a building or structure.

Revise the definition of “Approved” after the definition of “Alteration,” to read as follows:

**APPROVED.** See Section 28-101.5 of the Administrative Code.

Add a new definition of “Approved agency” after the definition of “Approved,” to read as follows:

**APPROVED AGENCY.** See Section 28-101.5 of the Administrative Code.

Add a new definition of “Authority having jurisdiction” after the definition of “Area weighted average,” to read as follows:

**AUTHORITY HAVING JURISDICTION.** The commissioner or the commissioner’s designee.

Revise the definition of “Building” after the definition of “Basement wall,” to read as follows:

**BUILDING.** See Section 28-101.5 of the Administrative Code.

Revise the term “Code enforcement official” after the definition of “C-factor (thermal conductance),” to read as follows:

**CODE ENFORCEMENT OFFICIAL.** The commissioner or the commissioner’s designee.

Add a new definition of “Lead energy professional” after the definition of “Labeled,”

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

to read as follows:

**LEAD ENERGY PROFESSIONAL.** The *registered design professional* who signs and seals the energy analysis for an entire project. Such individual may be the same *registered design professional* who signs and seals the design drawings for the same project.

\*Add a new definition of "Occupant sensor" after the definition of "Nameplate horsepower," to read as follows:

**OCCUPANT SENSOR.** A device that detects the presence or absence of people within an area and causes lighting, equipment, or appliances to be regulated accordingly.

\*Add a new definition of "Photosensor" after the definition of "Occupant sensor," to read as follows:

**PHOTOSENSOR.** A device that detects the presence of visible light.

Add a new definition of "Professional certification" after the new definition of "Photosensor," to read as follows:

**PROFESSIONAL CERTIFICATION.** See Section 28-101.5 of the *Administrative Code*.

Add a new definition of "Project" after the definition of "Professional certification," to read as follows:

**PROJECT.** A design and construction undertaking comprised of work related to one or more *buildings* and the site improvements. A *project* is represented by one or more plan/work applications, including construction documents compiled in accordance with Section 106 of the *New York City Building Code*, that relate either to the construction of a new *building* or *buildings* or to the demolition or *alteration* of an existing *building* or *buildings*. Applications for a *project* may have different *registered design professionals* and different job numbers, and may result in the issuance of one or more permits.

Delete the definition for "Vapor retarder class" after the definition of "U-factor (thermal transmittance)."

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

**CHAPTER 5****COMMERCIAL ENERGY EFFICIENCY****SECTION 501****GENERAL**

\*Delete the last sentence of Section 501.1 and replace with the following:

These commercial buildings shall meet either the requirements of ASHRAE/IESNA Standard 90.1, *Energy Standard for Buildings Except for Low-Rise Residential Buildings*, as modified for New York City by Appendix A of this code, or the requirements contained in this chapter.

**SECTION 505****ELECTRICAL POWER AND LIGHTING SYSTEMS**

\*After the Exception of Section 505.2.2.2, add a new paragraph to read as follows:

In addition to the above requirements, for the following spaces, sensors and controls, including an occupant sensor, shall be installed that only enable lighting to be turned on by manual control, that automatically turn lighting off within a maximum of 30 minutes of all occupants leaving a space, and that enable lighting to be turned off by manual control. Such sensors and controls shall not have an override switch that converts from manual-on to automatic-on functionality. The occupant sensor may have a grace period of up to 30 seconds to turn on the lighting automatically after the sensor has turned off the lighting if occupancy is detected:

1. Classrooms (not including shop classrooms, laboratory classrooms, and preschool classrooms);
2. Conference/meeting rooms;
3. Employee lunch and break rooms, and
4. Offices smaller than 200 square feet (18.5 m<sup>2</sup>) in area.

**Exception:** Offices smaller than 200 square feet (18.5 m<sup>2</sup>) in area equipped with lighting controls activated by photosensor.



CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

**CHAPTER 6**

**REFERENCED STANDARDS**

\*At end of the first paragraph, add the following sentence:

Refer to the rules of the department for any subsequent additions, modifications or deletions that may have been made to the referenced standards set forth herein in accordance with Section 28-103.19 of the *Administrative Code*.

\*Add to the references standard titled "ASHRAE," at the end of the row heading " \*90.1-2007" the following symbol:

‡

\*Add, beneath the references standard titled "ASHRAE", a footnote to read as follows:

‡ As modified in Appendix A

Revise the referenced standard “ICC” after “DOE,” to read as follows:

<b><u>ICC</u></b>	<u>International Code Council, Inc.</u> 500 New Jersey Avenue, NW 6th Floor Washington, D.C. 20001
<u>Standard Reference Number</u>	<u>Referenced in code section number</u>
BCNYS-10	<u>Building Code of New York State.....</u> 101.2.1, 201.3, 303.1.5, 303.2, T402.1.1, 502.2.8, 502.2.8.1, 502.2.8.2, Table 502.2.8.2, 502.5.3
EBNYS-10	<u>Existing Building Code of New York State.....</u> 101.2.1
ECCCNYS-10	<u>Energy Conservation Construction Code of New York State</u> 101.2.3, 101.5.1
FCNYS-10	<u>Fire Code of New York State.....</u> 101.2.1, 201.3
FGNYS-10	<u>Fuel Gas Code of New York State.....</u> 101.2.1, 201.3
MCNYS-10	<u>Mechanical Code of New York State.....</u> 101.2.1, 201.3, 503.2.5, 503.2.5.1, 503.2.6, 503.2.7, 503.2.7.1, 503.2.7.1.1, 503.2.7.1.2, 503.2.9.1, 503.3.1, 503.4.5
NYCECC-10	<u>New York City Energy Conservation Code.....</u> 101.1, 101.5.3.2, 101.5.3.3, 104.3
PCNYS-10	<u>Plumbing Code of New York State.....</u> 101.2.1, 201.3
PMNYS-10	<u>Property Maintenance Code of New York State.....</u> 101.2.1
RCNYS-10	<u>Residential Code of New York State.....</u> 101.2.1, 201.3, 202, 303.1.5, T402.1.1, 402.1.5.1, 402.1.5.2, 402.2.1.1, 402.4.1(12), 403.2.2, T405.5.2(1)
NYCAC-08	<u>New York City Administrative Code.....</u> 101.1, 101.2.1, 101.5.3.2, 101.5.3.3, 102.1, 103.1, 103.2.1, 103.3, 104.1, 104.1.1, 104.3, 105.1
NYCBC-08	<u>New York City Building Code.....</u> 101.2.1, 101.2.2, 102.1, 103.1, 103.2.1, 201.3, 303.1.5, 303.2

**CONSTRUCTION CODES UPDATE PAGE**

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

<u>NYCEC-08</u>	<u>New York City Electrical Code.....</u>	<u>101.2.1, 201.3</u>
<u>NYCFC-08</u>	<u>New York City Fire Code.....</u>	<u>101.2.1, 201.3</u>
<u>NYCFG-08</u>	<u>New York City Fuel Gas Code.....</u>	<u>102.1, 201.3</u>
<u>NYCMC-08</u>	<u>New York City Mechanical Code.....</u>	<u>102.1, 201.3, 403.2.2, 503.2.5, 503.2.5.1, 503.2.6, 503.2.7, 503.2.7.1, 503.2.7.1.1, 503.2.7.1.2, 503.2.9.1, 503.3.1, 503.4.5</u>
<u>NYCPC-08</u>	<u>New York City Plumbing Code.....</u>	<u>102.1, 201.3</u>

Revise the referenced standard “IESNA” after “ICC,” to read as follows:

<b><u>IESNA</u></b>	<u>Illuminating Engineering Society of North America</u> <u>120 Wall Street, 17th Floor</u> <u>New York, NY 10005-4001</u>
---------------------	--

<u>Standard Reference Number</u>	<u>Title</u>	<u>Referenced in code section number</u>
<u>*90.1-07</u>	<u>Energy Standard for Buildings Except Low-rise Residential Buildings</u>	<u>101.5.1, 501.1, 501.2, 502.1.1, Table 502.2(2)</u>

Add a new referenced standard “NYC” after “NFRC,” to read as follows:

<b><u>NYC</u></b>	<u>New York City Department of Buildings</u> <u>280 Broadway</u> <u>New York, NY 10007</u>
-------------------	--

<u>Standard Reference Number</u>	<u>Title</u>	<u>Referenced in code section number</u>
<u>NYCBC-68</u>	<u>1968 Building Code of the City of New York.....</u>	<u>101.2.1</u>

\*Add a new Appendix A after Chapter 6 to read as follows:

**APPENDIX A**

**MODIFIED ENERGY STANDARD FOR BUILDINGS, EXCEPT FOR LOW-RISE RESIDENTIAL BUILDINGS**

**SECTION ECC A101**  
**SCOPE**

**A101.1 Scope.** This appendix provides the modifications to the nationally recognized standard ASHRAE/IESNA Standard 90.1 *Energy Standard for Buildings Except for Low-Rise Residential Buildings*, governing commercial energy efficiency. Where a referenced publication has been modified for the City of New York as by the *New York City Construction Codes* and the *New York City Energy Conservation Code*, every reference to such publication shall be deemed to include all such modifications.

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

**SECTION ECC A102**  
**ENERGY STANDARD FOR COMMERCIAL BUILDINGS**

**A102.1 General.** The standards for energy efficiency in commercial buildings, as defined in Section 202 of this code, shall be in accordance with Chapter 5 of this code or in accordance with ASHRAE/IESNA Standard 90.1 *Energy Standard for Buildings Except for Low-Rise Residential Buildings*, modified for New York City as follows. Refer to the rules of the department for any subsequent additions, modifications or deletions that may have been made to this standard in accordance with Section 28-103.19 of the *Administrative Code*.

**Chapter 9 - Lighting**

**\*9.4.1.2** Delete paragraph (a) of Section 9.4.1.2 and replace with the following :

a. For the following spaces, sensors and controls, including an occupant sensor, shall be installed that only enable lighting to be turned on by manual control, that automatically turn lighting off within a maximum of 30 minutes of all occupants leaving a space, and that enable lighting to be turned off by manual control:

1. Classrooms (not including shop classrooms, laboratory classrooms, and preschool classrooms),
2. Conference/meeting rooms,
3. Employee lunch and break rooms, and
4. Offices smaller than 200 square feet (18.5 m<sup>2</sup>) in area.

Such occupant sensor shall not have an override switch that converts from manual-on to automatic-on functionality. The occupant sensor may have a grace period of up to 30 seconds to turn on the lighting automatically after the sensor has turned off the lighting if occupancy is detected.

**Exception:** offices smaller than 200 square feet (18.5 m<sup>2</sup>) in area equipped with lighting controls activated by photosensor.

**\*\*28-1001.3 Periodic update.**

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new.

**Source:** Local Law 01 of 2011, effective December 28, 2010 unless Local Law 48 of 2010, effective December 28, 2010 as indicated with an asterisk\* or Local Law 85 of 2009, effective July 1, 2010 as indicated with a double-asterisk\*\*.

**28-1001.3.1 Periodic update.** The commissioner shall submit to the city council proposed amendments that he or she determines should be made to this code to bring it up to date with or exceed the latest edition of the energy conservation construction code of New York state. The commissioner shall, at a minimum, submit such proposed amendments (i) following any revision of the energy conservation construction code of New York state that establishes more stringent requirements than those imposed by this code and (ii) no later than the end of the third year after the effective date of this section and every third year thereafter. Prior to such submission, such proposed amendments shall be submitted to an advisory committee established by the commissioner pursuant to section 28-1003.2 for review and comment.

**28-1001.3.2 New York city energy advisory committee.** The commissioner shall establish a New York city energy conservation code advisory committee to provide advice and recommendations regarding such code and revisions thereto. Such committee shall include registered design professionals knowledgeable in energy efficiency, energy conservation, building design and construction; environmental advocates with expertise in energy efficiency and conservation; construction and real estate professionals; and representatives of appropriate labor organizations.

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.

**Source:** Local Law 01 of 2011, effective December 28, 2010

**BUILDING CODE**

*Insert between pages 4a and 5 of your bound volume.*

Amend section 106.2.1 to read as follows:

**106.2.1 Composite plans.** Composite plans showing architectural, structural, and mechanical parts and related energy use systems of a building may be submitted provided that a clear understanding of each part and system is not impaired.

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.  
**Source:** Local Law 01 of 2011, effective December 28, 2010.

**BUILDING CODE**

*Insert between pages 4b and 5 of your bound volume.*

Amend section 106.7.1 to read as follows:

**106.7.1 Foundation plans.** Foundation plans shall show compliance with the requirements of Chapter 18 of this code regarding foundation design and shall show the plan locations, design elevations of the bottoms, and details as to sizes, reinforcements, and construction of all footings, piers, foundation walls, pile groups, and pile caps. The levels of footings of adjacent structures shall be indicated or, if the adjacent structures are pile supported, this shall be stated. Where applicable, the plans shall include underpinning details. In addition, there shall be a statement indicating the character and minimum class of the soil strata required for the support of the foundation; the allowable soil pressure used for the design of footings; and the character, class, and presumptive bearing capacity of the bearing stratum to which piling is required to penetrate. The types and design capacities of piling and the records of required borings or test pits shall also be shown. In addition, foundation plans shall include insulation details as required by the *New York City Energy Conservation Code*.

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.  
**Source:** Local Law 01of 2011, effective December 28, 2010.

**BUILDING CODE**

*Insert between pages 364 and 365 of your bound volume.*

Amend item 5 of section 1704.15.2 to read as follows:

5. Ventilation balancing report is complete and in accordance with design documents; and, in the professional opinion of the special inspector, the system is operating as designed;